

**SCHEDULE OF PARTS**

ARCHITECTURAL FLOOR		GEOGRAPHICAL LOCATION	
PART	DESCRIPTION	Registered Plan	Registered Plan
1	BELOW FOUNDATION AT ELEVATION 47.85	42482	4797
2	PARKING LEVEL 4 AT ELEVATION 50.00	42482	4797
3	PARKING LEVEL 2 AT ELEVATION 56.20	42482	4797
4	PARKING LEVEL 1 AT ELEVATION 56.05	42482	4797
5	GROUND FLOOR AT ELEVATION 62.05	42482	4797
6	2ND FLOOR AT ELEVATION 66.45	42482	4797

LOCATED ON SHEET		SECTION TO SHOW VERTICAL EXTENT OF PARTS	
2	3	4	5
1	1	1	1
2	1	1	1
3	1	1	1
4	1	1	1
5	1	1	1
6	1	1	1

- Notes & Legend**
- Denotes Survey Monument Planted
  - IB Survey Monument Found
  - Iron Bar
  - SIB Standard Iron Bar
  - SSIB Short Standard Iron Bar
  - CC Cut Cross
  - CP Concrete Pin
  - (WIT) Witness
  - Mess. Measured
  - (AOG) Annis, O'Sullivan, Vollebakk Ltd.
  - (P) Registered Plan 42482
  - (P1) Plan 4R-27331
  - (P2) Plan 5R-13174
  - (P3) Plan 5R-11443
  - (P4) Plan 5R-9854
  - (P5) (STANTEC) Plan dated June 22, 2012
  - (P6) (STANTEC) Plan dated March 10, 2015
  - (P7) (AOG) Plan dated November 20, 2017
  - (P8) (AOG) Plan dated August 25, 2020
  - (P9) Ref File No. 20814-20
  - (P10) (AOG) Plan dated September 28, 1988
  - (AOG) Plan dated March 27, 2023
  - RW Retaining Wall
  - U Utility Pole
  - Acc. Acquired
  - Elev. Elevation
  - Vertical Plane Vertical Plane
  - Horizontal Plane Horizontal Plane
  - Inclined Plane Inclined Plane
- 
- See Diagram A
  - See Section 1
  - ↑ Upward without limit
  - ↓ Downward without limit

**SCHEDULE**

PART	LOT	REGISTERED PLAN	PIN
1	Part of 18 (South York Street)		Part of PIN 04214-0207
2	Part of 19 (South York Street)		Part of PIN 04214-0208
3	Part of 20 (South York Street)		Part of PIN 04214-0120
4	Part of 19 (North George Street)		Part of PIN 04214-0208
5	Part of 18, 19 (South York Street)		Part of PIN 04214-0120
6	Part of 20 (North George Street)	42482	Part of PIN 04214-0121
7	Part of 19 (South York Street)		Part of PIN 04214-0207
8	Part of 19 (North George Street)		Part of PIN 04214-0208
9	Part of 20 (South York Street)		Part of PIN 04214-0120
10	Part of 19 (North George Street)		Part of PIN 04214-0121
11	Part of 19 (South York Street)		Part of PIN 04214-0207
12	Part of 19 (North George Street)		Part of PIN 04214-0208
13	Part of 20 (South York Street)		Part of PIN 04214-0120
14	Part of 19 (North George Street)		Part of PIN 04214-0121
15	Part of 19 (South York Street)		Part of PIN 04214-0207
16	Part of 20 (North George Street)		Part of PIN 04214-0120
17	Part of 18 (South York Street)	4797	Part of PIN 04214-0116

Part 17 - Subject to easement Inst. OC1803228.

**STRATA PLAN OF SURVEY OF PART OF LOT 18 AND ALL OF LOTS 19 AND 20 (South York Street) AND PART OF LOT 18 AND ALL OF LOTS 19 AND 20 (North George Street) REGISTERED PLAN 42482 CITY OF OTTAWA**  
 Surveyed by Annis, O'Sullivan, Vollebakk Ltd.

Scale 1 : 200  
 0 0.5 1 2 3 4 5 6 7 8 9 10 Metres  
 The intended plot size of the plan is 1219 mm in width by 610 mm in height when plotted at a scale of 1:200.

**Metric**  
 DISTANCES AND COORDINATES SHOWN ON THIS PLAN ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 3.048.

**Surveyor's Certificate**  
 I CERTIFY THAT:  
 1. This survey and plan comprising sheets 1 to 5 are correct and in accordance with the Surveyors Act, the Surveyors Act and the Land Titles Act and the regulations made under them.  
 2. The survey was completed on the 10th day of June, 2024.

MMM DD YYYY Date Andrew J. Broxham Ontario Land Surveyor  
 This plan of survey relates to AOLS Plan Submission Form Number V-

Bearings are grid, derived from the southerly limit of York Street shown to be N88°17'25"E on Plan 4R-27331, and are referred to the Central Meridian MTM Zone 9 ( 76°30' West Longitude ) NAD-83 (original).  
 Coordinates are derived from Can-Net 2016 Real Time Network GPS observations referenced to Specified Control Points 0191968005 and 0191968015, MTM Zone 9 ( 76°30' West Longitude ) NAD-83 (original).  
 Coordinate values are to urban accuracy in accordance with O. Reg. 216/10.  
 • 0191968005 Northing 5027191.26 Easting 381496.76  
 • 01919680105 Northing 5028915.16 Easting 373871.65  
 • Point A Northing 5032338.31 Easting 368178.94  
 • Point B Northing 5032479.25 Easting 368212.49  
 Caution: Coordinates cannot, in themselves, be used to re-establish corners or boundaries shown on this plan.

Elevations are geodetic and are derived from vertical control monument 00119544001, having a published value of 71.174 metres and are referred to the CGVD28 geodetic datum. Elevations can be converted to the CGVD2013 datum by subtracting 0.301 metres.

It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that its relative elevation and description agrees with the information shown on this drawing.






DIAGRAM A - TO ILLUSTRATE CONFIGURATION OF PARTS BELOW FOUNDATION (Elevation 47.65)




DIAGRAM B - TO ILLUSTRATE CONFIGURATION OF PARTS AT PARKING LEVEL P4 (Elevation 50.10)

Surveyed by Annis, O'Sullivan, Vollebek Ltd.

Scale 1 : 200

The intended plot size of the plan is 1219 mm in width by 610 mm in height when plotted at a scale of 1:200.

Metric  
DISTANCES AND COORDINATES SHOWN ON THIS PLAN ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048.

Notes & Legend

- Denotes Survey Monument Planted
- Survey Monument Found
- IB Iron Bar
- SIB Standard Iron Bar
- SSIB Short Standard Iron Bar
- CC Cut Cross
- CP Concrete Pin
- (WIT) Witness
- Meas. Measured
- (AOG) Annis, O'Sullivan, Vollebek Ltd.
- (P1) Registered Plan 42482
- (P1) Plan 4R-27331
- (P2) Plan SR-13174
- (P3) Plan SR-11443
- (P4) Plan SR-8654
- (P5) (STANTEC) Plan dated June 22, 2012
- (P6) (AOG) Plan dated November 20, 2017
- (P7) (AOG) Plan dated August 25, 2020
- (P8) (AOG) Plan dated March 10, 2015
- (P9) (AOG) Plan dated September 26, 1988
- (P10) (AOG) Plan dated September 27, 2023
- RW Retaining Wall
- U/P Utility Pole
- Acc. Accepted
- Elev. Elevation
- (H) Horizontal Plane
- (V) Vertical Plane
- (I) Inclined Plane
- ↑ See Diagram A
- ↑ See Section 1
- ↑ Upward without limit
- ↓ Downward without limit

All set monumentation are CP's unless otherwise noted.  
 Survey monuments set or witnessed where site conditions permitted.  
 Distances shown on this plan are ground distances and can be converted to grid distances by multiplying by the combined scale factor of 0.99994.  
 Bearings are grid, derived from the southerly limit of York Street shown to be N58°17'25"E on Plan 4R-27331, and are referred to the Central Meridian MTM Zone 9 (76°30' West Longitude ) NAD-83 (original).  
 Coordinates are derived from Can-Net 2016 Real Time Network GPS observations referenced to Specified Control Points 01919680005 and 01919680105, MTM Zone 9 (76°30' West Longitude ) NAD-83 (original).  
 Coordinate values are to urban accuracy in accordance with O. Reg. 216/10.

.01919680005	Northing	5027191.26	Eastings	361496.76
.01919680105	Northing	5024915.16	Eastings	373971.65
- Point A	Northing	5032338.31	Eastings	368178.94
- Point B	Northing	5032479.25	Eastings	368212.49

Caution: Coordinates cannot, in themselves, be used to re-establish corners or boundaries shown on this plan.

Elevations are geoidetic and are derived from vertical control monument 00119544001, having a published value of 71.174 metres and are referred to the CGVD28 geoidetic datum. Elevations can be converted to the CGVD2013 datum by subtracting 0.301 metres.

It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that it's relative elevation and description agrees with the information shown on this drawing.






DIAGRAM C - TO ILLUSTRATE CONFIGURATION OF PARTS AT PARKING LEVEL P2 (Elevation 55.20)





DIAGRAM D - TO ILLUSTRATE CONFIGURATION OF PARTS AT PARKING LEVEL P1 (Elevation 58.05)



Surveyed by Annis, O'Sullivan, Vollebek Ltd.

Scale 1 : 200

The intended plot size of the plan is 1219 mm in width by 610 mm in height when plotted at a scale of 1:200.

Metric  
DISTANCES AND COORDINATES SHOWN ON THIS PLAN ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048.

Notes & Legend

- Denotes Survey Monument Planted
- Survey Monument Found
- IB Iron Bar
- SIB Standard Iron Bar
- SSIB Short Standard Iron Bar
- CC Cut Cross
- CP Concrete Pin
- (WIT) Witness
- Mes. Measured
- (AOG) Annis, O'Sullivan, Vollebek Ltd.
- (P1) Registered Plan 42482
- (P2) Plan 4R-27331
- (P3) Plan SR-13174
- (P4) Plan SR-11443
- (P5) Plan SR-8854
- (P6) (STANTEC) Plan dated June 22, 2012
- (P7) (AOG) Plan dated November 20, 2017
- (P8) (AOG) Plan dated August 25, 2020
- (P9) (AOG) Plan dated September 26, 1988
- (P10) (AOG) Plan dated March 27, 2023
- RW Retaining Wall
- U/P Utility Pole
- Acc. Accepted
- Elev. Elevation
- (H) Horizontal Plane
- (V) Vertical Plane
- (I) Inclined Plane
- ↑ See Diagram A
- ↑ See Section 1
- ↑ Upward without limit
- ↓ Downward without limit

All set monumentation are CP's unless otherwise noted.

Survey monuments set or witnessed where site conditions permitted.

Distances shown on this plan are ground distances and can be converted to grid distances by multiplying by the combined scale factor of 0.99994.

Bearings are grid, derived from the southerly limit of York Street shown to be N58°17'25"E on Plan 4R-27331, and are referred to the Central Meridian MTM Zone 9 (76°30' West Longitude ) NAD-83 (original).

Coordinates are derived from Can-Net 2016 Real Time Network GPS observations referenced to Specified Control Points 01919680005 and 01919680105, MTM Zone 9 (76°30' West Longitude ) NAD-83 (original).







Coordinate values are to urban accuracy in accordance with O. Reg. 216/10.

.01919680005	Northing	5027191.26	Eastings	361496.76
.01919680105	Northing	5024915.16	Eastings	373971.65
-Point A	Northing	5032338.31	Eastings	368178.94
-Point B	Northing	5032479.25	Eastings	368212.49

Caution: Coordinates cannot, in themselves, be used to re-establish corners or boundaries shown on this plan.

Elevations are geodetic and are derived from vertical control monument 00119544001, having a published value of 71.174 metres and are referred to the CGVD28 geodetic datum. Elevations can be converted to the CGVD2013 datum by subtracting 0.301 metres.

It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that it's relative elevation and description agrees with the information shown on this drawing.



Surveyed by Annis, O'Sullivan, Vollebek Ltd.

Scale 1 : 200  
The intended plot size of the plan is 1219 mm in width by 610 mm in height when plotted at a scale of 1:200.

Metric  
DISTANCES AND COORDINATES SHOWN ON THIS PLAN ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048.










- Notes & Legend**
- Denotes Survey Monument Planted
  - Denotes Survey Monument Found
  - IB Iron Bar
  - SIB Standard Iron Bar
  - SSIB Short Standard Iron Bar
  - CC Cut Cross
  - CP Concrete Pin
  - (WIT) Witness
  - Meas. Measured
  - (AOG) Annis, O'Sullivan, Vollebek Ltd.
  - (P1) Registered Plan 42482
  - (P2) Plan 4R-27331
  - (P3) Plan SR-13174
  - (P4) Plan SR-14443
  - (P5) Plan SR-8654
  - (P6) (STANTEC) Plan dated June 22, 2012
  - (P7) (AOG) Plan dated November 20, 2017
  - (P8) (AOG) Plan dated August 25, 2020
  - (P9) (AOG) Plan dated September 26, 1988
  - (P10) (AOG) Plan dated March 27, 2023
  - RW Retaining Wall
  - U/P Utility Pole
  - Acc. Accepted
  - Elev. Elevation
  - (H) Horizontal Plane
  - (V) Vertical Plane
  - (I) Inclined Plane
  - ↑ See Diagram A
  - ↑ See Section 1
  - ↑ Upward without limit
  - ↓ Downward without limit

All set monumentation are CP's unless otherwise noted.  
Survey monuments set or witnessed where site conditions permitted.  
Distances shown on this plan are ground distances and can be converted to grid distances by multiplying by the combined scale factor of 0.99994.  
Bearings are grid, derived from the southerly limit of York Street shown to be N58°17'25"E on Plan 4R-27331, and are referred to the Central Meridian MTM Zone 9 (76°30' West Longitude ) NAD-83 (original).  
Coordinates are derived from Can-Net 2016 Real Time Network GPS observations referenced to Specified Control Points 01919680005 and 01919680105, MTM Zone 9 (76°30' West Longitude) NAD-83 (original).  
Coordinate values are to urban accuracy in accordance with O. Reg. 216/10:  
.01919680005 Northing 5027191.26 Easting 361496.76  
.01919680105 Northing 5024915.16 Easting 373971.65  
- Point A Northing 5032338.31 Easting 368178.94  
- Point B Northing 5032479.25 Easting 368212.49  
Caution: Coordinates cannot, in themselves, be used to re-establish corners or boundaries shown on this plan.

Elevations are geodetic and are derived from vertical control monument 00119544001, having a published value of 71.174 metres and are referred to the CGVD28 geodetic datum. Elevations can be converted to the CGVD2013 datum by subtracting 0.301 metres.

It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that it's relative elevation and description agrees with the information shown on this drawing.

DIAGRAM F - TO ILLUSTRATE CONFIGURATION OF PARTS AT SECOND FLOOR (Elevation 66.55)



Surveyed by Annis, O'Sullivan, Vollebek Ltd.


Scale 1 : 200

The intended plot size of the plan is 1219 mm in width by 610 mm in height when plotted at a scale of 1:200.

Metric  
DISTANCES AND COORDINATES SHOWN ON THIS PLAN ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048.

Notes & Legend

⊕	Denotes	Survey Monument Planted
⊖		Survey Monument Found
IB	-	Iron Bar
SIB	-	Standard Iron Bar
SSIB	-	Short Standard Iron Bar
CC	-	Cut Cross
CP	-	Concrete Pin
(WTT)	-	Witness
Meas.	-	Measured
(AOG)	-	Annis, O'Sullivan, Vollebek Ltd.
(P)	-	Registered Plan 42482
(P1)	-	Plan 4R-27331
(P2)	-	Plan SR-13114
(P3)	-	Plan SR-11443
(P4)	-	Plan SR-9854
(P5)	-	(STANTEC) Plan dated June 22, 2012
(P6)	-	(STANTEC) Plan dated March 10, 2015
(P7)	-	(AOG) Plan dated November 20, 2017
(P8)	-	(AOG) Plan dated August 25, 2020
(P9)	-	Ref File No. 20814-20
(P10)	-	(AOG) Plan dated September 26, 1988
(AOG)	-	(AOG) Plan dated March 27, 2023
RW	-	Retaining Wall
U.P.	-	Utility Pole
Acc.	-	Accepted
Elev.	-	Elevation
⊕	-	Horizontal Plane
⊖	-	Vertical Plane
⊕	-	Inclined Plane



All set monumentation are CP's unless otherwise noted.

Survey monuments set or witnessed where site conditions permitted.

Distances shown on this plan are ground distances and can be converted to grid distances by multiplying by the combined scale factor of 0.99994.

Bearings are grid, derived from the southerly limit of York Street shown to be N81°17'25"E on Plan 4R-27331, and are referred to the Central Meridian MTM Zone 9 (76°30' West Longitude) NAD-83 (original).

Coordinates are derived from Can-Net 2016 Real Time Network GPS observations referenced to Specified Control Points: 01919680005 and 01919680105, MTM Zone 9 (76°30' West Longitude) NAD-83 (original).

Coordinate values are to urban accuracy in accordance with O. Reg. 216/10.

.01919680005	Northing	5027191.26	Eastings	361496.76
.01919680105	Northing	5024815.16	Eastings	373971.65
.Point A	Northing	5032338.31	Eastings	368178.94
.Point B	Northing	5032479.25	Eastings	368212.49

Caution: Coordinates cannot, in themselves, be used to re-establish corners or boundaries shown on this plan.

Elevations are geodetic and are derived from vertical control monument 00119544001, having a published value of 71.174 metres and are referred to the CGVD28 geodetic datum. Elevations can be converted to the CGVD2013 datum by subtracting 0.301 metres.

It is the responsibility of the user of this information to verify that the job benchmark has not been altered or disturbed and that its relative elevation and description agrees with the information shown on this drawing.