

EXTERIOR ELEVATION NOTES

- EXTERIOR SIGNAGE TO BE SUPPLIED AND INSTALLED BY CLIENTS SIGNAGE CONTRACTOR.ALL SIGNAGE IS SHOWN AS APPROXIMATE DIMENSIONS. FINAL SIGN TO BE COORDINATED WITH APPROVED SIGNAGE PACKAGE. PLYWOOD IS TO BE INSTALLED OVER THE EXTERIOR GRADE GYPSUM SHEATHING. ALL GRADES ARE BE REVIEWED PRIOR TO CONSTRUCTION BY THE GENERAL
- CONTRACTOR. ALL DISCREPANCIES IN THE GRADES ARE TO BE REPORTED TO

EXTERIOR ELEVATION KEYED NOTES

- WOOD SIDING
 SPECIFICATION: PRE-FINISHED HORIZONTAL 1X6 COVE MANUFACTURER: CAPE COD COLOUR: ALGERIAN RED
- METAL SIDING
 SPECIFICATION: V₈" CORRUGATED METAL SIDING
 MANUFACTURER: VICWEST OR EQUIVALENT COLOUR: PG01-GALVALUME PLUS PRE-FINISHED METAL CAP FLASHING COLOUR: IDEAL ROOFING #8229 "DARK BROWN"
- 2" REVEAL
 SPECIFICATION: 26ga PRE-FINISHED BENT METAL. HORIZONTALS TO BE
 CENTERED ON RELATING MULLIONS AS SHOWN. COLOUR: TO MATCH IDEAL ROOFING #8229 "DARK BROWN"
- CONCRETE BLOCK
 MANUFACTURER: TBC COLOUR: TBC GROUT: TBC
- 6 8" C-BEAM REVEAL COLOUR: TO MATCH IDEAL ROOFING #8229 "DARK BROWN" 6" C-BEAM REVEAL
 COLOUR: TO MATCH IDEAL ROOFING #8229 "DARK BROWN"
- 8 12" C-BEAM REVEAL COLOUR: TO MATCH IDEAL ROOFING #8229 "DARK BROWN" 9 BENT METAL FRAME COLOUR: TO MATCH IDEAL ROOFING #8229 "DARK BROWN"
- BLACK ANODIZED ALUMINUM FRAMES c/w CLEAR GLAZING PER OTTAWA BIRD-SAFE DEISGN GUIDELINE 2 "MINIMIZE THE TRANSPARENCY AND REFLECTIVITY OF GLAZING" (SEE WINDOW SCHEDULE).
- BLACK ANODIZED ALUMINUM BI-PARTING DOOR c/w CLEAR GLAZING. (SEE DOOR SCHEDULE).
- HEAVY TIMBER COLUMNS
 FINISH: TWO COATS SANSIN SDF CUSTOM TINT, ONE COAT SDF TOPCOAT
- WOOD SLATS
 FINISH: TWO COATS SANSIN SDF CUSTOM TINT, ONE COAT SDF TOPCOAT
- METAL PANELING
 COLOUR: TO MATCH IDEAL ROOFING #8229 "DARK BROWN"
- (15) CONCRETE SKIRTING HOLLOW METAL DOOR c/w HOLLOW METAL FRAME (SEE DOOR SCHEDULE).
 COLOUR: TBD
- STEEL STAIR, LANDING, RAIL AND PICKETS c/w OPEN GRATE TREADS & CHEQUER PLATE NOSINGS. ALL TO BE HOT DIPPED GALVANIZED (SEE STRUCTURAL). GENERAL CONTRACTOR IS TO SUBMIT STAMPED ENGINEERED SHOP DRAWINGS.
- EXTERIOR WALL MOUNTED FLOOD LIGHT FIXTURE (SEE ELECTRICAL). PAINTED. COLOUR: DARK GREY
- 19 ILLUMINATED SIGN BOX SUPPLIED AND INSTALLED BY SIGNAGE VENDOR.
 GENERAL CONTRACTOR TO PROVIDE ELECTRICAL CONNECTION. (SEE
- ROOF SCUPPER.
- CONCRETE FOUNDATION WALL (SEE STRUCTURAL).
 COLOUR: NATURAL CONCRETE COLOUR.
- FINISHED GRADE.
- FIRE DEPARTMENT CONNECTION MOUNTED BETWEEN 11¾" AND 2'-11¾" (300mm AND 900mm) A.F.F. (SEE MECHANICAL)
- RECESSED NON-FREEZE HOSE BIB (SEE MECHANICAL). 76 "COME ON IN" BANNER. SUPPLIED AND INSTALLED BY SIGNAGE CONTRACTOR.
- POURED CONCRETE LOADING RAMP, CURB AND APRON (SEE STRUCTURAL).
- STEEL BOLLARD c/w CONCRETE FILL COLOUR: YELLOW
- insulated garbage compactor access door c/w painted finish. (See door schedule)
- COLOUR: TBD CONCRETE RETAINING WALL w/ GUARD RAIL (SEE STRUCTURAL). GUARD RAIL TO BE HOT DIPPED GALVANIZED. GENERAL CONTRACTOR IS TO SUBMIT SHOP
- CONCRETE PAD FOR COMPACTOR c/w CATCH BASIN (SEE STRUCTURAL AND MECHANCIAL). SLOPE PAD TOWARDS CATCH BASIN. TOP OF PAD TO BE MIN. 6" HIGHER THEN LOADING RAMP.
- DOCK LEVELLER. (33) CONCRETE FLOOR OVER POUR, 4" PAST EXTERIOR FACE OF FOUNDATION.
- PRE-FINISHED INSULATED OVERHEAD SECTIONAL DOOR, SEAL AND BUMPERS. (SEE DOOR SCHEDULE)
- CONCRETE CURB (SEE STRUCTURAL)

4. VERTICAL AND HORIZONTAL REVEALS BETWEEN COMPOSITE PANELS TO BE χ " IN WIDTH. REVEALS ARE DIMENSIONED TO THE CENTRE LINE. (SEE WALL SECTIONS FOR DETAILING)

THESE DRAWINGS SHALL NOT BE USED FOR CONSTRUCTION UNLESS NOTED OTHERWISE THESE DRAWINGS SHALL NOT TO BE SCALED. ERRORS MADE BY PERSONS SCALING THESE DRAWINGS WILL NOT BE THE

IS THE RESPONSIBILITY OF THE CONTRACTOR TO:

CHECK AND VERIFY ALL DIMENSIONS ON SITE;

REPORT ALL ERRORS AND/OR OMISSIONS TO

GREYSTONE BEFORE CONTINUING WITH ANY WORK.

RESPONSIBILITY OF GREYSTONE ARCHITECTURAL PARTNERS THESE DRAWINGS SHALL TO BE READ IN CONJUNCTION WITH ALL OTHER RELATED DOCUMENTS. ALL DESIGN DOCUMENTS ARE THE COPYRIGHT PROPERTY OF GREYSTONE. ANY REPRODUCTIONS OF THE DESIGN DOCUMENTS IN PART OR IN WHOLE IS FORBIDDEN WITHOUT WRITTEN APPROVAL BY GREYSTONE.



Cambridge 154 King St E Cambridge, Ontario N3H 3M4 (519) 896-1010 ext.100

07.02.2024

DESCRIPTION BANK ST. & DUN SKIPPER DR.

> **EXTERIOR ELEVATIONS**

OTTAWA, ONTARIO

ATE (YYYY/MM/DD): 2025.01.15 DRAWING NUMBER: REVISION NUMBER: