Stantec

Stantec Consulting Ltd.
400 - 1331 Clyde Avenue
Ottawa ON
Tel. 613.722.4420
www.stantec.com

Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.
The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Legend

R100A
0.31 | 50
- SANITARY DRAINAGE AREA ID#
- POPULATION COUNT
- SANITARY DRAINAGE AREA ha.

G100A
0.11 | INFL
- SANITARY DRAINAGE AREA ID#
- INFILTRATION RATE OF 0.33 L/s/Ha APPLIED
- SANITARY DRAINAGE AREA ha.

- SANITARY DRAINAGE AREA
- PROPOSED SANITARY MH AND SEWER
- EXISTING SANITARY MH AND SEWER
- THERMAL INSULATION ON SANITARY SEWER WHERE COVER IS LESS THAN 2.5m AS PER S35.

Notes

1	REVISED PER CITY COMMENTS	MJS	DT	25.02.03
0	ISSUED FOR SPA	MJS	DT	24.11.11
Revision		By	Appd.	YY.MM.DD
File Name: 160402058 DB.dwg		MJS	DT	MJS 24.10.16
		Dwn.	Chkd.	Dsgn. YY.MM.DD

Permit-Seal

LICENSED PROFESSIONAL ENGINEER
D. C. THIFFAULT
100186107
2025-02-03
PROVINCE OF ONTARIO

Client/Project
RICHCRAFT HOMES

RIVERSIDE SOUTH BLOCK 167
955 BORBRIDGE AVENUE
OTTAWA, ON

Title
SANITARY DRAINAGE PLAN

Project No.	Scale	Sheet	Revision
160402058	1:400 (0 4 12 20m)	7 of 7	1
Drawing No.			
SA-1			

PLAN #19197

D07-12-24-0147

V:\01-ADA projects\160402058\ (design\drawings\160402058 DB.dwg
2025/02/03 8:27 AM By: Sharp, Mike

ORIGINAL SHEET - ARCH D