

Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.
The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Legend

L101A
1.00 0.85
AREA ID
RUNOFF COEFFICIENT
STORM DRAINAGE AREA hg.
STORM DRAINAGE BOUNDARY

EXT-1
1.00 0.50
AREA ID
EXTERNAL RUNOFF COEFFICIENT
EXTERNAL STORM DRAINAGE AREA hg.
EXTERNAL STORM DRAINAGE BOUNDARY
DIRECTION OF OVERLAND FLOW
PROPOSED STORM MH AND SEWER
PROPOSED CATCHBASIN MANHOLE
PROPOSED CATCHBASIN
EXISTING STORM MH AND SEWER
EXISTING CATCHBASIN
EXISTING COMBINED MH AND SEWER
THERMAL INSULATION ON STORM SEWER WHERE COVER IS LESS THAN 1.5m. THERMAL INSULATION ON WATERMAIN WHERE COVER IS LESS THAN 2.4m AS PER W22.
MAXIMUM STATIC PONDING LIMITS

Notes

- ALL CATCH BASINS AND TRENCH DRAINS TO BE CONNECTED TO INTERNAL PLUMBING AND COLLECTED IN STORM WATER MANAGEMENT CISTERN. INSTALLATION BY OTHERS.
- STORMWATER MANAGEMENT TO BE PROVIDED THROUGH A CISTERN. CISTERN VOLUME = 120.0m³
MAX. CISTERN RELEASE RATE TO STORM SEWER 23.7L/s

2	REVISED AS PER CITY COMMENTS	MJS	PM	25.04.22
1	REVISED AS PER CITY COMMENTS	MJS	PM	24.09.04
0	ISSUED FOR SPA	MJS	PM	23.06.01

Revision		By	Appd.	YY.MM.DD
File Name: 160401697 DB.dwg	MJS	DT	MJS	23.05.01
	Dwn.	Chkd.	Dsgn.	YY.MM.DD

Permit-Seal

Client/Project

BRIGIL HOMES

1299 RICHMOND ROAD
MIXED USE TOWER DEVELOPMENT
OTTAWA, ON, CANADA

Title

STORM DRAINAGE PLAN

Project No. 160401697	Scale 1:250 0 2.5 7.5 12.5m
Drawing No.	Sheet Revision

SD-1

6 of 7

2

