


L 01 ( 65.50

L P1 62.30





A301-A1 1 : 200

22-05-13 Issued for ZBA 4 24-03-08 Issued for Site Plan Control Phase 2 5 24-03-08 Issued for Schematic Design 24-11-22 Issued for Site Plan Control 8 25-02-05 Issued for 30% CD 9 25-02-12 Issued for SPC Resubmission **BIRD FRIENDLY DESIGN GUIDELINES** O<del>◀</del>────5MM DIA SPACER NOTE: VISUAL MARKERS MUST BE DESIGNED WITH A MINIMUM DIAMETER OF 5MM AND MAXIMUM SPACING OF 50MM X 50MM NOT FOR CONSTRUCTION

bruary 12, Project # 211005 - Ottante Parkway

ELEVATIONS As indicated A301-A1






A302-T1 1 : 200


diamond schmitt
A SS February 12, 2025 Project # 211005 - Ottable Parkway Site Plan Control Pe Submission ARCHITECTS ARCHITECTS DONALD R. M. SCHMITT LICENCE 3170 3170
IssuedDateDescription122-05-13Issued for ZBA222-10-21Issued for ZBA Resubmission424-03-08Issued for Site Plan Control Phase 2524-03-08Issued for Schematic Design624-11-22Issued for Site Plan Control825-02-05Issued for 30% CD925-02-12Issued for SPC Resubmission
BIRD FRIENDLY DESIGN GUIDELINES
SPACING OF 50MM X 50MM
NOT FOR CONSTRUCTION
Contractor Must Check & Verify all Dimensions on the Job. Do Not Scale Drawings. All Drawings, Specifications and Related Documents are the Copyright Property of the Architect and Must be Returned Upon Request. Reproduction of Drawings, Specifications and Related Documents in Part or in Whole is Forbidden Without the Written permission of the Architect. This Drawing is Not to be Used for Construction Until Signed by the Architect.
ELEVATIONS As indicated A302-T1


T1 - L 16 112.80 \_\_\_\_\_\_T1 - L 15, \_\_\_\_\_109.80 T1 - L 14 106.80 T1 - L 13 103.80 T1 - L 12 100.80 T1 - L 11 97.80 T1 - L 10 94.80 T1 - L 08 88.50 T1 - L 07 85.50 \_\_\_\_\_T1 - L 06 \_\_\_\_\_ 82.50 T1 - L 05 79.50 T1 - L 04 76.50 T1 - L 03 73.50 T1 - L 02 70.00 L 01 65.50















As indicated A321-T1





 1
 T1 \_ WEST TOWER EAST ELEVATION

 A322-T1
 1 : 100

	Association         Association
OF 122.30	No.DateDescription122-05-13Issued for ZBA222-10-21Issued for ZBA Resubmission424-03-08Issued for Site Plan Control Phase 2524-03-08Issued for Schematic Design624-11-22Issued for Site Plan Control724-12-16Issued for Permit Phase 2825-02-05Issued for 30% CD925-02-12Issued for SPC Resubmission
РН 116.30	
16 112.80	
15 109.80	
14 106.80	
13 103.80	
12 100.80	
11 97.80	
10 94.80	BIRD FRIENDLY DESIGN GUIDELINES
09 91.80	TOSING BALL
08 88.50	SMM DIA SPACER NOTE: VISUAL MARKERS MUST BE DESIGNED WITH A MINIMUM DIAMETER OF 5MM AND MAXIMUM SPACING OF 50MM X 50MM
07 85.50	
06 82.50	
05 79.50	
04 76.50	NOT FOR CONSTRUCTION
03 73.50	
02 70.00	
	Contractor Must Check & Verify all Dimensions on the Job. Do Not Scale Drawings. All Drawings, Specifications and Related Documents are the Copyright Property of the Architect and Must be Returned Upon Request. Reproduction of Drawings, Specifications and Related Documents in Part or in Whole is Forbidden Without the Written permission of the Architect. This Drawing is Not to be Used for Construction Until Signed by the Architect.

1 - L 10 1 - L
000     T1 - L 15     109.30       000     T1 - L 14     105.60       000     T1 - L 13     103.30       000     T1 - L 13     103.30       000     T1 - L 12     100.80       000     T1 - L 10     94.80
000       T1-L 15       109.80         000       T1-L 14       106.80         000       T1-L 13       103.80         000       T1-L 12       100.80         000       T1-L 12       100.80         000       T1-L 12       100.80         000       T1-L 12       100.80         000       T1-L 10       94.80
000 000 000 000 000 000 000 000
000       T1-L14       106.80         000       T1-L13       103.80         000       T1-L12       100.80         000       T1-L11       97.80         000       T1-L10       94.80         000       T1-L09       91.80         000       T1-L08       88.50         000       T1-L07       85.50
000 000 000 000 000 000 000 000
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
0000 00000 0000 0000 0000 0000 0000 0000 0000 0000
0000 0000
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
0000 0000 0000 0000 0000 0000 0000 0000 0000
0000 0000
00000 0000 0000 0000 0000 0000 0000 0000
00000000000000000000000000000000000000
0000 T1-L 08 88.50 T1-L 07 85.50
T1 - L 07 85.50
T1 - L 07 85.50
T1 - L 06 82.50
00000000000000000000000000000000000000
0000 T1 - L 04 76.50
900
T1 - L 03 (73.50
3200
T1 - L 02 70.00
4200
L 01 65.50

(T1-10)

ELEVATIONS 2 As indicated A322-T1