

Drawing Remains the Property of/Copyright Reserved by Gino J. Aiello Landscape Architect. Do Not Use or Reproduce Without Approval of

NOT To Be Used For Construction Unless indicated by Revision: "FOR LANDSCAPE

Contractor is Responsible for Verification of Site Locations of all Utilities. Report any Discrepancies Between Site and Drawing Immediately to

Gino J. Aiello. Do NOT Proceed Until Clarified TURF AREAS TO BE SOD C/W 150MM DEPTH TOPSOIL ON APPROVED SUBGRADE | SOD TO BE #1 GRADE TURFGRASS NURSERY SOD per NSGA - Fine Fescue/Kentucky Bluegrass Sod | PLANTING MIX TO BE APPROVED BY

TO MEET CNLA STANDARDS/BE APPROVED BY LANDSCAPE ARCHITECT PRIOR TO PLANTING ALL MATERIALS & WORK TO BE MAINTAINED UNTIL FINAL ACCEPTANCE. (MOWING TURF WEEDING BEDS, WATERING TURF & PLANTS) & INCLUDE 1 YEAR WARRANTY FROM DATE OF FINAL ACCEPTANCE | PROVIDE WATERING OF ALL PLANT MATERIAL AS REQUIRED FOR PROPER ESTABLISHMENT, UNTIL END OF WARRANTY PERIOD | REFER TO CIVIL

The Landscape Plan is to be read in conjunction with the grading, servicing, site and survey plan | Bare root material to be planted in season only | All plant material locations to be staked on site by the landscape contractor and checked by the landscape architect prior to planting | All trees to be preserved on or directly adjacent to the site will be protected | Plant material are to be installed a minimum of; 3.0m away from any

part of any hydro transformer, 3.0m corridor between a fire hydrant and the curb, a 2.5m radius beside or behind a fire hydrant, 2.0m from any servicing/utility line or structure |

Protection for

Existing Trees

Planting Bed

Concrete

Stone Dust

Existing Tree to Existing Tree to LANDSCAPE LEGEND Coniferous Tree Deciduous Tree Shrub Planting Bed Riverwash Stone On Forecasted Tree Canopy Concrete Monolithic

> Parking Garage Fire Hydrant FD Siamese Connection Light Standard Hydro/Utility Pole **BELOW GRADE SERVICES** REFER TO CIVIL/CUP

— WTR — U/G Water Service — STM — U/G Storm Service —— SAN ——U/G Sanitary Service —— GAS —— U/G Gas Service U/G TelCo Service U/G Hydro Service — OHW —— O/H Hydro Service

2024 03 19 REVIEW/COORDINATION

3030 Carrefour Blvd, Office 1200, Laval, Quebec

H7T 2P5 514.565.7462 GJA INC.

GINO J. AIELLO | LANDSCAPE ARCHITECT

PROPOSED 6 STOREY RESIDENTIAL BUILDING

788 MARCH ROAD KANATA

_andscape