




1 DECIDUOUS TREE PLANTING DETAILS SCALE N.T.S.



2 CONIFEROUS TREE PLANTING DETAILS SCALE N.T.S.




3 TYPICAL SHRUB BED SECTION SCALE N.T.S.



4 LIST OF PLANTING MATERIAL

SYMBOL	QUANTITY	BOTANICAL NAME	COMMON NAME	HEIGHT	SPREAD	CALIPER	ROOT	SPACING	REMARKS
SB	5	AMELANCHIER CANADENSIS	SERVICE BERRY	250 CM	60 MM	WB	AS INDICATED	TRUE TO FORM	
CHB	2	CELTIS OCCIDENTALIS	COMMON HACKBERRY	350 CM	60 MM	WB	AS INDICATED	TRUE TO FORM	
PSMT	4	GINKGO BILOBA PRINCETON SENTRY	PRINCETON SENTRY MADHAIIR TREE	350 CM	60 MM	WB	AS INDICATED	TRUE TO FORM	
CS	12	PICEA PLUNGENS	COLORADO SPRUCE	200 CM	WB	5.0 M O/C	TRUE TO FORM		
MP	14	PINUS MUSSO MUSSO	BUGHO PINE	50 CM	POT	EQUAL SPACING CLIP CANDELS			
BS	49	SPIREA VANHOUTEI	MUGHOWREATH SPIREA	80 CM	POT	EQUAL SPACING CLIP CANDELS			
BH	24	DIERILLA LONICERA	BUSH HONEYSUCKLE	50 CM	POT	EQUAL SPACING CLIP CANDELS			
DAYLILY	130	HEMEROCALLIS STELLA RED	STELLA RED DAYLILY	2 GAL. POT	EQUAL SPACING	2 YEAR PLANTS			

READ IN CONJUNCTION WITH TREE REPORT BY THOMSON WATSON CONSULTING ARBORISTS INC.



THIS DRAWING TO BE USED ONLY FOR LAYOUT & PLANTING OF LANDSCAPE MATERIALS

LANDSCAPE CONSTRUCTION NOTES:

1. ALL LANDSCAPE WORK TO CONFORM WITH THE CIP SPECIFICATIONS FOR THIS PROJECT. THIS DRAWING TO BE USED ONLY FOR LAYOUT AND PLANTING OF LANDSCAPE MATERIALS.
2. USE PLANTING MATERIAL TRUE TO NAME, SPECIES OR GRADES AS SPECIFIED IN THE SCHEDULE. PLANTING MATERIAL SHALL BE SUPPLIED BY THE CONTRACTOR AND SHALL BE INSTALLED BY THE CONTRACTOR.
3. CHECK ALL QUANTITIES AND REPORT ANY ERRORS/DISCREPANCIES TO THE LANDSCAPE ARCHITECT AND AGREE BEFORE PROCEEDING.
4. MATERIALS AND WORKMANSHIP NOT MEETING SPECIFICATIONS WILL BE REJECTED, AT TIME OF INSPECTIONS.
5. ALL TREES SHALL BE BALLED AND BURLAPED AND ALL SHRUBS SHALL BE BALLED AND BURLAPED. MATERIAL SHALL BE MINIMUM 100 MM DIA. AND BURLAP SHALL BE 100 MM DIA. AND BURLAP SHALL BE 100 MM DIA.
6. THE TOP 2/3 OF THE BASKET SHALL BE CUT AND REMOVED FROM THE PIT PRIOR TO BACKFILLING.
7. SPECIFIED MIX FOR TREE / SHRUB PLANTING: TOPSOIL, SET FREE OF STONES, RUBBISH, WASTE, OR OTHER EXTRANEOUS MATERIALS, AND CAPABLE OF SUSTAINING HEALTHY PLANT GROWTH. THE CONTRACTOR SHALL NOT USE TOPSOIL, FERTILIZERS, AND TEN PERCENT WELL ROTTED FARMYARD MANURE SHOULD BE MIXED INTO THE TOPSOIL.
8. FINISH ALL PLANTING AREAS WITH 100mm OF SHREDDED PINE BARK MULCH OR APPROVED EQUAL, FOR CURBED PLAYERS, CURB/PLANTER, BERM TO CENTRE AT 10 TO 15 CM, SLOPE, THEN ADD 100 MM OF SHREDDED PINE BARK MULCH, AVAILABLE AT 905-866-1515 WWW.GRO-BARK.COM
9. IT IS THE CONTRACTOR'S RESPONSIBILITY TO HAVE ALL PLANTING AREAS CLEAR OF WEEDS, AT TIME OF SITE INSPECTIONS. ECONOMY MULCH SUBSTITUTION IS NOT ACCEPTABLE.
10. ALL SOD SHALL CONFORM TO THE CANADIAN NURSERY SOD GROWERS SPECIFICATIONS. SOD SHALL BE INSTALLED UPON ARRAVAL, AND SHALL BE SMOOTH AND WITH JOINTS, & ROLLED TO TOP DRESSED WITH 15 CM OF CLEAN TOPSOIL, FINE GRADED, AND SODDED. SOD SHALL BE COMPOSED FOR GREENING RED FESCUE SLOPES OF 3:1 & SWALES. SOD CONTRACTOR RESPONSIBLE TO MAINTAIN SOD FOR 3 WEEKS AFTER INSTALLATION. WATER & CUT/REMOVE CLIPPINGS. (ALLOW 1 CUT)
11. SOD SHALL BE ROLLED, AFTER INSTALLATION, GENERALLY SODDING ON SLOPES OF MINIMUM 50:1 (2%) AND MAXIMUM 3:1 (33%) SLOPES. REVIEW WITH ENGINEERING DRAWINGS, BEFORE COMMENCING FINAL LAYING OF SOD. THE SITE SHALL BE 15 CM TOPSOIL, AREA PREPARED FOR SODDING. (I.E., GRADING, TO GOVERNOR, CONTRACTOR SHALL CORRELATE MAINTENANCE TAKE OVER OF PLANTING AND SODDING WITH PROJECT MANAGER & OWNER.
12. WARRANTY ON ALL PLANT MATERIAL, (INCLUDING TRANSPORTED MATERIAL) SHALL BE FOR ONE YEAR FROM DATE OF FINAL INSPECTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE GUARANTEE FOR AN ADDITIONAL ONE YEAR.
13. LANDSCAPE ARCHITECT TO RECEIVE 10 DAYS NOTICE, FOR REQUEST OF LANDSCAPE SITE INSPECTIONS.

CONSTRUCTION NOTES:

1. FOR DEMOLITION & REMOVALS SEE SITE PLAN & ENG DWGS.
2. FOR LAYOUT OF SERVICE ENGINEERING, DRAINAGE & ASPHALT & PAINTED LINE WORK & SIGNAGE SEE ARCHITECTURAL SITE PLAN & ENGINEERING DWGS / SOIL REPORT, TO GOVERN.
3. FOR CONSTRUCTION DETAILS OF CONCRETE CURBS / SIDEWALK / IN-PAVING, SIGNAGE, IRON EAGLE FENCING, RETAINING WALLS ETC., READ ALL CONSTRUCTION DRAWINGS/DOCUMENTS IN CONJUNCTION WITH LANDSCAPE ARCHITECT'S DRAWINGS.
4. READ ALL CONSTRUCTION DRAWINGS/DOCUMENTS IN CONJUNCTION WITH LANDSCAPE ARCHITECT'S DRAWINGS.
5. APPROVED, BEFORE FINAL LANDSCAPING CONSTRUCTION BEGINS.

