

Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.
The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Legend

- C101A**
1.00 0.85
- AREA ID
RUNOFF COEFFICIENT
- STORM DRAINAGE AREA No.
STORM DRAINAGE BOUNDARY
DIRECTION OF OVERLAND FLOW
DIRECTION OF EMERGENCY OVERLAND FLOW
PROPOSED STORM MH AND SEWER
PROPOSED STORM SEWER AND ETORCOCKE SYSTEM
PROPOSED CATCHBASIN MANHOLE
PROPOSED CATCHBASIN
EXISTING STORM MH AND SEWER
EXISTING CATCHBASIN
THERMAL INSULATION ON STORM SEWER WHERE COVER IS LESS THAN 1.5m. THERMAL INSULATION ON WATERMAIN WHERE COVER IS LESS THAN 2.4m AS PER W22.
MAXIMUM STATIC PONDING LIMITS
SCUPPER LOCATIONS
EXISTING LOT SIDE OVERLAND FLOW ROUTE
EXISTING ROADSIDE OVERLAND FLOW ROUTE

Notes

Revision	By	Appd.	YY.MM.DD
2	JP	PM	25.07.04
1	JP	PM	25.04.04

File Name:	JP	PM	JP	25.03.24
	Dwn.	Chkd.	Dsgn.	YY.MM.DD

Permit-Seal

Client/Project
MATTAMY HOMES

WATERIDGE VILLAGE
BLOCK 105
OTTAWA, ON, CANADA

Title
STORM DRAINAGE PLAN

Project No.	Scale	Sheet	Revision
160402127	1:400	7 of 11	2
Drawing No.	Sheet	Revision	

SD-1

7 of 11

2

PLAN # XXXXX

