

Harbour Environmental Group

Design Brief

1850 Bantree Street

August 2025

Design Brief

1850 Bantree Street

August 2025

Prepared By:

Arcadis Canada Inc.
333 Preston Street, Suite 500
Ottawa, Ontario K1S5N4
Canada
Phone: 613 721 0555

Prepared For:

Sean Yaehne
VP, Business Strategy Development
Harbour Environmental Group
9595 Enterprise Way SE
Calgary, Alberta T3S 0A1

Our Ref:

148294-6.0-6.04-03



Sam Labadie, P.Eng.,
Land Development Engineer, Arcadis Canada Inc.



Meghan Dustin, P.Eng.,
Water Resources Engineer, Aquafor Beech Limited



This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

Table of Contents

1	INTRODUCTION	4
1.1	Pre-Consultation Meeting	4
1.2	MECP Environmental Compliance	4
1.3	Zoning	5
2	WATER DISTRIBUTION	5
2.1	Existing Conditions	5
2.2	Design Criteria	5
2.2.1	Water Demands	5
2.2.2	System Pressures	5
2.2.3	Fire Flow Rate	6
2.2.4	Boundary Conditions	6
2.3	Proposed Water Plan	6
3	WASTEWATER.....	7
3.1	Existing Conditions	7
3.2	Design Criteria	7
3.3	Recommended Wastewater Plan	7
4	SITE STORMWATER MANAGEMENT	9
4.1	Existing Conditions	9
4.2	Design Criteria	10
4.2.1	Water Quantity	10
4.2.2	Water Quality	10
4.3	Proposed Conditions	11
4.4	Water Quantity	11
4.5	Water Quality	13
4.6	Operations and Maintenance	13
5	SEDIMENT AND EROSION CONTROL PLAN	14
5.1	General	14
5.2	Trench Dewatering	14
5.3	Bulkhead Barriers	14
5.4	Seepage Barriers	14
6	CONCLUSIONS & RECOMMENDATIONS	15

6.1 **Conclusions** 15

6.2 **Recommendations** 15

List of Appendices

APPENDIX A

ECA, Number 2401-D5NNSH issued July 12, 2024
24130-L1 Site and Landscape Plan

APPENDIX B

Boundary Conditions
Water Demand Calculations
FSP Approval Letter from Ottawa Fire Services
148294-001 Services and Sedimentation Plan

APPENDIX C

Sanitary Sewer Design Sheet
Sewer Residual Capacity Correspondence

APPENDIX D

CB Shield Spec
24130-SD1 Post Development Drainage

1 INTRODUCTION

The subject site is part of the parcel of land located at 1850 Bantree Street, east of Laurent Leblanc Ltd and west of Maritime-Ontario Freight Lines Ltd. Arcadis Professional Services (Canada) Inc. (formerly IBI Group) and Aquafer Beech Ltd have been retained by Harbour Environmental Group to provide professional engineering services for the property. The subject site is approximately 0.72 ha and consists of a series of equipment intended for waste (“liquid soil”) processing with material collected via hydrovac operations. Refer to key plan on **Figure 1.1** for Site location.

Figure 1.1 Site Location



1.1 Pre-Consultation Meeting

The City of Ottawa hosted a pre-consultation meeting on July 10th, 2023. There were no major engineering concerns flagged in this meeting. Additional meetings were held with City staff on August 19, 2024, September 23, 2024 and November 4, 2024; as well as a number of email communications.

1.2 MECP Environmental Compliance

An Environmental Compliance Approval (ECA) was obtained by Harbour Environmental Group for the “outside loading and unloading of waste (liquid soil) and processed soil and receiving and shipping of waste (liquid soil)”. This ECA, Number 2401-D5NNSH issued July 12, 2024, can be found in **Appendix A**.

An Air and Noise ECA (Harbour Environmental Group (NW Calgary) Ltd, Ottawa - MECP File Ref #4101-CVGNMJ) was submitted September 8, 2023 and follow-up dialogue took place in October 2024 regarding that application. Approval is anticipated shortly.

Additionally, the City of Ottawa has requested an ECA be obtained specifically for the site stormwater. The application for this ECA will be submitted to Lily Xu under the Transfer of Review process. This SPA submission will form part of that application.

1.3 Zoning

The subject site is zoned IH for Heavy Industrial. The proposed use of the site, “waste processing and transfer”, falls under permitted uses per the City of Ottawa Bylaw Part 11, Section 201-202.

2 WATER DISTRIBUTION

2.1 Existing Conditions

It is proposed to service the subject site with potable water from the City of Ottawa’s existing watermain. There is an existing 305mm ductile iron watermain in Bantree Street. A road cut would be required to connect.

2.2 Design Criteria

2.2.1 Water Demands

The proposed development consists of a Heavy Industrial gross area. In order to calculate water demand rates, the per unit density and consumption rates are taken from Tables 4.1 and 4.2 of the Ottawa Design Guidelines – Water Distribution were used and are summarized as follows:

- | | |
|----------------------|-----------------------|
| • Industrial - Heavy | 55,000 l/gross ha/day |
| • Average Day Demand | 280 l/cap/day |
| • Peak Daily Demand | 700 l/cap/day |
| • Peak Hour Demand | 1,540 l/cap/day |

A water demand calculation sheet is included in **Appendix B** and the total water demands are summarized as follows:

- | | |
|---------------|----------|
| • Average Day | 0.46 l/s |
| • Maximum Day | 0.69 l/s |
| • Peak Hour | 1.24 l/s |

2.2.2 System Pressures

The 2010 City of Ottawa Water Distribution Guidelines states that the preferred practice for the design of a new distribution system is to have normal operating pressures range between 345 kPa (50 psi) and 552 kPa (80 psi) under maximum daily flow conditions. Other pressure criteria identified in the guidelines are as follows:

- | | |
|------------------|--|
| Minimum Pressure | Minimum system pressure under peak hour demand conditions shall not be less than 276 kPa (40 psi). |
| Fire Flow | During the period of maximum day demand, the system pressure shall not be less than 140 kPa (20 psi) during a fire flow event. |

Maximum Pressure Maximum pressure at any point in the distribution system in unoccupied areas shall not exceed 689 kPa (100 psi). In accordance with the Ontario Building/Plumbing Code the maximum pressure should not exceed 552 kPa (80 psi) in occupied areas. Pressure reduction controls may be required for buildings when it is not possible/feasible to maintain the system pressure below 552 kPa.

2.2.3 Fire Flow Rate

Note that no buildings are proposed for this site. Water demands have been calculated for a Heavy Industrial gross area in lieu of a floor area or population density, in accordance with the Ottawa Design Guidelines for Water Distribution, however there are no proposed buildings to calculate a fire demand using the FUS.

The ground surface surrounding the equipment consists of granulars. There is a rail corridor separating the northeast property line of 1850 Bantree from the southwest property line of the adjacent property. No equipment is to be placed inside this corridor, thereby providing an additional buffer from existing buildings and reducing concerns over potential fire hazards.

A Fire Safety Plan (FSP) has been “reviewed and approved by the Fire Prevention Office of the Ottawa Fire Service” on August 21, 2024. A copy of the approval letter can be found in **Appendix B**.

Given the above considerations, it is proposed to install a private hydrant inside the property line so that water is available in case of fire, however there is no set fire demand.

2.2.4 Boundary Conditions

The City of Ottawa has provided a hydraulic boundary condition in front of the subject property. The boundary condition is based on the water demand provided. A copy of the boundary condition received November 28, 2024 is included in **Appendix B** and is summarized as follows:

BOUNDARY CONDITIONS	
SCENARIO	HGL (m)
Average Day	117.9
Peak Hour	109.9
Max Day + Fire Flow	N/A

2.3 Proposed Water Plan

The site will be serviced by a connection to the existing 305 mm ductile iron watermain on Bantree Street. There is one hydrant proposed on site, near the vehicular entrance to the site. Redundancy is not required for this site as water demands fall below the threshold for a second connection. For the purposes of this report, assuming a minimal loss within the service connection, the pressures within the site can be estimated as follows:

Minimum Pressure (Peak Hour) – The minimum peak hour pressure on the site can be estimated as HGL 109.9 m – hydrant elevation 69.6 m = 40.3 m or 395.3 kPa which exceeds the minimum requirement of 276 kPa.

Fire Flow – There is no fireflow associated with this site.

Max HGL (High Pressure Check) – The high-pressure check can be estimated as HGL 117.9 m – hydrant elevation 69.6 m = 48.3 m or 473.8 kPa which does not exceed the maximum of 552 kPa, therefore no pressure reducing valve is proposed.

The above results indicate the municipal infrastructure can support the proposed development.

3 WASTEWATER

3.1 Existing Conditions

There is an existing 300mm concrete sanitary sewer in the Bantree Street right-of-way adjacent to this site. There are no MSS or “high-level study” available for this industrial area. There is currently no flow from the subject site to any sanitary sewer. The capacity of the 300mm concrete sewer is discussed in Section 3.3.

3.2 Design Criteria

The sanitary sewers for the subject site will be based on the City of Ottawa design criteria. It should be noted that the sanitary sewer design for this study incorporates the latest City of Ottawa design parameters identified in Technical Bulletin ISTB-2018-01. Some of the key criteria will include the following:

- Industrial – Heavy Demand 55,000 l/ha/d
- ICI Peaking factor 1.5
- Infiltration allowance 0.33 l/s/ha
- Velocities 0.60 m/s min. to 3.0 m/s max.

In addition to the standard Heavy Industrial consumption rate, the use of the site will result in extra wastewater flows due to operations onsite. Per the July 2024 ECA (available in **Appendix A**), treated effluent from the liquid waste processing is suitable to be discharged to a sanitary sewer (Soil Receipt and Handling, item 24, subsection 10). Harbour Environmental Group has estimated an average sanitary discharge volume of 25 m³/day from their operations. On a peak day, this volume increases to 60 m³/day.

3.3 Recommended Wastewater Plan

Per Section 3.2 of this report, wastewater flow rate was calculated based on the proposed heavy industrial land use and an additional flow resulting from waste processing operations. This operations flow is expected to result in additional flows up to 60 m³/day.

Calculating sanitary flows by land-use,

$$\begin{aligned} Q_{\text{land-use}} &= 0.72 \text{ ha} * 55,000 \text{ l/ha/d} * 1.5 \text{ ICI Peak Factor} \\ &= 59,400 \text{ l/day} / (86400 \text{ s/day}) \\ &= 0.69 \text{ l/s} \end{aligned}$$

Infiltration allowance can then be calculated as follows,

$$\begin{aligned} Q_{\text{infiltration}} &= 0.72 \text{ ha} * (0.33 \text{ L/s/ha}) \\ &= 0.24 \text{ l/s} \end{aligned}$$

Considering the onsite operations flow and converting to l/s as follows,

$$\begin{aligned}Q_{\text{operations}} &= 60 \text{ m}^3/\text{day} * (1000 \text{ L/m}^3) \\&= 60,000 \text{ l/day} / (86400 \text{ s/day}) \\&= 0.69 \text{ l/s}\end{aligned}$$

Total flow can then be considered as the following,

$$\begin{aligned}Q_{\text{sanitary}} &= Q_{\text{land-use}} + Q_{\text{infiltration}} + Q_{\text{operations}} \\&= 0.69 \text{ l/s} + 0.24 \text{ l/s} + 0.69 \text{ l/s} \\&= 1.62 \text{ l/s}\end{aligned}$$

As demonstrated above and detailed in the sanitary sewer design sheet (see **Appendix C**), the calculated wastewater flow is estimated to be 1.62 l/s.

It should be noted that the additional 60 m³/day flow is not being taken from the city watermain on Bantree, rather it is being produced from site works (treating liquid waste into a product that can be discharged into the city's sanitary sewer system per the July 2024 ECA).

As discussed in Section 3.1, there are no MSS or "high-level study" available for this industrial area. The city was approached to determine if there is sufficient capacity available in the existing sewer to handle the increased sanitary flow from the site and if the sanitary HGL would be an issue. The city has confirmed that there are "no issues with capacity or the 100-yr HGL in the sanitary sewer on Bantree Road" based on a sanitary flow of 1.62 l/s (see correspondence in **Appendix C**).

In reality, the 0.69 l/s peak flow calculated from the 0.72 ha gross area of the site multiplied by 55,000 l/ha/day will not materialize. The only source of wastewater discharge to the sanitary sewer is expected to come from waste processing operations. This land-use flow has been included in our calculations in addition to the operations flow in order to be conservative.

4 SITE STORMWATER MANAGEMENT

4.1 Existing Conditions

The 0.72 ha site surface is comprised of gravel, with an equipment area located at the south end and landscaping along the east and south property line.

The entire site currently drains to the east to a 165m long enhanced swale with sand filter comprised of a 200mm perforated HDPE pipe with sock in clearstone overlain by filter fabric and drainage sand (Paterson, 2023). The facility accepts the runoff via sheet flow from the site, and stores the runoff in the media layers of the facility as well as ponding storage. Runoff is infiltrated or slowly released to the City 1050 mm diameter concrete storm sewer on Bantree Street via the perforated pipe system.

The enhanced swale with sand filter was planted upon construction completion, and vegetation has taken throughout the entire swale. The bottom of the swale varies in width from approximately 2.1m to 4m. The swale provides 230.5m³ of storage in the clearstone around the perforated pipe, within the filter sand, and by ponding.

PARAMETER	ENHANCED SWALE WITH SAND FILTER
Length of Perforated Pipe	177m
Ponding Depth (h _r)	0.4m
Total Facility Depth (d _r)	0.75m
Filter Sand (Void Ratio = 0.4)	0.25m
Clearstone with 200mm diameter HDPE perforated pipe (Void Ratio = 0.4)	0.5m
Total Storage (Ponding + Media Storage)	148.7m ³ + 81.8m ³ = 230.5m ³

Three catch basins are located along the swale to provide overflow into the perforated pipe. The catchbasin grates are approximately 0.4m higher than the top of swale, allowing for infiltration and storage prior to entry into the perforated pipe. The final segment of pipe between the existing 1500mm diameter concrete City storm sewer on Bantree Street and the upstream manhole on site is a 150mm diameter PVC pipe.

A site visit was completed on October 7th, 2024. The enhanced swale and sand filter was well vegetated and was function as intended. Minor sediment accumulation was identified at the north end of the swale which requires removal. The existing catch basin and manhole covers were in good condition with the exception of catch basin 2, which needs some concrete repairs to ensure surface ponding can occur within the swale. Images of the two maintenance requirements are below.



4.2 Design Criteria

The stormwater management infrastructure was designed per the City of Ottawa 2012 Sewer Design Guidelines. Previous consultation with the City has also confirmed water quantity and quality requirements for this site, as summarized below.

2.2.5 Water Quantity

Per the pre-consultation documentation with the City of Ottawa in **Appendix A**, post-development site runoff from the 100-year design storm must not exceed the 5-year pre-development flow.

2.2.6 Water Quality

Stormwater management for this site is to achieve enhanced water quality control, which requires 80% TSS removal. Runoff from events up to, and including, the 28mm event in the City of Ottawa represents 90% of the total annual rainfall events (or the 90th Percentile Event). As such per the Low Impact Development Stormwater Management Guidance Manual (MECP, Draft 2022) “Stormwater management BMPs which achieve the Runoff Volume Control Target (the control of the regionally specific 90th percentile precipitation event) may be considered to have achieved Enhanced Protection (sometimes referred to as Level 1) for the respective contributing drainage area.” Therefore by capturing, storing and filtering 90% of all rainfall events, long term 80% TSS removal performance will be achieved.

4.3 Proposed Conditions

The proposed conditions maintain the same land use characteristics and runoff flow patterns; however, the runoff is reduced due to the installation of the new hydro-vac waste processing equipment. The proposed series of equipment is comprised of numerous open top tanks which will collect the precipitation that falls directly onto these surfaces. Therefore, during discussion with the City it was confirmed that the area of these tanks could be removed from post-development drainage calculations. The surface area of the equipment that will be removed from the drainage calculations is equal to 316m², as detailed below:

TANK	LENGTH	WIDTH	SURFACE AREA (M2)
Dump Tanks	18.3	3.7	68
Circulation Tanks	12.2	3.7	45
Processing Tanks	12.2	3.7	45
Coarse Solids Bin	18.3	3.7	68
Fine Solids Bin 1	12.2	3.7	45
Fine Solids Bin 2	12.2	3.7	45
Total Surface Area			316

4.4 Water Quantity

Pre and post-development peak flows were calculated for the 5-100 year storm using the rational method, following City standards for site servicing.

$$Q = 2.78CiA$$

Where Q = peak flow (L/s)

C = runoff coefficient

I = rainfall intensity (mm/hr)

A = drainage area (ha)

The pre-development and post-development runoff coefficients were calculated to be 0.608 and 0.618 respectively.

Pre-Development Composite Runoff Coefficient "C"			
Drainage Area	Area(ha)	C	Composite C
Landscape	0.008	0.25	
Gravel	0.710	0.6	
Total Site Area	0.718		0.596
Post-Development Composite Runoff Coefficient "C"			
Drainage Area	Area(ha)	C	Composite C
Landscape	0.008	0.25	
Gravel	0.678	0.6	
Total Post-development Drainage Area	0.686		0.596

Rainfall intensity was calculated using the IDF Curve equation and the City of Ottawa parameters.

$$I = A/(T_c + C)^B,$$

Where I = rainfall intensity (mm/hr)

A, B, C = regression constants for each return period

T_d = time of duration (min)

A = drainage area (ha)

Rainfall Intensity $I = A/(T_c + C)^B$ Time of duration = 10min; A, B, C = per Section 5.4.2 of City of Ottawa Sewer Design Guidelines.						
Return Period	2-yr	5-yr	10-yr	25-yr	50-yr	100-yr
Rainfall Intensity (mm/hr)	76.81	104.19	122.14	144.69	161.47	178.56

Peak flows were then calculated using the rational method for both pre and post-development conditions.

Pre-Development Peak Flow Rate (L/s)						
Return Period	2-yr	5-yr	10-yr	25-yr*	50-yr*	100-yr*
Total Site (C = 0.61)	91.39	123.97	145.33	189.37	230.55	265.57
Post-Development Peak Flow Rate (L/s)						
Return Period	2-yr	5-yr	10-yr	25-yr*	50-yr*	100-yr*
Post-Development Drainage Area (C = 0.62)	87.34	118.48	138.89	180.98	220.34	253.81
*25-, 50-, and 100-year C Values were increased by 10%, 20%, and 25% respectively per City of Ottawa SDG (2012)						

The release control flow rate (5 year pre-existing flow) was calculated to be **123.97 L/s**.

The required on-site storage volumes have been calculated based on the Modified Rational Method in Section 8.3.10.3 of the City's Sewer Guidelines.

Time (min)	Intensity (mm/hr)	Peak Flow (L/s)	Release Rate (L/s)	Storage Rate (L/s)	Storage Volume (m³)
10	178.56	203.05	123.97	79.08	47.45
20	119.95	136.40	123.97	12.43	14.92
30	91.87	104.47	123.97	0	0
40	75.15	85.46	123.97	0	0
50	63.95	72.72	123.97	0	0
60	55.89	63.55	123.97	0	0
70	49.79	56.62	123.97	0	0
80	44.99	51.16	123.97	0	0
90	41.11	46.75	123.97	0	0
100	37.9	43.10	123.97	0	0
110	35.2	40.03	123.97	0	0

During the 100 year storm, on-site storage of 47.45 m³ is required. The existing swale provides

approximately 230.5m³ of storage, therefore sufficient water quantity control is provided on site.
No additional flow control is required for flows leaving the site, as the existing pipe (150mm PVC) connecting the site to the City storm sewer restricts flows sufficiently.

4.5 Water Quality

To capture, store, and filter the 90th percentile, the water quality volume must be calculated per the post-development site conditions. The site characteristics and calculated water quality volume are summarized in the table below.

Drainage Area (A)	0.69 ha = 6,900 m ²
90 th Percentile Event (i)	28mm = 0.028 m
Runoff Coefficient (C)	0.62
I:P Ratio	5.6:1
Water Quality Control Volume	= $C \cdot i \cdot A$ = 114.5 m³
Storage Volume provided by Enhanced Swale with Sand Filter	230.5m ³

Per LID design guidelines enhanced swales are typically designed for I:P ratios of 5:1 to 20:1 and drainage areas less than 2ha. The existing enhanced swale meets these requirements.

The required storage volume to capture and treat the 28mm event is equal to 114.5m³, and as the existing enhanced swale with sand filter provides 230.5m³ of storage no additional storage is required for the purpose of water quality control.

CB shields catch basin inserts are proposed for catch basins 1, 2, and 3. The addition of CB shields will prevent accumulated sediment in the catch basin sumps from being washed out, and will provide water quality treatment for events beyond the 90th percentile. These will also provide water quality treatment for flows that enter the catch basin grates during events in which the storage in the enhanced swale with sand filter is exceeded.

4.6 Operations and Maintenance

Specific maintenance requirements for the enhanced swale with filter sand are summarized in the following paragraph.

The enhanced swale with filter sand should be inspected after significant rainfall (events greater than 15mm) and in the spring to confirm operating conditions. Accumulated sediment should be removed from the surface of the swale, and any erosion areas should be repaired. The inlets of catch basin 1, 2, and 3 should also be kept clear of blockages, debris, and any excess vegetation to ensure flows are not impeded. The catch basin sumps should be emptied using a vac truck when the sediment depth reaches 50% of the sump capacity.

Detailed inspection guidance and maintenance activities for enhanced swales can be found in the 2016 STEP Low Impact Development Stormwater Management Practice Inspection and Maintenance Guide.

5 SEDIMENT AND EROSION CONTROL PLAN

5.1 General

During construction, existing stream and conveyance systems can be exposed to significant sediment loadings. Although construction is only a temporary situation, it is proposed to introduce a number of mitigative construction techniques to reduce unnecessary construction sediment loadings. These will include:

- groundwater in trench will be pumped into a filter mechanism prior to release to the environment;
- bulkhead barriers will be installed at the nearest downstream manhole in each sewer which connects to an existing downstream sewer;
- seepage barriers will be constructed in any temporary drainage ditches; and
- silt sacks will remain on open surface structure such as manholes and catchbasins until these structures are commissioned and put into use.

5.2 Trench Dewatering

During construction of municipal services, any trench dewatering using pumps will be discharged into a filter trap made up of geotextile filters and straw bales similar in design to the OPSD 219.240 Dewatering Trap. These will be constructed in a bowl shape with the fabric forming the bottom and the straw bales forming the sides. Any pumped groundwater will be filtered prior to release to the existing surface runoff. The contractor will inspect and maintain the filters as needed including sediment removal and disposal and material replacement as needed.

5.3 Bulkhead Barriers

At the first manhole constructed immediately upstream of an existing sewer, a ½ diameter bulkhead will be constructed over the lower half of the outletting sewer. This bulkhead will trap any sediment carrying flows, thus preventing any construction –related contamination of existing sewers. The bulkheads will be inspected and maintained including periodic sediment removal as needed.

5.4 Seepage Barriers

These barriers will consist of both the Light Duty Straw Bale Barrier as per OPSD 219.100 or the Light Duty Silt Fence Barrier as per OPSD 219.110 and will be installed in accordance with the sediment and erosion control drawing. The barriers are typically made of layers of straw bales or geotextile fabric staked in place. All seepage barriers will be inspected and maintained as needed.

6 CONCLUSIONS & RECOMMENDATIONS

6.1 Conclusions

This report and the accompanying working drawings clearly indicate that the proposed development meets the requirements of the stakeholder regulators, including the City of Ottawa. The proposed development is also in general conformance with the recommendations made by the 2023 Preconsultation Meeting Notes.

There is a reliable water supply available adjacent to the proposed development; a wastewater outlet is available adjacent to the site; and local storm sewers have been installed adjacent to the site.

6.2 Recommendations

It is recommended that the regulators review this submission with an aim of providing the requisite approvals to permit the owners to proceed to the construction stage of the subject site.

Appendix A

ENVIRONMENTAL COMPLIANCE APPROVAL

NUMBER 2401-D5NNSH

Issue Date: July 12, 2024

Harbour Environmental Group (NW Calgary) Ltd.
3500 25th St NE, No. 3432
Calgary, Alberta
T1Y 6C1

Site Location: 1850 Bantree Street
Ottawa, Ontario
K1B 5L6

You have applied under section 20.2 of Part II.1 of the Environmental Protection Act, R.S.O. 1990, c. E. 19 (Environmental Protection Act) for approval of:

a waste disposal site

to be used for the processing of the following types of waste:

non-hazardous Liquid Soil originated from hydrovac and horizontal directional drilling operations using Harbour Soil Reclamation System .

Note: Use of the site for any other type of waste is not approved under this environmental compliance approval, and requires obtaining a separate approval amending this environmental compliance approval.

For the purpose of this environmental compliance approval, the following definitions apply:

"Approval" means this entire provisional Environmental Compliance Approval document, issued in accordance with Part II.1 of the EPA, and includes any schedules to it, the application and the supporting documentation listed in Schedule "A, as amended from time to time;

"Design and Operations Report" means the document describing all on-site operations, procedures and environmental protection measures, further described in the conditions of this Approval;

"Director" means any Ministry employee appointed in writing by the Minister pursuant to section 5 of the EPA as a Director for the purposes of Part V of the EPA;

"District Manager" means the District Manager of the local district office of the Ministry in which the Site is geographically located;

"EPA" means Environmental Protection Act, R.S.O. 1990, c. E.19, as amended;

"Liquid Soil" has the same meaning as in O. Reg. 406/19 and means a soil that has a slump of more than 150 millimetres using the Test Method for the Determination of "Liquid Waste" (slump test) set out in Schedule 9 to Regulation 347;

"Minister" means the Minister of the Environment, Conservation and Parks, or such other member of the Executive Council, as may be assigned the administration of the EPA and OWRA under the Executive Council Act, R.S.O. 1990 c. E.25;

"Ministry" means the ministry of the Environment, Conservation and Parks;

"NMA" means the Nutrient Management Act, 2002, S.O. 2002, c. 4, as amended.

"Operator" means any person, other than the Owner's employees, authorized by the Owner as having the charge, management or control of any aspect of the Site, and includes its successors or assigns;

"O. Reg. 406/19" means Ontario Regulation 406/19 - On-Site and Excess Soil Management, made under the EPA, as amended from time to time;

"Owner" means any person that is responsible for the establishment or operation of the Site being approved by this Approval, and includes Harbour Environmental Group (NW Calgary) Ltd., its successors and assigns;

"OWRA" means the Ontario Water Resources Act, R.S.O. 1990, c. O.40, as amended;

"PA" means the Pesticides Act, R.S.O. 1990, c. P.11, as amended;

"Provincial Officer" means any person designated in writing by the Minister as a provincial officer pursuant to section 5 of the OWRA or section 5 of the EPA or section 17 of PA;

"Regional Director" means the Regional Director of the local regional office of the Ministry in which the Site is located;

"Reg. 347" means R.R.O. 1990, Regulation 347: General - Waste Management, made under the EPA, as amended from time to time;

"SDWA" means the Safe Drinking Water Act, 2002, S.O. 2002, c. 32, as amended.

"Site" means the facility located at 1850 Bantree Street, Ottawa, Ontario , authorized by this Approval;

"Soil Rules" means the Ministry's "Rules for Soil Management and Excess Soil Quality Standards" document, 2020;

"Trained Personnel" means persons knowledgeable in the following through instruction and/or

practice:

- a. relevant waste management legislation, regulations and guidelines;
- b. major environmental concerns pertaining to the material being handled;
- c. occupational health and safety concerns pertaining to the processes and materials being handled;
- d. site management procedures, including the use and operation of the equipment that person is required to operate for the processes and materials being handled by that person;
- e. emergency response procedures;
- f. specific written procedures for the control of nuisance conditions;
- g. specific written procedures for management of unacceptable loads;
- h. the requirements of this Approval.

You are hereby notified that this environmental compliance approval is issued to you subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

GENERAL

Compliance

1. The Owner and Operator shall ensure compliance with all the conditions of this Approval and shall ensure that any person authorized to carry out work on or operate any aspect of the Site is notified of this Approval and the conditions herein and shall take all reasonable measures to ensure any such person complies with the same.
2. Any person authorized to carry out work on or operate any aspect of the Site shall comply with the conditions of this Approval.

In Accordance

3. (1) Except as otherwise provided by this Approval, the Site shall be designed, developed, built, operated and maintained in accordance with the application for this Approval, dated March 11, 2024, and the supporting documentation listed in Schedule "A".
 - (2) a. Construction and installation of the aspects of the Site described in the application for

this Approval must be completed within 5 years of the later of:

- (i) the date this Approval is issued; or
 - (ii) if there is a hearing or other litigation in respect of the issuance of this Approval, the date that this hearing or litigation is disposed of, including all appeals.
- b. This Approval ceases to apply in respect of the aspects of the Site noted above that have not been constructed or installed before the later of the dates identified in Condition 3(2)1 above.

Interpretation

- 4. Where there is a conflict between a provision of any document, including the application, referred to in this Approval, and the conditions of this Approval, the conditions in this Approval shall take precedence.
- 5. Where there is a conflict between the application and a provision in any documents listed in Schedule "A", the application shall take precedence, unless it is clear that the purpose of the document was to amend the application and that the Ministry approved the amendment.
- 6. Where there is a conflict between any two documents listed in Schedule "A", other than the application, the document bearing the most recent date shall take precedence.
- 7. The requirements of this Approval are severable. If any requirement of this Approval, or the application of any requirement of this Approval to any circumstance, is held invalid or unenforceable, the application of such requirement to other circumstances and the remainder of this Approval shall not be affected thereby.

Other Legal Obligations

- 8. The issuance of, and compliance with, this Approval does not:
 - (a) relieve any person of any obligation to comply with any provision of any applicable statute, regulation or other legal requirement including, but not limited to:
 - (i) obtaining site plan approval from the local municipal authority;
 - (ii) obtaining all necessary building permits from the local municipal authority Building Services Division;
 - (iii) obtaining approval from the Chief Fire Prevention Officer, or local municipal authority.

- (b) limit in any way the authority of the Ministry to require certain steps be taken or to require the Owner and Operator to furnish any further information related to compliance with this Approval.

Adverse Effects

- 9. The Owner and Operator shall take steps to minimize and ameliorate any adverse effect (as defined in the EPA) or impairment of air quality or water quality resulting from operations at the Site, including such accelerated or additional monitoring as may be necessary to determine the nature and extent of the effect or impairment.
- 10. Despite an Owner, Operator or any other person fulfilling any obligations imposed by this Approval the person remains responsible for any contravention of any other condition of this Approval or any applicable statute, regulation, or other legal requirement resulting from any act or omission that caused the adverse effect (as defined in the EPA) or impairment of water quality.

Change of Owner

- 11. The Owner shall notify the Director in writing, and forward a copy of the notification to the District Manager, within 30 days of the occurrence of any of the following changes:
 - a. the ownership of the Site
 - b. the Owner or Operator of the Site;
 - c. the name or address of the Owner or Operator;
 - d. the partners, where the Owner or Operator is or at any time becomes a partnership and a copy of the most recent declaration filed under the Partnerships Act, R.S.O. 1990, c. P.5 shall be included in the notification; or
 - e. the directors, where the Owner of the Operator is or at any time becomes a corporation, and a copy of the most current information filed as required by the Corporations Information Act, R.S.O. 1990, c. C.39 shall be included in the notification.
- 12. No portion of this Site shall be transferred or encumbered prior to or after closing of the Site unless the Director is notified in advance and sufficient financial assurance is deposited with the Ministry to ensure that these conditions will be carried out.

Inspections

- 13. No person shall hinder or obstruct a Provincial Officer in the performance of their duties, including any and all inspections authorized by the OWRA, the EPA or the PA or the NMA or

the SDWA of any place to which this Approval relates, and without limiting the foregoing to:

- a. enter upon the premises where the Site is located, or the location where the records required by the conditions of this Approval are kept;
- b. have access to, inspect, and copy any records required by the conditions of this Approval;
- c. inspect the practices, procedures, or operations required by the terms and conditions of this Approval; and
- d. sample and monitor for the purposes of assessing compliance with the conditions of this Approval or the EPA, the OWRA or the PA or the NMA or the SDWA.

Financial Assurance

14. By July 30th, 2024, the Owner shall submit financial assurance as defined in Section 131 of the EPA to the Director in the amount of \$72,933.00. This financial assurance shall be in a form and amount acceptable to the Director and shall provide sufficient funds to pay for compliance with and performance of any action specified in this Approval, including Site clean-up, monitoring and the disposal of all quantities of waste on-site, closure and post-closure care of the Site and contingency plans for the Site.
15. Commencing on June 30th, 2029, and every 5 years thereafter, the Owner shall provide to the Director a re-evaluation of the amount of the financial assurance required to facilitate the actions described under condition 14 above.
16. The amount of financial assurance is subject to review at any time by the Director and may be amended at his/her discretion. If any financial assurance is scheduled to expire or notice is received, indicating financial assurance will not be renewed, and satisfactory methods have not been made to replace the financial assurance at least 60 days before the financial assurance terminates, the financial assurance shall forthwith be replaced by cash.

Information and Record Retention

17. Any information requested by the Ministry concerning the Site and its operation under this Approval, including, but not limited to, any records required to be kept by this Approval, shall be provided in a timely manner to the Ministry, upon request. Records shall be retained for 5 years unless otherwise authorized in writing by the Director.
18. The receipt of any information by the Ministry or the failure of the Ministry to prosecute any person or to require any person to take any action, under this Approval or under any statute, regulation or other legal requirement, in relation to the information, shall not be construed as:
 - a. an approval, waiver, or justification by the Ministry of any act or omission of any person that contravenes any term or condition of this Approval or any statute, regulation or other

legal requirement; or

- b. acceptance by the Ministry of the information's completeness or accuracy.

OPERATIONS

Hours of Operation

- 19. (1) Outside loading and unloading of waste (Liquid Soil) and processed soil and receiving and shipping of waste (Liquid Soil) and processed soil may be carried out between the hours of 6:00 am and 7:00 pm, Monday through Friday, and between 7:00 am and 5:00 pm on Saturdays, unless otherwise restricted by municipal by-laws.
- (2) Notwithstanding Condition 19(1) above, waste generated through emergency activities (including emergency repair work) may be received at the Site 24 hours per day, 7 days per week, unless otherwise restricted by municipal by-laws.
- (3) Within 24 hours of receiving waste in accordance with Condition 19(2) above, the Owner shall notify the District Manager in writing of the following:
 - a. the date and time of receipt;
 - b. the type and amount of waste received; and
 - c. the nature of the emergency activity.

Service Area

- 20. Only waste generated in the Province of Ontario shall be accepted at the Site.

Acceptable Materials

- 21. No waste other than non-hazardous Liquid Soil originated from hydrovac and horizontal directional drilling operations shall be accepted at the Site.

On-Site Management

- 22. The Site is approved for the following waste management activities:
 - (1) The receipt, temporary storage and transfer of Liquid Soil, and processed soil.
 - (2) The processing of Liquid Soil using the equipment described in Item 1 of Schedule "A", including the screening of Liquid Soil, mechanical shaker to separate rock, sand, flocculation (mixing flocculent agents) to remove silt and clay, processed soil storage stockpile on a concrete lined containment cells and filtration of decanted water for removal

of suspended solids.

- (4) Non-hazardous flocculant agents included in the Design and Operations Report included as Item 2 in Schedule "A" shall only be used for separation of silt and clay from Liquid Soil.

Receiving and Storage Limits

- 23. (1) The amount of Liquid Soil received at the Site shall not exceed 650 cubic metres per day.
- (2) The amount of waste present at the Site at any one time shall not exceed the following:
 - a. 130 cubic metres of residual liquid wastewater;
 - b. 2,100 tonnes excess soil (processed) including debris.
- (3) The Owner shall refuse any load if the receipt of that load could reasonably be expected to cause non-compliance with this Approval, including the receipt and storage limitations set out above.

Soil Receipt and Handling

- 24. (1) a. Trained Personnel shall supervise all shipments of waste received at the Site. Prior to any shipment being unloaded, Trained Personnel shall review the accompanying information for that shipment, and examine the contents of the truck where possible, to ensure the waste matches the description provided and that the waste is permitted to be received further to the conditions of this Approval. At minimum, Trained Personnel shall conduct fielding testing as specified in Appendix E - Harbour Environmental Group Relevant Standard Operating Procedures and in accordance with Table 1 included in Schedule "B" of this Approval. If any shipment is suspected of containing unapproved waste, that shipment shall be refused and shall not be unloaded at the Site.
- b. Trained Personnel shall examine all shipments of waste while they are being unloaded. If at any time a shipment is discovered to contain unapproved material, the shipment shall be refused and all portions of the shipment that can be recovered shall be removed from the Site.
- (2) In the event that a shipment of waste is rejected from the Site, the Owner shall forthwith notify the District Office of the following in writing:
 - a. the name of the company that brought the rejected load to the Site;
 - b. the license plate number of the vehicle that brought the rejected load to the Site;

- c. a description of the rejected waste and the reason for rejecting the shipment; and
 - d. the destination of the rejected waste if the driver provides that information.
- (3) All Liquid Soil shall be unloaded directly into the dump tank in a manner that prevents spills during transfer.
- (4) The Owner shall ensure that:
 - a. no process water is loaded onto trucks for reuse purposes;
 - b. no process water is discharged directly to any waterbody or any other part of the natural environment, or otherwise in a manner that requires approval under Section 53 of the OWRA, unless such an approval is in effect for the Site; and
 - c. all process water is otherwise managed in accordance with applicable municipal, provincial and federal requirements, which may include discharge to sanitary sewer as permitted by the local municipality or disposal of the process water off-site in a facility permitted to receive such material.
- (5) Processed soil shall not be stored (stockpiled) within 30 m of waterbody and 10 m of the property boundary. The height of any outdoor stockpile shall not exceed 4.3 m in height.
- (6) Soil and aggregate (rock) recovered from processing of Liquid Soil may be stored outdoors in designated areas (concrete lined containment cell).
- (7) The Owner shall ensure the following to minimize impacts from wind-blown dust:
 - a. cloth barrier material is attached to all perimeter fencing, or other barriers such as concrete blocks or acoustic barriers are employed in a manner that prevents off-site impacts from wind-blown dust;
 - b. stockpiles are wetted as necessary, using water from the municipal or on-site water supply source;
 - c. water from on-site water supply source is used as necessary during any outdoor loading or unloading operation;
 - d. the site is regularly wet-swept clean using water from the municipal or on-site water supply source.
- (8) Soils that have been tested shall remain segregated from all other soils on-site.
- (9) The Owner shall ensure that all process water is stored in accordance with the Ministry's "Guidelines for Environmental Protection Measures at Chemical and Waste Storage"

Facilities" document dated May 2007, specifically Sections 2, 3, 7, 8, 9 and 10 of that document.

- (10) The decanted effluent shall be transported to the City of Ottawa approved wastewater treatment facility (Robert O. Pickard Environmental Centre) using transportation system having an approved waste management system or discharged to sanitary sewer as permitted by the local municipality in accordance with applicable municipal and provincial requirements.

Soil Sampling, Analysis and Reuse

25. No processed soil or dewatered soil shall leave the Site for reuse unless it has been sampled, analysed and managed in accordance with the following:
 - a. The Owner shall ensure that sampling, analysis and the number of samples collected for each stockpile is in accordance with Table 2 of Schedule E in Ontario Regulation 153/04 or Section B of Part I of the Soil Rules.
 - b. The Owner shall ensure that discrete samples of the processed soil or dewatered soil are taken and analysed for:
 - i. metals;
 - ii. hydride-forming metals;
 - iii. petroleum hydrocarbons (PHCs) [F1 to F4];
 - iv. benzene, toluene, ethylbenzene, xylene (BTEX);
 - v. Sodium adsorption ratio (SR) and electrical conductivity (EC)
 - vi. Volatile organic compounds (VOC)
 - v. Semi-volatile organic compounds (SVOC) including polychlorinated biphenyls (PCB)
 - c. The Owner shall ensure that each processed soil load leaving the Site is tested in accordance with Schedule 9 in Reg. 347 ("slump test") to ensure the processed soil is solid.
 - d. The Owner shall ensure that any additional sampling and analysis specific to the receiving site shall be carried out as required by the local municipality, the local conservation authority and any applicable federal/provincial legislation.
 - e. Should the receiving site be subject to the requirements set out in Ontario Regulation 153/04, the Owner shall ensure that any additional sampling and analysis specific to the

receiving site shall be carried out as recommended by the Qualified Person for the receiving site.

- f. Sampling procedures, including methods, equipment and techniques for collection of representative samples and procedures for handling of the samples shall be in accordance with the requirements set out in the Section B of Part I of the Soil Rules and in accordance with the instructions of the accredited laboratory service provider carrying out the analytical testing.
- g. When determining bulk concentrations of contaminants in the processed soil to verify compliance with the Soil Standards, the testing shall be in compliance with the “Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act”, dated July 1, 2011, as amended and in accordance with the industry standards.
- h. The Owner shall submit the samples to an accredited laboratory for the required analysis. All samples shall be handled in accordance with the instructions of the accredited laboratory carrying out the analytical testing.
- i. Processed soil to be sent off-site for beneficial reuse as described Section 5(1)3 in Ontario Regulation 406/19 shall only be sent off-site for reuse in accordance with Section 3 of Ontario Regulation 406/19 and the Soil Rules. All other processed soil shall only be transferred off-site to a waste disposal site that is approved to accept that type of material in accordance with the Environmental Compliance Approval for that site, or to a location not required to obtain an Environmental Compliance Approval to manage that material.
- j. Rock (having a same meaning as in Ontario Regulation 406/19) that does not meet the definition of inert fill set out in Reg. 347 shall only be transferred off-site to a waste disposal site that is approved to accept that type of material in accordance with the Environmental Compliance Approval for that site, or to a location not required to obtain an Environmental Compliance Approval to manage that material.
- k. The Owner shall maintain a Quality Assurance/Quality Control (QA/QC) program for sampling and analysis of wastes, as required by this Approval, and shall make the results of the QA/QC program, including all analyses carried out by an accredited laboratory service provider, available for inspection upon request by the District Manager, the Director and any Provincial Officer.

Signage and Security

- 26. A sign shall be posted and maintained at the entrance to the Site in a manner that is clear and legible, and shall include the following information:
 - a. the name of the Site and Owner;

- b. this Approval number;
 - c. the name of the Operator;
 - d. the normal hours of operation as described in Condition 19 above;
 - e. the allowed materials that may be accepted at the Site, and any materials explicitly prohibited by conditions of this Approval;
 - f. a telephone number to which complaints may be directed; and
 - g. a twenty-four (24) hour emergency telephone number (if different from above).
27. The Site shall be operated and maintained in a secure manner, such that unauthorized persons cannot enter the Site.

Design and Operations Report

28. 1. The Company shall maintain an up-to-date Design and Operations Report for the Site, which shall contain at a minimum the information required by the Ministry's "Guide to applying for an Environmental Compliance Approval" as it applies to the Site.
2. The Design and Operations Report shall be:
- a. kept up-to-date at all times so that it accurately reflects the ongoing Site activities as approved under this Approval;
 - b. retained at the Site;
 - c. available for inspection by a Provincial Officer upon request; and
 - d. updated and submitted with all future Environmental Compliance Approval applications for the Site, including a revisions tracking log.
3. Changes to the Site's operations that do not require an amendment to this Approval under Section 27 of the EPA shall be recorded in a revisions tracking log in the Design and Operations Report and submitted to the District Manager for record keeping.

Staff Training

29. The Owner shall maintain a training plan to be used to train all employees that operate the Site.
30. The Owner shall ensure that Trained Personnel are available at all times during the hours of operation of this Site, and that Trained Personnel supervise all management of dry excess soils,

Liquid Soils, aggregate, processed soils and process water at the Site.

Site Inspection

31. An inspection of the entire Site and all equipment on the Site shall be conducted each day the Site is in operation to ensure that:
- a. the Site is secure;
 - b. the operation of the Site is not causing any nuisances;
 - c. the operation of the Site is not causing any adverse effects on the environment; and
 - d. the Site is being operated in compliance with this Approval.

Any deficiencies discovered as a result of the inspection shall be remedied immediately or as soon as practicable, which may require temporarily ceasing operations at the Site if needed.

32. A record of the inspections, including the following information, shall be kept in the daily log book:
- a. the name and signature of person that conducted the inspection;
 - b. the date and time of the inspection;
 - c. a list of any deficiencies discovered;
 - d. any recommendations for remedial action; and
 - e. the date, time and description of actions taken.

Nuisances

33. The Site shall be operated and maintained such that vermin, vectors, dust, litter, odour, noise and traffic do not create a nuisance. The Owner shall implement the nuisance control measures noted in the application for this Approval as required to address any nuisances.

Complaint Response

34. If at any time the Owner receives a complaint regarding an adverse effect (as defined in the EPA) due to operation of the Site, the Owner shall respond to the complaint according to the following procedure:
- (1) The Owner shall record and number each complaint, either electronically or in a separate

log book, along with the following information:

- a. the nature of the complaint;
- b. the name, address and telephone number of the complainant (if provided);
- c. the date and time the complaint was received;
- d. a description of the weather conditions at the time of the complaint;
- e. a description of the Liquid Soils, processed soils and process water handling activities taking place at the time of the complaint; and
- f. a description of the known or suspected activity causing the complaint.

(2) The Owner shall:

- a. initiate appropriate steps to determine all possible causes of the complaint;
- b. proceed to take the necessary actions to eliminate the cause of the complaint;
- c. notify the District Manager of the complaint within one business day of receiving the complaint;
- d. forward a written response to the District Manager within 5 business days of receiving the complaint, with a copy to the complainant if they have identified themselves, that describes the actions taken to address the complaint; and
- e. forward daily updates to the District Manager, if requested, until the complaint is resolved.

(3) The Owner shall complete and retain on-site a report written within 10 business days of the complaint date, including:

- a. the information required in conditions 34(1) and 34(2) above;
- b. a list of the actions taken to resolve the complaint; and
- c. recommendations for any remedial measures, managerial changes or operational changes that would reasonably avoid the recurrence of similar incidents in the future.

Emergency Response Plan

35. The Owner shall prepare and provide copies of an emergency response plan to the Fire Department within 30 days of the issuance of this Approval, and shall inform the District

Manager in writing within 10 days of receiving acceptance of the plan by the Fire Department.

36. The emergency response plan shall be kept up to date, and a copy shall be retained and accessible to all staff at all times.
37. The equipment, materials and personnel requirements outlined in the emergency response plan shall be immediately available on the Site at all times. The equipment shall be kept in a good state of repair and in a fully operational condition.
38. Each staff member that operates the Site shall be fully trained in the use of the equipment they are required to operate under the emergency response plan and in the procedures to be employed in the event of an emergency.
39. The Owner shall immediately take all measures necessary to contain and clean up any spill (as defined in the EPA) which may result from the operation of this Site and immediately implement the emergency response plan if required.

Closure Plan

40. A Closure Plan shall be submitted to the Director for approval, with a copy to the District Manager, no later than six (6) months before the planned closure date of the Site. The Closure Plan shall include, at a minimum, a description of the work that will be done to facilitate closure of the Site and a schedule for completion of that work.
41. The Site shall be closed in accordance with the approved Closure Plan.
42. No more than 10 days after closure of the Site, the Owner shall notify the Director, in writing, that the Site is closed and that the approved Closure Plan has been implemented.

Daily Log Book

43. A daily log shall be maintained at the Site, either electronically or in written format, and shall include the following information as a minimum:
 - a. the date;
 - b. quantities and sources of all waste received at the Site;
 - c. estimated quantities of all stockpiled soil on-site at the end of each operating day;
 - d. quantities and destinations of all dry soil, Liquid Soil, processed soil, process water, rock and debris shipped from the Site;
 - e. a record of all sampling and analysis carried out further to the conditions of this Approval;

- f. a record of daily inspections required by this Approval;
- g. a record of any process upsets or spills with the potential to enter the natural environment, the nature of the spill or process upset and the action taken for the clean up or correction of the spill, the time and date of the spill or process upset, and for spills, the time that the Ministry and other persons were notified of the spill in fulfilment of the reporting requirements in the EPA .
- h. a record of any refusals, including the types and amounts of waste refused, reasons for refusal and actions taken;
- i. a record of all complaints received regarding operations at the Site; and
- j. incoming Liquid Soil screening information collected under Condition 24(1)(a).

Reporting

- 44. By December 31, 2025, and on an annual basis thereafter, the Owner shall prepare a written report for the previous calendar year that shall be kept on-site and made available to any Provincial Officer upon request. The report shall include, at a minimum, the following information:
 - a. a detailed monthly summary of the type and quantity of all incoming and outgoing Liquid Soil, processed soils, process water, rock and debris and the destination of all outgoing processed soils, process water, rock and debris along with a summary of all sampling and analysis for outgoing materials;
 - b. any environmental and operational problems, that could negatively impact the natural environment (as defined in the EPA), encountered during the operation of the Site and during the facility inspections and any mitigative actions taken;
 - c. any changes to the emergency response plan or the Design and Operations Report since the last Annual Report;
 - d. any recommendations to minimize environmental impacts from the operation of the Site and to improve Site operations and monitoring programs in this regard.

Schedule "A"

This Schedule forms a part of this Approval:

1. Environmental Compliance Approval application dated March 11, 2024, signed by Sean Yachne, including all supporting documentation.
2. Design and Operations Report, LEA Consulting Ltd., dated March 11, 2024.

Schedule "B"

Table 1 - Field Testing of Slurry (for each hydrovac slurry load delivered to the site)

Parameter	Analytical Method	Sampling Frequency	Limits	Disposal
Field Testing of Slurry (for each Hydrovac Slurry Load Delivered to Site)				
Petroleum Hydrocarbons	OilScreenSoil™	If contamination is suspected	Not contaminated: = < 500 ppm Contaminated = > 500 ppm	Clean: dump tank
If contamination is suspected by means of material provenance, visible sheen, odor or PHC screening, the following tests are performed:				Dirty: back into hydrovac truck for offsite disposal at accredited facility
pH	pH Test Strips	If contamination is suspected	Not contaminated: 6 to 8 Contaminated: < 6 or > 8	Testing Waste: stored in waste bin and disposed of at an approved waste management facility
Chlorides	QuanTab Test Strips®			

The reasons for the imposition of these terms and conditions are as follows:

- 1. The reason for the definitions section is to simplify the wording of the subsequent conditions and define the specific meaning of terms as used in this Approval.*
- 2. The reason for Conditions 1, 2, 4, 5, 6, 7, 8, 9, and 10 to clarify the legal rights and responsibilities of the Owner and Operator.*
- 3. The reason for Condition 3 is to ensure that the Site is operated in accordance with the application and supporting documentation submitted by the Owner, and not in a manner which the Director has not been asked to consider.*
- 4. The reasons for Condition 11 are to ensure that the Site is operated under the corporate name which appears on the application form submitted for this approval and to ensure that the Director is informed of any changes.*
- 5. The reasons for Condition 12 are to restrict potential transfer or encumbrance of the Site without the approval of the Director and to ensure that any transfer of encumbrance can be made only on the basis that it will not endanger compliance with this Approval.*
- 6. The reason for Conditions 13 is to ensure that appropriate Ministry staff have ready access to the Site for inspection of facilities, equipment, practices and operations required by the conditions in this Approval. This condition is supplementary to the powers of entry afforded a Provincial Officer pursuant to the EPA, OWRA and PA.*
- 7. The reason for Conditions 14, 15 and 16 is to ensure that sufficient funds are available to the Ministry to clean up the Site in the event that the Owner is unable or unwilling to do so.*
- 8. The reason for Conditions 17 and 18 Condition 1.8 has been included in order to clarify what information may be subject to the Freedom of Information Act.*
- 9. The reason for Condition 19 is to specify the hours of operation for the Site.*
- 10. The reason for Condition 20 is to specify the approved service area from which waste may be accepted at the Site.*
- 11. The reasons for Conditions 21, 22 and 23 are to specify the types of materials that may be accepted at the Site, the maximum amounts of waste that may be stored at the Site, the maximum rate at which the Site may receive and ship waste and the allowable methods of processing based on the Owner's application and supporting documentation.*
- 12. The reason for Condition 24 is to ensure that all wastes received at the Site are properly identified and classified to ensure they are managed in a manner that protects the health and*

safety of people and the environment.

13. *The reasons for Condition 25 is to ensure that all processed material is testing and to ensure that any processed material is only sent off-site for reuse to an appropriate receiving facility.*
14. *The reason for Condition 26 is to ensure that users of the Site are fully aware of important information and restrictions related to Site operations and access under this Approval.*
15. *The reason for Condition 27 is to ensure the controlled access and integrity of the Site by preventing unauthorized access when the Site is closed and no site attendant is on duty.*
16. *The reason for Conditions 28 and 33 is to ensure that the Site is operated in a manner which does not result in a nuisance or a hazard to the health and safety of people and the environment.*
17. *The reason for Conditions 29 and 30 is to ensure that the Site is operated by properly Trained staff in a manner which does not result in a hazard or nuisance to people or the environment.*
18. *The reason for Conditions 31 and 32 is to ensure that inspections of all Site grounds and infrastructure are carried out on a regular basis, and that detailed records of Site inspections are recorded and maintained for compliance and information purposes.*
19. *The reason for Condition 34 is to ensure that any complaints regarding Site operations at the Site are responded to in a timely manner.*
20. *The reasons for Conditions 35, 36, 37, 38 and 39 is to ensure that an Emergency Response Plan and a Fire Safety Plan are developed and maintained at the Site, and that staff are properly trained in the operation of the equipment used at the Site and emergency response procedures.*
21. *The reason for Conditions 40, 41 and 42 is to ensure that the Site is closed in accordance with Ministry standards and to protect the health and safety of the public and the environment.*
22. *The reason for Condition 43 is to provide for the proper assessment of effectiveness and efficiency of site design and operation, their effect or relationship to any nuisance or environmental impacts, and the occurrence of any public complaints or concerns. Record keeping is necessary to determine compliance with this Approval, the EPA and its regulations.*
22. *The reason for Condition 44 is to ensure that regular review of site development, operations and monitoring data is documented and any possible improvements to site design, operations or monitoring programs are identified. An annual report is an important tool used in reviewing site activities and for determining the effectiveness of site design.*

In accordance with Section 139 of the *Environmental Protection Act*, you may by written notice served upon me, the Ontario Land Tribunal and in accordance with Section 47 of the *Environmental Bill of Rights*, 1993, the Minister of the Environment, Conservation and Parks, within 15 days after receipt of this notice, require a hearing by the Tribunal. The Minister of the Environment, Conservation and Parks will place notice of your

appeal on the Environmental Registry. Section 142 of the *Environmental Protection Act* provides that the notice requiring the hearing ("the Notice") shall state:

- a. The portions of the environmental compliance approval or each term or condition in the environmental compliance approval in respect of which the hearing is required, and;
- b. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

The Notice should also include:

1. The name of the appellant;
2. The address of the appellant;
3. The environmental compliance approval number;
4. The date of the environmental compliance approval;
5. The name of the Director, and;
6. The municipality or municipalities within which the project is to be engaged in.

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

Registrar*
Ontario Land Tribunal
655 Bay Street, Suite 1500
Toronto, Ontario
M5G 1E5
OLT.Registrar@ontario.ca

and

The Minister of the Environment,
Conservation and Parks
777 Bay Street, 5th Floor
Toronto, Ontario
M7A 2J3

and

The Director appointed for the purposes of
Part II.1 of the *Environmental Protection Act*
Ministry of the Environment,
Conservation and Parks
135 St. Clair Avenue West, 1st Floor
Toronto, Ontario
M4V 1P5

*** Further information on the Ontario Land Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 212-6349 or 1 (866) 448-2248, or www.olt.gov.on.ca**

This instrument is subject to Section 38 of the *Environmental Bill of Rights*, 1993, that allows residents of Ontario to seek leave to appeal the decision on this instrument. Residents of Ontario may seek leave to appeal within 15 days from the date this decision is placed on the Environmental Registry. By accessing the Environmental Registry at <https://ero.ontario.ca/>, you can determine when the leave to appeal period ends.

The above noted activity is approved under s.20.3 of Part II.1 of the *Environmental Protection Act*.


DATED AT TORONTO this 12th day of July, 2024




Mohsen Keyvani, P.Eng.
Director
appointed for the purposes of Part II.1 of the
Environmental Protection Act

AQ/

c: District Manager, MECP Ottawa
Drew Chevalier, LEA Consulting Ltd.



DTL 01 DECIDUOUS TREE PLANTING DETAIL



DTL 02 CONIFEROUS TREE PLANTING DETAIL

construction NORTH

true NORTH

05

10

20

25

THE POSITION OF THE POLE LINES, CONDUITS, WATERMAINS, SEWERS, AND OTHER UTILITIES AND STRUCTURES ARE N O T NECESSARILY SHOWN ON THE CONTRACT DRAWINGS. AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK
THE CONTRACTOR SHALL CONFIRM THE POSITION AND EXACT LOCATION OF ALL SUCH UTILITIES, AND SHALL ASSUME ALL LIABILITY FOR ANY DAMAGE TO THEM MADE DURING THE COURSE OF THE CONTRACT WORK.

KEY PLAN NTS

DISCLAIMER
THESE DRAWINGS WERE PREPARED BY AQUAFOR BEECH LIMITED FOR THE ACCOUNT OF HARBOUR ENVIRONMENTAL GROUP. THE MATERIAL CONTAINED HEREIN REFLECTS AQUAFOR BEECH LIMITED'S BEST JUDGEMENT IN LIGHT OF THE INFORMATION AVAILABLE TO IT AT THE TIME OF PREPARATION. ANY USE WHICH A THIRD PARTY MAKES OF THESE DRAWINGS, OR ANY RELIANCE ON OR DECISION TO BE MADE ON IT, ARE THE RESPONSIBILITY OF SUCH THIRD PARTIES. AQUAFOR BEECH LIMITED ACCEPTS NO RESPONSIBILITY FOR DAMAGES, IF ANY, SUFFERED BY ANY THIRD PARTY AS A RESULT OF DECISIONS MADE OR ACTIONS BASED ON THESE DRAWINGS. THIRD PARTY USE OF THESE DRAWINGS WITHOUT THE WRITTEN CONSENT OF AQUAFOR BEECH LIMITED IS STRICTLY PROHIBITED. THE INTENDED USE OF THESE DRAWINGS ARE STRICTLY LIMITED TO THE PURPOSE AS LISTED WITHIN THE 'ISSUED FOR' AND 'REVISION' TITLE BLOCK OF THESE DRAWINGS. AQUAFOR BEECH LIMITED ACCEPTS NO RESPONSIBILITY FOR DAMAGES, IF ANY, SUFFERED AS A RESULT OF THE USE OF THESE DRAWINGS OUTSIDE THE INTENDED USE AND AFOREMENTIONED LIMITATIONS. AQUAFOR BEECH LIMITED SHALL ACCEPTS NO RESPONSIBILITY AND SHALL NOT BE LIABLE FOR THE CONTENT OF ANY EDITABLE DELIVERABLES AND MAKES NO REPRESENTATION REGARDING THE ACCURACY OR COMPLETENESS OF SUCH EDITABLE DELIVERABLES. ONLY FINAL AND NON-EDITABLE DELIVERABLES FORMALLY ISSUED BY AQUAFOR BEECH LIMITED (E.G., ISSUED AND/OR RELEASED) MAY BE RELIED UPON BY HARBOUR ENVIRONMENTAL OR A THIRD PARTY. AQUAFOR BEECH LIMITED MAINTAINS ALL COPYRIGHT IN ITS DELIVERABLES AND ITS PROVISION OF EDITABLE DOCUMENTS IN NO WAY CONSTITUTES GRANTING OF A LICENSE OR TRANSFER OF OWNERSHIP IN SUCH DELIVERABLES.

Aquafor Beech Limited

95-202-2600 SKYMARK AVE.
MISSISSAUGA, ONTARIO, L4W 1B2
PHONE: (905) 274-0394
FAX: (905) 274-0395
50 REGAL ROAD, UNIT 3 GUELPH, ONTARIO, N1K 1B5
PHONE: (519) 224-0750

DESIGNED BY

APPROVED BY:

ISSUED FOR REVIEW	MD	08/14/2025
ISSUED FOR REVIEW	MD	06/13/2025
ISSUED FOR REVIEW	MD	02/26/2025
ISSUED FOR REVIEW	MD	11/27/2024
REVISION	BY	MM/DD/YY

GENERAL NOTES:

1. ADJACENT LAND IS AN ACTIVE AGGREGATE SUPPLIER, THEREFORE GRADES ARE CONSTANTLY CHANGING.

2. 1850 BANTREE STREET AND 1184 INNES ROAD ARE TO BE CONSIDERED ONE LOT FOR ZONING PURPOSES.

PROPERTY BOUNDARY NOTE:

PLAN OF SURVEY OF PART OF LOT 26 CONCESSION 3 (OTTAWA FRONT)
GEOGRAPHIC TOWNSHIP OF GLOUCESTER, CITY OF OTTAWA

LEGEND:

CLIENT:

HARBOUR ENVIRONMENTAL GROUP

#3432, 3500 - 25 Street NE, Calgary, AB T1Y 6C1

1850 BANTREE ST

LANDSCAPE DETAILS

DRAWN BY: BR	DESIGNED BY:	DATE: 08.14.2025
CHECKED BY: MD	SCALE: PER PLAN	SHEET No: 2
CHECKED BY:	FILE NO: D07-12-24-0160	DWG No: L-2
PROJECT No: 67582	PLAN NO: 19222	

Appendix B

Labadie, Sam

From: Cassidy, Tyler <tyler.cassidy@ottawa.ca>
Sent: November 28, 2024 9:52 AM
To: Labadie, Sam; Sean Yaehne
Cc: Peterman, Tess; Xu, Lily (Planning); Joseph Sullivan
Subject: RE: 1850 Bantree - Boundary Condition Request
Attachments: 1850 Bantree Road November 2024.pdf

Arcadis Warning: Exercise caution with email messages from external sources such as this message. Always verify the sender and avoid clicking on links or scanning QR codes unless certain of their authenticity.

Hi Sam,

Better yet, please find the boundary conditions below:

The following are boundary conditions, HGL, for hydraulic analysis at 1850 Bantree Road (zone 1E) assumed to be connected to the 305 mm watermain on Bantree road (see attached PDF for location).

Min HGL: 109.9 m

Max HGL: 117.9 m

These are for current conditions and are based on computer model simulation.

Disclaimer: The boundary condition information is based on current operation of the city water distribution system. The computer model simulation is based on the best information available at the time. The operation of the water distribution system can change on a regular basis, resulting in a variation in boundary conditions. The physical properties of watermains deteriorate over time, as such must be assumed in the absence of actual field test data. The variation in physical watermain properties can therefore alter the results of the computer model simulation.

Thank you,

I will be away on leave from December 16th, 2024, returning January 23rd, 2025.

Tyler Cassidy, P.Eng

Infrastructure Project Manager,

Planning, Development and Building Services department (PDBS)/ Direction générale des services de la planification, de l'aménagement et du bâtiment (DGSPAB) - South Branch

City of Ottawa | Ville d'Ottawa

110 Laurier Avenue West Ottawa, ON | 110, avenue. Laurier Ouest. Ottawa (Ontario) K1P 1J1

613.580.2424 ext./poste 12977, Tyler.Cassidy@ottawa.ca

From: Labadie, Sam <samantha.labadie@arcadis.com>

Sent: November 27, 2024 10:08 PM

To: Cassidy, Tyler <tyler.cassidy@ottawa.ca>; Sean Yaehne <sean@harbourenvgroup.ca>

Cc: Peterman, Tess <tess.peterman@ottawa.ca>; Xu, Lily (Planning) <Lily.Xu@ottawa.ca>; Joseph Sullivan <joseph@harbourenvgroup.ca>

Subject: RE: 1850 Bantree - Boundary Condition Request

CAUTION: This email originated from an External Sender. Please do not click links or open attachments unless you recognize the source.

ATTENTION : Ce courriel provient d'un expéditeur externe. Ne cliquez sur aucun lien et n'ouvrez pas de pièce jointe, excepté si vous connaissez l'expéditeur.

Hi Tyler,

Would it be possible for us to submit the report without boundary conditions and follow up with a memo once boundary conditions are available? We would make mention in the report that the memo will follow.

Thanks,

Sam Labadie P.Eng
Civil Engineer
Arcadis Professional Services (Canada) Inc.
Suite 500, 333 Preston Street | Ottawa | ON | K1S 5N4 | Canada
C: +1 613 899 5717
www.arcadis.com



From: Cassidy, Tyler <tyler.cassidy@ottawa.ca>

Sent: November 27, 2024 3:20 PM

To: Sean Yaehne <sean@harbourengroup.ca>

Cc: Labadie, Sam <samantha.labadie@arcadis.com>; Peterman, Tess <tess.peterman@ottawa.ca>; Xu, Lily (Planning) <Lily.Xu@ottawa.ca>; Joseph Sullivan <joseph@harbourengroup.ca>

Subject: RE: 1850 Bantree - Boundary Condition Request

Arcadis Warning: Exercise caution with email messages from external sources such as this message. Always verify the sender and avoid clicking on links or scanning QR codes unless certain of their authenticity.

Hi Sean,

I've reached out to our water resources group to see if we can expedite the boundary conditions. I'll touch base tomorrow and see if we can come up with a solution to keep the application in motion in the event the boundary conditions aren't ready yet.

Thank you,

I will be away on leave from December 16th, 2024, returning January 23rd, 2025.

Tyler Cassidy, P.Eng
Infrastructure Project Manager,
Planning, Development and Building Services department (PDBS)/ Direction générale des services de la planification, de l'aménagement et du bâtiment (DGSPAB) - South Branch
City of Ottawa | Ville d'Ottawa
110 Laurier Avenue West Ottawa, ON | 110, avenue. Laurier Ouest. Ottawa (Ontario) K1P 1J1
613.580.2424 ext./poste 12977, Tyler.Cassidy@ottawa.ca

From: Sean Yaehne <sean@harbourenergypgroup.ca>

Sent: November 27, 2024 11:54 AM

To: Cassidy, Tyler <tyler.cassidy@ottawa.ca>

Cc: 'Labadie, Sam' <samantha.labadie@arcadis.com>; Peterman, Tess <tess.peterman@ottawa.ca>; Xu, Lily (Planning) <Lily.Xu@ottawa.ca>; Joseph Sullivan <joseph@harbourenergypgroup.ca>

Subject: RE: 1850 Bantree - Boundary Condition Request

CAUTION: This email originated from an External Sender. Please do not click links or open attachments unless you recognize the source.

ATTENTION : Ce courriel provient d'un expéditeur externe. Ne cliquez sur aucun lien et n'ouvrez pas de pièce jointe, excepté si vous connaissez l'expéditeur.

Hi Tyler,

I hope you are well, and I am sorry to bother you here.


We are really hoping to have this application package back to your team for review this week, but we are waiting on the boundary conditions.

Do you have a line of site on when they will be returned to us?

If they already have been sent to Sam, please disregard and my apologies to bother.

Thank you for your understanding.

Cheers,



Sean Yaehne MBA PMP BSc. Geology
VP, Business Strategy Development

Direct 403.888.8321

Email sean@harbourenergypgroup.ca

Website www.harbourenergypgroup.ca

Please consider the environment before printing this email.

This message contains confidential information and is intended only for internal recipient(s). If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.

From: Labadie, Sam <samantha.labadie@arcadis.com>

Sent: November 26, 2024 1:29 PM

To: Sean Yaehne <sean@harbourenergypgroup.ca>

Subject: FW: 1850 Bantree - Boundary Condition Request

FYI

Sam Labadie P.Eng

Civil Engineer

Arcadis Professional Services (Canada) Inc.

Suite 500, 333 Preston Street | Ottawa | ON | K1S 5N4 | Canada

C: +1 613 899 5717

www.arcadis.com

From: Cassidy, Tyler <tyler.cassidy@ottawa.ca>

Sent: November 26, 2024 11:38 AM

To: Labadie, Sam <samantha.labadie@arcadis.com>

Subject: RE: 1850 Bantree - Boundary Condition Request

Arcadis Warning: Exercise caution with email messages from external sources such as this message. Always verify the sender and avoid clicking on links or scanning QR codes unless certain of their authenticity.

Hi Sam,

Looks like they aren't ready yet. I've queried our Water Resources group on the status of the boundary conditions. I'll let you know what to expect once I hear back from them.

Cheers,

I will be away on leave from December 16th, 2024, returning January 23rd, 2025.

Tyler Cassidy, P.Eng

Infrastructure Project Manager,

Planning, Development and Building Services department (PDBS)/ Direction générale des services de la planification, de l'aménagement et du bâtiment (DGSPAB) - South Branch

City of Ottawa | Ville d'Ottawa

110 Laurier Avenue West Ottawa, ON | 110, avenue. Laurier Ouest. Ottawa (Ontario) K1P 1J1

613.580.2424 ext./poste 12977, Tyler.Cassidy@ottawa.ca

From: Labadie, Sam <samantha.labadie@arcadis.com>

Sent: November 26, 2024 11:23 AM

To: Cassidy, Tyler <tyler.cassidy@ottawa.ca>

Subject: RE: 1850 Bantree - Boundary Condition Request

CAUTION: This email originated from an External Sender. Please do not click links or open attachments unless you recognize the source.

ATTENTION : Ce courriel provient d'un expéditeur externe. Ne cliquez sur aucun lien et n'ouvrez pas de pièce jointe, excepté si vous connaissez l'expéditeur.

Hi Tyler,

I don't think we received these yet, unless I missed an email? Can you let us know the status?

Thanks,

Sam Labadie P.Eng

Civil Engineer

Arcadis Professional Services (Canada) Inc.

Suite 500, 333 Preston Street | Ottawa | ON | K1S 5N4 | Canada

C: +1 613 899 5717

www.arcadis.com

From: Cassidy, Tyler <tyler.cassidy@ottawa.ca>

Sent: November 13, 2024 11:51 AM

To: Labadie, Sam <samantha.labadie@arcadis.com>

Subject: RE: 1850 Bantree - Boundary Condition Request

Arcadis Warning: Exercise caution with email messages from external sources such as this message. Always verify the sender and avoid clicking on links or scanning QR codes unless certain of their authenticity.

Hi Sam,

I've submitted the request to boundary conditions, results should be available before the end of next week.

Please let me know if you have any other questions.

Thank you,

Tyler Cassidy, P.Eng

Infrastructure Project Manager,

Planning, Development and Building Services department (PDBS)/ Direction générale des services de la planification, de l'aménagement et du bâtiment (DGSPAB) - South Branch

City of Ottawa | Ville d'Ottawa

110 Laurier Avenue West Ottawa, ON | 110, avenue. Laurier Ouest. Ottawa (Ontario) K1P 1J1

613.580.2424 ext./poste 12977, Tyler.Cassidy@ottawa.ca

From: Labadie, Sam <samantha.labadie@arcadis.com>

Sent: November 08, 2024 12:01 PM

To: Cassidy, Tyler <tyler.cassidy@ottawa.ca>

Subject: 1850 Bantree - Boundary Condition Request

CAUTION: This email originated from an External Sender. Please do not click links or open attachments unless you recognize the source.

ATTENTION : Ce courriel provient d'un expéditeur externe. Ne cliquez sur aucun lien et n'ouvrez pas de pièce jointe, excepté si vous connaissez l'expéditeur.

Hi Tyler,

We are requesting boundary conditions for 1850 Bantree. One connection to Bantree Street is proposed as shown in the attached location sketch.

Note that no buildings are proposed for this site. Water demands have been calculated for a Heavy Industrial gross area. One new private hydrant is being considered to be installed onsite for safety, however there are no proposed buildings to calculate a fire demand using the FUS. We will go into further details in the Site Servicing Report.

A copy of the water demands are attached and summarized as follows;

Avg Day = 0.72 l/s

Max day = 0.46 l/s

Peak Hour = 1.24 l/s

Fireflow = N/A

Thank you,

Sam Labadie P.Eng



Civil Engineer

Arcadis Professional Services (Canada) Inc.

Suite 500, 333 Preston Street | Ottawa | ON | K1S 5N4 | Canada

C: +1 613 899 5717

www.arcadis.com



This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This e-mail originates from the City of Ottawa e-mail system. Any distribution, use or copying of this e-mail or the information it contains by other than the intended recipient(s) is unauthorized. Thank you.

Le présent courriel a été expédié par le système de courriels de la Ville d'Ottawa. Toute distribution, utilisation ou reproduction du courriel ou des renseignements qui s'y trouvent par une personne autre que son destinataire prévu est interdite. Je vous remercie de votre collaboration.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This e-mail originates from the City of Ottawa e-mail system. Any distribution, use or copying of this e-mail or the information it contains by other than the intended recipient(s) is unauthorized. Thank you.

Le présent courriel a été expédié par le système de courriels de la Ville d'Ottawa. Toute distribution, utilisation ou reproduction du courriel ou des renseignements qui s'y trouvent par une personne autre que son destinataire prévu est interdite. Je vous remercie de votre collaboration.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This e-mail originates from the City of Ottawa e-mail system. Any distribution, use or copying of this e-mail or the information it contains by other than the intended recipient(s) is unauthorized. Thank you.


Le présent courriel a été expédié par le système de courriels de la Ville d'Ottawa. Toute distribution, utilisation ou reproduction du courriel ou des renseignements qui s'y trouvent par une personne autre que son destinataire prévu est interdite. Je vous remercie de votre collaboration.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This e-mail originates from the City of Ottawa e-mail system. Any distribution, use or copying of this e-mail or the information it contains by other than the intended recipient(s) is unauthorized. Thank you.

Le présent courriel a été expédié par le système de courriels de la Ville d'Ottawa. Toute distribution, utilisation ou reproduction du courriel ou des renseignements qui s'y trouvent par une personne autre que son destinataire prévu est interdite. Je vous remercie de votre collaboration.

Boundary Conditions for 1850 Bantree Street



NODE	RESIDENTIAL				NON-RESIDENTIAL (ICI)			AVERAGE DAILY DEMAND (l/s)			MAXIMUM DAILY DEMAND (l/s)			MAXIMUM HOURLY DEMAND (l/s)			FIRE DEMAND (l/min)
	Towns	Medium Density		POPULATION	INDUST. (ha)	COMM. (ha)	INSTIT. (ha)	RESIDENTIAL	ICI	TOTAL	RESIDENTIAL	ICI	TOTAL	RESIDENTIAL	ICI	TOTAL	
Site					0.72				0.46	0.46		0.69	0.69		1.24	1.24	N/A
TOTAL					0.72					0.46			0.69			1.24	

ASSUMPTIONS							
POPULATION DENSITY		WATER DEMAND RATES		PEAKING FACTORS FOR POP. OF 501 TO 3000		FIRE DEMANDS	
Townhouse	2.7 persons/unit	Residential	280 l/cap/day	Maximum Daily	Residential	2.5 x avg. day	No Building FUS Not Applicable
Medium Density (Stacks)	1.8 persons/unit				Industrial	1.5 x avg. day	
		Industrial - Heavy	55,000 L/gross Ha/day	Maximum Hourly	Residential	2.2 x max. day	
					Industrial	1.8 x max. day	



October 31st, 2024

Harbour Environmental Group (Calgary)Ltd
3432-3500 25 St NE
Calgary , AB
T1Y 6C1

To Sean Yaehne,

**Re : 1850 Bantree st, Ottawa ON, Fire Safety Plan review and approval- 2
separate mobile trailer/offices- environmental recycling plant – Harbour
Environmental Group Ottawa**

Please be advised that the attached Fire Safety Plan, for the above-mentioned address, has been reviewed and approved by the Fire Prevention Office of the Ottawa Fire Service on August 21st, 2024. A copy of the approved Fire Safety Plan, along with a Fire Fighters Copy, is required to be available for Fire Services personnel when they respond to your building (O. Reg 213/07 Div. B, 2.8.2.1. (3)). Please ensure that a copy of this letter is kept with the Fire Safety Plan to provide record of its approval.

The approved Fire Safety Plan must be reviewed (by you) as often as necessary, but at least every 12 months, so that it takes into account changes in the use and other characteristics of the building or premises. (O.Reg 213/07 Div B 2.8.2.1. (4)).

If you are required to update your plan because of contact information, persons requiring assistance, or any other administrative updates, please email the approved plan, with changes made, to firesafetyplans@ottawa.ca indicating that you are updating your plan. You must include this letter as proof that the Fire Safety Plan has been approved by Ottawa Fire Services.

If there are structural changes, evacuation procedural changes, or changes to your fire and life safety systems, please re-submit your Fire Safety Plans for approval to firesafetyplans@ottawa.ca . Payment process and instructions can be found at www.ottawa.ca .

Yours truly,

Tina Mitchell

Tina Mitchell
A/Assistant Division Chief, Prevention
Ottawa Fire Services

TM/dss



OTTAWA FIRE SERVICES
SERVICE DES INCENDIES D'OTTAWA
Protecting Our Nation's Capital With Pride
Protéger notre capitale nationale avec fierté

City of Ottawa
www.ottawa.ca
Emergency and Protective Services
Fire Prevention Division
1445 Carling Avenue
Ottawa, ON K1Z 7L9
Tel.: 613-580-2860

Ville d'Ottawa
www.ottawa.ca
Services de protection et d'urgence
Division de la prévention des incendies
1445 Avenue Carling
Ottawa, ON K1Z 7L9
Tel.: 613-580-2860

Appendix C



ARCADIS
400-333 Preston Street
Ottawa, Ontario K1S 5N4 Canada
tel 613 225 1311 fax 613 225 9868
arcadis.com

SANITARY SEWER DESIGN SHEET

850 Bantree | 148294.6.0
CITY OF OTTAWA
Harbour Environmental

[illegible]

Labadie, Sam

From: Cassidy, Tyler <tyler.cassidy@ottawa.ca>
Sent: November 13, 2024 4:23 PM
To: Labadie, Sam
Subject: RE: 1850 Bantree - Sanitary Capacity

Arcadis Warning: Exercise caution with email messages from external sources such as this message. Always verify the sender and avoid clicking on links or scanning QR codes unless certain of their authenticity.

Hi Sam,

I can confirm we have no issues with Capacity or the 100-yr HGL in the sanitary sewer on Bantree Road.

Thank you,

Tyler Cassidy, P.Eng

Infrastructure Project Manager,
Planning, Development and Building Services department (PDBS)/ Direction générale des services de la planification, de l'aménagement et du bâtiment (DGSPAB) - South Branch
City of Ottawa | Ville d'Ottawa
110 Laurier Avenue West Ottawa, ON | 110, avenue. Laurier Ouest. Ottawa (Ontario) K1P 1J1
613.580.2424 ext./poste 12977, Tyler.Cassidy@ottawa.ca

From: Cassidy, Tyler
Sent: November 13, 2024 3:18 PM
To: Labadie, Sam <samantha.labadie@arcadis.com>
Subject: RE: 1850 Bantree - Sanitary Capacity

Hi Sam,

I'm hoping to have a response before the week is up. I don't anticipate there being any issues with the proposed sanitary demands. One thing to keep in mind is if the 60m3/day fixed flow is being supplied from the City watermain, then a redundant connection will be required. I assume some of that fixed flow is coming from the trucks themselves, but I'll leave that thought with you.

Thank you,

Tyler Cassidy, P.Eng

Infrastructure Project Manager,
Planning, Development and Building Services department (PDBS)/ Direction générale des services de la planification, de l'aménagement et du bâtiment (DGSPAB) - South Branch
City of Ottawa | Ville d'Ottawa
110 Laurier Avenue West Ottawa, ON | 110, avenue. Laurier Ouest. Ottawa (Ontario) K1P 1J1
613.580.2424 ext./poste 12977, Tyler.Cassidy@ottawa.ca

From: Labadie, Sam <samantha.labadie@arcadis.com>
Sent: November 08, 2024 11:34 AM
To: Cassidy, Tyler <tyler.cassidy@ottawa.ca>
Subject: RE: 1850 Bantree - Sanitary Capacity

CAUTION: This email originated from an External Sender. Please do not click links or open attachments unless you recognize the source.

ATTENTION : Ce courriel provient d'un expéditeur externe. Ne cliquez sur aucun lien et n'ouvrez pas de pièce jointe, excepté si vous connaissez l'expéditeur.

Hi Tyler,

Please see attached preliminary sanitary sewer design sheet (final design sheet will be included in SPA application). Ultimately, we anticipate 1.62 L/s of sanitary wastewater flow.

This includes the standard rate for a Heavy Industrial area of 55,000 L/gross Ha/day in addition to 60m³/day for Harbour Environmental's specific work (considered as "fixed flow" on the attached sheet). The 60m³/day is a conservative estimate from discussions with Harbour.

Thanks,

Sam Labadie P.Eng
Civil Engineer
Arcadis Professional Services (Canada) Inc.
Suite 500, 333 Preston Street | Ottawa | ON | K1S 5N4 | Canada
C: +1 613 899 5717
www.arcadis.com



From: Cassidy, Tyler <tyler.cassidy@ottawa.ca>
Sent: October 28, 2024 4:22 PM
To: Labadie, Sam <samantha.labadie@arcadis.com>
Subject: RE: 1850 Bantree - Sanitary Capacity

Arcadis Warning: Exercise caution with email messages from external sources such as this message. Always verify the sender and avoid clicking on links or scanning QR codes unless certain of their authenticity.

Hi Sam,

Unfortunately, we don't have an MSS or high-level study for this industrial area. If you provide me with your anticipated wastewater demands (L/s), I will confirm capacity and HGL in the sanitary system.

Regards,

Tyler Cassidy, P.Eng
Infrastructure Project Manager,
Planning, Development and Building Services department (PDBS)/ Direction générale des services de la planification, de l'aménagement et du bâtiment (DGSPAB) - South Branch
City of Ottawa | Ville d'Ottawa
110 Laurier Avenue West Ottawa, ON | 110, avenue. Laurier Ouest. Ottawa (Ontario) K1P 1J1
613.580.2424 ext./poste 12977, Tyler.Cassidy@ottawa.ca

From: Labadie, Sam <samantha.labadie@arcadis.com>
Sent: October 28, 2024 11:31 AM
To: Cassidy, Tyler <tyler.cassidy@ottawa.ca>
Subject: 1850 Bantree - Sanitary Capacity

CAUTION: This email originated from an External Sender. Please do not click links or open attachments unless you recognize the source.



ATTENTION : Ce courriel provient d'un expéditeur externe. Ne cliquez sur aucun lien et n'ouvrez pas de pièce jointe, excepté si vous connaissez l'expéditeur.

Hi Tyler,

Could you point me towards a report or MSS document that references the capacity of the 300mm concrete sanitary sewer in Bantree street in front of our site?

Thank you,

Sam Labadie P.Eng
Civil Engineer
Arcadis Professional Services (Canada) Inc.
Suite 500, 333 Preston Street | Ottawa | ON | K1S 5N4 | Canada
C: +1 613 899 5717
www.arcadis.com



This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This e-mail originates from the City of Ottawa e-mail system. Any distribution, use or copying of this e-mail or the information it contains by other than the intended recipient(s) is unauthorized. Thank you.

Le présent courriel a été expédié par le système de courriels de la Ville d'Ottawa. Toute distribution, utilisation ou reproduction du courriel ou des renseignements qui s'y trouvent par une personne autre que son destinataire prévu est interdite. Je vous remercie de votre collaboration.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

'

This e-mail originates from the City of Ottawa e-mail system. Any distribution, use or copying of this e-mail or the information it contains by other than the intended recipient(s) is unauthorized. Thank you.

Le présent courriel a été expédié par le système de courriels de la Ville d'Ottawa. Toute distribution, utilisation ou reproduction du courriel ou des renseignements qui s'y trouvent par une personne autre que son destinataire prévu est interdite. Je vous remercie de votre collaboration.

'


Appendix D

Notes


1 Recommended depth t/g - invert = 1.2m

Maximum depth t/g - invert = 2.4m

1. CB Shield to be installed in non frozen conditions.
2. The frame and cover should be well aligned with the catchbasin.
3. The sump must be clean before installation
4. The grate is at the same elevation as pipe invert.
5. Pipes must be cut flush with inside walls




Top view



Profile view



600 x 600 CB
CB Shield (600mm Sump)



construction NORTH

true NORTH

05

10

20

25

THE POSITION OF THE POLE LINES, CONDUITS, WATERMAINS, SEWERS, AND OTHER UTILITIES AND STRUCTURES ARE NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED.

BEFORE STARTING WORK
THE CONTRACTOR SHALL CONFIRM THE POSITION AND EXACT LOCATION OF ALL SUCH UTILITIES, AND SHALL ASSUME ALL LIABILITY FOR ANY DAMAGE TO THEM MADE DURING THE COURSE OF THE CONTRACT WORK.

KEY PLAN

NTS

DISCLAIMER

THESE DRAWINGS WERE PREPARED BY AQUAFOR BEECH LIMITED FOR THE ACCOUNT OF HARBOUR ENVIRONMENTAL GROUP. THE MATERIAL CONTAINED HEREIN REFLECTS AQUAFOR BEECH LIMITED'S BEST JUDGEMENT IN LIGHT OF THE INFORMATION AVAILABLE TO IT AT THE TIME OF PREPARATION. ANY USE WHICH A THIRD PARTY MAKES OF THESE DRAWINGS, OR ANY RELIANCE ON OR DECISION TO BE MADE ON IT, ARE THE RESPONSIBILITY OF SUCH THIRD PARTY. AQUAFOR BEECH LIMITED ACCEPTS NO RESPONSIBILITY FOR DAMAGES, IF ANY, SUFFERED BY ANY THIRD PARTY AS A RESULT OF DECISIONS MADE OR ACTIONS BASED ON THESE DRAWINGS. THIRD PARTY USE OF THESE DRAWINGS WITHOUT THE WRITTEN CONSENT OF AQUAFOR BEECH LIMITED IS STRICTLY PROHIBITED. THE INTENDED USE OF THESE DRAWINGS ARE STRICTLY LIMITED TO THE PURPOSE AS LISTED WITHIN THE "ISSUED FOR" AND "REVISION" TITLE BLOCK OF THESE DRAWINGS. AQUAFOR BEECH LIMITED ACCEPTS NO RESPONSIBILITY FOR DAMAGES, IF ANY, SUFFERED AS A RESULT OF THE USE OF THESE DRAWINGS OUTSIDE THE INTENDED USE AND AFOREMENTIONED LIMITATIONS. AQUAFOR BEECH LIMITED SHALL ACCEPTS NO RESPONSIBILITY AND SHALL NOT BE LIABLE FOR THE CONTENT OF ANY EDITABLE DELIVERABLES AND MAKES NO REPRESENTATION REGARDING THE ACCURACY OR COMPLETENESS OF SUCH EDITABLE DELIVERABLES. ONLY FINAL AND NON-EDITABLE DELIVERABLES FORMALLY ISSUED BY AQUAFOR BEECH LIMITED (I.E., SIGNED AND/OR SEALED) MAY BE RELIED UPON BY HARBOUR ENVIRONMENTAL, OR A THIRD PARTY. AQUAFOR BEECH LIMITED MAINTAINS ALL COPYRIGHT IN ITS DELIVERABLES AND ITS PROVISION OF EDITABLE DOCUMENTS IN NO WAY CONSTITUTES SURRENDER OF A LICENSE OR TRANSFER OF OWNERSHIP IN SUCH DELIVERABLES.

Aquafor Beech Limited

10-202-2020 SKYMARK AVE.
MISSISSAUGA, ONTARIO, L4W 1B2
PHONE: (905) 276-0994
FAX: (905) 276-0994
50 REGAL ROAD, UNIT 3 GUELPH, ONTARIO, N1K 1B5
PHONE: (519) 224-2750

DESIGNED BY:

APPROVED BY:

08.14.2025

M.E. DUSTIN

00231737

PROFESSIONAL ENGINEER

PROVINCE OF ONTARIO

ISSUED FOR REVIEW	MD	08/14/2025
ISSUED FOR REVIEW	MD	06/13/2025
ISSUED FOR REVIEW	MD	02/26/2025
ISSUED FOR REVIEW	MD	11/27/2024
REVISION	BY	MM/DD/YY

GENERAL NOTES:

- ADJACENT LAND IS AN ACTIVE AGGREGATE SUPPLIER, THEREFORE GRADES ARE CONSTANTLY CHANGING.
- 1850 BANTREE AND 1184 INNES ROAD ARE TO BE CONSIDERED ONE LOT FOR ZONING PURPOSES.

PROPERTY BOUNDARY NOTE:

PLAN OF SURVEY OF PART OF LOT 26 CONCESSION 3 (OTTAWA FRONT)
GEOGRAPHIC TOWNSHIP OF GLOUCESTER, CITY OF OTTAWA

LEGEND:

- PARCEL BOUNDARY
- LEASED AREA BOUNDARY
- 1184 INNES ROAD BOUNDARY
- ZONING BOUNDARY

CLIENT:

HARBOUR ENVIRONMENTAL GROUP

#3432, 3500 - 25 Street NE, Calgary, AB T1Y 6C1

1850 BANTREE ST

POST DEVELOPMENT DRAINAGE

DRAWN BY:	DESIGNED BY:	DATE:
BR		08.14.2025
CHECKED BY:	SCALE:	SHEET No:
MD	1:500	1
CHECKED BY:	FILE NO:	DWG No:
	D07-12-24-0160	
PROJECT No:	PLAN No:	
67582	19222	

SD-1

PIN NO: 04262-0150