




NOTE:  
THE POSITION OF ALL POLE LINES, CONDUITS,  
WATERMANS, SEWERS AND OTHER  
UNDERGROUND AND OVERGROUND UTILITIES AND  
STRUCTURES IS NOT NECESSARILY SHOWN ON  
THE CONTRACT DRAWINGS, AND WHERE SHOWN,  
THE ACCURACY OF THE POSITION OF SUCH  
UTILITIES AND STRUCTURES IS NOT GUARANTEED.  
BEFORE STARTING WORK, DETERMINE THE EXACT  
LOCATION OF ALL SUCH UTILITIES AND  
STRUCTURES AND ASSUME ALL LIABILITY FOR  
DAMAGE TO THEM.

**PRELIMINARY  
NOT FOR  
CONSTRUCTION**

| PONDING <sup>1</sup> |                  |             |                                  |
|----------------------|------------------|-------------|----------------------------------|
| CB No.               | RIM ELEV.<br>(m) | EVENT       | WATER LEVEL ELEV.<br>(DEPTH) (m) |
| CBMH01               | 96.74            | 2yr         | (0.00) 95.71                     |
|                      |                  | 5yr         | (0.00) 96.70                     |
|                      |                  | 100yr       | (0.30) 97.04                     |
|                      |                  | Static      | (0.32) 97.06                     |
|                      |                  | 100yr + 20% | (0.35) 97.09                     |
| CBMH02               | 96.84            | 2yr         | (0.00) 95.80                     |
|                      |                  | 5yr         | (0.03) 96.87                     |
|                      |                  | 100yr       | (0.26) 97.10                     |
|                      |                  | Static      | (0.30) 97.14                     |
|                      |                  | 100yr + 20% | (0.31) 97.15                     |
| CBMH03               | 97.10            | 2yr         | (0.00) 95.86                     |
|                      |                  | 5yr         | (0.00) 96.56                     |
|                      |                  | 100yr       | (0.24) 97.34                     |
|                      |                  | Static      | (0.28) 97.38                     |
|                      |                  | 100yr + 20% | (0.32) 97.42                     |
| CBMH04               | 97.31            | 2yr         | (0.00) 97.28                     |
|                      |                  | 5yr         | (0.09) 97.40                     |
|                      |                  | 100yr       | (0.19) 97.50                     |
|                      |                  | Static      | (0.28) 97.59                     |
|                      |                  | 100yr + 20% | (0.23) 97.54                     |
| CBMH05               | 97.38            | 2yr         | (0.00) 96.22                     |
|                      |                  | 5yr         | (0.00) 97.36                     |
|                      |                  | 100yr       | (0.23) 97.61                     |
|                      |                  | Static      | (0.30) 97.68                     |
|                      |                  | 100yr + 20% | (0.26) 97.64                     |
| CBMH07               | 96.78            | 2yr         | (0.00) 94.74                     |
|                      |                  | 5yr         | (0.00) 94.79                     |
|                      |                  | 100yr       | (0.00) 95.14                     |
|                      |                  | Static      | (0.30) 97.08                     |
|                      |                  | 100yr + 20% | (0.00) 95.19                     |

BASED ON PCSWMM MODEL  
(3-HOUR CHICAGO STORM DISTRIBUTION)

| PONDING <sup>1</sup> |                  |             |                                  |
|----------------------|------------------|-------------|----------------------------------|
| CB No.               | RIM ELEV.<br>(m) | EVENT       | WATER LEVEL ELEV.<br>(DEPTH) (m) |
| CBMH08               | 96.92            | 2yr         | (0.00) 95.40                     |
|                      |                  | 5yr         | (0.00) 96.14                     |
|                      |                  | 100yr       | (0.20) 97.12                     |
|                      |                  | Static      | (0.24) 97.16                     |
|                      |                  | 100yr + 20% | (0.25) 97.17                     |
| CBMH09               | 97.14            | 2yr         | (0.00) 95.58                     |
|                      |                  | 5yr         | (0.00) 96.35                     |
|                      |                  | 100yr       | (0.05) 97.19                     |
|                      |                  | Static      | (0.13) 97.27                     |
|                      |                  | 100yr + 20% | (0.11) 97.25                     |
| CBMH10               | 96.86            | 2yr         | (0.00) 95.68                     |
|                      |                  | 5yr         | (0.00) 96.34                     |
|                      |                  | 100yr       | (0.30) 97.16                     |
|                      |                  | Static      | (0.34) 97.20                     |
|                      |                  | 100yr + 20% | (0.35) 97.21                     |
| CBMH11               | 97.08            | 2yr         | (0.00) 95.46                     |
|                      |                  | 5yr         | (0.00) 95.91                     |
|                      |                  | 100yr       | (0.23) 97.31                     |
|                      |                  | Static      | (0.17) 97.25                     |
|                      |                  | 100yr + 20% | (0.35) 97.43                     |
| CBMH12               | 97.55            | 2yr         | (0.00) 95.46                     |
|                      |                  | 5yr         | (0.00) 95.92                     |
|                      |                  | 100yr       | (0.00) 97.31                     |
|                      |                  | Static      | (0.11) 97.66                     |
|                      |                  | 100yr + 20% | (0.00) 97.43                     |
| CBMH13               | 97.23            | 2yr         | (0.00) 95.85                     |
|                      |                  | 5yr         | (0.00) 96.98                     |
|                      |                  | 100yr       | (0.18) 97.41                     |
|                      |                  | Static      | (0.14) 97.37                     |
|                      |                  | 100yr + 20% | (0.21) 97.44                     |
| CBMH14               | 97.23            | 2yr         | (0.00) 95.80                     |
|                      |                  | 5yr         | (0.00) 96.62                     |
|                      |                  | 100yr       | (0.18) 97.41                     |
|                      |                  | Static      | (0.11) 97.34                     |
|                      |                  | 100yr + 20% | (0.21) 97.44                     |
| CBMH15               | 97.50            | 2yr         | (0.00) 97.47                     |
|                      |                  | 5yr         | (0.11) 97.61                     |
|                      |                  | 100yr       | (0.19) 97.69                     |
|                      |                  | Static      | (0.25) 97.75                     |
|                      |                  | 100yr + 20% | (0.21) 97.71                     |

BASED ON PCSWMM MODEL  
(3-HOUR CHICAGO STORM DISTRIBUTION)

| PONDING <sup>1</sup> |                  |             |                                  |
|----------------------|------------------|-------------|----------------------------------|
| CB No.               | RIM ELEV.<br>(m) | EVENT       | WATER LEVEL ELEV.<br>(DEPTH) (m) |
| CIBC1                | 96.99            | 2yr         | (0.00) 96.53                     |
|                      |                  | 5yr         | (0.13) 96.12                     |
|                      |                  | 100yr       | (0.15) 97.14                     |
|                      |                  | Static      | (0.12) 97.11                     |
|                      |                  | 100yr + 20% | (0.15) 97.14                     |
| CIBC2                | 97.44            | 2yr         | (0.00) 97.09                     |
|                      |                  | 5yr         | (0.20) 96.64                     |
|                      |                  | 100yr       | (0.22) 97.66                     |
|                      |                  | Static      | (0.20) 97.64                     |
|                      |                  | 100yr + 20% | (0.22) 97.66                     |
| RYE01                | 97.47            | 2yr         | (0.00) 96.22                     |
|                      |                  | 5yr         | (0.00) 97.36                     |
|                      |                  | 100yr       | (0.14) 97.61                     |
|                      |                  | Static      | (0.14) 97.61                     |
|                      |                  | 100yr + 20% | (0.15) 97.62                     |
| RYE02                | 97.50            | 2yr         | (0.00) 95.81                     |
|                      |                  | 5yr         | (0.00) 96.62                     |
|                      |                  | 100yr       | (0.00) 97.42                     |
|                      |                  | Static      | (0.16) 97.66                     |
|                      |                  | 100yr + 20% | (0.00) 97.47                     |
| RYE03                | 97.40            | 2yr         | (0.00) 96.00                     |
|                      |                  | 5yr         | (0.00) 96.58                     |
|                      |                  | 100yr       | (0.03) 97.43                     |
|                      |                  | Static      | (0.15) 97.55                     |
|                      |                  | 100yr + 20% | (0.15) 97.55                     |
| RYE04                | 96.90            | 2yr         | (0.00) 95.71                     |
|                      |                  | 5yr         | (0.00) 96.70                     |
|                      |                  | 100yr       | (0.20) 97.05                     |
|                      |                  | Static      | (0.30) 97.15                     |
|                      |                  | 100yr + 20% | (0.25) 97.10                     |
| RYE05                | 96.85            | 2yr         | (0.00) 95.40                     |
|                      |                  | 5yr         | (0.00) 96.14                     |
|                      |                  | 100yr       | (0.00) 97.14                     |
|                      |                  | Static      | (0.20) 97.60                     |
|                      |                  | 100yr + 20% | (0.00) 97.18                     |
| RYE06                | 97.40            | 2yr         | (0.00) 95.13                     |
|                      |                  | 5yr         | (0.00) 95.42                     |
|                      |                  | 100yr       | (0.21) 97.35                     |
|                      |                  | Static      | (0.21) 97.35                     |
|                      |                  | 100yr + 20% | (0.22) 97.36                     |

BASED ON PCSWMM MODEL  
(3-HOUR CHICAGO STORM DISTRIBUTION)

| PONDING <sup>1</sup> |                  |             |                                  |
|----------------------|------------------|-------------|----------------------------------|
| CB No.               | RIM ELEV.<br>(m) | EVENT       | WATER LEVEL ELEV.<br>(DEPTH) (m) |
| RYE08                | 97.10            | 2yr         | (0.00) 95.58                     |
|                      |                  | 5yr         | (0.00) 96.35                     |
|                      |                  | 100yr       | (0.09) 97.19                     |
|                      |                  | Static      | (0.23) 97.33                     |
|                      |                  | 100yr + 20% | (0.15) 97.25                     |
| RYE09                | 97.35            | 2yr         | (0.00) 95.58                     |
|                      |                  | 5yr         | (0.00) 96.34                     |
|                      |                  | 100yr       | (0.00) 97.16                     |
|                      |                  | Static      | (0.20) 97.55                     |
|                      |                  | 100yr + 20% | (0.00) 97.22                     |
| RYE10                | 97.37            | 2yr         | (0.00) 95.48                     |
|                      |                  | 5yr         | (0.00) 95.92                     |
|                      |                  | 100yr       | (0.00) 97.31                     |
|                      |                  | Static      | (0.13) 97.50                     |
|                      |                  | 100yr + 20% | (0.06) 97.43                     |
| RYE11                | 97.14            | 2yr         | (0.00) 96.54                     |
|                      |                  | 5yr         | (0.00) 97.14                     |
|                      |                  | 100yr       | (0.09) 97.23                     |
|                      |                  | Static      | (0.13) 97.27                     |
|                      |                  | 100yr + 20% | (0.15) 97.29                     |
| RYE12                | 97.16            | 2yr         | (0.00) 95.88                     |
|                      |                  | 5yr         | (0.00) 96.31                     |
|                      |                  | 100yr       | (0.19) 97.35                     |
|                      |                  | Static      | (0.15) 97.31                     |
|                      |                  | 100yr + 20% | (0.21) 97.37                     |
| RYE13                | 97.31            | 2yr         | (0.00) 96.01                     |
|                      |                  | 5yr         | (0.00) 96.49                     |
|                      |                  | 100yr       | (0.15) 97.46                     |
|                      |                  | Static      | (0.14) 97.45                     |
|                      |                  | 100yr + 20% | (0.15) 97.46                     |
| RYE14                | 97.50            | 2yr         | (0.00) 96.20                     |
|                      |                  | 5yr         | (0.00) 96.68                     |
|                      |                  | 100yr       | (0.16) 97.66                     |
|                      |                  | Static      | (0.14) 97.64                     |
|                      |                  | 100yr + 20% | (0.20) 97.70                     |
| RYE15                | 97.29            | 2yr         | (0.00) 96.22                     |
|                      |                  | 5yr         | (0.07) 97.36                     |
|                      |                  | 100yr       | (0.32) 97.61                     |
|                      |                  | Static      | (0.26) 97.55                     |
|                      |                  | 100yr + 20% | (0.35) 97.64                     |
| RYE16                | 97.58            | 2yr         | (0.00) 96.22                     |
|                      |                  | 5yr         | (0.03) 97.61                     |
|                      |                  | 100yr       | (0.10) 97.68                     |
|                      |                  | Static      | (0.09) 97.67                     |
|                      |                  | 100yr + 20% | (0.11) 97.69                     |
| RYE17                | 97.66            | 2yr         | (0.00) 97.10                     |
|                      |                  | 5yr         | (0.00) 97.66                     |
|                      |                  | 100yr       | (0.08) 97.74                     |
|                      |                  | Static      | (0.14) 97.80                     |
|                      |                  | 100yr + 20% | (0.12) 97.78                     |
| RYT01                | 97.35            | 2yr         | (0.00) 96.22                     |
|                      |                  | 5yr         | (0.01) 97.36                     |
|                      |                  | 100yr       | (0.26) 97.61                     |
|                      |                  | Static      | (0.20) 97.55                     |
|                      |                  | 100yr + 20% | (0.29) 97.64                     |
| RYT03                | 97.44            | 2yr         | (0.00) 95.80                     |
|                      |                  | 5yr         | (0.00) 96.61                     |
|                      |                  | 100yr       | (0.00) 97.42                     |
|                      |                  | Static      | (0.21) 97.65                     |
|                      |                  | 100yr + 20% | (0.02) 97.46                     |
| RYT04                | 97.26            | 2yr         | (0.00) 95.80                     |
|                      |                  | 5yr         | (0.00) 96.61                     |
|                      |                  | 100yr       | (0.15) 97.41                     |
|                      |                  | Static      | (0.24) 97.50                     |
|                      |                  | 100yr + 20% | (0.20) 97.46                     |
| RYT05                | 97.23            | 2yr         | (0.00) 95.80                     |
|                      |                  | 5yr         | (0.00) 96.61                     |
|                      |                  | 100yr       | (0.18) 97.41                     |
|                      |                  | Static      | (0.15) 97.38                     |
|                      |                  | 100yr + 20% | (0.22) 97.45                     |
| RYT06                | 97.18            | 2yr         | (0.00) 95.87                     |
|                      |                  | 5yr         | (0.00) 96.57                     |
|                      |                  | 100yr       | (0.17) 97.35                     |
|                      |                  | Static      | (0.37) 97.55                     |
|                      |                  | 100yr + 20% | (0.27) 97.45                     |

BASED ON PCSWMM MODEL  
(3-HOUR CHICAGO STORM DISTRIBUTION)

| PONDING <sup>1</sup> |                  |             |                                  |
|----------------------|------------------|-------------|----------------------------------|
| CB No.               | RIM ELEV.<br>(m) | EVENT       | WATER LEVEL ELEV.<br>(DEPTH) (m) |
| RYT07                | 97.15            | 2yr         | (0.00) 95.86                     |
|                      |                  | 5yr         | (0.00) 96.57                     |
|                      |                  | 100yr       | (0.19) 97.34                     |
|                      |                  | Static      | (0.20) 97.35                     |
|                      |                  | 100yr + 20% | (0.27) 97.42                     |
| RYT08                | 96.90            | 2yr         | (0.00) 95.88                     |
|                      |                  | 5yr         | (0.00) 96.87                     |
|                      |                  | 100yr       | (0.20) 97.10                     |
|                      |                  | Static      | (0.30) 97.20                     |
|                      |                  | 100yr + 20% | (0.25) 97.15                     |
| RYT09                | 96.85            | 2yr         | (0.00) 95.71                     |
|                      |                  | 5yr         | (0.00) 96.69                     |
|                      |                  | 100yr       | (0.19) 97.15                     |
|                      |                  | Static      | (0.30) 97.15                     |
|                      |                  | 100yr + 20% | (0.25) 97.10                     |
| RYT10                | 97.32            | 2yr         | (0.00) 95.58                     |
|                      |                  | 5yr         | (0.00) 96.34                     |
|                      |                  | 100yr       | (0.00) 97.16                     |
|                      |                  | Static      | (0.11) 97.43                     |
|                      |                  | 100yr + 20% | (0.00) 97.22                     |
| RYT11                | 97.58            | 2yr         | (0.00) 95.82                     |
|                      |                  | 5yr         | (0.00) 95.92                     |
|                      |                  | 100yr       | (0.00) 97.31                     |
|                      |                  | Static      | (0.11) 97.69                     |
|                      |                  | 100yr + 20% | (0.00) 97.43                     |
| RYT12                | 97.07            | 2yr         | (0.00) 96.53                     |
|                      |                  | 5yr         | (0.05) 97.12                     |
|                      |                  | 100yr       | (0.08) 97.15                     |
|                      |                  | Static      | (0.07) 97.14                     |
|                      |                  | 100yr + 20% | (0.10) 97.17                     |
| RYT13                | 97.17            | 2yr         | (0.00) 95.88                     |
|                      |                  | 5yr         | (0.00) 96.30                     |
|                      |                  | 100yr       | (0.14) 97.31                     |
|                      |                  | Static      | (0.13) 97.30                     |
|                      |                  | 100yr + 20% | (0.14) 97.31                     |
| RYT14                | 97.29            | 2yr         | (0.00) 96.01                     |
|                      |                  | 5yr         | (0.00) 96.49                     |
|                      |                  | 100yr       | (0.14) 97.43                     |
|                      |                  | Static      | (0.14) 97.43                     |
|                      |                  | 100yr + 20% | (0.14) 97.43                     |
| RYT15                | 97.48            | 2yr         | (0.00) 96.68                     |
|                      |                  | 5yr         | (0.00) 96.68                     |
|                      |                  | 100yr       | (0.                              |