

Phase One Environmental Site Assessment

158 Cardevco Road Ottawa, Ontario

Prepared for:

Whelan Truck Repair Inc.

112 John Cavanagh Drive Carp, ON K0A 1L0

November 8, 2022

Pinchin File: 316252

FILE# D07-12-23-0002 SITE PLAN# 19363



Phase One Environmental Site Assessment

158 Cardevco Road, Ottawa, Ontario Whelan Truck Repair Inc.

November 8, 2022 Pinchin File: 316252

Issued To: Whelan Truck Repair Inc.

Issued On: November 8, 2022

Pinchin File: 316252 Issuing Office: Kanata, ON

Author: Alex Kelly, M.Sc.

Project Coordinator 613.592.3387

akelly@pinchin.com

S. W. MATHER TO

Reviewer: Scott Mather, P.Eng., QPESA

Director, Eastern Ontario

613.592.3387

smather@pinchin.com

© 2024 Pinchin Ltd. Page i



158 Cardevco Road, Ottawa, Ontario Whelan Truck Repair Inc.

TABLE OF CONTENTS

1.0	EXE	EXECUTIVE SUMMARY				
2.0	INTR	ODUCTIO	N		4	
	2.1			ty Information		
3.0	SCO			ION		
4.0	RECORDS REVIEW					
	4.1			Objects Area - Determined for		
		4.1.1 4.1.2		ne Study Area Determinationeloped Use Determination		
		4.1.3		rance Plans		
		4.1.4		rental Reports		
			4.1.4.1	Previous Environmental Report Summary		
	4.2	Environ	mental Sou	urce Information		
		4.2.1		ental Database Search – ERIS	٤	
			4.2.1.1	National Pollutant Release Inventory		
			4.2.1.2	Ontario Inventory of PCB Storage Sites		
			4.2.1.3	National PCB Inventory	9	
			4.2.1.4	Certificates of Approval	9	
			4.2.1.5	Environmental Compliance Approvals, Permits To Take Water and		
			4.2.1.6	Certificates of Property Use	9	
			4.2.1.7	Environmental Incidents, Orders, Offences and Spills		
			4.2.1.8	Waste Management Records		
			4.2.1.9	Fuel Storage Tanks		
				Notices and Instruments		
				Areas of Natural Significance		
				Landfill Information		
		4.2.2		of the Environment, Conservation and Parks Freedom of Information		
		4.2.3		I Standards and Safety Authority Search		
		4.2.4		Underwriters' Reports and Plans		
		4.2.5		ctories		
	4.3	Physica		ources		
		4.3.1		otographs		
		4.3.2		hy, Hydrology and Geology		
		4.3.3	Fill Mater	ials	17	
		4.3.4	Water Bo	dies, Areas of Natural Significance and Groundwater Information	17	
	4.4	4.3.5		ords		
			•	cords		
5.0						
6.0	SITE	RECONN	IAISSANCI	E	19	
	6.1	General Requirements				
	6.2		Observation	ons at Phase One Property	19	
		6.2.1		on of Buildings and Structures		
		6.2.2		on of Below-Ground Structures		
		6.2.3		on of Tanks		
		6.2.4	Potable a	and Non-Potable Water Sources	20	

November 8, 2022

Pinchin File: 316252

Phase One Environmental Site Assessment

158 Cardevco Road, Ottawa, Ontario Whelan Truck Repair Inc.

November	8,	2022
Pinchin File:	31	6252

		5	
	6.2.5	Description and Location of Underground Utilities	
	6.2.6	Details of Heating System	
	6.2.7	Details of Cooling System	
	6.2.8	Details of Drains, Pits and Sumps	
	6.2.9	Unidentified Substances within Buildings and Structures	
	6.2.10	Details of Staining and Corrosion	
	6.2.11	Details of On-Site Wells	
	6.2.12	Details of Sewage Works	
	6.2.13	Details of Ground Cover	
	6.2.14	Details of Current or Former Railways	
	6.2.15	Areas of Stained Soil, Vegetation and Pavement	
	6.2.16	Areas of Stressed Vegetation	
	6.2.17	Areas of Fill and Debris Materials	
	6.2.18	Potentially Contaminating Activities	
	6.2.19	Unidentified Substances Outside Buildings and Structures	
	6.2.20	Surrounding Land Uses	. 23
6.3	Enhance	d Investigation Property	. 24
	6.3.1	Site Operations	. 25
	6.3.2	Hazardous Materials	. 25
	6.3.3	Products Manufactured	. 25
	6.3.4	By-Products and Wastes	. 25
	6.3.5	Raw Materials Handling and Storage	. 25
	6.3.6	Drums, Totes and Bins	. 26
	6.3.7	Oil/Water Separators	26
	6.3.8	Vehicle and Equipment Maintenance	. 26
	6.3.9	Spills	. 26
	6.3.10	Liquid Discharge Points	
	6.3.11	Processing and Manufacturing Operations/Equipment	. 27
	6.3.12	Hydraulic Equipment	
	6.3.13	Potentially Contaminating Activities	
6.4	Written [Description of Investigation	
	6.4.1	Phase One Property	
	6.4.2	Phase One Study Area Outside of Phase One Property	
DE\	\A		
REVIE	W AND E	EVALUATION OF INFORMATION	. 31
7.1	Current a	and Past Uses	. 31
7.2		ly Contaminating Activities	
7.3		Potential Environmental Concern	
7.4		ne Conceptual Site Model	
		S	
8.1		es	
8.2	rerms a	nd Limitations	
REFE	RENCES		. 39
VDDE!	UDICES		1

7.0

8.0

9.0 10.0



Phase One Environmental Site Assessment

158 Cardevco Road, Ottawa, Ontario Whelan Truck Repair Inc.

November 8, 2022 Pinchin File: 316252

APPENDICES

APPENDIX A Figures

APPENDIX B Photographs
APPENDIX C Opta Records
APPENDIX D ERIS Report

APPENDIX E MECP FOI Search Request

APPENDIX F TSSA Search Request

APPENDIX G Maps

FIGURES

Figure 1 Key Map

Figure 2 Phase One Study Area

Figure 3 Potentially Contaminating Activities

Figure 4 Areas of Potential Environmental Concern

© 2024 Pinchin Ltd. Page iv

Pinchin File: 316252

November 8, 2022

1.0 EXECUTIVE SUMMARY

Pinchin Ltd. (Pinchin) was retained by Whelan Truck Repair Inc. (Client) to complete a Phase One Environmental Site Assessment (Phase One ESA) of the property located at 158 Cardevco Road in Ottawa, Ontario (hereafter referred to as the Site or Phase One Property). The Phase One Property is presently developed with a single-storey light industrial building (Site Building).

Pinchin conducted this Phase One ESA in accordance with Part VII and Schedule D of the Province of Ontario's *Environmental Protection Act R.S.O. 1990, c. E.19* and *Ontario Regulation 153/04: Records of Site Condition – Part XV.1 of the Act*, and last amended by Ontario Regulation 274/20 on July 1, 2020 (O. Reg. 153/04). The purpose of the Phase One ESA was to assess the potential presence of environmental impacts at the Phase One Property due to activities at and near the Phase One Property.

This Phase One ESA was conducted at the request of the Client as a condition for a Site Plan Approval (SPA) application with the City of Ottawa.

The scope of work for this Phase One ESA was consistent with O. Reg. 153/04 and was comprised of the following:

- Records Review: Reviewed available current and historical information sources pertaining to the Phase One Property and Phase One Study Area including the use of, but not limited to, aerial photographs, city directories, Property Underwriters' Reports and a regulatory data base search. Regulatory agencies were also contacted to identify if any records of environmental non-compliance or other information associated with the environmental condition of the Phase One Property exists, including searches of the Ministry of the Environment, Conservation and Parks and Technical Standards and Safety Authority records;
- Interviews: Conducted interviews with the Site Representatives (see Section 5.0) to
 determine if any current or historical operations have caused a concern with respect to
 the environmental condition of the Phase One Property and the surrounding properties
 within the Phase One Study Area;
- Site Reconnaissance: Completed a visual assessment of the Phase One Property and the surrounding properties within the Phase One Study Area (from publicly-accessible areas) including any associated buildings and/or facilities for the purpose of identifying the presence of potentially contaminating activities (PCAs);
- Evaluation: Evaluated the information gathered from the records review, interviews and Site reconnaissance;

© 2024 Pinchin Ltd. Page 1 of 40

- Reporting: Prepared a Phase One ESA report; and
- Submission: Submitted the Phase One ESA report to the Client.

The Phase One Property consists of one legal plot situated at the municipal address of 158 Cardevco Road, Ottawa, Ontario, which is currently owned by Whelan Truck Repair Inc. The Phase One Property is located immediately southeast of Cardevco Road, approximately 265 metres southwest of the intersection of Carp Road and Cardevco Road.

To the best of Pinchin's knowledge, the Phase One Property was developed between 1985 and 1991. A review of the aerial photographs, as well as an interview with the Site Representatives, determined that prior to 1991, the Phase One Property consisted of vacant undeveloped land. In the 1985 aerial photograph reviewed by Pinchin, the Phase One Property consisted of vacant undeveloped land, and in the 1991 aerial photograph reviewed by Pinchin, the present-day Site Building was evident on the Phase One Property. Therefore, it is Pinchin's opinion that the first developed use of the Phase One Property was developed between 1985 and 1991.

The date of the first developed use of the Phase One Property was determined through a review of aerial photographs, as well as an interview with the Site Representatives. No other information was reviewed by Pinchin during the records review, or obtained during the Site reconnaissance or interviews which would have resulted in a different interpretation of the date of first developed use of the Phase One Property.

Based on the findings of this Phase One ESA, Pinchin identified five PCAs at the Phase One Property (i.e., on-Site) and 21 PCAs within the Phase One Study Area outside of the Phase One Property (i.e., off-Site). Of the PCAs, 23 are not considered to result in areas of potential environmental concern (APECs) at the Phase One Property given no evidence of spills or historical spills (i.e., staining) observed in the vicinity of the transformers and no issues of potential environmental concern (i.e., spills) noted for the transformers within the Environmental Risk Information Services report and any maintenance/environmental issues associated with the transformers would be the responsibility of Hydro Ottawa. Based on the above-noted information, as well as no evidence of historical spills (i.e., staining) observed in the vicinity of the on-Site aboveground storage tanks (ASTs); the concrete floor in the vicinity of the ASTs and staining being in good condition (i.e., no cracking or pitting); the limited annual quantities of hazardous wastes; the distance between these properties and the Phase One property; and the inferred groundwater flow direction, it is Pinchin's opinion that these PCAs do not represent APECs for the Phase One Property. The remaining two on-Site PCAs and one off-Site PCA have resulted in three APECs at the Phase One Property. It is Pinchin's opinion that these PCAs may have impacted soil and groundwater quality at the Phase One Property and, as such, PCAs #1, 5 and 6 have resulted in APECs at the Phase One Property that warrants further investigation prior to the application of a Site Plan Approval application with the City of Ottawa.

© 2024 Pinchin Ltd. Page 2 of 40

Pinchin recommends that a Phase Two ESA be conducted at the Phase One Property as an "assessment of property conducted in accordance with the regulations by or under the supervision of a qualified person to determine the location and concentration of one or more contaminants in the land or water on, in or under the property". Pinchin concludes that one or more contaminants originating from PCAs located on the Phase One Property and within the Phase One Study Area may have affected land or water on, in, or

November 8, 2022

Pinchin File: 316252

It should be noted that the references and sources for the information used in evaluating the Phase One Property are provided in the relevant sections of this report. Specific references are also summarized in Section 9.0.

under the Phase One Property. Therefore, Pinchin recommends that a Phase Two ESA be conducted

prior to the application of a Site Plan Approval application with the City of Ottawa.

This Executive Summary is subject to the same standard limitations as contained in the report and must be read in conjunction with the entire report.

© 2024 Pinchin Ltd. Page 3 of 40

2.0 INTRODUCTION

A Phase One ESA is defined as a systematic qualitative process to determine whether a particular property is, or may be subject to, actual or potential contamination. Under the Province of Ontario's *Environmental Protection Act R.S.O. 1990, c. E.19* (EPA) and *Ontario Regulation 153/04: Records of Site Condition – Part XV.1 of the Act*, and last amended by Ontario Regulation 274/20 on July 1, 2020 (O. Reg. 153/04), the purpose of a Phase One ESA is two-fold:

November 8, 2022

Pinchin File: 316252

- To obtain and review records that relate to the Phase One Property, and to the current and past uses of and activities at or affecting the Phase One Property, in order to determine if an area of potential environmental concern (APEC) exists and to interpret any APEC; and
- To obtain and review records that relate to properties in the Phase One Study Area, other than the Phase One Property, in order to determine if a potentially contaminating activity (PCA) exists and interpret whether any such PCA results in an APEC at the Phase One Property.

This Phase One ESA was conducted at the request of the Client as a condition for a Site Plan Approval application with the City of Ottawa.

A Phase One ESA does not include sampling or testing of environmental media or building materials. The study period for this assessment was during October and November 2022, which included the records review, Site reconnaissance, interviews and reporting.

2.1 Phase One Property Information

The Phase One Property consists of one legal plot situated at the municipal address of 158 Cardevco Road, Ottawa, Ontario, which is currently owned by Whelan Truck Repair Inc. The Phase One Property is located immediately southeast of Cardevco Road, approximately 265 metres (m) southwest of the intersection of Carp Road and Cardevco Road, as shown on Figure 1 (all Figures are provided in Appendix A and all appendices are provided in Section 10.0). A plan showing the Phase One Study Area for which this Phase One ESA applies to is outlined on Figure 2. PCAs identified within the Phase One Study Area are depicted on Figure 3. APECs identified within the Phase One Study Area are depicted on Figure 4. Photographs of the Phase One Property and surrounding properties are presented in Appendix B.

© 2024 Pinchin Ltd. Page 4 of 40

Pertinent details of the Phase One Property are provided in the following table:

Detail	Source / Reference	Information	
Legal Description	Legal Survey Drawing provided by the Client	N/A	
Municipal Address	Client	158 Cardevco Road, Ottawa, ON K0A 1L0	
Parcel Identification Number (PIN)	Legal Survey Drawing provided by the Client	N/A	
Current Owner	Client	Whelan Truck Repair Inc.	
Current Occupants	Client	Light industrial building	
Client	Authorization to Proceed, Limitation of Liability & Terms of Engagement Form	Whelan Truck Repair Inc.	
Client Contact Information	Authorization to Proceed, Limitation of Liability & Terms of Engagement Form	Brian Kerr c/o Whelan Truck Repair Inc. 112 John Cavanagh Drive, Carp, ON K0A 1L0	
Site Area Site Representatives		0.49 hectares (1.21 acres)	

3.0 SCOPE OF INVESTIGATION

Pinchin conducted this Phase One ESA in accordance with O. Reg. 153/04, in particular Part VII and Schedule D of O. Reg. 153/04. The Phase One ESA scope of work was comprised of the following:

- A Records Review: Reviewed available current and historical information sources
 pertaining to the Phase One Property and Phase One Study Area including the use of,
 but not limited to, aerial photographs, city directories, Property Underwriters' Reports and
 a regulatory data base search. Regulatory agencies were also contacted to identify if any
 records of environmental non-compliance or other information associated with the
 environmental condition of the Phase One Property exists, including searches of the
 Ministry of the Environment, Conservation and Parks (MECP) and Technical Standards
 and Safety Authority (TSSA) records;
- Interviews: Conducted interviews with the Site Representatives (see Section 5.0) to determine if any current or historical operations have caused a concern with respect to the environmental condition of the Phase One Property and the surrounding properties within the Phase One Study Area;

© 2024 Pinchin Ltd. Page 5 of 40

Site Reconnaissance: Completed a visual assessment of the Phase One Property and the surrounding properties within the Phase One Study Area (from publicly-accessible areas) including any associated buildings and/or facilities for the purpose of identifying

November 8, 2022

Pinchin File: 316252

- Evaluation: Evaluated the information gathered from the records review, interviews and
 Site reconnaissance;
- Reporting: Prepared a Phase One ESA report; and

the presence of PCAs;

Submission: Submitted the Phase One ESA report to the Client.

4.0 RECORDS REVIEW

4.1 General

Identified on and off-Site PCAs described in this and subsequent report Sections are depicted on Figure 3.

A Phase One ESA does not include sampling or testing of environmental media or building materials. The study period for this assessment was during October and November 2022, which included the records review, Site reconnaissance, interviews and reporting. A Site reconnaissance was completed on October 12, 2022, by a Pinchin representative under the direct supervision of a Qualified Person (QP). During the Site reconnaissance, Pinchin accessed the interior of the Site Building and all exterior areas of the Phase One Property. Pinchin did not access any areas within the surrounding Phase One Study Area with the exception of publicly-accessible roads and sidewalks. Select photographs taken during the Site reconnaissance of the Phase One Property and the surrounding properties within the Phase One Study Area are presented in Appendix B.

4.1.1 Phase One Study Area Determination

Based on a review of the available historical information and observations made during the Site reconnaissance for the properties greater than 250 m, but less than 1 kilometre (km), from the Phase One Property boundary, Pinchin did not note or observe any significant potentially contaminating properties that should be included as part of this assessment (e.g., landfills, large industrial manufacturers, etc.). As such, the Phase One Study Area consisted of the Phase One Property, as well as all properties situated wholly, or partly, within 250 m from the nearest point of a boundary of the Phase One Property, in order to meet the minimum requirements set forth in O. Reg. 153/04.

© 2024 Pinchin Ltd. Page 6 of 40

4.1.2 First Developed Use Determination

The first developed land use of the Phase One Property is defined by O. Reg. 153/04 to be the earlier of:

 The first use of a Phase One Property in or after 1875 that resulted in the development of a building or structure on the property; and

November 8, 2022

Pinchin File: 316252

The first potentially contaminating use or activity on the Phase One Property.

A review of the aerial photographs, as well as an interview with the Site Representatives, determined that prior to 1991, the Phase One Property consisted of vacant undeveloped land. In the 1985 aerial photograph reviewed by Pinchin, the Phase One Property consisted of vacant undeveloped land, and in the 1991 aerial photograph reviewed by Pinchin, the present-day Site Building was evident on the Phase One Property. Therefore, it is Pinchin's opinion that the first developed use of the Phase One Property was developed between 1985 and 1991.

The date of the first developed use of the Phase One Property was determined through a review of aerial photographs, as well as an interview with the Site Representatives. No other information was reviewed by Pinchin during the records review, or obtained during the Site reconnaissance or interviews which would have resulted in a different interpretation of the date of first developed use of the Phase One Property.

4.1.3 Fire Insurance Plans

Pinchin previously contacted Opta Information Intelligence (Opta) to obtain Fire Insurance Plans (FIPs) related to the Phase One Property and the Phase One Study Area. Responses were received from Opta, dated July 28, 2022, which indicated that no FIPs for the Phase One Property and Phase One Study Area were available. The Opta responses are provided in Appendix E.

4.1.4 Environmental Reports

The following previous environmental reports for the Phase One Property were reviewed by Pinchin:

Report entitled "Phase I Environmental Site Assessment, 158 Cardevco Road, Ottawa,
 Ontario" prepared by Pinchin for 1496143 Ontario Ltd., and dated August 16, 2016 (2016
 Pinchin Phase I ESA Report).

Pinchin reviewed the available soil and groundwater sample analytical data provided in the abovereferenced reports to assess whether there are any known soil and groundwater impacts at the Phase One Property.

A summary of the salient information identified in the reports is provided below.

© 2024 Pinchin Ltd. Page 7 of 40

2016 Pinchin Phase I ESA Report

The Phase I ESA completed by Pinchin in August 2016 consisted of historical reviews, a review of surrounding properties, a regulatory database search, and interviews as well as an exterior assessment of the Site.

November 8, 2022

Pinchin File: 316252

The results of the 2016 Pinchin Phase I ESA Report indicated that there were no significant potential environmental concerns associated with the current and historical use of the Site and adjacent properties and as such, no further environmental assessment work was recommended.

4.1.4.1 Previous Environmental Report Summary

Based on Pinchin's review of the above-referenced previous environmental reports, no PCAs were identified within the Phase One Study Area.

4.2 Environmental Source Information

Pinchin reviewed the historical use of the Phase One Study Area through the use of publicly available archives and databases, as well as through requesting information from regulatory agencies. The following provides a summary of the information obtained from these sources.

4.2.1 Environmental Database Search – ERIS

Pinchin retained Environmental Risk Information Services (ERIS) to search all available federal, provincial and private source databases for information pertaining to the Phase One Study Area. Unless otherwise noted, information obtained from the ERIS database search was reviewed for the entire Phase One Study Area. A copy of the ERIS report is provided in Appendix D and the results of the database search are described in the following sections.

4.2.1.1 National Pollutant Release Inventory

ERIS completed a search of the federal databases for information regarding the National Pollutant Release Inventory (NPRI). This database contains comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances and identifies information such as the approximate location, type and quantity of contaminant, date of release, and media impacted.

Pinchin reviewed the ERIS report for NPRI information and found no records regarding the Phase One Study Area.

4.2.1.2 Ontario Inventory of PCB Storage Sites

The MECP's Waste Management Branch maintains an inventory of polychlorinated biphenyl (PCB) storage sites within Ontario. Ontario Regulation 11/82 and Ontario Regulation 347 (O. Reg. 347), made

© 2024 Pinchin Ltd. Page 8 of 40

under the EPA, require the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the MECP. This database contains information on waste quantities, major and minor sites storing liquid or solid waste, and a waste storage inventory.

ERIS completed a search of the Ontario Inventory of PCB Storage Sites for information regarding PCB storage and found no information regarding the Phase One Study Area.

4.2.1.3 National PCB Inventory

Environment Canada maintains an inventory of in-use PCB-containing equipment at federal, provincial and private facilities in Canada, and of out-of-service PCB-containing equipment and PCB waste owned by the federal government or federally regulated industries.

ERIS completed a search of the National PCB Inventory and found no information regarding the Phase One Study Area.

4.2.1.4 Certificates of Approval

ERIS completed a search of the MECP database for information regarding Certificates of Approval (Cs-of-A). The MECP maintains a database of approved Cs-of-A for Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. Prior to November 1, 2011, the MECP mandated that any facility that released emissions to the atmosphere, discharged contaminants to ground or surface water, provided potable water supplies, or stored, transported or disposed of waste, must have a C-of-A before it could operate lawfully. The MECP no longer issues Cs-of-A, which were replaced by Environmental Compliance Approvals (ECAs) as of November 1, 2011. O. Reg. 153/04 indicates that information from the C-of-A database only needs to be obtained for the Phase One Property and properties adjacent to the Phase One Property.

The ERIS search of the C-of-A database identified no information regarding Cs-of-A for the Phase One Property.

The ERIS search of the C-of-A database identified one C-of-A for properties adjacent to the Phase One Property. This C-of-A was for air emissions, sewage works and municipal water works and no Cs-of-A were identified for discharge to groundwater, which is considered the primary pathway of concern for contaminant impacts on the Phase One Property. As such, Pinchin does not consider the activities related to this C-of-A at the Phase One Property to represent a PCA.

4.2.1.5 Environmental Compliance Approvals, Permits To Take Water and Certificates of Property Use

ERIS completed a search of the MECP database for information regarding ECAs, permits including Permits To Take Water (PTTWs) and Certificates of Property Use (CPUs). O. Reg. 153/04 indicates that information from these databases only needs to be obtained for the Phase One Property and properties

© 2024 Pinchin Ltd. Page 9 of 40

Appendix D.

adjacent to the Phase One Property. Details regarding these databases are provided in the ERIS report in

November 8, 2022

Pinchin File: 316252

The ERIS database search identified no information regarding ECAs, PTTWs or CPUs for the Phase One Property and properties adjacent to the Phase One Property.

4.2.1.6 Inventory of Coal Gasification Plants

ERIS searched the following publications prepared for the MECP by Intera Technologies Inc. for information on industrial sites that formerly operated as coal gasification plants, and industrial sites that produced or used coal tar and other related tars:

- "Inventory of Coal Gasification Plant Waste Sites in Ontario", dated April 1987; and
- "Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario", dated November 1988.

The ERIS search yielded no records of former coal gasification plants or the production or use of coal tar and related tars within the Phase One Study Area.

4.2.1.7 Environmental Incidents, Orders, Offences and Spills

ERIS completed a search of the various provincial and federal databases for information regarding environmental incidents, orders, offences and spills. O. Reg. 153/04 indicates that information from these databases only needs to be obtained for the Phase One Property and properties adjacent to the Phase One Property. Details regarding the searched databases are provided in the ERIS report in Appendix D.

The ERIS database search revealed no records of environmental incidents, orders, offences or spills for the Phase One Property and properties adjacent to the Phase One Property.

4.2.1.8 Waste Management Records

Waste Generators

ERIS completed a search of the O. Reg. 347 Waste Generators database for information regarding waste generation. O. Reg. 347 defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution, etc. The database search results provide a summary of available waste generation information for the registered sites for all years from 1986 to the present.

© 2024 Pinchin Ltd. Page 10 of 40

O. Reg. 153/04 indicates that information from the Waste Generator database only needs to be obtained for the Phase One Property and properties adjacent to the Phase One Property and adjacent off-Site properties. Pinchin reviewed the database for waste

November 8, 2022

Pinchin File: 316252

for the Phase One Property and properties adjacent to the Phase One Property. However, in addition to the Phase One Property and adjacent off-Site properties, Pinchin reviewed the database for waste generators within 50 m transgradient and 100 m upgradient of the Phase One Property with respect to the inferred groundwater flow direction. The area reviewed will be referred to as the Waste Generator Database Review Area.

The ERIS search of the O. Reg. 347 Waste Generators database found the following information regarding the Waste Generator Database Review Area:

- The Phase One Property, S L Hodgins, had been registered with the MECP as a generator (Generator # ON2019300) of waste oils and lubricants from 1995 to 2001. Based on a review of Pinchin's in-house MECP Waste Generator database, approximately 910 kilograms (kg) of waste oils and lubricants were generated on-Site in 1997. Based on the limited annual quantities of hazardous wastes generated at the Phase One Property, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;
- Thunderbolt Contracting, located at 153 Cardevco Road, had been registered with the MECP as a generator (Generator # ON9364148) of various hazardous wastes in 2014 and 2015. Based on a review of Pinchin's in-house MECP Waste Generator database, approximately 3,825 kg of various hazardous wastes were generated at this property in 2014 and 2015. This property is located approximately 20 m southwest of the Phase One Property. Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;
- Davey Tree Expert Co. of Canada Ltd., located at 196 Cardevco Road, has been registered with the MECP as a generator (Generator # ON1119201) of waste oils and lubricants since 1991. Based on a review of Pinchin's in-house MECP Waste Generator database, approximately 6,220 kg of waste oils and lubricants were generated at this property from 1991 to 1999. This property is located approximately 30 m northeast of the Phase One Property and is situated hydraulically down/transgradient of the Phase One Property relative to the inferred groundwater flow direction. Based on the distance between this property and the Phase One Property, as well as the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property; and

© 2024 Pinchin Ltd. Page 11 of 40

Property.

1043084 Ontario Inc., located at 142 Cardevco Road, has been registered with the MECP as a generator (Generator # ON3825812) of various hazardous wastes since 2011. Based on a review of Pinchin's in-house MECP Waste Generator database, approximately 2,739 kg of various hazardous wastes were generated at this property from 2011 to 2019. This property is located approximately 90 m southeast of the Phase One Property, Based on the distance between this property and the Phase One Property,

it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One

November 8, 2022

Pinchin File: 316252

Waste Receivers

ERIS completed a search of the O. Reg. 347 Waste Receivers database for information regarding waste receivers. O. Reg. 347 defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database contains registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants.

O. Reg. 153/04 indicates that information from the Waste Receivers database only needs to be obtained for the Phase One Property and properties adjacent to the Phase One Property. However, in addition to the Phase One Property and adjacent off-Site properties, Pinchin reviewed the database for waste receivers within 50 m transgradient and 100 m upgradient of the Phase One Property with respect to the inferred groundwater flow direction. The area reviewed will be referred to as the Waste Receivers Database Review Area.

The ERIS search of the O. Reg. 347 Waste Receivers database found no information regarding the Waste Receivers Database Review Area.

4.2.1.9 Fuel Storage Tanks

ERIS completed a search of various private, provincial and federal databases for information regarding chemical storage tanks, as well as private and retail fuel storage tanks. Details regarding the searched databases are provided in the ERIS report in Appendix D.

The ERIS search of the chemical and fuel storage tank databases found no information regarding the Phase One Property.

The ERIS search of the chemical or fuel storage tank databases identified the following other property within the Phase One Study Area with records of chemical and/or fuel storage tanks:

142 Cardevco Road (located approximately 90 m southeast of the Phase One Property).

© 2024 Pinchin Ltd. Page 12 of 40

The above-noted property was listed in the Fuel Storage Tanks database as possessing two 22,700-Litre (L) double-walled fibreglass gasoline aboveground storage tanks (ASTs), which were installed in 2002. Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does represent an APEC at the Phase One Property.

4.2.1.10 Notices and Instruments

ERIS completed a search of the provincial Environmental Registry for records pertaining to proposals, decisions, and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. ERIS also searched the Record of Site Condition (RSC) database for filed RSCs.

The ERIS database search of the Environmental Registry and Record of Site Condition database found no records for the Phase One Property and the Phase One Study Area.

4.2.1.11 Areas of Natural Significance

ERIS reviewed available databases and records to assess whether any parks, wetlands, conservation areas, or other areas of natural significance, are located within the Phase One Study Area. The Area of Natural & Scientific Interest map is included in the ERIS report in Appendix D. In addition, Pinchin reviewed information provided on the Ministry of Natural Resources and Forestry's (MNRF) Natural Heritage Information Centre (NHIC) website. No areas of natural significance were identified within the Phase One Study Area from these information sources.

4.2.1.12 Landfill Information

ERIS reviewed available private and provincial databases for records of any current or inactive landfills and waste disposal sites within the Phase One Study Area. Details regarding the searched databases are provided in the ERIS report in Appendix D.

The ERIS search of the landfill and waste disposal sites databases found no information regarding the Phase One Study Area.

4.2.2 Ministry of the Environment, Conservation and Parks Freedom of Information Search

The MECP Freedom of Information and Protection of Privacy Office in Toronto, Ontario was contacted to determine if records exist for environmental matters such as orders, spills, previous investigations, prosecutions, registered PCB waste storage sites, waste generators, waste receivers, Cs-of-A and ECAs associated with the Phase One Property. A written correspondence with the MECP dated October 28, 2022 provided copies of an application for a provisional certificated for approval of a waste management system dated January 21, 1997, and an incident report detailing the storage of waste (i.e., large appliances, wood, paint cans, light bulbs, etc.) without approval on the Site dated July 8, 2008.

© 2024 Pinchin Ltd. Page 13 of 40

In addition, the MECP response provided a copy of an occurrence report detailing a spill of 150-L of diesel to the north portion of the Phase One Property during delivery to the Phase One Property on July 9, 1998. Based on the above-noted information, it is Pinchin's opinion that this PCA does represent an APEC at the Phase One Property. A copy of the MECP's response is provided in Appendix E of this report.

November 8, 2022

Pinchin File: 316252

Pinchin conducted a search of the MECP Brownfield Environmental Site Registry as part of the searches completed. According to the search, an RSC has not been field for the Site or neighbouring properties within a 150 m radius of the Site.

4.2.3 Technical Standards and Safety Authority Search

The TSSA is the regulatory body that governs the safe handling and storage of fuel in Ontario. All storage of gasoline, diesel and fuel oil is subject to the Technical Standards and Safety Act. The Technical Standards and Safety Act and its relevant documents and regulations (e.g., *Liquid Fuels Handling Code*, *Ontario Regulation 213/01 – Fuel Oil*, *Ontario Regulation 217/01 – Liquid Fuels*) require that all fuel storage devices such as ASTs and underground storage tanks (USTs) be registered with the TSSA.

Pinchin previously contacted the TSSA to determine whether any ASTs or USTs are, or were, registered for the Phase One Property. Letter responses were issued by the TSSA on August 3, 2016, indicating that following a search of the TSSA files, no outstanding instructions, incident reports, fuel oil spills or contamination records, or records of registered ASTs or USTs were found for the Phase One Property or the off-Site properties listed above. Copies of the TSSA responses are provided in Appendix F.

4.2.4 Property Underwriters' Reports and Plans

Property Underwriters' Reports (PURs) provide detailed information on a site-specific basis, including descriptions of building construction, heating sources, production processes, and the presence of any hazardous chemicals or materials which may have been historically stored on the Phase One Property. They also indicate the presence of environmental hazards such as electrical rooms, transformers, boilers and storage tanks. Information provided on Property Underwriters' Plans (PUPs) includes the location, capacity, and contents of ASTs, USTs, chemical storage and other forms of environmental hazards.

Pinchin contacted Opta to obtain copies of PURs and PUPs related to the Phase One Property. Opta provided Pinchin with a copy of a PUR dated 1997 (see Appendix C):

Based on Pinchin's review of the PUR, the following was noted:

- The Site Building was constructed in its current configuration in approximately 1991;
- The Site was occupied by S L Hodgins Equipment Ltd.; and
- Heating was provided by propane-fired infrared radiant heat.

© 2024 Pinchin Ltd. Page 14 of 40

4.2.5 City Directories

City directories for the years 1989 to 2011 were reviewed by Pinchin at the Library and Archives of Canada in Ottawa, Ontario. It should be noted that no city directories were available for the Phase One Property prior to 1989 or subsequent to 2011. A summary of information obtained with respect to the Phase One Property is provided in the following table:

Year(s)	Occupant Listings for Site Address
1989-2000.	Site not listed.
2001-2011.	TDL Spring and Suspension Specialists.

Based on Pinchin's review of the above-noted city directories, an automotive repair/servicing facility (i.e., TDL Spring and Suspension Specialists) was evident on the Phase One Property from 2001 to 2011. In addition, an automotive repair/servicing facility is still evident on the Phase One Property. Based on the above-noted information, it is Pinchin's opinion that the Phase One property is considered an Enhanced Investigation Property and that this PCA does represent an APEC at the Phase One Property.

In general, the city directories indicated that the properties in the Phase One Study Area outside of the Phase One Property have been historically occupied by commercial and light industrial land uses since 1989. No historical dry cleaning operations, RFOs or other operations of potential environmental concern were identified, with the exception of the following:

- RR Auto (i.e., an automotive repair/servicing facility) was listed at 164 Cardevco Road from approximately 2005 until 2011. An active automotive repair/servicing facility is still active on this property. This property is located adjacent to the northeast elevation of the Phase One Property, while the building associated with this property is located approximately 15 m southeast. In addition, this automotive repair/servicing facility is considered an Enhanced Investigation Property. Based on the above-noted information, it is Pinchin's opinion that this PCA does represent an APEC at the Phase One Property; and
- Ryan's Auto Centre (i.e., an automotive repair/servicing facility) was listed at 196 Cardevco Road in 1995. This property is located approximately 40 m northeast of the Phase One Property and is situated hydraulically down/transgradient of the Phase One Property relative to the inferred groundwater flow direction. Based on the short duration of operations, the distance between this property and the Phase One Property and the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property.

© 2024 Pinchin Ltd. Page 15 of 40

4.3 Physical Setting Sources

4.3.1 Aerial Photographs

Pinchin reviewed aerial photographs of the Phase One Property and surrounding properties within the Phase One Study Area to assess the potential for historical PCAs. Copies of aerial photographs dated 1945, 1954, 1967 and 1985 were obtained from the National Air Photo Library in Ottawa, Ontario and reviewed by Pinchin. In addition, copies of digital aerial photographs dated 1976, 1991, 2002, 2011 and 2021 were reviewed on the City of Ottawa e-map website (https://maps.ottawa.ca/geoOttawa/) by Pinchin. The 1945 aerial photograph was the earliest available aerial photograph of the Phase One Study Area.

November 8, 2022

Pinchin File: 316252

Efforts were made by Pinchin to obtain aerial photographs that:

- Illustrated the period between initial development of the Phase One Property to the present;
- Identified buildings and structures present on the Phase One Property since initial development;
- Identified PCAs within the Phase One Study Area; and
- Identified APECs on the Phase One Property.

It should be noted that accurate details could not be determined from some of the aerial photographs due to the large reference scale and the low resolution of the photographs.

A summary of information obtained with respect to the Phase One Property from a review of the available aerial photography is provided in the following table:

Year of Photograph	Phase One Property
1945-1985.	The Phase One Property appeared to consist of vacant undeveloped land.
1991-2021.	A building that was similar in size and configuration to the present-day Site Building was evident on the Phase One Property.

Based on the aerial photographs reviewed for the Phase One Property and the surrounding area, it appears that the Phase One Property was developed between 1985 and 1991.

The aerial photograph review did not identify any PCAs within the Phase One Study Area, including the Phase One Property.

© 2024 Pinchin Ltd. Page 16 of 40

4.3.2 Topography, Hydrology and Geology

The elevation of the Phase One Property, based on information obtained from the Ontario Base Map series, is approximately 115 m above mean sea level (mamsl). The general topography in the local and surrounding area is generally flat and the Phase One Property is at a similar elevation to the adjacent/surrounding properties. No bedrock outcrops were observed on-Site or in the surrounding area.

November 8, 2022

Pinchin File: 316252

A review of the available physiographical data indicates that the Phase One Property and the surrounding properties located within the Phase One Study Area are located within alluvial deposits consisting of stratified gravel, sand, silt and clay. Bedrock is expected to consist of sedimentary rocks consisting of limestone, dolomite, shale, argillite, sandstone, quartzite, and/or grit. The topography is considered to be mainly flat to rolling low local relief with dry surface water drainage conditions.

Based on general hydrogeological principles and Pinchin's familiarity with subsurface conditions at and near the Phase One Property and the surrounding properties within the Phase One Study Area, the unconfined groundwater beneath the Phase One Property is expected to flow in a northwest direction. The nearest surface water body is the Carp River located approximately 520 m north of the Phase One Property at an elevation of approximately 12 mamsl.

Copies of pertinent maps, illustrating local topographical, hydrogeological and drainage features are provided in Appendix G.

4.3.3 Fill Materials

The historical records review provided no information regarding the presence of fill material at the Phase One Property.

Although the Phase One ESA did not identify any historical or current fill material at the Phase One Property, potential future development plans should incorporate the appropriate procedures for the characterization of soils that may require off-Site disposal. Further assessment and/or costs may be incurred through re-development of the Phase One Property and/or change in land use scenarios.

4.3.4 Water Bodies, Areas of Natural Significance and Groundwater Information

The nearest surface water body is the Carp River located approximately 520 m north of the Phase One Property at an elevation of approximately 12 mamsl.

A review of the Area of Natural & Scientific Interest map prepared by ERIS (see Appendix D) and information provided on the MNRF's NHIC website did not identify any provincial parks, wetlands, conservation areas, or other areas of natural significance, within the Phase One Study Area.

© 2024 Pinchin Ltd. Page 17 of 40

The records review did not identify the presence of wells within the Phase One Study Area that supply water for human consumption or for agricultural purposes. Details regarding these wells are provided in the ERIS report in Appendix D.

4.3.5 Well Records

A search of the Water Well Information System database by ERIS did not identify any water well records for the Phase One Property. The Water Well Information System database search identified 14 water well records within the Phase One Study Area outside of the Phase One Property. Details regarding these off-Site wells, including stratigraphic information, depth to bedrock and/or depth to the water table, are provided in the ERIS report included in Appendix D.

4.4 Site Operating Records

The Phase One Property is not an Enhanced Investigation Property (see Section 6.3). As such, Site operating records were not reviewed as part of the Phase One ESA.

5.0 INTERVIEWS

Pinchin interviewed individuals knowledgeable of the Phase One Property and its history to obtain or confirm information regarding the environmental condition of the Phase One Property. The following individuals provided information regarding the history of the Phase One Property and the surrounding properties within the Phase One Study Area to the best of their knowledge:

Person Interviewed	Relationship to Phase One Property	Date and Place of Interview	Interview Method
Greg Whelan	Co-owner of the Phase One Property	October 12, 2022 (Phase One Property)	In-person interview during Site reconnaissance
Ryan Whelan	Co-owner of the Phase One Property	October 12, 2022 (Phase One Property)	In-person interview during Site reconnaissance

Greg Whelan and Ryan Whelan were chosen to be interviewed given that they are most familiar with the recent operational history of the Phase One Property. These individuals are hereafter referred to as the "Site Representatives" and accompanied the Pinchin representative (Alex Kelly) during the Site reconnaissance.

Pinchin compared the information obtained from the interviews with information obtained from the historical records. The information provided by the interviewee was corroborated by the available historical records. As such, Pinchin has no concerns regarding the validity of the information provided by the individual interviewed for the Phase One ESA.

© 2024 Pinchin Ltd. Page 18 of 40

With respect to PCAs and APECs, no additional information was obtained from the interviews other than that documented elsewhere in this report.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

A visual assessment of the Phase One Property and the surrounding properties within the Phase One Study Area was conducted for the purpose of identifying the presence of possible PCAs and associated APECs.

The Site reconnaissance was completed on October 12, 2022, by a Pinchin representative (Alex Kelly), under the direct supervision of Pinchin's QP overseeing this project. Pinchin visited the Phase One Property and surrounding properties within the Phase One Study Area to document environmental conditions. During the Site reconnaissance, Pinchin viewed all accessible areas within the Phase One Property, and viewed publicly-accessible portions of the adjacent lands for the presence of actual or potential issues of environmental concern.

The Site reconnaissance was conducted between the hours of 9:30 AM to 10:30 AM. During the Site reconnaissance, the ground surface was dry and the weather was overcast, and the ambient temperature was approximately 15° Celsius. The Phase One Property reconnaissance was conducted on foot. During the Site reconnaissance, Pinchin accessed the interior of the Site Building and all exterior areas of the Phase One Property. At the time of the Site reconnaissance, the Site Building on the Phase One Property was operating as a light industrial building. Further details regarding on-Site operations are provided throughout Section 6.2 of this report.

Photographs taken during the Site reconnaissance that illustrate the Phase One Property and Phase One Study Area are provided in Appendix B.

6.2 Specific Observations at Phase One Property

6.2.1 Description of Buildings and Structures

During the Site reconnaissance, Pinchin observed one building/structure on the Phase One Property. The building consisted of a single-storey light industrial building (Site Building) with a mezzanine level, possessing the municipal address of 158 Cardevco Road.

The portions of the Phase One Property outside of the Site Building are presently developed with gravel parking areas and landscaped areas.

© 2024 Pinchin Ltd. Page 19 of 40

6.2.2 Description of Below-Ground Structures

There were no below-ground structures present on the Phase One Property at the time of the Site reconnaissance.

6.2.3 Description of Tanks

During the Site reconnaissance, Pinchin observed the following tanks on the Phase One Property:

 One steel AST containing new oil with a capacity of 1,000-L that was installed in approximately 2017 according to the Site Representatives. The AST is located in the northeast corner of the Site Building; and

November 8, 2022

Pinchin File: 316252

 One steel AST containing waste oil with a capacity of 1,000-L that was installed in approximately 2017 according to the Site Representatives. The AST is located in the northeast corner of the Site Building.

No spills or evidence of historical spills (i.e., staining) was observed in the vicinity of the ASTs. The interior floor slab was observed to be in good condition (i.e., no cracking or pitting), and no drains were present in the vicinity of the ASTs. Based on the above-noted information, the above-listed PCA at the Phase One Property does not represent an APEC.

6.2.4 Potable and Non-Potable Water Sources

No potable or non-potable water supply sources were observed at the Phase One Property, with the exception of a non-potable water supply well located on the southwest portion of the Phase One Property. According to the Site Representative, the well only supplies water to the washroom in the Site Building and is not used as a source of drinking water at the Phase One Property. It should be noted that this well was not identified in the ERIS report.

6.2.5 Description and Location of Underground Utilities

A number of underground utilities were observed at the Phase One Property, including natural gas, telephone and electrical lines.

The natural gas, telephone and electrical services enter the Site Building via underground lines. Storm water entering exterior roof drains runs overland to percolate naturally through the soil or enter the ditch on the north portion of the Phase One Property.

6.2.6 Details of Heating System

During the Site reconnaissance, Pinchin observed natural gas-fired radiant tube heaters and electrically-powered baseboard heaters.

© 2024 Pinchin Ltd. Page 20 of 40

6.2.7 Details of Cooling System

Cooling for the Site Building is provided by electrically powered window-mounted air conditioning units.

November 8, 2022

Pinchin File: 316252

6.2.8 Details of Drains, Pits and Sumps

No pits or sumps were observed at the Phase One Property.

6.2.9 Unidentified Substances within Buildings and Structures

During the Site reconnaissance, Pinchin did not observe any unidentified substances or storage containers holding unidentified substances at the Phase One Property. Small volumes of various cleaning solutions were stored in their original containers on shelves throughout the Site Building. No bulk liquid storage was observed on-Site.

6.2.10 Details of Staining and Corrosion

Black (likely petroleum hydrocarbon (PHC)) staining was observed throughout the garage area. The concrete floor was observed to be in good condition (i.e., no cracking or pitting). Based on the above-noted information, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property.

6.2.11 Details of On-Site Wells

No potable or non-potable water supply sources were observed at the Phase One Property, with the exception of a potable water supply well located on the southwest portion of the Phase One Property. According to the Site Representatives, the well supplies drinking water to the Site Building. It should be noted that this well was not identified in the ERIS report.

6.2.12 Details of Sewage Works

During the Site reconnaissance, Pinchin observed a septic tank and associated septic bed located north of the Site Building. The septic bed encompasses the majority of the grassed area located north of the Site Building and the septic tank is reportedly situated within the southwest portion of the septic bed. Sewage generated by the Site Building is discharged to the septic bed via a sewer pipe that exits the north wall of the Site Building. According to the Site Representatives, only human waste has discharged to the septic bed and it is not considered a PCA at the Phase One Property.

6.2.13 Details of Ground Cover

During the Site reconnaissance, Pinchin visually inspected the Phase One Property ground cover. Any areas of the Phase One Property not covered by a structure are covered by asphalt-pavement and grassed/landscaped areas.

© 2024 Pinchin Ltd. Page 21 of 40

6.2.14 Details of Current or Former Railways

No current or former railway infrastructure was observed on the Phase One Property.

6.2.15 Areas of Stained Soil, Vegetation and Pavement

During the Site reconnaissance, Pinchin did not observe any areas of stained soil, vegetation or pavement on the Phase One Property.

6.2.16 Areas of Stressed Vegetation

During the Site reconnaissance, Pinchin did not observe any areas of stressed vegetation on the Phase One Property.

November 8, 2022

Pinchin File: 316252

6.2.17 Areas of Fill and Debris Materials

No obvious areas where fill material or debris have been placed or graded were observed by Pinchin at the Phase One Property.

6.2.18 Potentially Contaminating Activities

A PCA is defined by O. Reg. 153/04 as a "use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a Phase One Study Area" including the Phase One Property.

Pinchin identified the following PCAs at the Phase One Property during the Site reconnaissance:

- Black (likely PHC) staining was observed throughout the garage area; however, the
 concrete floor was observed to be in good condition (i.e., no cracking or pitting). Based
 on the above-noted information, it is Pinchin's opinion that this PCA does not represent
 an APEC at the Phase One Property; and
- A steel gasoline AST containing new oil with a capacity of 1,000-L and a steel gasoline AST containing waste oil with a capacity of 1,000-L are located within the Site Building and were both reportedly installed in approximately 2017. No spills or evidence of historical spills (i.e., staining) was observed in the vicinity of the ASTs. The interior floor slab was observed to be in good condition (i.e., no cracking or pitting), and no drains were present in the vicinity of the ASTs. Based on the above-noted information, the above-listed PCA at the Phase One Property does not represent an APEC.

6.2.19 Unidentified Substances Outside Buildings and Structures

During the Site reconnaissance, Pinchin did not observe any unidentified substances or storage containers holding unidentified substances on the exterior of the Phase One Property.

© 2024 Pinchin Ltd. Page 22 of 40

6.2.20 Surrounding Land Uses

During the Site reconnaissance, Pinchin conducted a visual assessment of publicly-accessible portions of the Phase One Study Area for the presence of PCAs. The properties in the Phase One Study Area have various land uses, including commercial, vacant and light industrial. Land use types within the Phase One Study Area are presented on Figure 2.

The following table summarizes the land use on adjacent properties at the time of the Site reconnaissance:

Direction Relative to Phase One Property	Location Relative to Inferred Groundwater Flow Direction	Description of Property Use	Property Use	Potential Contribution to PCA and/or APEC
Northeast	Transgradient	An automotive repair/servicing facility and commercial buildings to beyond 200 m from the Phase One Property.	Automotive Repair and Servicing facility/ Commercial	Land uses are considered to represent PCAs.
Northwest	Upgradient	Commercial buildings, a steel fabricator operation, vacant undeveloped land and associated roadways to beyond 200 m from the Phase One Property.	Steel Fabricator/ Commercial/ Vacant	Land uses are considered to represent PCAs.
Southwest	Transgradient	Commercial buildings, a print shop, vacant undeveloped land and associated roadways to beyond 200 m from the Phase One Property.	Commercial/ Print Shop/ Vacant	Land uses are considered to represent PCAs.
Southeast	Downgradient	Commercial building, a powder coating operation and associated roadways to beyond 200 m from the Phase One Property.	Commercial/ Powder Coating Operation	Land uses are considered to represent PCAs.

Pinchin observed the following PCA at the time of the Site reconnaissance within the rest of the Phase One Study Area:

 An automotive repair/servicing facility is located adjacent to the northeast elevation of the Phase One Property, while the building associated with this property is located approximately 15 m southeast. In addition, this automotive repair/servicing facility is considered an Enhanced Investigation Property. Based on the above-noted information, it is Pinchin's opinion that this PCA does represent an APEC at the Phase One Property;

© 2024 Pinchin Ltd. Page 23 of 40

A steel fabricator operation is located approximately 15 m northwest of the Phase One Property; however, the building associated with this property is located approximately 50 m northwest of the Phase One Property. In addition, this property is situated hydraulically down/transgradient of the Phase One Property. Based on the distance between the building associated with this property and the Phase One Property, as well as the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;

November 8, 2022

Pinchin File: 316252

- Numark Signs (a print shop) is located approximately 20 m southwest of the Phase One
 Property; however, the building associated with this property is located approximately 40
 m southwest of the Phase One Property. Based on the distance between the building
 associated with this property and the Phase One Property, it is Pinchin's opinion that this
 PCA does not represent an APEC at the Phase One Property;
- A powder coating operation is located approximately 90 m southeast of the Phase One
 Property. Based on the distance between this property and the Phase One Property, it is
 Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;
 and
- A total of 35 pole-mounted oil-cooled transformers were observed within 250 m of the Phase One Property; however, no evidence of spills or historical spills (i.e., staining) was observed in the vicinity of these transformers and no issues of potential environmental concern (i.e., spills) were noted for these transformers within the ERIS report. In addition, any maintenance/environmental issues associated with these transformers would be the responsibility of Hydro Ottawa. Based on the above-noted information, as well as the distance between these transformers and the Phase One property, it is Pinchin's opinion that these PCAs do not represent APECs at the Phase One Property.

6.3 Enhanced Investigation Property

O. Reg. 153/04 defines an "Enhanced Investigation Property" as a property that is being used or has been used, in whole or in part, in the following manner:

- For an industrial use or;
- For any of the following commercial uses:
 - As a garage;
 - As a bulk liquid dispensing facility, including a gasoline outlet; or
 - For the operation of dry-cleaning equipment.

© 2024 Pinchin Ltd. Page 24 of 40

During this Phase One ESA, Pinchin observed that the Phase One Property is currently used as an automotive repair/servicing facility (i.e., garage) and is therefore considered an Enhanced Investigation Property. A Phase Two Environmental Site Assessment (Phase Two ESA) is automatically required at an Enhanced Investigation Property to support the filing of an RSC.

November 8, 2022

Pinchin File: 316252

6.3.1 Site Operations

The Phase One Property is currently occupied by an automotive repair/servicing facility that has operated at the Phase One Property since at least 1999 to the present.

6.3.2 Hazardous Materials

The following hazardous materials were used or stored at the Phase One Property at the time of the Site reconnaissance:

A steel gasoline AST containing new oil with a capacity of 1,000-L and a steel gasoline AST containing waste oil with a capacity of 1,000-L are located within the Site Building and were both reportedly installed in approximately 2017. No spills or evidence of historical spills (i.e., staining) was observed in the vicinity of the ASTs. The interior floor slab was observed to be in good condition (i.e., no cracking or pitting), and no drains were present in the vicinity of the ASTs.

6.3.3 Products Manufactured

No product manufacturing activities were observed at the Phase One Property during the Site reconnaissance.

6.3.4 By-Products and Wastes

The following by-products and wastes were noted at the Phase One Property at the time of the Site reconnaissance:

• Waste oil generated from vehicle maintenance activities was stored in a 1,000-L AST located within the Site Building and was reportedly installed in approximately 2017. No spills or evidence of historical spills (i.e., staining) was observed in the vicinity of the AST. The interior floor slab was observed to be in good condition (i.e., no cracking or pitting), and no drains were present in the vicinity of the AST.

6.3.5 Raw Materials Handling and Storage

No handling or storage of raw materials was observed at the Phase One Property during the Site reconnaissance.

© 2024 Pinchin Ltd. Page 25 of 40

6.3.6 Drums, Totes and Bins

The following drums were observed at the Phase One Property at the time of the Site reconnaissance:

• As noted above in Section 6.3.2, A steel gasoline AST containing new oil with a capacity of 1,000-L and a steel gasoline AST containing waste oil with a capacity of 1,000-L are located within the Site Building and were both reportedly installed in approximately 2017. No spills or evidence of historical spills (i.e., staining) was observed in the vicinity of the ASTs. The interior floor slab was observed to be in good condition (i.e., no cracking or pitting), and no drains were present in the vicinity of the ASTs.

6.3.7 Oil/Water Separators

A two-stage oil/water separator is located in the west portion of the Site Building. The oil/water separator was installed in 1991 and was reported to be of concrete construction. The oil/water separator contained oily water at the time of Pinchin's Site reconnaissance, and the concrete was observed to be in good condition (i.e., no cracking and/or pitting). The contents of the oil/water separator are removed for off-Site disposal every six months by Drain-All Ltd., an external licensed contractor.

6.3.8 Vehicle and Equipment Maintenance

At the time of the Site reconnaissance, the Site Building was used as a automotive repair/servicing facility for the service of automobiles. According to the Site Representative, the Phase One Property has been used as an automotive repair/servicing facility from approximately 1999 to the present. Vehicle maintenance occurs within the central portion of the Site Building, with the remainder used as office and storage space. New oil was stored in an 1,000-L AST located within the Site Building. Other automotive fluids (e.g., brake fluid, power steering fluid, antifreeze) were stored in plastic containers varying in size from one litre to 20 litres throughout the Site Building. As noted above in Section 6.3.4, waste oil generated from vehicle maintenance activities was stored in a 1,000-L AST located within the Site Building. No issues regarding the storage of the new oil, waste oil and automotive fluids were observed by Pinchin at the time of the Site reconnaissance.

6.3.9 Spills

Black (likely PHC) staining was observed throughout the garage area; however, the concrete floor was observed to be in good condition (i.e., no cracking or pitting).

6.3.10 Liquid Discharge Points

No liquid discharge points were observed at the Phase One Property during the Site reconnaissance.

© 2024 Pinchin Ltd. Page 26 of 40

6.3.11 Processing and Manufacturing Operations/Equipment

No processing or manufacturing operations or equipment were observed at the Phase One Property during the Site reconnaissance.

November 8, 2022

Pinchin File: 316252

6.3.12 Hydraulic Equipment

One hydraulically-operated press was observed within the automotive repair/servicing within the Site Building. No other hydraulic equipment (e.g., elevators, loading docks) were observed by Pinchin at the time of the Site reconnaissance.

6.3.13 Potentially Contaminating Activities

Based on the information provided in Sections 6.3.1 to 6.3.12, no additional PCAs were identified during the Site reconnaissance that have not been described previously in this report.

6.4 Written Description of Investigation

The Phase One ESA completed by Pinchin included investigations of the Phase One Property and the Phase One Study Area outside of the Phase One Property pursuant to Sections 13 and 14 of Schedule D of O. Reg.153/04. The main objective of these investigations was to identify PCAs at the Phase One Property or within the Phase One Study Area outside of the Phase One Property that could have resulted in APECs at the Phase One Property.

6.4.1 Phase One Property

The investigation of the Phase One Property consisted of the following components:

- Review of available historical records, including ERIS regulatory search, Opta records, city directories and aerial photographs;
- A Site reconnaissance completed on October 12, 2022, by Alex Kelly of Pinchin that included an assessment of the structure at the Phase One Property and the exterior of the Phase One Property;
- Interviews with an individual knowledgeable of the history and operations at the Phase
 One Property; and
- Review of mapping provided by ERIS and information provided on-line by the MNRF for the presence of areas of natural significance.

© 2024 Pinchin Ltd. Page 27 of 40

Pinchin's investigation of the Phase One Property identified the following PCAs:

- PCA #1 (Item 10: Commercial Autobody Shops an active automotive repair/servicing facility is located at the Phase One Property). Based on the above-noted information, it is Pinchin's opinion that the Phase One property is considered an Enhanced Investigation Property and that this PCA does represent an APEC at the Phase One Property;
- PCA #2 (Item 8 Chemical Manufacturing, Processing and Bulk Storage the Phase One
 Property is located within the Waste Generator Database Review Area and was listed
 within the O. Reg. 347 Waste Generators database search results as a waste generator).
 Based on the limited annual quantities of hazardous wastes generated on-Site, it is
 Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;
- PCA #3 (Other Black (likely PHC) staining was observed throughout the garage area).
 The concrete floor was observed to be in good condition (i.e., no cracking or pitting).
 Based on the above-noted information, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;
- PCA #4 (Item 28: Gasoline and Associated Products Storage in Fixed Tanks a steel gasoline AST containing new oil with a capacity of 1,000-L and a steel gasoline AST containing waste oil with a capacity of 1,000-L are located within the Site Building and were both reportedly installed in approximately 2017). No spills or evidence of historical spills (i.e., staining) was observed in the vicinity of the ASTs. The interior floor slab was observed to be in good condition (i.e., no cracking or pitting), and no drains were present in the vicinity of the ASTs. Based on the above-noted information, the above-listed PCA at the Phase One Property does not represent an APEC; and
- PCA #5 (Other 150-L of diesel was spilled to the north portion of the Phase One
 Property on July 9, 1998. Based on the above-noted information, it is Pinchin's opinion that this PCA does represent an APEC at the Phase One Property.

No areas of natural significance were identified at the Phase One Property.

6.4.2 Phase One Study Area Outside of Phase One Property

The investigation of the Phase One Study Area outside of the Phase One Property consisted of the following components:

- Review of available historical records, including ERIS regulatory search, Opta documents, city directories and aerial photographs;
- Visual inspection of properties from publicly-accessible areas for evidence of PCAs and water bodies; and

© 2024 Pinchin Ltd. Page 28 of 40

 Review of mapping provided by ERIS and information provided on-line by the MNRF for the presence of areas of natural significance.

Pinchin's investigation of the Phase One Study Area outside of the Phase One Property identified the following PCAs:

- PCA #6 (Item 28: Gasoline and Associated Products Storage in Fixed Tanks an automotive repair/servicing facility is located adjacent to the northeast elevation of the Phase One Property, while the building associated with this property is located approximately 15 m southeast). In addition, this automotive repair/servicing facility is considered an Enhanced Investigation Property. Based on the above-noted information, it is Pinchin's opinion that this PCA does represent an APEC at the Phase One Property;
- PCA #7 (Item 34: Metal Fabrication a steel fabricator is located approximately 15 m northwest of the Phase One Property; however, the building associated with this property is located approximately 50 m northwest of the Phase One Property. In addition, this property is situated hydraulically down/transgradient of the Phase One Property). Based on the distance between the building associated with this property and the Phase One Property, as well as the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;
- PCA #8 (Item 8: Chemical Manufacturing, Processing and Bulk Storage the property located approximately 20 m southwest of the Phase One Property is located within the Waste Generator Database Review Area and was listed within the O. Reg. 347 Waste Generators database search results as a waste generator). Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;
- PCA #9 (Item 8: Chemical Manufacturing, Processing and Bulk Storage the property located approximately 30 m northeast of the Phase One Property is located within the Waste Generator Database Review Area and was listed within the O. Reg. 347 Waste Generators database search results as a waste generator. Item 28: Gasoline and Associated Products Storage in Fixed Tanks an automotive repair/servicing facility was located at this property in 1995). In addition, this property and is situated hydraulically down/transgradient of the Phase One Property relative to the inferred groundwater flow direction. Based on the distance between this property and the Phase One Property, the short duration of the automotive repair/servicing operations and the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;

© 2024 Pinchin Ltd. Page 29 of 40

PCA #10 (Item 31: Ink Manufacturing, Processing and Bulk Storage – a print shop is located on the property located approximately 40 m southeast of the Phase One Property). Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;

November 8, 2022

Pinchin File: 316252

- PCA #11 (Item 8: Chemical Manufacturing, Processing and Bulk Storage the property located approximately 90 m southeast of the Phase One Property is located within the Waste Generator Database Review Area and was listed within the O. Reg. 347 Waste Generators database search results as a waste generator. Item 28: Gasoline and Associated Products Storage in Fixed Tanks this property was registered in the Fuel Storage Tanks database as possessing two 22,700-L double-walled fibreglass gasoline ASTs, which were installed in 2002. Item 33 a powder coating operation is located at this property). Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property; and
- PCAs #12-26 (Item 55: Transformer Manufacturing, Processing and Use a total of 35 pole-mounted oil-cooled transformers are located within 250 m of the Phase One Property). However, no evidence of spills or historical spills (i.e., staining) was observed in the vicinity of these transformers and no issues of potential environmental concern (i.e., spills) were noted for these transformers within the ERIS report. In addition, any maintenance/environmental issues associated with these transformers would be the responsibility of Hydro Ottawa. Based on the above-noted information, as well as the distance between these transformers and the Phase One property, it is Pinchin's opinion that these PCAs do not represent APECs at the Phase One Property.

No areas of natural significance were identified within the Phase One Study Area outside of the Phase One Property.

The records review did not identify the presence of wells within the Phase One Study Area that supply water for human consumption or for agricultural purposes.

Based on a cursory review of the properties greater than 250 m (i.e., outside of the Phase One Study Area), but less than 1 km, from the Phase One Study Area, Pinchin did not note or observe any significant contaminating properties that should be included as part of this assessment (i.e., landfills, large industrial manufacturers, etc.).

Plans identifying the locations of the on and off-Site PCAs for this Phase One ESA are provided on Figure 3. Plans identifying the locations of the on and off-Site APECs for this Phase One ESA are provided on Figure 4.

© 2024 Pinchin Ltd. Page 30 of 40

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Current and Past Uses

To the best of Pinchin's knowledge, the Phase One Property was developed between 1985 and 1991. A review of the aerial photographs, as well as an interview with the Site Representatives, determined that prior to 1991, the Phase One Property consisted of vacant undeveloped land. In the 1985 aerial photograph reviewed by Pinchin, the Phase One Property consisted of vacant undeveloped land, and in the 1991 aerial photograph reviewed by Pinchin, the present-day Site Building was evident on the Phase One Property. Therefore, it is Pinchin's opinion that the first developed use of the Phase One Property was developed between 1985 and 1991.

The date of the first developed use of the Phase One Property was determined through a review of aerial photographs, as well as an interview with the Site Representatives. No other information was reviewed by Pinchin during the records review, or obtained during the Site reconnaissance or interviews which would have resulted in a different interpretation of the date of first developed use of the Phase One Property.

7.2 Potentially Contaminating Activities

The following PCAs as defined by O. Reg. 153/04 were documented by Pinchin to have occurred on the Phase One Property:

- PCA #1 (Item 10: Commercial Autobody Shops an active automotive repair/servicing facility is located at the Phase One Property). Based on the above-noted information, it is Pinchin's opinion that the Phase One property is considered an Enhanced Investigation Property and that this PCA does represent an APEC at the Phase One Property;
- PCA #2 (Item 8: Chemical Manufacturing, Processing and Bulk Storage the Phase One
 Property is located within the Waste Generator Database Review Area and was listed
 within the O. Reg. 347 Waste Generators database search results as a waste generator).
 Based on the limited annual quantities of hazardous wastes generated on-Site, it is
 Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;
- PCA #3 (Other Black (likely PHC) staining was observed throughout the garage area).
 The concrete floor was observed to be in good condition (i.e., no cracking or pitting).
 Based on the above-noted information, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;

© 2024 Pinchin Ltd. Page 31 of 40

PCA #4 (Item 28: Gasoline and Associated Products Storage in Fixed Tanks – a steel gasoline AST containing new oil with a capacity of 1,000-L and a steel gasoline AST containing waste oil with a capacity of 1,000-L are located within the Site Building and were both reportedly installed in approximately 2017). No spills or evidence of historical spills (i.e., staining) was observed in the vicinity of the ASTs. The interior floor slab was observed to be in good condition (i.e., no cracking or pitting), and no drains were present in the vicinity of the ASTs. Based on the above-noted information, the above-listed PCA at the Phase One Property does not represent an APEC; and

November 8, 2022

Pinchin File: 316252

PCA #5 (Other – 150-L of diesel was spilled to the north portion of the Phase One
 Property on July 9, 1998. Based on the above-noted information, it is Pinchin's opinion that this PCA does represent an APEC at the Phase One Property.

The following PCAs as defined by O. Reg. 153/04 were documents by Pinchin to have occurred within the Phase One Study Area, outside of the Phase One Property:

- PCA #6 (Item 28: Gasoline and Associated Products Storage in Fixed Tanks an automotive repair/servicing facility is located adjacent to the northeast elevation of the Phase One Property, while the building associated with this property is located approximately 15 m southeast). In addition, this automotive repair/servicing facility is considered an Enhanced Investigation Property. Based on the above-noted information, it is Pinchin's opinion that this PCA does represent an APEC at the Phase One Property;
- PCA #7 (Item 34: Metal Fabrication a steel fabricator is located approximately 15 m northwest of the Phase One Property; however, the building associated with this property is located approximately 50 m northwest of the Phase One Property. In addition, this property is situated hydraulically down/transgradient of the Phase One Property). Based on the distance between the building associated with this property and the Phase One Property, as well as the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;
- PCA #8 (Item 8: Chemical Manufacturing, Processing and Bulk Storage the property located approximately 20 m southwest of the Phase One Property is located within the Waste Generator Database Review Area and was listed within the O. Reg. 347 Waste Generators database search results as a waste generator). Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;

© 2024 Pinchin Ltd. Page 32 of 40

PCA #9 (Item 8: Chemical Manufacturing, Processing and Bulk Storage – the property located approximately 30 m northeast of the Phase One Property is located within the Waste Generator Database Review Area and was listed within the O. Reg. 347 Waste Generators database search results as a waste generator. Item 28: Gasoline and Associated Products Storage in Fixed Tanks – an automotive repair/servicing facility was located at this property in 1995). In addition, this property and is situated hydraulically down/transgradient of the Phase One Property relative to the inferred groundwater flow direction. Based on the distance between this property and the Phase One Property, the short duration of the automotive repair/servicing operations and the inferred groundwater flow direction, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;

November 8, 2022

Pinchin File: 316252

- PCA #10 (Item 31: Ink Manufacturing, Processing and Bulk Storage a print shop is
 located on the property located approximately 40 m southeast of the Phase One
 Property). Based on the distance between this property and the Phase One Property, it is
 Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property;
- PCA #11 (Item 8: Chemical Manufacturing, Processing and Bulk Storage the property located approximately 90 m southeast of the Phase One Property is located within the Waste Generator Database Review Area and was listed within the O. Reg. 347 Waste Generators database search results as a waste generator. Item 28: Gasoline and Associated Products Storage in Fixed Tanks this property was registered in the Fuel Storage Tanks database as possessing two 22,700-L double-walled fibreglass gasoline ASTs, which were installed in 2002. Item 33 a powder coating operation is located at this property). Based on the distance between this property and the Phase One Property, it is Pinchin's opinion that this PCA does not represent an APEC at the Phase One Property; and
- PCAs #12-26 (Item 55: Transformer Manufacturing, Processing and Use a total of 35 pole-mounted oil-cooled transformers are located within 250 m of the Phase One Property). However, no evidence of spills or historical spills (i.e., staining) was observed in the vicinity of these transformers and no issues of potential environmental concern (i.e., spills) were noted for these transformers within the ERIS report. In addition, any maintenance/environmental issues associated with these transformers would be the responsibility of Hydro Ottawa. Based on the above-noted information, as well as the distance between these transformers and the Phase One property, it is Pinchin's opinion that these PCAs do not represent APECs at the Phase One Property.

© 2024 Pinchin Ltd. Page 33 of 40

November 8, 2022 Pinchin File: 316252

7.3 Areas of Potential Environmental Concern

The following PCAs as defined by O. Reg. 153/04 were documented by Pinchin to have occurred within the Phase One Study Area, and could represent APECs at the Phase One Property:

- PCA #1 (Item 10: Commercial Autobody Shops an active automotive repair/servicing
 facility is located at the Phase One Property). Based on the above-noted information, it is
 Pinchin's opinion that the Phase One property is considered an Enhanced Investigation
 Property and that this PCA does represent an APEC at the Phase One Property;
- PCA #5 (Other 150-L of diesel was spilled to the north portion of the Phase One
 Property on July 9, 1998. Based on the above-noted information, it is Pinchin's opinion that this PCA does represent an APEC at the Phase One Property; and
- PCA #6 (Item 28: Gasoline and Associated Products Storage in Fixed Tanks an automotive repair/servicing facility is located adjacent to the northeast elevation of the Phase One Property, while the building associated with this property is located approximately 15 m southeast). In addition, this automotive repair/servicing facility is considered an Enhanced Investigation Property. Based on the above-noted information, it is Pinchin's opinion that this PCA does represent an APEC at the Phase One Property.

7.4 Phase One Conceptual Site Model

A conceptual site model (CSM) has been created to provide a summary of the findings of the Phase One ESA. The Phase One CSM is summarized in Figures 1 through Figure 3 which illustrate the following features within the Phase One Study Area, where present:

- Existing buildings and structures;
- Water bodies located in whole or in part within the Phase One Study Area;
- Areas of natural significance located in whole or in part within the Phase One Study Area;
- Drinking water wells located at the Phase One Property;
- Land use of adjacent properties;
- Roads within the Phase One Study Area;
- PCAs within the Phase One Study Area, including the locations of tanks; and
- APECs at the Phase One Property.

The following provides a narrative summary of the Phase One CSM:

The Phase One Property consists of one legal plot situated at the municipal address of
 158 Cardevco Road, Ottawa, Ontario, which is currently owned by Whelan Truck Repair

© 2024 Pinchin Ltd. Page 34 of 40

Inc. The Phase One Property is located immediately southeast of Cardevco Road, approximately 265 m southwest of the intersection of Carp Road and Cardevco Road. The Phase One Property is presently developed with a single-storey light industrial building (Site Building). There is no record of industrial use or of a commercial use (e.g., garage, bulk liquid dispensing facility or dry cleaner) that would require classifying the

November 8, 2022

Pinchin File: 316252

- The nearest surface water body is the Carp River located approximately 520 m north of the Phase One Property at an elevation of approximately 12 mamsl;
- No areas of natural significance were identified within the Phase One Study Area;

Phase One Property as an enhanced investigation property;

- One drinking water well is located on the southwest portion of the Phase One Property;
- The adjacent and surrounding properties in the vicinity of the Site consist of commercial, light industrial and vacant land uses. The properties located northeast of the Phase One Property consist of an automotive repair/servicing facility and commercial buildings to beyond 200 m from the Phase One Property; the properties located northwest of commercial buildings, a steel fabricator, vacant undeveloped land and associated roadways to beyond 200 m from the Phase One Property; the properties located southwest of the Phase One Property consist of commercial buildings, a print shop, vacant undeveloped land and associated roadways to beyond 200 m from the Phase One Property; and the properties located southeast of the Phase One Property consist of commercial building, a powder coating operation and associated roadways to beyond 200 m from the Phase One Property;
- Five PCAs were identified at the Phase One Property. Of the on-Site PCAs, three are not considered to result in APECs at the Phase One Property (i.e., the Phase One Property being located within the Waste Generator Database Review Area and listed within the O. Reg. 347 Waste Generators database search results as a waste generator; black (likely PHC) staining observed throughout the garage area; and a steel gasoline AST containing new oil with a capacity of 1,000-L and a steel gasoline AST containing waste oil with a capacity of 1,000-L located within the Site Building and both reportedly installed in approximately 2017). 21 PCAs were identified within the Phase One Study Area. Of the off-Site PCAs, 20 are not considered to result in APECs at the Phase One Property:
 - A steel fabricator located approximately 15 m northwest of the Phase One Property; however, the building associated with this property is located approximately 50 m northwest of the Phase One Property;

© 2024 Pinchin Ltd. Page 35 of 40

 The property located approximately 20 m southwest of the Phase One Property located within the Waste Generator Database Review Area and listed within the O. Reg. 347 Waste Generators database search results as a waste generator;

November 8, 2022

Pinchin File: 316252

- The property located approximately 30 m northeast of the Phase One Property located within the Waste Generator Database Review Area and listed within the O. Reg. 347 Waste Generators database search results as a waste generator. In addition, this property possessed an automotive repair/servicing facility in 1995;
- A print shop located on the property located approximately 40 m southeast of the Phase One Property;
- The property located approximately 90 m southeast of the Phase One Property located within the Waste Generator Database Review Area and listed within the O. Reg. 347 Waste Generators database search results as a waste generator. In addition, this property was registered in the Fuel Storage Tanks database as possessing two 22,700-L double-walled fiberglass gasoline ASTs, which were installed in 2002, and this property is currently a powder coating operation; and
- A total of 35 pole-mounted oil-cooled transformers located within 250 m of the Phase One Property.

However, no evidence of spills or historical spills (i.e., staining) observed in the vicinity of the transformers and no issues of potential environmental concern (i.e., spills) were noted for the transformers within the ERIS report and any maintenance/environmental issues associated with the transformers would be the responsibility of Hydro Ottawa. Based on the above-noted information, as well as no evidence of historical spills (i.e., staining) observed in the vicinity of the on-Site ASTs; the concrete floor in the vicinity of the ASTs and staining being in good condition (i.e., no cracking or pitting); the limited annual quantities of hazardous wastes; the distance between these properties and the Phase One property; and the inferred groundwater flow direction, it is Pinchin's opinion that these PCAs do not represent APECs for the Phase One Property;

Three PCAs (i.e., PCAs #1, 5 and 6) were identified within the Phase One Study Area that represents APECs for the Phase One Property (i.e., an active automotive repair/servicing facility is located at the Phase One Property; 150-L of diesel spilled to the north portion of the Phase One Property on July 9, 1998; and an active automotive repair/servicing facility is located adjacent to the northeast elevation of the Phase One Property). Based on the nature of these on and off-Site operations (i.e., automotive repair/servicing facilities), the quantity of the diesel spill and the close proximity of the off-

© 2024 Pinchin Ltd. Page 36 of 40

the APECs:

Site operation to the Phase One Property, it is Pinchin's opinion that the Phase One property, and the property located adjacent to the northeast elevation of the Phase One Property, are considered Enhanced Investigation Properties and that these PCAs do represent APECs at the Phase One Property. Figure 4 provides a detailed summary of

November 8, 2022

Pinchin File: 316252

- Underground utilities at the Phase One Property provide natural gas, electrical, telephone
 and cable services to the Site Building. These services enter the Site Building through
 subsurface conduits, with the exception of a pressurized natural gas line, which connects
 to meters located along the exterior of the Site Building;
- The Phase One Property and the surrounding properties located within the Phase One Study Area are located within alluvial deposits consisting of stratified gravel, sand, silt and clay. Bedrock is expected to consist of sedimentary rocks consisting of limestone, dolomite, shale, argillite, sandstone, quartzite, and/or grit; and
- The Phase One Property is relatively flat. Local groundwater flow is inferred to be to the east, based on the nearest surface water body.

There were no deviations from the Phase One ESA requirements specified in O. Reg. 153/04 or absence of information that have resulted in uncertainty that would affect the validity of the Phase One CSM.

8.0 CONCLUSIONS

Pinchin conducted this Phase One ESA in accordance with Part VII and Schedule D of O. Reg. 153/04. The purpose of the Phase One ESA was to assess the potential presence of environmental impacts at the Phase One Property due to activities at and near the Phase One Property in support of filing the potential Site Plan Approval application at the Phase One Property.

Based on the findings of this Phase One ESA, Pinchin identified five PCAs at the Phase One Property (i.e., on-Site) and 21 PCAs within the Phase One Study Area outside of the Phase One Property (i.e., off-Site). Of the PCAs, 23 are not considered to result in APECs at the Phase One Property given no evidence of spills or historical spills (i.e., staining) observed in the vicinity of the transformers and no issues of potential environmental concern (i.e., spills) noted for the transformers within the ERIS report and any maintenance/environmental issues associated with the transformers would be the responsibility of Hydro Ottawa. Based on the above-noted information, as well as no evidence of historical spills (i.e., staining) observed in the vicinity of the on-Site ASTs; the concrete floor in the vicinity of the ASTs and staining being in good condition (i.e., no cracking or pitting); the limited annual quantities of hazardous wastes; the distance between these properties and the Phase One property; and the inferred groundwater flow direction, it is Pinchin's opinion that these PCAs do not represent APECs for the Phase

© 2024 Pinchin Ltd. Page 37 of 40

One Property. The remaining two on-Site PCAs and one off-Site PCA have resulted in three APECs at the Phase One Property. It is Pinchin's opinion that these PCAs may have impacted soil and groundwater quality at the Phase One Property and, as such, PCAs #1, 5 and 6 have resulted in APECs at the Phase One Property that warrants further investigation prior to the application of a Site Plan Approval application with the City of Ottawa.

November 8, 2022

Pinchin File: 316252

Pinchin recommends that a Phase Two ESA be conducted at the Phase One Property as an "assessment of property conducted in accordance with the regulations by or under the supervision of a qualified person to determine the location and concentration of one or more contaminants in the land or water on, in or under the property". Pinchin concludes that one or more contaminants originating from PCAs located on the Phase One Property and within the Phase One Study Area may have affected land or water on, in, or under the Phase One Property. Therefore, Pinchin recommends that a Phase Two ESA be conducted prior to the application of a Site Plan Approval application with the City of Ottawa.

It should be noted that the references and sources for the information used in evaluating the Phase One Property are provided in the relevant sections of this report. Specific references are also summarized in Section 9.0.

8.1 Signatures

This Phase One ESA was undertaken under the supervision of Scott Mather, P.Eng, QP_{ESA} in accordance with the requirements of O. Reg. 153/04 to support the future Site Plan Approval application at the Phase One Property. The conclusions and recommendations provided in this report represent the best judgement of the assessors based on the Site conditions observed on October 12, 2022, and a review of available historical information and information obtained from interviews.

We trust that the information provided in this report meets your current requirements.

8.2 Terms and Limitations

This Phase One ESA was performed in order to identify potential issues of environmental concern associated with the property located at 158 Cardevco Road, Ottawa, Ontario (Site), at the time of the Site reconnaissance. This Phase One ESA was performed in general compliance with currently acceptable practices for environmental site investigations, and specific Client requests, as applicable to this Site. This report was prepared for the exclusive use of Whelan Truck Repair Inc. (Client), subject to the terms, conditions and limitations contained within the duly authorized proposal for this project. Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, is the sole responsibility of such third parties. Pinchin accepts no responsibility for damages suffered by any third party as a result of decisions made or actions conducted.

© 2024 Pinchin Ltd. Page 38 of 40

November 8, 2022 Pinchin File: 316252

If additional parties require reliance on this report, written authorization from Pinchin will be required. Such reliance will only be provided by Pinchin following written authorization from the Client. Pinchin disclaims responsibility of consequential financial effects on transactions or property values, or requirements for follow-up actions and costs. No other warranties are implied or expressed. Pinchin will not provide results or information to any party unless disclosure by Pinchin is required by law.

The information provided in this report is based upon analysis of available documents, records and drawings, and personal interviews. In evaluating the Site, Pinchin has relied in good faith on information provided by other individuals noted in this report. Pinchin has assumed that the information provided is factual and accurate. In addition, the findings in this report are based, to a large degree, upon information provided by the current owner/occupant. Pinchin accepts no responsibility for any deficiency, misstatement or inaccuracy contained in this report as a result of omissions, misinterpretations or fraudulent acts of persons interviewed or contacted, or contained in reports that were reviewed. The scope of work for this Phase One ESA did not include a visual or intrusive investigation for designated substances (e.g., asbestos, mould, PCB-containing electrical equipment, etc.) and, therefore, these materials may be present at the Site.

Pinchin makes no other representations whatsoever, including those concerning the legal significance of its findings, or as to other legal matters touched on in this report, including, but not limited to, ownership of any property, or the application of any law to the facts set forth herein. With respect to regulatory compliance issues, regulatory statutes are subject to interpretation and these interpretations may change over time.

Ontario Regulation 153/04 does not apply to environmental auditing or environmental management systems. Therefore, with respect to Site operations and conditions, compliance with applicable federal, provincial or municipal acts, regulations, laws and/or statutes was not evaluated as part of the Phase One ESA.

9.0 REFERENCES

The following documents, persons or organizations provided information used in this report:

- Greg Whelan and Ryan Whelan, Co-owners of the Phase One Property [Site Representatives].
- ERIS reported entitled "158 Cardevco Road, Ottawa, Ontario", and dated October 12,
 2022 (ERIS Project # 22100605450).
- Opta Information Intelligence.

© 2024 Pinchin Ltd. Page 39 of 40


- November 8, 2022 Pinchin File: 316252
- The Atlas of Canada Surficial Materials:
 http://atlas.nrcan.gc.ca/site/english/maps/environment/land/surficialmaterials/1.
- The Atlas of Canada Bedrock Geology:
 http://atlas.gc.ca/site/english/maps/archives/3rdedition/environment/land/016?w=4&h=4&l=6&r=4&c=12.
- Toporama Topographic Maps:
 http://atlas.gc.ca/site/english/maps/topo/map.
- Province of Ontario. Environmental Protection Act R.S.O. 1990, c. E.19 and Ontario Regulation 153/04: Records of Site Condition – Part XV.1 of the Act. Last amended by Ontario Regulation 333/13 on December 13, 2013.
- Canadian Standards Association (CSA) Standard. CSA Z768-01, Phase I Environmental Site Assessment, Canadian Standards Association International, November 2001, reaffirmed in 2012.
- Ministry of the Environment, Conservation and Parks.
- MECP Brownfields Environmental Site Registry.
- National Air Photo Library, Ottawa, Ontario.
- Technical Standards and Safety Authority.
- Intera Technologies Inc. Inventory of Coal Gasification Plant Waste Sites in Ontario.
 April 1987.
- Intera Technologies Inc. Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario. November 1988.
- "Phase I Environmental Site Assessment, 158 Cardevco Road, Ottawa, Ontario"
 prepared by Pinchin for 1496143 Ontario Ltd., and dated August 16, 2016.


\\pinchin.com\ott\Job\316000s\0316252.000 Pri-TecConst,158CardevcoRd,EDR,PhaseOne\Deliverables\316252 Phase One ESA 158 Cardevco Road Ottawa ON Pri-Tec.docx
Template: Master Report for RSC Phase One ESA Report, EDR, October 16, 2020


© 2024 Pinchin Ltd. Page 40 of 40

10.0 APPENDICES

APPENDIX A Figures









APPENDIX B Photographs





Photo 1 - Site Building (northwest elevation).



Photo 2 – Site Building (northeast elevation).

© 2024 Pinchin Ltd. Page 1 of 4





Photo 3 – Site Building (southeast elevation).



Photo 4 – Site Building (southwest elevation).

© 2024 Pinchin Ltd. Page 2 of 4





Photo 5 – Property located northwest of the Phase One Property.



 $\label{eq:Photo-6-Properties-located-northeast-of-the-Phase-One-Property.}$

© 2024 Pinchin Ltd. Page 3 of 4






Photo 7 – Property located southeast of the Phase One Property.



Photo 8 – Properties located southwest of the Phase One Property.

© 2024 Pinchin Ltd. Page 4 of 4

APPENDIX C
Opta Records









An SCM Company

175 Commerce Valley Drive W Markham, Ontario L3T 7Z3

T: 905-882-6300 W: www.optaintel.ca

Report Completed By:

Catherine

Site Address:

158 Cardevco Rd ON Canada

Project No:

117492

Opta Order ID:

28559

Requested by:

Kurt Frommann Pinchin Ltd.

Date Completed:

7/28/2016 12:58:08 PM

Project Name: 158 Cardevco Road Ottawa ON

Project #: 117492

ENVIROSCAN Report


Search Area: 158 Cardevco Rd ON Canada

Requested by:

Kurt Frommann Date Completed: July 28, 2016 08:58:8



OPTA INFORMATION INTELLIGENCE



Project Name: 158 Cardevco Road Ottawa ON

Project #: 117492

ENVIROSCAN Report

Opta Historical Environmental Services Enviroscan Terms and Conditions

Requested by: Kurt Frommann

Date Completed: July 28, 2016 12:58:08



OPTA INFORMATION INTELLIGENCE

Opta Historical Environmental Services Enviroscan Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.



175 Commerce Valley Drive W

Markham, Ontario

L3T 7Z3

T: 905.882.6300

Toll Free: 905.882.6300

F: 905.882.6300

An SCM Company

www.optaintel.ca

Page: 4
Project Name: 158 Cardevco Road Ottawa ON

Project #: 117492

ENVIROSCAN Report

Report Index

Requested by:

Kurt Frommann Date Completed: July 28, 2016 12:58:08



OPTA INFORMATION INTELLIGENCE

Report Title Page

5 (1997) Multirisk Report - 1997 S L HODGINS EQUIPMENT LTD 158 CARDEVCO RD WEST CARLETON TWP ON K0A 1L0 Reference No: 70813557 (distance = 56 metres*)



Project Name: 158 Cardevco

Road Ottawa ON

Project #: 117492

ENVIROSCAN Report

Multirisk Report - 1997 S L HODGINS EQUIPMENT LTD 158 CARDEVCO RD WEST CARLETON TWP ON Requested by:

K0A 1L0 Reference No: 70813557

Kurt Frommann

Date Completed: July 28, 2016 12:58:08



OPTA INFORMATION INTELLIGENCE

1997

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70813557

Ontario Branch Confidential Report

MULTIRISK SURVEY

Insured: S L HODGINS EQUIPMENT LTD

Location Surveyed: 158 CARDEVCO RD

WEST CARLETON TWP, ONTARIO

KOA 1LO

Person Contacted: Joyce Dick Telephone Number: (613) 831-9000

Policy Number: C981318CMP AIS Reference: 70813557

Surveyed by: Donna Johnson Date of Survey: 1997.10.17

Committed to Service Excellence



Project Name: 158 Cardevco

AIS Ref No.: 70813557

Road Ottawa ON

Proiect #: 117492

ENVIROSCAN Report

Multirisk Report - 1997 S L HODGINS EQUIPMENT LTD 158 CARDEVCO RD WEST CARLETON TWP ON Requested by:

K0A 1L0 Reference No: 70813557

Kurt Frommann

Date Completed: July 28, 2016 12:58:08



OPTA INFORMATION INTELLIGENCE

1997

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

The sole purpose of this report is to provide insurance pricing and underwriting information about the particular insured and location named. Only the person requesting this survey will receive a copy of the report, and IAO asks that it be kept strictly confidential. This report does not quarantee compliance with any standards or with any federal, provincial or municipal codes, ordinances or regulations. Tests of fire and other protection equipment

have not been conducted or witnessed during this survey.

IAO reports, prepared in compliance with commonly accepted risk control standards existing at the time services are rendered, are developed from a survey of the premises and/or from data supplied by or on behalf of the Purchaser. IAO does not purport to list all hazards. While changes and modifications, referred to in the reports are designed to upgrade protection and loss prevention of the premises, IAO assumes no responsibility for management and control of these activities. IAO will not be responsible to the Purchaser for any loss or damages, whether consequential or other, however caused, incurred or suffered, as a result of the services being provided.



Project Name: 158 Cardevco

Road Ottawa ON

Project #: 117492

ENVIROSCAN Report

Multirisk Report - 1997 S L HODGINS EQUIPMENT LTD 158 CARDEVCO RD WEST CARLETON TWP ON Requested by: K0A 1L0 Reference No: 70813557

Kurt Frommann Date Completed: July 28, 2016 12:58:08



1997

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70813557

Page: 1

S L HODGINS EQUIPMENT LTD 158 RD CARDEVCO; WEST CARLETON TWP, ONTARIO

MULTIRISK - FIRE, LIABILITY AND BASIC CRIME

OCCUPANCY:

The insured is an owner/occupant at this location. They have been in operation since 1970 and at this location for 6 year(s). They occupy 433 sq. m and are the major occupant, having 4 employees. The premises are in good condition. The insured is interested in loss prevention, however there have been losses during the last 3 years.

* Loss History

October 1996 - A theft occurred outside the building in which snow cleaning equipment and a snow blower were stolen. This loss is estimated at \$5,000.00.

No action has been taken to prevent further losses.

* Occupancy Description (Insured / major tenant if insured is non-occupant)

Storage and servicing of the Insureds own vehicles. The Insureds business is that of a trucking service with backhoe operations. The backhoe is rented to thers with an operator. The trucks are used both locally and for long haul.

The building has a four vehicle capacity. Equipment present includes a chop saw and oxy-acetylene welding equipment which is safely arranged. A 5HP compressor is also used. A propane fueled forklift is used within the building.

Approximately 200 litres of acrylic paint is stored on an open metal shelving unit. Used motor oil is contained in a 900 litre steel tank within the building. Nine fuel tanks are located outside the building. They are detached 16 metres from the building and contain diesel fuel. There are 3 - 900 litre tanks, 4 - 2,270 litre tanks and 2 - 4500 litre tanks. They are safely arranged.

* Other Classes of Occupants

Utility Pole Construction has an agreement with the Insured to service his vehicles within the building doing mechanical work. He is also permitted to park his vehicles on the lot.

* Undersirable Features

Portable fire extinguishers require servicing.

Inadequate door locks.

Fill and vent pipes for the waste oil tank are within the building.

No alarm system provided.



Project Name: 158 Cardevco Road Ottawa ON

Project #: 117492

ENVIROSCAN Report

Multirisk Report - 1997 S L HODGINS EQUIPMENT LTD 158 CARDEVCO RD WEST CARLETON TWP ON K0A 1L0 Reference No: 70813557 Requested by:

Kurt Frommann Date Completed: July 28, 2016 12:58:08



OPTA INFORMATION INTELLIGENCE

1997

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70813557

Page: 2

S L HODGINS EQUIPMENT LTD 158 RD CARDEVCO; WEST CARLETON TWP, ONTARIO

Risk is Rateable under the Unprotected tariff.

It is recommended that this location be resurveyed in 1 year(s).

BUILDING:

- * Built 2991 Height: Storey(s) (excluding basement) 1=2
- * There are no additions.
- * There are no renovations.
- * Building condition Good
- * Area: Ground Floor 409 sq. m Total (including basement) 433 sq. m

BASIC CONSTRUCTION:

- * Walls 100% Wood Frame Wood frame metal clad
- * Floors (excluding basement) 94% Concrete; 6% Wood joist
- * Roof 100% Wood joist
 - Surface material(s) Metal
 - Original roof.

INTERIOR FINISH:

- * Walls 100% combustible plywood sheathing
- * Ceilings 100% non-combustible

BASEMENTS: None

VERTICAL OPENINGS:

* Stairs - Protection open

MEZZANINE:

- * Construction wood frame
- * Occupancy lunch room and storage
- * Area 24 sq. m

OUTBUILDINGS:

- * Construction wood frame
 - Occupancy storage shed
 - Condition Good
 - Area 11 sq. m

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

N ♣E

Project Name: 158 Cardevco

Road Ottawa ON

Project #: 117492

ENVIROSCAN Report

Multirisk Report - 1997 S L HODGINS EQUIPMENT LTD 158 CARDEVCO RD WEST CARLETON TWP ON Requested by:

K0A 1L0 Reference No: 70813557

Kurt Frommann Date Completed: July 28, 2016 12:58:08



1997

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70813557

Page: 3

S L HODGINS EQUIPMENT LTD 158 RD CARDEVCO; WEST CARLETON TWP, ONTARIO

HEATING:

- * Infrared radiant heat 100% Propane
 - Original installation.
 - Installation appears safe
- * Heating appliances All not enclosed in a separate room
- * Combustible materials Not stored in this room at time of survey
- * Fuel Tanks/Supply:
 - Supply Propane Cylinder
 - Fuel Tank Capacity 4500
 - Location Outside above ground
- * Chimneys:
 - Unlabelled Prefabricated Standard

ELECTRICAL:

- * Condition Good and appeared safe at the time of the survey.
- * Wiring BX, Non-Metallic
- * Overcurrent protection Circuit Breakers.
- * Electrical system Original installation.

PLUMBING:

- * Condition Good at the time of the survey.
- * Piping is Copper
- * Plumbing Original installation.

EXPOSURES: (within 15m of the risk):

* LEFT: OPEN

* RIGHT: OPEN

* FRONT: OPEN

* REAR: OPEN

Project Name: 158 Cardevco

Road Ottawa ON

Project #: 117492

ENVIROSCAN Report

Multirisk Report - 1997 S L HODGINS EQUIPMENT LTD 158 CARDEVCO RD WEST CARLETON TWP ON Requested by:

K0A 1L0 Reference No: 70813557

Kurt Frommann

Date Completed: July 28, 2016 12:58:08



OPTA INFORMATION INTELLIGENCE

1997

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70813557

Page: 4

S L HODGINS EQUIPMENT LTD 158 RD CARDEVCO; WEST CARLETON TWP, ONTARIO

MUNICIPAL PROTECTION:

- * The FUS Public Fire Protection Classification is 9
- * Responding (composite) fire department West Carleton Twp.
- * Distance from risk 5-8 km
- * Access via Paved roads. Year-round.
- * The building itself is easily accesible to the fire department.
- * No hydrants within 305m

PRIVATE PROTECTION at this location includes the following:

- * Non-standard extinguishers
- * An automatic sprinkler system is not present.

Project Name: 158 Cardevco

Road Ottawa ON

Project #: 117492

ENVIROSCAN Report

Multirisk Report - 1997 S L HODGINS EQUIPMENT LTD 158 CARDEVCO RD WEST CARLETON TWP ON Requested by: K0A 1L0 Reference No: 70813557

Date Completed: July 28, 2016 12:58:08

Kurt Frommann



OPTA INFORMATION INTELLIGENCE

1997

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70813557

Page: 5

S L HODGINS EQUIPMENT LTD 158 RD CARDEVCO; WEST CARLETON TWP, ONTARIO

MULTIRISK-LIABILITY _____

OCCUPANCY - GENERAL INFORMATION

- * Neighbourhood is predominantly commercial
- * Insured owner/occupant Area occupied 433 sq. m
- * 1% accessible to public. Public access is considered light
- * Gross revenue could not be determined at the time of the survey

PREMISES information at the time of this survey

* The following appeared to be SATISFACTORY:

Stairs, ramps, handrails; Floor surfaces & coverings; Wall & ceilings; Inerior Lighting; Exterior Lighting; Interior Housekeeping; Exterior Housekeeping; Washrooms; Sidewalks, Yards & Parking Lots; Snow & ice removal; Signs & Awnings; Fire exits

* Elevating devices in operation - none

Project Name: 158 Cardevco Road Ottawa ON

Proiect #: 117492

ENVIROSCAN Report

Multirisk Report - 1997 S L HODGINS EQUIPMENT LTD 158 CARDEVCO RD WEST CARLETON TWP ON K0A 1L0 Reference No: 70813557 Requested by:

Kurt Frommann Date Completed: July 28, 2016 12:58:08



OPTA INFORMATION INTELLIGENCE

1997

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70813557

Page: 6

S L HODGINS EQUIPMENT LTD 158 RD CARDEVCO; WEST CARLETON TWP, ONTARIO

MULTIRISK-BASIC CRIME

NEIGHBOURHOOD:

- * Predominantly commercial
- * Stable
- * Best described as having a moderate crime rate

BUSINESS:

- * Description Truckman and equipment rentals
- * Hours of Operation irregular use of the building as required, Mon Fri
- * Typical Stock Parts including small quantity of used tires for servicing of own vehicles.
- * Smash and Grab exposure is low
- * There is no safe on the premises

GENERAL PROTECTION at the time of this survey:

* The following appeared to be SATISFACTORY:

Exterior Lighting, Interior Lighting, Roof Accessability, Police Patrols

* The following were found to be UNSATISFACTORY, (refre to the Remarks and Recommendations for further details):

Outdoor stock protection

* Security Alarm System - None

PHYSICAL PROTECTION (TENANT or OWNER/OCCUPANT):

- * The exterior locks at this location are spring, slide bolt
- * The windows are not barred

This report section is designed to provide basic crime information only. More detailed crime information can be obtained by ordering an Expanded Crime Supplement.

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

W ♣E

Project Name: 158 Cardevco

Road Ottawa ON

Project #: 117492

ENVIROSCAN Report

Multirisk Report - 1997 S L HODGINS EQUIPMENT LTD 158 CARDEVCO RD WEST CARLETON TWP ON Requested by:

K0A 1L0 Reference No: 70813557

Kurt Frommann

OPTA INFORMATION INTELLIGENCE

1997

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

Date Completed: July 28, 2016 12:58:08

AIS Ref No.: 70813557

Page: 7

S L HODGINS EQUIPMENT LTD 158 RD CARDEVCO; WEST CARLETON TWP, ONTARIO

MULTIRISK REMARKS / RECOMMENDATIONS

REMARKS:

* Fire, Liability & Basic Crime - This is a well maintained building located just north of Highway 417 off the Carp Road. The Insured does not use the building on a regular basis as he is typically driving a truck for a customer or at a equipment rental work site. The Insured has a significant amount of equipment which is kept outside on the lot.

The contact was co-operative and is interested in loss prevention.

Project Name: 158 Cardevco

Road Ottawa ON

Proiect #: 117492

Page: 8

ENVIROSCAN Report

Multirisk Report - 1997 S L HODGINS EQUIPMENT LTD 158 CARDEVCO RD WEST CARLETON TWP ON Requested by:

K0A 1L0 Reference No: 70813557

Kurt Frommann

OPTA INFORMATION INTELLIGENCE Date Completed: July 28, 2016 12:58:08

1997

This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.

AIS Ref No.: 70813557

S L HODGINS EQUIPMENT LTD 158 RD CARDEVCO; WEST CARLETON TWP, ONTARIO

RECOMMENDATIONS:

- Fire, Liability & Basic Crime All portable extinguishers should * 97-1 be serviced at least once a year and be tagged with the name of the servicing company and the date of service.
- * 97-2 Fire, Liability & Basic Crime - Locks on exterior doors should be upgraded to deadbolt type.
- * 97-3 Fire, Liability & Basic Crime - The fill and vent pipes of the waste oil tank should be extended to outside the building.
- * 97-4 Fire, Liability & Basic Crime - A basic alarm system should be considered for the building with alarms terminating at a recognized monitoring service or local police office.

Consideration should also be given to the installation of security gates and fencing to prevent ready access and exits from this site. This would provide protection for the equipment which is stored outside the building.

APPENDIX D ERIS Report



Project Property: 158 Cardevco Road Ottawa ON

158 Cardevco Road Ottawa ON

Carp ON K0A 1L0

Project No: 316252

Report Type: Quote - Custom-Build Your Own Report

Order No: 22100605450 Requested by: Pinchin Ltd.

Date Completed: October 12, 2022

Table of Contents

Table of Contents	2
Executive Summary	3
Executive Summary: Report Summary	
Executive Summary: Site Report Summary - Project Property	
Executive Summary: Site Report Summary - Surrounding Properties	7
Executive Summary: Summary By Data Source	23
Map	43
Aerial	44
Topographic Map	45
Detail Report	46
Unplottable Summary	180
Unplottable Report	
Appendix: Database Descriptions	186
Definitions.	195

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 158 Cardevco Road Ottawa ON

158 Cardevco Road Ottawa ON Carp ON K0A 1L0

Order No: 22100605450

Project No: 316252

Coordinates:

 Latitude:
 45.2942644

 Longitude:
 -75.97858

 UTM Northing:
 5,016,113.39

 UTM Easting:
 423,271.92

UTM Zone: 18T

Elevation: 383 FT

116.79 M

Order Information:

Order No: 22100605450

Date Requested: October 6, 2022

Requested by: Pinchin Ltd.

Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

Aerial Photographs Aerials - National Collection

ERIS Xplorer <u>ERIS Xplorer</u>

Physical Setting Report (PSR) PSR

Topographic MapANSI Map & Ontario Base Map (OBM)

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Within 0.25 km	Total
AAGR	Abandoned Aggregate Inventory	Υ	0	0	0
AGR	Aggregate Inventory	Υ	0	0	0
AMIS	Abandoned Mine Information System	Υ	0	0	0
ANDR	Anderson's Waste Disposal Sites	Υ	0	0	0
AST	Aboveground Storage Tanks	Υ	0	0	0
AUWR	Automobile Wrecking & Supplies	Υ	0	0	0
BORE	Borehole	Υ	0	0	0
CA	Certificates of Approval	Υ	0	7	7
CDRY	Dry Cleaning Facilities	Υ	0	0	0
CFOT	Commercial Fuel Oil Tanks	Υ	0	0	0
CHEM	Chemical Manufacturers and Distributors	Υ	0	0	0
CHM	Chemical Register	Υ	0	0	0
CNG	Compressed Natural Gas Stations	Υ	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Υ	0	0	0
CONV	Compliance and Convictions	Υ	0	0	0
CPU	Certificates of Property Use	Υ	0	0	0
DRL	Drill Hole Database	Υ	0	0	0
DTNK	Delisted Fuel Tanks	Υ	0	0	0
EASR	Environmental Activity and Sector Registry	Υ	0	2	2
EBR	Environmental Registry	Υ	0	0	0
ECA	Environmental Compliance Approval	Υ	0	7	7
EEM	Environmental Effects Monitoring	Υ	0	0	0
EHS	ERIS Historical Searches	Υ	1	25	26
EIIS	Environmental Issues Inventory System	Υ	0	0	0
EMHE	Emergency Management Historical Event	Υ	0	0	0
EPAR	Environmental Penalty Annual Report	Υ	0	0	0
EXP	List of Expired Fuels Safety Facilities	Υ	0	0	0
FCON	Federal Convictions	Υ	0	0	0
FCS	Contaminated Sites on Federal Land	Υ	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Υ	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems	Υ	0	0	0
FST	(FIRSTS) Fuel Storage Tank	Y	0	2	2
FSTH	Fuel Storage Tank - Historic	Υ	0	4	4
GEN	Ontario Regulation 347 Waste Generators Summary	Υ	2	126	128
GHG	Greenhouse Gas Emissions from Large Facilities	Υ	0	0	0
HINC	TSSA Historic Incidents	Υ	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
INC	Fuel Oil Spills and Leaks	Υ	0	0	0
LIMO	Landfill Inventory Management Ontario	Υ	0	0	0
MINE	Canadian Mine Locations	Υ	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System	Υ	0	0	0
NCPL	(NATES) Non-Compliance Reports	Υ	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Υ	0	0	0
NDSP	National Defense & Canadian Forces Spills	Υ	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Υ	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Υ	0	0	0
NEBP	National Energy Board Wells	Υ	0	0	0
NEES	National Environmental Emergencies System (NEES)	Υ	0	0	0
NPCB	National PCB Inventory	Υ	0	0	0
NPRI	National Pollutant Release Inventory	Υ	0	0	0
OGWE	Oil and Gas Wells	Υ	0	0	0
OOGW	Ontario Oil and Gas Wells	Υ	0	0	0
OPCB	Inventory of PCB Storage Sites	Υ	0	0	0
ORD	Orders	Υ	0	0	0
PAP	Canadian Pulp and Paper	Υ	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Υ	0	0	0
PES	Pesticide Register	Y	0	1	1
PINC	Pipeline Incidents	Y	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Y	0	0	0
PTTW	Permit to Take Water	Υ	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Υ	0	0	0
RSC	Record of Site Condition	Υ	0	0	0
RST	Retail Fuel Storage Tanks	Υ	0	0	0
SCT	Scott's Manufacturing Directory	Υ	0	12	12
SPL	Ontario Spills	Υ	1	1	2
SRDS	Wastewater Discharger Registration Database	Υ	0	0	0
TANK	Anderson's Storage Tanks	Υ	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Υ	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Υ	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Υ	0	0	0
WWIS	Water Well Information System	Υ	0	14	14
		Total:	4	201	205

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
1	SPL		158 CARDEVCO RD \ WEST CARLETON TOWNSHIP ON	WNW/0.0	0.08	<u>46</u>
1	GEN	S L HODGINS	158 CARDEVCO CARP ON KOA 1L0	WNW/0.0	0.08	<u>46</u>
1	GEN	S. L. HODGINS	158 CARDEVCO CARP ON	WNW/0.0	0.08	<u>46</u>
1	EHS		158 Cardevco Rd Ottawa ON K0A1L0	WNW/0.0	0.08	<u>47</u>

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>2</u> *	wwis		lot 6 con 3 ON <i>Well ID</i> : 1532402	SSE/60.2	1.03	<u>47</u>
<u>3</u>	CA	Kris Jason Hodgins	154 Cardevco Dr Ottawa ON	SE/61.3	1.03	<u>50</u>
<u>3</u>	ECA	Kris Jason Hodgins	154 Cardevco Dr Ottawa ON K0A 1L0	SE/61.3	1.03	<u>51</u>
4	wwis		lot 6 con 3 ON <i>Well ID:</i> 1532934	NE/90.5	-0.76	<u>51</u>
<u>5</u>	EHS		146 Cardevco Road Carp ON K0A 1L0	SE/104.8	1.08	<u>55</u>
<u>5</u>	EHS		146 Cardevco Road Carp ON K0A 1L0	SE/104.8	1.08	<u>55</u>
<u>6</u>	SCT	Prestige Fence	163 Cardevco Rd Carp ON K0A 1L0	WSW/105.2	2.14	<u>55</u>
<u>6</u>	EHS		163 Cardevco Road Carp ON K0A 1L0	WSW/105.2	2.14	<u>55</u>
7	CA	Andrew Ross McNeely	153 Cardevco Rd Ottawa ON	SW/120.3	2.05	<u>55</u>
7	ECA	Andrew Ross McNeely	153 Cardevco Rd Ottawa ON	SW/120.3	2.05	<u>56</u>
7	GEN	Thunderbolt Contracting	153 Cardevco Road, Unit 2 Carp ON K0A 1L0	SW/120.3	2.05	<u>56</u>
<u>7</u> .	GEN	Thunderbolt Contracting	153 Cardevco Road RR#2 Carp ON K0A 1L0	SW/120.3	2.05	<u>56</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>8</u>	SCT	DAVTAIR INDUSTRIES INC.	197 CARDEVCO RD OTTAWA ON K1P	NE/120.9	-2.07	<u>57</u>
<u>8</u>	SCT	Davtair Industries Inc.	197 Cardevco Rd Carp ON K0A 1L0	NE/120.9	-2.07	<u>57</u>
<u>8</u>	GEN	DAVTAIR INDUSTRIES INC.	197 CARDEVCO ROAD CARP ON K2H 7V1	NE/120.9	-2.07	<u>58</u>
<u>8</u>	GEN	davtair industries inc	197 cardevco rd ottawa ON K2H 7V1	NE/120.9	-2.07	<u>58</u>
<u>8</u>	GEN	Davtair Industries Inc.	197 Cardevco Rd Ottawa ON K0A 1L0	NE/120.9	-2.07	<u>58</u>
<u>8</u>	GEN	Davtair Industries Inc.	197 Cardevco Rd Ottawa ON	NE/120.9	-2.07	<u>58</u>
<u>8</u> .	GEN	Davtair Industries Inc.	197 Cardevco Rd Ottawa ON	NE/120.9	-2.07	<u>59</u>
9	GEN	DAVEY TREE EXPERT CO OF CANADA LTD	196 CARDEVCO RD. TWP OF WEST CARLETON C/O 3350 SOUTH SERVICE RD. BURLINGTON ON L7N 3M6	E/123.6	-0.97	<u>59</u>
9	GEN	DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD WEST CARLETON TWP. ON L7N 3M6	E/123.6	-0.97	<u>59</u>
<u>9</u>	GEN	DAVEY TREE EXPERT CO OF CANADA LTD12-353	196 CARDEVCO RD. TWP OF WEST CARLETON C/O 3350 SOUTH SERVICE RD. BURLINGTON ON L7N 3M6	E/123.6	-0.97	<u>60</u>
9	GEN	DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOA 1LO	E/123.6	-0.97	<u>60</u>
<u>9</u>	GEN	DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOA 1L0	E/123.6	-0.97	<u>60</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>9</u>	GEN	DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOA 1L0	E/123.6	-0.97	<u>60</u>
<u>9</u> .	GEN	DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON K0A 1L0	E/123.6	-0.97	<u>61</u>
<u>9</u>	GEN	DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON	E/123.6	-0.97	<u>61</u>
9	GEN	DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	E/123.6	-0.97	<u>61</u>
<u>9</u>	GEN	DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	E/123.6	-0.97	<u>62</u>
<u>9</u> .	GEN	DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	E/123.6	-0.97	<u>62</u>
<u>9</u> .	GEN	DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	E/123.6	-0.97	<u>62</u>
<u>9</u> .	GEN	DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	E/123.6	-0.97	<u>62</u>
<u>9</u>	GEN	DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	E/123.6	-0.97	<u>63</u>
<u>9</u>	GEN	DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	E/123.6	-0.97	<u>63</u>
<u>10</u>	EHS		149 Cardevco Rd. Ottawa ON	SSW/129.0	2.05	<u>63</u>
<u>10</u>	PES	THUNDERBOLT CONTRACTING INC.	149 CARDEVLO RD CARP ON KOA1LO	SSW/129.0	2.05	<u>63</u>
<u>10</u>	SCT	City Plastering	2-149 Cardevco Rd Carp ON K0A 1L0	SSW/129.0	2.05	<u>64</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>11</u>	FST	W.O. STINSON & SON LIMITED	142 CARDEVCO RD CARP K0A 1L0 ON CA ON	ESE/132.5	1.01	<u>64</u>
<u>11</u>	FST	W.O. STINSON & SON LIMITED	142 CARDEVCO RD CARP K0A 1L0 ON CA ON	ESE/132.5	1.01	<u>65</u>
<u>12</u> ·	wwis		5630 OSGOODE MAIN STREET lot 6 con 3 OSGOODE ON Well ID: 7126803	WSW/133.6	2.78	<u>65</u>
<u>12</u>	wwis		153 CARDEVCO ROAD lot 6 con 3 CARP ON Well ID: 7127022	WSW/133.6	2.78	<u>72</u>
<u>13</u>	EHS		145 Cardevco Road Ottawa (Carp) ON K0A 1L0	S/133.7	2.08	<u>79</u>
<u>14</u>	EHS		142 Cardevco Rd Ottawa ON	SE/135.2	1.65	<u>80</u>
<u>15</u>	CA	BOYER EQUIPMENT INC.	189 CARDEVCO RD., PT.BLK. 7 WEST CARLETON TWP. ON	N/135.6	-0.22	<u>80</u>
<u>15</u>	EHS		189 Cardevco Blvd Ottawa (Carp) ON	N/135.6	-0.22	<u>80</u>
<u>15</u>	GEN	TRUCK & TRACTOR EASTERN INC. 05-915	189 CARDEVCO ROAD WEST CARLETON ON	N/135.6	-0.22	<u>80</u>
<u>15</u>	GEN	BOYER EQUIPMENT INC. 05- 915	189 CARDEVCO STREET WEST CARLETON ON	N/135.6	-0.22	<u>81</u>
<u>15</u>	GEN	TRUCK & TRACTOR (SEE & USE ON2158207)	189 CARDEVCO ROAD WEST CARLETON ON	N/135.6	-0.22	<u>81</u>
<u>15</u>	GEN	ONTRAC EQUIPMENT SERVICES	189 CARDEVCO ROAD CARP ON K0A 1L0	N/135.6	-0.22	<u>81</u>
<u>15</u>	GEN	Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N/135.6	-0.22	<u>82</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>15</u>	SCT	Nortrax Canada Inc.	189 Cardevco Rd RR 2 Carp ON K0A 1L0	N/135.6	-0.22	<u>82</u>
<u>15</u>	SPL	Nortrax Canada Inc.	189 Cardevco Rd RR#2, Carp Ottawa ON K0A 1L0	N/135.6	-0.22	<u>83</u>
<u>15</u>	GEN	Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N/135.6	-0.22	<u>83</u>
<u>15</u>	GEN	Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N/135.6	-0.22	<u>84</u>
<u>15</u>	GEN	Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N/135.6	-0.22	<u>84</u>
<u>15</u>	GEN	Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N/135.6	-0.22	<u>84</u>
<u>15</u>	GEN	Nortrax Canada Inc.	189 Cardevco Road Carp ON	N/135.6	-0.22	<u>85</u>
<u>15</u>	EHS		189 Cardevco Road Ottawa ON	N/135.6	-0.22	<u>85</u>
<u>15</u>	GEN	Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N/135.6	-0.22	<u>85</u>
<u>15</u>	GEN	PCL CONSTRUCTION CANADA INC.	189 CARDEVCO ROAD CARP ON K0A 1L0	N/135.6	-0.22	<u>86</u>
<u>15</u>	GEN	PCL CONSTRUCTION CANADA INC.	189 CARDEVCO ROAD CARP ON K0A 1L0	N/135.6	-0.22	<u>86</u>
<u>15</u>	GEN	Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N/135.6	-0.22	<u>86</u>
<u>15</u>	GEN	PCL CONSTRUCTION CANADA INC.	189 CARDEVCO ROAD CARP ON K0A 1L0	N/135.6	-0.22	<u>87</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>15</u>	GEN	PCL CONSTRUCTION CANADA INC.	189 CARDEVCO ROAD CARP ON KOA 1LO	N/135.6	-0.22	<u>87</u>
<u>15</u>	GEN	PCL CONSTRUCTION CANADA INC.	189 CARDEVCO ROAD CARP ON K0A 1L0	N/135.6	-0.22	<u>88</u>
<u>15</u>	GEN	PCL CONSTRUCTION CANADA INC.	189 CARDEVCO ROAD CARP ON KOA 1L0	N/135.6	-0.22	<u>89</u>
<u>16</u>	SCT	Harris Rebar - Div. of Harris Steel Limited	171 Cardevco Rd Ottawa ON K1G 1L0	W/135.7	1.39	<u>89</u>
<u>16</u>	SCT	Harris Rebar - Div. of Harris	171 Cardevco Rd Carp ON K0A 1L0	W/135.7	1.39	<u>89</u>
<u>16</u>	ECA	Harris Steel ULC	171 Cardevco Rd Part of Block 9, 12, 28, 31, Ref. Plan 4R10176, 4R-15838 Ottawa ON	W/135.7	1.39	<u>90</u>
<u>16</u>	GEN	harrisrebar	171 Cardevco road carp ON K0A 1L0	W/135.7	1.39	<u>90</u>
<u>16</u>	GEN	harrisrebar	171 Cardevco road carp ON K0A 1L0	W/135.7	1.39	<u>90</u>
<u>16</u>	GEN	Harris Rebar Company	171 Cardevco Road Ottawa ON	W/135.7	1.39	<u>90</u>
<u>16</u>	GEN	Harris Rebar Company	171 Cardevco Road Ottawa ON	W/135.7	1.39	<u>91</u>
<u>16</u>	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	W/135.7	1.39	<u>91</u>
<u>16</u>	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	W/135.7	1.39	<u>91</u>
<u>16</u>	GEN	Harris Rebar Company	171 Cardevco Road Ottawa ON K0A 1L0	W/135.7	1.39	<u>92</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>16</u>	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	W/135.7	1.39	<u>92</u>
<u>16</u>	GEN	CQS Electric	171 Cardevco Road Ottawa ON K0A 1L0	W/135.7	1.39	<u>92</u>
<u>16</u>	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	W/135.7	1.39	<u>92</u>
<u>16</u>	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	W/135.7	1.39	<u>93</u>
<u>16</u>	GEN	Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	W/135.7	1.39	<u>93</u>
<u>17</u>	SCT	Bytown Mouldings Inc.	142 Cardevco Rd Carp ON K0A 1L0	SE/136.3	1.65	<u>94</u>
<u>17</u>	FSTH	W O STINSON & SON LTD	142 CARDEVCO CARP ON K0A 1L0	SE/136.3	1.65	94
<u>17</u>	FSTH	W O STINSON & SON LTD	142 CARDEVCO CARP ON K0A 1L0	SE/136.3	1.65	<u>94</u>
<u>17</u>	CA	1043084 Ontario Inc.	142 Cardevco Road Carp Carleton Ottawa ON	SE/136.3	1.65	<u>95</u>
<u>17</u>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A 1L0	SE/136.3	1.65	<u>95</u>
<u>17</u>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A 1L0	SE/136.3	1.65	<u>95</u>
<u>17</u>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON	SE/136.3	1.65	<u>95</u>
<u>17</u>	ECA	1043084 Ontario Inc.	142 Cardevco Road Carp Carleton Ottawa ON K2S 1B6	SE/136.3	1.65	<u>96</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>17</u>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SE/136.3	1.65	<u>96</u>
<u>17</u>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SE/136.3	1.65	<u>96</u>
<u>17</u>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SE/136.3	1.65	<u>97</u>
<u>17</u>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SE/136.3	1.65	<u>97</u>
<u>17</u>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SE/136.3	1.65	<u>98</u>
<u>17</u>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SE/136.3	1.65	<u>98</u>
<u>18</u>	EHS		189 Cardevco Rd Carp ON K0A 1L0	N/138.2	-0.25	· <u>99</u>
<u>18</u>	EHS		189 Cardevco Rd Carp ON K0A 1L0	N/138.2	-0.25	<u>99</u>
<u>19</u>	WWIS		lot 6 con 3 ON <i>Well ID</i> : 1532757	S/141.0	2.06	<u>99</u>
<u>20</u>	EHS		145 Cardevco Road Carp ON K0A 1L0	S/150.7	2.54	103
<u>21</u>	GEN	2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SSE/164.0	2.08	103
<u>22</u>	EHS		197 Cardevco Road Carp ON K0A 1L0	NE/167.8	-2.61	<u>103</u>
<u>22</u>	EHS		197 Cardevco Road Carp ON K0A 1L0	NE/167.8	-2.61	104

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>23</u>	EASR	CAPITAL DEDICATED LOGISTICS INC.	135 CARDEVCO RD CARP ON K0A 1L0	S/174.5	2.39	<u>104</u>
<u>24</u>	EHS		135 Cardevco Road Carp ON K0A 1L0	S/174.5	2.39	104
24	EHS		135 Cardevco Road Ottawa ON	S/174.5	2.39	<u>104</u>
<u>24</u>	GEN	Capital Dedicated Logisics	135 Cardevco Carp ON K0A 1L0	S/174.5	2.39	<u>104</u>
<u>24</u>	GEN	Capital Dedicated Logisics	135 Cardevco Carp ON K0A 1L0	S/174.5	2.39	<u>105</u>
<u>24</u>	GEN	Capital Dedicated Logisics	135 Cardevco Carp ON K0A 1L0	S/174.5	2.39	<u>105</u>
<u>24</u>	EHS		135 Cardevco Rd Ottawa ON K0A1L0	S/174.5	2.39	105
<u>24</u>	EHS		135 Cardevco Rd Ottawa ON K0A1L0	S/174.5	2.39	105
<u>24</u>	GEN	Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	S/174.5	2.39	106
<u>24</u>	GEN	Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	S/174.5	2.39	106
<u>24</u>	GEN	Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	S/174.5	2.39	106
<u>24</u>	GEN	Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	S/174.5	2.39	<u>106</u>
<u>25</u>	SCT	Kerr Design Ltd.	168 Wescar Lane RR 2 Carp ON K0A 1L0	WSW/180.2	2.78	107

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>25</u>	SCT	Competition Composites Inc.	168 Wescar Lane Unit 3 Carp ON K0A 1L0	WSW/180.2	2.78	<u>107</u>
<u>25</u>	CA	Competition Composites Inc.	168 Wescar Lane Carp Ottawa ON	WSW/180.2	2.78	<u>107</u>
<u>25</u>	SCT	Competition Composites Inc.	3-168 Wescar Lane Carp ON K0A 1L0	WSW/180.2	2.78	108
<u>25</u>	ECA	Competition Composites Inc.	168 Wescar Lane Carp Ottawa ON K0A 1L0	WSW/180.2	2.78	108
<u>25</u>	GEN	Competition Composites	168 Wescar Lane Carp ON K0A 1L0	WSW/180.2	2.78	108
<u>25</u>	GEN	Competition Composites	168 Wescar Lane Carp ON K0A 1L0	WSW/180.2	2.78	<u>109</u>
<u>26</u>	wwis		123 CARDEVCO ROAD lot 6 con 3 CARP ON Well ID: 7210658	S/180.9	2.39	109
<u>27</u>	EHS		217 Cardevco Rd Carp ON K0A 1L0	NE/181.2	-2.61	<u>116</u>
<u>27</u>	EHS		217 Cardevco Rd Carp ON K0A 1L0	NE/181.2	-2.61	<u>117</u>
<u>28</u>	EHS		154 Wescar Lane Ottawa ON K0A1L0	SW/182.6	3.08	<u>117</u>
<u>29</u>	WWIS		135 CARDEVCO RD CARP ON Well ID: 7186867	S/184.3	3.08	117
<u>30</u>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	SW/188.9	3.08	124
<u>30</u>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	SW/188.9	3.08	124

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>30</u>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	SW/188.9	3.08	124
<u>30</u>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	SW/188.9	3.08	124
<u>30</u>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	SW/188.9	3.08	125
<u>30</u>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON	SW/188.9	3.08	<u>125</u>
<u>30</u>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	SW/188.9	3.08	125
<u>30</u>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	SW/188.9	3.08	125
<u>30</u>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	SW/188.9	3.08	126
<u>30</u>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	SW/188.9	3.08	126
<u>30</u>	GEN	6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	SW/188.9	3.08	126
<u>31</u>	GEN	G P SERVICE STATION MAINTENANCE	132 CARDEVCO OFF CARP ROAD C/O P. O. BOX 657 STITTSVILLE ON K0A 3G0	SE/197.1	1.08	127
<u>31</u>	GEN	G.P. SERVICE STATION MAINTENANCE	132 CARDEVCO ROAD CARP ON K0A 1L0	SE/197.1	1.08	<u>127</u>
<u>31</u>	GEN	G P SERVICE STATION MAINTENANCE 16-270	132 CARDEVCO OFF CARP ROAD C/O P. O. BOX 657 STITTSVILLE ON K2S 1A7	SE/197.1	1.08	<u>127</u>
<u>31</u>	GEN	G. P. SERVICE STATION MAINTENANCE	QUEENSWAY CARP INDUSTRIAL PARK 132 CARDEVCO ROAD CARP ON K0A 1L0	SE/197.1	1.08	128

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>31</u>	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	SE/197.1	1.08	128
<u>31</u>	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	SE/197.1	1.08	128
<u>31</u>	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	SE/197.1	1.08	128
<u>31</u>	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	SE/197.1	1.08	<u>129</u>
<u>31</u>	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	SE/197.1	1.08	<u>129</u>
31	GEN	634833 ONTARIO INC.	132 CARDEVCO RD CARP ON	SE/197.1	1.08	<u>129</u>
<u>31</u>	GEN	1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	SE/197.1	1.08	130
<u>31</u>	GEN	1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	SE/197.1	1.08	<u>130</u>
<u>31</u>	GEN	1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	SE/197.1	1.08	<u>130</u>
<u>31</u>	GEN	1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	SE/197.1	1.08	<u>131</u>
<u>31</u>	GEN	Tarstone Canada Limited	132 Cardevco Road Carp ON K0A1L0	SE/197.1	1.08	<u>131</u>
<u>32</u>	GEN	NU-TEK SIGNS INC.	162 WESCAR LANE CARP ON KOA 1L0	WSW/197.3	3.08	131
<u>32</u>	EHS		162 Wescar Lane Carp ON K0A 1L0	WSW/197.3	3.08	<u>131</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>32</u>	EHS		162 Wescar Lane Carp ON K0A 1L0	WSW/197.3	3.08	132
33	WWIS		171 CARDENCO lot 6 con 3 CARP ON Well ID: 7191739	WNW/198.3	3.08	132
<u>34</u>	WWIS		128 Cardevco Rd Carp ON Well ID: 7344968	ESE/199.9	1.12	139
<u>35</u>	GEN	ONTRAC EQUIPMENT SERVICES	139 CARDEVCO ROAD CARP ON K0A 1L0	SSE/202.2	2.08	<u>143</u>
<u>36</u>	WWIS		132 WESCAR LANE lot 6 con 3 CARP ON	SSW/202.4	3.08	<u>143</u>
<u>37</u>	GEN	ALLEREX LABORATORY LTD.	Well ID: 1536824 180 WESCAR DRIVE CARP ON K0A 2N0	W/214.8	3.08	<u>150</u>
<u>37</u>	GEN	ServiceMaster Ottawa DR	180 Wescar Lane Ottawa ON KOA1LO	W/214.8	3.08	<u>150</u>
<u>37</u>	GEN	Service Master Ottawa Service Master Ottawa	180 Wescar Lane Ottawa ON KOA1LO	W/214.8	3.08	<u>151</u>
<u>38</u>	WWIS		100 CARDEVCO RD CARP ON Well ID: 7335299	SE/215.2	1.08	<u>151</u>
<u>39</u>	CA	1649174 Ontario Inc.	132 Wescar Lane Ottawa ON	SSW/216.4	3.08	<u>154</u>
<u>39</u>	ECA	1649174 Ontario Inc.	132 Wescar Lane Ottawa ON K0A 1L0	SSW/216.4	3.08	<u>155</u>
<u>40</u>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE/222.7	2.17	<u>155</u>
<u>41</u>	WWIS		100 CARDWCO RD CARP ON	ESE/222.9	0.00	<u>155</u>
			Well ID: 7335296			

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>42</u>	GEN	CHARTERWAYS CANADIAN DIVISION	100 CARDEVCO DRIVE CARP ON KOA 1L0	SE/224.1	1.14	<u>158</u>
42	GEN	LAIDLAW TRANSIT LIMITED	100 CARDEVCO DRIVE CARP ON K0A 1L0	SE/224.1	1.14	<u>159</u>
<u>42</u>	FSTH	LAIDLAW EDUCATION SERVICES	100 CARDEVCO RD BOX 159 STITTSVILLE ON	SE/224.1	1.14	<u>159</u>
42	FSTH	LAIDLAW EDUCATION SERVICES	100 CARDEVCO RD CARP ON KOA 1L0	SE/224.1	1.14	<u>160</u>
42	GEN	FirstCanada ULC	100 CARDEVCO DRIVE CARP ON KOA 1L0	SE/224.1	1.14	<u>160</u>
42	GEN	FirstCanada ULC	100 CARDEVCO DRIVE CARP ON K0A 1L0	SE/224.1	1.14	<u>160</u>
<u>42</u>	GEN	FirstCanada ULC	100 CARDEVCO DRIVE CARP ON KOA 1L0	SE/224.1	1.14	<u>161</u>
<u>42</u>	GEN	FirstCanada ULC	100 CARDEVCO DRIVE CARP ON KOA 1L0	SE/224.1	1.14	<u>161</u>
<u>42</u>	GEN	FirstCanada ULC	100 CARDEVCO DRIVE CARP ON K0A 1L0	SE/224.1	1.14	<u>162</u>
<u>42</u>	GEN	FirstCanada ULC	100 CARDEVCO DRIVE CARP ON	SE/224.1	1.14	<u>162</u>
<u>42</u>	GEN	Voyageur Transportation Services	100 Cardeveo Road Ottawa ON K0A 1L0	SE/224.1	1.14	<u>163</u>
<u>42</u>	GEN	Voyageur Transportation Services	100 Cardeveo Road Ottawa ON K0A 1L0	SE/224.1	1.14	<u>163</u>
<u>42</u>	GEN	FirstCanada ULC	100 CARDEVCO DRIVE CARP ON KOA 1L0	SE/224.1	1.14	<u>163</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>42</u>	GEN	FirstCanada ULC	100 CARDEVCO DRIVE CARP ON K0A 1L0	SE/224.1	1.14	<u>164</u>
<u>42</u>	GEN	Voyageur Transportation Services	100 Cardeveo Road Ottawa ON K0A 1L0	SE/224.1	1.14	<u>164</u>
<u>42</u>	EHS		100 Cardevco Road Carp ON K0A 1L0	SE/224.1	1.14	<u>165</u>
42	GEN	947465 Ontario Ltd	100 Cardevco Road Ottawa ON K0A 1L0	SE/224.1	1.14	<u>165</u>
<u>42</u>	GEN	947465 Ontario Ltd	100 Cardevco Road Ottawa ON K0A 1L0	SE/224.1	1.14	<u>165</u>
<u>43</u>	CA	Ralco Masonry & Construction	126 Wescar Lane Ottawa ON	SSW/235.5	3.08	<u>166</u>
<u>43</u>	ECA	Ralco Masonry & Construction	126 Wescar Lane Ottawa ON	SSW/235.5	3.08	<u>166</u>
44	WWIS		100 CARDEYCA RD CARP ON Well ID: 7335295	ESE/238.1	0.06	<u>167</u>
<u>45</u>	WWIS		126 WESCAR LANE lot 10 con 24 OTTAWA ON Well ID: 1536876	SSE/238.7	1.05	<u>170</u>
<u>46</u>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON	SSE/239.5	1.96	<u>176</u>
<u>46</u>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE/239.5	1.96	<u>177</u>
<u>46</u>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE/239.5	1.96	<u>177</u>
<u>46</u>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE/239.5	1.96	<u>177</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>46</u>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE/239.5	1.96	<u>177</u>
<u>46</u>	EASR	AKMAN CONSTRUCTION INC	123 CARDEVCO RD CARP ON K0A 1L0	SSE/239.5	1.96	<u>178</u>
<u>46</u>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE/239.5	1.96	<u>178</u>
<u>46</u>	GEN	Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE/239.5	1.96	<u>178</u>
<u>47</u>	SCT	The Carp Valley Press	2210 Cavanmore Dr Carp ON	NNE/240.4	-1.84	<u>178</u>
<u>48</u>	EHS		217 Cardevco Rd Ottawa ON	NE/245.0	-2.92	<u>179</u>
<u>48</u>	GEN	Boldt Theile (Division of The State Group Inc)	217 CARDEVCO ROAD CARP ON	NE/245.0	-2.92	<u>179</u>
<u>49</u>	EHS		172 & 180 Wescar Lane Ottawa ON	W/248.3	3.08	<u>179</u>

Executive Summary: Summary By Data Source

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 7 CA site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
Kris Jason Hodgins	154 Cardevco Dr Ottawa ON	SE	61.34	<u>3</u>
Andrew Ross McNeely	153 Cardevco Rd Ottawa ON	SW	120.25	7
1043084 Ontario Inc.	142 Cardevco Road Carp Carleton Ottawa ON	SE	136.32	<u>17</u>
Competition Composites Inc.	168 Wescar Lane Carp Ottawa ON	wsw	180.20	<u>25</u>
1649174 Ontario Inc.	132 Wescar Lane Ottawa ON	SSW	216.36	<u>39</u>
Ralco Masonry & Construction	126 Wescar Lane Ottawa ON	ssw	235.45	<u>43</u>
Lower Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	<u>Map Key</u>
BOYER EQUIPMENT INC.	189 CARDEVCO RD., PT.BLK. 7 WEST CARLETON TWP. ON	N	135.64	<u>15</u>

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011- Aug 31, 2022 has found that there are 2 EASR site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	<u>Map Key</u>
CAPITAL DEDICATED LOGISTICS INC.	135 CARDEVCO RD CARP ON K0A 1L0	S	174.45	23
AKMAN CONSTRUCTION INC	123 CARDEVCO RD CARP ON K0A 1L0	SSE	239.46	<u>46</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Aug 31, 2022 has found that there are 7 ECA site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
Kris Jason Hodgins	154 Cardevco Dr Ottawa ON K0A 1L0	SE	61.34	3
Andrew Ross McNeely	153 Cardevco Rd Ottawa ON	SW	120.25	<u>7</u>
Harris Steel ULC	171 Cardevco Rd Part of Block 9, 12, 28, 31, Ref. Plan 4R10176, 4R-15838 Ottawa ON	W	135.74	<u>16</u>
1043084 Ontario Inc.	142 Cardevco Road Carp Carleton Ottawa ON K2S 1B6	SE	136.32	<u>17</u>
Competition Composites Inc.	168 Wescar Lane Carp Ottawa ON K0A 1L0	wsw	180.20	<u>25</u>
1649174 Ontario Inc.	132 Wescar Lane Ottawa ON K0A 1L0	SSW	216.36	<u>39</u>
Ralco Masonry & Construction	126 Wescar Lane Ottawa ON	SSW	235.45	<u>43</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Jul 31, 2022 has found that there are 26 EHS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address 158 Cardevco Rd Ottawa ON K0A1L0	<u>Direction</u> WNW	Distance (m) 0.00	Map Key
	146 Cardevco Road Carp ON K0A 1L0	SE	104.85	<u>5</u>
	146 Cardevco Road Carp ON K0A 1L0	SE	104.85	<u>5</u>
	163 Cardevco Road Carp ON K0A 1L0	WSW	105.16	<u>6</u>
	149 Cardevco Rd. Ottawa ON	SSW	128.98	<u>10</u>
	145 Cardevco Road Ottawa (Carp) ON K0A 1L0	S	133.70	<u>13</u>
	142 Cardevco Rd Ottawa ON	SE	135.25	<u>14</u>
	145 Cardevco Road Carp ON K0A 1L0	S	150.66	<u>20</u>
	135 Cardevco Road Carp ON K0A 1L0	S	174.45	<u>24</u>
	135 Cardevco Road Ottawa ON	S	174.45	<u>24</u>
	135 Cardevco Rd Ottawa ON K0A1L0	S	174.45	<u>24</u>
	135 Cardevco Rd Ottawa ON K0A1L0	S	174.45	<u>24</u>

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
	154 Wescar Lane Ottawa ON K0A1L0	SW	182.63	<u>28</u>
	162 Wescar Lane Carp ON K0A 1L0	WSW	197.31	<u>32</u>
	162 Wescar Lane Carp ON K0A 1L0	WSW	197.31	<u>32</u>
	100 Cardevco Road Carp ON K0A 1L0	SE	224.06	<u>42</u>
	172 & 180 Wescar Lane Ottawa ON	W	248.31	<u>49</u>
Lower Elevation	Address 189 Cardevco Blvd Ottawa (Carp) ON	<u>Direction</u> N	<u>Distance (m)</u> 135.64	<u>Map Key</u> <u>15</u>
	189 Cardevco Road Ottawa ON	N	135.64	45
	Ottawa Oiv			<u>15</u>
	189 Cardevco Rd Carp ON K0A 1L0	N	138.15	<u>18</u>
	189 Cardevco Rd	N N	138.15 138.15	
	189 Cardevco Rd Carp ON K0A 1L0 189 Cardevco Rd			<u>18</u>

217 Cardevco Rd Carp ON K0A 1L0	NE	181.24	<u>27</u>
217 Cardevco Rd Carp ON K0A 1L0	NE	181.24	<u>27</u>
217 Cardevco Rd Ottawa ON	NE	245.03	<u>48</u>

FST - Fuel Storage Tank

A search of the FST database, dated Feb 28, 2022 has found that there are 2 FST site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	<u>Map Key</u>
W.O. STINSON & SON LIMITED	142 CARDEVCO RD CARP K0A 1L0 ON CA ON	ESE	132.52	<u>11</u>
W.O. STINSON & SON LIMITED	142 CARDEVCO RD CARP K0A 1L0 ON CA ON	ESE	132.52	<u>11</u>

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 4 FSTH site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation W O STINSON & SON LTD	Address 142 CARDEVCO CARP ON K0A 1L0	<u>Direction</u> SE	<u>Distance (m)</u> 136.32	<u>Map Key</u> <u>17</u>
W O STINSON & SON LTD	142 CARDEVCO CARP ON K0A 1L0	SE	136.32	<u>17</u>
LAIDLAW EDUCATION SERVICES	100 CARDEVCO RD CARP ON K0A 1L0	SE	224.06	<u>42</u>
LAIDLAW EDUCATION SERVICES	100 CARDEVCO RD BOX 159 STITTSVILLE ON	SE	224.06	<u>42</u>

Equal/Higher Elevation Address Direction Distance (m) Map Key

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Apr 30, 2022 has found that there are 128 GEN site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation S L HODGINS	Address 158 CARDEVCO CARP ON K0A 1L0	<u>Direction</u> WNW	Distance (m) 0.00	<u>Map Key</u> <u>1</u>
S. L. HODGINS	158 CARDEVCO CARP ON	WNW	0.00	1
Thunderbolt Contracting	153 Cardevco Road, Unit 2 Carp ON K0A 1L0	SW	120.25	7
Thunderbolt Contracting	153 Cardevco Road RR#2 Carp ON K0A 1L0	SW	120.25	7
harrisrebar	171 Cardevco road carp ON K0A 1L0	W	135.74	<u>16</u>
harrisrebar	171 Cardevco road carp ON K0A 1L0	W	135.74	<u>16</u>
CQS Electric	171 Cardevco Road Ottawa ON K0A 1L0	W	135.74	<u>16</u>
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	W	135.74	<u>16</u>
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	W	135.74	<u>16</u>
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	W	135.74	<u>16</u>

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	<u>Map Key</u>
Harris Rebar Company	171 Cardevco Road Ottawa ON	W	135.74	<u>16</u>
Harris Rebar Company	171 Cardevco Road Ottawa ON	W	135.74	<u>16</u>
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	W	135.74	<u>16</u>
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	W	135.74	<u>16</u>
Harris Rebar Company	171 Cardevco Road Ottawa ON K0A 1L0	W	135.74	<u>16</u>
Harris Rebar - Harris Steel ULC	171 Cardevco Road Ottawa ON K0A 1L0	W	135.74	<u>16</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A 1L0	SE	136.32	<u>17</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A 1L0	SE	136.32	<u>17</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON	SE	136.32	<u>17</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SE	136.32	<u>17</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SE	136.32	<u>17</u>

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SE	136.32	<u>17</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SE	136.32	<u>17</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SE	136.32	<u>17</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SE	136.32	<u>17</u>
2299663 Ontario Ltd	142 Cardevco Road Carp ON K0A1L0	SSE	163.98	<u>21</u>
Capital Dedicated Logisics	135 Cardevco Carp ON K0A 1L0	S	174.45	<u>24</u>
Capital Dedicated Logisics	135 Cardevco Carp ON K0A 1L0	S	174.45	<u>24</u>
Capital Dedicated Logisics	135 Cardevco Carp ON K0A 1L0	S	174.45	<u>24</u>
Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	S	174.45	<u>24</u>
Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	S	174.45	<u>24</u>
Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	S	174.45	<u>24</u>
Premier Bus Lines Inc. Carp	135 Cardevco Rd Carp ON K0A 1L0	S	174.45	<u>24</u>

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
Competition Composites	168 Wescar Lane Carp ON K0A 1L0	wsw	180.20	<u>25</u>
Competition Composites	168 Wescar Lane Carp ON K0A 1L0	wsw	180.20	<u>25</u>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	sw	188.93	<u>30</u>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	sw	188.93	<u>30</u>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	sw	188.93	<u>30</u>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	sw	188.93	<u>30</u>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	SW	188.93	<u>30</u>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON	sw	188.93	<u>30</u>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	sw	188.93	<u>30</u>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	SW	188.93	<u>30</u>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	sw	188.93	<u>30</u>

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	Map Key
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	SW	188.93	<u>30</u>
6920055 Canada Inc.	1 - 144 Wescar Lane Carp ON K0A 1L0	sw	188.93	<u>30</u>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	SE	197.08	<u>31</u>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	SE	197.08	<u>31</u>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	SE	197.08	<u>31</u>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON	SE	197.08	<u>31</u>
1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	SE	197.08	<u>31</u>
1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	SE	197.08	<u>31</u>
1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	SE	197.08	<u>31</u>
1850795 Ontario Inc.	132 CARDEVCO RD CARP ON K0A 1L0	SE	197.08	<u>31</u>
Tarstone Canada Limited	132 Cardevco Road Carp ON K0A1L0	SE	197.08	<u>31</u>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	SE	197.08	<u>31</u>

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	<u>Map Key</u>
634833 ONTARIO INC.	132 CARDEVCO RD CARP ON K0A 1L0	SE	197.08	<u>31</u>
G P SERVICE STATION MAINTENANCE	132 CARDEVCO OFF CARP ROAD C/O P.O. BOX 657 STITTSVILLE ON KOA 3G0	SE	197.08	<u>31</u>
G.P. SERVICE STATION MAINTENANCE	132 CARDEVCO ROAD CARP ON KOA 1L0	SE	197.08	<u>31</u>
G P SERVICE STATION MAINTENANCE 16-270	132 CARDEVCO OFF CARP ROAD C/O P.O. BOX 657 STITTSVILLE ON K2S 1A7	SE	197.08	<u>31</u>
G. P. SERVICE STATION MAINTENANCE	QUEENSWAY CARP INDUSTRIAL PARK 132 CARDEVCO ROAD CARP ON K0A 1L0	SE	197.08	<u>31</u>
NU-TEK SIGNS INC.	162 WESCAR LANE CARP ON K0A 1L0	WSW	197.31	<u>32</u>
ONTRAC EQUIPMENT SERVICES	139 CARDEVCO ROAD CARP ON K0A 1L0	SSE	202.16	<u>35</u>
ALLEREX LABORATORY LTD.	180 WESCAR DRIVE CARP ON K0A 2N0	W	214.80	<u>37</u>
ServiceMaster Ottawa DR	180 Wescar Lane Ottawa ON KOA1LO	W	214.80	<u>37</u>
Service Master Ottawa Service Master Ottawa	180 Wescar Lane Ottawa ON KOA1LO	W	214.80	<u>37</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE	222.73	<u>40</u>

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
Voyageur Transportation Services	100 Cardeveo Road Ottawa ON K0A 1L0	SE	224.06	<u>42</u>
FirstCanada ULC	100 CARDEVCO DRIVE CARP ON K0A 1L0	SE	224.06	<u>42</u>
FirstCanada ULC	100 CARDEVCO DRIVE CARP ON KOA 1L0	SE	224.06	<u>42</u>
Voyageur Transportation Services	100 Cardeveo Road Ottawa ON K0A 1L0	SE	224.06	<u>42</u>
947465 Ontario Ltd	100 Cardevco Road Ottawa ON K0A 1L0	SE	224.06	<u>42</u>
947465 Ontario Ltd	100 Cardevco Road Ottawa ON K0A 1L0	SE	224.06	42
CHARTERWAYS CANADIAN DIVISION	100 CARDEVCO DRIVE CARP ON K0A 1L0	SE	224.06	<u>42</u>
LAIDLAW TRANSIT LIMITED	100 CARDEVCO DRIVE CARP ON K0A 1L0	SE	224.06	<u>42</u>
FirstCanada ULC	100 CARDEVCO DRIVE CARP ON K0A 1L0	SE	224.06	<u>42</u>
FirstCanada ULC	100 CARDEVCO DRIVE CARP ON K0A 1L0	SE	224.06	<u>42</u>
FirstCanada ULC	100 CARDEVCO DRIVE CARP ON K0A 1L0	SE	224.06	<u>42</u>
FirstCanada ULC	100 CARDEVCO DRIVE CARP ON KOA 1L0	SE	224.06	<u>42</u>

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	<u>Map Key</u>
FirstCanada ULC	100 CARDEVCO DRIVE CARP ON KOA 1L0	SE	224.06	<u>42</u>
FirstCanada ULC	100 CARDEVCO DRIVE CARP ON	SE	224.06	<u>42</u>
Voyageur Transportation Services	100 Cardeveo Road Ottawa ON K0A 1L0	SE	224.06	<u>42</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON	SSE	239.46	<u>46</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE	239.46	<u>46</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE	239.46	<u>46</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE	239.46	<u>46</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE	239.46	<u>46</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE	239.46	<u>46</u>
Akman Construction Inc.	123 Cardevco Rd Carp ON K0A 1L0	SSE	239.46	<u>46</u>
Lower Elevation DAVTAIR INDUSTRIES INC.	Address 197 CARDEVCO ROAD CARP ON K2H 7V1	<u>Direction</u> NE	<u>Distance (m)</u> 120.93	<u>Map Key</u> <u>8</u>

davtair industries inc	197 cardevco rd ottawa ON K2H 7V1	NE	120.93	<u>8</u>
Davtair Industries Inc.	197 Cardevco Rd Ottawa ON K0A 1L0	NE	120.93	<u>8</u>
Davtair Industries Inc.	197 Cardevco Rd Ottawa ON	NE	120.93	<u>8</u>
Davtair Industries Inc.	197 Cardevco Rd Ottawa ON	NE	120.93	<u>8</u>
DAVEY TREE EXPERT CO OF CANADA LTD	196 CARDEVCO RD. TWP OF WEST CARLETON C/O 3350 SOUTH SERVICE RD. BURLINGTON ON L7N 3M6	E	123.62	9
DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD WEST CARLETON TWP. ON L7N 3M6	Е	123.62	9
DAVEY TREE EXPERT CO OF CANADA LTD12-353	196 CARDEVCO RD. TWP OF WEST CARLETON C/O 3350 SOUTH SERVICE RD. BURLINGTON ON L7N 3M6	Е	123.62	<u>9</u>
DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON K0A 1L0	Е	123.62	9
DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON K0A 1L0	Е	123.62	9
DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON K0A 1L0	Е	123.62	9
DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON K0A 1L0	Е	123.62	9
DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON	Е	123.62	9

DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	Е	123.62	9
DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	Е	123.62	9
DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	Е	123.62	9
DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	Е	123.62	<u>9</u>
DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	Е	123.62	<u>9</u>
DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	Е	123.62	<u>9</u>
DAVEY TREE EXPERT CO. OF CANADA LTD.	196 CARDEVCO ROAD CARP ON KOG 1L0	Е	123.62	9
ONTRAC EQUIPMENT SERVICES	189 CARDEVCO ROAD CARP ON KOA 1L0	N	135.64	<u>15</u>
Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N	135.64	<u>15</u>
Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N	135.64	<u>15</u>
Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N	135.64	<u>15</u>
Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N	135.64	<u>15</u>

Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N	135.64	<u>15</u>
Nortrax Canada Inc.	189 Cardevco Road Carp ON	N	135.64	<u>15</u>
Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N	135.64	<u>15</u>
PCL CONSTRUCTION CANADA INC.	189 CARDEVCO ROAD CARP ON KOA 1L0	N	135.64	<u>15</u>
PCL CONSTRUCTION CANADA INC.	189 CARDEVCO ROAD CARP ON KOA 1L0	N	135.64	<u>15</u>
Nortrax Canada Inc.	189 Cardevco Road Carp ON K0A 1L0	N	135.64	<u>15</u>
PCL CONSTRUCTION CANADA INC.	189 CARDEVCO ROAD CARP ON KOA 1L0	N	135.64	<u>15</u>
PCL CONSTRUCTION CANADA INC.	189 CARDEVCO ROAD CARP ON KOA 1L0	N	135.64	<u>15</u>
PCL CONSTRUCTION CANADA INC.	189 CARDEVCO ROAD CARP ON KOA 1L0	N	135.64	<u>15</u>
PCL CONSTRUCTION CANADA INC.	189 CARDEVCO ROAD CARP ON KOA 1L0	N	135.64	<u>15</u>
TRUCK & TRACTOR EASTERN INC. 05-915	189 CARDEVCO ROAD WEST CARLETON ON	N	135.64	<u>15</u>
BOYER EQUIPMENT INC. 05-915	189 CARDEVCO STREET WEST CARLETON ON	N	135.64	<u>15</u>
TRUCK & TRACTOR (SEE & USE ON2158207)	189 CARDEVCO ROAD WEST CARLETON ON	N	135.64	<u>15</u>

PES - Pesticide Register

A search of the PES database, dated Oct 2011- Aug 31, 2022 has found that there are 1 PES site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
THUNDERBOLT CONTRACTING INC.	149 CARDEVLO RD CARP ON KOA1LO	SSW	128.98	<u>10</u>

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 12 SCT site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation Prestige Fence	Address 163 Cardevco Rd Carp ON K0A 1L0	<u>Direction</u> WSW	<u>Distance (m)</u> 105.16	Map Key
City Plastering	2-149 Cardevco Rd Carp ON K0A 1L0	ssw	128.98	<u>10</u>
Harris Rebar - Div. of Harris Steel Limited	171 Cardevco Rd Ottawa ON K1G 1L0	W	135.74	<u>16</u>
Harris Rebar - Div. of Harris	171 Cardevco Rd Carp ON K0A 1L0	W	135.74	<u>16</u>
Bytown Mouldings Inc.	142 Cardevco Rd Carp ON K0A 1L0	SE	136.32	<u>17</u>
Kerr Design Ltd.	168 Wescar Lane RR 2 Carp ON K0A 1L0	wsw	180.20	<u>25</u>
Competition Composites Inc.	168 Wescar Lane Unit 3 Carp ON K0A 1L0	WSW	180.20	<u>25</u>

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Competition Composites Inc.	3-168 Wescar Lane Carp ON K0A 1L0	wsw	180.20	<u>25</u>

Lower Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
Davtair Industries Inc.	197 Cardevco Rd Carp ON K0A 1L0	NE	120.93	<u>8</u>
DAVTAIR INDUSTRIES INC.	197 CARDEVCO RD OTTAWA ON K1P	NE	120.93	<u>8</u>
Nortrax Canada Inc.	189 Cardevco Rd RR 2 Carp ON K0A 1L0	N	135.64	<u>15</u>
The Carp Valley Press	2210 Cavanmore Dr Carp ON	NNE	240.45	<u>47</u>

SPL - Ontario Spills

A search of the SPL database, dated 1988-Sep 2020; Dec 2020-Mar 2021 has found that there are 2 SPL site(s) within approximately 0.25 kilometers of the project property.


Equal/Higher Elevation	Address 158 CARDEVCO RD \ WEST CARLETON TOWNSHIP ON	<u>Direction</u> WNW	Distance (m) 0.00	<u>Map Key</u> <u>1</u>
Lower Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	<u>Map Key</u>
Nortrax Canada Inc.	189 Cardevco Rd RR#2, Carp Ottawa ON K0A 1L0	N	135.64	<u>15</u>

WWIS - Water Well Information System

A search of the WWIS database, dated Jun 30 2022 has found that there are 14 WWIS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	Address lot 6 con 3 ON	<u>Direction</u> SSE	<u>Distance (m)</u> 60.17	Map Key
	Well ID: 1532402			
	153 CARDEVCO ROAD lot 6 con 3 CARP ON	wsw	133.58	<u>12</u>
	Well ID: 7127022			
	5630 OSGOODE MAIN STREET lot 6 con 3 OSGOODE ON Well ID: 7126803	wsw	133.58	12
	lot 6 con 3 ON	S	140.98	<u>19</u>
	Well ID: 1532757			
	123 CARDEVCO ROAD lot 6 con 3 CARP ON	S	180.94	<u>26</u>
	Well ID: 7210658			
	135 CARDEVCO RD CARP ON	S	184.26	<u>29</u>
	Well ID: 7186867			
	171 CARDENCO lot 6 con 3 CARP ON	WNW	198.31	<u>33</u>
	Well ID: 7191739			
	128 Cardevco Rd Carp ON	ESE	199.93	<u>34</u>
	Well ID: 7344968			
	132 WESCAR LANE lot 6 con 3 CARP ON	SSW	202.42	<u>36</u>
	Well ID: 1536824			
	100 CARDEVCO RD CARP ON	SE	215.23	<u>38</u>
	Well ID: 7335299			
	100 CARDWCO RD CARP ON	ESE	222.92	<u>41</u>
	Well ID: 7335296			
	100 CARDEYCA RD CARP ON	ESE	238.12	<u>44</u>

Equal/Higher Elevation	<u>Address</u>	Direction	Distance (m)	<u>Map Key</u>
	Well ID: 7335295			
	126 WESCAR LANE lot 10 con 24 OTTAWA ON	SSE	238.69	<u>45</u>
	Well ID: 1536876			
Lower Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	<u>Map Key</u>
	lot 6 con 3 ON	NE	90.46	<u>4</u>
	Well ID: 1532934			






Aerial Year: 2021 Order Number: 22100605450

Address: 158 Cardevco Road Ottawa ON, Carp, ON

ERIS



Topographic Map

Address: 158 Cardevco Road Ottawa ON, ON

Source: ESRI World Topographic Map

Order Number: 22100605450



Detail Report

Мар Кеу	Numbe Record		ction/ ance (m)	Elev/Diff (m)	Site		DB
1	1 of 4	WNW	//0.0	116.9 / 0.08	158 CARDEVCO RD \ WEST CARLETON TO	DWNSHIP ON	SPL
Ref No:		157790			Discharger Report:		
Site No: Incident Dt: Year: Incident Cau Incident Eve Contaminant Contaminant Contaminant Contaminant Contaminant 1:	ent: t Code: t Name: t Limit 1: it Freq 1:	7/3/1998			Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region:		
Environment Nature of Imp Receiving Ma Receiving En MOE Respor Dt MOE Arvi	pact: ledium: nv: nse: l on Scn:	LAND / WATER			Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu:	20613	
MOE Reporte Dt Documen Incident Rea Site Name: Site County/L Site Geo Ref Incident Sum Contaminant	t Closed: ison: District: Meth: imary:	7/9/1998			Site Map Datum: SAC Action Class: Source Type:		
1	2 of 4	WNW	//0.0	116.9 / 0.08	S L HODGINS 158 CARDEVCO CARP ON KOA 1L0		GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	tion:	ON2019300 9919 OTHER MACH. R 95,96,97,98	ENTAL		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>							
Waste Class: Waste Class		252 WASTE	OILS & LU	BRICANTS			
1	3 of 4	WNW	//0.0	116.9 / 0.08	S. L. HODGINS 158 CARDEVCO CARP ON		GEN
Generator No SIC Code:	o:	ON2019300 9919			Status: Co Admin:		

Number of Direction/ Elev/Diff Site DΒ Map Key

OTHER MACH. RENTAL SIC Description:

Records

Approval Years: PO Box No: Country:

99,00,01

Distance (m)

(m)

Phone No Admin: Contam. Facility: MHSW Facility:

Choice of Contact:

Detail(s)

252 Waste Class:

Waste Class Desc: WASTE OILS & LUBRICANTS

4 of 4 WNW/0.0 116.9 / 0.08 158 Cardevco Rd 1 **EHS** Ottawa ON K0A1L0

20160725056 Order No: Status:

Report Type: Standard Report 28-JUL-16 Report Date: Date Received: 25-JUL-16

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection:

Municipality: Client Prov/State: ON Search Radius (km): .25

-75.978541 X: Y: 45.294331

28-Nov-2001 00:00:00

OTTAWA-CARLETON

Order No: 22100605450

TRUE

1558

006

CON

03

2 1 of 1 SSE/60.2 117.8 / 1.03 lot 6 con 3 **WWIS** ON

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

Flow Rate:

Data Src:

Well ID: 1532402

Construction Date: Domestic Use 1st:

Use 2nd:

Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: 238005

Tag:

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Site Info:

HUNTLEY TOWNSHIP Municipality:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1532402.pdf

Additional Detail(s) (Map)

Well Completed Date: 2001/10/23 Year Completed: 2001 Depth (m): 22.86

45.2938164574934 Latitude: Longitude: -75.9783015078213 153\1532402.pdf Path:

Bore Hole Information

Bore Hole ID: 10516852 Elevation: DP2BR: Elevrc:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

18

N83

423290.00 5016056.00

margin of error: 10 - 30 m

Order No: 22100605450

Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 23-Oct-2001 00:00:00

Remarks:

Loc Method Desc: Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 932832735

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 932832736

 Layer:
 2

 Color:
 2

 General Color:
 GREY

Mat1: 15

Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 6.0
Formation End Depth: 75.0
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933219844

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 21.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961532402

LIMESTONE

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Method Construction Code:

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 11065422

Casing No: Comment:

Alt Name:

Construction Record - Casing

Casing ID: 930094748

Layer:

Material: 4
Open Hole or Material: OPEN HOLE

Depth From:

rom:

Depth To:

Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930094749

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From: Depth To:

Casing Diameter: 6.0

Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pumping Test Method Desc: PUMP

Pump Test ID: 991532402

Pump Set At:

Static Level:4.0Final Level After Pumping:20.0Recommended Pump Depth:50.0Pumping Rate:25.0

Flowing Rate:

Recommended Pump Rate: 5.0 Levels UOM: ft Rate UOM: GPM

Water State After Test: 2
Water State After Test: CLOUDY

Pumping Test Method:1Pumping Duration HR:1Pumping Duration MIN:0Flowing:No

Draw Down & Recovery

 Pump Test Detail ID:
 934116794

 Test Type:
 Draw Down

 Test Duration:
 15

 Test Level:
 20.0

 Test Level UOM:
 ft

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Draw Down & Recovery

 Pump Test Detail ID:
 934660930

 Test Type:
 Draw Down

 Test Duration:
 45

 Test Level:
 50.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934400963

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 50.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934918371

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 70.0

 Test Level UOM:
 ft

Water Details

Water ID: 934008590

Layer: 1 Kind Code: 5

Kind: Not stated
Water Found Depth: 62.0
Water Found Depth UOM: ft

Links

3

Bore Hole ID: 10516852 **Tag No:**

SE/61.3

Depth M: 22.86 **Contractor**: 1558

 Year Completed:
 2001
 Path:
 153\1532402.pdf

 Well Completed Dt:
 2001/10/23
 Latitude:
 45.2938164574934

 Audit No:
 238005
 Longitude:
 -75.9783015078213

Certificate #: 4377-7DRRP3
Application Year: 2008

Issue Date: 7/11/2008
Approval Type: Waste Management Systems

Status: Approved

1 of 2

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: 117.8 / 1.03 Kris Jason Hodgins 154 Cardevco Dr Ottawa ON

gins Or CA

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

3 2 of 2 SE/61.3 117.8 / 1.03 Kris Jason Hodgins 154 Cardevco Dr

Ottawa ON KOA 1L0

ECA

Order No: 22100605450

4377-7DRRP3 **MOE District:** Approval No: Approval Date: 2008-07-11 City: Approved Longitude: Status: Record Type: **ECA** Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-WASTE MANAGEMENT SYSTEMS
Project Type: WASTE MANAGEMENT SYSTEMS

Business Name: Kris Jason Hodgins Address: 154 Cardevco Dr

Address: Full Address:

https://www.accessenvironment.ene.gov.on.ca/instruments/7290-7DGHV7-14.pdf

Full PDF Link: PDF Site Location:

4 1 of 1 NE/90.5 116.0 / -0.76 lot 6 con 3 WWIS

Well ID: 1532934 Flowing (Y/N):

Construction Date: Flow Rate:
Use 1st: Domestic Data Entry Status:

Use 2nd:

Data Src:

Final Well Status: Water Supply Date Received: 12-Jul-2002 00:00:00

Water Type: Selected Flag: TRUE

 Casing Material:
 Abandonment Rec:

 Audit No:
 237884
 Contractor:
 1119

 Tag:
 Form Version:
 1

Constructn Method: Owner:

Elevation (m): County: OTTAWA-CARLETON

 Elevatn Reliabilty:
 Lot:
 006

 Depth to Bedrock:
 Concession:
 03

 Well Depth:
 Concession Name:
 CON

Well Depth: Concession Name: COI
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:

Static Water Level: Zone:
Clear/Cloudy: UTM Reliability:

Municipality: GOULBOURN TOWNSHIP

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1532934.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2002/05/28

 Year Completed:
 2002

 Depth (m):
 15.24

 Latitude:
 45.2949016293912

 Longitude:
 -75.9777182026145

 Path:
 153\1532934.pdf

Bore Hole Information

 Bore Hole ID:
 10529681
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 423337.20

 Code OB Desc:
 North83:
 5016176.00

Open Hole: Org CS:

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

UTMRC:

UTMRC Desc:

Location Method:

5

gis

margin of error: 100 m - 300 m

Order No: 22100605450

Cluster Kind:

Date Completed: 28-May-2002 00:00:00

Remarks:

Loc Method Desc: from gis

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

932879692 Formation ID: Layer: Color: 2 General Color: **GREY**

Mat1: 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 9.0 50.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932879691

Layer:

Color:

General Color:

Mat1: 11

GRAVEL Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 9.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933230026 Layer:

Plug From: 2.0 22.0 Plug To: Plug Depth UOM:

Method of Construction & Well

Use

Method Construction ID: 961532934

Method Construction Code:

Method Construction: Air Percussion

Other Method Construction:

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Pipe Information

11078251 Pipe ID: Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930095866

3 Layer: Material:

OPEN HOLE Open Hole or Material:

Depth From: Depth To:

Casing Diameter: 6.0 Casing Diameter UOM: inch ft Casing Depth UOM:

Construction Record - Casing

930095865 Casing ID:

Layer: 2 Material: 1 Open Hole or Material: **STEEL**

Depth From:

Depth To:

6.0 Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM:

Construction Record - Casing

Casing ID: 930095864

Layer: Material:

OPEN HOLE Open Hole or Material:

Depth From:

Depth To: Casing Diameter: 8.0 Casing Diameter UOM: inch ft

Casing Depth UOM:

Results of Well Yield Testing

PUMP Pumping Test Method Desc: 991532934 Pump Test ID:

Pump Set At:

Static Level: 2.0 Final Level After Pumping: 40.0 Recommended Pump Depth: 40.0 30.0 Pumping Rate:

Flowing Rate:

Recommended Pump Rate: 30.0 Levels UOM: ft Rate UOM: **GPM**

Water State After Test Code: Water State After Test: **CLOUDY**

Pumping Test Method: **Pumping Duration HR:** 1 **Pumping Duration MIN:** 0 Flowing: No Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Draw Down & Recovery

 Pump Test Detail ID:
 934662638

 Test Type:
 Recovery

 Test Duration:
 45

 Test Level:
 2.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934402118

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 2.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934118504

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 2.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934919522

 Test Type:
 Recovery

 Test Duration:
 60

 Test Level:
 2.0

 Test Level UOM:
 ft

Water Details

Water ID: 934022234

Layer: 2 Kind Code: 5

Kind: Not stated
Water Found Depth: 42.0
Water Found Depth UOM: ft

Water Details

Water ID: 934022233

Layer: 1 Kind Code: 5

Kind: Not stated
Water Found Depth: 31.0
Water Found Depth UOM: ft

<u>Links</u>

 Bore Hole ID:
 10529681
 Tag No:

 Depth M:
 15.24
 Contractor:

 Year Completed:
 2002
 Path:
 153\1532934.pdf

 Well Completed Dt:
 2002/05/28
 Latitude:
 45.2949016293912

 Audit No:
 237884
 Longitude:
 -75.9777182026145

1119

Map Key	Number Records		Elev/Diff (m)	Site		DB
<u>5</u>	1 of 2	SE/104.8	117.9 / 1.08	146 Cardevco Road Carp ON K0A 1L0		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional li	e: red: te Name:	22031000108 C Standard Report 15-MAR-22 10-MAR-22		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.97777 45.29356	
<u>5</u>	2 of 2	SE/104.8	117.9 / 1.08	146 Cardevco Road Carp ON K0A 1L0		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional In	e: ved: te Name:	22031000108 C Standard Report 15-MAR-22 10-MAR-22		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.97777 45.29356	
<u>6</u>	1 of 2	WSW/105.2	118.9 / 2.14	Prestige Fence 163 Cardevco Rd Carp ON K0A 1L0		SCT
Established Plant Size (f Employmen	ft²):	01-AUG-86				
Details Description SIC/NAICS (Other Millwork 321919				
Description SIC/NAICS (Other Millwork 321919				
Description SIC/NAICS (All Other Miscellan 321999	eous Wood Produ	ct Manufacturing		
<u>6</u>	2 of 2	WSW/105.2	118.9 / 2.14	163 Cardevco Road Carp ON K0A 1L0		EHS
Order No: Status: Report Type Report Date Date Receiv Previous Sit Lot/Building Additional li	e: red: te Name:	20061107020 C Complete Report 11/13/2006 11/7/2006 Fire Insur. Maps A	nd /or Site Plans	Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Richardson Side Road ON 0.25 -75.979292 45.294151	
7	1 of 4	SW/120.3	118.8 / 2.05	Andrew Ross McNeel 153 Cardevco Rd Ottawa ON	у	CA

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 5389-78RKYC Certificate #: Application Year: 2007 11/14/2007 Issue Date: Approval Type: Industrial Sewage Works Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:** 7 2 of 4 SW/120.3 118.8 / 2.05 Andrew Ross McNeely **ECA** 153 Cardevco Rd Ottawa ON 5389-78RKYC Approval No: **MOE District:** Ottawa 2007-11-14 Approval Date: City: Status: Approved Longitude: -75.97935 45.29343 **ECA** Latitude: Record Type: Link Source: IDS Geometry X: SWP Area Name: Mississippi Valley Geometry Y: Approval Type: ECA-INDUSTRIAL SEWAGE WORKS Project Type: INDUSTRIAL SEWAGE WORKS **Business Name:** Andrew Ross McNeely Address: 153 Cardevco Rd Full Address: https://www.accessenvironment.ene.gov.on.ca/instruments/3313-75EUGY-14.pdf Full PDF Link: PDF Site Location: 3 of 4 SW/120.3 118.8 / 2.05 7 Thunderbolt Contracting **GEN** 153 Cardevco Road, Unit 2 Carp ON KOA 1L0 Generator No: ON9364148 Status: 561730 Co Admin: SIC Code: LANDSCAPING SERVICES Choice of Contact: CO OFFICIAL SIC Description:

Approval Years: 2015

PO Box No:

Country: Canada

Phone No Admin:

Contam. Facility: No MHSW Facility: No

Detail(s)

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

7 4 of 4 SW/120.3 118.8 / 2.05 Thunderbolt Contracting 153 Cardevco Road RR#2

Carp ON K0A 1L0

Order No: 22100605450

 Generator No:
 ON9364148
 Status:

 SIC Code:
 561730
 Co Admin:

SIC Description: LANDSCAPING SERVICES Choice of Contact: CO_OFFICIAL

Map Key Number of Direction/ Elev/Diff Site DB

Approval Years:

2014

Phone No Admin:

PO Box No: Country:

Canada

Contam. Facility: No MHSW Facility: No

Detail(s)

Waste Class: 212

Records

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

8 1 of 7 NE/120.9 114.7 / -2.07 DAVTAIR INDUSTRIES INC.

(m)

197 CARDEVCO RD OTTAWA ON K1P SCT

Order No: 22100605450

Established: 1988
Plant Size (ft²): 0
Employment: 20

--Details--

Description: PREFABRICATED METAL BUILDINGS AND COMPONENTS

Distance (m)

SIC/NAICS Code: 3448

Description: FABRICATED METAL PRODUCTS, NOT ELSEWHERE CLASSIFIED

SIC/NAICS Code: 3499

Description: TRUCK AND BUS BODIES

SIC/NAICS Code: 3713

8 2 of 7 NE/120.9 114.7/-2.07 Davtair Industries Inc.

197 Cardevco Rd Carp ON K0A 1L0

Established: 01-JUL-88
Plant Size (ft²): 15000

Employment:

--Details--

Description: Metal Can Manufacturing

SIC/NAICS Code: 332431

Description: All Other Miscellaneous Fabricated Metal Product Manufacturing

SIC/NAICS Code: 332999

Description: Prefabricated Metal Building and Component Manufacturing

SIC/NAICS Code: 332311

Description: Other Metal Container Manufacturing

SIC/NAICS Code: 332439

Description: Motor Vehicle Body Manufacturing

SIC/NAICS Code: 336211

Description: Motor Vehicle Body Manufacturing

SIC/NAICS Code: 336211

Description: Stamping

Мар Кеу	Numbe Record		Elev/Diff n) (m)	Site	DB
SIC/NAICS (Code:	332118			
8	3 of 7	NE/120.9	114.7 / -2.07	DAVTAIR INDUSTRIES INC. 197 CARDEVCO ROAD CARP ON K2H 7V1	GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion: ears:	ON2582700 3351 TELECOMMUNICATIONS 00,01	3	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class Waste Class		145 PAINT/PIGMEN	T/COATING RESIDU	JES	
8	4 of 7	NE/120.9	114.7 / -2.07	davtair industries inc 197 cardevco rd ottawa ON K2H 7V1	GEN
Generator N SIC Code: SIC Descrip		ON4338103 332999 All Other Miscellaneous Fa	abricated Metal	Status: Co Admin: Choice of Contact:	
Approval Ye PO Box No: Country:		Product Manufacturing 04,06		Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		145 PAINT/PIGMEN	T/COATING RESIDU	JES	
Waste Class Waste Class		211 AROMATIC SO	LVENTS		
8	5 of 7	NE/120.9	114.7/-2.07	Davtair Industries Inc. 197 Cardevco Rd Ottawa ON K0A 1L0	GEN
Generator N SIC Code: SIC Descript		ON3395006 332319 Other Plate Work and Fab Product Manufacturing	ricated Structural	Status: Co Admin: Choice of Contact:	
Approval Ye PO Box No: Country:		07,08		Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class		145 PAINT/PIGMEN	T/COATING RESIDU	JES	
8	6 of 7	NE/120.9	114.7 / -2.07	Davtair Industries Inc. 197 Cardevco Rd Ottawa ON	GEN

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Generator No: ON3395006 Status: SIC Code: 332319 Co Admin: Other Plate Work and Fabricated Structural SIC Description: Choice of Contact: **Product Manufacturing** Approval Years: 2009 Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: 145 Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES 8 7 of 7 NE/120.9 114.7/-2.07 Davtair Industries Inc. **GEN** 197 Cardevco Rd Ottawa ON Generator No: ON3395006 Status: SIC Code: 332319 Co Admin: SIC Description: Other Plate Work and Fabricated Structural Choice of Contact: **Product Manufacturing** Approval Years: 2010 Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: 145 PAINT/PIGMENT/COATING RESIDUES Waste Class Desc: Waste Class: Waste Class Desc: AROMATIC SOLVENTS

1 of 15 E/123.6 115.8 / -0.97 DAVEY TREE EXPERT CO OF CANADA LTD 9

196 CARDEVCO RD. TWP OF WEST CARLETON C/O 3350 SOUTH SERVICE RD.

GEN

GEN

Order No: 22100605450

BURLINGTON ON L7N 3M6

Generator No: ON1119201 Status:

SIC Code: 9959 Co Admin: OTHER SERV. TO BLDG. SIC Description: Choice of Contact:

Approval Years: 88,89

PO Box No:

Country:

Detail(s)

Waste Class:

Waste Class Desc: WASTE OILS & LUBRICANTS

9 2 of 15 E/123.6 115.8 / -0.97 DAVEY TREE EXPERT CO. OF CANADA LTD.

196 CARDEVCO ROAD

WEST CARLETON TWP. ON L7N 3M6

Generator No: ON1119201 SIC Code: 9959

SIC Description: OTHER SERV. TO BLDG.

Approval Years: 92,93,97,98,99,00,01,02,03,04,05,06,07,08

PO Box No:

Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:

Phone No Admin:

Contam. Facility: MHSW Facility:

MHSW Facility:

Status:

Country:

Мар Кеу	Numbe Record		Elev/Diff (m)	Site	DB
Detail(s)					
Waste Class: Waste Class Desc:		252 WASTE OILS & I	LUBRICANTS		
9	3 of 15	E/123.6	115.8 / -0.97	DAVEY TREE EXPERT CO OF CANADA LTD12- 353 196 CARDEVCO RD. TWP OF WEST CARLETON C/O 3350 SOUTH SERVICE RD. BURLINGTON ON L7N 3M6	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON1119201 9959 OTHER SERV. TO BLDG. 94,95,96		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			
9	4 of 15	E/123.6	115.8 / -0.97	DAVEY TREE EXPERT CO. OF CANADA LTD. 196 CARDEVCO ROAD CARP ON K0A 1L0	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON1119201 561730 Landscaping Services 2009		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			
9	5 of 15	E/123.6	115.8 / -0.97	DAVEY TREE EXPERT CO. OF CANADA LTD. 196 CARDEVCO ROAD CARP ON KOA 1L0	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON1119201 561730 Landscaping Services 2010		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS			
9	6 of 15	E/123.6	115.8 / -0.97	DAVEY TREE EXPERT CO. OF CANADA LTD. 196 CARDEVCO ROAD CARP ON KOA 1LO	GEN

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Status:

Status:

Co Admin:

Generator No: ON1119201 SIC Code: 561730

SIC Description: 2011

Approval Years: PO Box No: Country:

Landscaping Services

Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class:

WASTE OILS & LUBRICANTS Waste Class Desc:

7 of 15 E/123.6 115.8 / -0.97 9

DAVEY TREE EXPERT CO. OF CANADA LTD. 196 CARDEVCO ROAD

GEN

Order No: 22100605450

CARP ON KOA 1L0

ON1119201 Generator No: 561730 SIC Code:

Landscaping Services SIC Description: 2012

Approval Years: PO Box No: Country:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

DAVEY TREE EXPERT CO. OF CANADA LTD. 8 of 15 E/123.6 115.8 / -0.97 9 GEN 196 CARDEVCO ROAD

CARP ON

ON1119201 Generator No: SIC Code: 561730

LANDSCAPING SERVICES SIC Description:

Approval Years:

PO Box No: Country:

Status: Co Admin:

Choice of Contact: Phone No Admin:

Contam. Facility: MHSW Facility:

Detail(s)

Waste Class:

Waste Class Desc: WASTE OILS & LUBRICANTS

9 of 15 E/123.6 115.8 / -0.97 DAVEY TREE EXPERT CO. OF CANADA LTD. 9 **GEN** 196 CARDEVCO ROAD

CARP ON KOG 1L0

Generator No: ON1119201 Status: SIC Code: 561730 SIC Description:

Approval Years: 2016

PO Box No:

Co Admin: David W Howell LANDSCAPING SERVICES Choice of Contact: CO OFFICIAL Phone No Admin: 905-304-7359 Ext.2018

Contam. Facility: No Country: Canada MHSW Facility: No

Detail(s)

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Мар Кеу	Numbe Record		Elev/Diff n) (m)	Site		DB
<u>9</u>	10 of 15	E/123.6	115.8 / -0.97	DAVEY TREE EXPERT CO. OF CANADA LTD. 196 CARDEVCO ROAD CARP ON KOG 1L0		GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON1119201 561730 LANDSCAPING SERVICE 2015 Canada	S	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	David W Howell CO_OFFICIAL 905-304-7359 Ext.2018 No No	
<u>Detail(s)</u>						
Waste Class: Waste Class Desc:		252 WASTE OILS & LUBRICANTS				
9	11 of 15	E/123.6	115.8 / -0.97	DAVEY TREE EXPERT CO. OF CANADA LTD. 196 CARDEVCO ROAD CARP ON KOG 1L0		GEN
Generator N SIC Code: SIC Descrip Approval Yo PO Box No: Country:	otion: ears:	ON1119201 561730 LANDSCAPING SERVICE 2014 Canada	s	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	David W Howell CO_OFFICIAL 905-304-7359 Ext.2018 No No	
<u>Detail(s)</u>						
Waste Class: Waste Class Desc:		252 WASTE OILS &	LUBRICANTS			
9	12 of 15	E/123.6	115.8 / -0.97	DAVEY TREE EXPE 196 CARDEVCO RO CARP ON KOG 1L0	RT CO. OF CANADA LTD. AD	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON1119201 As of Dec 2018 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
Detail(s)						
Waste Class: Waste Class Desc:		252 L Waste crankcase oils and lubricants				
<u>9</u>	13 of 15	E/123.6	115.8 / -0.97	DAVEY TREE EXPERT CO. OF CANADA LTD. 196 CARDEVCO ROAD CARP ON KOG 1L0		GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON1119201 As of Jul 2020 Canada		Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		

Map Key Number of Direction/ Elev/Diff Site DΒ Records Distance (m) (m) Detail(s) Waste Class: 252 L Waste Class Desc: Waste crankcase oils and lubricants 14 of 15 DAVEY TREE EXPERT CO. OF CANADA LTD. 9 E/123.6 115.8 / -0.97 **GEN** 196 CARDEVCO ROAD **CARP ON KOG 1L0** Generator No: ON1119201 Status: Registered SIC Code: Co Admin: SIC Description: Choice of Contact: Approval Years: As of Nov 2021 Phone No Admin: PO Box No: Contam. Facility: Canada MHSW Facility: Country: Detail(s) Waste Class: 252 L Waste Class Desc: Waste crankcase oils and lubricants 9 15 of 15 E/123.6 115.8 / -0.97 DAVEY TREE EXPERT CO. OF CANADA LTD. **GEN** 196 CARDEVCO ROAD **CARP ON KOG 1L0** ON1119201 Registered Generator No: Status: SIC Code: Co Admin: SIC Description: Choice of Contact: Approval Years: As of Apr 2022 Phone No Admin: Contam. Facility: PO Box No: Country: Canada MHSW Facility: Detail(s) Waste Class: 252 L Waste Class Desc: WASTE OILS & LUBRICANTS 10 1 of 3 SSW/129.0 118.8 / 2.05 149 Cardevco Rd. **EHS** Ottawa ON Order No: 20040310001 Nearest Intersection: Municipality: Status: С Client Prov/State: ON Report Type: Complete Report Report Date: 3/18/04 Search Radius (km): 0.25 Date Received: 3/10/04 X: -75.978993 Previous Site Name: Y: 45.293726 Lot/Building Size: Additional Info Ordered: 2 of 3 SSW/129.0 118.8 / 2.05 THUNDERBOLT CONTRACTING INC. 10 **PES** 149 CARDEVLO RD **CARP ON KOA1LO** Detail Licence No: Operator Box:

Licence No: Operator Class: Status: Operator No: Approval Date: Operator Type:

Report Source: Oper Area Code: Licence Type: Licence Type Code:

Oper Phone No: Operator Ext:

Operator

Number of Direction/ Elev/Diff Site DΒ Map Key

Licence Class: Licence Control: Latitude: Longitude: Lot: Concession:

Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: **MOE District:** SWP Area Name:

County: Trade Name: PDF URL:

Region:

District:

PDF Site Location:

118.8 / 2.05 3 of 3 SSW/129.0 10 City Plastering

Distance (m)

(m)

2-149 Cardevco Rd Carp ON K0A 1L0

Established: 01-APR-82

Records

Plant Size (ft2): Employment:

--Details--

Description: **Gypsum Product Manufacturing**

SIC/NAICS Code: 327420

Description: All Other Non-Metallic Mineral Product Manufacturing

SIC/NAICS Code: 327990

Description: Gypsum Product Manufacturing

SIC/NAICS Code: 327420

Description: Other Millwork SIC/NAICS Code: 321919

ESE/132.5 117.8 / 1.01 W.O. STINSON & SON LIMITED 1 of 2 11

142 CARDEVCO RD CARP KOA 1LO ON CA

Gasoline

NULL

NULL

SCT

FST

Order No: 22100605450

ON

Serial No: Ulc Standard:

Quantity: Unit of Measure:

Fuel Type:

Fuel Type2:

Fuel Type3:

Piping Steel: Piping Galvanized:

Tanks Single Wall St:

Piping Underground:

No Underground:

Panam Related:

Panam Venue:

Manufacturer:

Instance No: 11678362

Status: Cont Name:

Instance Type: FS Liquid Fuel Tank

Item:

Item Description: FS Liquid Fuel Tank Tank Type: **Double Wall Horizontal AST**

Install Date: 7/10/2002 2002

Install Year: Years in Service:

Model: **NULL**

Description:

2270 Capacity: Tank Material: Steel Corrosion Protect: Coating

Overfill Protect:

Facility Type: FS Liquid Fuel Tank

Fuels Safety Private Fuel Outlet - Self Serve Parent Facility Type: Facility Location:

142 CARDEVCO RD CARP K0A 1L0 ON CA Device Installed Location:

Liquid Fuel Tank Details

Elev/Diff Site DΒ Map Key Number of Direction/

Overfill Protection:

Owner Account Name: W.O. STINSON & SON LIMITED

Distance (m)

Item: FS LIQUID FUEL TANK

2 of 2 ESE/132.5 117.8 / 1.01 W.O. STINSON & SON LIMITED 11

(m)

142 CARDEVCO RD CARP KOA 1L0 ON CA

Gasoline

06-Aug-2009 00:00:00

OTTAWA-CARLETON

Order No: 22100605450

TRUE

1119

7

006

CON

03

NULL

NULL

FST

Quantity: Unit of Measure:

Fuel Type:

Fuel Type2:

Fuel Type3:

Piping Steel:

Piping Galvanized:

No Underground:

Panam Related:

Panam Venue:

Flowing (Y/N):

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

UTM Reliability:

Northing NAD83:

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Flow Rate:

Data Src:

Tanks Single Wall St:

Piping Underground:

Manufacturer: Serial No:

Ulc Standard:

Instance No: 11678342

Records

Status: Cont Name:

FS Liquid Fuel Tank

Instance Type: Item:

FS Liquid Fuel Tank Item Description: Double Wall Horizontal AST Tank Type:

Install Date: 7/10/2002 Install Year: 2002

Years in Service:

Model: **NULL** Description: 2270 Capacity: Tank Material: Steel **Corrosion Protect:** Coating

Overfill Protect:

Facility Type: FS Liquid Fuel Tank

Parent Facility Type: Fuels Safety Private Fuel Outlet - Self Serve

Facility Location:

Device Installed Location: 142 CARDEVCO RD CARP K0A 1L0 ON CA

Liquid Fuel Tank Details

Overfill Protection:

W.O. STINSON & SON LIMITED **Owner Account Name:**

Item: **FS LIQUID FUEL TANK**

1 of 2 WSW/133.6 119.6 / 2.78 5630 OSGOODE MAIN STREET lot 6 con 3 12 **WWIS** OSGOODE ON

7126803 Well ID:

Construction Date:

Use 1st: **Domestic**

Use 2nd:

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No: Z94712 Tag: A082584

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level: Clear/Cloudy:

Municipality: **HUNTLEY TOWNSHIP**

Site Info:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7126803.pdf PDF URL (Map):

Additional Detail(s) (Map)

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Well Completed Date: 2009/07/06 Year Completed: 2009 Depth (m): 89.916

45.293720806574 Latitude: Longitude: -75.9800087966641 712\7126803.pdf Path:

Bore Hole Information

Bore Hole ID: 1002603458 DP2BR: Elevrc:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: UTMRC:

Date Completed: 06-Jul-2009 00:00:00 Remarks:

Elevrc Desc:

Loc Method Desc: on Water Well Record

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1002799109

Layer: 3 Color: 2 General Color: **GREY** Mat1: 18 SANDSTONE

Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 228.0 Formation End Depth: 295.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1002799108

Layer: 2 Color: **GREY** General Color: Mat1:

LIMESTONE Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 32.0 Formation End Depth: 228.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

18 Zone: East83: 423156.00 North83: 5016047.00 Org CS: UTM83 3

UTMRC Desc: margin of error: 10 - 30 m

Order No: 22100605450

Location Method:

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Formation ID: 1002799107

Layer:

Color: General Color:

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

 Mat3:
 13

Mat3 Desc:BOULDERSFormation Top Depth:0.0Formation End Depth:32.0Formation End Depth UOM:ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1002799111

 Layer:
 1

 Plug From:
 42.0

 Plug To:
 32.0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1002799112

 Layer:
 2

 Plug From:
 32.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1002799146

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1002799105

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1002799116

 Layer:
 1

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 -2.0

 Depth To:
 42.0

 Casing Diameter:
 6.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Casing

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Casing ID: 1002799117

Layer: 2 Material:

Open Hole or Material: **OPEN HOLE** Depth From: 42.0 Depth To: 295.0 Casing Diameter: 6.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1002799118

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter:

Results of Well Yield Testing

Pumping Test Method Desc:

Pump Test ID: 1002799106 Pump Set At: 280.0

Static Level: 18.579999923706055

Final Level After Pumping: 169.5 200.0 Recommended Pump Depth: Pumping Rate: 20.0

Flowing Rate: Recommended Pump Rate:

20.0 Levels UOM: GPM Rate UOM: Water State After Test Code: 0 Water State After Test: 0 Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Draw Down & Recovery

Flowing:

1002799137 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 30

151.4199981689453 Test Level:

No

Test Level UOM:

Draw Down & Recovery

1002799140 Pump Test Detail ID: Recovery Test Type:

Test Duration: 40

21.170000076293945 Test Level:

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 1002799127 Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Test Type: Draw Down

Test Duration: 5

Test Level: 62.41999816894531

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1002799133Test Type:Draw Down

Test Duration: 20

Test Level: 132.1699981689453

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1002799125Test Type:Draw Down

 Test Duration:
 4

 Test Level:
 55.0

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 1002799136
Test Type: Recovery

Test Duration: 25

Test Level: 30.329999923706055

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1002799142Test Type:Recovery

Test Duration: 50

Test Level: 18.579999923706055

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1002799119Test Type:Draw Down

Test Duration:

Test Level: 31.579999923706055

Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 1002799120

 Test Type:
 Recovery

 Test Duration:
 1

 Test Level:
 154.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1002799122

 Test Type:
 Recovery

 Test Duration:
 2

 Test Level:
 145.75

 Test Level UOM:
 ft

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Draw Down & Recovery

 Pump Test Detail ID:
 1002799123

 Test Type:
 Draw Down

 Test Duration:
 3

 Test Level:
 47.5

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1002799130Test Type:Recovery

Test Duration: 10

Test Level: 84.08000183105469

Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 1002799131

 Test Type:
 Draw Down

 Test Duration:
 15

 Test Level:
 121.5

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1002799138

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 24.75

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 1002799124
Test Type: Recovery

Test Duration: 3

Test Level: 138.1699981689453

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1002799132Test Type:RecoveryTest Duration:15

Test Level: 64.16999816894531

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1002799135
Test Type: Draw Down

Test Duration: 25

Test Level: 142.1699981689453

Test Level UOM: ft

Draw Down & Recovery

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Pump Test Detail ID: 1002799143 Test Type: Draw Down Test Duration: 60 169.5 Test Level: Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1002799144 Test Type: Recovery Test Duration: 60

Test Level: 18.579999923706055

Test Level UOM: ft

Draw Down & Recovery

1002799126 Pump Test Detail ID: Test Type: Recovery Test Duration: 4 Test Level: 131.5 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1002799128 Test Type: Recovery

Test Duration: 5

Test Level: 125.16999816894531

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1002799134 Test Type: Recovery Test Duration: 20

42.33000183105469 Test Level:

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1002799139 Draw Down Test Type:

Test Duration: 40

160.0800018310547 Test Level:

Test Level UOM: ft

Draw Down & Recovery

1002799141 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 50

Test Level: 166.3300018310547

Test Level UOM:

Draw Down & Recovery

1002799121 Pump Test Detail ID: Test Type: Draw Down Test Duration: 2

40.5 Test Level:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1002799129Test Type:Draw Down

Test Duration: 10

Test Level: 94.66999816894531

ft

Test Level UOM: ft

Water Details

Water ID: 1002799115

Layer: 3 Kind Code: 8

Kind: Untested Water Found Depth: 263.0 Water Found Depth UOM: ft

Water Details

Water ID: 1002799114

 Layer:
 2

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 231.0

 Water Found Depth UOM:
 ft

Water Details

Water ID: 1002799113

Layer: 1 Kind Code: 8

Kind Code: 8
Kind: Untested
Water Found Depth: 155.0
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1002799110

 Diameter:
 6.0

 Depth From:
 0.0

 Depth To:
 295.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

<u>Links</u>

 Bore Hole ID:
 1002603458
 Tag No:
 A082584

 Depth M:
 89.916
 Contractor:
 1119

 Year Completed:
 2009
 Path:
 712\7126803.pdf

 Well Completed Dt:
 2009/07/06
 Latitude:
 45.293720806574

 Audit No:
 294712
 Longitude:
 -75.980008796641

12 2 of 2 WSW/133.6 119.6 / 2.78 153 CARDEVCO ROAD lot 6 con 3 WWIS

CARP ON

Flowing (Y/N): Flow Rate:

Construction Date: Flow Rate:
Use 1st: Domestic Data Entry Status:

7127022

Well ID:

Map Key Number of Direction/ Elev/Diff Site DΒ Records Distance (m) (m)

Use 2nd:

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No: Z94721 A082584 Tag:

Constructn Method: Elevation (m):

Elevatn Reliabiltv: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

HUNTLEY TOWNSHIP Municipality: Site Info: **BLOCK 9 & 12**

PDF URL (Map):

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7127022.pdf

Additional Detail(s) (Map)

2009 Year Completed: Depth (m): 18.288

Longitude: Path: 712\7127022.pdf

Bore Hole Information

Bore Hole ID: 1002626750

DP2BR: Spatial Status: Code OB:

Code OB Desc: Open Hole: Cluster Kind:

06-Jul-2009 00:00:00 Date Completed:

Remarks:

Loc Method Desc: on Water Well Record

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1002876432

Layer:

Color:

General Color:

Mat1: 28 Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 15.0 Formation End Depth:

Data Src:

Date Received: 06-Aug-2009 00:00:00

Selected Flag: TRUE

Abandonment Rec:

Contractor: 1119 7 Form Version:

Owner:

OTTAWA-CARLETON County:

006 Lot: Concession: 03 Concession Name: CON

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Well Completed Date: 2009/07/06

45.293720806574 Latitude: -75.9800087966641

> Elevation: Elevrc:

Zone: 18

East83: 423156.00 5016047.00 North83: Org CS: UTM83

UTMRC:

UTMRC Desc: margin of error: 10 - 30 m

Order No: 22100605450

Location Method: wwr Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1002876433

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 15.0 Formation End Depth: 60.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1002876435

 Layer:
 1

 Plug From:
 19.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1002876469

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1002876430

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1002876439

 Layer:
 1

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 -2.0

 Depth To:
 19.0

 Casing Diameter:
 6.0

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Casing

Casing ID: 1002876440

Layer: 2
Material: 4

Open Hole or Material: OPEN HOLE

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

19.0 Depth From: Depth To: 60.0 Casing Diameter: 6.0 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1002876441

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

ft Screen Diameter UOM: inch

Screen Diameter:

Results of Well Yield Testing

Pumping Test Method Desc:

Pump Test ID: 1002876431

Pump Set At: 50.0 5.5 Static Level:

Final Level After Pumping: 8.079999923706055

Recommended Pump Depth: 50.0 Pumping Rate: 20.0 Flowing Rate: Recommended Pump Rate: 20.0 Levels UOM: **GPM** Rate UOM: Water State After Test Code: 0 Water State After Test:

Pumping Test Method: 0 **Pumping Duration HR:**

Pumping Duration MIN:

No Flowing:

Draw Down & Recovery

Pump Test Detail ID: 1002876452 Draw Down Test Type: Test Duration: 10 7.25 Test Level: Test Level UOM:

Draw Down & Recovery

1002876462 Pump Test Detail ID: Draw Down Test Type: Test Duration: 40 7.75 Test Level: Test Level UOM:

Draw Down & Recovery

1002876465 Pump Test Detail ID: Test Type: Recovery Test Duration: 50 Test Level: 5.5 Test Level UOM: ft

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Draw Down & Recovery

 Pump Test Detail ID:
 1002876467

 Test Type:
 Recovery

 Test Duration:
 60

 Test Level:
 5.5

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1002876458Test Type:Draw Down

Test Duration: 25

Test Level: 7.579999923706055

Test Level UOM:

Draw Down & Recovery

 Pump Test Detail ID:
 1002876461

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 5.5

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1002876464

 Test Type:
 Draw Down

 Test Duration:
 50

 Test Level:
 8.0

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 1002876448
Test Type: Draw Down
Test Duration: 4

Test Level: 6.75
Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 1002876443

 Test Type:
 Recovery

 Test Duration:
 1

 Test Level:
 6.5

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 1002876445
Test Type: Recovery

Test Duration:

Test Level: 6.420000076293945

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 1002876456

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Draw Down Test Type: Test Duration: 20 7.5 Test Level: Test Level UOM: ft

Draw Down & Recovery

1002876444 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 6.5 Test Level: Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1002876451 Recovery Test Type: 5

Test Duration:

Test Level: 6.170000076293945

Test Level UOM:

Draw Down & Recovery

1002876466 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 60

Test Level: 8.079999923706055

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1002876442 Test Type: Draw Down

Test Duration:

Test Level: 6.329999923706055

Test Level UOM: ft

Draw Down & Recovery

1002876446 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 3

Test Level: 6.670000076293945

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1002876449 Test Type: Recovery Test Duration: 4 Test Level: 6.25 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1002876454 Test Type: Draw Down

Test Duration: 15

Test Level: 7.420000076293945

Test Level UOM:

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Draw Down & Recovery

1002876459 Pump Test Detail ID: Test Type: Recovery Test Duration: 25 Test Level: 5.5 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1002876463 Test Type: Recovery Test Duration: 40 Test Level: 5.5 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1002876447 Test Type: Recovery

Test Duration:

Test Level: 6.329999923706055

Test Level UOM: ft

Draw Down & Recovery

1002876450 Pump Test Detail ID: Draw Down Test Type:

Test Duration: 5 7.0 Test Level: Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1002876453 Recovery Test Type: Test Duration:

Test Level: 5.670000076293945

Test Level UOM:

Draw Down & Recovery

1002876455 Pump Test Detail ID: Recovery Test Type: Test Duration: 15 5.5 Test Level: Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 1002876457 Test Type: Recovery 20 Test Duration: Test Level: 5.5 Test Level UOM:

Draw Down & Recovery

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Pump Test Detail ID:1002876460Test Type:Draw Down

Test Duration: 30

Test Level: 7.579999923706055

Test Level UOM: ft

Water Details

Water ID: 1002876438

 Layer:
 3

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 51.0

 Water Found Depth UOM:
 ft

Water Details

Water ID: 1002876436

 Layer:
 1

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 30.0

 Water Found Depth UOM:
 ft

Water Details

Water ID: 1002876437

 Layer:
 2

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 48.0

 Water Found Depth UOM:
 ft

Hole Diameter

Hole ID: 1002876434

 Diameter:
 6.0

 Depth From:
 0.0

 Depth To:
 60.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

<u>Links</u>

 Bore Hole ID:
 1002626750
 Tag No:
 A082584

 Depth M:
 18.288
 Contractor:
 1119

 Year Completed:
 2009
 Path:
 712\7127022.pdf

 Well Completed Dt:
 2009/07/06
 Latitude:
 45.293720806574

 Audit No:
 294721
 Longitude:
 -75.9800087966641

13 1 of 1 S/133.7 118.9 / 2.08 145 Cardevco Road Ottawa (Carp) ON K0A 1L0

Order No: 20061103004

Status:

Report Type: Complete Report Report Date: 11/6/2006
Date Received: 11/3/2006

Previous Site Name:

Lot/Building Size: 1800 square m lot

Additional Info Ordered:

Nearest Intersection: Wescar Lane

EHS

Order No: 22100605450

Municipality:

 Client Prov/State:
 ON

 Search Radius (km):
 0.25

 X:
 -75.978674

 Y:
 45.293226

Number of Direction/ Elev/Diff Site DΒ Map Key (m)

Records Distance (m)

1 of 1 SE/135.2 118.4 / 1.65 142 Cardevco Rd 14 **EHS** Ottawa ON

20110617020 Order No: Nearest Intersection: Carp Rd

Status: С Municipality: Standard Report Client Prov/State: ON Report Type: Report Date: 6/28/2011 Search Radius (km): 0.25

Date Received: 6/17/2011 2:53:25 PM X: -75.977749 Previous Site Name: Y: 45.293335

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory

15 1 of 23 N/135.6 116.6 / -0.22 BOYER EQUIPMENT INC. CA 189 CARDEVCO RD., PT.BLK. 7

WEST CARLETON TWP. ON

8-4204-94-Certificate #: Application Year: Issue Date: 1/5/1995 Industrial air Approval Type: Status: Approved in 1995

Application Type: Client Name: Client Address: Client City: Client Postal Code:

WASTE OIL FURNACE MODEL CB-4000 Project Description:

Contaminants: Nitrogen Oxides, Sulphur Dioxide, Suspended Particulate Matter

Emission Control: No Controls

2 of 23 N/135.6 116.6 / -0.22 189 Cardevco Blvd 15 **EHS** Ottawa (Carp) ON

Nearest Intersection:

Order No: 20001130007

Status:

Municipality: Basic Report Report Type: Client Prov/State: ON Report Date: 12/7/00 Search Radius (km): 0.25 -75.97924 11/30/00 Date Received: X: Y: 45.294346

Previous Site Name: Lot/Building Size: Additional Info Ordered:

> TRUCK & TRACTOR EASTERN INC. 05-915 15 3 of 23 N/135.6 116.6 / -0.22 **GEN** 189 CARDEVCO ROAD

> > Status:

Order No: 22100605450

WEST CARLETON ON

Generator No: ON1599301 SIC Code: 3192

Co Admin: SIC Description: CONSTRTUCTION EQUIP. Choice of Contact: Approval Years: 92,93,95,96,97 Phone No Admin:

PO Box No: Contam. Facility: MHSW Facility: Country:

Detail(s)

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Waste Class: 213 PETROLEUM DISTILLATES Waste Class Desc: Waste Class: LIGHT FUELS Waste Class Desc: Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS 15 4 of 23 N/135.6 116.6 / -0.22 **BOYER EQUIPMENT INC. 05-915 GEN** 189 CARDEVCO STREET **WEST CARLETON ON** ON1599301 Generator No: Status: SIC Code: 3192 Co Admin: SIC Description: CONSTRTUCTION EQUIP. Choice of Contact: Approval Years: Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: 213 PETROLEUM DISTILLATES Waste Class Desc: Waste Class: Waste Class Desc: WASTE OILS & LUBRICANTS 5 of 23 N/135.6 116.6 / -0.22 TRUCK & TRACTOR (SEE & USE ON2158207) 15 **GEN** 189 CARDEVCO ROAD **WEST CARLETON ON** Generator No: ON1599301 Status: Co Admin: SIC Code: 3192 CONSTRTUCTION EQUIP. SIC Description: Choice of Contact: Approval Years: 98,99 Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: 212 Waste Class Desc: ALIPHATIC SOLVENTS Waste Class: PETROLEUM DISTILLATES Waste Class Desc: Waste Class: 221 LIGHT FUELS Waste Class Desc: Waste Class: Waste Class Desc: WASTE OILS & LUBRICANTS N/135.6 116.6 / -0.22 **ONTRAC EQUIPMENT SERVICES** 15 6 of 23 **GEN** 189 CARDEVCO ROAD **CARP ON KOA 1L0**

Generator No: ON2158207 SIC Code: 3192

SIC Description: CONSTRTUCTION EQUIP. Approval Years: 00,01,02,03,04,05,06

Status: Co Admin: Choice of Contact: Phone No Admin:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

PO Box No: Contam. Facility:
Country: MHSW Facility:

Detail(s)

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

15 7 of 23 N/135.6 116.6 / -0.22 Nortrax Canada Inc.

189 Cardevco Road Carp ON K0A 1L0

Generator No: ON2158207 **SIC Code:** 811119

SIC Description: Other Automotive Mechanical and Electrical

Repair and Maintenance

Approval Years: 07,08

PO Box No:

Country:

Status: Co Admin: Choice of Contact:

Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

15 8 of 23 N/135.6 116.6 / -0.22 Nortrax Canada Inc. 189 Cardevco Rd RR 2

Carp ON KOA 1L0
Established:

Plant Size (ft²): Employment:

--Details--

Description: Wholesale Trade Agents and Brokers

SIC/NAICS Code: 419120

Description: Commercial and Industrial Machinery and Equipment (except Automotive and Electronic) Repair and Maintenance

SIC/NAICS Code: 811310

Description: Construction and Forestry Machinery, Equipment and Supplies Wholesaler-Distributors

GEN

Elev/Diff DΒ Map Key Number of Direction/ Site Records Distance (m) (m)

417210 SIC/NAICS Code:

Description: Construction and Forestry Machinery, Equipment and Supplies Wholesaler-Distributors

SIC/NAICS Code:

15 9 of 23 N/135.6 116.6 / -0.22 Nortrax Canada Inc. SPL

189 Cardevco Rd RR#2, Carp

Other

Ottawa

5016019

Land Spills

423263

189 Cardevco Rd RR#2, Carp

Order No: 22100605450

Ottawa ON K0A 1L0

Discharger Report:

Health/Env Conseq:

Agency Involved:

Nearest Watercourse:

Site District Office:

Site Postal Code: Site Region:

Site Municipality:

Site Geo Ref Accu:

SAC Action Class:

Carp ON K0A 1L0

Choice of Contact:

Site Map Datum:

Source Type:

Site Lot:

Site Conc:

Northing:

Easting:

Material Group:

Client Type:

Sector Type:

Site Address:

Ref No: 0524-8FUNH6

Site No: Incident Dt: 3/11/2011

Year:

Incident Cause: Other Discharges

Incident Event: Contaminant Code:

OIL ADDITIVES Contaminant Name:

Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:

Environment Impact: Not Anticipated Nature of Impact: Soil Contamination

Receiving Medium: Receiving Env:

MOE Response:

No Field Response

Dt MOE Arvl on Scn: MOE Reported Dt:

4/12/2011 Dt Document Closed: 6/4/2011

Incident Reason: Error- Operator error

Nortrax Canada Inc. Site Name:

Site County/District:

Site Geo Ref Meth:

Incident Summary: Nortrax: Poss oil spill 60L, assessing

Contaminant Qty:

15 10 of 23 N/135.6 116.6 / -0.22 Nortrax Canada Inc. **GEN** 189 Cardevco Road

Status:

Co Admin:

Generator No: ON2158207 811119 SIC Code:

SIC Description: Other Automotive Mechanical and Electrical

Repair and Maintenance

Approval Years: 2009

PO Box No:

Country:

Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 212

ALIPHATIC SOLVENTS Waste Class Desc:

Waste Class:

PETROLEUM DISTILLATES Waste Class Desc:

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class:

OIL SKIMMINGS & SLUDGES Waste Class Desc:

Map Key	Number Record		Elev/Diff m) (m)	Site	D
<u>15</u>	11 of 23	N/135.6	116.6 / -0.22	Nortrax Canada Inc. 189 Cardevco Road Carp ON K0A 1L0	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON2158207 811119 Other Automotive Mechar Repair and Maintenance 2010	nical and Electrical	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)				·	
Waste Class Waste Class		252 WASTE OILS 8	LUBRICANTS		
Waste Class Waste Class		213 PETROLEUM I	DISTILLATES		
Waste Class Waste Class	· -	251 OIL SKIMMING	S & SLUDGES		
Waste Class Waste Class		212 ALIPHATIC SO	LVENTS		
<u>15</u>	12 of 23	N/135.6	116.6 / -0.22	Nortrax Canada Inc. 189 Cardevco Road Carp ON K0A 1L0	GEI
Generator No: SIC Code: SIC Description:		ON2158207 811119 Other Automotive Mechanical and Electrical		Status: Co Admin: Choice of Contact:	
Approval Ye PO Box No: Country:		Repair and Maintenance 2011		Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class Waste Class	· -	252 WASTE OILS 8	LUBRICANTS		
Waste Class Waste Class		213 PETROLEUM I	DISTILLATES		
Waste Class Waste Class		251 OIL SKIMMING	S & SLUDGES		
Waste Class Waste Class		212 ALIPHATIC SO	LVENTS		
<u>15</u>	13 of 23	N/135.6	116.6 / -0.22	Nortrax Canada Inc. 189 Cardevco Road Carp ON K0A 1L0	GEI
Generator No: SIC Code: SIC Description:		ON2158207 811119 Other Automotive Mechanical and Electrical Repair and Maintenance 2012		Status: Co Admin: Choice of Contact:	
Approval Years: PO Box No: Country:				Phone No Admin: Contam. Facility: MHSW Facility:	

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Detail(s)

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class:

ALIPHATIC SOLVENTS Waste Class Desc:

Waste Class:

PETROLEUM DISTILLATES Waste Class Desc:

Waste Class:

Waste Class Desc: OIL SKIMMINGS & SLUDGES

15 14 of 23 N/135.6 116.6 / -0.22 Nortrax Canada Inc. **GEN** 189 Cardevco Road

Carp ON

Co Admin:

Choice of Contact:

Phone No Admin: Contam. Facility:

Nearest Intersection:

Client Prov/State:

Municipality:

MHSW Facility:

Status:

ON2158207 Generator No: SIC Code: 811119

SIC Description: OTHER AUTOMOTIVE MECHANICAL AND

ELECTRICAL REPAIR AND MAINTENANCE

Approval Years:

PO Box No:

Country:

Detail(s)

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class:

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class:

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class:

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

15 15 of 23 N/135.6 116.6 / -0.22 189 Cardevco Road **EHS** Ottawa ON

20150625056 Order No:

Status:

Standard Report Report Type: Report Date: 03-JUL-15

Lot/Building Size:

Additional Info Ordered: City Directory

Search Radius (km): .25 Date Received: 25-JUN-15 X: -75.97866 Y: 45.295549 Previous Site Name:

15 16 of 23 N/135.6 116.6 / -0.22 Nortrax Canada Inc. **GEN** 189 Cardevco Road Carp ON K0A 1L0

Generator No: ON2158207 SIC Code: 811119

SIC Description: OTHER AUTOMOTIVE MECHANICAL AND

ELECTRICAL REPAIR AND MAINTENANCE

Status: Karen Pammett Co Admin: Choice of Contact: CO_OFFICIAL

Order No: 22100605450

ON

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

2015 705742-1021 Ext.235 Approval Years: Phone No Admin:

PO Box No: Contam. Facility: No Country: Canada MHSW Facility: No

Detail(s)

Waste Class:

PAINT/PIGMENT/COATING RESIDUES Waste Class Desc:

Waste Class:

WASTE COMPRESSED GASES Waste Class Desc:

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class:

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class:

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

17 of 23 116.6 / -0.22 PCL CONSTRUCTION CANADA INC. 15 N/135.6 GEN 189 CARDEVCO ROAD

Status:

Co Admin:

CARP ON KOA 1L0

CO_OFFICIAL

No

Choice of Contact:

MHSW Facility:

ON8353804 Generator No: SIC Code: 236220

SIC Description: COMMERCIAL AND INSTITUTIONAL

BUILDING CONSTRUCTION

Approval Years: 2016

PO Box No:

Canada

Phone No Admin: Contam. Facility: No

Country:

Detail(s)

Waste Class:

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

15 18 of 23 N/135.6 116.6 / -0.22 PCL CONSTRUCTION CANADA INC. **GEN**

189 CARDEVCO ROAD **CARP ON KOA 1L0**

Status:

Generator No: ON8353804 236220 SIC Code:

SIC Description: COMMERCIAL AND INSTITUTIONAL

BUILDING CONSTRUCTION

Approval Years: 2015

PO Box No:

Canada Country:

Co Admin: Choice of Contact: CO_OFFICIAL

Phone No Admin:

Contam. Facility: No MHSW Facility: No

Detail(s)

Waste Class:

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

Nortrax Canada Inc. 15 19 of 23 N/135.6 116.6 / -0.22 **GEN**

189 Cardevco Road Carp ON K0A 1L0

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m) (m)

Generator No: ON2158207 811119 SIC Code:

SIC Description: OTHER AUTOMOTIVE MECHANICAL AND

ELECTRICAL REPAIR AND MAINTENANCE

Approval Years:

PO Box No:

Country: Canada Status:

Karen Pammett Co Admin: Choice of Contact: CO_OFFICIAL

Phone No Admin: 705742-1021 Ext.235

Contam. Facility: Nο MHSW Facility: No

Detail(s)

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class:

WASTE COMPRESSED GASES Waste Class Desc:

Waste Class:

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

N/135.6

Waste Class:

OIL SKIMMINGS & SLUDGES Waste Class Desc:

Waste Class:

PETROLEUM DISTILLATES Waste Class Desc:

Waste Class: 252

20 of 23

Waste Class Desc: WASTE OILS & LUBRICANTS

189 CARDEVCO ROAD **CARP ON KOA 1L0**

116.6 / -0.22

Generator No: ON8353804

SIC Code:

15

SIC Description:

As of Dec 2018 Approval Years:

PO Box No: Canada Country:

Status: Registered

PCL CONSTRUCTION CANADA INC.

GEN

Order No: 22100605450

Co Admin: Choice of Contact:

Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 112 C

Waste Class Desc: Acid solutions - containing heavy metals

Waste Class: 263 I

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 331 I

Waste Class Desc: Waste compressed gases including cylinders

Waste Class: 145 I

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class:

Waste Class Desc: Waste oils/sludges (petroleum based)

PCL CONSTRUCTION CANADA INC. 15 21 of 23 N/135.6 116.6 / -0.22 **GEN**

189 CARDEVCO ROAD **CARP ON KOA 1L0**

ON8353804 Generator No: Status: Registered

SIC Code: Co Admin:

Elev/Diff Site DΒ Map Key Number of Direction/

Records Distance (m) (m)

SIC Description: Choice of Contact: Approval Years: As of Jul 2020 Phone No Admin:

PO Box No: Contam. Facility:

Country: Canada MHSW Facility:

Detail(s)

146 R Waste Class:

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class:

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class:

Waste Class Desc: Waste compressed gases including cylinders

Waste Class:

Waste Class Desc: Acid solutions - containing heavy metals

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 146 T

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class:

22 of 23

Waste Class Desc: Wastes from the use of pigments, coatings and paints

N/135.6

GEN 189 CARDEVCO ROAD

CARP ON KOA 1L0

Co Admin:

Choice of Contact:

PCL CONSTRUCTION CANADA INC.

Generator No: ON8353804 Registered Status:

116.6 / -0.22

SIC Code: SIC Description:

As of Nov 2021 Approval Years:

Phone No Admin: Contam. Facility: PO Box No:

Country: Canada MHSW Facility:

Detail(s)

15

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class:

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class:

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class:

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class:

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class:

Waste Class Desc: Acid solutions - containing heavy metals

Waste Class:

Waste compressed gases including cylinders Waste Class Desc:

Map Key	Number Record		Direction/ Distance (m)	Elev/Diff (m)	Site		D
<u>15</u>	23 of 23		N/135.6	116.6 / -0.22	PCL CONSTRUCT 189 CARDEVCO I CARP ON KOA 1L		GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No:	tion: ears:	ON83538 As of Apr			Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:	Registered	
Country:		Canada			MHSW Facility:		
Detail(s)							
Vaste Class Vaste Class			331 I WASTE COMPRES	SSED GASES			
Vaste Class Vaste Class			146 R OTHER SPECIFIE	D INORGANICS			
Waste Class Waste Class			251 L OIL SKIMMINGS &	SLUDGES			
Waste Class Waste Class			145 I PAINT/PIGMENT/C	COATING RESIDU	IES		
<i>Naste Class</i> <i>Naste Class</i>			263 I ORGANIC LABORA	ATORY CHEMICA	LS		
Waste Class Waste Class			112 C ACID WASTE - HE	AVY METALS			
<u>16</u>	1 of 15		W/135.7	118.2 / 1.39	Harris Rebar - Div 171 Cardevco Rd Ottawa ON K1G 1		SC1
Established Plant Size (f Employmen	t²):		15				
-Details Description: SIC/NAICS (Concrete Reinforcii 332314	ng Bar Manufactur	ing		
Description: SIC/NAICS (Other Ornamental a	and Architectural N	Netal Products Manufac	turing	
Description: SIC/NAICS (All Other Miscelland 332999	eous Fabricated M	etal Product Manufactu	ring	
<u>16</u>	2 of 15		W/135.7	118.2 / 1.39	Harris Rebar - Div 171 Cardevco Rd Carp ON K0A 1L0		SCI
Established Plant Size (f Employmen	t²):		01-JUN-54				

Order No: 22100605450

--Details--Description: SIC/NAICS Code: Other Ornamental and Architectural Metal Product Manufacturing 332329

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Concrete Reinforcing Bar Manufacturing Description: SIC/NAICS Code: 332314 Description: All Other Miscellaneous Fabricated Metal Product Manufacturing SIC/NAICS Code: 332999 16 3 of 15 W/135.7 118.2 / 1.39 Harris Steel ULC **ECA** 171 Cardevco Rd Part of Block 9, 12, 28, 31, Ref. Plan 4R10176, 4R-15838 Ottawa ON 4207-8XUSZD MOE District: Ottawa Approval No: Approval Date: 2012-09-07 City: Approved Longitude: -75.97978 Status: Record Type: ECA Latitude: 45.294952 Link Source: **IDS** Geometry X: SWP Area Name: Mississippi Valley Geometry Y: **ECA-INDUSTRIAL SEWAGE WORKS** Approval Type: Project Type: INDUSTRIAL SEWAGE WORKS Harris Steel ULC **Business Name:** Address: 171 Cardevco Rd Part of Block 9, 12, 28, 31, Ref. Plan 4R10176, 4R-15838 Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3162-8TAPLS-14.pdf PDF Site Location: 16 4 of 15 W/135.7 118.2 / 1.39 harrisrebar **GEN** 171 Cardevco road carp ON K0A 1L0 ON7589486 Generator No: Status: SIC Code: 332314 Co Admin: SIC Description: Concrete Reinforcing Bar Manufacturing Choice of Contact: Approval Years: Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS 5 of 15 W/135.7 118.2 / 1.39 harrisrehar 16 **GEN** 171 Cardevco road carp ON K0A 1L0 Generator No: ON7589486 Status: SIC Code: 332314 Co Admin: SIC Description: Concrete Reinforcing Bar Manufacturing Choice of Contact: Approval Years: Phone No Admin: PO Box No: Contam. Facility: MHSW Facility: Country: Detail(s) Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS 16 6 of 15 W/135.7 118.2 / 1.39 Harris Rebar Company **GEN**

171 Cardevco Road

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (r

ce (m) (m)

Generator No: ON7186651

SIC Code: 332314
SIC Description: Concrete Rein

Approval Years: PO Box No: Country: Concrete Reinforcing Bar Manufacturing

2012

Status: Co Admin: Choice of Contact:

Ottawa ON

Phone No Admin: Contam. Facility: MHSW Facility:

16 7 of 15 W/135.7 118.2 / 1.39 Harris Rebar Company 171 Cardevco Road GEN

Ottawa ON

 Generator No:
 ON7186651

 SIC Code:
 332314

SIC Description: CONCRETE REINFORCING BAR

MANUFACTURING

Approval Years: 2013

PO Box No: Country: Status: Co Admin: Choice of Contact:

Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

16 8 of 15 W/135.7 118.2 / 1.39 Harris Rebar - Harris Steel ULC
474 Correlation Read

171 Cardevco Road Ottawa ON K0A 1L0

 Generator No:
 ON7186651

 SIC Code:
 332314

SIC Description: CONCRETE REINFORCING BAR

MANUFACTURING

Approval Years: 2016

PO Box No:

Country: Canada

Status: Co Admin:

Choice of Contact: CO_OFFICIAL

Phone No Admin:

Contam. Facility: No

MHSW Facility: No

Detail(s)

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

16 9 of 15 W/135.7 118.2 / 1.39 Harris Rebar - Harris Steel ULC

171 Cardevco Road Ottawa ON K0A 1L0

 Generator No:
 ON7186651

 SIC Code:
 332314

SIC Description: CONCRETE REINFORCING BAR

MANUFACTURING

Approval Years: 2015

PO Box No:

Country: Canada

Status: Co Admin:

Choice of Contact: CO_OFFICIAL

Order No: 22100605450

Phone No Admin:

Contam. Facility: No MHSW Facility: No

Detail(s)

Мар Кеу	Numbe Record		Elev/Diff n) (m)	Site		DB
Waste Class Waste Class		252 WASTE OILS &	LUBRICANTS			
<u>16</u>	10 of 15	W/135.7	118.2 / 1.39	Harris Rebar Company 171 Cardevco Road Ottawa ON K0A 1L0	,	GEN
Generator No SIC Code: SIC Descript		ON7186651 332314 CONCRETE REINFORCI MANUFACTURING	NG BAR	Status: Co Admin: Choice of Contact:	CO_OFFICIAL	
Approval Year PO Box No: Country:	ars:	2014 Canada		Phone No Admin: Contam. Facility: MHSW Facility:	No No	
<u>Detail(s)</u>						
Waste Class Waste Class		252 WASTE OILS &	LUBRICANTS			
<u>16</u>	11 of 15	W/135.7	118.2 / 1.39	Harris Rebar - Harris S 171 Cardevco Road Ottawa ON K0A 1L0	Steel ULC	GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	tion:	ON7186651 As of Dec 2018 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
•		Carlada		mnow racinty.		
<u>Detail(s)</u> Waste Class Waste Class	•	252 L Waste crankcas	e oils and lubricants			
Waste Class Waste Class		263 I Misc. waste org	anic chemicals			
<u>16</u>	12 of 15	W/135.7	118.2 / 1.39	CQS Electric 171 Cardevco Road Ottawa ON K0A 1L0		GEN
Generator No SIC Code: SIC Descript		ON9165915		Status: Co Admin: Choice of Contact:	Registered	
Approval Year PO Box No: Country:		As of Oct 2019 Canada		Phone No Admin: Contam. Facility: MHSW Facility:		
Country.		Carlaua		MINSW FACILITY.		
<u>Detail(s)</u> Waste Class	ı:	251 L				
Waste Class	Desc:	Waste oils/sludo	ges (petroleum based)			
<u>16</u>	13 of 15	W/135.7	118.2 / 1.39	Harris Rebar - Harris S 171 Cardevco Road Ottawa ON K0A 1L0	Steel ULC	GEN
Generator No	o:	ON7186651		Status:	Registered	

Number of Direction/ Elev/Diff Site DΒ Map Key

SIC Code:

SIC Description: Approval Years:

As of Jul 2020

Distance (m)

PO Box No:

Country: Canada

Records

Co Admin:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

> 14 of 15 W/135.7 118.2 / 1.39 Harris Rebar - Harris Steel ULC

(m)

171 Cardevco Road Ottawa ON K0A 1L0

Registered ON7186651 Generator No: Status:

SIC Code:

SIC Description:

Approval Years: As of Nov 2021

PO Box No: Country:

16

Canada

Co Admin:

GEN

GEN

Order No: 22100605450

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 331 I

Waste Class Desc: Waste compressed gases including cylinders

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class:

15 of 15

Waste Class Desc: Waste crankcase oils and lubricants

W/135.7

171 Cardevco Road

118.2 / 1.39

Ottawa ON KOA 1L0

Generator No: ON7186651 Status: Registered

SIC Code: SIC Description:

16

Approval Years:

As of Apr 2022

PO Box No:

Country: Canada Co Admin:

Harris Rebar - Harris Steel ULC

Choice of Contact: Phone No Admin: Contam. Facility:

MHSW Facility:

Detail(s)

Waste Class: 252 I

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class:

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class:

ORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class: 252 T

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		WASTE OILS & LU			
<u>17</u>	1 of 14	SE/136.3	118.4 / 1.65	Bytown Mouldings Inc. 142 Cardevco Rd Carp ON K0A 1L0	SCT
Established: Plant Size (fi Employment	t²):	1994 6400 7			
Details Description: SIC/NAICS O		Other Millwork 321919			
Description: SIC/NAICS C		All Other Plastic Pro 326198	oduct Manufacturing		
Description: SIC/NAICS C		Metal Window and 332321	Door Manufacturing		
<u>17</u>	2 of 14	SE/136.3	118.4 / 1.65	W O STINSON & SON LTD 142 CARDEVCO CARP ON KOA 1L0	FSTH
License Issu Tank Status: Tank Status Operation Ty Facility Type	: As Of: ype:	7/10/2002 Licensed August 2007 Private Fuel Outlet Gasoline Station - S	Self Serve		
Details Status: Year of Insta Corrosion P Capacity: Tank Fuel Ty	rotection:	Active 2002 2270 Liquid Fuel Double	Wall AST - Gasoline		
Status: Year of Insta Corrosion P Capacity: Tank Fuel Ty	rotection:	Active 2002 2270 Liquid Fuel Double	Wall AST - Gasoline		
<u>17</u>	3 of 14	SE/136.3	118.4 / 1.65	W O STINSON & SON LTD 142 CARDEVCO CARP ON KOA 1L0	FSTH
License Issu Tank Status: Tank Status Operation Ty Facility Type	: As Of: ype:	7/10/2002 Licensed December 2008 Private Fuel Outlet Gasoline Station - S	Self Serve		
Details Status: Year of Insta Corrosion P Capacity: Tank Fuel Ty	rotection:	Active 2002 2270 Liquid Fuel Double	Wall AST - Gasoline		

Map Key	Numbe Record		Elev/Diff (m)	Site	DB
Status: Year of Inst Corrosion F Capacity: Tank Fuel T	Protection:	Active 2002 2270 Liquid Fuel Double	Wall AST - Gasoli	ine	
<u>17</u>	4 of 14	SE/136.3	118.4 / 1.65	1043084 Ontario Inc. 142 Cardevco Road Carp Carleton Ottawa ON	CA
Certificate # Application Issue Date: Approval Ty Status: Application Client Name Client Addr Client City: Client Posta Project Des Contaminar Emission C	Year: ype: Type: e: ess: al Code: ecription: nts:	6674-8AGRUQ 2010 11/9/2010 Waste Managemer Approved	nt Systems		
<u>17</u>	5 of 14	SE/136.3	118.4 / 1.65	2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A 1L0	GEN
Generator N SIC Code: SIC Descrip Approval Yo PO Box No: Country:	otion: ears:	ON3825812 332999 2011		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>17</u>	6 of 14	SE/136.3	118.4 / 1.65	2299663 Ontario Ltd 142 Cardevco Road Carp ON K0A 1L0	GEN
Generator N SIC Code: SIC Descrip Approval Yo PO Box No: Country:	otion: ears:	ON3825812 332999 All Other Miscellaneous Fabr Product Manufacturing 2012	icated Metal	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
17	7 of 14	SE/136.3	118.4 / 1.65	2299663 Ontario Ltd 142 Cardevco Road Carp ON	GEN
Generator N SIC Code: SIC Descrip		ON3825812 332999 ALL OTHER MISCELLANEO FABRICATED METAL PROD MANUFACTURING		Status: Co Admin: Choice of Contact:	
Approval Yo PO Box No: Country:		2013		Phone No Admin: Contam. Facility: MHSW Facility:	

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Waste Class: 113

Waste Class Desc: ACID WASTE - OTHER METALS

Waste Class: 212

Detail(s)

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

17 8 of 14 SE/136.3 118.4 / 1.65 1043084 Ontario Inc.

142 Cardevco Road Carp Carleton

Ottawa ON K2S 1B6

Approval No: 6674-8AGRUQ MOE District: Ottawa

Approval Date: 2010-11-09 City:

 Status:
 Approved
 Longitude:
 -75.9772

 Record Type:
 ECA
 Latitude:
 45.293453

Link Source: IDS Geometry X: SWP Area Name: Mississippi Valley Geometry Y:

Approval Type:ECA-WASTE MANAGEMENT SYSTEMSProject Type:WASTE MANAGEMENT SYSTEMSBusiness Name:1043084 Ontario Inc.Address:142 Cardevco Road Carp Carleton

Full Address:
Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2555-8A6GSD-14.pdf

PDF Site Location:

17 9 of 14 SE/136.3 118.4 / 1.65 2299663 Ontario Ltd
GEN

Status:

142 Cardevco Road Carp ON K0A1L0

Generator No: ON3825812

 SIC Code:
 332999
 Co Admin:
 Ellen Gyenis

 SIC Description:
 ALL OTHER MISCELLANEOUS
 Choice of Contact:
 CO_ADMIN

FABRICATED METAL PRODUCT

MANUFACTURING

Approval Years: 2016 Phone No Admin: 6138361954 Ext.

PO Box No:Contam. Facility:NoCountry:CanadaMHSW Facility:No

Detail(s)

Waste Class: 113

Waste Class Desc: ACID WASTE - OTHER METALS

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

17 10 of 14 SE/136.3 118.4 / 1.65 2299663 Ontario Ltd 142 Cardevco Road GEN

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

Carp ON K0A1L0

Status:

Generator No: ON3825812 332999

SIC Code: SIC Description: ALL OTHER MISCELLANEOUS FABRICATED METAL PRODUCT

MANUFACTURING

Approval Years: 2015 PO Box No:

Country: Canada Co Admin: Ellen Gyenis CO_ADMIN Choice of Contact:

Phone No Admin: 6138361954 Ext.

Contam. Facility: No MHSW Facility: No

Detail(s)

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class:

Waste Class Desc: ACID WASTE - OTHER METALS

Waste Class:

Waste Class Desc: ALKALINE WASTES - OTHER METALS

11 of 14 SE/136.3 118.4 / 1.65 2299663 Ontario Ltd 17

142 Cardevco Road Carp ON K0A1L0

Generator No: ON3825812 Status:

332999 SIC Code: SIC Description: ALL OTHER MISCELLANEOUS Choice of Contact:

FABRICATED METAL PRODUCT

MANUFACTURING

Approval Years:

2014 PO Box No:

Country: Canada

Ellen Gyenis Co Admin: CO_ADMIN

GEN

GEN

Order No: 22100605450

6138361954 Ext. Phone No Admin:

Contam. Facility: No MHSW Facility: No

Detail(s)

Waste Class:

Waste Class Desc: ACID WASTE - OTHER METALS

Waste Class:

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 212

ALIPHATIC SOLVENTS Waste Class Desc:

Waste Class:

Waste Class Desc: WASTE OILS & LUBRICANTS

17 12 of 14 SE/136.3 118.4 / 1.65 2299663 Ontario Ltd

142 Cardevco Road Carp ON K0A1L0

Generator No: ON3825812 Status: Registered

SIC Code:

Approval Years: As of Dec 2018

PO Box No:

Country: Canada Co Admin: Choice of Contact: Phone No Admin:

Contam. Facility: MHSW Facility:

SIC Description:

Number of Direction/ Elev/Diff Site DΒ Map Key (m)

Records

Distance (m)

Detail(s)

Waste Class: 113 C

Waste Class Desc: Acid solutions - containing other metals and non-metals

Waste Class:

Alkaline slutions - containing other metals and non-metals (not cyanide) Waste Class Desc:

Waste Class:

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

17 13 of 14 SE/136.3 118.4 / 1.65 2299663 Ontario Ltd

142 Cardevco Road Carp ON K0A1L0

ON3825812 Registered Generator No: Status:

SIC Code: SIC Description:

As of Jul 2020 Approval Years:

PO Box No:

Country: Canada Co Admin:

Choice of Contact:

Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class:

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 212 L

Waste Class Desc: Aliphatic solvents and residues

Waste Class:

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 113 C

14 of 14

Waste Class Desc: Acid solutions - containing other metals and non-metals

SE/136.3

GEN 142 Cardevco Road

118.4 / 1.65

Carp ON K0A1L0

Choice of Contact:

Phone No Admin:

Contam. Facility:

2299663 Ontario Ltd

ON3825812 Registered Generator No: Status: Co Admin:

SIC Code: SIC Description:

17

As of Nov 2021

Approval Years: PO Box No:

Country: Canada MHSW Facility:

Detail(s)

Waste Class:

Waste Class Desc: Aliphatic solvents and residues

Waste Class:

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class:

Waste Class Desc: Waste crankcase oils and lubricants **GEN**

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 113 C Waste Class: Waste Class Desc: Acid solutions - containing other metals and non-metals 18 1 of 2 N/138.2 116.5 / -0.25 189 Cardevco Rd **EHS** Carp ON KOA 1L0 Order No: 20300200030 Nearest Intersection:

 Status:
 C
 Municipality:

 Report Type:
 Standard Report
 Client Prov/State:

 Report Date:
 07-OCT-20
 Search Radius (km):

 Date Received:
 02-OCT-20
 X:

 Date Received:
 02-OCT-20
 X:
 -75.9786631

 Previous Site Name:
 Y:
 45.2955715

 Lot/Building Size:
 45.2955715

Additional Info Ordered: Fire Insur. Maps and/or Site Plans

18 2 of 2 N/138.2 116.5/-0.25 189 Cardevco Rd Carp ON K0A 1L0

ON

.25

Order No: 22100605450

 Order No:
 20300200030
 Nearest Intersection:

 Status:
 C
 Municipality:

Report Type:Standard ReportClient Prov/State:ONReport Date:07-OCT-20Search Radius (km):.25

 Date Received:
 02-OCT-20
 X:
 -75.9786631

 Previous Site Name:
 Y:
 45.2955715

 Lot/Building Size:
 -75.9786631
 Y:
 -75.9786631

Additional Info Ordered: Fire Insur. Maps and/or Site Plans

19 1 of 1 S/141.0 118.9/2.06 lot 6 con 3 WWIS

 Well ID:
 1532757
 Flowing (Y/N):

 Construction Date:
 Flow Rate:

 Use 1st:
 Domestic
 Data Entry Status:

 Use 2nd:
 Data Src:

Final Well Status:Water SupplyDate Received:06-May-2002 00:00:00Water Type:Selected Flag:TRUE

Water Type: Selected Flag: TRUE
Casing Material: Abandonment Rec:

 Audit No:
 238136
 Contractor:
 1558

 Tag:
 Form Version:
 1

Tag:Form Version:1Constructn Method:Owner:Elevation (m):County:OTTAWA-CARLETON

Elevatn Reliabilty: Lot: 006
Depth to Bedrock: Concession: 03

Well Depth: Concession Name: CON
Overburden/Bedrock: Easting NAD83:

Pump Rate:Northing NAD83:Static Water Level:Zone:

Clear/Cloudy: UTM Reliability:

Municipality: HUNTLEY TOWNSHIP
Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1532757.pdf

Additional Detail(s) (Map)

 Well Completed Date:
 2002/04/29

 Year Completed:
 2002

 Depth (m):
 18.288

 Latitude:
 45.2930660584471

 Longitude:
 -75.9786839507555

 Path:
 153\1532757.pdf

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Elevation:

18

N83

423259.00

5015973.00

margin of error: 10 - 30 m

Order No: 22100605450

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Bore Hole Information

Bore Hole ID: 10523885

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 29-Apr-2002 00:00:00

Remarks: Loc Method Desc: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

 Formation ID:
 932857631

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 16.0 Formation End Depth: 60.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932857630

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

Mat3: Mat3 Desc:

Formation Top Depth: 13.0 Formation End Depth: 16.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932857629

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Most Common Material: SAND

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 13.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933225398

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 22.0

Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:961532757Method Construction Code:4

Method Construction: Rotary (Air)

Other Method Construction:

Pipe Information

Pipe ID: 11072455

Casing No: Comment: Alt Name:

1

Construction Record - Casing

Casing ID: 930095516

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From: Depth To:

Casing Diameter:6.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Casing

Casing ID: 930095515

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To:

Casing Diameter: 5.0
Casing Diameter UOM: inch

Casing Depth UOM: ft

Results of Well Yield Testing

Pumping Test Method Desc:PUMPPump Test ID:991532757

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Set At:	•				

Static Level: 4.0 25.0 Final Level After Pumping: Recommended Pump Depth: 40.0 Pumping Rate: 15.0 Flowing Rate: Recommended Pump Rate: 5.0 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: 2 Water State After Test: CLOUDY Pumping Test Method: **Pumping Duration HR:** Pumping Duration MIN: 0 Flowing: No

Draw Down & Recovery

 Pump Test Detail ID:
 934117924

 Test Type:
 Draw Down

 Test Duration:
 15

 Test Level:
 25.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934918943

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 55.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934401536

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 40.0

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934662059

 Test Type:
 Draw Down

 Test Duration:
 45

 Test Level:
 40.0

 Test Level UOM:
 ft

Water Details

 Water ID:
 934016451

 Layer:
 1

 Kind Code:
 5

 Not stated
 Not stated

Kind: Not stated
Water Found Depth: 27.0
Water Found Depth UOM: ft

Water Details

 Water ID:
 934016452

 Layer:
 2

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Kind Code: 5

Not stated Kind: Water Found Depth: 51.0 Water Found Depth UOM: ft

<u>Links</u>

20

Bore Hole ID: 10523885 Depth M: 18.288

Year Completed: 2002 2002/04/29 Well Completed Dt: 238136 Audit No:

1 of 1

Tag No:

Contractor: 1558

Path: 153\1532757.pdf Latitude: 45.2930660584471 -75.9786839507555 Longitude:

EHS

Order No: 22100605450

20190916176

Order No: Status:

Standard Report Report Type: 19-SEP-19 Report Date: Date Received: 16-SEP-19

Previous Site Name: Lot/Building Size:

Fire Insur. Maps and/or Site Plans Additional Info Ordered:

S/150.7

145 Cardevco Road Carp ON K0A 1L0

Nearest Intersection: Municipality:

Client Prov/State: ON Search Radius (km): .25

-75.978807 X: Y: 45.292988

Registered

1 of 1 SSE/164.0 118.9 / 2.08 2299663 Ontario Ltd **21** GEN 142 Cardevco Road

119.3 / 2.54

Generator No: ON3825812

SIC Code:

SIC Description:

Approval Years: As of Apr 2022 PO Box No:

Country:

Canada

Carp ON K0A1L0

Status: Co Admin:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 252 L

WASTE OILS & LUBRICANTS Waste Class Desc:

Waste Class:

Waste Class Desc: ACID WASTE - OTHER METALS

Waste Class:

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 212 L

Waste Class Desc: ALIPHATIC SOLVENTS

22 1 of 2 NE/167.8 114.2 / -2.61 197 Cardevco Road **EHS** Carp ON K0A 1L0

21060100016 Order No:

Status:

Standard Report Report Type: Report Date: 04-JUN-21 Date Received: 01-JUN-21

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality:

Client Prov/State: ON Search Radius (km): .25

-75.9774715 X: Y: 45.2956389

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

22 2 of 2 NE/167.8 114.2 / -2.61 197 Cardevco Road Carp ON K0A 1L0

Order No:21060100016Nearest Intersection:Status:CMunicipality:

Report Type: Standard Report Client Prov/State: ON
Report Date: 04-JUN-21 Search Radius (km): .25
Date Received: 01-JUN-21 X: -75.9774715

 Date Received:
 01-JUN-21
 X:

 Previous Site Name:
 Y:

 Lot/Building Size:
 Additional Info Ordered:

23 1 of 1 S/174.5 119.2 / 2.39 CAPITAL DEDICATED LOGISTICS INC.
135 CARDEVCO RD EASR

CARP ON KOA 1L0

135 Cardevco Road

Carp ON KOA 1L0

Geometry Y:

45.2956389

EHS

Order No: 22100605450

R-004-1110114179 Ottawa Approval No: **MOE District:** REGISTERED Municipality: CARP Status: Date: 2017-04-06 Latitude: 45.29277778 -75.97861111 Record Type: **EASR** Longitude: Link Source: **MOFA** Geometry X:

Project Type: Waste Management System
Full Address:

Approval Type: EASR-Waste Management System

SWP Area Name: Mississippi Valley

PDF URL:

24 1 of 11 S/174.5

PDF Site Location:

Order No: 20081118034 Nearest Intersection: Cardevco Road and Carp Road

119.2 / 2.39

Status: C Municipality: Ottawa

 Report Type:
 Standard Report
 Client Prov/State:
 ON

 Report Date:
 11/27/2008
 Search Radius (km):
 0.25

 Date Received:
 11/18/2008
 X:
 -75.97822

 Provious Site Name:
 Y:
 45.203846

 Date Received:
 11/18/2008
 X:
 -75.97822

 Previous Site Name:
 Y:
 45.292846

 Lot/Building Size:
 Additional Info Ordered:

24 2 of 11 S/174.5 119.2 / 2.39 135 Cardevco Road EHS

Order No:20110812035Nearest Intersection:Status:CMunicipality:

 Report Type:
 Standard Report
 Client Prov/State:
 ON

 Report Date:
 8/23/2011
 Search Radius (km):
 0.25

 Date Received:
 8/12/2011 4:25:47 PM
 X:
 -75.978342

 Date Received:
 8/12/2011 4:25:47 PM
 X:
 -75.978342

 Previous Site Name:
 Y:
 45.292946

 Lot/Building Size:
 45.292946

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory

24 3 of 11 S/174.5 119.2 / 2.39 Capital Dedicated Logisics 135 Cardevco

Carp ON KOA 1L0

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) ON7253275 Generator No: Status: SIC Code: 484110 Co Admin: General Freight Trucking Local SIC Description: Choice of Contact: Approval Years: Phone No Admin: 2009 PO Box No: Contam. Facility: MHSW Facility: Country: Detail(s) Waste Class: WASTE OILS & LUBRICANTS Waste Class Desc: 24 4 of 11 S/174.5 Capital Dedicated Logisics 119.2 / 2.39 **GEN** 135 Cardevco Carp ON K0A 1L0 ON7253275 Generator No: Status: 484110 Co Admin: SIC Code: SIC Description: General Freight Trucking Local Choice of Contact: 2010 Approval Years: Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS 5 of 11 S/174.5 Capital Dedicated Logisics 24 119.2 / 2.39 GEN 135 Cardevco Carp ON K0A 1L0 ON7253275 Generator No: Status: SIC Code: 484110 Co Admin: General Freight Trucking Local Choice of Contact: SIC Description: Approval Years: Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: Waste Class Desc: WASTE OILS & LUBRICANTS 6 of 11 S/174.5 119.2 / 2.39 135 Cardevco Rd 24 **EHS** Ottawa ON K0A1L0 20160316075 Order No: Nearest Intersection: Status: Municipality: Ottawa Report Type: Standard Report Client Prov/State: ON Search Radius (km): Report Date: 23-MAR-16 .25 16-MAR-16 -75.978578 Date Received: X: Y: Previous Site Name: 45.292761 Lot/Building Size: 2024 sq.m. Additional Info Ordered: City Directory

119.2 / 2.39

135 Cardevco Rd

Ottawa ON K0A1L0

EHS

Order No: 22100605450

S/174.5

24

7 of 11

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m) 20180202014 Order No: Nearest Intersection: Status: Municipality: С ON Report Type: Standard Report Client Prov/State: Report Date: 07-FEB-18 Search Radius (km): .25 Date Received: 02-FEB-18 X: -75.978578 Previous Site Name: Y: 45.292761 Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans 24 8 of 11 S/174.5 119.2 / 2.39 Premier Bus Lines Inc. Carp **GEN** 135 Cardevco Rd Carp ON K0A 1L0 ON7347589 Registered Generator No: Status: SIC Code: Co Admin: SIC Description: Choice of Contact: As of Jul 2020 Approval Years: Phone No Admin: PO Box No: Contam. Facility: Country: Canada MHSW Facility: Detail(s) 252 L Waste Class: Waste Class Desc: Waste crankcase oils and lubricants 24 9 of 11 S/174.5 119.2 / 2.39 Premier Bus Lines Inc. Carp GEN 135 Cardevco Rd Carp ON K0A 1L0 Generator No: ON7347589 Status: Registered SIC Code: Co Admin: SIC Description: Choice of Contact: Approval Years: As of Jan 2021 Phone No Admin: PO Box No: Contam. Facility: Canada MHSW Facility: Country: Detail(s) Waste Class: 252 L Waste Class Desc: Waste crankcase oils and lubricants 24 10 of 11 S/174.5 119.2 / 2.39 Premier Bus Lines Inc. Carp **GEN** 135 Cardevco Rd Carp ON K0A 1L0 ON7347589 Generator No: Status: Registered SIC Code: Co Admin: SIC Description: Choice of Contact: Approval Years: As of Nov 2021 Phone No Admin: PO Box No: Contam. Facility: MHSW Facility: Canada Country: Detail(s) Waste Class: 252 L Waste Class Desc: Waste crankcase oils and lubricants

Premier Bus Lines Inc. Carp

135 Cardevco Rd

GEN

Order No: 22100605450

119.2 / 2.39

S/174.5

24

11 of 11

Map Key Number of Direction/ Elev/Diff Site (m)

Records

Distance (m)

DB

Carp ON K0A 1L0

Generator No:

ON7347589

Canada

Status: Co Admin: Registered

SIC Code: SIC Description:

Approval Years: PO Box No:

As of Apr 2022

Choice of Contact: Phone No Admin: Contam. Facility:

MHSW Facility:

Detail(s)

Country:

Waste Class:

252 L

Waste Class Desc:

WASTE OILS & LUBRICANTS

25

1 of 7

WSW/180.2

119.6 / 2.78

Kerr Design Ltd. 168 Wescar Lane RR 2

Carp ON K0A 1L0

SCT

SCT

CA

Order No: 22100605450

Established:

Plant Size (ft2): Employment:

01-JUN-90

--Details--

Description:

Wood Office Furniture, including Custom Architectural Woodwork, Manufacturing 337213

SIC/NAICS Code:

Description:

Other Millwork

SIC/NAICS Code: 321919

Description:

Other Wood Household Furniture Manufacturing

SIC/NAICS Code: 337123

Description:

Wood Office Furniture, including Custom Architectural Woodwork, Manufacturing

SIC/NAICS Code: 337213

25

2 of 7

WSW/180.2

119.6 / 2.78

Competition Composites Inc. 168 Wescar Lane Unit 3

Carp ON K0A 1L0

Established: Plant Size (ft2): Employment:

1/1/2002 1800

--Details--

Description: SIC/NAICS Code: All Other Plastic Product Manufacturing

326198

Description:

Engineering Services

SIC/NAICS Code: 541330

25

3 of 7

WSW/180.2

119.6 / 2.78

Competition Composites Inc. 168 Wescar Lane Carp

Ottawa ON

Certificate #: Application Year: Issue Date:

5353-8BBMUW

2010 11/19/2010

Air

Approval Type:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Status:

Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

WSW/180.2

119.6 / 2.78

Competition Composites Inc. 3-168 Wescar Lane

SCT

ECA

Order No: 22100605450

Carp ON K0A 1L0

Established: 01-JAN-02 Plant Size (ft2): 1800

4 of 7

--Details--

Employment:

25

Description: All Other Plastic Product Manufacturing

SIC/NAICS Code: 326198

Engineering Services Description:

SIC/NAICS Code: 541330

25 5 of 7 WSW/180.2 119.6 / 2.78 Competition Composites Inc. 168 Wescar Lane Carp

Ottawa ON K0A 1L0

Geometry Y:

168 Wescar Lane

MHSW Facility:

No

5353-8BBMUW **MOE District:** Approval No: Ottawa Approval Date: 2010-11-19 City:

Status: Revoked and/or Replaced Longitude: -75.9808 Record Type: **ECA** Latitude: 45.293774 IDS Link Source: Geometry X:

Mississippi Valley SWP Area Name: ECA-AIR Approval Type: Project Type: AIR

Competition Composites Inc. **Business Name:**

Address: 168 Wescar Lane Carp Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1325-82CS5P-14.pdf PDF Site Location:

WSW/180.2 25 6 of 7 119.6 / 2.78 **Competition Composites** GEN

Status:

Carp ON K0A 1L0

SIC Code: 333310 Co Admin: Phillip Locker COMMERCIAL AND SERVICE INDUSTRY Choice of Contact: CO_OFFICIAL SIC Description:

MACHINERY MANUFACTURING

ON3677511

613-599-6951 Ext. Approval Years: 2015 Phone No Admin: PO Box No: Contam. Facility: No Canada

Detail(s)

Country:

Generator No:

Waste Class:

AROMATIC SOLVENTS Waste Class Desc:

Number of Elev/Diff Site DΒ Map Key Direction/

Waste Class: 213

Records

PETROLEUM DISTILLATES Waste Class Desc:

25 7 of 7 WSW/180.2 119.6 / 2.78 **Competition Composites GEN** 168 Wescar Lane

Status:

Carp ON K0A 1L0

Generator No: ON3677511 SIC Code: 333310

Co Admin: Phillip Locker SIC Description: COMMERCIAL AND SERVICE INDUSTRY Choice of Contact: CO_OFFICIAL

(m)

MACHINERY MANUFACTURING

Distance (m)

Approval Years: 2014

PO Box No:

Canada Country:

Phone No Admin: 613-599-6951 Ext.

Order No: 22100605450

Contam. Facility: No MHSW Facility: No

Detail(s)

Waste Class:

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class:

Waste Class Desc: AROMATIC SOLVENTS

26 1 of 1 S/180.9 119.2 / 2.39 123 CARDEVCO ROAD lot 6 con 3 **WWIS CARP ON**

Flowing (Y/N):

7210658 Well ID:

Construction Date: Flow Rate: Domestic Data Entry Status: Use 1st

Use 2nd: Data Src:

06-Nov-2013 00:00:00 Final Well Status: Water Supply Date Received: TRUE Water Type: Selected Flag:

Casing Material: Abandonment Rec: Audit No: Z155253 Contractor: 1119

A135308 Form Version: 7 Tag: Constructn Method: Owner:

Elevation (m): County: **OTTAWA-CARLETON** Elevatn Reliabilty: Lot: 006

Depth to Bedrock: 03 Concession: Well Depth: Concession Name: CON Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83: Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

Municipality: **HUNTLEY TOWNSHIP**

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/721\7210658.pdf

Additional Detail(s) (Map)

2013/10/08 Well Completed Date: Year Completed: 2013 Depth (m): 30.48

45.2927090022949 Latitude: Longitude: -75.9783334777821 721\7210658.pdf Path:

Bore Hole Information

Bore Hole ID: 1004623534 Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

18 423286.00

5015933.00

margin of error: 30 m - 100 m

Order No: 22100605450

UTM83

Zone:

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Date Completed: 08-Oct-2013 00:00:00

Remarks:

Loc Method Desc: on Water Well Record

Elevrc Desc:

Cluster Kind:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004869371

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 11.0 Formation End Depth: 78.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004869370

Layer: 1

Color:

General Color:

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

 Mat3:
 13

 Mat3 Desc:
 BOULDERS

Formation Top Depth: 0.0
Formation End Depth: 11.0
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004869373

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 93.0 Formation End Depth: 100.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004869372

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 78.0 Formation End Depth: 93.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004869409

 Layer:
 1

 Plug From:
 20.0

 Plug To:
 0.0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:1004869408Method Construction Code:5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1004869368

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004869379

Layer: 2 Material: 4

Open Hole or Material:OPEN HOLEDepth From:20.0Depth To:100.0Casing Diameter:5.9375Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Casing

Casing ID: 1004869378

Layer: 1

Material: 1

Open Hole or Material:STEELDepth From:-2.0Depth To:20.0Casing Diameter:6.25Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1004869380

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Results of Well Yield Testing

Pumping Test Method Desc:

Pump Test ID: 1004869369

Pump Set At: 90.0

 Static Level:
 7.599999904632568

 Final Level After Pumping:
 19.700000762939453

Recommended Pump Depth: 90.0
Pumping Rate: 20.0
Flowing Rate: 20.0
Recommended Pump Rate: 20.0

Recommended Pump Rate: 20.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 0

Water State After Test:
Pumping Test Method: 0
Pumping Duration HR: 1
Pumping Duration MIN:

Flowing:

Draw Down & Recovery

Pump Test Detail ID:1004869393Test Type:Draw Down

Test Duration: 15

Test Level: 18.399999618530273

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004869396
Test Type: Recovery

Test Duration: 20

Test Level: 7.599999904632568

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004869403Test Type:Draw Down

Test Duration: 50

Test Level: 19.700000762939453

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 1004869404
Test Type: Recovery

Test Duration: 50

Test Level: 7.599999904632568

ft

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004869406 Test Type: Recovery

Test Duration: 60

Test Level: 7.599999904632568

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004869386
Test Type: Recovery

Test Duration: 3

Test Level: 7.599999904632568

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004869388Test Type:Recovery

Test Duration: 4

Test Level: 7.599999904632568

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1004869400Test Type:Recovery

Test Duration: 30

Test Level: 7.599999904632568

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004869398
Test Type: Recovery

Test Duration: 25

Test Level: 7.599999904632568

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004869391Test Type:Draw Down

Test Duration: 10

Test Level: 17.299999237060547

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004869381Test Type:Draw Down

Test Duration:

Test Level: 13.699999809265137

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004869389Test Type:Draw Down

Test Duration:

Test Level: 15.399999618530273

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004869392Test Type:RecoveryTest Duration:10

Test Level: 7.599999904632568

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004869399Test Type:Draw Down

Test Duration: 30

Test Level: 19.600000381469727

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1004869402Test Type:RecoveryTest Duration:40

Test Level: 7.599999904632568

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004869401Test Type:Draw Down

Test Duration: 40

Test Level: 19.700000762939453

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004869387Test Type:Draw Down

Test Duration: 4

Test Level: 15.100000381469727

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004869390
Test Type: Recovery

Test Duration: 5

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m)

7.599999904632568 Test Level:

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004869394 Test Type: Recovery

Test Duration: 15

Test Level: 7.599999904632568

Test Level UOM: ft

Draw Down & Recovery

1004869395 Pump Test Detail ID: Test Type: Draw Down Test Duration: 20 19.5 Test Level: Test Level UOM: ft

Draw Down & Recovery

1004869397 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 25

Test Level: 19.600000381469727

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004869382 Test Type: Recovery

Test Duration: 1

Test Level: 7.599999904632568

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004869383 Test Type: Draw Down

Test Duration: 2

Test Level: 14.199999809265137

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004869384 Test Type: Recovery

Test Duration:

7.599999904632568 Test Level:

Test Level UOM: ft

Draw Down & Recovery

1004869385 Pump Test Detail ID: Test Type: Draw Down

Test Duration:

14.800000190734863 Test Level:

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004869405Test Type:Draw Down

Test Duration: 60

Test Level: 19.700000762939453

ft

Test Level UOM:

Water Details

Water ID: 1004869377

 Layer:
 2

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 93.0

Water Details

Water Found Depth UOM:

Water ID: 1004869376

 Layer:
 1

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 78.0

 Water Found Depth UOM:
 ft

Hole Diameter

 Hole ID:
 1004869374

 Diameter:
 9.75

 Depth From:
 0.0

 Depth To:
 20.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Hole Diameter

 Hole ID:
 1004869375

 Diameter:
 5.9375

 Depth From:
 20.0

 Depth To:
 100.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Links

 Bore Hole ID:
 1004623534
 Tag No:
 A135308

 Depth M:
 30.48
 Contractor:
 1119

 Year Completed:
 2013
 Path:
 721\7210658.pdf

 Well Completed Dt:
 2013/10/08
 Latitude:
 45.2927090022949

 Audit No:
 Z155253
 Longitude:
 -75.9783334777821

114.2 / -2.61

Order No: 20200716104

1 of 2

Status: C

Report Type: Standard Report Report Date: 21-JUL-20
Date Received: 16-JUL-20

Previous Site Name:

Carp ON K0A 1L0

Nearest Intersection:
Municipality:

217 Cardevco Rd

Client Prov/State: ON Search Radius (km): .25

X: -75.9772658 **Y:** 45.2956916 **EHS**

Order No: 22100605450

NE/181.2

27

Direction/ Elev/Diff Site DΒ Map Key Number of Distance (m) (m)

Records

Lot/Building Size: Additional Info Ordered:

> **27** 2 of 2 NE/181.2 114.2 / -2.61 217 Cardevco Rd **EHS** Carp ON K0A 1L0

20200716104 Nearest Intersection: Order No:

Status: С

Report Type: Standard Report Report Date: 21-JUL-20 Date Received: 16-JUL-20

Previous Site Name: Lot/Building Size: Additional Info Ordered: Municipality: Client Prov/State: ON Search Radius (km): .25

Nearest Intersection:

Client Prov/State:

Search Radius (km):

Municipality:

CARP ON

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Data Entry Status: Data Src:

Abandonment Rec:

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

Flow Rate:

-75.9772658 X: Y: 45.2956916

Ottawa

-75.980212

45.293186

11-Sep-2012 00:00:00

OTTAWA-CARLETON

TRUE

2558

WWIS

Order No: 22100605450

ON

.25

28 1 of 1 SW/182.6 119.9 / 3.08 154 Wescar Lane **EHS** Ottawa ON K0A1L0

Order No: 20180503108

Status:

Report Type: Standard Report Report Date: 10-MAY-18 03-MAY-18 Date Received: Previous Site Name:

Lot/Building Size: 1.02 acres

Additional Info Ordered: City Directory; Aerial Photos

S/184.3 119.9 / 3.08 135 CARDEVCO RD 29 1 of 1

X:

Y:

7186867 Well ID:

Construction Date: Use 1st: Domestic

Use 2nd:

Final Well Status:

Water Supply

Water Type:

Casing Material:

Audit No: Z154051 A134668 Tag:

Constructn Method:

Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level: Clear/Cloudy:

HUNTLEY TOWNSHIP Municipality:

Site Info: **PART 7&10**

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7186867.pdf PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2012/08/09 2012 Year Completed: Depth (m): 30.48

Latitude: 45.2926785057057 Longitude: -75.9787410494549

Path: 718\7186867.pdf

Bore Hole Information

Bore Hole ID: 1004152215 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 423254.00

 Code OB Desc:
 North83:
 5015930.00

 Code OB Desc:
 North83:
 5015930.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 09-Aug-2012 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

 Remarks:
 Location Method:
 wwr

Remarks: Location Method: w
Loc Method Desc: on Water Well Record

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Elevrc Desc:

Formation ID: 1004453816

 Layer:
 2

 Color:
 8

 General Color:
 BLACK

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 16.0 Formation End Depth: 100.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004453815

Layer: 1

Color:

General Color:

Mat1: 05

Most Common Material: CLAY Mat2: 28 Mat2 Desc: SAND Mat3: 12 Mat3 Desc: **STONES** Formation Top Depth: 0.0 Formation End Depth: 16.0 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004453850

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 22.0

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004453849

Method Construction Code: 2

Method Construction: Rotary (Convent.)

ft

Other Method Construction:

Pipe Information

Pipe ID: 1004453813

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004453820

Layer: 1
Material: 1

Open Hole or Material:STEELDepth From:0.0Depth To:22.0Casing Diameter:6.0Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1004453821

Layer:

Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Results of Well Yield Testing

Pumping Test Method Desc:

Pump Test ID: 1004453814

Pump Set At: 75.0

Static Level:

Final Level After Pumping: 11.0
Recommended Pump Depth: 80.0
Pumping Rate: 15.0

Flowing Rate:

Recommended Pump Rate: 15.0 Levels UOM: ft

Rate UOM: GPM
Water State After Test Code: 2

Water State After Test: CLOUDY

Pumping Test Method: 0
Pumping Duration HR: 1
Pumping Duration MIN:

Flowing: No

Draw Down & Recovery

Pump Test Detail ID:1004453831Test Type:Recovery

Test Duration: 5

Test Level: 19.700000762939453

Test Level UOM:

Draw Down & Recovery

 Pump Test Detail ID:
 1004453835

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 12.5

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1004453840

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 63.0

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1004453829Test Type:Recovery

Test Duration: 4

Test Level: 22.899999618530273

Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 1004453832

 Test Type:
 Draw Down

 Test Duration:
 10

 Test Level:
 47.0

Test Level: 47
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004453844
Test Type: Draw Down

Test Duration: 50

Test Level: 67.4000015258789

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004453823Test Type:Recovery

Test Duration: 1

Test Level: 45.099998474121094

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004453824Test Type:Draw Down

Test Duration: 2

Test Level: 25.899999618530273

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004453826Test Type:Draw Down

Test Duration: 3

Test Level: 29.799999237060547

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004453830Test Type:Draw Down

Test Duration: 5

Test Level: 35.400001525878906

Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 1004453837

 Test Type:
 Recovery

 Test Duration:
 20

 Test Level:
 11.75

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1004453839Test Type:Recovery

Test Duration: 25

Test Level: 11.649999618530273

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004453842Test Type:Draw Down

Test Duration: 40

Test Level: 67.4000015258789

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004453845Test Type:Recovery

Test Duration: 50

Test Level: 11.100000381469727

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1004453822Test Type:Draw Down

Test Duration:

Test Level: 20.799999237060547

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004453825Test Type:Recovery

Test Duration: 2

Test Level: 35.20000076293945

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1004453828Test Type:Draw Down

Test Duration: 4

Test Level: 32.900001525878906

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1004453836Test Type:Draw Down

Test Duration: 20

Test Level: 56.099998474121094

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004453838Test Type:Draw Down

Test Duration: 25

Test Level: 56.79999923706055

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004453827Test Type:Recovery

Test Duration:

Test Level: 27.799999237060547

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004453847Test Type:Recovery

Test Duration: 60

Test Level: 11.050000190734863

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004453846
Test Type: Draw Down

Test Duration: 60

Test Level: 67.4000015258789

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004453833

Test Type: Recovery

Test Duration: 10

Test Level: 13.699999809265137

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004453834Test Type:Draw DownTest Duration:15

Test Level: 53.5
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:1004453841Test Type:RecoveryTest Duration:30

Test Level: 11.399999618530273

Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1004453843
Test Type: Recovery

Test Duration: 40

Test Level: 11.199999809265137

Test Level UOM: ft

Water Details

Water ID: 1004453818

 Layer:
 1

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 79.0

 Water Found Depth UOM:
 ft

Water Details

Water ID: 1004453819

Layer: 2 Kind Code: 8

Kind: Untested Water Found Depth: 82.0 Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004453817

Diameter: 25.399999618530273

 Depth From:
 0.0

 Depth To:
 22.0

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

<u>Links</u>

 Bore Hole ID:
 1004152215
 Tag No:
 A134668

 Depth M:
 30.48
 Contractor:
 2558

Мар Кеу	Numbe Record		Elev/Diff) (m)	Site		DB
Year Completed: Well Completed Dt: Audit No:		2012 2012/08/09 Z154051		Path: Latitude: Longitude:	718\7186867.pdf 45.2926785057057 -75.9787410494549	
<u>30</u>	1 of 11	SW/188.9	119.9 / 3.08	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0		GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON4708737 562910 Remediation Services 07,08		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
Detail(s)						
Waste Class Waste Class		312 PATHOLOGICAL WASTES				
<u>30</u>	2 of 11	SW/188.9	119.9 / 3.08	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0		GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	tion:	ON4708737 562910 Remediation Services 2009		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
Detail(s)						
Waste Class: Waste Class Desc:		312 PATHOLOGICAL WASTES				
<u>30</u>	3 of 11	SW/188.9	119.9 / 3.08	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0		GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON4708737 562910 Remediation Services 2010		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class Desc:		312 PATHOLOGICAL WASTES				
<u>30</u>	4 of 11	SW/188.9	119.9 / 3.08	6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0		GEN
Generator No: SIC Code: SIC Description: Approval Years:		ON4708737 562910 Remediation Services 2011		Status: Co Admin: Choice of Contact: Phone No Admin:		

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Contam. Facility: PO Box No: Country: MHSW Facility: Detail(s) Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES **30** 5 of 11 SW/188.9 119.9 / 3.08 6920055 Canada Inc. **GEN** 1 - 144 Wescar Lane Carp ON K0A 1L0 ON4708737 Generator No: Status: 562910 Co Admin: SIC Code: Remediation Services SIC Description: Choice of Contact: Approval Years: 2012 Phone No Admin: PO Box No: Contam. Facility: MHSW Facility: Country: Detail(s) Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES SW/188.9 6920055 Canada Inc. **30** 6 of 11 119.9 / 3.08 **GEN** 1 - 144 Wescar Lane Carp ON Generator No: ON4708737 Status: 562910 Co Admin: SIC Code: SIC Description: REMEDIATION SERVICES Choice of Contact: Approval Years: Phone No Admin: 2013 PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES 7 of 11 SW/188.9 119.9 / 3.08 6920055 Canada Inc. 30 **GEN** 1 - 144 Wescar Lane Carp ON K0A 1L0 ON4708737 Generator No: Status: SIC Code: 562910 Co Admin: Donna L Salim REMEDIATION SERVICES CO_OFFICIAL SIC Description: Choice of Contact: Approval Years: Phone No Admin: 613-836-7669 Ext. 2016 PO Box No: Contam. Facility: No Canada MHSW Facility: No Country: Detail(s) Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

6920055 Canada Inc. 1 - 144 Wescar Lane Carp ON K0A 1L0

GEN

Order No: 22100605450

SW/188.9

119.9 / 3.08

30

8 of 11

ON4708737 Generator No: SIC Code: 562910

SIC Description: REMEDIATION SERVICES

Approval Years: PO Box No:

2015

Canada Country:

Status:

Co Admin: Donna L Salim Choice of Contact: CO_OFFICIAL 613-836-7669 Ext. Phone No Admin:

Contam. Facility: No MHSW Facility: No

Detail(s)

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

9 of 11 **30** SW/188.9 119.9 / 3.08 6920055 Canada Inc. 1 - 144 Wescar Lane

Carp ON K0A 1L0

ON4708737 Generator No: 562910 SIC Code:

SIC Description: REMEDIATION SERVICES

Approval Years: 2014

PO Box No:

Country: Canada Status: Co Admin:

Donna L Salim Choice of Contact: CO_OFFICIAL Phone No Admin: 613-836-7669 Ext. **GEN**

Order No: 22100605450

Contam. Facility: No MHSW Facility: No

Detail(s)

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

10 of 11 SW/188.9 119.9 / 3.08 6920055 Canada Inc. 30 GEN 1 - 144 Wescar Lane

Carp ON K0A 1L0

ON4708737 Generator No:

SIC Code: SIC Description:

Approval Years:

As of Dec 2018 PO Box No:

Country: Canada Status: Registered

Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class:

Waste Class Desc: Pathological wastes

30 11 of 11 SW/188.9 119.9 / 3.08 6920055 Canada Inc. **GEN** 1 - 144 Wescar Lane

Carp ON KOA 1L0

Generator No: ON4708737

SIC Code:

SIC Description:

Approval Years: PO Box No:

As of Oct 2019

Country: Canada Status: Registered

Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:

MHSW Facility:

Detail(s)

Waste Class: 312 P

Waste Class Desc: Pathological wastes

Мар Кеу	Numbe Record		Elev/Diff (m)	Site	DB
<u>31</u>	1 of 15	SE/197.1	117.9 / 1.08	G P SERVICE STATION MAINTENANCE 132 CARDEVCO OFF CARP ROAD C/O P.O. BOX 657 STITTSVILLE ON KOA 3G0	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON1022601 0000 *** NOT DEFINED *** 88,89,90		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class Waste Class	=	213 PETROLEUM DIS	TILLATES		
Waste Class Waste Class		252 WASTE OILS & LUBRICANTS			
<u>31</u>	2 of 15	SE/197.1	117.9 / 1.08	G.P. SERVICE STATION MAINTENANCE 132 CARDEVCO ROAD CARP ON KOA 1L0	GEN
Generator No SIC Code: SIC Descript Approval Yea PO Box No: Country:	tion:	ON1022601 6351 GARAGES(GEN. REPAIR) 92,93,97,98		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class Waste Class		252 WASTE OILS & LU	JBRICANTS		
Waste Class: Waste Class Desc:		213 PETROLEUM DISTILLATES			
<u>31</u>	3 of 15	SE/197.1	117.9 / 1.08	G P SERVICE STATION MAINTENANCE 16-270 132 CARDEVCO OFF CARP ROAD C/O P.O. BOX 657 STITTSVILLE ON K2S 1A7	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON1022601 6351 GARAGES(GEN. REPAIR) 94,95,96		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		213 PETROLEUM DIS	TILLATES		
Waste Class Waste Class		252 WASTE OILS & LU	JBRICANTS		

Map Key	Numbe Record		Elev/Diff) (m)	Site	DE
<u>31</u>	4 of 15	SE/197.1	117.9 / 1.08	G. P. SERVICE STATION MAINTENANCE QUEENSWAY CARP INDUSTRIAL PARK 132 CARDEVCO ROAD CARP ON K0A 1L0	GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion: ears:	ON1022601 6351 GARAGES(GEN. REPAIR) 99,00,01		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class Waste Class		213 PETROLEUM DI	STILLATES		
Waste Class Waste Class		221 LIGHT FUELS			
Waste Class Waste Class		251 OIL SKIMMINGS	& SLUDGES		
Waste Class Waste Class		252 WASTE OILS & I	LUBRICANTS		
<u>31</u>	5 of 15	SE/197.1	117.9 / 1.08	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion: ears:	ON8749071 04,05,06,07,08		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class Waste Class		221 LIGHT FUELS			
<u>31</u>	6 of 15	SE/197.1	117.9 / 1.08	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON K0A 1L0	GEN
Generator N SIC Code: SIC Descrip Approval Ye PO Box No: Country:	tion: ears:	ON8749071 232990 2009		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	
Detail(s)					
Waste Class Waste Class		221 LIGHT FUELS			
<u>31</u>	7 of 15	SE/197.1	117.9 / 1.08	634833 ONTARIO INC. 132 CARDEVCO RD CARP ON K0A 1L0	GEN

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m) ON8749071 Generator No: Status: SIC Code: 232990 Co Admin: SIC Description: Choice of Contact: Approval Years: 2010 Phone No Admin: PO Box No: Contam. Facility: MHSW Facility: Country: Detail(s) Waste Class: 221 Waste Class Desc: LIGHT FUELS 8 of 15 SE/197.1 117.9 / 1.08 31 634833 ONTARIO INC. **GEN** 132 CARDEVCO RD **CARP ON KOA 1LO** ON8749071 Generator No: Status: 232990 Co Admin: SIC Code: SIC Description: Choice of Contact: Phone No Admin: Approval Years: 2011 PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: 221 Waste Class Desc: LIGHT FUELS 9 of 15 SE/197.1 117.9 / 1.08 634833 ONTARIO INC. 31 **GEN** 132 CARDEVCO RD **CARP ON KOA 1L0** ON8749071 Generator No: Status: SIC Code: 232990 Co Admin: SIC Description: Choice of Contact: Approval Years: 2012 Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: 221 Waste Class Desc: LIGHT FUELS 31 10 of 15 SE/197.1 117.9 / 1.08 634833 ONTARIO INC. **GEN** 132 CARDEVCO RD **CARP ON** Generator No: ON8749071 Status: 232990 Co Admin: SIC Code: SIC Description: ALL OTHER SPECIAL TRADE Choice of Contact:

CONTRACTING

Approval Years: 2013

PO Box No: Country: 2013

252

Phone No Admin: Contam. Facility: MHSW Facility:

Order No: 22100605450

Detail(s)

Waste Class:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) WASTE OILS & LUBRICANTS Waste Class Desc: Waste Class: 221 LIGHT FUELS Waste Class Desc: 117.9 / 1.08 31 11 of 15 SE/197.1 1850795 Ontario Inc. **GEN** 132 CARDEVCO RD **CARP ON KOA 1LO** Generator No: ON8749071 Status: SIC Code: 232990 Co Admin: Debbie Dodge ALL OTHER SPECIAL TRADE SIC Description: Choice of Contact: CO_ADMIN CONTRACTING Approval Years: 2016 Phone No Admin: 613-831-1088 Ext.400 PO Box No: Contam. Facility: No Canada MHSW Facility: No Country: Detail(s) Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS Waste Class: 221 Waste Class Desc: LIGHT FUELS SE/197.1 12 of 15 117.9 / 1.08 1850795 Ontario Inc. 31 **GEN** 132 CARDEVCO RD **CARP ON KOA 1L0** Generator No: ON8749071 Status: SIC Code: 232990 Co Admin: Debbie Dodge ALL OTHER SPECIAL TRADE CO_ADMIN SIC Description: Choice of Contact: CONTRACTING 613-831-1088 Ext.400 Approval Years: 2015 Phone No Admin: PO Box No: Contam. Facility: No MHSW Facility: Country: Canada No Detail(s) Waste Class: 221 LIGHT FUELS Waste Class Desc: Waste Class: Waste Class Desc: WASTE OILS & LUBRICANTS SE/197.1 1850795 Ontario Inc. 31 13 of 15 117.9 / 1.08 **GEN** 132 CARDEVCO RD **CARP ON KOA 1L0** Generator No: ON8749071 Status:

232990 Susan Grant Co Admin:

Order No: 22100605450

SIC Code: SIC Description: ALL OTHER SPECIAL TRADE Choice of Contact: CO_ADMIN CONTRACTING

2014 Approval Years: Phone No Admin: 613-831-1088 Ext.400

PO Box No: Contam. Facility: No Canada MHSW Facility: Nο Country:

Detail(s)

Waste Class:

WASTE OILS & LUBRICANTS Waste Class Desc:

Map Key	Numbe Record		Elev/Diff (m)	Site		DB
Waste Class: Waste Class Desc:		221 LIGHT FUELS				
<u>31</u>	14 of 15	SE/197.1	117.9 / 1.08	1850795 Ontario Inc. 132 CARDEVCO RD CARP ON K0A 1L0		GEN
Generator N SIC Code:		ON8749071 As of Dec 2018 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	
SIC Descript Approval Ye	ars:					
PO Box No: Country:						
<u>Detail(s)</u>						
Waste Class Waste Class	· -	221 I Light fuels				
Waste Class Waste Class		221 L Light fuels				
Waste Class Waste Class		252 L Waste crankcase	oils and lubricants			
<u>31</u>	15 of 15	SE/197.1	117.9 / 1.08	Tarstone Canada Lim 132 Cardevco Road Carp ON K0A1L0	ited	GEN
Generator N		ON4183552		Status: Co Admin:	Registered	
SIC Descript Approval Ye		As of Nov 2021 Canada		Choice of Contact: Phone No Admin:		
PO Box No: Country:				Contam. Facility: MHSW Facility:		
Detail(s)						
Waste Class Waste Class		252 L Waste crankcase oils and lubricants				
<u>32</u>	1 of 3	WSW/197.3	119.9 / 3.08	NU-TEK SIGNS INC. 162 WESCAR LANE CARP ON K0A 1L0		GEN
Generator N	o:	ON2137000		Status:		
SIC Code: SIC Description:		3971 SIGN & DISPLAY IND.		Co Admin: Choice of Contact:		
Approval Years: PO Box No: Country:		96,97,98,99,00,01		Phone No Admin: Contam. Facility: MHSW Facility:		
<u>Detail(s)</u>						
Waste Class: Waste Class Desc:		211 AROMATIC SOLV	/ENTS			
<u>32</u>	2 of 3	WSW/197.3	119.9 / 3.08	162 Wescar Lane Carp ON K0A 1L0		EHS

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

Order No: 21041600030

Status:

Report Type: Standard Report Report Date: 21-APR-21 Date Received: 16-APR-21

Previous Site Name: Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans Nearest Intersection:

Municipality:

Client Prov/State: ON Search Radius (km): .25

-75.9807573 45.2934901

3 of 3 WSW/197.3 119.9 / 3.08 162 Wescar Lane **32 EHS** Carp ON K0A 1L0

21041600030 Order No:

Status: С

Report Type: Standard Report Report Date: 21-APR-21 16-APR-21 Date Received:

Previous Site Name: Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans Nearest Intersection: Municipality: Client Prov/State: ON

Search Radius (km): .25 -75.9807573 X: Y: 45.2934901

20-Nov-2012 00:00:00

OTTAWA-CARLETON

Order No: 22100605450

TRUE

4875

006

CON

03

1 of 1 WNW/198.3 119.9 / 3.08 171 CARDENCO lot 6 con 3 33 **WWIS CARP ON**

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

Flow Rate:

Data Src:

7191739 Well ID:

Construction Date:

Use 1st: Commerical

Use 2nd: Final Well Status:

Water Supply

Water Type: Casing Material:

Audit No: Z149101 A129749 Tag:

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Clear/Cloudy:

HUNTLEY TOWNSHIP Municipality:

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2012/10/24 Year Completed: 2012

Depth (m): 27.45

Latitude: 45.2950004922099 -75.9808853258624 Longitude: Path:

Bore Hole Information

Elevation: Bore Hole ID: 1004207214 DP2BR: Elevrc:

Map Key Number of Direction/ Elev/Diff Site DB

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

18

423089.00

5016190.00

margin of error: 30 m - 100 m

Order No: 22100605450

UTM83

wwr

Records Distance (m) (m)

Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:

Date Completed: 24-Oct-2012 00:00:00

Remarks:

Loc Method Desc: on Water Well Record

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004533196

Layer: Color: 6 General Color: **BROWN** Mat1: 28 SAND Most Common Material: Mat2: 01 FILL Mat2 Desc: Mat3: 05 Mat3 Desc: CLAY Formation Top Depth: 0.0

Formation End Depth: 0.9200000166893005

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004533197

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 13

 Mat2 Desc:
 BOULDERS

Mat3:

Mat3 Desc:

 Formation Top Depth:
 0.9200000166893005

 Formation End Depth:
 2.440000057220459

Formation End Depth UOM:

Overburden and Bedrock Materials Interval

Formation ID: 1004533198

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 13

 Mat2 Desc:
 BOULDERS

Mat3: Mat3 Desc:

Formation Top Depth: 2.440000057220459

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m)

Formation End Depth: 5.179999828338623

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1004533199

Layer: Color: 2 General Color: **GREY** Mat1: 15

Most Common Material: LIMESTONE Mat2:

17 Mat2 Desc: SHALE

Mat3: Mat3 Desc:

Formation Top Depth: 5.179999828338623 27.450000762939453 Formation End Depth:

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

1004533235 Plug ID:

Layer:

Plug From: 0.0

Plug To: 6.400000095367432

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1004533234

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1004533194

Casing No:

Comment: Alt Name:

Construction Record - Casing

1004533205 Casing ID:

Layer: Material:

Open Hole or Material: STEEL

Depth From: -0.9200000166893005 Depth To: 6.400000095367432 Casing Diameter: 15.880000114440918

Casing Diameter UOM: cm Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1004533206

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth LOM:

Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter:

Results of Well Yield Testing

Pumping Test Method Desc:

 Pump Test ID:
 1004533195

 Pump Set At:
 12.199999809265137

 Static Level:
 2.490000009536743

 Final Level After Pumping:
 2.559999942779541

 Recommended Pump Depth:
 12.199999809265137

Pumping Rate: 45.0

Flowing Rate:

Recommended Pump Rate: 45.0
Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 3
Water State After Test: OTHER
Pumping Test Method: 0
Pumping Duration HR: 1

Pumping Duration HR: Pumping Duration MIN:

Flowing: No

Draw Down & Recovery

Pump Test Detail ID:1004533209Test Type:Draw Down

Test Duration: 2

Test Level: 2.5399999618530273

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:1004533210Test Type:Recovery

Test Duration:

Test Level: 2.5199999809265137

Test Level UOM: m

Draw Down & Recovery

 Pump Test Detail ID:
 1004533224

 Test Type:
 Recovery

 Test Duration:
 25

 Test Level:
 2.5

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID:1004533213Test Type:Draw Down

Test Duration: 4

Test Level: 2.559999942779541

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1004533216
Test Type: Recovery

Test Duration: 5

Test Level: 2.519999809265137

Test Level UOM: m

Draw Down & Recovery

 Pump Test Detail ID:
 1004533222

 Test Type:
 Recovery

 Test Duration:
 20

 Test Level:
 2.5

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID:1004533219Test Type:Draw Down

Test Duration: 15

Test Level: 2.5299999713897705

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:1004533214Test Type:Recovery

Test Duration:

Test Level: 2.5199999809265137

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:1004533227Test Type:Draw Down

Test Duration: 40

Test Level: 2.559999942779541

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:1004533228Test Type:Recovery

Test Duration: 40

Test Level: 2.490000009536743

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 1004533230
Test Type: Recovery

Test Duration: 50

Test Level: 2.490000009536743

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:1004533208Test Type:Recovery

Test Duration: 1

Test Level: 2.5199999809265137

Test Level UOM:

m

Draw Down & Recovery

Pump Test Detail ID:1004533211Test Type:Draw Down

Test Duration: 3

Test Level: 2.549999952316284

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:1004533215Test Type:Draw Down

Test Duration: 5

Test Level: 2.5299999713897705

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:1004533218Test Type:Recovery

Test Duration: 10

Test Level: 2.509999990463257

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1004533225Test Type:Draw Down

Test Duration: 30

Test Level: 2.5299999713897705

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 1004533220
Test Type: Recovery

Test Duration: 15

Test Level: 2.509999990463257

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 1004533226
Test Type: Recovery

Test Duration: 30

Test Level: 2.490000009536743

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1004533212Test Type:Recovery

Test Duration: 3

Test Level: 2.5199999809265137

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1004533223Test Type:Draw Down

Test Duration: 25

Test Level: 2.5299999713897705

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:1004533231Test Type:Draw Down

Test Duration: 60

Test Level: 2.559999942779541

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:1004533207Test Type:Draw Down

Test Duration:

Test Level: 2.5299999713897705

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:1004533217Test Type:Draw Down

Test Duration: 10

Test Level: 2.5299999713897705

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:1004533221Test Type:Draw Down

Test Duration: 20

Test Level: 2.5299999713897705

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:1004533229Test Type:Draw Down

Test Duration: 50

Test Level: 2.559999942779541

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 1004533232
Test Type: Recovery

Test Duration: 60

Test Level: 2.490000009536743

Test Level UOM:

Water Details

Water ID: 1004533203

Layer: 2 Kind Code: 8

Kind: Untested

Water Found Depth: 18.899999618530273

Water Found Depth UOM: m

Water Details

Water ID: 1004533202

Layer: 1
Kind Code: 3

Kind: SULPHUR
Water Found Depth: 12.5
Water Found Depth UOM: m

Water Details

Water ID: 1004533204

Layer: 3 Kind Code: 8

Kind: Untested

Water Found Depth: 24.100000381469727

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1004533201

 Diameter:
 15.239999771118164

 Depth From:
 6.40000095367432

 Depth To:
 27.450000762939453

Hole Depth UOM: m
Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1004533200

Diameter: 22.860000610351562

Depth From: 0.0

Depth To: 5.400000095367432

Hole Depth UOM: m
Hole Diameter UOM: cm

<u>Links</u>

 Bore Hole ID:
 1004207214
 Tag No:
 A129749

 Depth M:
 27.45
 Contractor:
 4875

 Depth M:
 27.45
 Contractor:
 487

 Year Completed:
 2012
 Path:

 Well Completed to 12
 2012 (40/04)
 Letter to 12

 Well Completed Dt:
 2012/10/24
 Latitude:
 45.2950004922099

 Audit No:
 Z149101
 Longitude:
 -75.9808853258624

34 1 of 1 ESE/199.9 117.9 / 1.12 128 Cardevco Rd WWIS

Order No: 22100605450

Well ID: 7344968 *Flowing (Y/N)*:

Construction Date: Flow Rate:
Use 1st: Monitoring and Test Hole Data Entry Status:

Use 2nd: Data Src:

Final Well Status:Monitoring and Test HoleDate Received:09-Oct-2019 00:00:00Water Type:Selected Flag:TRUE

Casing Material: Abandonment Rec:

 Audit No:
 Z317325
 Contractor:
 7241

 Tag:
 A274753
 Form Version:
 7

Constructn Method: Owner:

DΒ Map Key Number of Direction/ Elev/Diff Site

Records Distance (m) (m) OTTAWA-CARLETON

Elevation (m): County: Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: . Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone: UTM Reliability:

Clear/Cloudy: Municipality: **HUNTLEY TOWNSHIP**

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2019/08/28 Year Completed: 2019 Depth (m): 4.57

Latitude: 45.2932467258327 Longitude: -75.9765062733899

Path:

Bore Hole Information

Bore Hole ID: 1007688859 Elevation: DP2BR:

Elevrc: Spatial Status: Zone: 18 423430.00 Code OB: East83: Code OB Desc: North83: 5015991.00 Open Hole: UTM83

Org CS: Cluster Kind: UTMRC: Date Completed: 28-Aug-2019 00:00:00 UTMRC Desc:

margin of error: 30 m - 100 m Remarks: Location Method:

Loc Method Desc: on Water Well Record

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

1007880640 Formation ID:

Layer: 3 Color: 2 General Color: **GREY** Mat1: 15

LIMESTONE Most Common Material:

Mat2:

Mat2 Desc: SANDSTONE

Mat3:

Mat3 Desc: **LAYERED**

0.9100000262260437 Formation Top Depth: Formation End Depth: 4.570000171661377

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1007880638

Layer: Color: **GREY** General Color: Mat1: 11 Most Common Material: **GRAVEL** Mat2: 12 Mat2 Desc: **STONES** Mat3: 77 Mat3 Desc: LOOSE Formation Top Depth: 0.0

Formation End Depth: 0.3100000023841858

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 1007880639

Layer: 2 Color: 6 General Color: **BROWN** Mat1: 28 Most Common Material: SAND Mat2: 12 Mat2 Desc: **STONES** Mat3: 85 SOFT Mat3 Desc:

 Formation Top Depth:
 0.3100000023841858

 Formation End Depth:
 0.9100000262260437

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007882151

Layer: 1
Plug From: 0.0

Plug To: 0.3100000023841858

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007882153

Layer: 3

 Plug From:
 1.2200000286102295

 Plug To:
 4.570000171661377

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1007882152

Layer: 2

 Plug From:
 0.3100000023841858

 Plug To:
 1.2200000286102295

Plug Depth UOM: m

Method of Construction & Well

Use

Method Construction ID: 1007884055

Method Construction Code: 5

Method Construction:

Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1007879200

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007884753

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

 Depth To:
 1.5199999809265137

 Casing Diameter:
 4.03000020980835

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1007885333

Layer: 1 **Slot:** 10

 Screen Top Depth:
 1.519999809265137

 Screen End Depth:
 4.570000171661377

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 4.820000171661377

Results of Well Yield Testing

Pumping Test Method Desc:

Pump Test ID: 1007886099

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: m Rate UOM: LPM

Water State After Test Code:
Water State After Test:
Pumping Test Method:
0
Pumping Duration HR:

Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole Diameter

Hole ID: 1007883348

Diameter: 11.430000305175781

Depth From: 0.0

Depth To:

Hole Depth UOM: m
Hole Diameter UOM: cm

Number of Direction/ Elev/Diff Site DΒ Map Key

Records

Hole Diameter

Distance (m)

Hole ID: 1007883349 Diameter: 7.619999885559082

Depth From:

Depth To: 4.570000171661377

Hole Depth UOM: m Hole Diameter UOM: cm

Links

Bore Hole ID: 1007688859 Tag No: A274753 Depth M: 4.57 Contractor: 7241

Year Completed: 2019 Path:

Well Completed Dt: 2019/08/28 Latitude: 45.2932467258327 Z317325 -75.9765062733899 Audit No: Longitude:

(m)

SSE/202.2 **ONTRAC EQUIPMENT SERVICES** 35 1 of 1 118.9 / 2.08

139 CARDEVCO ROAD **CARP ON KOA 1L0**

Phone No Admin:

Contam. Facility: MHSW Facility:

GEN

WWIS

Order No: 22100605450

Generator No: ON2158207 Status: SIC Code: 3192 Co Admin:

SIC Description: CONSTRTUCTION EQUIP. Choice of Contact:

212

Approval Years: 98,99

PO Box No: Country:

Detail(s)

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class:

PETROLEUM DISTILLATES Waste Class Desc:

221 Waste Class:

LIGHT FUELS Waste Class Desc:

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

1 of 1 SSW/202.4 132 WESCAR LANE lot 6 con 3 36 119.9 / 3.08 **CARP ON**

Well ID: 1536824

Construction Date: Use 1st: Domestic

Use 2nd:

Waste Class:

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No: Z47066

Tag: A041980 Constructn Method:

Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Abandonment Rec: Contractor: 1558

Form Version: 3

Owner:

County: **OTTAWA-CARLETON**

TRUE

17-Nov-2006 00:00:00

Lot: 006 03 Concession: Concession Name: CON

Easting NAD83: Northing NAD83:

Flowing (Y/N): Flow Rate:

Data Src:

Data Entry Status:

Date Received:

Selected Flag:

DΒ Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

HUNTLEY TOWNSHIP Municipality:

Site Info:

https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536824.pdf PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2006/08/30 2006 Year Completed: Depth (m): 52.72

45.2925925854696 Latitude: Longitude: -75.9793134556728 Path: 153\1536824.pdf

Bore Hole Information

Bore Hole ID: 11691918 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18 423209.00 Code OB: East83: Code OB Desc: North83: 5015921.00 UTM83

Open Hole: Org CS: Cluster Kind: UTMRC:

Date Completed: 30-Aug-2006 00:00:00 **UTMRC Desc:** margin of error: 10 - 30 m Remarks: Location Method: wwr

Loc Method Desc: on Water Well Record

Elevrc Desc:

Location Source Date: Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Overburden and Bedrock

Materials Interval

933071033 Formation ID:

Layer: 3 Color: 2 **GREY** General Color: Mat1: 15

LIMESTONE Most Common Material:

Mat2: Mat2 Desc: Mat3: Mat3 Desc:

Formation Top Depth: 7.309999942779541 Formation End Depth: 52.720001220703125

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 933071032

Layer: 2 Color: 2 **GREY** General Color: 05 Mat1. Most Common Material: CLAY Mat2: 81

Mat2 Desc: SANDY

Mat3: Mat3 Desc:

 Formation Top Depth:
 3.6500000953674316

 Formation End Depth:
 7.309999942779541

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 933071031

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 81

 Mat2 Desc:
 SANDY

 Mat3:
 12

Mat3 Desc: STONES
Formation Top Depth: 0.0

Formation End Depth: 3.6500000953674316

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 933286615

Layer:

Plug From: 8.220000267028809

Plug To: 0.0 Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961536824

Method Construction Code: 4

Method Construction: Rotary (Air)

Other Method Construction:

Pipe Information

Pipe ID: 11696784

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930873873

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

 Depth From:
 8.220000267028809

 Depth To:
 52.720001220703125

Casing Diameter:

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Casing

Casing ID: 930873872

Layer: 1
Material: 1
Open Hole or Material: STEEL

 Depth From:
 -0.44999998807907104

 Depth To:
 8.220000267028809

 Casing Diameter:
 15.859999656677246

Casing Diameter UOM: cm
Casing Depth UOM: m

Results of Well Yield Testing

Pumping Test Method Desc:

Pump Test ID: 11701494

 Pump Set At:
 45.709999084472656

 Static Level:
 4.489999771118164

 Final Level After Pumping:
 19.010000228881836

 Recommended Pump Depth:
 30.469999313354492

 Pumping Rate:
 40.95000076293945

Recommended Pump Rate: 40.95000076293945

Levels UOM:mRate UOM:LPMWater State After Test Code:1Water State After Test:CLEAR

Pumping Test Method:

Pumping Duration HR: 3 **Pumping Duration MIN:** 0

Flowing:

Draw Down & Recovery

Pump Test Detail ID:11738004Test Type:Recovery

Test Duration: 3

Test Level: 11.40999984741211

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11738002 Test Type: Recovery

Test Duration: 2

Test Level: 13.0600004196167

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738005Test Type:Draw Down

Test Duration: 4

Test Level: 10.300000190734863

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738020Test Type:RecoveryTest Duration:40

Test Level: 5.190000057220459

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11738021
Test Type: Draw Down

Test Duration: 50
Test Level: 17.5
Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738001Test Type:Draw Down

Test Duration: 2

Test Level: 8.109999656677246

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738003Test Type:Draw Down

Test Duration: 3

Test Level: 9.270000457763672

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11738009
Test Type: Draw Down
Test Duration: 10

Test Level: 14.5 Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738023Test Type:Draw Down

Test Duration: 60

Test Level: 17.6299991607666

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11737999Test Type:Draw Down

Test Duration:

Test Level: 6.690000057220459

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738006Test Type:Recovery

Test Duration: 4

Test Level: 10.369999885559082

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11738008
Test Type: Recovery

Test Duration: 5

Test Level: 9.5600004196167

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:11738014Test Type:RecoveryTest Duration:20

Test Level: 5.46999979019165

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738022Test Type:RecoveryTest Duration:50

Test Level: 5.170000076293945

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738010Test Type:RecoveryTest Duration:10

Test Level: 6.880000114440918

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738011Test Type:Draw Down

Test Duration: 15

Test Level: 15.720000267028809

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738015Test Type:Draw Down

Test Duration: 25

Test Level: 16.56999969482422

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738016Test Type:RecoveryTest Duration:25

Test Level: 5.340000152587891

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11738017
Test Type: Draw Down

Test Duration: 30

Test Level: 16.719999313354492

Test Level UOM:

Λ:

m

Draw Down & Recovery

Pump Test Detail ID:11738024Test Type:Recovery

Test Duration: 60

Test Level: 5.170000076293945

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738000Test Type:Recovery

Test Duration: 1

Test Level: 15.1899995803833

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738007Test Type:Draw Down

Test Duration: 5

Test Level: 11.210000038146973

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738012Test Type:Recovery

Test Duration: 15

Test Level: 5.829999923706055

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11738013Test Type:Draw Down

Test Duration: 20

Test Level: 16.329999923706055

Test Level UOM: m

Draw Down & Recovery

 Pump Test Detail ID:
 11738018

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 5.25

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID:11738019Test Type:Draw Down

Test Duration: 40

Test Level: 16.8799991607666

Test Level UOM: m

Water Details

Water ID: 934070908

Layer:

Kind Code: Kind:

Water Found Depth: 50.59000015258789

Water Found Depth UOM:

Hole Diameter

Hole ID: 11755508

15.229999542236328 Diameter: 8.220000267028809 Depth From: Depth To: 52.720001220703125

Hole Depth UOM: Hole Diameter UOM: cm

Hole Diameter

Hole ID: 11755509 Diameter: 22.75 Depth From: 0.0

Depth To: 8.220000267028809

Hole Depth UOM: m Hole Diameter UOM: cm

<u>Links</u>

Generator No:

Country:

Detail(s)

150

11691918 A041980 Bore Hole ID: Tag No: Depth M: 52.72 Contractor: 1558

2006 Path: 153\1536824.pdf Year Completed: 2006/08/30 Well Completed Dt: Latitude: 45.2925925854696 Audit No: Z47066 Longitude: -75.9793134556728

37 1 of 3 W/214.8 119.9 / 3.08 ALLEREX LABORATORY LTD.

180 WESCAR DRIVE

Status:

Co Admin:

Co Admin:

Choice of Contact:

Phone No Admin:

Contam. Facility:

Choice of Contact:

Phone No Admin:

Contam. Facility: MHSW Facility:

GEN

Order No: 22100605450

CARP ON KOA 2NO

ON2499700 SIC Code: 8681

MEDICAL LABORATORIES SIC Description:

Approval Years: 99,00,01

PO Box No:

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

37 2 of 3 W/214.8 119.9 / 3.08 ServiceMaster Ottawa DR **GEN**

180 Wescar Lane Ottawa ON KOA1LO

ON6914720 Registered Generator No: Status:

SIC Code:

SIC Description: Approval Years: As of Nov 2021

PO Box No:

Country: Canada MHSW Facility:

erisinfo.com | Environmental Risk Information Services

Detail(s)

Waste Class: 312 P

Waste Class Desc: Pathological wastes

37 3 of 3 W/214.8 119.9 / 3.08 Service Master Ottawa Service Master Ottawa GEN

180 Wescar Lane Ottawa ON KOA1LO

Generator No: ON9012557 Status:

SIC Code: SIC Description:

Approval Years: As of Apr 2022

PO Box No:

Country: Canada

Status: Registered

Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Flowing (Y/N):

Date Received:

Selected Flag:

Form Version:

Concession:

Contractor:

Owner:

County:

Lot:

Zone:

Data Entry Status:

Abandonment Rec:

Concession Name:

Easting NAD83:

Northing NAD83:

UTM Reliability:

08-Mar-2019 00:00:00

OTTAWA-CARLETON

Order No: 22100605450

TRUE

7241

7

Flow Rate:

Data Src:

Detail(s)

Waste Class: 312 P

Waste Class Desc: PATHOLOGICAL WASTES

38 1 of 1 SE/215.2 117.9 / 1.08 100 CARDEVCO RD CARP ON WWIS

Well ID: 7335299

Construction Date:

Use 1st: Test Hole
Use 2nd: Monitoring
Final Well Status: Test Hole

Water Type: Casing Material:

 Audit No:
 Z302863

 Tag:
 A261082

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: HUNTLEY TOWNSHIP

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2019/01/17

 Year Completed:
 2019

 Depth (m):
 3.35

 Latitude:
 45.2926468261661

 Longitude:
 -75.9771846391588

Path:

Bore Hole Information

 Bore Hole ID:
 1007485252
 Elevation:

 DP2BR:
 Elevrc:

Spatial Status: Zone: 18

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

 Code OB:
 East83:
 423376.00

 Code OB Desc:
 North83:
 5015925.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 17-Jan-2019 00:00:00
 UTMRC Desc:
 margin of error : 30 m - 100 m

Remarks: Location Method: W
Loc Method Desc: on Water Well Record

Elevre Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1007733593

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 18

Most Common Material: SANDSTONE

Mat2: Mat2 Desc:

Mat3: 74

Mat3 Desc: LAYERED

 Formation Top Depth:
 1.2200000286102295

 Formation End Depth:
 3.3499999046325684

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007733591

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 02

Most Common Material: TOPSOIL

Mat2: Mat2 Desc:

Mat3:66Mat3 Desc:DENSEFormation Top Depth:0.0

Formation End Depth: 0.3100000023841858

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007733592

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Mat2 Desc:
 GRAVEL

 Mat3:
 85

 Mat3 Desc:
 SOFT

 Formation Top Depth:
 0.3100000023841858

 Formation End Depth:
 1.2200000286102295

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1007733604

Layer:

 Plug From:
 1.6200000047683716

 Plug To:
 3.3499999046325684

m

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007733603

Layer:

 Plug From:
 0.3100000023841858

 Plug To:
 1.6799999475479126

2

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007733602

Layer: 1

Plug From: 0.0

Plug To: 0.3100000023841858

Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007733601

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1007733590

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007733597

Layer: 1
Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

 Depth To:
 1.830000429153442

 Casing Diameter:
 5.199999809265137

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1007733598

Layer: 1

10 Slot:

Screen Top Depth: 1.8300000429153442 Screen End Depth: 3.3499999046325684

Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter: 6.03000020980835

Water Details

1007733596 Water ID:

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: m

Hole Diameter

Hole ID: 1007733595 Diameter: 7.619999885559082 Depth From: 2.130000114440918 Depth To: 3.3499999046325684

Hole Depth UOM: m Hole Diameter UOM: cm

Hole Diameter

1007733594 Hole ID:

Diameter: 11.430000305175781

Depth From: 0.0

Depth To: 2.130000114440918

Hole Depth UOM: m Hole Diameter UOM: cm

1 of 2

Links

39

Bore Hole ID: 1007485252 Tag No: A261082 Depth M: 3.35 Contractor: 7241

Year Completed: 2019 Path: 733\7335299.pdf Well Completed Dt: 2019/01/17 Latitude: 45.2926468261661 Longitude: Audit No: Z302863 -75.9771846391588

119.9 / 3.08

1511-6S2KLS Certificate #: Application Year: 2006

Issue Date: 7/28/2006 Municipal and Private Sewage Works Approval Type:

Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: **Project Description:**

Contaminants: **Emission Control:** 1649174 Ontario Inc. 132 Wescar Lane Ottawa ON

CA

Order No: 22100605450

Approved

SSW/216.4

Map Key Number of Direction/ Elev/Diff Site DΒ Records Distance (m) (m) 2 of 2 SSW/216.4 119.9 / 3.08 1649174 Ontario Inc. 39 **ECA** 132 Wescar Lane Ottawa ON K0A 1L0 1511-6S2KLS **MOE District:** Approval No: 2006-07-28 Approval Date: City: Approved Longitude: Status: Record Type: **ECA** Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: Business Name: 1649174 Ontario Inc. Address: 132 Wescar Lane Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8224-6PAQXM-14.pdf PDF Site Location: SSE/222.7 Akman Construction Inc. 40 1 of 1 119.0 / 2.17 **GEN** 123 Cardevco Rd Carp ON K0A 1L0 ON5186787 Generator No: Registered Status: SIC Code: Co Admin: SIC Description: Choice of Contact: Approval Years: As of Apr 2022 Phone No Admin: PO Box No: Contam. Facility: MHSW Facility: Country: Canada Detail(s) Waste Class: 252 L Waste Class Desc: WASTE OILS & LUBRICANTS 1 of 1 ESE/222.9 100 CARDWCO RD 41 116.8 / 0.00 **WWIS CARP ON** Well ID: 7335296 Flowing (Y/N): **Construction Date:** Flow Rate: Data Entry Status: Use 1st: Test Hole Use 2nd: Monitoring Data Src: 08-Mar-2019 00:00:00 Final Well Status: Test Hole Date Received: Selected Flag: TRUE Water Type: Casing Material: Abandonment Rec: Audit No: Z298199 Contractor: 7241 A261078 Tag: Form Version: Constructn Method: Owner: Elevation (m): County: **OTTAWA-CARLETON** Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

Order No: 22100605450

Municipality: HUNTLEY TOWNSHIP Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2019/01/16

 Year Completed:
 2019

 Depth (m):
 3.1

Latitude: 45.2931681227322 **Longitude:** -75.9762243558726

Path:

Bore Hole Information

Bore Hole ID: 1007485218

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 16-Jan-2019 00:00:00

Remarks:

Loc Method Desc: on Water Well Record

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1007733563

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 18

Most Common Material: SANDSTONE

Mat2:

Mat2 Desc:

Mat3: 74

Mat3 Desc: LAYERED

 Formation Top Depth:
 0.6100000143051147

 Formation End Depth:
 3.0999999046325684

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007733562

2 Layer: Color: 6 **BROWN** General Color: 28 Mat1: Most Common Material: SAND Mat2: 11 **GRAVEL** Mat2 Desc: Mat3: 85 Mat3 Desc: SOFT

 Formation Top Depth:
 0.3100000023841858

 Formation End Depth:
 0.6100000143051147

Formation End Depth UOM: m

Overburden and Bedrock

Elevation:

Elevrc: Zone: 18

 East83:
 423452.00

 North83:
 5015982.00

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Location Method: wwr

Materials Interval

Formation ID: 1007733561

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Mat1:
 11

 ORDANG
 00

 Most Common Material:
 GRAVEL

 Mat2:
 28

 Mat2 Desc:
 SAND

 Mat3:
 66

 Mat3 Desc:
 DENSE

 Formation Top Depth:
 0.0

Formation End Depth: 0.3100000023841858

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007733572

Layer: 1 0.0

Plug To: 0.3100000023841858

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007733573

Layer: 2

 Plug From:
 0.3100000023841858

 Plug To:
 1.2200000286102295

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1007733574

Layer: 3

 Plug From:
 1.2200000286102295

 Plug To:
 3.0999999046325684

Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007733571

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1007733560

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007733567

Layer: 1
Material: 5
Open Hole or Material: P

Open Hole or Material:PLASTICDepth From:0.0

 Depth To:
 1.5199999809265137

 Casing Diameter:
 5.199999809265137

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1007733568

Layer: 1 **Slot:** 10

 Screen Top Depth:
 1.5199999809265137

 Screen End Depth:
 3.0999999046325684

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 6.03000020980835

Water Details

Water ID: 1007733566

Layer: Kind Code: Kind:

Water Found Depth: Water Found Depth UOM: m

Hole Diameter

Hole ID: 1007733564

Diameter: 11.430000305175781

Depth From: 0.0

Depth To: 0.6100000143051147

Hole Depth UOM: m Hole Diameter UOM: cm

Hole Diameter

 Hole ID:
 1007733565

 Diameter:
 7.619999885559082

 Depth From:
 0.6100000143051147

 Depth To:
 3.0999999046325684

Hole Depth UOM: m
Hole Diameter UOM: cm

<u>Links</u>

 Bore Hole ID:
 1007485218
 Tag No:
 A261078

 Depth M:
 3.1
 Contractor:
 7241

 Year Completed:
 2019
 Path:
 733\7335296.pdf

 Well Completed Dt:
 2019/01/16
 Latitude:
 45.2931681227322

 Audit No:
 Z298199
 Longitude:
 -75.9762243558726

42 1 of 18 SE/224.1 117.9 / 1.14 CHARTERWAYS CANADIAN DIVISION 100 CARDEVCO DRIVE

CARP ON KOA 1LO

Generator No: ON0053640 Status:

GEN

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

SIC Code:

4574

SIC Description: Approval Years:

PO Box No: Country:

CHART./SIGHTSEEING

212

95,96,97

Phone No Admin: Contam. Facility: MHSW Facility:

Co Admin:

Choice of Contact:

Detail(s)

Waste Class:

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class:

PETROLEUM DISTILLATES Waste Class Desc:

Waste Class:

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

252 Waste Class:

Waste Class Desc: WASTE OILS & LUBRICANTS

42 2 of 18 SE/224.1

117.9 / 1.14

LAIDLAW TRANSIT LIMITED 100 CARDEVCO DRIVE **CARP ON KOA 1L0**

GEN

FSTH

Generator No:

SIC Description:

ON0053640

4574 SIC Code:

> CHART./SIGHTSEEING 98,99,00,01,02,03,04,05,06

Approval Years: PO Box No:

Country:

Status: Co Admin:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 212

ALIPHATIC SOLVENTS Waste Class Desc:

Waste Class:

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class:

Waste Class Desc: LIGHT FUELS

Waste Class: 251

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

Waste Class:

Waste Class Desc: WASTE OILS & LUBRICANTS

42 3 of 18

SE/224.1

117.9 / 1.14

LAIDLAW EDUCATION SERVICES 100 CARDEVCO RD BOX 159

STITTSVILLE ON

License Issue Date: Tank Status:

7/6/2000 Licensed

Tank Status As Of: August 2007 Private Fuel Outlet Operation Type:

Facility Type: Gasoline Station - Self Serve

--Details--

159

Status: Active Year of Installation: 1985

Corrosion Protection:

erisinfo.com | Environmental Risk Information Services

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 35000 Capacity: Tank Fuel Type: Liquid Fuel Single Wall AST - Diesel LAIDLAW EDUCATION SERVICES 42 4 of 18 SE/224.1 117.9 / 1.14 **FSTH** 100 CARDEVCO RD **CARP ON KOA 1L0** License Issue Date: 7/6/2000 Tank Status: Licensed Tank Status As Of: December 2008 Operation Type: Private Fuel Outlet Facility Type: Gasoline Station - Self Serve --Details--Status: Active Year of Installation: 1985 **Corrosion Protection:** Capacity: Liquid Fuel Single Wall AST - Diesel Tank Fuel Type: 42 5 of 18 SE/224.1 117.9 / 1.14 FirstCanada ULC **GEN** 100 CARDEVCO DRIVE **CARP ON KOA 1L0** ON0053640 Generator No: Status: SIC Code: 485410 Co Admin: SIC Description: School and Employee Bus Transportation Choice of Contact: Phone No Admin: Approval Years: 07,08 PO Box No: Contam. Facility: Country: MHSW Facility: Detail(s) Waste Class: Waste Class Desc: **OIL SKIMMINGS & SLUDGES** Waste Class: Waste Class Desc: ALIPHATIC SOLVENTS Waste Class: 213 PETROLEUM DISTILLATES Waste Class Desc: Waste Class: 221 Waste Class Desc: LIGHT FUELS Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS **42** 6 of 18 SE/224.1 117.9 / 1.14 FirstCanada ULC **GEN** 100 CARDEVCO DRIVE **CARP ON KOA 1L0**

ON0053640 Generator No: SIC Code: 485410

SIC Description: School and Employee Bus Transportation

Approval Years: 2009

PO Box No: Country:

Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Detail(s)

Waste Class: 212

ALIPHATIC SOLVENTS Waste Class Desc:

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class:

LIGHT FUELS Waste Class Desc:

Waste Class: 251

OIL SKIMMINGS & SLUDGES Waste Class Desc:

Waste Class:

7 of 18

WASTE OILS & LUBRICANTS Waste Class Desc:

SE/224.1

117.9 / 1.14

Generator No: ON0053640 485410 SIC Code:

SIC Description: School and Employee Bus Transportation

Approval Years: 2010

PO Box No: Country:

FirstCanada ULC 100 CARDEVCO DRIVE CARP ON KOA 1L0

GEN

GEN

Order No: 22100605450

Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

42

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class:

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class:

PETROLEUM DISTILLATES Waste Class Desc:

Waste Class:

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class:

Waste Class Desc: WASTE OILS & LUBRICANTS

SE/224.1 **42** 8 of 18 117.9 / 1.14

ON0053640

SIC Code: 485410 SIC Description: School and Employee Bus Transportation

PO Box No:

Approval Years: 2011 Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

FirstCanada ULC

100 CARDEVCO DRIVE **CARP ON KOA 1LO**

Detail(s)

Country:

Generator No:

Waste Class: 221

LIGHT FUELS Waste Class Desc:

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

42 9 of 18 SE/224.1 117.9 / 1.14 FirstCanada ULC 100 CARDEVCO DRIVE

Status:

CARP ON KOA 1L0

Generator No: ON0053640 **SIC Code:** 485410

SIC Description: School and Employee Bus Transportation

Approval Years: 201

PO Box No: Country: oyee Bus Transportation

Choice of Contact:
Phone No Admin:
Contam. Facility:
MHSW Facility:

Detail(s)

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 221

Waste Class Desc: LIGHT FUELS

42 10 of 18 SE/224.1 117.9 / 1.14 FirstCanada ULC 100 CARDEVCO DRIVE

 Generator No:
 ON0053640

 SIC Code:
 485410

SIC Description:

Approval Years: 2013

PO Box No: Country: 53640 Status:
0 Co Admin:
Choice of Contact:
Phone No Admin:

Contam. Facility: MHSW Facility:

CARP ON

GEN

Order No: 22100605450

Detail(s)

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) 213 Waste Class: Waste Class Desc: PETROLEUM DISTILLATES 42 11 of 18 SE/224.1 117.9 / 1.14 Voyageur Transportation Services **GEN** 100 Cardeveo Road Ottawa ON K0A 1L0 ON8587989 Generator No: Status: SIC Code: 415210 Co Admin: SIC Description: TIRE WHOLESALER-DISTRIBUTORS Choice of Contact: CO_OFFICIAL Approval Years: 2016 Phone No Admin: PO Box No: Contam. Facility: No Canada MHSW Facility: Country: No Detail(s) Waste Class: 221 LIGHT FUELS Waste Class Desc: Waste Class: 251 Waste Class Desc: **OIL SKIMMINGS & SLUDGES** Waste Class: ALIPHATIC SOLVENTS Waste Class Desc: Waste Class: 252 WASTE OILS & LUBRICANTS Waste Class Desc: Waste Class: Waste Class Desc: PETROLEUM DISTILLATES **42** 12 of 18 SE/224.1 117.9 / 1.14 Voyageur Transportation Services **GEN** 100 Cardeveo Road Ottawa ON K0A 1L0 ON8587989 Generator No: Status: 415210 SIC Code: Co Admin: SIC Description: TIRE WHOLESALER-DISTRIBUTORS Choice of Contact: CO_OFFICIAL Approval Years: 2015 Phone No Admin: PO Box No: Contam. Facility: No MHSW Facility: Country: Canada No Detail(s) Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES Waste Class: Waste Class Desc: ALIPHATIC SOLVENTS Waste Class: 221 LIGHT FUELS Waste Class Desc: Waste Class: Waste Class Desc: WASTE OILS & LUBRICANTS Waste Class: Waste Class Desc: OIL SKIMMINGS & SLUDGES **42** 13 of 18 SE/224.1 117.9 / 1.14 FirstCanada ULC **GEN** 100 CARDEVCO DRIVE

CARP ON KOA 1L0

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

ON0053640 Generator No: SIC Code: 485410 SIC Description: 485410 Approval Years: 2015

PO Box No:

Canada Country:

Status:

Co Admin: JENNIFER FORTUNA

Choice of Contact: CO_ADMIN

Phone No Admin: 289-288-4359 Ext.243

Contam. Facility: No MHSW Facility: No

Detail(s)

Waste Class:

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

Waste Class:

LIGHT FUELS Waste Class Desc:

Waste Class: 212

ALIPHATIC SOLVENTS Waste Class Desc:

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class:

Waste Class Desc: PETROLEUM DISTILLATES

42 14 of 18 SE/224.1 117.9 / 1.14 FirstCanada ULC **GEN** 100 CARDEVCO DRIVE

CARP ON KOA 1L0

Generator No: ON0053640 SIC Code: 485410 SIC Description: 485410 Approval Years: 2014

PO Box No:

Country: Canada Status:

JENNIFER FORTUNA Co Admin:

Choice of Contact: CO_ADMIN Phone No Admin: 289-288-4359 Ext.243

Contam. Facility: No MHSW Facility: No

Detail(s)

Waste Class: 251

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

Waste Class:

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class:

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class:

Waste Class Desc: PETROLEUM DISTILLATES

SE/224.1 117.9 / 1.14 **42** 15 of 18 Voyageur Transportation Services **GEN** 100 Cardeveo Road

Ottawa ON KOA 1L0

Generator No: ON8587989 Status: Registered

SIC Code: SIC Description:

Approval Years: As of Dec 2018

PO Box No:

Country: Canada Co Admin:

Order No: 22100605450

Choice of Contact: Phone No Admin: Contam. Facility:

MHSW Facility:

Number of Direction/ Elev/Diff Site DΒ Map Key

Records

Distance (m) (m)

Detail(s)

Waste Class: 212 L

Waste Class Desc: Aliphatic solvents and residues

Waste Class:

Petroleum distillates Waste Class Desc:

Waste Class: 221 I Light fuels Waste Class Desc:

Waste Class: 251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

42 16 of 18 SE/224.1 117.9 / 1.14 100 Cardevco Road **EHS** Carp ON K0A 1L0

Order No: 20181221021

Status:

Report Type: Standard Report Report Date: 31-DEC-18 21-DEC-18

Date Received: Previous Site Name:

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans

42 17 of 18 SE/224.1 117.9 / 1.14 947465 Ontario Ltd **GEN**

X:

Y:

100 Cardevco Road Ottawa ON K0A 1L0

Choice of Contact:

Phone No Admin:

Contam. Facility: MHSW Facility:

Nearest Intersection:

Search Radius (km):

ON

.25

-75.976713

45.292781

Client Prov/State:

Municipality:

ON8587989 Generator No: Status: Registered Co Admin:

SIC Code: SIC Description:

Approval Years: As of Jul 2020

PO Box No:

Country: Canada

Detail(s)

Waste Class: 212 L

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 221 I Waste Class Desc: Light fuels

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class:

Waste Class Desc: Petroleum distillates

Waste Class:

Waste Class Desc: Waste oils/sludges (petroleum based)

42 18 of 18 SE/224.1 117.9 / 1.14 947465 Ontario Ltd **GEN** 100 Cardevco Road

Ottawa ON KOA 1L0

ON8587989 Generator No:

SIC Code: SIC Description:

Approval Years: As of Nov 2021

PO Box No:

Canada Country:

Status: Registered Co Admin:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Detail(s)

Waste Class: 221 I Waste Class Desc: Light fuels

Waste Class: 212 L

Waste Class Desc: Aliphatic solvents and residues

Waste Class: 213 I

Petroleum distillates Waste Class Desc:

Waste Class: 251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

43 1 of 2 SSW/235.5 119.9 / 3.08 Ralco Masonry & Construction CA

Certificate #: 9769-6JMRQA Application Year: 2006 1/25/2006

Issue Date: Approval Type: Industrial Sewage Works

Status:

Application Type: Client Name: Client Address: Client City:

Client Postal Code: Project Description: Contaminants: **Emission Control:**

126 Wescar Lane

Ottawa ON

Approved

119.9 / 3.08 Ralco Masonry & Construction 43 2 of 2 SSW/235.5 **ECA** 126 Wescar Lane

Ottawa ON

Order No: 22100605450

9769-6JMRQA **MOE District:** Approval No: Ottawa Approval Date: 2006-01-25 City:

Longitude: Status: Approved -75.97902 ECA 45.292236 Record Type: Latitude: Link Source: **IDS** Geometry X: Geometry Y:

SWP Area Name: Mississippi Valley ECA-INDUSTRIAL SEWAGE WORKS Approval Type:

Project Type: INDUSTRIAL SEWAGE WORKS Ralco Masonry & Construction **Business Name:** Address: 126 Wescar Lane

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7598-6HGRKZ-14.pdf

PDF Site Location:

44 1 of 1 ESE/238.1 116.8 / 0.06 100 CARDEYCA RD WWIS

Well ID: 7335295 Construction Date:

Use 1st: Test Hole Use 2nd: Monitoring

Use 2nd: Monitoring
Final Well Status: Test Hole

Water Type: Casing Material:

 Audit No:
 Z229576

 Tag:
 A261077

Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: HUNTLEY TOWNSHIP

Site Info:

PDF URL (Map):

Additional Detail(s) (Map)

 Well Completed Date:
 2019/01/16

 Year Completed:
 2019

 Depth (m):
 6.1

 Latitude:
 45.2928975730971

 Longitude:
 -75.976283479059

Path:

Bore Hole Information

Bore Hole ID: 1007485215

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 16-Jan-2019 00:00:00

Remarks:

Loc Method Desc: on Water Well Record

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1007733548

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 18

Most Common Material: SANDSTONE

CARP ON
Flowing (Y/N):

Flow Rate: Data Entry Status:

Data Src:

Date Received: 08-Mar-2019 00:00:00

Selected Flag: TRUE Abandonment Rec:

Contractor: 7241
Form Version: 7

Owner:

County: OTTAWA-CARLETON

18

423447.00

5015952.00

margin of error: 30 m - 100 m

Order No: 22100605450

UTM83

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Elevation:

Elevrc:

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Mat2: Mat2 Desc:

Mat3:74Mat3 Desc:LAYERED

 Formation Top Depth:
 1.2200000286102295

 Formation End Depth:
 6.099999904632568

Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1007733547

Layer: 2 Color: 8 General Color: **BLACK** 28 Mat1: Most Common Material: SAND Mat2: 11 Mat2 Desc: **GRAVEL** Mat3: 85 Mat3 Desc: SOFT

 Formation Top Depth:
 0.3100000023841858

 Formation End Depth:
 1.2200000286102295

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1007733546

Layer: 8 Color: BLACK General Color: Mat1: Most Common Material: **GRAVEL** Mat2: 28 Mat2 Desc: SAND Mat3: 66 Mat3 Desc: **DENSE**

Formation Top Depth: 0.0

Formation End Depth: 0.3100000023841858

Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1007733559

Layer: 3

 Plug From:
 2.74000009536743

 Plug To:
 6.099999904632568

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007733557

Layer: 1

Plug From: 0.0

Plug To: 0.3100000023841858

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1007733558

Layer: 2

 Plug From:
 0.3100000023841858

 Plug To:
 2.740000009536743

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 1007733556

Method Construction Code:

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1007733545

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007733552

Layer: 1
Material: 5

Open Hole or Material: PLASTIC

Depth From: 0.0

 Depth To:
 3.0999999046325684

 Casing Diameter:
 5.199999809265137

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1007733553

Layer: 1 **Slot:** 10

 Screen Top Depth:
 3.0999999046325684

 Screen End Depth:
 6.099999904632568

Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm

Screen Diameter: 6.03000020980835

Water Details

Water ID: 1007733551

Layer: Kind Code: Kind:

Water Found Depth:

Water Found Depth UOM: m

Hole Diameter

Hole ID: 1007733549

Diameter: 11.430000305175781

Depth From: 0.0

Depth To: 1.2200000286102295

Direction/ Elev/Diff Site DΒ Map Key Number of Records Distance (m) (m)

Hole Depth UOM: m Hole Diameter UOM: cm

Hole Diameter

Hole ID: 1007733550 7.619999885559082 Diameter: 1.2200000286102295 Depth From: Depth To: 6.099999904632568

Hole Depth UOM: Hole Diameter UOM: cm

Links

Bore Hole ID: 1007485215 Tag No: A261077 Depth M: 6.1 Contractor: 7241

Year Completed: 2019 Path: 733\7335295.pdf 2019/01/16 Well Completed Dt: Latitude: 45.2928975730971 Audit No: Z229576 -75.976283479059 Longitude:

45 1 of 1 SSE/238.7 117.8 / 1.05 126 WESCAR LANE lot 10 con 24 **WWIS** OTTAWA ON

Well ID: 1536876

Flowing (Y/N): Construction Date: Flow Rate: Commerical Use 1st: Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Water Supply Date Received: Selected Flag:

Water Type: TRUE Casing Material: Abandonment Rec:

Audit No: Z71634 6006 Contractor:

A053904 Form Version: Tag: Constructn Method: Owner:

Elevation (m): County: **OTTAWA-CARLETON** Elevatn Reliabilty: Lot: 010 Depth to Bedrock: Concession: 24

Well Depth: Concession Name: CON Overburden/Bedrock: Easting NAD83: Northing NAD83: Pump Rate:

Static Water Level: Zone: Clear/Cloudy: UTM Reliability:

Municipality: **HUNTLEY TOWNSHIP** Site Info: 4M-356-4R-7616

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536876.pdf

Additional Detail(s) (Map)

Well Completed Date: 2006/11/20 Year Completed: 2006 22.72 Depth (m):

45.2923296384885 Latitude: Longitude: -75.9774342501015 153\1536876.pdf Path:

Bore Hole Information

Bore Hole ID: 11691970 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: 423356.00 Code OB Desc: North83: 5015890.00

18-Dec-2006 00:00:00

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

UTM83

wwr

margin of error: 10 - 30 m

Order No: 22100605450

Open Hole: Cluster Kind:

Date Completed: 20-Nov-2006 00:00:00

Remarks:

Loc Method Desc: on Water Well Record

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 933071178

Layer: 1 **Color:** 6

BROWN General Color: Mat1: 28 SAND Most Common Material: Mat2: 11 **GRAVEL** Mat2 Desc: Mat3: 77 Mat3 Desc: LOOSE Formation Top Depth: 0.0

Formation End Depth: 11.510000228881836

Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 933071179

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE Mat2: 73

Mat2 Desc: HARD

Mat3: Mat3 Desc:

 Formation Top Depth:
 11.510000228881836

 Formation End Depth:
 22.719999313354492

Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 933286686

Layer: 1
Plug From: 0.0

Plug To: 6.059999942779541

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961536876

Method Construction Code: 4

Method Construction: Rotary (Air)

Other Method Construction:

Pipe Information

Pipe ID: 11696836

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930887026

Layer: 1

Material: 1

Open Hele or Meterial: STE

Open Hole or Material:STEELDepth From:0.0

 Depth To:
 11.510000228881836

 Casing Diameter:
 15.550000190734863

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Casing

Casing ID: 930887027

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

 Depth From:
 11.510000228881836

 Depth To:
 22.719999313354492

Casing Diameter:

Casing Diameter UOM: cm
Casing Depth UOM: m

Results of Well Yield Testing

Pumping Test Method Desc:PUMPPump Test ID:11701532

 Pump Set At:
 19.690000534057617

 Static Level:
 3.4000000953674316

 Final Level After Pumping:
 12.800000190734863

 Recommended Pump Depth:
 19.690000534057617

58.5

Pumping Rate:

Flowing Rate:
Recommended Pump Rate: 45.5

Recommended Pump Rate: 45.5 **Levels UOM:** m

Rate UOM:

Water State After Test Code:

Water State After Test:

Pumping Test Method:

Pumping Duration HR:

LPM

1

CLEAR

Pumping Duration MIN:

Flowing:

Draw Down & Recovery

Pump Test Detail ID:11754561Test Type:Recovery

Test Duration:

Test Level: 14.100000381469727

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 11754564 Test Type: Draw Down

Test Duration: 3

Test Level: 7.150000095367432

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11754601 Recovery Test Type: Test Duration:

3.4000000953674316 Test Level:

Test Level UOM: m

Draw Down & Recovery

11754606 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 40

17.790000915527344 Test Level:

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11754611 Test Type: Recovery Test Duration:

3.4000000953674316 Test Level:

Test Level UOM: m

Draw Down & Recovery

11754593 Pump Test Detail ID: Test Type: Recovery

Test Duration:

Test Level: 7.559999942779541

Test Level UOM: m

Draw Down & Recovery

11754594 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 5

Test Level: 8.270000457763672

Test Level UOM:

Draw Down & Recovery

11754600 Pump Test Detail ID: Test Type: Draw Down

Test Duration: 20

14.40999984741211 Test Level:

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 11754607 Test Type: Recovery Test Duration:

Test Level: 3.4000000953674316

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11754598Test Type:Draw Down

Test Duration: 15

Test Level: 12.3100004196167

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11754599
Test Type: Recovery

Test Duration: 15

Test Level: 3.4000000953674316

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID:11754608Test Type:Draw Down

Test Duration: 50

Test Level: 17.799999237060547

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11754604Test Type:Draw Down

Test Duration: 30

Test Level: 17.770000457763672

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11754610Test Type:Draw Down

Test Duration: 60

Test Level: 17.799999237060547

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11754562Test Type:Draw Down

Test Duration: 2

Test Level: 6.539999961853027

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID:11754592Test Type:Draw Down

Test Duration: 4

Test Level: 7.28000020980835

Test Level UOM: m

Draw Down & Recovery

11754595 Pump Test Detail ID: Recovery Test Type:

Test Duration:

6.239999771118164 Test Level:

Test Level UOM: m

Draw Down & Recovery

11754596 Pump Test Detail ID: Draw Down Test Type:

Test Duration: 10

Test Level: 10.15999984741211

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 11754603 Test Type: Recovery Test Duration: 25

3.4000000953674316 Test Level:

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11754609 Test Type: Recovery Test Duration: 50

Test Level: 3.4000000953674316

Test Level UOM:

Draw Down & Recovery

Pump Test Detail ID: 11754591 Test Type: Recovery 3

Test Duration:

Test Level: 9.260000228881836

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11754560 Test Type: Draw Down

Test Duration:

5.239999771118164 Test Level:

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11754563 Test Type: Recovery

Test Duration: 2

Test Level: 11.789999961853027

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11754597 Recovery Test Type:

10 Test Duration:

Test Level: 4.070000171661377

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11754602 Draw Down Test Type:

Test Duration: 25

Test Level: 16.200000762939453

Test Level UOM: m

Draw Down & Recovery

Pump Test Detail ID: 11754605 Test Type: Recovery

Test Duration: 30

3.4000000953674316 Test Level:

Test Level UOM:

Water Details

Water ID: 934070963

Layer: 1 Kind Code:

FRESH Kind:

Water Found Depth: 10.600000381469727

Water Found Depth UOM:

Hole Diameter

11755566 Hole ID:

Diameter: 20.31999969482422

Depth From: 0.0

Depth To: 6.059999942779541

Hole Depth UOM: Hole Diameter UOM: cm

<u>Links</u>

Bore Hole ID: 11691970 Tag No: A053904 Contractor: Depth M: 22.72 6006

Year Completed: 2006 Path: 153\1536876.pdf Well Completed Dt: 2006/11/20 Latitude: 45.2923296384885 Audit No: Z71634 Longitude: -75.9774342501015

46 1 of 8 SSE/239.5 118.8 / 1.96 Akman Construction Inc. **GEN** 123 Cardevco Rd

Generator No: ON5186787 SIC Code: 811111

GENERAL AUTOMOTIVE REPAIR SIC Description:

Approval Years: 2013 PO Box No:

Country:

Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:

Order No: 22100605450

Carp ON

Co Admin:

Status:

Detail(s)

Waste Class: 252

Мар Кеу	Numbe Record		Elev/Diff n) (m)	Site		DB
Waste Class	Desc:	WASTE OILS &	LUBRICANTS			
<u>46</u>	2 of 8	SSE/239.5	118.8 / 1.96	Akman Construction 123 Cardevco Rd Carp ON K0A 1L0	Inc.	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON5186787 811111 GENERAL AUTOMOTIVE 2016 Canada	REPAIR	Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Tony Saikaly CO_ADMIN 613-836-6424 Ext. No No	
<u>Detail(s)</u>						
Waste Class Waste Class		252 WASTE OILS &	LUBRICANTS			
<u>46</u>	3 of 8	SSE/239.5	118.8 / 1.96	Akman Construction 123 Cardevco Rd Carp ON K0A 1L0	Inc.	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON5186787 811111 GENERAL AUTOMOTIVE REPAIR 2015 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Tony Saikaly CO_ADMIN 613-836-6424 Ext. No	
Detail(s)						
Waste Class Waste Class		252 WASTE OILS &	LUBRICANTS			
<u>46</u>	4 of 8	SSE/239.5	118.8 / 1.96	Akman Construction 123 Cardevco Rd Carp ON K0A 1L0	Inc.	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country:		ON5186787 811111 GENERAL AUTOMOTIVE REPAIR 2014 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	CO_OFFICIAL No No	
Detail(s)						
Waste Class Waste Class		252 WASTE OILS &	LUBRICANTS			
<u>46</u>	5 of 8	SSE/239.5	118.8 / 1.96	Akman Construction 123 Cardevco Rd Carp ON K0A 1L0	Inc.	GEN
Generator N SIC Code: SIC Descript Approval Ye PO Box No: Country:	tion:	ON5186787 As of Dec 2018 Canada		Status: Co Admin: Choice of Contact: Phone No Admin: Contam. Facility: MHSW Facility:	Registered	

Order No: 22100605450

Detail(s)

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

46 6 of 8 SSE/239.5 118.8 / 1.96 **AKMAN CONSTRUCTION INC EASR** 123 CARDEVCO RD

CARP ON KOA 1L0

Geometry Y:

Carp ON K0A 1L0

Choice of Contact:

Phone No Admin:

Contam. Facility:

MHSW Facility:

Co Admin:

Approval No: R-004-1110549484 **MOE District:** Ottawa Status: REGISTERED Municipality: CARP Latitude: 45.2922222 2018-08-16 Date: -75.97805556

Record Type: **EASR** Longitude: Link Source: **MOFA** Geometry X:

Project Type: Waste Management System Full Address:

Approval Type: EASR-Waste Management System

SWP Area Name: Mississippi Valley

PDF URL: PDF Site Location:

7 of 8 SSE/239.5 118.8 / 1.96 Akman Construction Inc. 46 **GEN** 123 Cardevco Rd

Generator No: ON5186787 Status: Registered

SIC Code:

SIC Description:

Approval Years: As of Jul 2020

PO Box No:

Country: Canada

Detail(s)

Waste Class:

Waste crankcase oils and lubricants Waste Class Desc:

46 8 of 8 SSE/239.5 118.8 / 1.96 Akman Construction Inc. **GEN** 123 Cardevco Rd

Status:

Co Admin:

Choice of Contact:

Phone No Admin:

Contam. Facility:

2210 Cavanmore Dr

Registered

Order No: 22100605450

Carp ON KOA 1L0

Generator No: ON5186787 SIC Code:

SIC Description:

Approval Years: As of Nov 2021

PO Box No:

Country: Canada MHSW Facility:

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

47 1 of 1 NNE/240.4 114.9 / -1.84 The Carp Valley Press SCT

Carp ON

1988 Established:

Detail(s)

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 800 Plant Size (ft2): Employment: 2 113.9 / -2.92 48 1 of 2 NE/245.0 217 Cardevco Rd **EHS** Ottawa ON 20130501004 Order No: Nearest Intersection: Status: С Municipality: Report Type: Custom Report Client Prov/State: ON Report Date: 07-MAY-13 Search Radius (km): .25 01-MAY-13 Date Received: X: 0 Previous Site Name: Y: 0 Lot/Building Size: Additional Info Ordered: 113.9 / -2.92 Boldt Theile (Division of The State Group Inc) 48 2 of 2 NE/245.0 **GEN** 217 CARDEVCO ROAD **CARP ON** Generator No: ON9335538 Status: SIC Code: 238210 Co Admin: SIC Description: ELECTRICAL CONTRACTORS, ELECTRICAL Choice of Contact: CONTRACTORS AND OTHER WIRING Approval Years: 2013 Phone No Admin: PO Box No: Contam. Facility: Country: MHSW Facility:

Detail(s)

Waste Class: 212

Waste Class Desc: ALIPHATIC SOLVENTS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

49 1 of 1 W/248.3 119.9 / 3.08 172 & 180 Wescar Lane Ottawa ON

 Order No:
 20070316030

 Status:
 C

 CAN - Site Report

Report Type: CAN - Site Report Report Date: 3/20/2007 Date Received: 3/16/2007

Previous Site Name:

Lot/Building Size: 3.1 acre

Additional Info Ordered:

Nearest Intersection: Cavanmore Road & Wescar Lane
Municipality: Ottawa

Order No: 22100605450

 Municipality:
 Ottawa

 Client Prov/State:
 0.25

 Search Radius (km):
 75.981684

 Y:
 45.294059

Unplottable Summary

Total: 15 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	1374421 Ontario Ltd.	North Part of Lot 6, Concession III	Ottawa ON	
CA	Longwood Building Corporation	Part of Lot 6, Between Concession 2 & 3	Ottawa ON	
CA	1374421 Ontario Ltd.	North Part of Lot 6, Concession III	Ottawa ON	
CA		Lot 6, Concession 2 and 3	Ottawa ON	
CA		Lot 6, Concession 2 and 3	Ottawa ON	
CA		Lot 6, Concession 2 and 3	Ottawa ON	
CA		Wescar Lane	West Carleton ON	
CA	PAVAGE YOUNG ENG.	CARP ROAD, STITTSVILLE	WEST CARLETON TWP. ON	
CA	W. O. Stinson & Son Limited		Ottawa ON	
CA	1250353 Ontario Limited	Part of Lot 6, Concession 2 and 3, Rideau	Ottawa ON	
CA	WEST CARLETON TOWNSHIP	R.R.#5(CARP RD.),S-WATER MGT.	WEST CARLETON TWP. ON	
CA	WEST CARLETON TOWNSHIP	RR#5 (CARP RD.) S-WATER MGT.	WEST CARLETON TWP. ON	
SPL		Carp Road (between Hazeldean and Stittsville Main), Stittsville	Ottawa ON	
SPL	UNKNOWN	VILLAGE OF CARP CARP ROAD	WEST CARLETON TOWNSHIP ON	
SPL	TRANSPORT TRUCK	CARP RD. TRANSPORT TRUCK (CARGO)	WEST CARLETON TOWNSHIP ON	

Unplottable Report

Site: 1374421 Ontario Ltd.

North Part of Lot 6, Concession III Ottawa ON

Database: CA

Certificate #: 7248-6M3NHQ Application Year: 2006 2/17/2006 Issue Date:

Municipal and Private Sewage Works Approval Type:

Approved

Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

Longwood Building Corporation Site:

Part of Lot 6, Between Concession 2 & 3 Ottawa ON

Database:

6229-6EQGQE Certificate #: Application Year: 2005 7/28/2005 Issue Date:

Municipal and Private Sewage Works Approval Type:

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

Site: 1374421 Ontario Ltd.

North Part of Lot 6, Concession III Ottawa ON

Database:

Order No: 22100605450

Certificate #: 1907-62VS2P Application Year: 2004 Issue Date: 7/21/2004

Approval Type: Municipal and Private Sewage Works

Revoked and/or Replaced Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

Site:

Database: Lot 6, Concession 2 and 3 Ottawa ON

Certificate #: 1760-4W5ML6

Application Year: 01

erisinfo.com | Environmental Risk Information Services

4/25/01 Issue Date:

Municipal & Private water Approval Type:

Status: Approved

New Certificate of Approval Application Type: Client Name: KNL Developments Inc.

Client Address: 222 Somerset Street West, Suite 300

Client City: Ottawa Client Postal Code: K2P 2G3

Project Description: Watermains to be constructed on Witherspoon Crescent

Contaminants: **Emission Control:**

Site: Database: Lot 6, Concession 2 and 3 Ottawa ON

Certificate #: 5772-4W5M6D Application Year: Issue Date: 4/25/01

Municipal & Private sewage Approval Type:

Status: Approved

Application Type: New Certificate of Approval Client Name: KNL Developments Inc.

Client Address: 222 Somerset Street West, Suite 300

Client City: Ottawa Client Postal Code: K2P 2G3

Storm and sanitary sewers to be constructed on Witherspoon Crescent **Project Description:**

Contaminants: **Emission Control:**

Site: Database: CA

Lot 6, Concession 2 and 3 Ottawa ON

6816-54HQ5P Certificate #: Application Year: 01

11/16/01 Issue Date:

Approval Type: Municipal & Private sewage

Approved Status:

Application Type: New Certificate of Approval Client Name: KNL Developments Inc.

Client Address: 222 Somerset Street West, Suite 300

Client City: Ottawa Client Postal Code: K2P 2G3

Sanitary Sewers including appurtenances from approximately 50m west of Ironside Court to the Goulbourn Forced **Project Description:**

Road to serve the Kanata Lakes Subdivision, City of Ottawa

Contaminants: **Emission Control:**

Site: Database: Wescar Lane West Carleton ON

7126-4X3RFA Certificate #:

Application Year: 01 Issue Date: 8/1/01

Municipal & Private sewage Approval Type:

Status: Approved

Application Type: New Certificate of Approval Client Name: 1055733 Ontario Limited Client Address: 180 Wescar Lane West Carleton Client City:

Client Postal Code:

This application is for a Certificate of Approval for the installation of a new wastewater treatment system with Project Description:

subsurface discharge handling an average daily sewage flow of 34000L. The treatment system will service three

Order No: 22100605450

(3) office buildings.

Contaminants: **Emission Control:**

erisinfo.com | Environmental Risk Information Services

Site: PAVAGE YOUNG ENG.

CARP ROAD, STITTSVILLE WEST CARLETON TWP. ON

Database:

Certificate #:8-4027-96-Application Year:96Issue Date:5/3/1996Approval Type:Industrial airStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Project Description: RELOCATE ASPHALT PLANT

Contaminants: Nitrogen Oxides, Suspended Particulate Matter, Odour/Furnes

Emission Control: No Controls, Spray Chamber, No Controls,

Site: W. O. Stinson & Son Limited

Ottawa ON

Database: CA

 Certificate #:
 7712-79VSZY

 Application Year:
 2007

 Issue Date:
 12/28/2007

Approval Type: Industrial Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: 1250353 Ontario Limited

Part of Lot 6, Concession 2 and 3, Rideau Ottawa ON

Database:

 Certificate #:
 9386-674PJH

 Application Year:
 2004

 Issue Date:
 12/16/2004

Approval Type: Industrial Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

Site: WEST CARLETON TOWNSHIP

R.R.#5(CARP RD.),S-WATER MGT. WEST CARLETON TWP. ON

Database: CA

Order No: 22100605450

Certificate #: 3-0439-93Application Year: 93
Issue Date: 7/5/1993
Approval Type: Municipal sewage
Status: Approved

Application Type: Client Name: Client Address:

Client City: Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

WEST CARLETON TOWNSHIP Site:

RR#5 (CARP RD.) S-WATER MGT. WEST CARLETON TWP. ON

Database: CA

Certificate #: 3-0439-93-Application Year: 93 Issue Date: 6/1/1993 Municipal sewage Approval Type: Status: Cancelled

Application Type: Client Name: Client Address: Client City: Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

Ref No:

Site No:

Site: Database: SPL

Carp Road (between Hazeldean and Stittsville Main), Stittsville Ottawa ON

4602-9PMMJY Discharger Report: NA Material Group: 2014/10/06 Health/Env Conseq:

Incident Dt: Year. Client Type:

Incident Cause: Unknown / N/A Sector Type: Sewer (Private or Municipal)

Incident Event: Agency Involved:

Contaminant Code: Nearest Watercourse: 15

MOTOR OIL Contaminant Name: Site Address: Carp Road (between Hazeldean and Stittsville

Main), Stittsville

Ottawa

Land Spills

Order No: 22100605450

Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Not Anticipated Environment Impact: Site Municipality:

Nature of Impact: Other Impact(s) Site Lot: Receiving Medium: Site Conc: Receiving Env: Northing:

MOE Response: No Field Response Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: 2014/10/06 MOE Reported Dt: Site Map Datum: Dt Document Closed: 2014/11/03 SAC Action Class:

Incident Reason: Unknown / N/A Source Type:

Site Name: Sanitary sewer<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: Stittsville, motor oil in sewer, city investigating source

0 other - see incident description Contaminant Qty:

Site: UNKNOWN Database: VILLAGE OF CARP CARP ROAD WEST CARLETON TOWNSHIP ON SPL

Ref No: Discharger Report: 106528 Site No: Material Group:

Incident Dt: 10/18/1994 Health/Env Conseq: Year: Client Type: **UNKNOWN** Incident Cause: Sector Type:

Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office:

Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: Site Region:

Environment Impact: CONFIRMED Site Municipality: 20613

Nature of Impact:Multi Media PollutionSite Lot:Receiving Medium:LANDSite Conc:Receiving Env:Northing:MOE Response:Easting:

Dt MOE Arvl on Scn:Site Geo Ref Accu:MOE Reported Dt:10/18/1994Site Map Datum:Dt Document Closed:SAC Action Class:Incident Reason:UNKNOWNSource Type:

Site Name:

Site County/District: Site Geo Ref Meth:

Incident Summary: HYDROCARBONS SEEPING FROMGROUND INTO DITCH

Contaminant Qty:

<u>Site:</u> TRANSPORT TRUCK CARP RD. TRANSPORT TRUCK (CARGO) WEST CARLETON TOWNSHIP ON

(1 11)

Ref No: 67418 Discharger Report: Site No: Material Group:

Incident Dt: 2/26/1992 Health/Env Conseq:
Year: Client Type:

Year: Client Type: Incident Cause: OTHER TRANSPORTATION ACCIDENT Sector Type:

 Incident Event:
 Agency Involved:

 Contaminant Code:
 Nearest Watercourse:

 Contaminant Name:
 Site Address:

 Contaminant Limit 1:
 Site District Office:

 Contam Limit Freq 1:
 Site Postal Code:

Contam Limit Freq 1: Site Postal Code:
Contaminant UN No 1: Site Region:
Environment Impact: CONFIRMED Site Municipality:

 Nature of Impact:
 Soil Contamination
 Site Lot:

 Receiving Medium:
 LAND
 Site Conc:

 Receiving Env.
 Northing:

Receiving Medium: LAND Site Conc:
Receiving Env: Northing:
MOE Response: Easting:
Dt MOE Arvl on Scn: Site Geo Ref Accu:

MOE Reported Dt: 2/26/1992 Site Map Datum:
Dt Document Closed: SAC Action Class:
Incident Reason: EQUIPMENT FAILURE Source Type:

Site Name:

Site County/District: Site Geo Ref Meth:

Incident Summary: LAIDLAW ENVIRONMENTAL: 315 L ANTIFREEZE TO GRND FROM TRANSPORT TRUCK.

Database: SPL

Order No: 22100605450

20613

Contaminant Qty:

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

AGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Nov 2021

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Mar 2022

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

AUWR

Order No: 22100605450

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-May 31, 2022

Borehole: Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities: Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2020

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

<u>Chemical Register:</u> Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-May 31, 2022

Compressed Natural Gas Stations:

Private CN

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Sep 2022

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

Order No: 22100605450

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jun 2022

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Aug 31, 2022

Drill Hole Database:

Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020

Delisted Fuel Tanks:

Provincial DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Feb 28, 2022

Environmental Activity and Sector Registry:

Provincial EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011- Aug 31, 2022

Environmental Registry:

Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Aug 31, 2022

Environmental Compliance Approval:

Provincial FCA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Aug 31, 2022

Environmental Effects Monitoring:

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jul 31, 2022

Environmental Issues Inventory System:

Federal

EIIS

Order No: 22100605450

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Apr 30, 2022

Environmental Penalty Annual Report:

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2021

List of Expired Fuels Safety Facilities:

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Federal Convictions: Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Sep 2022

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

FRST

Order No: 22100605450

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank: Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are

not verified for accuracy or completeness. Government Publication Date: Feb 28, 2022

Fuel Storage Tank - Historic:

Provincial FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Apr 30, 2022

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

NC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 21, 2022

Canadian Mine Locations:

Private

MINE

Order No: 22100605450

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2022

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2020

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal

NEBP

Order No: 22100605450

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December

Government Publication Date: 1974-2003*

National PCB Inventory: Federal NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal NPRI

Federal

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells: Private OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Aug 31, 2022

Ontario Oil and Gas Wells:

Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Aug 2021

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders: Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Aug 31, 2022

<u>Canadian Pulp and Paper:</u> Private PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Order No: 22100605450

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Aug 31, 2022

Provincial PINC Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Aug 31, 2022

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2019

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Aug 2022

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-May 31, 2022

Scott's Manufacturing Directory:

Private

SCT

Order No: 22100605450

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021

Wastewater Discharger Registration Database:

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2020

Private Anderson's Storage Tanks: **TANK**

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal **TCFT**

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Dec 2020

Variances for Abandonment of Underground Storage Tanks:

Provincial VAR

Provincial

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Aug 31, 2022

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial **WDSH**

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

WWIS

Order No: 22100605450

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Jun 30 2022

Definitions

<u>Database Descriptions:</u> This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

<u>Detail Report</u>: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

<u>Distance:</u> The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

<u>Direction</u>: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

<u>Elevation:</u> The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

Order No: 22100605450

APPENDIX E
MECP FOI Search Request

Ministry of the Environment, Conservation and Parks

Access and Privacy Office

12th Floor 40 St. Clair Avenue West Toronto ON M4V 1M2 Tel: (416) 314-4075 Ministère de l'Environnement, de la Protection de la nature et des Parcs

Bureau de l'accès à l'information et de la protection de la vie privée

12^e étage

40, avenue St. Clair ouest Toronto ON M4V 1M2 Tél.: (416) 314-4075



October 28, 2022

Julie Crooks
Pinchin Ltd.
1 Hines Road, Suite 200
Kanata, Ontario K2K 3C7
jcrooks@pinchin.com

Dear Julie Crooks:

RE: MECP FOI A-2022-07302, Your Reference #: 316252 – Record Release Letter

This letter is further to your request made pursuant to the Freedom of Information and Protection of Privacy Act (the Act) relating to 158 Cardevco Road, Ottawa.

Attached is a copy of the records.

You may request a review of my decision within 30 days from the date of this letter by contacting the Information and Privacy Commissioner/Ontario at http://www.ipc.on.ca. Please note there may be a fee associated with submitting the appeal.

If you have any questions, please contact Mai Tang at 437-996-8412 or Mai.Tang@ontario.ca.


Yours truly,

Rvan Gunn

maitang

Manager (A), Access and Privacy Office

Attachment



s.21

INCIDENT REPORT

Cross Reference: Originating Document: Incident Report Reference	Incident Reporting								
Originating Document: Incident Report Reference		Module Type:	Legislation Non-Compliance						
Incident Report Reference	7638-79RK3K (doc link)	Task Link:	1112-7GCNWL 🗓						
		Created by:	•						
Date Created:	Number:	5486-7GCNUG 🖺							
	2008/07/08	Date Completed:							
Bring Forward Date:		Bring Forward Reaso	n:						
Status:	Closed								
Program	Waste - Hazardous & Liquid in	dustrial Activity :	y: Control Documents						
) Yes No	○ To be dete		Click here for Guida						
Caller or PO Informati Reported By:	on	Name of C	Company:						
P' . L		**************************************							
			Unit Identifi	ier:					
			Unit Identifi						
		Province	Delivery Ide	entifier:					
		Province/ Ontario	Delivery Ide	entifier:					

Date & Time Reported to MOE:	2008/07/08 13:01		
Office Receiving Incident Report:	Ottawa District Office		
Incident Info Received By:	Mike Heeringa		
MOE Response:	Planned Field Response	Site Region:	Eastern
Date & Time of MOE Arrival at Scene:			
Master Incident Report	5486-7GCNUG	Subordinate	7638-79RK3K

Page 1

Number:		Documents(s):	
SAC Action Class:			
Non-Standard Procedure:	No		
ERP Call-out Initiated:			

Client(s)

Client Details

Kris Jason Hodgins, Business/Facility Name: 1-888-Dr.Waste

Mailing Address: 108 Huntley Manor Dr, Ottawa, Ontario, Canada, K0A 1L0 Physical Address: 108 Huntley Manor Dr, Ottawa, City, Ontario, Canada

Telephone: (613)836-4502

Client #: 6560-7CUJZM, Client Type: Individual

Site(s)

Site Details

154 Cardevco Drive

Address: 154 Cardevco Dr, Ottawa, City

District Office: Ottawa Site #: 9573-7DGHW8

Incident Information

Incident Summary:	Operate WDS - no COA cannot be longer than 60 characters
ncident Description:	November 22, 2007 (13:20) - caller notified Ottawa District Office of the storage of waste without approval at 15 Cardevco Rd., in Carp.
	April 9, 2008 (13:33) - EO conducted drive-by of site. At this time; sign on fence indicating: "Vehicle Storage & Parking 831-5000." There was a yellow and white truck in yard (perhaps a vacuum truck), which had "Rent Me 831-5000" painted on it. Observed appliances (washing machines, sink, tub), paint cans, storage units, wood waste, pipes, fencing, 5 pails, 3 light blue roll-off bins with sign: "794-6661 Rent Me," small building and a trailer (storage) with "Hodgins" written on it. There was a man on-site servicing the truck.
s.21	July 29, 2008 (11:00) - EO Straberger conducted site visit with summer student Kathryn Maton. No one preser at the time of site visit. To the left of entrance, the following items were observed: mini fridge, A/C, metal, shopping carts, containers of what appeared to be windshield washer fluid, carbon filter and paint cans. An empty Goulbourn Sanitation roll-off bin was observed farther to the left; adjacent to it was a pile of wood waste and garbage. Two blue "Mister Dumpster 794-6661" bins were also observed: the larger of the two contained four 4L empty waste oil containers and the smaller bin was empty. At the back of the property a flat bed trailer was observed. Scrap metal, tires, two furnace oil tanks, one waste oil tank, approx. five 45-gallon drums (one being plastic) were observed on or next to trailer and a fuel tank was observed beside trailer. Evidence of oil leaking onto the surface of the wooden flat bed trailer was observed. To the right of the trailer logs, garbage, fridge, stove, scrap metal, paint cans, containers containing liquid, and concrete was observed. There are two storage trailers and one shed on-site; contents inside are unknown. A motor boat and a Chev Lumina (Licence) were observed on-site. The site also has storage units which are available for rent.
	2008/07/07 - Caller to EO reports waste deposits on 154 Cardevco Road, West Carleton - oil spilled on ground surface near property line, tires, paint cans, trailers, temp building, trucking activity. 2008/07/08 - EO to Site - observed waste deposits at 154 Cardevco, paint cans, with contents, wood waste, white goods, glycol, oil filters, metal waste, plastics, concrete mix, many oil/fuel tanks, some with material, staining noted on ground surface at several locations, incl. at property line and off-site at 158 Cardevco. One roll-off container with waste observed. Site Operator on arrived on site during visit, operating under 1-888-Dr.Waste - previous incident re WMS - no approval yet. Operator advised to remove wastes via licensed waste carriers, incl. haz/LIW wastes. No wastes to be deposited at site w/out COA for waste disposal site. Operator advised to contact 158 Cardevco and arrange for collection of drinking water sample for PHC. 2008/07/08 - Operator to EO by telephone - requested clarification on potential to use his fathers WMS COA #

EO advised was possible if all vehicle registered under WMS and WMS is still valid. "Old" MWS # could not be provided.

2008/07/17 - EO to Site, observed:

White goods removed; GSSL waste bin on site (empty), Dr. Waste bin empty, waste oil container moved, tires stacked, no other activities evident - paint wastes and other materials not moved.

2008/07/22 - EO to Kris Hodgins - Kris advised he was on holidays last week but was lining up people to put waste in bins and contact Drain-All. Kris had also not contacted neighbour to arrange a drinking water sample. Kris indicated he needed a week to get the work completed.

2008/07/31 - VM msg from KH - advised that watersample from neighbour will be collected 08/08/01. Drain-all may be a couple days before wastes can be collected. GSSL bin to be filled shortly.

2008/08/08 - VM msg from KH - advised that site cleaned, water sample collected and submitted to Accutest, KH out of country for 2 weeks.

November 14, 2008 - EO Rick Watchorn attended site to follow-up on this incident report. No one was present at the site at the time of the visit. There were several piles of waste on-site. Several 'white' appliances were present and several unidentified containers around the site with product in them. Several paint cans were observed with product in them that have been dumped with other waste. There was a flat deck trailer at the back of the site holding several unidentified drums and tanks that were full of some product. There were two fuel tanks at the back of this trailer on the ground. One tank appears empty and one had product in it. There were several 20L pails located beside a small building on-site, the well is on the other side of this building. There was an uncovered drum in front of this small building with unidentified black sludgy liquid in it. Visited 158 Cardevco Rd. which is next door to this site to see if anyone had been by to collect a water sample. Talked to Greg Whelan (partner in TDL Truck Repairs) and he said no one had taken a water sample. Greg suggested I call his partner Tim Kingsbury to see if he had heard anything. Called Tim on his cell phone and he said he had no information on a water sample. Pictures of visit are attached to this IR.

s.21

December 23,2008 (14:30) - EO Rick Watchorn called Kris Hodgins (KH) Mr. Hodgins stated that the site at 154 Cardevco Rd. had been cleaned up at the beginning of December. When asked about the outstanding results from the water sample he took, he said that he hasn't received any call back from Accutest yet. He is out of the country at the moment but will be returning at the beginning of January 2009. Mr. Hodgins said he would be in touch regarding the water sample results which he will supply to the Ministry and to his neighbour at 158 Cardevco Rd. (TDL Truck Repairs).

January 13, 2009

14:40 - EO Rick Watchorn called KH regarding water test again. KH said he was going to follow up on the test he said he had submitted awhile ago. He said that this week he will have a free day and he will go and get another test kit to grab another sample of water from his neighbour at 158 Cardevco Rd.

18:30 - visited site to see if waste has been cleaned up. Site appears to be cleaned up since last visit. No more piles of waste are present on site has not been plowed recently so difficult to see ground but appears clean from walking around.

January 20, 2009 (09:40) - EO Rick Watchorn called KH. He has water sampling containers and is getting a water sample today. Will await results of test for further action.

January 31, 2009 - received water test results from Kris Hodgins for 158 Cardevco Rd. Test results are attached to this IR. Tests results show parameters tested for (petroleum hydrocarbons) are below Ontario Drinking Water Objectives, Standards and Guidelines values.

No adverse effect or impairment anticipated at this time. VA compliance attained. No further action recommended at this time.

Links & Comments:	
Attachments Names:	Dr.Waste.pdf; Picture 001.jpg; Picture 002.jpg; Picture 003.jpg; Picture 004.jpg; Picture 005.jpg; Picture 006.jpg; Picture 007.jpg; Picture 007.jpg; Picture 019.jpg; Picture 010.jpg; Picture 011.jpg; Picture 012.jpg; Picture 013.jpg; Picture 014.jpg; Picture 015.jpg; Picture 016.jpg; Picture 017.jpg; Picture 018.jpg

Date & Time of Incident	lent Incident Date Confirmation? Actual 2008/07/08				
Source Type:		Sector Type:			
Nearest Watercourse:		Watershed Category Code:			

Environmental Impact:	Not Anticipated						
Nature of Impact:							
Incident Cause:			Inci	ident Reas	on:		
Damaged Party:	No						
		ontaminan	ts Table				
Contaminant N	lame	Code	UN#	Limit	Quantity	[units]	[freq]
Controller of Material:			Ow	ner of Mate	erial:		
Estimated Clean Up Cost:				o Cleaned			
	0/			encies Invo			
% Clean Up:	%		Age	encies invo	ivea:		
oluntary / Mandatory Ab	patement						
Is there Voluntary Abatem	nent Activity?	Yes		○ No		O To be det	termined
ffence(s) Suspected Violation(s)/Offen Act - Regulation - Section, Description (General Offence)	ıce(s):						
Provincial Officer: Name: Badge No:	: Rick Watchorn 1473						
Work Unit: District/Area Office: Date:	Ottawa District (2009/02/02	Office					
Signature:	Popula	dc_					
Area Supervisor:	Paul Kehoe						

Work Unit:

District/Area Office: Ottawa District Office

Paul Kehoe.

Date: 2009/02/02

Signature:

Additional Disclosure Information

Reference Number:	5486-7GCNUG	File Storage Number:	SI OC WC CA 100
Module:	Incident Reporting	Module Type:	Legislation Non-Compliance
Cross Reference: (doc link)		Task Link:	1112-7GCNWL 🗓
Originating Document:		Created by:	Mike Heeringa
Incident Report Referen	ce Number:	5486-7GCNUG	
Date Created: 2008/07/08		Date Completed:	2009/02/02
Bring Forward Date:		Bring Forward Reason:	
Status:	Closed	Main Document Reference Number:	5486-7GCNUG
Program	Waste - Hazardous & Liquid industrial	Activity	Control Documents

General Comments

2008/11/19 08:26:09 AM (Tor Rustad) -

Who should receive this incident report? It was forwarded to the Ottawa District Task box on November 18, 2008.

Signing Comments

Abatement Items

ITEM 1

Type: Voluntary Compliance
Compliance Date: 07/19/2008

Attained: Compliance Attained 01/31/2009

Dr. Waste - proceed with site clean-up, waste removal by licensed carriers, water sample from 158 Cardevco - test for PHC.

ACCUTEST LABORATORIES - A New Bodycote Company

CCME METHOD VERIFICATION REPORT

Report Number: 2961083 Client: Hodgins, Kris Date: 2009-01-22 108 Hunkley Manor Dr. 2009-01-20 Carp, ON Deta Submitted: KOA 1LO Attention: Mr. Kris Hodgios Protect: MC P.O. Number: Weler Metrix: Samples were analysed by Accutest Method AMCCME2, "Petroleum 1 hydrocarbons in Water and Soil, GCME/TP14" This method complies with the reference method for the CCME CWS PHC and is validated for use in the laboratory. Accuract is accordited by CAEAL (ISO 17025) for all OCME F1-F4 fractions as fisted in this report. Date for QC camples (Mank, duplicate, apike) are available on request. HOLD TIME ANALYSIS TIME If No then Remons. Fractions Analysed Within Acceptable Holding/Analysis Times YES KO. YE8 NO \odot (V) F1 (C6-C10) (J F2(C10-C16) [] $\overline{\mathbf{V}}$ F3 (C18-C34) Ü Ð $[\bar{z}]$ F4 (C34 C50) F4 (C34-C50) gravimetric (when applicable) Fraction Specific Information F4 VE6 NO mC6 and nC10 response factors within 30% of Toluene **GTEX subtracted from F1 fraction** [] II YES was F1-BTEX (C6-C10) reported F2 YES NG $\overline{\mathcal{A}}$ r.C10, r.C10 and r.C34 response factors within 10% of their average (F2-F4). [7] \Box Linearity within 15 % (F2-F4) \odot (1)Naphthalene subtracted from F2 fraction Naphtralena (PAH) not requested ensiyeed If YES was F2-Naphalene reported NO FS YE3 Ø PAH (selected compounds) subtracted from F3 fraction. PAH not requested/analysed if YES was F3-PAH reported F4 YE'S NO \Box [7] C50 response factor within 70% of nC10 + nC16 + nC34 average 9 Chromatogram descended to baseline by retention time of C50

APPROVAL:

Mina Nastrali Organic Lab Supervisor

1 of 1

If NO was F4 (C34-C50) gravimetric reported

894

3

ACCUTEST LABORATORES - A New Bodycote Company

REPORT OF ANALYSIS

Client: Hodgins, Kris

108 Hunday Manor Dr. Carp, ON

KOA ILO

Attention: Mr. Kris Hodgins

Report Number: Dete:

2901083 2009-01-22

Date Submitted:

2009-01-20

Project:

P.O. Number:

Water

Chain of Custody Nur	sher: 97629							F.O. RIMINGI.		MU	
			LAB (O:	686073			,	Matrix:		Water	
		0	LAB NO: noie Dale:		ļ		 _			GUIDELINE	
					 	 			•		
	*	,	Sample (D):	158 Cardeuco	1	1	1			onwsog	
						1.	J ·	9		011113003	
-							1		·		
10. 15.5 0.5 11.6	PARAMETER	UNITS	MRL		C-0.]			TYPE	LIMIT	UNITS
YOLAT LE ORGANIC C		Í		1							·
Benzene		ug/L	0.5	≪0.5	1				MAC	. 5	ug/L
Dhylbenzene		ug/L	0.5	<0.5	1	1			AO	2.4	₩.
foluene		ug/L	0.5	<0.5	1	ĺ .	}	1	AO	24	ug/L
m/p-xy/ens	,	ug/L	10	<1.0	ľ		Ì		740	, ²⁴	09/2
o nyferic		ugt	0.5	<0.5		l	Į.				
VOC SURROGATES							,]]	1
Toluene-46		%		. 99				1 4		ì	
DOME Total Petroleum	1 Hydrocarbona	1 "		35	1	! .		1			1
F1 (C6-C10)	•	mg/t_	0.2	<0.2	1						[,
F1-BTEX (C6-C10)		mg/L	0.2	<0.2	j '						· 1
F2 (C10-C16)		mg/L	0.2				Į.			i :	
F3 (C16-C34)				<0.2		1	1	1			
F4 (C34-C50)		mg/L	0.2	<0.2		1	ł .	1		1	ŀ
(1(007000)		mg/L	0.2	-0.2	·	ĺ]			1	
	7	- {	1			1		1			
		1	1			1				j :	
**	•	}	1				1			}	
		l					1				
		l l				1	İ				
	•		1		ŀ						
	•		1							1	
			1	1	·]	.}]	
							į.	į l			
				1						ļ i	
						1		1			
			 	+			1]	
				[1	1	ļ !	* .	j l	
		1				ł	1	1		1	
		1	1			i	!			[·]	
•				• 1			1			()	
		1	1	1		1	1			r 1	1 1

MPL = Method Reporting Limit BNC = Incomplete AO = Acethetic Objection OG = Operational Guideline MAC = Musicuum Alloweble Concentration (MAC = Interin) Maximum Alloweble Concentration Comment

Mira Nasirai

Organic Lab Supervisor

12 19PM

Ŋ







































Material 1: DIESEL FUEL Amount : 150 L Material 2:

Environment

OCCURENCE REPORT

.ocation of Occurence: VEST CARLETON TOWNSHIP 58 CARDEVCO RD \@CARP Reg: 4 Dist: OT Municipality: 20613		Source: BRUCE FUELS 35 JAMIE AVE NEPEAN ON Sector: PE Source: TT SIC: 4569 UTM: N: [5024000] E: [414000] Zone: [18]			
Entered:	ORIS No.	Abstracts:	Diaries:		
1998/07/09 14:24	9800006678	2	1		
Received By: SYLVIA HOLLOWAY	•		I. E. B. No.		
Occurence Type: S	Subtype: LW	Occurence Date:	1998/07/03		
Work Plan:	WG	Occurence Time:			
Reported By: JOYCE DICK S.L. HODGINS EQUIPMENT		Report to MOE: 1998/07/09 14 MOE at Scene: 98/07/14 11:00	:24		
Telephone No. 613-831-9000 x	Alternate No. 613-831-5000 x	Assigned To:	BRYAN DICKMAN		
Address: 158 CARDEVCO RD CARP ON Postal Code:		ERP Contacted: Callout: NSP: ERP Name:			
Syn: BRUCE FUELS-150 L DIES	EL TO GROUND DURING DELIVER	RY-TO BE EXCAVATING SOIL.			
Brief Summary: CALLER REPORTS THAT 150L DIESEL FUEL WAS SPILLED TO ABOVE LOCATION BY BRUCE FUELS, DURING DELIVERY. DIESE PENETRATED GROUND, BUT IT HAS RAINED SINCE THEN AND CALLER IS UNSURE WHETHER ANYTHING WASHED TO NEARB DITCHES. OWNER OF S.L. HODGINS, MR SID HODGINS, WAS TOLD BY BRUCE FUELS' CONTACT "REID" (SURNAME UKNOWN E CALLER) THAT BRUCE FUELS WOULD BE EXCAVATING AND BACK-FILLING CONTAMINATED SOIL TODAY. CALLER HAD CONTACTED SAC FOR CLEAN-UP ADVICE. [SAC CHECKED ORIS DATA-BASE: CONFIRM NO PREVIOUS NOTIFICATION OF THIS OCCURENCE.]\@14:32TO MOE-OT BRYAN DICKMAN: UPDATED. If there are related reports, record initial/master ORIS No. here >>			NYTHING WASHED TO NEARBY "REID" (SURNAME UKNOWN BY IL TODAY. CALLER HAD		
BF Date:	Followup Action: X Abatement Y IEB Other BF Date: SPILL WAS NOT REPORTED WHEN IT OCCURRED.				
File Closed: Y Abatement: IEB Other Suspected Violation: 11					
Report Prepared By: BRYAN DICKMAN	Date: 07/14/98	IEB Investigator:	IEB BF Date		
Approving Officer GEORGE CLARKE	Date: 07/14/98	Reviewing Officer:	Date		
Specify number(s) for routing Original [] [] [] [] Continued [] Yes Specify number(s) for copy distribution [] [] [] [] [] 1. Investigator/E.O. 2. D. O. /File 3. SAC (initial spills) 4. Reg. Dir. / Mgr. 5. IEB Reg. Spv 6. IEB H.O./file 7. Other SAC Action Class: 1:25 2: 06					

Code: 13 UN No.: 1202 Code:

Amount: UN No.: Material 3: Code: Amount: UN No.: Cause....: Reason....: Code..: 09 Code..: 02 Person in Control: BRUCE FUELS Waste GenNum : Owner : BRUCE FUELS Waste GenNum : Agencies Involved . . . : Clean up and Restoration Carried out by: [v] Controller [N] Other [v] Owner % Cleaned up: 0 **Estimated Cost:** Were Directions or Approval Given Under EPA Part X [v] Regulation 362 [v] Manifest No. Waste Class : Code . . : 000 Hauler: Code . . : Disposal Site: Code..: Environmental Impact: Nature of Impact: Code . . : 07 С Soil contamination People/Business Damaged (Other than to Owner/Controller): Code . . : Nature of Damage:



Environment

Abstract Entry

Abstract Date Time:	MOE Office:	ORIS No.	Occurence No:
07/10/98 08:16	hollowsy	9800006678	157790
T	-		

Text

ABSTRACT #1-S.HOLLOWAY\@07:29---FROM REID MCDONALD, BRUCE FUELS: CALLED TO REPORT ABOVE OCCURENCE. HE CLAIMED HE HAD REPORTED IT TO CANUTEC, AND HAD BEEN TOLD SPILLS OF <200L WERE NOT REPORTABLE. SAC EXPLAINED CANUTEC'S FUNCTION AND ONT EPA OBLIGATIONS. CALLER CONFIRMED THAT 80-120 L DIESEL HAD SPILLED DURING AN OVERFILL LATE 98/07/03; DIESEL HAD SPRAYED OUT FROM NOZZLE. CALLER HAD ATTENDED SCENE ON 98/07/04, BUT SAID IT WAS RAINING SO HE COULDN'T TELL HOW MUCH DIESEL WAS THERE/WHERE IT WENT ETC. YESTERDAY 98/07/09 HE WAS ON-SCENE AGAIN AND SAYS SOIL CONTAMINATION RANGES FROM 1/4" TO SHOVEL-DEPTH. HE IS ARRANGING FOR EXCAVATION. SAC REFERRED CALLER TO MOE-OT EO BRYAN DICKMAN TO REPORT FURTHER CLEAN-UP PROGRESS.



Environment

Abstract Entry

Abstract Date Time:	MOE Office:	ORIS No.	Occurence No:
08/13/98 08:37	dickmabr	9800006678	157790

Text

ABSTRACT #2 - B. DICKMAN. PLAYERS NOW INVOLVED. SID HODGINS (831-5000, 725-7069), REID ABROSIOS - BRUCE FUELS (225-6500), DOMINION INSURANCE - ALAN GALAGHER (726-9556), O.M.M. - STEVE WILSON (225-9940). CLEAN-UP HAS NOT TAKEN PLACE YET. HOLE DUG WHERE ORIGINAL SPILL OCCURRED, SPOIL FROM HOLE SET ASIDE ON PROPERTY. AREA STILL SMELLS OF FUEL OIL. WATER WELL CMS. AWAY FROM SPILL AREA. DELAY SEEMS TO BE CAUSED BY INSURANCE COMPANY WANTING TO ENSURE EXTENT OF PROBLEM. OMM WILL BE DOING MORE DRILLING IN THE AREA, HAVE ALREADY TAKEN SAMPLES FROM WELL.



Environment

Diary Entry

Occ_Num: 157790	Reg Num: 9800006678	Reg Sup: 4	MOE Office: dickmabr
Diary Date Time: 1998/07	Diary Date Time: 1998/07/13 09:34		Org:
Text:			
CONTACTED BRUCE FUI	ELS REPRESENTATIVE (REID)		

Area Co

613831-900



Waste Systems CofA Archive

Back

All:

by Client Name

by Status

by Year

by Instrument

Number

Applications

Previous Name Information

Receiver Name Information

Waste Type

Export Site Information

Search

Certificate of Approval Waste Management Systems (Archive)

CofA Number: A860993 A860993

Certificate:

of A information

CofA Status: 006 ---- Approved

Instrument Type: Waste Management Systems

Reviewer: I. Cooney

Mail Registration

Number:

Record Date: 01/21/97

Date Received: 12/23/96 Appeal Date:

Appeal Resolved?:No

Issue Date: 97/01/17

Reissue Date:

Certificate Mailing01/20/97

Date:

Revocation Date:

Date Completed:01/17/97

Ontario

Ottawa

South East

Hearing Date:

```
Client Information
        Proponent:SI Hodgins Equipment Ltd.
  Operating Name:SI Hodgins Equipment Ltd.
```

Address: 108 Huntley Manor Dr. R.R. #2 City:Carp

Province / State:Ont Postal Code / Zip:K0A-1L0

Principal 1:Hodgins, Elroy

Principal 2:

Principal 3:

Principal 4:

Principal 5: Company NameNo

Changed? (Y/N):

Waste HaulageNo

Outside Ontario?

(Y/N):

Waste Haulage IntoNo Ontario? (Y/N):

Truck Yard AddressYes

Different from

above?:

Service Area:1000 Ontario Region:000100

MOE District Office402

Code:

Own Sites by C of

A?:

Truck Storage

Truck Storage Yard158 CARDEVCO

Address:

City: CARP

Province / State: ONT

Postal Code / Zip:

Receiver Site Information

Receiver File CofA

Number:

CofA Menu

Pages 33 to / à 34 are not reviewed ne sont pas revisées Under the Environmental Protection Act and the regulations and subject to the limitations thereof, this Provisional Certificate of Approval is issued to:

("Company")

SL Hodgins Equipment Ltd. 108 Huntley Manor Drive R.R. #2 Carp, Ontario KOA 1L0

for the Waste Management System serving the Province of Ontario

and subject to the following conditions:

- Use of this waste management system is limited to the collection, handling and transportation of waste.
- Except as otherwise provided by these conditions, the waste management system shall be operated in accordance with the application for this Provisional Certificate of Approval dated December 11, 1996 and with the supporting information submitted therewith.
- 3. Only domestic, commercial and non-hazardous solid industrial waste which includes contaminated soil shall be transported pursuant to this Provisional Certificate of Approval and in any case, no hazardous waste, liquid industrial waste, pathological waste, agricultural waste, processed organic waste or hauled sewage shall be transported pursuant to this Provisional Certificate of Approval.
- 4. Waste shall only be delivered to a waste disposal site or facility which has a Certificate of Approval or a Provisional Certificate of Approval, and only where the waste being delivered complies with the Certificate of Approval or Provisional Certificate of Approval of the receiving waste disposal site or facility.
- 5. Any addition, deletion or other change to the fleet of vehicles, trailers and equipment (i.e. year, make, model, serial number and licence number of each vehicle, trailer or piece of equipment) in particular those which are leased or rented, shall be reported to the Director of the Approvals Branch of the Ministry of Environment and Energy within fourteen (14) days of any such change.
- a. The Company shall notify the Director in writing of any of the following changes within thirty (30) days of the change occurring: i. change of Company name, owner or operating authority;
 - ii. change of Company address or address of new owner or operating authority;

- b. In the event of any change in ownership or operator of the waste management system the Company shall notify the succeeding (new owner/operator) company of the existence of this Certificate, and a copy of such notice shall be forwarded to the Director.
- c. The Company shall ensure that all communications made pursuant to this condition will refer to this Certificate number.

The reasons for the imposition of these conditions are as follows:

- 1. The reason for condition 1 is to ensure that this waste management system is only used for the collection, handling and transportation of waste as any activity in addition to those noted may result in a hazard to the health and safety of any person or the natural environment.
- 2. The reason for condition 2 is to ensure that this waste management system is operated in accordance with the application for this Provisional Certificate of Approval and the supporting information submitted therewith and not on a basis or in any way which the Director has not been asked to consider.
- 3. The reason for condition 3 is to ensure that this waste management system is only used to collect, handle and transport waste which it is able to collect, handle and transport in a suitable manner. The collection, handling and transportation of waste which this waste management system is not able to collect, handle and transport may create a nuisance or result in a hazard to the health and safety of any person or the natural environment.
- 4. The reason for condition 4 is to ensure that the waste management system is only used to take waste materials to waste disposal sites or facilities that have been approved by the Ministry of Environment and Energy, or the appropriate corresponding regulatory agency, to accept the waste this system is approved to collect, handle and transport under this Provisional Certificate of Approval. Taking these materials elsewhere may create a nuisance or may result in a hazard to the health and safety of any person or the natural environment.
- 5. The reason for condition 5 is to ensure that all vehicles, trailers and equipment including those leased or rented for operation under this Provisional Certificate of Approval have been approved as part of a suitable waste transportation system to collect and transport waste as an unsuitable waste transportation system could result in a hazard to the health and safety of any person or the natural environment.
- 6. The reason for condition 6 is to ensure that the waste management system is operated under the corporate, limited or the applicant's own name which appears on the application and supporting information submitted for this Provisional Certificate of Approval and not under any name which the Director has not been asked to consider.

PROVISIONAL CERTIFICATE OF APPROVAL FOR A WASTE MANAGEMENT SYSTEM NO. A 860993 Page 3 of 3

In accordance with Section 139 of the Environmental Protection Act, R.S.O. 1990 c. E-19, you may by written notice served upon me and the Environmental Appeal Board within 15 days after receipt of this Notice, require a hearing by the Board. Section 142 of the Environmental Protection Act, as amended provides that the Notice requiring a hearing shall state:

- The portions of the approval or each term or condition in the approval in respect of which the hearing is required, and:
- 2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

In addition to these legal requirements, the Notice should also include:

- The name of the appellant;
- The address of the appellant;
- The Certificate of Approval number;
- 6. The date of the Certificate of Approval;
- 7. The name of the Director;
- The municipality within which the waste management system is located;

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

The Secretary,
Environmental Appeal Board,
112 St. Clair Avenue West,
Suite 502,
Toronto, Ontario,
M4V 1N3

<u>AND</u>

The Director,
Section 39, Environmental Protection Act,
Ministry of Environment and Energy,
250 Davisville Avenue, 3rd Floor,
Toronto, Ontario.
M4S 1H2

DATED AT TORONTO this 17th day of January, 1997.

THIS IS A TRUE COPY OF THE ORIGINAL CERTIFICATE SIGNED BY

A. DOMINSKI, P. ENG.

MAILED ON <u>Jan 20197</u>

BY

IC/am

c.c.: District Manager, Ottawa

000038

Postal Code



(a) Head office address

under the Partnership Registration Act.

102 HARTARY 182418 DE

Application For A Provisional Certificate Of Approval

Ontario	For A v	waste wanage	ment System
		r Office Use Only	
	Application Number	Payment received	Date Indias
* Ce formulaire est disponible en français	\$60993	\$ 377.59	De 39/11/18
Personal Information contained on this form is collected under the 1990, Reg. 347. The purpose of this form is to apply for approvadirected to the Information Officer, Approvals Branch, Ministry of M4S 1H2.	il for the operation of a Waste Man	agement System. Que:	stions should be
Any documents or portions thereof which you are requesting to I and Privacy Act must be marked "confidential".	be exempted from disclosure unde	r the provision of the Fr	eedom of Information
See notes on last page for form completion instructions. applications must be submitted to the Approvals Branch, I returned.	The following information is require Ministry of Environment and Energ	d to process this applic y incomplete applicat	ation. Completed lons will be
applications must be submitted to the Approvals Branch, is returned. Effective October 1, 1992, fee payment will be required to after this date (see notes for fee schedule). A certified che PLEASE DO NOT SEND CASH IN THE MAIL.	eque or money order must be mad	e payable to the Minist	nt received on or er of Finance.
All applicants must complete Part A and appropriat	le sections in Part Dand Part C		
Part A An individual and a corporation may apply together for a Certificate of Al Act and Regulations. This application is made by: (a) Applicant / Company name	pproval to operate a Waste Managemer (b) Operating name (if differer		onmental Protection
New issue Reissue (Complete Sections 1 to 6) The section of this box only) Changes since last issue Address Changes since last issue Changes concerns in the complete only of the complete of this box only only of the complete of the complete only of the complete only of the complete only only only only only only only only	☐ Receiving: sites ☐	21	
	Additional info	rmation attached?	Yes []No
Proof of legal name		Att	tached as required
(a) For each applicant who is applying as an Individual, enclos		•	Yas ∏No
(b) Business Registration (Form 1, 2 or 3 of Reg. 182 (Former tion Act or the most recent declaration filed under the Parts of	ly Reg. 189) filed under the Corporation nerships Registration Act.]Yes □No
(c) Photocoy of the most recent Form 1, 2 or 3 of Reg. 182, (f Consumer and Commercial Relations, filed under the Corp	Formerly Reg. 189) stamped "RECEIVE orations information Act or the most rec	D" by the Ministry of ent declaration filed]Yes []No

(b) Mailing address if different from 2(a)

 $\leq AAB$

Name of contact person	, Title	Telephone
N F1ROV - 1400	6100 Presi NG	g (613) 231-7000
Wastes handled	<u> </u>	<u> </u>
(a) Non-Subject Waste	138	
Domestic Commercial	Non-hazardous solid industrial	
Asbestos waste in bulk		and the second of the second o
Uther, please describe		
(b) Subject Waste		
Non-hazardous liquid industrial	Hazardous liquid Hazardous solid	
_		
Other, please describe	ACTION OF THE PROPERTY OF THE	
tatsomanimansamanimanimanimanimanimanim	apar gynta inngeneryennicaniania manananananianianianianianianianianianian	B. Alexandra (San Charles Char
	or each category of subject waste (see Ontario Wa	sto Classes)
(This box must be completed for Subje		14
Non-hazardous liquid industriel	Hazerdous kquid	Hazardous solid
7 7 7 7		
		*-
	4.100	al list attached? Yes No
	And the second s	
(d) Disposal facilities to be used for	Non-Subject waste	Subject waste
		•
(e) Site(s)		
	Province / State	Province / State
Any site approved by the	1	1
Any site approved by the Onterio Ministry of Environment and Energy. Sites approved by a		
Any site approved by the Onterio Ministry of Environment and Energy. Sites approved by a Regulatory Agency outside of Ontario.		
Any site approved by the Ontario Ministry of Environment and Energy. Sites approved by a Regulatory Agency outside of Ontario. (Please list provinces /		
Any site approved by the Onterio Ministry of Environment and Energy. Sites approved by a Regulatory Agency outside of Ontario.		
Any site approved by the Ontario Ministry of Environment and Energy. Sites approved by a Regulatory Agency outside of Ontario. (Please list provinces / states to which waste is		
Any site approved by the Ontario Ministry of Environment and Energy. Sites approved by a Regulatory Agency outside of Ontario. (Please list provinces / states to which waste is	Addition	al list attached? Yes No
Any site approved by the Onterio Ministry of Environment and Energy. Sites approved by a Regulatory Agency outside of Ontario. (Please list provinces / states to which waste is	Addition	al list attached? Yes No
Any site approved by the Onterio Ministry of Environment and Energy. Sites approved by a Regulatory Agency outside of Ontario. (Please list provinces / states to which waste is intended for transport.)	Addition for transporters of 243 and/or 312 Subject Waste c	

m ~	of truck storage yar	d			
Sam	the dia Contin	nn 9	. 100 . 100		e e e e e e e e e e e e e e e e e e e
🔄 Indic	ated as follows: 🧘	erana arangla si bili cakaran malakarakaka	ti, ki firikh aki aki binana amana kaji shiti	Life flaceriuminum 60 alalaha	
					·
, 40311116111		and there openings to assess the freezents served to the section of the section o	, (1) , (1) paradir (1) paragraphy (1) paragraphy (1) paragraphy (2) paragraphy (2) (1) (1) paragraphy (1) (1)	()-sabidanisticolicenserparrent eraplysis lecularicelesitableiteles	, it takes takes and takes some and the stages of the stages ,
					Appellant landar, Happellant land variation
Lynnizatroniz	ikszenyen (en ejeknőfőszkődszkél szkel ejecszkélekélek	rectations in Canada to extrem the April of Strates Santas Santas Santas Santas Santas Constitution (1945) (44	Hallest Westerream as designation of the second of the second		
		•	·		
) List all ve	hicles and equipme	ent to be used in the operat	ion of the Waste Management S	System	
Year	Make	Model	Serial #	Licence plate #	Province / State
					,
	·				
-	 -		·		
Į.					1
				ached? Yes	No
	•		Additional list att	ached? Latres La	, 140
,4441441.41714P3174	-	A CONTRACTOR OF THE PROPERTY O			
2) This box i	s for Subject Waste ent and future drive on?	transportation only ers will be trained in accorda	ince with Reg. 347 and all pertir	nent environmental	□Yes □No
a) All curre legislati	ent and future driver ion?	ers will be trained in accorda	able for that waste transportation		☐Yes ☐ No
a) All curre legislati b) Each ve preserv	ent and future drive ion? ehicle used to trans to the health and si	ers will be trained in accorda sport a specific class is suite afety of the public and the n	able for that waste transportation atural environment?		
a) All curn legislati b) Each vo preserv	ent and future drive on? ehicle used to trans the health and so	sport a specific class is suite afety of the public and the n	able for that waste transportation atural environment?	n in order to	
a) All curn legislati b) Each vo preserv	ent and future drive on? ehicle used to trans the health and so	sport a specific class is suite afety of the public and the n	able for that waste transportation atural environment?	n in order to	Yes No
a) All curri legislati (b) Each vo preserv	ent and future drive on? ehicle used to trans the health and so	sport a specific class is suite afety of the public and the n	able for that waste transportation atural environment?	n in order to	
All curring legislation Each vipreservitation This section Insurance Confirmation	ent and future drive ion? ehicle used to trans the health and si must be comple	sport a specific class is suita afety of the public and the nated for Subject Waste train	able for that waste transportation atural environment? Insportation Trance for Subject Waste transportation	n in order to	Yes No
All curring legislation Each vipreservitation This section Insurance Confirmation	ent and future drive ion? ehicle used to trans the health and si must be comple	sport a specific class is suita afety of the public and the nated for Subject Waste train	able for that waste transportation atural environment?	n in order to	Yes No
All curring legislation Each vipreservitation This section Insurance Confirmation	ent and future drive ion? ehicle used to trans the health and si must be comple	sport a specific class is suita afety of the public and the nated for Subject Waste train	able for that waste transportation atural environment? Insportation Trance for Subject Waste transportation	n in order to	Yes No
a) All curn legislati (b) Each very preservent. This section insurance Confirmation	ent and future drive ion? ehicle used to trans the health and si must be comple	sport a specific class is suita afety of the public and the nated for Subject Waste train	able for that waste transportation atural environment? Insportation Trance for Subject Waste transportation	n in order to	Yes No
All curring legislation (b) Each von preservon (c) This section insurance (c) Confirmation (c) Please list c	ent and future driver ion? ehicle used to trans re the health and si must be comple to of a minimum of so or describe addition	sport a specific class is suite afety of the public and the noted for Subject Waste trained in surances, for example,	able for that waste transportation atural environment? Insportation rance for Subject Waste transportation environmental impairment liability	n in order to ortation. Yes lity insurance.	Yes No
All curring legislation (a) Each von preserving section (a) Each von preserving section (a) Each von firmation (b) Each von firmation (c)	ent and future driver on? chicle used to transice the health and so must be completed of a minimum of so describe addition	sport a specific class is sulta afety of the public and the nated for Subject Waste train \$1,000,000.00 Liability Insurances, for example, the Information in this a	able for that waste transportation atural environment? Insportation Trance for Subject Waste transportation environmental impairment liability in the subject waste transportation in the subject waste waste transportation in the subject waste waste waste waste waste waste transportation in the subject waste wa	n in order to ortation. Yes lity insurance.	Yes No
All curn legislation (b) Each von preserving section insurance Confirmation Please list confirmation (confirmation confirmation confirmation (confirmation confirmation confirmation confirmation (confirmation confirmation confirmatio	ent and future driver on? chicle used to transice the health and so must be completed of a minimum of so describe addition	sport a specific class is sulta afety of the public and the nated for Subject Waste train \$1,000,000.00 Liability Insurances, for example, the Information in this a	able for that waste transportation atural environment? Insportation rance for Subject Waste transportation environmental impairment liability in the polication is true and that alse statement.	n in order to ortation. Yes lity insurance.	Yes No
(a) All curn legislation (b) Each von preserving This section (c) Please list confirmation (c) Please l	ent and future driver on? chicle used to transice the health and so must be completed of a minimum of so describe addition	sport a specific class is sulta afety of the public and the nated for Subject Waste train \$1,000,000.00 Liability Insulations in the information in this align Act, to provide a failed	able for that waste transportation atural environment? Insportation rance for Subject Waste transportation environmental impairment liability in the polication is true and that alse statement.	n in order to ortation. Yes lity insurance.	Yes No
All curring legislation (b) Each vipreserve confirmation (c) Please list c	ent and future driver on? chicle used to transice the health and some and some and the complete of a minimum of some describe addition and the chiffy that all of the mental Protection.	sport a specific class is suita afety of the public and the national for Subject Waste training \$1,000,000.00 Liability Insulational Insurances, for example, the Information in this alternation Act, to provide a facing	able for that waste transportation atural environment? Insportation Tance for Subject Waste transportation environmental impairment liability in the statement. Print name of Individual	n in order to ortation. Yes lity insurance.	Yes No

NOTES FOR APPLICATION FOR A PROVISIONAL CERTIFICATE OF APPROVAL FOR A WASTE MANAGEMENT SYSTEM

- PART A The application for a Provisional Certificate of Approval shall be made by the person or the municipality responsible for the system and its operation in conformity with the Environmental Protection Act and Regulations. The applicant shall also be responsible for the particulars provided in the application and with the supporting information provided herewith. By signing the application, the applicant accepts all the responsibilities as set out for the "Owner" or "Operator" in the relevant clauses of the Environmental Protection Act and the Regulations.
- PART B Issue means a first time application. Re-issue means that the Provisional Certificate of Approval was previously issued for the system.

Complete appropriate sections for the following amendments:

Address

Section 2

Receiving Sites

Section 4(d) and (e)

Service Area

Shaded Area

Waste Types

Section 4

Corporate Officers/ - Directors

Section 1(b) or 1(c)

Legal Name

For Companies

Section 1(b) or 1(c)

Por Individuals

Section 1(a)

Vehicles

Section 5

Waste Class

Section 4(c)

Other

Please attach

Minor amendments may be made in the Shaded Area.

Section 1 Ontario Pilings: For a trade or style name, business registration documents must be attached. Corporations must attach the most recent "Imital Notice or Notice of Change", listing the corporate officers and directors. (Form 1, 2 or 3.) Extra-provincial corporations must provide a copy of their Extra-Provincial Corporations Licence. The filing must be stamped "received" by the Ministry of Consumer and Commercial Relations.

Federal Filing: Corporations must provide their Articles of Incorporation, Form 3 and Form 6.

- Section 2 Company address.
- Section 3 A contact person must be provided in the event that there are inquiries with respect to the application, a phone number should also be included.
- Section 4 (a) Non-subject waste includes non-hazardous waste comprised of: domestic, commercial, non-hazardous solid industrial, or asbestos waste in bulk, etc. For non-subject waste, other waste includes spill clean-up material and contaminated soil.

- (b) Subject waste includes non-hazardous liquid industrial, hazardous liquid and hazardous solid waste. For subject waste, other waste includes dust suppressant. The applicant may choose to transport both non-subject and subject waste.
- (c) All Ontario waste classes transported must be separated into their specific categories.
- (d) Identify types of waste transported.
- (e) The applicant may select any Ontario licensed site or list provinces/states for out-of-province approved sites.
- (f) Any applicant proposing to transport biomedical or PCB waste must provide:
 - a detailed driver training manual outlining the driver training and responsibilities with respect to waste shipment:
 - a detailed operations manual outlining the packaging methods, waste loading and unloading procedures, as well as a contingency plan in the event of a spill; and
 - an irrevocable letter of credit must be provided and decined to be acceptable prior to the issuance of the system. For himmedical carriers - a minimum of \$50,000, for PCB carriers - \$100,000.
- Section 5(1) (a) Address of vehicle storage yard, this location may not be a residential area or area used by the public at large.
 - (b) Provide a detailed listing of vehicles and equipment. If a legible copy of the vehicle registration is attached for each vehicle or piece of equipment, then the year, make, model, serial number and licence plate number do not need to be listed.
 - (a) The applicant must own one vehicle or at least have a *lease to own" agreement with a leasing company.
- Section 5(2) (a) Confirmation that drivers are trained in accordance with O.Reg. 347 (formerly O.Reg. 309).
 - (b) Confirmation of vehicle suitability for all waste transported.
- Section 6 (a) A photocopy of the Certificate of Insurance must be supplied confirming that all vehicles and equipment operating as part of the waste management system are insured for a minimum of \$1,000,000 liability insurance.
 - (b) List any insurance coverage which cover spill incidents, i.e., Environmental Impairment Liability Insurance, etc.
- PART C The individual signing the application must be the individual applying. If this is a company, the person signing the application must be a director or officer of the company.

FEE SCHEDULE

- Por all new applications for a Waste Management System approval, the fee will be \$300.
- For applications to amend a Waste Management System, the fee is \$50.
- 3. No fee is required when changes to a Certificate of Approval are required due to compliance requirements of an existing Certificate of Approval.
- NOTE: Pee payment must be made on submission of the application. A certified cheque or money order should be made payable to the Minister of Finance. Please do not send cash.

APPENDIX F
TSSA Archival Search Requests



345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel.: 416.734.3300 Fax: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

Tel: (416) 734-3570 Fax: (416) 734-3568

Email: publicinformationservices@tssa.org

03 August 2016 File No: FS 56835

Kurt Frommann
Project Technologist
Environmental Due Diligence & Remediation
PINCHIN LTD.
555 Legget Drive
Suite 1001, Tower A
KANATA ON K2K2X3

Dear Sir:

RE: 158 Cardevco Road, Ottawa, Ontario - Your Project No: 117492

This is with reference to your request and fee of 50.00 + HST, for information on the above location.

After a search of our files, TSSA has no record of any outstanding instructions, incident reports, fuel oil spills, or contamination records respecting the above-mentioned property.

We have no record of retail facilities or underground storage tanks licensed or registered at the above address.

TSSA cannot guarantee having information on sites that have not been licensed since 1987.


It should be noted that the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990 or furnace oil tanks prior to May 1, 2002. Also note that the Fuels Safety Division does not register waste oil tanks in apartments, office buildings, residences etc. or ABOVEGROUND gas or diesel tanks.

Yours truly,


Prem Lal


Coordinator Public Information Services

APPENDIX G Maps



Area of Natural & Scientific Interest (ANSI) Order No. 22100605450







No ANSI units found within search area.

