


EXISTING ELEVATION	PROPOSED ELEVATION	TOP OF WM ELEVATION	SANITARY SEWER INVERTS	STORM SEWER INVERTS	CHAINAGE	DESCRIPTION
96.70	96.65	94.35	15.04m - 200mm PVC SDR 35 SAN @ 2.00%	65-D STM @ 0.11%	1+000	SANMH 103
96.32	97.03	94.63	11.55m - 200mm PVC SDR 35 SAN @ 2.00%	65-D STM @ 0.16%	1+025	SANMH 102
96.44	96.96	94.57	9m - 200mm PVC SDR 35 SAN @ 0.38%	65-D STM @ 0.15%	1+050	45° V BEND
96.45	97.11	94.70	72.88m - 200mm PVC SDR 35 SAN @ 0.34%	72.08m - 750mm CONC. 65-D STM @ 0.11%	1+100	HYD
96.45	97.05	94.65	71.25m - 200mm PVC SDR 35 SAN @ 0.34%	50.60m - 600mm CONC. 65-D STM @ 0.14%	1+125	45° V BEND
96.63	97.24	94.84	21.5m - 525mm CONC. 65-D STM @ 0.23%	21.5m - 525mm CONC. 65-D STM @ 0.23%	1+175	HYD
96.62	97.34	94.83	72.10m - 200mm PVC SDR 35 SAN @ 0.33%	72.08m - 525mm CONC. 65-D STM @ 0.19%	1+225	45° V BEND
96.64	97.34	94.84	58.01m - 200mm PVC SDR 35 SAN @ 0.33%	58.65m - 375mm PVC SDR 35 STM @ 0.26%	1+250	HYD
96.69	97.50	95.10	8.26m - 200mm PVC SDR 35 SAN @ 0.40%	8.83m - 200mm PVC SDR 35 SAN @ 0.35%	1+300	45° V BEND
96.68	97.53	95.13	8.83m - 200mm PVC SDR 35 SAN @ 0.35%	8.83m - 200mm PVC SDR 35 SAN @ 0.35%	1+325	45° V BEND
96.67	97.51	95.11	8.83m - 200mm PVC SDR 35 SAN @ 0.35%	8.83m - 200mm PVC SDR 35 SAN @ 0.35%	1+350	45° V BEND
96.64	97.50	95.10	8.83m - 200mm PVC SDR 35 SAN @ 0.35%	8.83m - 200mm PVC SDR 35 SAN @ 0.35%	1+375	45° V BEND

NOTE: THE POSITION OF ALL POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND OVERGROUND UTILITIES AND STRUCTURES IS NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED. BEFORE STARTING WORK, DETERMINE THE EXACT LOCATION OF ALL SUCH UTILITIES AND STRUCTURES AND ASSUME ALL LIABILITY FOR DAMAGE TO THEM.

No.	REVISION	DATE	BY
6.	REVISED PER CITY COMMENTS	MAR 18/26	DOB
5.	REVISED SITE PLAN SUBMISSION	NOV 14/25	DOB
4.	RE-ISSUED FOR TENDER	JAN 18/24	DOB
3.	ISSUED FOR TENDER	MAY 20/22	DOB
2.	REVISED PER CITY COMMENTS	FEB 17/22	DOB
1.	ISSUED FOR CITY OF OTTAWA REVIEW	NOV 5/21	DOB



DESIGN	BM
CHECKED	DOB
DRAWN	ATE
CHECKED	BM
APPROVED	DOB

FOR REVIEW ONLY

PROFESSIONAL ENGINEER
D. D. BLAIR
100122737
PROVINCE OF ONTARIO

NOVATECH
Engineers, Planners & Landscape Architects
Suite 200, 240 Michael Cowpland Drive
Ottawa, Ontario, Canada K2M 1P6
Telephone: (613) 254-9643
Facsimile: (613) 254-5867
Website: www.novatech-engineers.com

CITY OF OTTAWA
5331 FERNBANK ROAD
IRON VALLEY 2

DRAWING NAME
PLAN AND PROFILE

PROJECT No. 121011-00
REV # 6
DRAWING No. 121011-PR
#18539