



- LEGEND**
- 1.080 SITE AREA (hectares)
 - A-01 SITE AREA ID
 - 0.24 SITE RUN-OFF COEFFICIENT
 - STORM DRAINAGE AREA BOUNDARY
 - OFFSITE STORM DRAINAGE AREA BOUNDARY
 - EXISTING STORM MANHOLE & SEWER
 - MAJOR SYSTEM FLOW ROUTE
 - EMERGENCY FLOW ROUTE
 - PROPOSED STORM MANHOLE / SEWER AND FLOW DIRECTION
 - PROPOSED ROAD CATCHBASIN
 - REAR YARD CATCH BASIN
 - MAX STATIC PONDING LIMITS
 - 100-YR PONDING LIMITS
 - 100-YR +20% PONDING LIMITS

ICD TABLE

STRUCTURE ID	ICD TYPE	INVERT (m)	100-YR HEAD (m)	100-YR PEAK FLOW (L/s)
CB1	Tempest LMF	W=101.66	2.13	6.2
CB2	Tempest LMF	N=100.96	2.28	6.4
CB3	Tempest LMF	NW=100.89	2.94	7.3
CB4	Tempest LMF	SE=101.70	2.03	7.5
CB5	Tempest LMF	S=101.60	2.16	6.2
CB6	Tempest LMF	W=101.67	2.04	7.5
CB7	83mm	E=100.61	1.44	16.7
CB8	83mm	E=99.84	1.45	19.4
CB9	83mm	S=100.71	1.43	9.5
CB10	83mm	N=100.71	1.43	9.5
CBM11	Tempest LMF	SE=100.70	3.00	9.2
CBM12	Tempest LMF	SE=100.63	3.29	7.7
CBM13	Tempest LMF	NW=100.27	3.67	11.7
CBM14	Tempest LMF	SE=100.24	3.71	10.1
CBM15	Tempest LMF	NW=102.10	3.07	9.3
CBM16	Tempest LMF	SE=100.55	3.36	9.7
CBM17	Tempest LMF	NW=101.10	2.67	8.1
CBM18	Tempest LMF	NW=100.82	2.94	9.1
CBM19	Tempest LMF	SE=100.43	2.79	7.2
CBM20	Tempest LMF	N=100.44	3.16	7.6
RY2	83mm	NE=100.37	1.36	16.8
RY3	83mm	NE=100.42	1.32	16.6
RY8	Tempest LMF	SE=102.39	1.32	6.0

STRUCTURE	100 YEAR PONDING ELEVATION	100 YEAR PONDING DEPTH (m)	PONDING		MAX STATIC PONDING ELEVATION	MAX STATIC PONDING DEPTH (m)
			100 YEAR +20% PONDING ELEVATION	100 YEAR +20% PONDING DEPTH (m)		
CB01	103.79	0.28	103.84	0.33	103.83	0.32
CB02	103.80	0.24	103.86	0.30	103.86	0.30
CB03	103.83	0.20	103.87	0.24	103.93	0.30
CB04	103.73	0.18	103.87	0.32	103.88	0.33
CB05	103.76	0.21	103.81	0.26	103.85	0.30
CB06	103.69	0.17	103.77	0.25	103.82	0.30
CBM101	103.70	0.15	103.74	0.19	103.85	0.30
CBM102	103.92	0.29	103.94	0.31	103.93	0.30
CBM103	103.94	0.21	103.95	0.22	103.93	0.20
CBM104	103.95	0.21	103.96	0.22	103.94	0.20
CBM105	103.87	0.22	103.91	0.26	103.90	0.25
CBM106	103.91	0.26	103.93	0.28	103.91	0.26
CBM107	103.77	0.17	103.86	0.26	103.90	0.30
CBM108	103.76	0.19	103.85	0.28	103.87	0.30
CBM109	103.22	0.00	103.60	0.00	103.73	0.08
CBM110	103.23	0.00	103.61	0.11	103.58	0.08
CBM111	103.60	0.00	103.88	0.00	103.99	0.04
CBM112	103.60	0.00	103.88	0.10	103.83	0.05
LCB01	103.92	0.06	103.95	0.09	103.94	0.08
LCB02	103.80	0.00	103.86	0.00	104.05	0.07
RY01	101.73	0.21	101.81	0.29	101.79	0.27
RY02	101.73	0.21	101.81	0.29	101.77	0.25
RY03	101.73	0.29	101.77	0.33	101.75	0.31
RY04	101.73	0.23	101.77	0.27	101.72	0.22
RY05	103.92	0.06	103.95	0.09	103.95	0.09
RY06	103.80	0.08	103.86	0.14	103.96	0.24
RY07	103.92	0.10	103.95	0.13	103.95	0.13
RY08	103.82	0.03	103.87	0.08	103.94	0.15
RY09	103.22	0.00	103.61	0.00	104.00	0.05
RY10	103.22	0.00	103.61	0.00	103.97	0.05
RY11	103.60	0.00	103.88	0.00	103.99	0.05
RY12	103.60	0.00	103.88	0.00	104.01	0.05
RY13	103.60	0.00	103.88	0.00	103.97	0.05
RY14	103.60	0.00	103.88	0.00	103.97	0.05

NOTE:
 THE POSITION OF ALL POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND OVERGROUND UTILITIES AND STRUCTURES IS NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED. BEFORE STARTING WORK, DETERMINE THE EXACT LOCATION OF ALL SUCH UTILITIES AND STRUCTURES AND ASSUME ALL LIABILITY FOR DAMAGE TO THEM.

PHOENIX HOMES
 SINCE 1988
 18A BENTLEY AVE
 OTTAWA, ON, K2E 6T8

SCALE
 1:300
 0 3 6 9 12

FOR REVIEW ONLY
 LRW
 MAB
 LPA
 MAB
 MAB

NOVATECH
 Engineers, Planners & Landscape Architects
 Suite 200, 240 Michael Cowpland Drive
 Ottawa, Ontario, Canada K2M 1P6
 Telephone: (613) 254-9643
 Facsimile: (613) 254-5867
 Website: www.novatech-eng.com

CITY OF OTTAWA
 3400 WOODROFFE AVENUE
POST-DEVELOPMENT STORM DRAINAGE AREA PLAN
 PROJECT NO: 124147
 REV # 2
 DRAWING NO: 124147-STM2

D07-12-25-0158 & D02-02-25-0090 PLAN #19422