
H/GHMAY417




PLANTING MIX TO BE APPROVED BY LANDSCAPE ARCHITECT. ALL PLANT MATERIAL TO MEET CNTA STANDARDS, AND BE APPROVED BY LANDSCAPE ARCHITECT PRIOR TO PLANTING. ALL WORK TO INCLUDE MINIMUM 1 YEAR WARRANTY FROM DATE OF FINAL ACCEPTANCE. PLANTING ON CITY PROPERTY TO INCLUDE 2 YEAR WARRANTY FROM DATE OF FINAL ACCEPTANCE. TREE PLANTING TO BE MINIMUM 2.0 METRES FROM STORM SANITARY AND WATER SERVICES. TURF TO BE SOD COMPLETE WITH 150MM TOPSOIL.

Warranty	Plant List — Trees — 120 HEARST WAY							
	Code	Qty.	Botanical Name	Common Name	Height	Cond.		
2yr	AS	12	Acer saccharum	Sugar Maple	70mm cal	B + B Single Stem		
2yr	AR	2	Acer rubrum	Red Maple	70mm cal	B + B Single Stem		
2yr	PG	3	Picea Glauca	White Spruce	2.0m Ht	B + B		

Plant	ant List — Shrubs — 120 HEARST WAY							
Code	Qty.	Botanical Name	Common Name	Height	Cond.			
HA	70	Hydrangea a. 'Annabelle'	Annabelle Hydrangea	60 cm Ht.	Pot			
HK	35	Hypercium kalmianum	St. Johns Wort	40cm Ht	Pot			
SA	20	Symphoricarpos albus	Snowberry	50cm ht.	Pot			

Drawing Remains the Property of Gino J. Aiello Landscape Architect. Copyright Reserved by Gino J. Aiello Landscape Architect. Do Not Use or Reproduce Without Approval of Gino J. Aiello. Do Not Use For Construction Unless Signed By Landscape Architect. Contractor is Responsible for Verification of Site Locations of all Utilities. Report any Discrepancies Between Site and Drawing Immediately to Gino J. Aiello.



Proposed Coniferous Tree

Proposed Deciduous Tree

Proposed Shrub Bed

Existing Tree to Remain


Existing Tree to be Removed

Existing Light Standard

---- Property Line

For Site Plan Control May 6 2013 FOR REVIEW April 2013 lo. Revision Date REVISIONS





Franklin Electric 120 Hearst Way Ottawa, Ontario

Consultant

75mm Shredded Pine Mu 350mm Planting Soil Subgrade or Fill

TYPICAL PLANTING BED (PB)

PRUNE DAMAGED BRANCHES

75MM SHREDDED MULCH

PLANTING SOIL MIX

PLANT AT SAME GRADE AS GROWN

SCARIFY BOTTOM OF PIT 50MM DEPTH

SHRUB PLANTING

Remove Trunk Wrap, Ribbons, Tags. Do Not Damage / Cut Leader. Prune Dead, Broken Branches Only

Top of Rootball to be 50mm Above Finished Grade ——

Creat Topsoil Saucer (75<u>mm)</u> 75mm Shredded Mulch.

Cut & Remove Top $\frac{1}{3}$ of Burlap Rope and Wire

Compacted / Undisturbed Subgrade —

TYPICAL TREE PLANTING

Approved Planting Soil Top Half of Pit Only

— 75mm Shredded Pine Mulch

BUILDING FACE _____

OR SIDEWALK

Gino J. Aiello landscape architect e architect www.gjala.com gino@gjala.com (613) 852 1343 50 Camelot Drive, Nepean, Ontario K2G 5X8

Franklin Electric 120 Hearst Way Ottawa, Ontario

NTS

Landscape Plan

GJA Design By: January 2013 1:200

Sheet Number