



TYPICAL:
 GUARD CONSTRUCTION
 MUST CONFORM TO
 O.B.C. 9.8.8.8 AND
 SUPPLEMENTARY
 GUIDELINE 7. HEIGHT
 OF GUARDS @ LANDINGS
 MINIMUM OF 1070.
 HEIGHT OF GUARDS ON
 EXTERIOR STAIRS MINIMUM
 OF 900.

EXTERIOR STAIRS:
 MAX. RISE 200
 MIN. RUN 230

NOTE SEE ALL MECH.
 DWGS. FOR STYLE
 AND LOCATION OF VENTS

**DOUGLAS HARDIE
 ARCHITECT**
 INC.
 311 RICHMOND ROAD, #301, OTTAWA, ON K1Z 6X3
 613-792-3200 Fax: 792-3209
 dhardie@sympatico.ca

PROJECT
 FINDLAY CREEK
 JAVA 3

TITLE
 SIDE ELEVATION
 BUILDINGS 1 & 3
 WITH GAS METER CHASE

DRAWN J.A. START DATE: MAY /2013

SCALE 1:75 DRAWING NO.

JOB NO: 1301 **A-3**

1.	ISSUED FOR CITY REVIEW	2013 05 29	-
NO.	REVISIONS	DATE	DR.BY

DO NOT SCALE THIS DRAWING - READ DIMENSIONS ONLY

