TANGER OUTLETS KANATA

Ottawa, Ontario Site Landscape Package Phase 2

damages resulting from his work.

GENERAL NOTES

- 1. THE CONTRACTOR SHALL MAKE CAREFUL EXAMINATION OF EXISTING SITE SURFACE CONDITIONS AND TOPOGRAPHY AND ADVISE THE CONSULTANT OF UNSATISFACTORY SITE SURFACE CONDITIONS AND TOPOGRAPHY PRIOR TO COMMENCEMENT OF CONSTRUCTION. COMMENCEMENT OF CONSTRUCTION WILL MEAN THAT THE CONTRACTOR HAS ACCEPTED THE EXISTING SITE SURFACE CONDITIONS AND TOPOGRAPHY AND NO ALLOWANCE WILL BE MADE LATER FOR ANY EXPENSES INCURRED THROUGH FAILURE TO NOTE UNSATISFACTORY CONDITIONS.
- 2. DO NOT SCALE DRAWINGS. CONTRACTOR SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THE LANDSCAPE ARCHITECT SHALL BE INFORMED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN ON THE DRAWINGS PRIOR TO CONTINUING WITH THE WORK.
- 3. ALL WORKMANSHIP TO CONFORM WITH THE STANDARDS OF THE ONTARIO LANDSCAPE CONTRACTOR'S ASSOCIATION AND LANDSCAPE ONTARIO'S SPECIFICATION STANDARDS.
- 4. CONSTRUCTION ACCESS AND STAGING AREAS SHOWN ON DRAWINGS UNLESS OTHERWISE APPROVED AT PRECONSTRUCTION MEETING.
- 5. ALL DRAWINGS TO BE READ IN CONJUNCTION WITH PROJECT SPECIFICATIONS.
- 6. THE CONTRACTOR IS TO ENSURE THAT THERE IS NO PUBLIC ACCESS THROUGH THE PROJECT DURING THE ENTIRE CONSTRUCTION PERIOD.
- 7. THE CONTRACTOR SHALL BE AWARE OF ALL ADMINISTRATIVE PRACTICES REQUIRED AND SHALL ENSURE THE SAFETY OF EMPLOYEES AND THE GENERAL PUBLIC AT ALL TIMES. SAFETY MEASURE TO BE UNDERTAKEN BY THE CONTRACTOR SHALL INCLUDED, BUT NOT BE LIMITED TO, THE INSTALLATION AND MAINTENANCE OF TEMPORARY FENCING AND WARNING SIGNAGE AS PER DRAWINGS AND WHEREVER ELSE IS REQUIRED TO ENSURE PUBLIC SAFETY, RESTRICT ENTRY TO CONSTRUCTION AREAS, STAGING AREAS AND EQUIPMENT, AND TO PROTECT AREAS THAT ARE TO REMAIN UNCHANGED. SAFETY MEASURES SHALL REMAIN IN PLACE UNTIL THE CONSTRUCTION AREAS ARE SAFE FOR PUBLIC
- 8. THE CONTRACTOR SHALL ENSURE ANY MUD TRACKING OFF SITE FROM VEHICLES LEAVING THE CONSTRUCTION SITE IS REMOVED AND CLEANED AT NO ADDITIONAL COST.
- 9. THE CONTRACTOR WILL ARRANGE AND PAY FOR ALL STAKEOUTS TO LOCATE ALL EXISTING BURIED SERVICES. HAND DIG WITHIN 2 METRES OF ALL SERVICES ON ALL SIDES TO ALLOW ACCESS TO
- 10. THE CONTRACTOR WILL CLEAN AND REINSTATE ALL AREAS AFFECTED BY WORKS OUTSIDE OF THE CONSTRUCTION ZONES TO CONDITIONS THAT EXISTED BEFORE CONSTRUCTION OR BETTER AND TO THE SATISFACTION OF THE CONSULTANT AND AT THE EXPENSE OF THE CONTRACTOR.
- 11. FINAL INSPECTION TO OCCUR AFTER THE 2nd YEAR ON HARDSCAPE AND 3rd YEAR ON PLANT MATERIAL. DEPENDING ON THE NATURE OF REPLACEMENTS REQUIRED, EXTENDED WARRANTIES MAY APPLY. REPLACEMENTS SHALL BE MADE WITHIN 30 DAYS FROM THE DATE

OF INSPECTION UNLESS OTHERWISE DIRECTED BY THE CITY.

LEGEND

12. CONTRACTOR IS RESPONSIBLE TO MAINTAIN WATERING, TRIMMING. AND REPLACEMENT OF DEAD MATERIAL (WITHIN 2 WEEKS) DURING WARRANTEE PERIOD.

PROPERTY LINE

PROPOSED DECIDUOUS TREE

PROPOSED CONIFEROUS TREE

PROPOSED SMALL TREE

PROPOSED SHRUBS/

PROPOSED CONCRETE PAVING

PROPOSED UNIT PAVING

PERENNIALS

LAYOUT NOTES:

- 1. THE CONTRACTOR IS RESPONSIBLE TO ACCURATELY SURVEY AND LAYOUT THE PROPOSED WORK FOR CONSTRUCTION. ANY DISTURBED OR LOST SURVEY MARKERS TO BE REPLACED, AS REQUIRED, BY THE CONTRACTOR. THE CONTRACTOR IS RESPONSIBLE TO VERIFY GRADES, LINES, LEVELS, DIMENSIONS AND EXISTING CONDITIONS, AND REPORT ANY ERRORS, OMISSIONS, OR INCONSISTENCIES TO THE LANDSCAPE ARCHITECT BEFORE COMMENCING WORK.
- 2. ALL SITE DIMENSIONS IN METRES UNLESS OTHERWISE NOTED.
- 3. LAYOUT OF PROPOSED TRAILS TO BE STAKED OUT AND APPROVED BY THE LANDSCAPE ARCHITECT PRIOR TO INSTALLATION.

GRADING NOTES:

- 1. REFER TO CIVIL NEW CONSTRUCTION PACKAGE FOR ASPHALT, CURBS, SITE SERVICING AND GRADING.
- 2. ALL GRADES IN EXCESS OF 3:1 SLOPE TO HAVE SOIL RETENTION MEASURES AS SPECIFIED.
- 3. CONTRACTOR IS RESPONSIBLE FOR STRIPPING AND REPLACING TOPSOIL SHOULD THE DESIRABLE BLEND NOT BE AVAILABLE TO BE CREATED ON-SITE.
- 4. TO MEET FIELD CONDITIONS OR TO ENHANCE THE CHARACTER OF THE GRADING DESIRED, THE CONTRACTOR MAY BE REQUIRED TO ADJUST PROPOSED GRADES OR CUT-FILL QUANTITIES AS DIRECTED BY THE LANDSCAPE ARCHITECT. THE LANDSCAPE ARCHITECT MAY DIRECT ON-SITE CHANGES TO THE FINE GRADING TO SUIT ACTUAL FIELD CONDITIONS AND TO ACHIEVE ARTISTIC INTENT. SUCH CHANGES SHALL BE DONE AT NO INCREASE IN PRICE TO THE CONTRACT. GRADING OPERATIONS TO BALANCE CUT AND FILL VOLUMES.
- 5. CONTRACTOR TO SOD AND MAKE GOOD ALL DISTURBED AREAS.

PROPOSED SITE

PROPOSED WALL

PROPOSED LIGHT STANDARDS (REFER TO

ELECTRICAL PACKAGE)

PLANTING NOTES:

- 1. THE CONTRACTOR IS RESPONSIBLE TO VERIFY GRADES, LINES, LEVELS, DIMENSIONS AND EXISTING CONDITIONS, AND REPORT ANY ERRORS, OMISSIONS, OR INCONSISTENCIES TO THE LANDSCAPE ARCHITECT BEFORE COMMENCING WORK.
- ANY SUBSTITUTIONS ARE TO BE APPROVED IN WRITING BY THE LANDSCAPE ARCHITECT.
- 3. ALL NURSERY STOCK SHALL MEET STANDARDS OF THE CANADIAN NURSERY TRADES ASSOCIATION, LATEST EDITION. ALL PLANT MATERIAL SHALL BE STAKED FOR LOCATION BY LANDSCAPE ARCHITECT AND CONTRACTOR JOINTLY.
- 4. UNLESS OTHERWISE STATED, ALL WORK SHALL CONFORM TO THE LANDSCAPE ONTARIO SPECIFICATIONS STANDARDS.
- 5. AN INSPECTION TO APPROVE PLANT MATERIAL AT THE NURSERY AND LOCATIONS WILL OCCUR PRIOR TO INSTALLATION. CONTRACTOR TO PROVIDE 48 HOURS NOTIFICATION TO LANDSCAPE ARCHITECT.
- 6. PLANTINGS MAY BE MINIMALLY ADJUSTED TO SUIT LOCATIONS OF SITE UTILITY STRUCTURES OR SERVICES.
- 7. BACKFILL IN ALL PLANTING AREAS TO CONSIST OF SOIL NATIVE TO THE SITE OR GENERAL SOIL TYPE/CLASS NATIVE TO THE SITE UNLESS OTHERWISE DETAILED OR SPECIFIED.
- 8. SOD ALL AREAS SHOWN ON DRAWINGS WITHIN THE CONSTRUCTION LIMITS NOT COVERED BY VEGETATION, PAVING OR STRUCTURES. SODDED AREAS TO BE LAID ON MINIMUM 130mm CLEAN TOPSOIL. IT IS TO THE BENEFIT OF THE CONTRACTOR TO PRESERVE ALL EXISTING SOD THAT IS IN GOOD CONDITION AND NOT IN CONFLICT WITH CONSTRUCTION.
- 9. CONTRACTOR SHALL MAINTAIN ALL AREAS OF PROJECT UNTIL SUBSTANTIAL COMPLETION OF PROJECT.
- 10. AN INSPECTION OF PLANT MATERIAL WILL OCCUR AFTER THE FIRST YEAR FOLLOWING SUBSTANTIAL COMPLETION. LANDSCAPE ARCHITECT TO NOTIFY CONTRACTOR OF INSPECTION DATE. REPLACEMENTS MAY BE REQUIRED AT THIS TIME. REPLACEMENTS SHALL BE PLANTED WITHIN 30 DAYS FROM THE DATE OF INSPECTION, UNLESS OTHERWISE DIRECTED, IN ACCORDANCE WITH ACCEPTED HORTICULTURAL PRACTICES.
- 11. AT THE TIME OF FINAL INSPECTION ALL PLANT MATERIAL SHALL BE IN A HEALTHY, VIGOROUS GROWING CONDITION, PLANTED IN FULL ACCORDANCE WITH DRAWINGS AND CONDITIONS.

COORDINATION NOTES:

- 1. CONTRACTOR TO COORDINATE ALL WORK WITH CONCURRENT WORK AND FUTURE WORK AROUND AND WITHIN PROJECT SITE.
- 2. CONTRACTOR TO IDENTIFY ANY CONSTRUCTION CONFLICTS WITH OTHER WORK AND BRING TO THE ATTENTION OF THE ARCHITECT FOR CONFLICT RESOLUTION.
- 3. CONTRACTOR TO UNDERSTAND THAT OTHER TENDERS RELATED TO THIS SITE HAVE BEEN ISSUED AND FUTURE PHASE WORK TENDERING IS TO FOLLOW.
- 4. CONTRACTOR TO FAMILIARIZE THEMSELVES WITH OTHER WORK BEING PERFORMED BY OTHERS THAT ARE ADJACENT OR CONCURRENT WITH THE WORK IN THESE DOCUMENTS.


SITE LANDSCAPE DRAWING LIST

<u>SHEET</u>	TITLE
L1-0.0 L1-1.0	GENERAL NOTES AND KEY LEGENDS LANDSCAPE SITE PLAN

L4-2.0 PLANTING AND SITE FURNISHING DETAILS

LANDSCAPE DETAILS





ISSUED FOR SPA PROJECT ARCHITECT

> TURNER FLEISCHER TURNER FLEISCHER ARCHITECTS INC.

> > 67 Lesmill Road Toronto ON Canada M3B 2T8

Telephone (416) 425-2222 Facsimile (416) 425-6717

turnerfleischer.com

Tower 1, Suite 400 Canada K1S 5N4 M5V 1V6, Canada Tel: (416) 596-1930 Tel (613)225-1311 Fax: (416) 596-0644 FAX (613)225-9868

HAMMERSCHLAG + JOFFE INC. 69 Lesmill Road Toronto, Ontario Canada M3B 2T8 T: (416) 444.9263 F: (416) 444.1463

FOTENN PLANNING & URBAN DESIGN 223 McLeod Street | Ottawa, ON | K2P 0Z8 T: 613.730.5709 ext.234 | F: 613.730.1136

E: dwg@hamjof.com

RIO * CAN RioCan Real Estate Investment Trust 2300 Yonge Street Toronto, Ontario M4P 1E4

Tanger Factory Outlet Centers, Inc. 3200 Northline Avenue Suite 360 Greensboro, NC 27408

1 (336)-292-3010

(416) 646 8330

TANGER OUTLETS KANATA SITE LANDSCAPE


PHASE 2


GENERAL NOTES AND KEY LEGENDS 37596 NOVEMBER 2014


J:\37596_Tanger_SPA\5.9 Drawings\59lsc\layouts\37596-L1-1.0-hotel.dwg 2014-12-12 - 9:01am


PLOT SCALE: L1-0.0

KEY MAP









NOVEMBER 2014

1:1

J:\37596_Tanger_SPA\5.9 Drawings\59lsc\layouts\ 37596-L1-1.0-hotel.dwg 2014-12-12 - 9:20am

L1-2.0

SCALE

1:500


PLOT SCALE:


DRAWING NUMBER:

37596

RM

CHECKED BY





his drawing, as an instrument of service, is provided by and is the property of Turner Fleischer Architects Inc. The contractor must verify and accept responsibility for all dimensions and conditions on site and must otify Turner Fleischer Architects Inc. of any variations from the supplied information. his drawing is not to be scaled. information shown on this drawing. Refer to the

with the work. requirements of authorities having jurisdiction. marked 'For Construction' must assume full

ISSUED FOR COORDINATION 01 2014-12-16

TURNER FLEISCHER

TURNER FLEISCHER ARCHITECTS INC. 67 Lesmill Road Toronto on Canada мзв 2т8 Telephone (416) 425-2222 Facsimile (416) 425-6717

turnerfleischer.com

5th Floor, 230 Richmond Street West Ottawa, Ontario M5V 1V6, Canada Canada K1S 5N4 Tel: (416) 596-1930 Tel (613)225-1311 Fax: (416) 596-0644 FAX (613)225-9868

> HAMMERSCHLAG + JOFFE INC. 69 Lesmill Road Toronto, Ontario Canada M3B 2T8 T: (416) 444.9263

E: dwg@hamjof.com FOTENN PLANNING & URBAN DESIGN

F: (416) 444.1463

223 McLeod Street | Ottawa, ON | K2P 0Z8 T: 613.730.5709 ext.234 | F: 613.730.1136

RIO * CAN RioCan Real Estate Investment Trust 2300 Yonge Street

Suite 500 Toronto, Ontario M4P 1E4 (416) 646 8330

Tanger Factory Outlet Centers, Inc. 3200 Northline Avenue Suite 360 Greensboro, NC 27408 1 (336)-292-3010

TANGER OUTLETS KANATA SITE LANDSCAPE PHASE 2

PLANTING AND SITE

FURNISHING DETAILS

37596 NOVEMBER 2014

RM AS SHOWN FILE NAME: J: \37596_Tanger_SPA\5.9 Drawings\59lsc\layouts\37596-details-hotel.dwg 2014-12-12 - 9:28am

PLOT SCALE:

DRAWING NUMBER: L4-2.0