

SUPPLEMENTARY PHASE TWO ENVIRONMENTAL SITE ASSESSMENT
1545 WOODROFFE AVENUE
OTTAWA, ONTARIO
Location No.: 88001626

Prepared for:

Imperial Oil
1 Duncan Mill Road
North York, Ontario M3B 1Z2

Prepared by:

PARSONS

Parsons Canada Ltd.
3715 Laird Road, Suite 100
Mississauga, Ontario L5L 0A3
Phone: (905) 820-1210

Ref. No.: 10-8518.3

These documents and the information contained therein are confidential, property of Imperial Oil and any disclosure of same is governed by the provisions of each of the applicable provincial and territorial freedom of information legislation, the Privacy Act (Canada) 1980-81-82-83, c.111, Sch.II"1", and the Access to Information Act (Canada) 1980-81-82-83, c.111, Sch.I"1", as such legislation may be amended from time to time.

THIS REPORT CONTAINS PROVISIONS LIMITING LIABILITY, THE SCOPE OF THE REPORT AND THIRD PARTY RELIANCE

Distribution:

1 copy – Imperial Oil Environmental Services
6 copies – PH Robinson Consulting (w/CD)

April 9, 2015



SUMMARY

SITE	1545 Woodroffe, Ottawa, Ontario
Type of Facility	Esso retail fuel outlet
Municipal Zoning	Main Parcel: GM15H(9.5) – General Mixed – Use Zone, subzone 15, height restriction of 9.5m
Adjacent Land Use	Residential
Aquifer Usage in 250 m radius	None
Reference Standards	MOECC (2011) Table 3 (non-potable) site condition standards (medium and fine textured soils, industrial/commercial/community property use)
Type of Organic Vapour Meter Used	RKI EAGLE
Date(s) of Soil Sampling	December 9 to 13, 2014
Date(s) of Groundwater Monitoring	December 15, 2014
Date(s) of Groundwater Sampling	December 15, 2014
Number of Test Pits Advanced	0
Number of Boreholes Drilled	11
Number of Wells Installed in Boreholes	7

Summary of Boreholes Drilled:

Description	BH-301	BH-302	BH-303	BH-304	BH-305	BH-306
Well Installed	Yes	Yes	Yes	No	Yes	Yes
Depth (mbgs)	6.5	6.5	13.9	14.0	12.5	6.7
Dominant Soil Type	Silt overlying sand	Silt and sand layers	Silt clay and sand layers	Gravel overlying clay and sand	Silt overlying clay	Gravel overlying sand and clay
Depth to Groundwater (mbgs)	4.95	4.91	3.58	Not Applicable	4.09	5.32
Screened Interval (mbgs)	3.4-6.4	3.4-6.4	3.4-6.4	Not Applicable	3.4-6.4	3.4-6.4
Free Product Thickness (mm)	Not Detected	Not Detected	Not Detected	Not Applicable	Not Detected	Not Detected
Exceeded Soil Standards	No	No	No	No	No	No
Exceeded Groundwater Standards	No	No	No	Not Applicable	No	Yes
Vertical Soil Impact Delineation Achieved	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Description	BH-307	BH-308	BH-309	BH-310	BH-311
Well Installed	No	Yes	Yes	No	No
Depth (mbgs)	7.3	6.7	5.9	6.7	6.7
Dominant Soil Type	Gravel, silt, sand and clay layers	Silt overlying clay	Gravel overlying clay and sand	Sand overlying silt and clay	Silt overlying clay and sand
Depth to Groundwater (mbgs)	Not Applicable	4.08	4.96	Not Applicable	Not Applicable
Screened Interval (mbgs)	Not Applicable	3.0-6.1	3.0-6.1	Not Applicable	Not Applicable
Free Product Thickness (mm)	Not Applicable	Not Detected	Not Detected	Not Applicable	Not Applicable
Exceeded Soil Standards	No	No	No	No	No
Exceeded Groundwater Standards	Not Applicable	No	No	Not Applicable	Not Applicable
Vertical Soil Impact Delineation Achieved	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

Notes:

mbgs – metres below ground surface

mm – millimetres

MOECC – Ontario Ministry of the Environment and Climate Change

TABLE OF CONTENTS

	Page
SUMMARY	i
LIST OF DRAWINGS.....	v
LIST OF TABLES	v
LIST OF APPENDICES.....	v
1.0 INTRODUCTION.....	1
1.1 Background.....	1
1.2 Scope of Work.....	2
2.0 FIELD ACTIVITIES	2
2.1 Borehole Daylighting and Drilling	3
2.2 Monitoring Well Installation.....	3
2.3 Soil Sampling.....	3
2.4 Groundwater Monitoring	4
2.5 Groundwater Sampling	5
2.6 Surveying	6
2.7 Quality Assurance and Quality Control	6
2.8 Laboratory Analyses.....	6
3.0 FINDINGS	7
3.1 Field Observations	7
3.1.1 Stratigraphy.....	7
3.1.2 Vapour Concentrations	7
3.1.3 Groundwater	7
3.2 Selected Site Condition Standards	8
3.2.1 Site Sensitivity	8
3.2.2 Groundwater Condition	8
3.2.3 Shallow Soil Property	8
3.2.4 Nearby Water Body.....	8
3.2.5 Soil Texture.....	8
3.2.6 Property Use.....	9
3.2.7 Full Depth or Stratified Site Condition Standards	9
3.2.8 Selected Site Condition Standards	9

3.3	Soil Analytical Results.....	9
3.4	Groundwater Analytical Results	9
3.5	Quality Assurance and Quality Control Results	10
4.0	SUMMARY AND CONCLUSIONS	10
5.0	LIMITATION OF LIABILITY, SCOPE OF REPORT AND THIRD PARTY RELIANCE.....	11

LIST OF DRAWINGS

Drawing No. 1	Site Location Map
Drawing No. 2	Site Plan with Proposed Structures
Drawing No. 3	Borehole and Monitoring Well Location Plan
Drawing No. 4	Elevation of the Groundwater Potentiometric Surface – 2014/12/15
Drawing No. 5	Soil Analytical Results – Petroleum Hydrocarbon Parameters, Hexane, and Lead
Drawing No. 6	Groundwater Analytical Results – Petroleum Hydrocarbon Parameters, Hexane, and Lead

LIST OF TABLES

Table 1	Groundwater Monitoring Results
Table 2	Soil Analytical Results – Petroleum Hydrocarbon Parameters, Hexane, and Lead
Table 3	Soil Analytical Results – Selected Volatile Organic Compounds
Table 4	Soil Analytical Results – Polycyclic Aromatic Hydrocarbons
Table 5	Soil Analytical Results – Selected Metals
Table 6	Soil Analytical Results – Polychlorinated Biphenyls
Table 7	Groundwater Analytical Results – Petroleum Hydrocarbon Parameters, Hexane, and Lead
Table 8	Groundwater Analytical Results – Selected Volatile Organic Compounds
Table 9	Groundwater Analytical Results – Selected Metals

LIST OF APPENDICES

Appendix A	Borehole Logs
Appendix B	MOECC Well Record
Appendix C	Laboratory Certificates of Analysis – Soil and Groundwater
Appendix D	Quality Assurance and Quality Control

1.0 INTRODUCTION

Parsons Canada Ltd. (Parsons) was retained by Imperial Oil to conduct a Supplementary Phase Two Environmental Site Assessment (ESA) at an operating Esso retail fuel outlet located at 1545 Woodroffe Avenue, in Ottawa, Ontario (the Site).

The purpose of this assessment was to assess for potential contaminants of concern in the soil and groundwater on-site. The fieldwork was conducted in December 2014.

1.1 BACKGROUND

The Site location is shown on Drawing No. 1 and a Site plan showing the former, current and proposed Site configurations is presented on Drawing No. 2. The borehole and monitoring well locations are presented on Drawing No. 3.

Imperial Oil operated the Site as a service station since the 1960s. Prior to the 1960s, the Site was undeveloped. The Site has had at least three configurations. From the 1960s to 1984, a service station building/repair garage, a canopy and two pump islands were present on the southwest corner of the site. In 1984, the Site was reconfigured and was comprised of six gasoline and diesel underground storage tanks (USTs), one furnace oil UST, a convenience store, a carwash, a canopy and three pump islands. Between approximately 1984 and 1993, a repair garage was present on the northeast portion of the Site. In 1993, the repair garage was converted to a Tim Hortons restaurant. In 2009, the USTs were removed and replaced with a new tank nest that consisted of three 50 000 L gasoline USTs and one 22 700 L diesel UST.

In 2008, a subsurface investigation was completed prior to undertaking the planned UST upgrade. In 2009, at the time of the Site upgrade, the UST excavation was expanded to remove petroleum hydrocarbon (PHC) impacted soil. Following the excavation, a supplementary Phase Two ESA was completed to assess potential PHC impacts in the soil and groundwater in 2010. Parsons completed a contaminant management plan proposing groundwater monitoring and sampling quarterly in 2010, semi-annually in 2011 and annually in 2012. In 2011, another supplementary Phase Two ESA was completed in order to further delineate potential contaminants of concern in soil and groundwater on-site. In 2012, an additional supplementary Phase Two ESA was completed by Parsons. Based on this assessment and previous assessments, Parsons proposed a contaminant management plan of annual groundwater monitoring and sampling.

According to the City of Ottawa, the main parcel of the Site is zoned as general mixed use (GM15H (9.5)). A small triangular wedge (approximately 65 m by 15 m) located on the north side of the Site is defined as a residential third density zone and is not included as part of this assessment.

1.2 SCOPE OF WORK

The scope of work was to perform the following activities:

- Advance 11 boreholes (BH-301 to BH-311) and install a monitoring well in seven of the boreholes, specifically, BH-301 to BH-303, BH-305, BH-306, BH-308 and BH309.
- Collect soil samples from each borehole for laboratory analysis of some or all of the following parameters: benzene, toluene, ethylbenzene, xylenes (BTEX); petroleum hydrocarbon (PHC) fractions F1 to F4; hexane; lead; and selected volatile organic compounds (VOCs) (specifically, ethylene dibromide, dichlorodifluoromethane, 1,1-dichloroethane, 1,2-dichloroethane, 1,1-dichloroethylene, cis-1,2-dichloroethylene, trans-1,2-dichloroethylene, methyl t-butyl ether, tetrachloroethylene, 1,1,1-trichloroethane, 1,1,2-trichloroethane, trichloroethylene, trichlorofluoromethane, and vinyl chloride); selected or full suites of polycyclic aromatic hydrocarbons (PAHs) (specifically, acenaphthene, acenaphthylene, anthracene, fluoranthene, fluorene, 1-methylnaphthalene, 2-methylnaphthalene, total methylnaphthalenes, naphthalene, and phenanthrene); selected metals (specifically arsenic, barium, chromium, copper, and zinc); and polychlorinated biphenyls (PCB).
- Monitor all of the new wells for subsurface vapour concentrations, water levels and the presence or absence of light non-aqueous phase liquid hydrocarbons (free product).
- Collect groundwater samples from all of the new monitoring wells for laboratory analysis of some or all of the following parameters: BTEX; PHC fractions F1 to F4; hexane; lead; selected VOCs, as noted above, and selected metals, as noted above.
- Prepare a report that describes the field activities and the results of the Site assessment.

2.0 FIELD ACTIVITIES

Prior to proceeding with the Supplementary Phase Two, various utility representatives and a private utility locating contractor identified underground utility locations.

All field procedures were conducted in accordance with the Ontario Ministry of the Environment and Climate Change (MOECC) *Guide for Completing Phase Two Environmental Site Assessments under Ontario Regulation 153/04* (as amended), the MOECC *Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act* (as amended), and standard industry practice.

2.1 BOREHOLE DAYLIGHTING AND DRILLING

Veolia Environmental Services Industrial Services Inc., a MOECC approved waste receiver, was retained by Parsons to advance all of the boreholes by daylighting on December 9, 2014 to depths ranging from 1.8 m below ground surface (mbgs) to 2.7 mbgs using a water lance vacuum excavator. The slurry was subsequently transported off-site for disposal to the Veolia Environmental Industrial Services Inc. in Ottawa, Ontario.

George Downing Estate Drilling Ltd. was retained by Parsons to further advance boreholes BH-301 to BH-311 using either a CME 75 truck-mounted drill rig or a geoprobe drill rig that was equipped with hollow stem augers, between the dates of December 9 to 13, 2014.

The borehole locations are shown on Drawing No. 3. The boreholes were advanced to a maximum depth of 14.0 mbgs.

2.2 MONITORING WELL INSTALLATION

A monitoring well, consisting of a 51 mm diameter polyvinyl chloride (PVC) 10 slot screen, measuring approximately 3.0 m in length, and an un-slotted riser, was installed in seven of the advanced boreholes (BH-301 to BH-303, BH-305, BH-306, BH-308 and BH-309). The annular space between the PVC well and the borehole wall was backfilled to approximately 0.3 m above the top of the screen with #2 silica sand, then with hydrated bentonite pellets to approximately 0.23 mbgs, and filled with #2 silica sand to approximately 0.15 mbgs. The monitoring well was then finished with a flush-mount casing set in concrete grout to protect the well from damage.

Following installation of the monitoring wells, the wells were developed by purging the water until it was observed to be reasonably free of turbidity or until the wells became dry. Purge water was subsequently transported off-site by Tomlinson Environmental Services Ltd., a MOECC approved of waste receiver, in Ottawa Ontario.

Monitoring well installation details are presented on the borehole logs in Appendix A and in Table 1. The MOECC well record is presented in Appendix B.

2.3 SOIL SAMPLING

Soil sampling was conducted at regular depth intervals in the boreholes using a stainless steel spoon sampling device and a split-spoon sampler or continuous sampler. The samples were collected from each device using a clean stainless steel trowel and nitrile gloves and placed in laboratory supplied jars. The sampling devices were washed prior to collection of each soil sample. Specifically, any excess soil was brushed off prior to scrubbing the sampling device with soapy water, rinsing with distilled water, and allowing it to air dry. Each soil sample was

immediately split and one portion of the sample was sealed in a clean plastic bag for screening, which included determining textural description, visual physical evidence of impact (e.g., staining or free product), and measurement of the sample combustible headspace vapour concentration (soil vapour concentration). The remainder of the sample was promptly placed in containers supplied by the laboratory and stored in coolers with ice for possible analysis.

The soil samples submitted for analysis of BTEX, PHC fraction F1 and hexane; and selected VOCs, were each collected in two septum topped 40 mL vials pre-charged with 10 mL of methanol. Approximately 5 g of soil was collected using a clean disposable syringe and nitrile gloves and placed in each methanol filled sampling vial. Samples for the remaining parameters were collected in either 60 mL or 120 mL glass jars with Teflon lined lids.

The soil vapour concentrations were measured using a combustible gas detector (RKI EAGLE) having a minimum detection level of 5 parts per million by volume (ppmv). The gas detector was operated in the methane elimination mode.

The calibration of the gas detector was checked daily in the field. The procedure involved checking the instrument response against a nominal 43% lower explosive limit (% LEL) concentration standard of n-hexane, delivered at the operational flow rate of the instrument. If the instrument reading was within $\pm 10\%$ of the gas standard value, then the instrument was deemed to be calibrated. However, if the reading was greater than $\pm 10\%$ of the gas standard value, then the instrument calibration was adjusted in the field until the instrument reading was within $\pm 10\%$ of the gas standard.

Soil sampling details are presented on the borehole logs in Appendix A.

Two samples from each borehole were selected for laboratory analyses, based on sample location relative to the apparent water table, visual observations and/or field screening results. In general, one worst case soil sample, based on field screening results, and one deeper sample from the first apparent non-impacted zone, were submitted for laboratory analysis. The samples were stored in coolers with ice.

2.4 GROUNDWATER MONITORING

On December 15, 2014, all of the newly installed monitoring wells were monitored for subsurface vapour concentrations, water levels, and the presence or absence of free product.

The wells were generally monitored in order of least impacted to most impacted (based on soil field screening and soil analytical results).

Immediately after removing the well cap, the maximum subsurface vapour concentrations in the wells were measured using the combustible gas detector that was operated in methane

elimination mode. This was done by inserting the collection tube of the gas detector into the un-slotted riser pipes and recording the peak instrument readings.

The depth to the water table and presence or absence of free product in the wells were determined with a Heron H.OIL electronic interface probe that was cleaned with soapy water, then rinsed with distilled water, between monitoring wells.

If a measurable thickness of free product is observed in any well, a groundwater sample is not collected from that well. However, a groundwater sample is collected from a well if a petroleum sheen is observed.

2.5 GROUNDWATER SAMPLING

Groundwater samples were collected from all accessible monitoring wells on December 15, 2014.

The wells were generally sampled in order of least impacted to most impacted (based on soil screening results).

The wells were sampled using a low-flow purging methodology to reduce sample turbidity. Low-flow purging was completed using a variable-flow peristaltic pump to remove groundwater from the mid-point of the monitoring well screened zone.

The pump was connected to a flow-through cell equipped with a multimeter (Horiba U-22) that measured pH, temperature, electrical conductivity, dissolved oxygen (DO), reduction oxidation potential (REDOX), and turbidity. During low-flow purging the water level in each well was continually monitored, and the purging rate was adjusted such that the overall drawdown from the static groundwater level did not exceed approximately 10 cm. The purging rates ranged from approximately 100 mL/minute to 120 mL/minute.

The groundwater sample was collected when the pH, temperature, electrical conductivity, DO, REDOX, and turbidity measurements generally stabilized as noted below, over three consecutive readings, taken at a minimum rate of at least one per every flow-through cell volume.

Temperature - $\pm 3\%$
pH - ± 0.1 pH Units
Electrical Conductivity - $\pm 3\%$
DO - $\pm 10\%$
REDOX - ± 10 mV
Turbidity - $\pm 10\%$

The pump and flow-through cell were connected to the wells with polyethylene and silicone tubing that were individually dedicated to each monitoring well. All groundwater samples were collected using the dedicated tubing.

Samples for analysis of BTEX, PHC fraction F1, hexane, and VOCs were collected in septum topped 40 mL clear glass vials (with zero headspace), pre-charged with sodium bisulphate preservative. Samples for analysis of PHC fractions F2 to F4 were collected in 500 mL amber glass bottles pre-charged with sodium bisulphate. Samples for analysis of PHC fraction F4 gravimetric were collected in 1 L amber glass bottles pre-charged with hydrochloric acid preservative. Samples for analysis of metals were field filtered using 0.45 µm groundwater filters and collected in 250 mL HDPE plastic bottles pre-charged with nitric acid preservative. All sample bottles were supplied by the laboratory. The groundwater samples were placed in coolers with ice immediately after they were collected.

2.6 SURVEYING

On December 16, 2014 all of the newly installed monitoring wells were surveyed vertically relative to a local benchmark . The assigned elevation of the benchmark was 100.00 m. The benchmark location is shown on Drawing No. 4 and described in Table 1.

2.7 QUALITY ASSURANCE AND QUALITY CONTROL

A quality assurance and quality control (QA/QC) program was implemented to reduce and quantify potential issues introduced during sample collection, handling, shipping and analysis. The program included, but was not limited to using dedicated sampling equipment, using sample specific identification and labelling procedures, and using chain of custody records.

Field soil QA/QC samples consisted of three field duplicate samples for analysis of some or all of the following: BTEX, PHC fractions F1 to F4, hexane, lead, selected or full suites of PAHs, and metals. Additional field soil QA/QC samples consisted of one trip blank methanol sample for analysis of BTEX, PHC fraction F1, and VOCs, and one field blank silica sand-sample for PAHs and PCBs.

Field groundwater QA/QC samples consisted of one field duplicate, one field blank, and one trip blank for analysis of BTEX, PHC fractions F1 to F4, hexane, lead, selected VOCs, and selected metals.

2.8 LABORATORY ANALYSES

The soil and groundwater samples collected from the boreholes were submitted for laboratory analyses of some or all of the following parameters: BTEX; PHC fractions F1 to F4; hexane; lead;

selected VOCs; selected and full suites of PAHs; selected metals; and PCBs. A total of 22 soil samples and seven groundwater samples, excluding QA/QC samples, were submitted for analysis.

The samples were submitted to the Maxxam Analytics Inc. laboratory in Mississauga, Ontario. Maxxam's Mississauga laboratory is accredited by the Standards Council of Canada. Analytical methods used by the laboratory are referenced in the certificates of analysis presented in Appendix C. Analytical procedures were conducted in accordance with the MOECC *Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act* (as amended).

3.0 FINDINGS

3.1 FIELD OBSERVATIONS

3.1.1 STRATIGRAPHY

The stratigraphic profile encountered with increasing depth in the boreholes generally consisted of gravel and/or silt to depths of approximately 3.0 mbgs; and silt, sand and/or clay layers to the maximum depth of assessment of 14.0 mbgs. Detailed stratigraphic descriptions are presented on the borehole logs in Appendix A.

3.1.2 VAPOUR CONCENTRATIONS

Soil vapour concentrations measured in the samples recovered from the boreholes are presented on the logs in Appendix A. The soil vapour concentrations ranged from not detected (<5 ppmv) to 5% LEL.

Subsurface vapour concentrations measured in the monitoring wells on December 15, 2014 are presented in Table 1. As indicated, the subsurface vapour concentrations ranged from not detected to 220 ppmv.

3.1.3 GROUNDWATER

On December 15, 2014, the depth to groundwater ranged from 3.58 mbgs to 5.32 mbgs. The groundwater potentiometric surface elevations are presented on Drawing No. 4. As indicated, the inferred principal direction of groundwater flow was to the southwest.

The groundwater depths, calculated potentiometric elevations, and the measured product thicknesses are presented in Table 1. As indicated, measurable free product or a petroleum sheen (i.e. <1 mm) was not detected in any monitoring well.

3.2 SELECTED SITE CONDITION STANDARDS

For this Site, the approach to use the amended (2011) Ontario Regulation 153/04 generic site condition standards was selected. The rationale for selection of the applicable MOECC 2011 standards is described below.

3.2.1 SITE SENSITIVITY

The Site would not be considered environmentally sensitive, based on the following:

- No part of the Site is on or within 30 m of an area of natural significance;
- pH values for surface soil samples from previous assessments were not less than 5 or greater than 9; and,
- pH values for subsurface soil samples from previous assessments were not less than 5 or greater than 11.

3.2.2 GROUNDWATER CONDITION

The groundwater condition is non-potable based on the following:

- The Site and all properties within 250 m of the Site boundaries are supplied by a municipal water supply system.
- The Site is not in a municipally designated groundwater protection area.

3.2.3 SHALLOW SOIL PROPERTY

The Site would not be considered a shallow soil property, based on the following:

The available borehole logs and geologic records indicate that less than one-third of the area of the Site consists of soil less than 2 m in depth beneath the soil surface, excluding any non-soil surface treatment greater than 0.5 m thick.

3.2.4 NEARBY WATER BODY

A water body, in whole or in part, is not on the Site or within 30 m of the Site boundaries.

3.2.5 SOIL TEXTURE

The applicable soil texture for the Site is based on the following:

- Medium to fine textured soils, as determined by the borehole logs, geological maps and the historical grain size analyses, which collectively indicated that more than two-thirds of the soil at the property, measured by volume, consisted of 50 percent or more of particles that are smaller than 75 µm in diameter.

3.2.6 PROPERTY USE

The applicable property use is as follows:

- Industrial/commercial/community property use, as the Site is currently used for commercial purposes and the current zoning of the Site is general mixed use.

3.2.7 FULL DEPTH OR STRATIFIED SITE CONDITION STANDARDS

The full depth rather than the stratified generic site condition standards were selected.

3.2.8 SELECTED SITE CONDITION STANDARDS

Based on the above discussion, the following site condition standards were selected for application at the Site:

- Full depth generic site condition standards in a non-potable groundwater condition (MOECC 2011 Table 3) for industrial/commercial/community property use and medium and fine textured soils.

3.3 SOIL ANALYTICAL RESULTS

The soil analytical results for BTEX, PHC fractions F1 to F4, hexane, lead, selected VOCs, selected and full suites of PAHs, selected metals and PCBs are presented and compared to the applicable MOECC Table 3 standards in Tables 2 to 6. The BTEX, PHC fractions F1 to F4, hexane and lead results are also shown on Drawings No. 5. All of the results satisfied the applicable standards.

3.4 GROUNDWATER ANALYTICAL RESULTS

The groundwater analytical results for BTEX, PHC fractions F1 to F4, hexane, lead, selected VOCs, and selected metals are presented and compared to the applicable MOECC Table 3 standards in Tables 7 to 9. The BTEX, PHC fractions F1 to F4, hexane and lead results are also shown on Drawings No. 6. All of the results satisfied the applicable standards with the following exceptions:

- PHC parameters north of the convenience store.

3.5 QUALITY ASSURANCE AND QUALITY CONTROL RESULTS

The results of the laboratory QA/QC analyses are presented in the laboratory certificates of analysis in Appendix D. The analyses included instrument and extraction surrogate recoveries, method blanks, matrix duplicates, matrix spikes, and laboratory control samples. No laboratory QA/QC issues were identified that call into question the reliability of the laboratory data reported.

The results of the field QA/QC sample analyses are presented in the tables in Appendix D and included trip blank, field blank, and field duplicate samples. No field QA/QC issues were identified that call into question the reliability of the laboratory data reported.

The laboratory and field QA/QC discussions are presented in Appendix D. No QA/QC issues were identified that would materially affect the overall conclusions for the results presented in this report.

4.0 SUMMARY AND CONCLUSIONS

During this Supplementary Phase Two ESA, 11 boreholes were advanced and a monitoring well was installed in seven of the boreholes. Soil and groundwater samples were submitted for laboratory analysis of some or all of the following parameters: BTEX, PHC fractions F1 to F4, hexane, lead, selected VOCs, selected and full suites of PAHs, selected metals and PCBs.

The results of the assessment are summarized as follows:

1. The stratigraphic profile encountered with increasing depth in the boreholes generally consisted of gravel and/or silt to depths of approximately 3.0 mbgs; and silt, sand and/or clay layers to the maximum depth of assessment of 14.0 mbgs. On December 15, 2014, the depth to groundwater ranged from 3.58 mbgs to 5.32 mbgs. The inferred principal direction of groundwater flow was to the southwest.
2. Free product or a petroleum sheen was not detected during monitoring or sampling of the wells.
3. The MOECC (2011) Table 3 (non-potable) site condition standards for medium and fine textured soils and industrial/commercial/community property use were selected for comparison with the soil and groundwater analytical results.
4. All soil sample analytical results satisfied the applicable Table 3 standards for BTEX, PHC fractions F1 to F4, hexane, lead, selected VOCs, selected and full suites of PAHs, selected metals and PCBs.

5. All groundwater sample analytical results satisfied the applicable Table 3 standards for BTEX, PHC fractions F1 to F4, hexane, lead, selected VOCs, and selected metals with the exception of PHC parameters north of the convenience store.

5.0 LIMITATION OF LIABILITY, SCOPE OF REPORT AND THIRD PARTY RELIANCE

This report has been prepared and the work referred to in this report has been undertaken by Parsons Canada Ltd. (Parsons) for Imperial Oil. It is intended for the sole and exclusive use of Imperial Oil, its affiliated companies and partners and their respective insurers, agents, employees and advisors (collectively, "Imperial Oil"). Any use, reliance on or decision made by any person other than Imperial Oil based on this report is the sole responsibility of such other person. Imperial Oil and Parsons make no representation or warranty to any other person with regard to this report and the work referred to in this report and they accept no duty of care to any other person or any liability or responsibility whatsoever for any losses, expenses, damages, fines, penalties or other harm that may be suffered or incurred by any other person as a result of the use of, reliance on, any decision made or any action taken based on this report or the work referred to in this report.

The investigations undertaken by Parsons with respect to this report and any conclusions or recommendations made in this report reflect Parsons' judgment based on the Site conditions observed at the time of the Site inspection on the date(s) set out in this report and on information examined at the time of preparation of this report. This report has been prepared for specific application to this Site and it is based, in part, upon visual observation of the Site, subsurface investigation at discrete locations and depths, and specific analysis of specific chemical parameters and materials during a specific time interval, all as described in this report. Unless otherwise stated, the findings cannot be extended to previous or future Site conditions, portions of the Site which were unavailable for direct investigation, subsurface locations which were not investigated directly, or chemical parameters, materials or analysis which were not addressed. Substances other than those addressed by the investigation described in this report may exist within the Site, substances addressed by the investigation may exist in areas of the Site not investigated and concentrations of substances addressed which are different than those reported may exist in areas other than the locations from which samples were taken.

If Site conditions or applicable standards change or if any additional information becomes available at a future date, modifications to the findings, conclusions and recommendations in this report may be necessary.

Other than by Imperial Oil, copying or distribution of this report or use of or reliance on the information contained herein, in whole or in part, is not permitted without the express written

permission of Parsons. Nothing in this report is intended to constitute or provide a legal opinion.

We trust the foregoing information is satisfactory for your requirements.


PARSONS CANADA LTD

Holly Losignore, B.Sc.


John Halstead, M.Sc., P.Geo.

DMB:bn

W:\8000-999\8518#00\8518.3\851800315.R02(P1)\f.docx



REFERENCE: Google Maps, 2014



Scale 1:5000

Site Location Map

Imperial Oil
1545 Woodroffe Ave, Ottawa, Ontario

Drawn: BAI

Page Size: 8.5 x 11 in

Ref. No.: 10-8518.3


Reviewed: HNL

File No.: 8518T151

Date: 2015/01/28



Drawing No.: 1



LEGEND


- Former Feature
- Property Line, Surveyed 2006
- Property Boundary Pin
- ✕ Fence
- ⊠ Transformer (Pad Mounted)
- 2010/12/31 Date Format: yyyy/mm/dd
- Proposed Structures
- Former

Tank Chart				
Tank	Type	Capacity	Product	Status
U1	Double Wall Fibreglass UST	22 700 L	Diesel	Active
U2	Double Wall Fibreglass UST	46 000 L	Gasoline	Active
U3	Double Wall Fibreglass UST	46 000 L	Gasoline	Active
U4	Double Wall Fibreglass UST	46 000 L	Gasoline	Active
U5	UST	13 600 L	Gasoline	Removed
U6	UST	22 700 L	Gasoline	Removed
U7	UST	22 700 L	Gasoline	Removed
U8	UST	13 600 L	Diesel	Removed
U9	UST	13 600 L	Gasoline	Removed
U10	UST	22 700 L	Gasoline	Removed
U11	UST	2 273 L	Furnace Oil	Removed

Utilities


- Catch Basin
- Manhole
- Utility Pole
- Communication
- Natural Gas
- Electricity
- Storm Sewer
- Water

NOTE: All features are approximate.
 REFERENCE: Clark Wilkinson Alton survey dated 2006/07/21.



Site Plan with Proposed Structures		
1545 Woodroffe Avenue Ottawa, Ontario		
Drawn: BAI	Page Size: 11 x 17 in	Ref. No.: 10-8518.3
Reviewed: HNL	File No.: 8518S150	Date: 2015/01/29
PARSONS		Drawing No.: 2

Ref: S-34-P




LEGEND

- Former Feature
- Property Line, Surveyed 2006
- Property Boundary Pin
- ✕ Fence
- Transformer (Pad Mounted)
- ⊕ Monitoring Well
 - BH5 to BH7 by O'Connor, 2008
 - BH8, BH9, BH11 and BH12 by O'Connor, 2010
 - BH-10 and BH-13 to BH-15 by O'Connor, 2011
 - BH-16, MW1 to MW3 by Unknown
 - (S) Screened in Sand
 - (C) Screened in Silty Clay
 - BH-301 to BH-303, BH-305, BH-306, BH-308 and BH-309 by Parsons 2014
- Borehole
 - BH-304, BH-307, BH-310 and BH-311 by Parsons, 2014

Utilities

- Catch Basin
- Manhole
- ⊙ Utility Pole

NOTE: All features are approximate.
 REFERENCE: Clark Wilkinson Alton survey dated 2006/07/21.



Tank Chart				
Tank	Type	Capacity	Product	Status
U1	Double Wall Fibreglass UST	22 700 L	Diesel	Active
U2	Double Wall Fibreglass UST	46 000 L	Gasoline	Active
U3	Double Wall Fibreglass UST	46 000 L	Gasoline	Active
U4	Double Wall Fibreglass UST	46 000 L	Gasoline	Active
U5	UST	13 600 L	Gasoline	Removed
U6	UST	22 700 L	Gasoline	Removed
U7	UST	22 700 L	Gasoline	Removed
U8	UST	13 600 L	Diesel	Removed
U9	UST	13 600 L	Gasoline	Removed
U10	UST	22 700 L	Gasoline	Removed
U11	UST	2 273 L	Furnace Oil	Removed

Borehole and Monitoring Well Location Plan


1545 Woodroffe Avenue
Ottawa, Ontario

Drawn: BAI	Page Size: 11 x 17 in	Ref. No.: 10-8518.3
Reviewed: HNL	File No.: 8518S152	Date: 2015/01/29

PARSONS

Drawing No.: **3**

Ref: S-34-P




LEGEND

- Former Feature
- - - - - Property Line, Surveyed 2006
- Property Boundary Pin
- ✕ Fence
- ⊠ Transformer (Pad Mounted)
- ⊕ Monitoring Well
- 2010/12/31 Date Format: yyyy/mm/dd
- ➡ Inferred Direction of Groundwater Flow
- 49.00 Potentiometric Surface Contour with Elevation, metres
- (49.00) Potentiometric Surface Elevation, metres
- (49.00)* Value Not Used for Contouring
- NM Well Not Monitored

NOTE: Contouring based on Surfer® linear kriging computer modelling.

NOTE: All features are approximate.

REFERENCE: Clark Wilkinson Alton survey dated 2006/07/21.



Elevation of the Groundwater Potentiometric Surface

2014/12/15

Imperial Oil

1545 Woodroffe Avenue, Ottawa, Ontario

Drawn: BAI	Page Size: 11 x 17 in	Ref. No.: 10-8518T02
Reviewed: HNL	File No.: 8518M153	Date: 2015/01/29

PARSONS

Drawing No.: **4**



BH-308											Date Sampled: 2014/12/12
Sample Depth (mbgs)	B	T	E	X	F1	F2	F3	F4	Hx	Pb	
3.0-3.7	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	3.4	
6.1-6.7	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	3.8	

BH-310											Date Sampled: 2014/12/13
Sample Depth (mbgs)	B	T	E	X	F1	F2	F3	F4	Hx	Pb	
3.0-3.7	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	2.1	
5.5-6.1	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	3.8	

BH-311											Date Sampled: 2014/12/13
Sample Depth (mbgs)	B	T	E	X	F1	F2	F3	F4	Hx	Pb	
3.0-3.7	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	6.3	
5.5-6.1	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	2.2	

BH-307											Date Sampled: 2014/12/11
Sample Depth (mbgs)	B	T	E	X	F1	F2	F3	F4	Hx	Pb	
3.8-4.4	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	5.4	
6.1-6.7	<0.020	<0.020	0.054	<0.040	<10	<10	<50	<50	<0.50	8.5	

BH-305											Date Sampled: 2014/12/10
Sample Depth (mbgs)	B	T	E	X	F1	F2	F3	F4	Hx	Pb	
3.8-4.4	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	2.4	
5.3-5.9	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	3.8	

BH-306											Date Sampled: 2014/12/11
Sample Depth (mbgs)	B	T	E	X	F1	F2	F3	F4	Hx	Pb	
3.0-3.7	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	<5.0	
5.3-5.9	0.030	<0.020	0.12	0.12	<10	<10	<50	<50	<0.50	<5.0	
5.3-5.9 (DUP-03)	0.037	<0.020	0.16	0.16	<10	<10	<50	<50	<0.50	<5.0	

BH-303											Date Sampled: 2014/12/11
Sample Depth (mbgs)	B	T	E	X	F1	F2	F3	F4	Hx	Pb	
3.0-3.7	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	4.4	
5.3-5.9	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	5.2	

BH-302											Date Sampled: 2014/12/09
Sample Depth (mbgs)	B	T	E	X	F1	F2	F3	F4	Hx	Pb	
2.4-3.0	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	5.3	
5.3-5.9	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	2.1	

BH-304											Date Sampled: 2014/12/10
Sample Depth (mbgs)	B	T	E	X	F1	F2	F3	F4	Hx	Pb	
3.0-3.7	<0.020	<0.020	0.76	1.6	41	<10	<50	<50	<0.50	4.4	
5.3-5.9	<0.020	<0.020	0.15	0.12	<10	<10	<50	<50	<0.50	2.3	
5.3-5.9 (DUP-02)	<0.020	<0.020	0.048	0.11	<10	<10	<50	<50	<0.50	3.5	

BH-309											Date Sampled: 2014/12/12
Sample Depth (mbgs)	B	T	E	X	F1	F2	F3	F4	Hx	Pb	
3.0-3.7	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	3.7	
5.3-5.9	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	2.1	

BH-301											Date Sampled: 2014/12/09
Sample Depth (mbgs)	B	T	E	X	F1	F2	F3	F4	Hx	Pb	
4.0-4.4	<0.020	0.027	<0.020	<0.040	<10	<10	<50	<50	<0.50	6.2	
5.3-5.9	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	5.4	
5.3-5.9 (DUP-01)	<0.020	<0.020	<0.020	<0.040	<10	<10	<50	<50	<0.50	2.8	

Woodroffe Avenue

1545 Woodroffe Avenue

Tank Nest

Loading Rack

Medhurst Drive

LEGEND

- Former Feature
- Property Line, Surveyed 2006
- Property Boundary Pin
- ✕ Fence
- Transformer (Pad Mounted)
- ⊕ Monitoring Well
- 2010/12/31 Date Format: yyyy/mm/dd
- mbgs Metres Below Ground Surface
- µg/g Micrograms Per Gram, dry weight basis

Analytical Results


- All Results Reported in µg/g
- ⊕ Location Where All Soil Samples Met Standards for All Parameters that Were Analyzed, Shown in Green
- ⊕ Location Where At Least One Soil Sample Exceeded Standards for At Least One Parameter that Was Analyzed, Shown in Red
- 1234** Exceedances of Standards, Shown in Red and Bold
- DUP Field Duplicate Sample
- < Result Less Than Reportable Detection Limit

Standards

Parameters	B	T	E	X	F1	F2	F3	F4	Hx	Pb
Standard* µg/g	0.4	78	19	30	65	250	2500	6600	88	120

B-Benzene T-Toluene E-Ethylbenzene X-Total Xylenes F1-F4-CCME CWS Petroleum Hydrocarbon Fractions Hx-Hexane Pb-Lead
 * MOECC Table 3 (2011) Industrial/commercial/community, medium and fine textured soils
 NV No Value


NOTE: All features are approximate.
 REFERENCE: Clark Wilkinson Alton survey dated 2006/07/21.



Soil Analytical Results
Petroleum Hydrocarbon Parameters, Hexane and Lead
 Imperial Oil
 1545 Woodroffe Avenue, Ottawa, Ontario

Drawn: BAI	Page Size: 11 x 17 in	Ref. No.: 10-8518T02
Reviewed: HNL	File No.: 8518B154	Date: 2015/01/20
PARSONS		Drawing No.: 5

Ref: S-34-P



BH-308											Screen Interval: 3.0-6.1 mbgs	
Sample Date	B	T	E	X	F1	F2	F3	F4	Hx	Pb		
2014/12/15	2.4	<0.20	1.3	<0.40	<25	<100	<200	<200	<5.0	<0.50		

BH-305											Screen Interval: 3.4-6.4 mbgs	
Sample Date	B	T	E	X	F1	F2	F3	F4	Hx	Pb		
2014/12/15	<0.20	<0.20	<0.20	<0.40	<25	<100	<200	<200	<5.0	<0.50		

BH-306											Screen Interval: 3.4-6.4 mbgs	
Sample Date	B	T	E	X	F1	F2	F3	F4	Hx	Pb		
2014/12/15	220	18	900	430	1300	1800	<200	<200	<10	<0.50		

BH-303											Screen Interval: 3.4-6.4 mbgs	
Sample Date	B	T	E	X	F1	F2	F3	F4	Hx	Pb		
2014/12/15	<0.20	<0.20	<0.20	<0.40	<25	<100	<200	<200	<5.0	<0.50		

BH-309											Screen Interval: 3.0-6.1 mbgs	
Sample Date	B	T	E	X	F1	F2	F3	F4	Hx	Pb		
2014/12/15	0.26	<0.20	0.52	<0.40	78	<100	<200	<200	<5.0	<0.50		
2014/12/15 (DUP-04)	0.32	<0.20	0.54	<0.40	67	<100	<200	<200	<5.0	<0.50		

BH-302											Screen Interval: 3.4-6.4 mbgs	
Sample Date	B	T	E	X	F1	F2	F3	F4	Hx	Pb		
2014/12/15	<0.20	<0.20	<0.20	<0.40	<25	<100	<200	<200	<5.0	<0.50		

BH-301											Screen Interval: 3.4-6.4 mbgs	
Sample Date	B	T	E	X	F1	F2	F3	F4	Hx	Pb		
2014/12/15	<0.20	<0.20	<0.20	1.4	<25	<100	<200	<200	<5.0	<0.50		

LEGEND

Analytical Results

- Former Feature
- Property Line, Surveyed 2006
- Property Boundary Pin
- ✕ Fence
- Transformer (Pad Mounted)
- ⊕ Monitoring Well
- 2010/12/31 Date Format: yyyy/mm/dd
- mbgs Metres Below Ground Surface
- µg/L Micrograms Per Litre

- All Results Reported in µg/L
- ⊕ Location Where Most Recent Groundwater Sample Met Standards for All Parameters that Were Analyzed, Shown in Green
- ⊕ Location Where Most Recent Groundwater Sample Exceeded Standards for At Least One Parameter that Was Analyzed, Shown in Red
- ⊕ Location Where No Groundwater Sample Was Submitted From the Most Recent Sampling Event, Shown in Black
- 1234** Exceedances of Standards, Shown in Red and Bold
- DUP Field Duplicate Sample
- Not Analyzed
- < Result Less Than Reportable Detection Limit


Standards

Parameters	B	T	E	X	F1	F2	F3	F4	Hx	Pb
Standard* µg/L	430	18 000	2300	4200	750	150	500	500	520	25

B-Benzene T-Toluene E-Ethylbenzene X-Total Xylenes F1-F4-CCME CWS Petroleum Hydrocarbon Fractions Hx-Hexane Pb-Lead

* MOECC Table 3 (2011) All types of property use, medium and fine textured soils
 NV No Value

NOTE: All features are approximate.
 REFERENCE: Clark Wilkinson Alton survey dated 2006/07/21.



Groundwater Analytical Results Petroleum Hydrocarbon Parameters, Hexane and Lead Imperial Oil 1545 Woodroffe Avenue, Ottawa, Ontario	Drawn: BAI	Page Size: 11 x 17 in	Ref. No.: 10-8518.3
	Reviewed: HNL	File No.: 8518G155	Date: 2015/01/29
	PARSONS		Drawing No.: 6

Ref: S-34-P

TABLE 1
GROUNDWATER MONITORING RESULTS

ASSESSMENT LOCATION	TOP OF PIPE ELEVATION ¹ (m)	GROUND SURFACE ELEVATION ¹ (m)	SCREEN INTERVAL (mbgs)	DATE (yyyy/mm/dd)	SUBSURFACE VAPOUR CONCENTRATIONS ²	FREE PRODUCT THICKNESSES (mm)	POTENTIOMETRIC DEPTH ³ (mbgs)	POTENTIOMETRIC ELEVATION ^{1,3} (m)	
BH1	88.51	88.61	1.8 - 4.3	2008/11/19	>100%	DRY	DRY	DRY	
				2008/12/11	45%	DRY	DRY	DRY	
				2009/05/12	AW	AW	AW	AW	
BH2	88.33	88.51	1.5 - 4.3	2008/11/19	325	ND	4.25	84.26	
				2008/12/11	175	ND	3.40	85.11	
				2009/05/12	AW	AW	AW	AW	
BH3	88.50	88.63	4.6 - 6.1	2008/11/19	70%	ND	4.98	83.65	
				2008/12/11	>100%	ND	4.95	83.69	
				2009/05/12	AW	AW	AW	AW	
BH4	88.62	88.72	4.2 - 6.1	2008/11/19	170	ND	5.06	83.65	
				2008/12/11	5%	ND	5.04	83.68	
				2009/05/12	AW	AW	AW	AW	
BH5	88.79	88.85	1.8 - 4.6	2008/11/19	20%	ND	4.37	84.48	
				2008/12/11	20%	ND	4.13	84.72	
				2009/05/12	95	ND	3.17	85.68	
	88.79	88.92	88.92	88.92	2010/03/16	75	ND	3.32	85.60
					2010/06/03	5%	ND	3.93	84.99
					2010/07/23	10%	ND	4.11	84.81
					2010/11/17	5%	ND	4.06	84.86
					2011/06/27	5%	ND	3.34	85.58
					2011/10/31	8%	ND	4.32	84.60
					2012/06/13	23%	ND	4.18	84.75
					2013/10/17	120	ND	4.33	84.59
					2014/04/07	NM	NM	NM	NM
					2014/06/16	30%	ND	3.72	85.20
2014/12/15	NM	NM	NM	NM					
BH6	88.77	88.89	2.0 - 4.7	2008/11/19	25%	ND	5.25	83.63	
				2008/12/11	>100%	Sheen	5.23	83.66	
				2009/05/12	11%	ND	4.99	83.90	
	88.82	88.95	88.95	88.95	2010/03/16	25%	ND	5.09	83.86
					2010/06/03	>100%	ND	5.11	83.84
					2010/07/23	5%	ND	5.21	83.74
					2010/11/17	>100%	ND	5.11	83.84
					2011/06/27	>100%	ND	4.93	84.02
					2011/10/31	5%	ND	5.28	83.67
					2012/06/13	40%	ND	5.33	83.62
					2013/10/17	NM	NM	NM	NM
					2014/04/07	NM	NM	NM	NM
					2014/06/16	>100%	ND	5.12	83.83
2014/12/15	NM	NM	NM	NM					
BH7	88.87	88.94	2.0 - 4.7	2008/11/19	150	ND	3.86	85.07	
				2008/12/11	225	ND	3.67	85.26	
				2009/05/12	160	ND	3.14	85.79	
	88.85	88.97	88.97	88.97	2010/03/16	50	ND	3.31	85.67
					2010/06/03	75	ND	3.55	85.42
					2010/07/23	100	ND	3.70	85.27
					2010/11/17	150	ND	3.60	85.37
					2011/06/27	120	ND	3.34	85.64
					2011/10/31	180	ND	3.99	84.98
					2012/06/13	150	ND	3.79	85.18
					2013/10/17	75	ND	4.08	84.89
					2014/04/07	NM	NM	NM	NM
					2014/06/16	10	ND	3.50	85.47
2014/12/15	NM	NM	NM	NM					

ASSESSMENT LOCATION	TOP OF PIPE ELEVATION ¹ (m)	GROUND SURFACE ELEVATION ¹ (m)	SCREEN INTERVAL (mbsgs)	DATE (yyyy/mm/dd)	SUBSURFACE VAPOUR CONCENTRATIONS ²	FREE PRODUCT THICKNESSES (mm)	POTENTIOMETRIC DEPTH ³ (mbsgs)	POTENTIOMETRIC ELEVATION ^{1,3} (m)
BH8	88.88	89.00	4.5 - 6.0	2010/03/16	75	ND	5.14	83.86
				2010/06/03	75	ND	5.18	83.82
				2010/07/23	150	ND	5.28	83.72
				2010/11/17	150	ND	5.18	83.82
				2011/06/27	140	ND	5.00	84.00
				2011/10/31	175	ND	5.35	83.66
				2012/06/13	5%	ND	5.41	83.60
				2013/10/17	>100%	DRY	DRY	DRY
				2014/04/07	NM	NM	NM	NM
				2014/06/16	88%	ND	5.20	83.80
2014/12/15	NM	NM	NM	NM				
BH9	88.97	89.10	5.8 - 7.3	2010/03/16	25	ND	5.23	83.87 *
				2010/06/03	25	ND	5.27	83.83 *
				2010/07/23	25	ND	5.37	83.73 *
				2010/11/17	50	ND	5.27	83.83 *
				2011/06/27	<5	ND	5.09	84.01 *
				2011/10/31	60	ND	5.43	83.67 *
				2012/06/13	80	ND	5.49	83.61 *
				2013/10/17	NM	NM	NM	NM
				2014/04/07	NM	NM	NM	NM
				2014/06/16	>100%	ND	5.28	83.82 *
2014/12/15	NM	NM	NM	NM				
BH10	88.47	88.56	1.5 - 4.1	2010/03/16	50	DRY	DRY	DRY
				2010/06/03	100	DRY	DRY	DRY
				2010/07/23	100	DRY	DRY	DRY
				2010/11/17	150	DRY	DRY	DRY
				2011/06/27	80	DRY	DRY	DRY
	88.46	88.56	3.7 - 6.1	2011/10/31	13%	ND	4.87	83.69
				2012/06/13	20%	ND	4.94	83.62
				2013/10/16	37%	ND	5.71	82.85
				2014/04/07	35%	NA	NA	NA
				2014/06/16	>100%	ND	4.72	83.84
2014/12/15	NM	NM	NM	NM				
BH11	88.43	88.57	3.1 - 6.1	2010/03/16	5%	ND	4.70	83.87
				2010/06/03	500	ND	4.72	83.85
				2010/07/23	15%	ND	4.82	83.75
				2010/11/17	15%	ND	4.73	83.84
				2011/06/27	325	ND	4.44	84.13
	88.53	88.57	2011/10/31	16%	ND	4.79	83.78	
			2012/06/13	22%	ND	4.86	83.71	
			2013/10/16	27%	ND	5.65	82.92	
			2014/04/07	20%	ND	5.09	83.48	
			2014/06/16	>100%	ND	4.64	83.93	
2014/12/15	NM	NM	NM	NM				
BH12	88.74	88.82	3.0 - 6.0	2010/03/16	>100%	ND	4.97	83.86
				2010/06/03	225	ND	4.99	83.83
				2010/07/23	>100%	ND	5.09	83.73
				2010/11/17	>100%	ND	5.00	83.82
				2011/06/27	>100%	73 (4)	4.80	84.02
				2011/10/31	240	2 (0)	5.15	83.67
				2012/06/13	100%	Sheen	5.22	83.60
				2013/10/17	>100%	ND	5.99	82.83
				2014/04/07	NM	NM	NM	NM
				2014/06/16	>100%	Sheen	5.01	83.81
2014/12/15	NM	NM	NM	NM				

ASSESSMENT LOCATION	TOP OF PIPE ELEVATION ¹ (m)	GROUND SURFACE ELEVATION ¹ (m)	SCREEN INTERVAL (mbgs)	DATE (yyyy/mm/dd)	SUBSURFACE VAPOUR CONCENTRATIONS ²	FREE PRODUCT THICKNESSES (mm)	POTENTIOMETRIC DEPTH ³ (mbgs)	POTENTIOMETRIC ELEVATION ^{1,3} (m)
BH-13	88.42	88.49	3.7 - 6.1	2011/10/31	17%	ND	3.83	84.65
				2012/06/13	40%	ND	4.90	83.59
				2013/10/17	50%	ND	5.69	82.80
				2014/04/07	70%	NA	NA	NA
				2014/06/16	>100%	ND	4.68	83.81
				2014/12/15	NM	NM	NM	NM
BH-14	88.77	88.85	3.7 - 6.1	2011/10/31	12%	ND	5.23	83.63
				2012/06/13	50%	ND	5.28	83.57 *
				2013/10/17	75%	ND	6.10	82.75 *
				2014/04/07	NM	NM	NM	NM
				2014/06/16	15%	ND	5.08	83.77 *
				2014/12/15	NM	NM	NM	NM
BH-15	88.83	88.94	3.0 - 6.1	2011/10/31	400	ND	5.29	83.66
				2012/06/13	215	ND	5.33	83.61 *
				2013/10/17	65	ND	5.79	83.15 *
				2014/04/07	NM	NM	NM	NM
				2014/06/16	120	ND	3.76	85.18 *
				2014/12/15	NM	NM	NM	NM
BH-16	88.80	88.95	2.9 - 5.9	2012/06/13	<5	ND	5.34	83.61
				2013/10/17	25%	ND	6.10	82.85
				2014/04/07	NM	NM	NM	NM
				2014/06/16	53%	ND	5.11	83.85
				2014/12/15	NM	NM	NM	NM
BH-301	99.50	99.61	3.4 - 6.4	2014/12/15	200	ND	4.95	94.65
BH-302	99.38	99.56	3.4 - 6.4	2014/12/15	220	ND	4.91	94.66
BH-303	100.00	100.12	3.4 - 6.4	2014/12/15	125	ND	3.58	96.54
BH-305	100.16	100.27	3.4 - 6.4	2014/12/15	<5	ND	4.09	96.18
BH-306	99.81	99.92	3.4 - 6.4	2014/12/15	40	ND	5.32	94.60
BH-308	99.93	100.05	3.0 - 6.1	2014/12/15	<5	ND	4.08	95.97
BH-309	99.46	99.58	3.0 - 6.1	2014/12/15	140	ND	4.96	94.62

1 - Relative to local benchmark (BH5 top of riser pipe) having an elevation of 88.79 m
 BH-300 series - Relative to local benchmark (cut into concrete at base of the diesel pumps) having an elevation of 100.00 m

2 - ppmv if not indicated, or % LEL if indicated

3 - Calculated using product thicknesses corrected by a specific gravity of 0.75

AW - Abandoned well

m - metres

mbgs - metres below ground surface

mm - millimetres

ND - Not detected

() - After bailing/purging

* - Water level above top of screen

TABLE 2
SOIL ANALYTICAL RESULTS
PETROLEUM HYDROCARBON PARAMETERS, HEXANE AND LEAD

SAMPLE LOCATIONS	BH-301-4.0-4.4	BH-301-5.3-5.9	DUP-01	BH-302-2.4-3.0	BH-302-5.3-5.9	BH-303-3.0-3.7	BH-303-5.3-5.9	BH-304-3.0-3.7	BH-304-5.3-5.9	DUP-02	TABLE 3 STANDARDS ^a
	FIELD DUPLICATE										
	BH-301-5.3-5.9										
	BH-304-5.3-5.9										
MAXXAM Certificate of Analysis No.	B4N6049V1	B4N6049V1	B4N6049V1	B4N6049V1	B4N6049V1	B4N7072V1	B4N7072V1	B4N7072V1	B4N7072V1	B4N7072V1	
MAXXAM Sample ID	YV6417	YV6418	YV6419	YV6420	YV6421	YW2041	YW2042	YW2043	YW2044	YW2045	
Sample Depth (mbgs)	4.0-4.4	5.3-5.9	5.3-5.9	2.4-3.0	5.3-5.9	3.0-3.7	5.3-5.9	3.0-3.7	5.3-5.9	5.3-5.9	
Date Sampled (yyyy/mm/dd)	2014/12/09	2014/12/09	2014/12/09	2014/12/09	2014/12/09	2014/12/10	2014/12/10	2014/12/10	2014/12/10	2014/12/10	
PARAMETERS											
Benzene	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.4
Toluene	0.027	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	78
Ethylbenzene	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.76	0.15	0.048	19
Total Xylenes	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	1.6	0.12	0.11	30
Petroleum Hydrocarbons F1 (C6 - C10) ^b	<10	<10	<10	<10	<10	<10	<10	41	<10	<10	65
Petroleum Hydrocarbons F2 (>C10 - C16) ^c	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	250
Petroleum Hydrocarbons F3 (>C16 - C34) ^d	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	2500
Petroleum Hydrocarbons F4 (>C34 - C50)	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	6600
Hexane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	88
Lead	6.2	5.4	2.8	5.3	2.1	4.4	5.2	4.4	2.3	3.5	120

a - Ontario Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011), non-potable, industrial/commercial/community property use, medium and fine textured soils

b - BTEX have been subtracted from the fraction

c - Naphthalene has not been subtracted from the fraction

d - PAHs have not been subtracted from the fraction

"-" - Not analyzed

* - Result from F4 gravimetric analysis

mbgs - metres below ground surface

BOLD - Exceeds applicable standard

Results for all parameters are reported in micrograms per gram (µg/g) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE 2
SOIL ANALYTICAL RESULTS
PETROLEUM HYDROCARBON PARAMETERS, HEXANE AND LEAD

SAMPLE LOCATIONS	BH-305-3.8-4.4	BH-305-5.3-5.9	BH-306-3.0-3.7	BH-306-5.3-5.9	DUP-03	BH-307-3.8-4.4	BH-307-6.1-6.7	BH-308-3.0-3.7	BH-308-6.1-6.7	BH-309-3.0-3.7	TABLE 3 STANDARDS ^a
	FIELD DUPLICATE										
	BH-306-5.3-5.9										
	B4N7072V1	B4N7072V1	B4N7299V1	B4N7299V1	B4N7299V1	B4N7299V1	B4N7299V1	B4N7305V1	B4N7305V1	B4N7305V1	
MAXXAM Certificate of Analysis No.	YW2046	YW2047	YW3227	YW3228	YW3229	YW3230	YW3231	YW3246	YW3247	YW3248	
MAXXAM Sample ID	3.8-4.4	5.3-5.9	3.0-3.7	5.3-5.9	5.3-5.9	3.8-4.4	6.1-6.7	3.0-3.7	6.1-6.7	3.0-3.7	
Sample Depth (mbgs)	2014/12/10	2014/12/10	2014/12/11	2014/12/11	2014/12/11	2014/12/11	2014/12/11	2014/12/12	2014/12/12	2014/12/12	
Date Sampled (yyyy/mm/dd)	PARAMETERS										
Benzene	<0.020	<0.020	<0.020	0.030	0.037	<0.020	<0.020	<0.020	<0.020	<0.020	0.4
Toluene	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	78
Ethylbenzene	<0.020	<0.020	<0.020	0.12	0.16	<0.020	0.054	<0.020	<0.020	<0.020	19
Total Xylenes	<0.040	<0.040	<0.040	0.12	0.16	<0.040	<0.040	<0.040	<0.040	<0.040	30
Petroleum Hydrocarbons F1 (C6 - C10) ^b	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	65
Petroleum Hydrocarbons F2 (>C10 - C16) ^c	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	250
Petroleum Hydrocarbons F3 (>C16 - C34) ^d	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	2500
Petroleum Hydrocarbons F4 (>C34 - C50)	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	6600
Hexane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	88
Lead	2.4	3.8	<5.0	<5.0	<5.0	5.4	8.5	3.4	3.8	3.7	120

a - Ontario Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011), non-potable, industrial/commercial/community property use, medium and fine textured soils

b - BTEX have been subtracted from the fraction

c - Naphthalene has not been subtracted from the fraction

d - PAHs have not been subtracted from the fraction

"-" - Not analyzed

* - Result from F4 gravimetric analysis

mbgs - metres below ground surface

BOLD - Exceeds applicable standard

Results for all parameters are reported in micrograms per gram (µg/g) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE 2
SOIL ANALYTICAL RESULTS
PETROLEUM HYDROCARBON PARAMETERS, HEXANE AND LEAD

SAMPLE LOCATIONS	BH-309-5.3-5.9	BH-310-3.0-3.7	BH-310-5.5-6.1	BH-311-3.0-3.7	BH-311-5.5-6.1	
MAXXAM Certificate of Analysis No.	B4N7305V1	B4N9454V1	B4N9454V1	B4N9434V1	B4N9434V1	TABLE 3 STANDARDS ^a
MAXXAM Sample ID	YW3249	YX3167	YX3168	YX3054	YX3055	
Sample Depth (mbgs)	5.3-5.9	3.0-3.7	5.5-6.1	3.0-3.7	5.5-6.1	
Date Sampled (yyyy/mm/dd)	2014/12/12	2014/12/13	2014/12/13	2014/12/13	2014/12/13	
PARAMETERS						
Benzene	<0.020	<0.020	<0.020	<0.020	<0.020	0.4
Toluene	<0.020	<0.020	<0.020	<0.020	<0.020	78
Ethylbenzene	<0.020	<0.020	<0.020	<0.020	<0.020	19
Total Xylenes	<0.040	<0.040	<0.040	<0.040	<0.040	30
Petroleum Hydrocarbons F1 (C6 - C10) ^b	<10	<10	<10	<10	<10	65
Petroleum Hydrocarbons F2 (>C10 - C16) ^c	<10	<10	<10	<10	<10	250
Petroleum Hydrocarbons F3 (>C16 - C34) ^d	<50	<50	<50	<50	<50	2500
Petroleum Hydrocarbons F4 (>C34 - C50)	<50	<50	<50	<50	<50	6600
Hexane	<0.50	<0.50	<0.50	<0.50	<0.50	88
Lead	2.1	2.1	3.8	6.3	2.2	120

a - Ontario Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011), non-potable, industrial/commercial/community property use, medium and fine textured soils

b - BTEX have been subtracted from the fraction

c - Naphthalene has not been subtracted from the fraction

d - PAHs have not been subtracted from the fraction

"-" - Not analyzed

* - Result from F4 gravimetric analysis

mbgs - metres below ground surface

BOLD - Exceeds applicable standard

Results for all parameters are reported in micrograms per gram (µg/g) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE 3
SOIL ANALYTICAL RESULTS
SELECTED VOLATILE ORGANIC COMPOUNDS

SAMPLE LOCATIONS	BH-303-3.0-3.7	BH-303-5.3-5.9	BH-305-3.8-4.4	BH-305-5.3-5.9	BH-308-3.0-3.7	BH-308-6.1-6.7	BH-310-3.0-3.7	BH-310-5.5-6.1	
MAXXAM Certificate of Analysis No.	B4N7072V1	B4N7072V1	B4N7072V1	B4N7072V1	B4N7305V1	B4N7305V1	B4N9454V1	B4N9454V1	TABLE 3 STANDARDS ^a
MAXXAM Sample ID	YW2041	YW2042	YW2046	YW2047	YW3246	YW3247	YX3167	YX3168	
Sample Depth (mbgs)	3.0-3.7	5.3-5.9	3.8-4.4	5.3-5.9	3.0-3.7	6.1-6.7	3.0-3.7	5.5-6.1	
Date Sampled (yyyy/mm/dd)	2014/12/10	2014/12/10	2014/12/10	2014/12/10	2014/12/12	2014/12/12	2014/12/13	2014/12/13	
PARAMETERS									
Dichlorodifluoromethane	-	-	<0.050	<0.050	-	-	-	-	25
1,1-Dichloroethane	-	-	<0.050	<0.050	-	-	-	-	21
1,2-Dichloroethane	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	0.05
1,1-Dichloroethylene	-	-	<0.050	<0.050	-	-	-	-	0.48
cis-1,2-Dichloroethylene	-	-	<0.050	<0.050	-	-	-	-	37
trans-1,2-Dichloroethylene	-	-	<0.050	<0.050	-	-	-	-	9.3
Ethylene Dibromide	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	0.05
Methyl t-butyl ether	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	<0.050	3.2
Tetrachloroethylene	-	-	<0.050	<0.050	-	-	-	-	21
1,1,1-Trichloroethane	-	-	<0.050	<0.050	-	-	-	-	12
1,1,2-Trichloroethane	-	-	<0.050	<0.050	-	-	-	-	0.11
Trichloroethylene	-	-	<0.050	<0.050	-	-	-	-	0.61
Trichlorofluoromethane	-	-	<0.050	<0.050	-	-	-	-	5.8
Vinyl Chloride	-	-	<0.020	<0.020	-	-	-	-	0.25

a - Ontario Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011), non-potable, industrial/commercial/community property use, medium and fine textured soils

"-" - Not analyzed

mbgs - metres below ground surface

BOLD - Exceeds applicable standard

Results for all parameters are reported in micrograms per gram (µg/g) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE 4
SOIL ANALYTICAL RESULTS
POLYCYCLIC AROMATIC HYDROCARBONS

SAMPLE LOCATIONS	BH-301-4.0-4.4	BH-301-5.3-5.9	DUP-01	BH-302-2.4-3.0	BH-302-5.3-5.9	BH-303-3.0-3.7	BH-303-5.3-5.9	BH-304-3.0-3.7	BH-304-5.3-5.9	DUP-02	TABLE 3 STANDARDS ^a
	FIELD DUPLICATE								FIELD DUPLICATE		
	BH-301-5.3-5.9								BH-304-5.3-5.9		
MAXXAM Certificate of Analysis No.	B4N6049V1	B4N6049V1	B4N6049V1	B4N6049V1	B4N6049V1	B4N7072V1	B4N7072V1	B4N7072V1	B4N7072V1	B4N7072V1	
MAXXAM Sample ID	YV6417	YV6418	YV6419	YV6420	YV6421	YW2041	YW2042	YW2043	YW2044	YW2045	
Sample Depth (mbgs)	4.0-4.4	5.3-5.9	5.3-5.9	2.4-3.0	5.3-5.9	3.0-3.7	5.3-5.9	3.0-3.7	5.3-5.9	5.3-5.9	
Date Sampled (yyyy/mm/dd)	2014/12/09	2014/12/09	2014/12/09	2014/12/09	2014/12/09	2014/12/10	2014/12/10	2014/12/10	2014/12/10	2014/12/10	
PARAMETERS											
Acenaphthene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	96
Acenaphthylene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.17
Anthracene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.74
Benzo(a)anthracene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.96
Benzo(a)pyrene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.3
Benzo(b/f)fluoranthene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.96
Benzo(g,h,i)perylene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	9.6
Benzo(k)fluoranthene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.96
Chrysene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	9.6
Dibenz(a,h)anthracene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.1
Fluoranthene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	9.6
Fluorene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	69
Indeno(1,2,3-cd)pyrene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.95
1-Methylnaphthalene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.036	0.035	0.023	85
2-Methylnaphthalene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.041	0.020	0.010	85
Total Methylnaphthalenes	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071	0.077	0.056	0.033	85
Naphthalene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.029	0.0056	<0.0050	28
Phenanthrene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0079	0.0063	16
Pyrene	0.0061	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	96

a - Ontario Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011), non-potable, industrial/commercial/community property use, medium and fine textured soils

"-" - Not analyzed

mbgs - metres below ground surface

BOLD - Exceeds applicable standard

Results for all parameters are reported in micrograms per gram (µg/g) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE 4
SOIL ANALYTICAL RESULTS
POLYCYCLIC AROMATIC HYDROCARBONS

SAMPLE LOCATIONS	BH-305-3.8-4.4	BH-305-5.3-5.9	BH-306-3.0-3.7	BH-306-5.3-5.9	DUP-03	BH-307-3.8-4.4	BH-307-6.1-6.7	BH-308-3.0-3.7	BH-308-6.1-6.7	BH-309-3.0-3.7	TABLE 3 STANDARDS ^a
	FIELD DUPLICATE BH-306-5.3-5.9										
MAXXAM Certificate of Analysis No.	B4N7072V1	B4N7072V1	B4N7299V1	B4N7299V1	B4N7299V1	B4N7299V1	B4N7299V1	B4N7305V1	B4N7305V1	B4N7305V1	
MAXXAM Sample ID	YW2046	YW2047	YW3227	YW3228	YW3229	YW3230	YW3231	YW3246	YW3247	YW3248	
Sample Depth (mbgs)	3.8-4.4	5.3-5.9	3.0-3.7	5.3-5.9	5.3-5.9	3.8-4.4	6.1-6.7	3.0-3.7	6.1-6.7	3.0-3.7	
Date Sampled (yyyy/mm/dd)	2014/12/10	2014/12/10	2014/12/11	2014/12/11	2014/12/11	2014/12/11	2014/12/11	2014/12/12	2014/12/12	2014/12/12	
PARAMETERS											
Acenaphthene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	96
Acenaphthylene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.17
Anthracene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.74
Benzo(a)anthracene	<0.0050	<0.0050	-	-	-	-	-	<0.0050	<0.0050	<0.0050	0.96
Benzo(a)pyrene	<0.0050	<0.0050	-	-	-	-	-	<0.0050	<0.0050	<0.0050	0.3
Benzo(b/f)fluoranthene	<0.0050	<0.0050	-	-	-	-	-	<0.0050	<0.0050	<0.0050	0.96
Benzo(g,h,i)perylene	<0.0050	<0.0050	-	-	-	-	-	<0.0050	<0.0050	<0.0050	9.6
Benzo(k)fluoranthene	<0.0050	<0.0050	-	-	-	-	-	<0.0050	<0.0050	<0.0050	0.96
Chrysene	<0.0050	<0.0050	-	-	-	-	-	<0.0050	<0.0050	<0.0050	9.6
Dibenz(a,h)anthracene	<0.0050	<0.0050	-	-	-	-	-	<0.0050	<0.0050	<0.0050	0.1
Fluoranthene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	9.6
Fluorene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.010	69
Indeno(1,2,3-cd)pyrene	<0.0050	<0.0050	-	-	-	-	-	<0.0050	<0.0050	<0.0050	0.95
1-Methylnaphthalene	<0.0050	<0.0050	<0.0050	0.015	0.017	<0.0050	0.0069	<0.0050	<0.0050	<0.0050	85
2-Methylnaphthalene	<0.0050	<0.0050	<0.0050	0.0061	0.0076	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	85
Total Methylnaphthalenes	<0.0071	<0.0071	<0.0071	0.021	0.024	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071	85
Naphthalene	<0.0050	<0.0050	<0.0050	<0.0050	0.0051	<0.0050	<0.0050	<0.0050	<0.0050	<0.020	28
Phenanthrene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	16
Pyrene	<0.0050	<0.0050	-	-	-	-	-	<0.0050	<0.0050	<0.0050	96

a - Ontario Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011), non-potable, industrial/commercial/community property use, medium and fine textured soils

"-" - Not analyzed

mbgs - metres below ground surface

BOLD - Exceeds applicable standard

Results for all parameters are reported in micrograms per gram (µg/g) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE 4
SOIL ANALYTICAL RESULTS
POLYCYCLIC AROMATIC HYDROCARBONS

SAMPLE LOCATIONS	BH-309-5.3-5.9	BH-310-3.0-3.7	BH-310-5.5-6.1	BH-311-3.0-3.7	BH-311-5.5-6.1	TABLE 3 STANDARDS ^a
MAXXAM Certificate of Analysis No.	B4N7305V1	B4N9454V1	B4N9454V1	B4N9434V1	B4N9434V1	
MAXXAM Sample ID	YW3249	YX3167	YX3168	YX3054	YX3055	
Sample Depth (mbgs)	5.3-5.9	3.0-3.7	5.5-6.1	3.0-3.7	5.5-6.1	
Date Sampled (yyyy/mm/dd)	2014/12/12	2014/12/13	2014/12/13	2014/12/13	2014/12/13	
PARAMETERS						
Acenaphthene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	96
Acenaphthylene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.17
Anthracene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.74
Benzo(a)anthracene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.96
Benzo(a)pyrene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.3
Benzo(b/f)fluoranthene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.96
Benzo(g,h,i)perylene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	9.6
Benzo(k)fluoranthene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.96
Chrysene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	9.6
Dibenz(a,h)anthracene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.1
Fluoranthene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	9.6
Fluorene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	69
Indeno(1,2,3-cd)pyrene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.95
1-Methylnaphthalene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	85
2-Methylnaphthalene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	85
Total Methylnaphthalenes	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071	85
Naphthalene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	28
Phenanthrene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	16
Pyrene	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	96

a - Ontario Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011), non-potable, industrial/commercial/community property use, medium and fine textured soils

"-" - Not analyzed

mbgs - metres below ground surface

BOLD - Exceeds applicable standard

Results for all parameters are reported in micrograms per gram ($\mu\text{g/g}$) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE 5
SOIL ANALYTICAL RESULTS
SELECTED METALS

SAMPLE LOCATIONS	BH-301-4.0-4.4	BH-301-5.3-5.9	DUP-01	BH-302-2.4-3.0	BH-302-5.3-5.9	BH-303-3.0-3.7	BH-303-5.3-5.9	BH-304-3.0-3.7	BH-304-5.3-5.9	DUP-02	TABLE 3 STANDARDS ^a
	FIELD DUPLICATE BH-301-5.3-5.9								FIELD DUPLICATE BH-304-5.3-5.9		
MAXXAM Certificate of Analysis No.	B4N6049V1	B4N6049V1	B4N6049V1	B4N6049V1	B4N6049V1	B4N7072V1	B4N7072V1	B4N7072V1	B4N7072V1	B4N7072V1	
MAXXAM Sample ID	YV6417	YV6418	YV6419	YV6420	YV6421	YW2041	YW2042	YW2043	YW2044	YW2045	
Sample Depth (mbgs)	4.0-4.4	5.3-5.9	5.3-5.9	2.4-3.0	5.3-5.9	3.0-3.7	5.3-5.9	3.0-3.7	5.3-5.9	5.3-5.9	
Date Sampled (yyyy/mm/dd)	2014/12/09	2014/12/09	2014/12/09	2014/12/09	2014/12/09	2014/12/10	2014/12/10	2014/12/10	2014/12/10	2014/12/10	
PARAMETERS											
Arsenic	<1.0	<1.0	<1.0	1.1	<1.0	<1.0	1.0	<1.0	<1.0	<1.0	18
Barium	32	23	28	220	42	150	280	200	33	26	670
Chromium (Total)	8.0	9.0	5.2	44	6.4	35	58	44	9.1	11	160
Copper	6.3	9.7	25	21	9.6	18	27	21	11	14	300
Zinc	11	11	30	51	13	47	69	54	12	15	340

a - Ontario Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011), non-potable, industrial/commercial/community property use, medium and fine textured soils

"-" - Not analyzed

* - Result from F4 gravimetric analysis

mbgs - metres below ground surface

BOLD - Exceeds applicable standard

Results for all parameters are reported in micrograms per gram ($\mu\text{g/g}$) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE 5
SOIL ANALYTICAL RESULTS
SELECTED METALS

SAMPLE LOCATIONS	BH-305-3.8-4.4	BH-305-5.3-5.9	BH-308-3.0-3.7	BH-308-6.1-6.7	BH-309-3.0-3.7	BH-309-5.3-5.9	BH-310-3.0-3.7	BH-310-5.5-6.1	BH-311-3.0-3.7	BH-311-5.5-6.1	TABLE 3 STANDARDS ^a
MAXXAM Certificate of Analysis No.	B4N7072V1	B4N7072V1	B4N7305V1	B4N7305V1	B4N7305V1	B4N7305V1	B4N9454V1	B4N9454V1	B4N9434V1	B4N9434V1	
MAXXAM Sample ID	YW2046	YW2047	YW3246	YW3247	YW3248	YW3249	YX3167	YX3168	YX3054	YX3055	
Sample Depth (mbgs)	3.8-4.4	5.3-5.9	3.0-3.7	6.1-6.7	3.0-3.7	5.3-5.9	3.0-3.7	5.5-6.1	3.0-3.7	5.5-6.1	
Date Sampled (yyyy/mm/dd)	2014/12/10	2014/12/10	2014/12/12	2014/12/12	2014/12/12	2014/12/12	2014/12/13	2014/12/13	2014/12/13	2014/12/13	
PARAMETERS											
Arsenic	<1.0	1.0	<1.0	1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	18
Barium	66	120	97	150	120	30	64	140	270	37	670
Chromium (Total)	22	39	26	41	35	7.5	19	41	72	6.1	160
Copper	13	19	16	21	19	8.3	9.1	21	32	12	300
Zinc	26	46	33	52	41	12	20	48	89	18	340

a - Ontario Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011), non-potable, industrial/commercial/community property use, medium and fine textured soils

"-" - Not analyzed

* - Result from F4 gravimetric analysis

mbgs - metres below ground surface

BOLD - Exceeds applicable standard

Results for all parameters are reported in micrograms per gram (µg/g) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE 6

SOIL ANALYTICAL RESULTS
POLYCHLORINATED BIPHENYLS

SAMPLE LOCATIONS	BH-305-3.8-4.4	BH-305-5.3-5.9	
MAXXAM Certificate of Analysis No.	B4N7072V1	B4N7072V1	TABLE 3 STANDARDS ^a
MAXXAM Sample ID	YW2046	YW2047	
Sample Depth (mbgs)	3.8-4.4	5.3-5.9	
Date Sampled (yyyy/mm/dd)	2014/12/10	2014/12/10	
PARAMETERS			
Total Polychlorinated Biphenyls	<0.020	<0.020	1.1

a - Ontario Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011), non-potable, industrial/commercial/community property use, medium and fine textured soils

"-" - Not analyzed

mbgs - metres below ground surface

BOLD - Exceeds applicable standard

Results for all parameters are reported in micrograms per gram ($\mu\text{g/g}$) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE 7

GROUNDWATER ANALYTICAL RESULTS
PETROLEUM HYDROCARBON PARAMETERS, HEXANE AND LEAD

SAMPLE LOCATIONS	BH-301	BH-302	BH-303	BH-305	BH-306	BH-308	BH-309	DUP-04 FIELD DUPLICATE BH-309	TABLE 3 STANDARDS ^a
MAXXAM Certificate of Analysis No.	B4N9500V1	B4N9500V1	B4N9487V1	B4N9487V1	B4N9466V1	B4N9487V1	B4N9466V1	B4N9466V1	
MAXXAM Sample ID	YX3350	YX3349	YX3296	YX3295	YX3183	YX3294	YX3184	YX3185	
Date Sampled (yyyy/mm/dd)	2014/12/15	2014/12/15	2014/12/15	2014/12/15	2014/12/15	2014/12/15	2014/12/15	2014/12/15	
PARAMETERS									
Benzene	<0.20	<0.20	<0.20	<0.20	220	2.4	0.26	0.32	430
Toluene	<0.20	<0.20	<0.20	<0.20	18	<0.20	<0.20	<0.20	18 000
Ethylbenzene	<0.20	<0.20	<0.20	<0.20	900	1.3	0.52	0.54	2300
Total Xylenes	1.4	<0.40	<0.40	<0.40	430	<0.40	<0.40	<0.40	4200
Petroleum Hydrocarbons F1 (C6 - C10) ^b	<25	<25	<25	<25	1300	<25	78	67	750
Petroleum Hydrocarbons F2 (>C10 - C16) ^c	<100	<100	<100	<100	1800	<100	<100	<100	150
Petroleum Hydrocarbons F3 (>C16 - C34) ^d	<200	<200	<200	<200	<200	<200	<200	<200	500
Petroleum Hydrocarbons F4 (>C34 - C50) ^e	<200	<200	<200	<200	<200	<200	<200	<200	500
Hexane	<5.0	<5.0	<5.0	<5.0	<10	<5.0	<5.0	<5.0	520
Lead	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	25

a - Ontario Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011), non-potable, all types of property use, medium and fine textured soils

b - BTEX have been subtracted from the fraction

c - Naphthalene has not been subtracted from the fraction

d - PAHs have not been subtracted from the fraction

"-" - Not analyzed

* - Result from F4 gravimetric analysis

BOLD - Exceeds applicable standard

Results for all parameters are reported in micrograms per litre (µg/L)

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE 8

GROUNDWATER ANALYTICAL RESULTS
SELECTED VOLATILE ORGANIC COMPOUNDS

SAMPLE LOCATIONS	BH-301	BH-302	BH-303	BH-305	BH-306	BH-308	BH-309	DUP-04 FIELD DUPLICATE BH-309	TABLE 3 STANDARDS ^a
MAXXAM Certificate of Analysis No.	B4N9500V1	B4N9500V1	B4N9487V1	B4N9487V1	B4N9466V1	B4N9487V1	B4N9466V1	B4N9466V1	
MAXXAM Sample ID	YX3350	YX3349	YX3296	YX3295	YX3183	YX3294	YX3184	YX3185	
Date Sampled (yyyy/mm/dd)	2014/12/15	2014/12/15	2014/12/15	2014/12/15	2014/12/15	2014/12/15	2014/12/15	2014/12/15	
PARAMETERS									
Dichlorodifluoromethane	-	-	-	<0.50	-	-	-	-	4400
1,1-Dichloroethane	-	-	-	<0.10	-	-	-	-	3100
1,2-Dichloroethane	<0.20	<0.20	<0.20	<0.20	<20	<0.20	<0.20	<0.20	12
1,1-Dichloroethylene	-	-	-	<0.10	-	-	-	-	17
cis-1,2-Dichloroethylene	-	-	-	<0.10	-	-	-	-	17
trans-1,2-Dichloroethylene	-	-	-	<0.10	-	-	-	-	17
Ethylene Dibromide	<0.20	<0.20	<0.20	<0.20	<20	<0.20	<0.20	<0.20	0.83
Methyl t-butyl ether	<0.20	<0.20	<0.20	<0.20	<20	<0.20	1.0	0.98	1400
Tetrachloroethylene	-	-	-	<0.10	-	-	-	-	17
1,1,1-Trichloroethane	-	-	-	<0.10	-	-	-	-	6700
1,1,2-Trichloroethane	-	-	-	<0.20	-	-	-	-	30
Trichloroethylene	-	-	-	<0.10	-	-	-	-	17
Trichlorofluoromethane	-	-	-	<0.20	-	-	-	-	2500
Vinyl Chloride	-	-	-	<0.20	-	-	-	-	1.7

a - Ontario Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011), non-potable, all types of property use, medium and fine textured soil

"-" - Not analyzed

BOLD - Exceeds applicable standard

Results for all parameters are reported in micrograms per litre (µg/L)

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE 9
GROUNDWATER ANALYTICAL RESULTS
SELECTED METALS

SAMPLE LOCATIONS	BH-301	BH-302	BH-303	BH-305	BH-308	BH-309	DUP-04 FIELD DUPLICATE BH-309	TABLE 3 STANDARDS ^a
MAXXAM Certificate of Analysis No.	B4N9500V1	B4N9500V1	B4N9487V1	B4N9487V1	B4N9487V1	B4N9466V1	B4N9466V1	
MAXXAM Sample ID	YX3350	YX3349	YX3296	YX3295	YX3294	YX3184	YX3185	
Date Sampled (yyyy/mm/dd)	2014/12/15	2014/12/15	2014/12/15	2014/12/15	2014/12/15	2014/12/15	2014/12/15	
PARAMETERS								
Arsenic	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1900
Barium	150	120	200	410	330	360	350	29 000
Chromium	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	810
Copper	<2.0	<2.0	1.4	<1.0	<5.0	<2.0	<2.0	87
Zinc	<5.0	<5.0	<5.0	<5.0	6.4	<5.0	<5.0	1100

^a - Ontario Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act (April 15, 2011), non-potable, all types of property use, medium and fine textured soils

"-" - Not analyzed

BOLD - Exceeds applicable standard

Results for all parameters are reported in micrograms per litre (µg/L)

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

APPENDIX A

BOREHOLE LOGS

BOREHOLE LOG

BOREHOLE LOCATION: 1545 Woodroffe Avenue, Ottawa, Ontario	REF. NO: 10-8518.3	BOREHOLE No: BH-301
CLIENT: Imperial Oil		START DATE: 2014/12/09
		COMPLETION DATE: 2014/12/09
		PAGE 1 of 1

Depth (m)	DESCRIPTION		SAMPLING				SOIL VAPOUR CONCENTRATION (ppmv)		COMMENTS AND MONITORING WELL NOTES	MONITORING WELL	Depth (ft)								
	STRATIGRAPHY	SYMBOL	SAMPLE TYPE	N° VALUE	RECOVERY %	ZONE TESTED	LAB SAMPLE NAME/ LAB ANALYSES	100				200	300	400					
0	GROUND SURFACE																		
0	ORGANIC MATERIAL.		G	-	-														
0	SILT - olive brown, sandy, some gravel, damp.		G	-	-														
0	SAND - olive, medium to fine grained, some gravel, damp.		G	-	-														
1			G	-	-														
3			SS	-	-														
4			SS	-	-		BH-301-4.0-4.4 / BTEX, PHC F1-F4, Hexane, PAH, Sel-Metals												
5	SAND - dark grayish brown, coarse to medium grained, trace gravel, moist.		SS	7	66														
6	SAND - dark gray, coarse to medium grained, gravelly, wet.		SS	14	75		BH-301-5.3-5.9 (DUP-01) / BTEX, PHC F1-F4, Hexane, PAH, Sel-Metals												
6.5	END OF BOREHOLE at 6.5 m																		
7	Borehole Daylighted to 2.4 m																		

Surface Cover:
Flush Mount, 203 mm

2014/12/15

Monitoring Well Installed
 Well Depth 6.4 m
 Well Diameter 51 mm
 Well Material PVC
 Screen Type 10 Slot
 Screened From 3.4 m
 Screened To 6.4 m

START DATE	START DEPTH	HOLE SIZE	EQUIPMENT	CONTRACTOR	GAS METER TYPE: RKI Eagle
2014/12/09	0.0 m	203 mm	Vacuum Excavator; Water Lance	Veolia ES Canada Services Inc.	LOGGED: TEM
2014/12/09	2.4 m	203 mm	CME-75; Hollow Stem Auger	Downing George Estate Drilling Ltd	REVIEW: HNL
					DRAFTED: LLB



8518.3 BHS.GPJ PARSONS PE&CEG REPORT LOG 60 PE&CEG DATA V3-R04.GDT PE&CEG LIBRARY V3-R07.GLB PREPARED: 2015/01/08 Mississauga PRINTED: 01/29/2015

BOREHOLE LOG

BOREHOLE LOCATION: 1545 Woodroffe Avenue, Ottawa, Ontario	REF. NO: 10-8518.3	BOREHOLE No: BH-303
CLIENT: Imperial Oil		START DATE: 2014/12/09
		COMPLETION DATE: 2014/12/10
		PAGE 1 of 2

Depth (m)	DESCRIPTION		SAMPLING				SOIL VAPOUR CONCENTRATION (ppmv)		COMMENTS AND MONITORING WELL NOTES	MONITORING WELL	Depth (ft)	
	STRATIGRAPHY	SYMBOL	SAMPLE TYPE	N° VALUE	RECOVERY %	ZONE TESTED	LAB SAMPLE NAME/ LAB ANALYSES	100				200
0	GROUND SURFACE											0
0	ORGANIC MATERIAL.											0
0.6	SILT - olive gray, sandy, some gravel, trace cobbles, damp.	G										0.6
0.6	- trace boulders below 0.6 m.											0.6
1.0		G										1.0
1.5		G										1.5
2.0	CLAY - olive gray, silty, some sand, moist.	G										2.0
2.5	SAND - olive gray, medium to fine grained, silty, some gravel, moist.	SS	9	100								2.5
3.0	CLAY - olive gray, silty, moist.	SS	4	100		BH-303-3.0-3.7 / BTEX, PHC F1-F4, VOC, PAH, Sel-Metals						3.0
3.5		SS										3.5
4.0	SILT - some clay, wet.	SS		100								4.0
4.0	- silt seams at 4.0 m.											4.0
4.5		SS	2	100								4.5
5.0		SS										5.0
5.5		SS	1	100		BH-303-5.3-5.9 / BTEX, PHC F1-F4, VOC, PAH, Sel-Metals						5.5
6.0	SAND - gray, medium to fine grained, gravelly, wet.	SS										6.0
7.0												7.0
8.0												8.0
9.0												9.0

Surface Cover:
Flush Mount, 203 mm

2014/12/15

8518.3 BHS.GPJ PARSONS PE&I CEG REPORT LOG 60 PE&I CEG DATA V3-R04.GDT PE&I CEG LIBRARY V3-R07.GLB PREPARED: 2015/01/08 MISSISSAUGA PRINTED: 01/29/2015

START DATE	START DEPTH	HOLE SIZE	EQUIPMENT	CONTRACTOR	GAS METER TYPE: RKI Eagle
2014/12/09	0.0 m	203 mm	Vacuum Excavator; Water Lance	Veolia ES Canada Services Inc.	LOGGED: TEM
2014/12/10	1.8 m	203 mm	CME-75; Hollow Stem Auger	Downing George Estate Drilling Ltd	REVIEW: HNL
					DRAFTED: LLB
PARSONS					

BOREHOLE LOG

BOREHOLE LOCATION: 1545 Woodroffe Avenue, Ottawa, Ontario	REF. NO: 10-8518.3	BOREHOLE No: BH-304
CLIENT: Imperial Oil		START DATE: 2014/12/10
		COMPLETION DATE: 2014/12/10
		PAGE 1 of 2

Depth (m)	DESCRIPTION		SAMPLING				SOIL VAPOUR CONCENTRATION				COMMENTS	BACKFILL	Depth (ft)				
	STRATIGRAPHY	SYMBOL	SAMPLE TYPE	N' VALUE	RECOVERY %	ZONE TESTED	LAB SAMPLE NAME/ LAB ANALYSES							▲ SOIL VAPOUR CONCENTRATION (ppmv)		◆ SOIL VAPOUR CONCENTRATION (%LEL)	
							100	200	300	400				20	40	60	80
0	GROUND SURFACE														0		
	GRAVEL - gray, some sand, trace cobbles.	○	G	-	-												
1	CLAY - olive gray, some silt, moist, petroleum odour.	▨	G	-	-												
2																	
3	SAND - olive gray, medium to fine grained, some gravel, wet.	●	G	-	-												
3.7			SS	-	100		BH-304-3.0-3.7 / BTEX, PHC F1-F4, Hexane, PAH, Sel-Metals										
4			SS	-	100												
5			SS	23	100												
5.2	- trace odour at 5.2 m.		SS	23	100		BH-304-5.3-5.9 (DUP-02) / BTEX, PHC F1-F4, Hexane, PAH, Sel-Metals										
6			SS	8	100												
7																	
8																	
9																	

START DATE	START DEPTH	HOLE SIZE	EQUIPMENT	CONTRACTOR	GAS METER TYPE: RKI Eagle		
2014/12/10	0.0 m	203 mm	Vacuum Excavator; Water Lance	Veolia ES Canada Services Inc.	LOGGED: TEM	REVIEW: HNL	DRAFTED: LLB
2014/12/10	2.7 m	203 mm	CME-75; Hollow Stem Auger	Downing George Estate Drilling Ltd			



8518.3 BHS.GPJ PARSONS PE&I CEG REPORT LOG 60 PE&I CEG DATA V3-R04.GDT PE&I CEG LIBRARY V3-R07.GLB PREPARED: 20150108 Mississauga PRINTED: 01/29/2015

BOREHOLE LOG

BOREHOLE LOCATION: 1545 Woodroffe Avenue, Ottawa, Ontario	REF. NO: 10-8518.3	BOREHOLE No: BH-304
CLIENT: Imperial Oil		START DATE: 2014/12/10
		COMPLETION DATE: 2014/12/10
		PAGE 2 of 2

Depth (m)	DESCRIPTION		SAMPLING				SOIL VAPOUR CONCENTRATION				COMMENTS	BACKFILL	Depth (ft)				
	STRATIGRAPHY	SYMBOL	SAMPLE TYPE	N' VALUE	RECOVERY %	ZONE TESTED	LAB SAMPLE NAME/ LAB ANALYSES							▲ SOIL VAPOUR CONCENTRATION (ppmv)		◆ SOIL VAPOUR CONCENTRATION (%LEL)	
							100	200	300	400				20	40	60	80
-9	SAND - olive gray, medium to fine grained, some gravel, wet. (stratum description carried forward)	[Symbol]													30		
-10															35		
-11																40	
-12																45	
-13																50	
-14			END OF BOREHOLE - Refusal at 14.0 m Borehole Daylighted to 2.7 m												No Monitoring Well Installed	55	
-15																60	
-16																65	
-17																70	
-18																75	

START DATE	START DEPTH	HOLE SIZE	EQUIPMENT	CONTRACTOR	GAS METER TYPE: RKI Eagle
2014/12/10	0.0 m	203 mm	Vacuum Excavator; Water Lance	Veolia ES Canada Services Inc.	LOGGED: TEM
2014/12/10	2.7 m	203 mm	CME-75; Hollow Stem Auger	Downing George Estate Drilling Ltd	REVIEW: HNL
					DRAFTED: LLB



8518.3 BHS.GPJ PARSONS PE&I CEG REPORT LOG 60 PE&I CEG DATA V3-R04.GDT PE&I CEG LIBRARY V3-R07.GLB PREPARED: 20150108 MISSISSAUGA PRINTED: 01/29/2015

BOREHOLE LOG

BOREHOLE LOCATION: 1545 Woodroffe Avenue, Ottawa, Ontario	REF. NO: 10-8518.3	BOREHOLE No: BH-305
CLIENT: Imperial Oil		START DATE: 2014/12/10
		COMPLETION DATE: 2014/12/10
		PAGE 1 of 2

Depth (m)	DESCRIPTION		SAMPLING				SOIL VAPOUR CONCENTRATION (ppmv)		COMMENTS AND MONITORING WELL NOTES	MONITORING WELL	Depth (ft)										
	STRATIGRAPHY	SYMBOL	SAMPLE TYPE	N' VALUE	RECOVERY %	ZONE TESTED	LAB SAMPLE NAME/ LAB ANALYSES	100				200	300	400							
0	GROUND SURFACE																				
0	ORGANIC MATERIAL.																				
0	SILT - olive brown, sandy, some gravel, trace cobbles, damp.	G	-	-	/																
0	- trace boulders below 0.6 m.																				
1		G	-	-	/																
2																					
3	CLAY - olive gray, some silt, trace sand, wet.	G	-	-	/																
3	- silt and sand seams at 2.4 m.																				
4		SS	4	75	/																
4	- wet below 4.0 m.	SS	2	79	/		BH-305-3.8-4.4 / BTEX, PHC F1-F4, Sel-VOC, PAH, PCB, Sel-Metals														
5		SS	-	79	/																
6		SS	-	79	/		BH-305-5.3-5.9 / BTEX, PHC F1-F4, Sel-VOC, PAH, PCB, Sel-Metals														
7		SS	-	0	/																
8		SS	-	0	/																
9																					

Surface Cover:
Flush Mount, 203 mm

2014/12/15








8518.3 BHS.GPJ PARSONS PE&I-CEG REPORT LOG 60 PE&I-CEG DATA V3-R04.GDT PE&I-CEG LIBRARY V3-R07.GLB PREPARED: 20150108 MISSISSAUGA PRINTED: 01/29/2015

START DATE	START DEPTH	HOLE SIZE	EQUIPMENT	CONTRACTOR	GAS METER TYPE: RKI Eagle		
2014/12/10	0.0 m	203 mm	Vacuum Excavator; Water Lance	Veolia ES Canada Services Inc.	LOGGED: TEM	REVIEW: HNL	DRAFTED: LLB
2014/12/10	2.4 m	203 mm	CME-75; Hollow Stem Auger	Downing George Estate Drilling Ltd			



BOREHOLE LOG

BOREHOLE LOCATION: 1545 Woodroffe Avenue, Ottawa, Ontario	REF. NO: 10-8518.3	BOREHOLE No: BH-307
CLIENT: Imperial Oil		START DATE: 2014/12/10
		COMPLETION DATE: 2014/12/11
		PAGE 1 of 1

Depth (m)	DESCRIPTION		SAMPLING				SOIL VAPOUR CONCENTRATION (ppmv)			COMMENTS	BACKFILL	Depth (ft)
	STRATIGRAPHY	SYMBOL	SAMPLE TYPE	N' VALUE	RECOVERY %	ZONE TESTED	LAB SAMPLE NAME/ LAB ANALYSES	100	200			
0	GROUND SURFACE											0
	ASPHALT.											
	GRAVEL - gray, sandy, some silt, trace cobbles, damp.		G	-	-							
1	SILT - dark olive, sandy, some gravel, trace clay, damp.											
	SAND - olive gray, medium to fine grained, damp.		G	-	-							
2												
3	SILT - dark gray, some clay, trace gravel, moist. - silt and sand seams.		G	-	-							
			SS	-	67							
4	CLAY - olive gray, silty, wet.		SS	1	79		BH-307-3.8-4.4 / BTEX, PHC F1-F4, Hexane, Lead, Sel-PAH					
5			SS	0	83							
6			SS	0	83							
7	SAND - olive gray, medium to fine grained, some gravel, wet, petroleum odour.		SS	6	75		BH-307-6.1-6.7 / BTEX, PHC F1-F4, Hexane, Lead, Sel-PAH					
8	END OF BOREHOLE at 7.3 m Borehole Daylighted to 2.4 m											
9												

No Monitoring Well Installed

START DATE	START DEPTH	HOLE SIZE	EQUIPMENT	CONTRACTOR	GAS METER TYPE: RKI Eagle
2014/12/10	0.0 m	203 mm	Vacuum Excavator; Water Lance	Veolia ES Canada Services Inc.	LOGGED: TEM
2014/12/11	2.4 m	203 mm	CME-75; Hollow Stem Auger	Downing George Estate Drilling Ltd	REVIEW: HNL
					DRAFTED: LLB



8518.3 BHS.GPJ PARSONS PE&I/CEG REPORT LOG 60 PE&I/CEG DATA V3-R04.GDT PE&I/CEG LIBRARY V3-R07.GLB PREPARED: 20150108 MISSISSAUGA PRINTED: 01/29/2015

BOREHOLE LOG

BOREHOLE LOCATION: 1545 Woodroffe Avenue, Ottawa, Ontario	REF. NO: 10-8518.3	BOREHOLE No: BH-308
CLIENT: Imperial Oil		START DATE: 2014/12/11
		COMPLETION DATE: 2014/12/12
		PAGE 1 of 1

Depth (m)	DESCRIPTION		SAMPLING				SOIL VAPOUR CONCENTRATION (ppmv)		COMMENTS AND MONITORING WELL NOTES	MONITORING WELL	Depth (ft)										
	STRATIGRAPHY	SYMBOL	SAMPLE TYPE	N' VALUE	RECOVERY %	ZONE TESTED	LAB SAMPLE NAME/ LAB ANALYSES	100				200	300	400							
0	GROUND SURFACE																				
	ORGANIC MATERIAL.																				
	SILT - olive brown, sandy, some gravel, trace cobbles, damp.	G	-	-																	
-1	- trace boulders below 1.2 m.	G	-	-																	
-2																					
-3	SILT - olive gray, sandy, some gravel, trace clay, moist.	G	-	-																	
-3.5	SILT - olive gray, clayey, wet.																				
-4	- sand seams.	SS	2	100			BH-308-3.0-3.7 / BTEX, PHC F1-F4, Sel-VOC, PAH, Sel-Metals														
-4.5		SS	2	100																	
-5	CLAY - gray, some silt, wet.	SS	-	100																	
-5.5	- silt seams below 5.3 m.	SS	-	100																	
-6		SS	-	100																	
-6.5		SS	-	100			BH-308-6.1-6.7 / BTEX, PHC F1-F4, Sel-VOC, PAH, Sel-Metals														
-7	END OF BOREHOLE at 6.7 m																				
-7.5	Borehole Daylighted to 2.4 m																				
-8																					
-9																					

Surface Cover:
Flush Mount, 203 mm

2014/12/15

Monitoring Well Installed
 Well Depth 6.1 m
 Well Diameter 51 mm
 Well Material PVC
 Screen Type 10 Slot
 Screened From 3.0 m
 Screened To 6.1 m

START DATE	START DEPTH	HOLE SIZE	EQUIPMENT	CONTRACTOR	GAS METER TYPE: RKI Eagle
2014/12/11	0.0 m	203 mm	Vacuum Excavator; Water Lance	Veolia ES Canada Services Inc.	LOGGED: TEM
2014/12/12	2.4 m	203 mm	CME-75; Hollow Stem Auger	Downing George Estate Drilling Ltd	REVIEW: HNL
					DRAFTED: LLB



BOREHOLE LOG

BOREHOLE LOCATION: 1545 Woodroffe Avenue, Ottawa, Ontario	REF. NO: 10-8518.3	BOREHOLE No: BH-309
CLIENT: Imperial Oil		START DATE: 2014/12/11
		COMPLETION DATE: 2014/12/12
		PAGE 1 of 1

Depth (m)	DESCRIPTION		SAMPLING				SOIL VAPOUR CONCENTRATION (ppmv)		COMMENTS AND MONITORING WELL NOTES	MONITORING WELL	Depth (ft)									
	STRATIGRAPHY	SYMBOL	SAMPLE TYPE	N° VALUE	RECOVERY %	ZONE TESTED	LAB SAMPLE NAME/ LAB ANALYSES	100				200	300	400						
0	GROUND SURFACE																			
	ASPHALT.																			
	GRAVEL - gray, sandy, trace silt, damp.	G	-	-	/															
1		G	-	-	/															
2		G	-	-	/															
3	CLAY - olive gray, silty, moist.	G	-	-	/															
3	CLAY - some silt, petroleum odour.	SS	-	83	/	BH-309-3.0-3.7 / BTEX, PHC F1-F4, Hexane, PAH, Sel-Metals														
4		SS	10	79	/															
4	- mottled olive gray and dark olive brown below 4.3 m.	SS	19	83	/															
5	SAND - olive gray, medium to fine grained, some gravel, trace cobbles, petroleum odour.	SS	12	75	/	BH-309-5.3-5.9 / BTEX, PHC F1-F4, Hexane, PAH, Sel-Metals														
5	- trace odour below 5.8 m.																			
6	END OF BOREHOLE at 6.2 m																			
6	Borehole Daylighted to 2.4 m																			

Surface Cover:
Flush Mount, 203 mm

2014/12/15

Monitoring Well Installed
Well Depth 6.1 m
Well Diameter 51 mm
Well Material PVC
Screen Type 10 Slot
Screened From 3.0 m
Screened To 6.1 m

START DATE	START DEPTH	HOLE SIZE	EQUIPMENT	CONTRACTOR	GAS METER TYPE: RKI Eagle
2014/12/11	0.0 m	203 mm	Vacuum Excavator; Water Lance	Veolia ES Canada Services Inc.	LOGGED: TEM
2014/12/12	2.4 m	203 mm	CME-75; Hollow Stem Auger	Downing George Estate Drilling Ltd	REVIEW: HNL
					DRAFTED: LLB



BOREHOLE LOG

BOREHOLE LOCATION: 1545 Woodroffe Avenue, Ottawa, Ontario	REF. NO: 10-8518.3	BOREHOLE No: BH-310
CLIENT: Imperial Oil		START DATE: 2014/12/12
		COMPLETION DATE: 2014/12/13
		PAGE 1 of 1

Depth (m)	DESCRIPTION		SAMPLING				SOIL VAPOUR CONCENTRATION (ppmv)			COMMENTS	BACKFILL	Depth (ft)
	STRATIGRAPHY	SYMBOL	SAMPLE TYPE	SAMPLE RUN	RECOVERY %	ZONE TESTED	LAB SAMPLE NAME/ LAB ANALYSES	100	200			
0	GROUND SURFACE											0
0 - 0.5	ORGANIC MATERIAL.											
0.5 - 1.5	SAND - olive brown, medium to fine grained, gravelly, some silt, damp.	G	X	-	/							
1.5 - 2.4	SILT - olive brown, clayey, some gravel, trace sand, moist.	G	X	-	/							
2.4 - 3.0	- olive gray below 2.4 m.	G	X	-	/							
3.0 - 3.7	SILT - olive gray, some sand, trace clay, wet.	SL	X	-	/	BH-310-3.0-3.7 / BTEX, PHC F1-F4, Hexane, PAH, Sel-Metals						
3.7 - 5.5		SL	X	-	/							
5.5 - 6.1	CLAY - olive gray, some silt, wet.	SL	X	-	/	BH-310-5.5-6.1 / BTEX, PHC F1-F4, Hexane, PAH, Sel-Metals						
6.1 - 6.7	SAND - gray, trace cobbles, trace gravel, wet.	SL	X	-	/							
6.7 - 7.0	END OF BOREHOLE at 6.7 m Borehole Daylighted to 2.4 m											

No Monitoring Well Installed

START DATE	START DEPTH	HOLE SIZE	EQUIPMENT	CONTRACTOR	GAS METER TYPE: RKI Eagle		
2014/12/12	0.0 m	203 mm	Vacuum Excavator; Water Lance	Veolia ES Canada Services Inc.	LOGGED: TEM	REVIEW: HNL	DRAFTED: LLB
2014/12/13	2.4 m	203 mm	Geoprobe; Continuous Sampler	Downing George Estate Drilling Ltd			



8518.3 BHS.GPJ PARSONS PE&I/CEG REPORT LOG 60 PE&I/CEG DATA V3-R04.GDT PE&I/CEG LIBRARY V3-R07.GLB PREPARED: 20150108 Mississauga PRINTED: 01/29/2015

APPENDIX B

MOECC WELL RECORD



Well Tag No. of Deepest Well: (Print Well Tag No.) A148000 Well # on Drawing of Deepest Well: 308

All measurements recorded in: [X] Metric [] Imperial

Follow instructions on the front and back of this form. Print or Type

Well Cluster Location Information: Address of Well Location (Street Number(s)/Name(s), RR, if available) 1545 WOODROFFE AVENUE, City, Town, Village or Hamlet OTTAWA, Province Ontario, GPS Unit Make GARMIN, Model ETREX, Unit Mode of Operation [] Undifferentiated [X] Averaged

Mandatory Attachments/Additional Information: [X] Land Owner Consent Form must be attached. [X] Detailed Drawing of All Well Locations must be attached. Signature of Technician/Contractor [Signature], Date (yyyy/mm/dd) 2015/03/13

Well Details

Table with columns: Well # on Drawing, UTM Coordinates (Zone, Easting, Northing), Hole Depth (m/ft), Hole Diameter (cm/in), Method of Construction, Casing Material; Diameter (cm/in), Casing (m/ft) From/To, Screen Interval (m/ft) From/To, Annular Space Material (m/ft) From/To, Material, Overburden/Bedrock or Abandonment Filing Material Intervals (m/ft), Static Water Level (m/ft), Date of Completion (yyyy/mm/dd). Rows include wells 301, 302, 309, 303, 305, 306, 308.

Well Contractor and Well Technician Information: Business Name of Well Contractor GEORGE DOWNING ESTATE DRILLING, Business Address 410 RUE PRINCIPALE GREENVILLE SUR LA RIVIERE QC, Well Contractor's Licence No. 1844, Well Technician's Licence No. 2173, Name of Well Technician BRUCE DOWNING, Date Submitted 2015/03/13

Date First Well in Cluster Constructed or Abandoned (yyyy/mm/dd) 2014/12/09, Date Last Well in Cluster Completed (yyyy/mm/dd) 2014/12/12, Well Abandonment: Person Abandoning the Wells: Name [Signature], (Print or Type) - See instruction 11 on the back of this form

Ministry Use Only: Date Received (yyyy/mm/dd), Audit No. C23847, Comments:

**Well Record for Well Cluster - Part 2 of 3
Land Owner Consent**

This form is to be completed by the person who constructs or abandons test holes or dewatering wells that form all or part of a well cluster. If this form is being used to report any well abandonment, these wells must have been previously reported as part of a single well cluster.

Note: For well cluster records, only the owners of the land on which the wells are situated are to give written consent. If the well purchaser (e.g. a consultant who hires the driller) is not the owner of the land, then the well purchaser cannot sign the consent form.


By signing this form, land owners are providing consent to use one well record to report a well cluster of test holes or dewatering wells in accordance with section 16.4 of Regulation 903 made under the *Ontario Water Resources Act*.

This completed **Well Record for Well Cluster Part 2 - Land Owner Consent** must be attached to Parts 1 and 3.

* Please PRINT if completing by hand.

Well Tag Number: # A148000

"Well Record for Well Cluster" Audit Number: # C23847

Well # on Detailed Drawing	Property Location Description	Land Owner's Name	Signature of Land Owner	Date Signed (yyyy/mm/dd)
301, 302 303, 305 306, 308 309	1545 WOODROFFE AVENUE OTTAWA, ON	IMPERIAL OIL LTD. 1 DUNCAN MILL ROAD TORONTO, ON M3B 1Z3		2015/03/24


Well Owner's Copy

Note: This Well Record for Well Cluster Part 3 - Detailed Drawing of all Well Locations, must be attached to Parts 1 and 2. The drawing must include all property boundaries, an arrow indicating the North direction, all named roads and sufficient measurements to locate all wells in the cluster in relation to fixed points. The drawing must show the location of each well and each well must be numbered on the drawing to match number used for that well on the Well Record for Well Cluster Parts 1 and 2. The well with the well tag must be clearly identified on the Drawing.

UTM coordinates should appear beside each well, if space permits. Additional comments on wells can be included on the drawing

Well Tag Number: # A148000

"Well Record for Well Cluster" Form Audit Number: # C23847



APPENDIX C

LABORATORY CERTIFICATES OF ANALYSIS – SOIL AND GROUNDWATER

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-02-01

Report Date: 2014/12/22
Report #: R3267771
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N6049

Received: 2014/12/12, 14:55

Sample Matrix: Soil
Samples Received: 5

Analyses	Quantity	Laboratory Method	Primary Reference
Methylnaphthalene Sum	5	CAM SOP-00301	EPA 8270D m
Petroleum Hydro. CCME F1 & BTEX in Soil	5	CAM SOP-00315	CCME PHC-CWS m
Petroleum Hydrocarbons F2-F4 in Soil	5	CAM SOP-00316	CCME CWS m
Strong Acid Leachable Metals by ICPMS	5	CAM SOP-00447	EPA 6020A m
Moisture	5	CAM SOP-00445	Carter 2nd ed 51.2 m
PAH Compounds in Soil by GC/MS (SIM)	5	CAM SOP-00318	EPA 8270D m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-02-01

Report Date: 2014/12/22
Report #: R3267771
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N6049

Received: 2014/12/12, 14:55

Encryption Key



Patricia Legette

22 Dec 2014 11:41:42 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

Kudrat Bajwa, B.Sc., Project Manager

Email: KBajwa@maxxam.ca

Phone# (905)817-5822

=====
Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N6049
Report Date: 2014/12/22

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

HBTEX/F1-F4 PET. HYDROCARBONS IN SOIL (SOIL)

Maxxam ID		YV6417	YV6417	YV6418	YV6419	YV6420	YV6421		
Sampling Date		2014/12/09 12:45	2014/12/09 12:45	2014/12/09 13:30	2014/12/09 13:30	2014/12/09 14:20	2014/12/09 15:10		
COC Number		496344-02-01	496344-02-01	496344-02-01	496344-02-01	496344-02-01	496344-02-01		
	Units	BH-301-4.0-4.4	BH-301-4.0-4.4 Lab-Dup	BH-301-5.3-5.9	DUP-01	BH-302-2.4-3.0	BH-302-5.3-5.9	RDL	QC Batch
Benzene	ug/g	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.020	3864469
Toluene	ug/g	0.027	0.026	<0.020	<0.020	<0.020	<0.020	0.020	3864469
Ethylbenzene	ug/g	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.020	3864469
o-Xylene	ug/g	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.020	3864469
p+m-Xylene	ug/g	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	0.040	3864469
Total Xylenes	ug/g	<0.040	<0.040	<0.040	<0.040	<0.040	<0.040	0.040	3864469
Hexane	ug/g	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.50	3864469
F1 (C6-C10)	ug/g	<10	<10	<10	<10	<10	<10	10	3864469
F1 (C6-C10) - BTEX	ug/g	<10	<10	<10	<10	<10	<10	10	3864469
F2 (C10-C16 Hydrocarbons)	ug/g	<10	<10	<10	<10	<10	<10	10	3864687
F3 (C16-C34 Hydrocarbons)	ug/g	<50	<50	<50	<50	<50	<50	50	3864687
F4 (C34-C50 Hydrocarbons)	ug/g	<50	<50	<50	<50	<50	<50	50	3864687
Reached Baseline at C50	ug/g	Yes	Yes	Yes	Yes	Yes	Yes		3864687
Extraction Surrogate Recovery (%)									
D10-Ethylbenzene	%	89	88	90	92	94	94		3864469
o-Terphenyl	%	84	87	86	96	88	84		3864687
Instrument Surrogate Recovery (%)									
1,4-Difluorobenzene	%	100	101	100	100	101	100		3864469
4-Bromofluorobenzene	%	99	94	97	100	98	95		3864469
D4-1,2-Dichloroethane	%	102	103	103	103	103	103		3864469
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate									

Maxxam Job #: B4N6049
Report Date: 2014/12/22

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

O.REG 153 PAHS (SOIL)

Maxxam ID		YV6417	YV6417	YV6418	YV6419	YV6420		
Sampling Date		2014/12/09 12:45	2014/12/09 12:45	2014/12/09 13:30	2014/12/09 13:30	2014/12/09 14:20		
COC Number		496344-02-01	496344-02-01	496344-02-01	496344-02-01	496344-02-01		
	Units	BH-301-4.0-4.4	BH-301-4.0-4.4 Lab-Dup	BH-301-5.3-5.9	DUP-01	BH-302-2.4-3.0	RDL	QC Batch
Moisture	%	9.2		15	16	31	1.0	3862366
Methylnaphthalene, 2-(1-)	ug/g	<0.0071	<0.0071	<0.0071	<0.0071	<0.0071	0.0071	3857765
Acenaphthene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Acenaphthylene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Anthracene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Benzo(a)anthracene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Benzo(a)pyrene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Benzo(b/j)fluoranthene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Benzo(g,h,i)perylene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Benzo(k)fluoranthene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Chrysene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Dibenz(a,h)anthracene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Fluoranthene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Fluorene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Indeno(1,2,3-cd)pyrene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
1-Methylnaphthalene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
2-Methylnaphthalene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Naphthalene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Phenanthrene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3863326
Pyrene	ug/g	0.0061	0.0092	<0.0050	<0.0050	<0.0050	0.0050	3863326
Extraction Surrogate Recovery (%)								
D10-Anthracene	%	94	93	94	95	93		3863326
D14-Terphenyl (FS)	%	85	82	85	84	84		3863326
D8-Acenaphthylene	%	80	80	83	78	81		3863326
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate								

Maxxam Job #: B4N6049
Report Date: 2014/12/22

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

O.REG 153 PAHS (SOIL)

Maxxam ID		YV6421		
Sampling Date		2014/12/09 15:10		
COC Number		496344-02-01		
	Units	BH-302-5.3-5.9	RDL	QC Batch
Moisture	%	6.8	1.0	3862366
Methylnaphthalene, 2-(1-)	ug/g	<0.0071	0.0071	3857765
Acenaphthene	ug/g	<0.0050	0.0050	3863326
Acenaphthylene	ug/g	<0.0050	0.0050	3863326
Anthracene	ug/g	<0.0050	0.0050	3863326
Benzo(a)anthracene	ug/g	<0.0050	0.0050	3863326
Benzo(a)pyrene	ug/g	<0.0050	0.0050	3863326
Benzo(b/j)fluoranthene	ug/g	<0.0050	0.0050	3863326
Benzo(g,h,i)perylene	ug/g	<0.0050	0.0050	3863326
Benzo(k)fluoranthene	ug/g	<0.0050	0.0050	3863326
Chrysene	ug/g	<0.0050	0.0050	3863326
Dibenz(a,h)anthracene	ug/g	<0.0050	0.0050	3863326
Fluoranthene	ug/g	<0.0050	0.0050	3863326
Fluorene	ug/g	<0.0050	0.0050	3863326
Indeno(1,2,3-cd)pyrene	ug/g	<0.0050	0.0050	3863326
1-Methylnaphthalene	ug/g	<0.0050	0.0050	3863326
2-Methylnaphthalene	ug/g	<0.0050	0.0050	3863326
Naphthalene	ug/g	<0.0050	0.0050	3863326
Phenanthrene	ug/g	<0.0050	0.0050	3863326
Pyrene	ug/g	<0.0050	0.0050	3863326
Extraction Surrogate Recovery (%)				
D10-Anthracene	%	93		3863326
D14-Terphenyl (FS)	%	82		3863326
D8-Acenaphthylene	%	96		3863326
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B4N6049
Report Date: 2014/12/22

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

ELEMENTS BY ATOMIC SPECTROSCOPY (SOIL)

Maxxam ID		YV6417	YV6417	YV6418	YV6419	YV6420		
Sampling Date		2014/12/09 12:45	2014/12/09 12:45	2014/12/09 13:30	2014/12/09 13:30	2014/12/09 14:20		
COC Number		496344-02-01	496344-02-01	496344-02-01	496344-02-01	496344-02-01		
	Units	BH-301-4.0-4.4	BH-301-4.0-4.4 Lab-Dup	BH-301-5.3-5.9	DUP-01	BH-302-2.4-3.0	RDL	QC Batch
Acid Extractable Arsenic (As)	ug/g	<1.0	<1.0	<1.0	<1.0	1.1	1.0	3866057
Acid Extractable Barium (Ba)	ug/g	32	25	23	28	220	0.50	3866057
Acid Extractable Chromium (Cr)	ug/g	8.0	7.2	9.0	5.2	44	1.0	3866057
Acid Extractable Copper (Cu)	ug/g	6.3	5.9	9.7	25	21	0.50	3866057
Acid Extractable Lead (Pb)	ug/g	6.2	5.9	5.4	2.8	5.3	1.0	3866057
Acid Extractable Zinc (Zn)	ug/g	11	16	11	30	51	5.0	3866057
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate								

Maxxam ID		YV6421		
Sampling Date		2014/12/09 15:10		
COC Number		496344-02-01		
	Units	BH-302-5.3-5.9	RDL	QC Batch
Acid Extractable Arsenic (As)	ug/g	<1.0	1.0	3866057
Acid Extractable Barium (Ba)	ug/g	42	0.50	3866057
Acid Extractable Chromium (Cr)	ug/g	6.4	1.0	3866057
Acid Extractable Copper (Cu)	ug/g	9.6	0.50	3866057
Acid Extractable Lead (Pb)	ug/g	2.1	1.0	3866057
Acid Extractable Zinc (Zn)	ug/g	13	5.0	3866057
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B4N6049
Report Date: 2014/12/22

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YV6417
Sample ID: BH-301-4.0-4.4
Matrix: Soil

Collected: 2014/12/09
Relinquished: 2014/12/11
Received: 2014/12/12

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3857765	N/A	2014/12/18	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3864469	2014/12/13	2014/12/18	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3864687	2014/12/18	2014/12/18	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866057	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3862366	N/A	2014/12/16	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3863326	2014/12/17	2014/12/18	Yuan Zhou

Maxxam ID: YV6417 Dup
Sample ID: BH-301-4.0-4.4
Matrix: Soil

Collected: 2014/12/09
Relinquished: 2014/12/11
Received: 2014/12/12

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3857765	N/A	2014/12/19	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3864469	2014/12/13	2014/12/18	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3864687	2014/12/18	2014/12/18	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866057	2014/12/19	2014/12/19	Grace Bu
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3863326	2014/12/17	2014/12/18	Yuan Zhou

Maxxam ID: YV6418
Sample ID: BH-301-5.3-5.9
Matrix: Soil

Collected: 2014/12/09
Relinquished: 2014/12/11
Received: 2014/12/12

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3857765	N/A	2014/12/18	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3864469	2014/12/13	2014/12/18	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3864687	2014/12/18	2014/12/18	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866057	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3862366	N/A	2014/12/16	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3863326	2014/12/17	2014/12/18	Yuan Zhou

Maxxam ID: YV6419
Sample ID: DUP-01
Matrix: Soil

Collected: 2014/12/09
Relinquished: 2014/12/11
Received: 2014/12/12

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3857765	N/A	2014/12/18	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3864469	2014/12/13	2014/12/18	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3864687	2014/12/18	2014/12/18	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866057	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3862366	N/A	2014/12/16	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3863326	2014/12/17	2014/12/18	Yuan Zhou

Maxxam Job #: B4N6049
Report Date: 2014/12/22

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YV6420
Sample ID: BH-302-2.4-3.0
Matrix: Soil

Collected: 2014/12/09
Relinquished: 2014/12/11
Received: 2014/12/12

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3857765	N/A	2014/12/18	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3864469	2014/12/13	2014/12/18	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3864687	2014/12/18	2014/12/18	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866057	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3862366	N/A	2014/12/16	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3863326	2014/12/17	2014/12/18	Yuan Zhou

Maxxam ID: YV6421
Sample ID: BH-302-5.3-5.9
Matrix: Soil

Collected: 2014/12/09
Relinquished: 2014/12/11
Received: 2014/12/12

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3857765	N/A	2014/12/19	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3864469	2014/12/13	2014/12/18	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3864687	2014/12/18	2014/12/18	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866057	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3862366	N/A	2014/12/16	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3863326	2014/12/17	2014/12/18	Yuan Zhou

Maxxam Job #: B4N6049
Report Date: 2014/12/22

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	2.0°C
-----------	-------

Results relate only to the items tested.

Maxxam Job #: B4N6049
Report Date: 2014/12/22

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC				Date					
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits	
3863326	YZ	Method Blank	D10-Anthracene	2014/12/17		93	%	50 - 130	
			D14-Terphenyl (FS)	2014/12/17		85	%	50 - 130	
			D8-Acenaphthylene	2014/12/17		81	%	50 - 130	
			Acenaphthene	2014/12/17	<0.0050			ug/g	
			Acenaphthylene	2014/12/17	<0.0050			ug/g	
			Anthracene	2014/12/17	<0.0050			ug/g	
			Benzo(a)anthracene	2014/12/17	<0.0050			ug/g	
			Benzo(a)pyrene	2014/12/17	<0.0050			ug/g	
			Benzo(b/j)fluoranthene	2014/12/17	<0.0050			ug/g	
			Benzo(g,h,i)perylene	2014/12/17	<0.0050			ug/g	
			Benzo(k)fluoranthene	2014/12/17	<0.0050			ug/g	
			Chrysene	2014/12/17	<0.0050			ug/g	
			Dibenz(a,h)anthracene	2014/12/17	<0.0050			ug/g	
			Fluoranthene	2014/12/17	<0.0050			ug/g	
			Fluorene	2014/12/17	<0.0050			ug/g	
			Indeno(1,2,3-cd)pyrene	2014/12/17	<0.0050			ug/g	
			1-Methylnaphthalene	2014/12/17	<0.0050			ug/g	
			2-Methylnaphthalene	2014/12/17	<0.0050			ug/g	
			Naphthalene	2014/12/17	<0.0050			ug/g	
Phenanthrene	2014/12/17	<0.0050			ug/g				
Pyrene	2014/12/17	<0.0050			ug/g				
3864469	JXI	Method Blank	1,4-Difluorobenzene	2014/12/18		96	%	60 - 140	
			4-Bromofluorobenzene	2014/12/18		102	%	60 - 140	
			D10-Ethylbenzene	2014/12/18		82	%	60 - 140	
			D4-1,2-Dichloroethane	2014/12/18		97	%	60 - 140	
			Benzene	2014/12/18	<0.020			ug/g	
			Toluene	2014/12/18	<0.020			ug/g	
			Ethylbenzene	2014/12/18	<0.020			ug/g	
			o-Xylene	2014/12/18	<0.020			ug/g	
			p+m-Xylene	2014/12/18	<0.040			ug/g	
			Total Xylenes	2014/12/18	<0.040			ug/g	
			Hexane	2014/12/18	<0.50			ug/g	
			F1 (C6-C10)	2014/12/18	<10			ug/g	
			F1 (C6-C10) - BTEX	2014/12/18	<10			ug/g	
			o-Terphenyl	2014/12/18		84	%	60 - 130	
3864687	JKA	Method Blank	F2 (C10-C16 Hydrocarbons)	2014/12/18	<10		ug/g		
			F3 (C16-C34 Hydrocarbons)	2014/12/18	<50		ug/g		
			F4 (C34-C50 Hydrocarbons)	2014/12/18	<50		ug/g		
3866057	GBU	Method Blank	Acid Extractable Arsenic (As)	2014/12/19	<1.0		ug/g		
			Acid Extractable Barium (Ba)	2014/12/19	<0.50		ug/g		
			Acid Extractable Chromium (Cr)	2014/12/19	<1.0		ug/g		
			Acid Extractable Copper (Cu)	2014/12/19	<0.50		ug/g		
			Acid Extractable Lead (Pb)	2014/12/19	<1.0		ug/g		
			Acid Extractable Zinc (Zn)	2014/12/19	<5.0		ug/g		
3863326	YZ	RPD [YV6417-02]	Acenaphthene	2014/12/18	NC		%	40	
			Acenaphthylene	2014/12/18	NC		%	40	
			Anthracene	2014/12/18	NC		%	40	
			Benzo(a)anthracene	2014/12/18	NC		%	40	
			Benzo(a)pyrene	2014/12/18	NC		%	40	
			Benzo(b/j)fluoranthene	2014/12/18	NC		%	40	
			Benzo(g,h,i)perylene	2014/12/18	NC		%	40	

Maxxam Job #: B4N6049
Report Date: 2014/12/22

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC			Parameter	Date	Value	Recovery	Units	QC Limits
Batch	Init	QC Type		Analyzed				
			Benzo(k)fluoranthene	2014/12/18	NC		%	40
			Chrysene	2014/12/18	NC		%	40
			Dibenz(a,h)anthracene	2014/12/18	NC		%	40
			Fluoranthene	2014/12/18	NC		%	40
			Fluorene	2014/12/18	NC		%	40
			Indeno(1,2,3-cd)pyrene	2014/12/18	NC		%	40
			1-Methylnaphthalene	2014/12/18	NC		%	40
			2-Methylnaphthalene	2014/12/18	NC		%	40
			Naphthalene	2014/12/18	NC		%	40
			Phenanthrene	2014/12/18	NC		%	40
			Pyrene	2014/12/18	NC		%	40
3864469	JXI	RPD [YV6417-05]	Benzene	2014/12/18	NC		%	50
			Toluene	2014/12/18	NC		%	50
			Ethylbenzene	2014/12/18	NC		%	50
			o-Xylene	2014/12/18	NC		%	50
			p+m-Xylene	2014/12/18	NC		%	50
			Total Xylenes	2014/12/18	NC		%	50
			Hexane	2014/12/18	NC		%	50
			F1 (C6-C10)	2014/12/18	NC		%	30
			F1 (C6-C10) - BTEX	2014/12/18	NC		%	30
3864687	JKA	RPD [YV6417-04]	F2 (C10-C16 Hydrocarbons)	2014/12/18	NC		%	30
			F3 (C16-C34 Hydrocarbons)	2014/12/18	NC		%	30
			F4 (C34-C50 Hydrocarbons)	2014/12/18	NC		%	30
3866057	GBU	RPD [YV6417-01]	Acid Extractable Arsenic (As)	2014/12/19	NC		%	30
			Acid Extractable Barium (Ba)	2014/12/19	22		%	30
			Acid Extractable Chromium (Cr)	2014/12/19	9.5		%	30
			Acid Extractable Copper (Cu)	2014/12/19	5.8		%	30
			Acid Extractable Lead (Pb)	2014/12/19	4.8		%	30
			Acid Extractable Zinc (Zn)	2014/12/19	NC		%	30
3863326	YZ	Matrix Spike [YV6417-02]	D10-Anthracene	2014/12/18		83	%	50 - 130
			D14-Terphenyl (FS)	2014/12/18		78	%	50 - 130
			D8-Acenaphthylene	2014/12/18		81	%	50 - 130
			Acenaphthene	2014/12/18		86	%	50 - 130
			Acenaphthylene	2014/12/18		85	%	50 - 130
			Anthracene	2014/12/18		84	%	50 - 130
			Benzo(a)anthracene	2014/12/18		87	%	50 - 130
			Benzo(a)pyrene	2014/12/18		87	%	50 - 130
			Benzo(b/j)fluoranthene	2014/12/18		90	%	50 - 130
			Benzo(g,h,i)perylene	2014/12/18		87	%	50 - 130
			Benzo(k)fluoranthene	2014/12/18		84	%	50 - 130
			Chrysene	2014/12/18		87	%	50 - 130
			Dibenz(a,h)anthracene	2014/12/18		86	%	50 - 130
			Fluoranthene	2014/12/18		88	%	50 - 130
			Fluorene	2014/12/18		80	%	50 - 130
			Indeno(1,2,3-cd)pyrene	2014/12/18		88	%	50 - 130
			1-Methylnaphthalene	2014/12/18		88	%	50 - 130
			2-Methylnaphthalene	2014/12/18		85	%	50 - 130
			Naphthalene	2014/12/18		83	%	50 - 130
			Phenanthrene	2014/12/18		81	%	50 - 130
			Pyrene	2014/12/18		87	%	50 - 130
3864469	JXI	Matrix Spike [YV6417-05]	1,4-Difluorobenzene	2014/12/18		100	%	60 - 140

Maxxam Job #: B4N6049
Report Date: 2014/12/22

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC			Parameter	Date	Value	Recovery	Units	QC Limits
Batch	Init	QC Type		Analyzed				
			4-Bromofluorobenzene	2014/12/18		104	%	60 - 140
			D10-Ethylbenzene	2014/12/18		99	%	60 - 140
			D4-1,2-Dichloroethane	2014/12/18		102	%	60 - 140
			Benzene	2014/12/18		94	%	60 - 140
			Toluene	2014/12/18		90	%	60 - 140
			Ethylbenzene	2014/12/18		100	%	60 - 140
			o-Xylene	2014/12/18		106	%	60 - 140
			p+m-Xylene	2014/12/18		96	%	60 - 140
			Hexane	2014/12/18		84	%	60 - 140
			F1 (C6-C10)	2014/12/18		95	%	60 - 140
3864687	JKA	Matrix Spike [YV6417-04]	o-Terphenyl	2014/12/18		86	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/18		100	%	50 - 130
			F3 (C16-C34 Hydrocarbons)	2014/12/18		99	%	50 - 130
			F4 (C34-C50 Hydrocarbons)	2014/12/18		99	%	50 - 130
3866057	GBU	Matrix Spike [YV6417-01]	Acid Extractable Arsenic (As)	2014/12/19		101	%	75 - 125
			Acid Extractable Barium (Ba)	2014/12/19		NC	%	75 - 125
			Acid Extractable Chromium (Cr)	2014/12/19		102	%	75 - 125
			Acid Extractable Copper (Cu)	2014/12/19		109	%	75 - 125
			Acid Extractable Lead (Pb)	2014/12/19		103	%	75 - 125
			Acid Extractable Zinc (Zn)	2014/12/19		110	%	75 - 125
3863326	YZ	LCS	D10-Anthracene	2014/12/17		87	%	50 - 130
			D14-Terphenyl (FS)	2014/12/17		79	%	50 - 130
			D8-Acenaphthylene	2014/12/17		82	%	50 - 130
			Acenaphthene	2014/12/17		86	%	50 - 130
			Acenaphthylene	2014/12/17		85	%	50 - 130
			Anthracene	2014/12/17		85	%	50 - 130
			Benzo(a)anthracene	2014/12/17		86	%	50 - 130
			Benzo(a)pyrene	2014/12/17		89	%	50 - 130
			Benzo(b/j)fluoranthene	2014/12/17		101	%	50 - 130
			Benzo(g,h,i)perylene	2014/12/17		86	%	50 - 130
			Benzo(k)fluoranthene	2014/12/17		86	%	50 - 130
			Chrysene	2014/12/17		88	%	50 - 130
			Dibenz(a,h)anthracene	2014/12/17		82	%	50 - 130
			Fluoranthene	2014/12/17		90	%	50 - 130
			Fluorene	2014/12/17		86	%	50 - 130
			Indeno(1,2,3-cd)pyrene	2014/12/17		92	%	50 - 130
			1-Methylnaphthalene	2014/12/17		91	%	50 - 130
			2-Methylnaphthalene	2014/12/17		86	%	50 - 130
			Naphthalene	2014/12/17		87	%	50 - 130
			Phenanthrene	2014/12/17		84	%	50 - 130
			Pyrene	2014/12/17		89	%	50 - 130
3864469	JXI	LCS	1,4-Difluorobenzene	2014/12/18		98	%	60 - 140
			4-Bromofluorobenzene	2014/12/18		107	%	60 - 140
			D10-Ethylbenzene	2014/12/18		98	%	60 - 140
			D4-1,2-Dichloroethane	2014/12/18		102	%	60 - 140
			Benzene	2014/12/18		108	%	60 - 140
			Toluene	2014/12/18		100	%	60 - 140
			Ethylbenzene	2014/12/18		107	%	60 - 140
			o-Xylene	2014/12/18		111	%	60 - 140
			p+m-Xylene	2014/12/18		104	%	60 - 140
			Hexane	2014/12/18		107	%	60 - 140

Maxxam Job #: B4N6049
Report Date: 2014/12/22

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	Units	QC Limits
3864687	JKA	LCS	F1 (C6-C10)	2014/12/18		102	%	80 - 120
			o-Terphenyl	2014/12/18		87	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/18		100	%	80 - 120
			F3 (C16-C34 Hydrocarbons)	2014/12/18		96	%	80 - 120
3866057	GBU	LCS	F4 (C34-C50 Hydrocarbons)	2014/12/18		98	%	80 - 120
			Acid Extractable Arsenic (As)	2014/12/19		101	%	80 - 120
			Acid Extractable Barium (Ba)	2014/12/19		107	%	80 - 120
			Acid Extractable Chromium (Cr)	2014/12/19		100	%	80 - 120
			Acid Extractable Copper (Cu)	2014/12/19		101	%	80 - 120
			Acid Extractable Lead (Pb)	2014/12/19		102	%	80 - 120
			Acid Extractable Zinc (Zn)	2014/12/19		99	%	80 - 120

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

NC (Matrix Spike): The recovery in the matrix spike was not calculated. The relative difference between the concentration in the parent sample and the spiked amount was too small to permit a reliable recovery calculation (matrix spike concentration was less than 2x that of the native sample concentration).

NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (one or both samples < 5x RDL).

Maxxam Job #: B4N6049
Report Date: 2014/12/22

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Services

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road
Mississauga, Ontario L5N 2L8
www.maxxam.ca

Phone: (905) 817-5700
Fax: (905) 817-5777
Toll Free: 800-563-6266

**EXXONMOBIL/IMPERIAL OIL - MAXXAM
CHAIN-OF-CUSTODY RECORD
ANALYSIS REQUESTED**

Page | of |
C of C # 496344-02-01



INVOICE INFORMATION				REPORT INFORMATION																					
Company Name: Imperial Oil, a partnership of Imperial Oil Limited and McColl Frontenac Petrole				Company Name: Parsons																					
Contact Name: Daniel Grenzowski				Contact Name: Holly Losignore																					
Address: 1 Duncan Mill Road North York ON M3B 1Z2				Address: 3715 Laird Road Suite 100 Mississauga ON L5L 0A3																					
Email: daniel.grenzowski@esso.ca				Email: Holly.Losignore@parsons.com; labreport@																					
Phone: (416) 442-5012 x				Phone: (905) 569-4111 x																					
Sampler Name (Print): Edward Parker				Consultant Project #: 10-8518.3																					
FIELD SAMPLE ID	MATRIX				# CONTAINERS	SAMPLING		FIELD FILTERED & PRESERVED	LAB FILTRATION REQUIRED	F1 / BTEX	F2 - F4	PAHs	VOCs	Lead	ICPMS Metals	TCLP VOC	TCLP Inorganics	TCLP SVOCs	TCLP PCBs	TCLP B(a)P	PCBs	Hexane	Metals (G) - Arsenic, Barium, Chromium, Copper, Lead, Zinc		
	GROUND WATER	SURFACE WATER	SOIL	OTHER		DATE (YYYYMMDD)	TIME (24 HR)																		
1			✓		6	2014/12/09	12:45			✓	✓	✓													
2			✓		6	2014/12/09	13:30			✓	✓	✓													
3			✓		6	2014/12/09	13:30			✓	✓	✓													
4			✓		6	2014/12/09	14:20			✓	✓	✓													
5			✓		6	2014/12/09	15:10			✓	✓	✓													
6						YYYYMMDD	HH:MM																		
7						YYYYMMDD	HH:MM																		
8						YYYYMMDD	HH:MM																		
9						YYYYMMDD	HH:MM																		
10						YYYYMMDD	HH:MM																		

IOL SITE LOCATION: 1545 WOODROFFE AVENUE, OTTAWA, ON			REGULATORY CRITERIA / DETECTION LIMITS:				SPECIAL INSTRUCTIONS:				# JARS USED AND NOT SUBMITTED Enter N/A for Water		TURNAROUND TIME	
IOL SITE # (if applicable): N/A			<input checked="" type="checkbox"/> REG 153 Table <u>3</u> <input type="checkbox"/> 2004 <input checked="" type="checkbox"/> 2011 <input type="checkbox"/> RSC (Please indicate which Reg. version and if RSC required)				Test samples as per TDG ICE - YES				<input checked="" type="checkbox"/> Standard (5 days) <input type="checkbox"/> Rush (3 days) <input type="checkbox"/> (2 days) <input type="checkbox"/> (1 day) <input type="checkbox"/> (same day)		Date Required	
IOL PROJECT # (if applicable): ME.00214			<input type="checkbox"/> ODWS <input type="checkbox"/> PWQD <input type="checkbox"/> Other				1/1/1 Med./Fine				<input checked="" type="checkbox"/>			
MAXXAM TASK ORDER # OR SERVICE ORDER # + LINE ITEM: 4410259930-10											<input checked="" type="checkbox"/>			

COOLER ID: 1			COOLER ID:			COOLER ID:		
CUSTODY SEAL	YES	NO	CUSTODY SEAL	YES	NO	CUSTODY SEAL	YES	NO
PRESENT	✓		PRESENT			PRESENT		
INTACT			INTACT			INTACT		
TEMP	2	2	TEMP	1	2	TEMP	1	2

RELINQUISHED BY:		DATE:	TIME (24 HR)	RECEIVED BY:		DATE:	TIME (24 HR)
1.	Edward Parker	2014/12/11	17:30	1.	E. M. A. L. W. 202	2014/12/12	14:05
2. _____	_____	YYYYMMDD	HH:MM	2. _____	_____	YYYYMMDD	HH:MM
3. _____	_____	YYYYMMDD	HH:MM	3. _____	_____	YYYYMMDD	HH:MM


LAB USE ONLY	
MAXXAM JOB #	
B4N6049	
SAMPLES	
LABELED BY:	VERIFIED BY:
MAF	CG2

COC - 1012 (2013) IOL - ON

White: Maxxam

Yellow: Client

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u> Consultant Project Number: <u>10-8518.3</u>	Sampling Date: <u>2014/12/09</u> Laboratory: <u>Maxxam Analytics Inc.</u> Laboratory Job Number: <u>B4N6049</u>																														
Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Instrument Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> <td rowspan="6">All lab QC met acceptance criteria.</td> </tr> <tr> <td>Extraction Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Method Blank Concentration</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Duplicate RPD</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Spike Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Lab Control Sample Recovery/Spiked Blank</td> <td align="center">X</td> <td></td> <td></td> </tr> </tbody> </table>			Yes	No	NA	Comments	Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.	Extraction Surrogate Recovery	X			Method Blank Concentration	X			Matrix Duplicate RPD	X			Matrix Spike Recovery	X			Lab Control Sample Recovery/Spiked Blank	X		
	Yes	No	NA	Comments																											
Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.																											
Extraction Surrogate Recovery	X																														
Method Blank Concentration	X																														
Matrix Duplicate RPD	X																														
Matrix Spike Recovery	X																														
Lab Control Sample Recovery/Spiked Blank	X																														
Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Field Blank Concentration</td> <td></td> <td></td> <td align="center">X</td> <td rowspan="3">All field QC samples met the alert limits.</td> </tr> <tr> <td>Trip Blank Concentration</td> <td></td> <td></td> <td align="center">X</td> </tr> <tr> <td>Field Duplicate RPD</td> <td align="center">X</td> <td></td> <td></td> </tr> </tbody> </table>			Yes	No	NA	Comments	Field Blank Concentration			X	All field QC samples met the alert limits.	Trip Blank Concentration			X	Field Duplicate RPD	X														
	Yes	No	NA	Comments																											
Field Blank Concentration			X	All field QC samples met the alert limits.																											
Trip Blank Concentration			X																												
Field Duplicate RPD	X																														
Has CofA been signed off (Yes/No)?: <u>Yes</u> Has lab warranted all tests were in statistical control in CofA (Yes/No)?: <u>Yes</u> Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?: <u>Yes</u> Were all samples analyzed within hold times (Yes/No)?: <u>Yes</u> All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?: <u>Yes</u> Is Chain of Custody completed and signed (Yes/No)?: <u>Yes</u> Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?: <u>Yes</u>																															
Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: <u>No</u> Date Issued: <u>N/A</u> Date of Response: <u>N/A</u>																															
Is data considered to be reliable (Yes/No)?: <u>Yes</u> If answer is "No", describe and provide rationale:																															
Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u> Revision Date (if applicable): _____	Data Reviewed by (Signature): <u></u> Revised by (Signature): _____																														

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-18-01

Report Date: 2014/12/23
Report #: R3269625
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N7072

Received: 2014/12/15, 14:52

Sample Matrix: Soil
Samples Received: 7

Analyses	Quantity	Laboratory Method	Primary Reference
Methylnaphthalene Sum	7	CAM SOP-00301	EPA 8270D m
Petroleum Hydro. CCME F1 & BTEX in Soil	7	CAM SOP-00315	CCME PHC-CWS m
Petroleum Hydrocarbons F2-F4 in Soil	7	CAM SOP-00316	CCME CWS m
Strong Acid Leachable Metals by ICPMS	7	CAM SOP-00447	EPA 6020A m
Moisture	7	CAM SOP-00445	Carter 2nd ed 51.2 m
PAH Compounds in Soil by GC/MS (SIM)	7	CAM SOP-00318	EPA 8270D m
Polychlorinated Biphenyl in Soil	2	CAM SOP-00309	EPA 8082 m
Volatile Organic Compounds in Soil	4	CAM SOP-00226	EPA 8260 m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-18-01

Report Date: 2014/12/23
Report #: R3269625
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N7072
Received: 2014/12/15, 14:52

Encryption Key  Kudrat Bajwa
23 Dec 2014 10:46:58 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Kudrat Bajwa, B.Sc., Project Manager
Email: KBajwa@maxxam.ca
Phone# (905)817-5822

=====
Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

HBTEX/F1-F4 PET. HYDROCARBONS IN SOIL (SOIL)

Maxxam ID		YW2041	YW2042	YW2043	YW2044	YW2045	YW2046		
Sampling Date		2014/12/10 15:35	2014/12/10 16:00	2014/12/10 17:20	2014/12/10 17:55	2014/12/10 18:55	2014/12/10 19:40		
COC Number		496344-18-01	496344-18-01	496344-18-01	496344-18-01	496344-18-01	496344-18-01		
	Units	BH-303-3.0-3.7	BH-303-5.3-5.9	BH-304-3.0-3.7	BH-304-5.3-5.9	DUP-02	BH-305-3.8-4.4	RDL	QC Batch
Benzene	ug/g	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.020	3866178
Toluene	ug/g	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.020	3866178
Ethylbenzene	ug/g	<0.020	<0.020	0.76	0.15	0.048	<0.020	0.020	3866178
o-Xylene	ug/g	<0.020	<0.020	0.085	<0.020	<0.020	<0.020	0.020	3866178
p+m-Xylene	ug/g	<0.040	<0.040	1.5	0.12	0.11	<0.040	0.040	3866178
Total Xylenes	ug/g	<0.040	<0.040	1.6	0.12	0.11	<0.040	0.040	3866178
Hexane	ug/g	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.50	3866178
F1 (C6-C10)	ug/g	<10	<10	43	<10	<10	<10	10	3866178
F1 (C6-C10) - BTEX	ug/g	<10	<10	41	<10	<10	<10	10	3866178
F2 (C10-C16 Hydrocarbons)	ug/g	<10	<10	<10	<10	<10	<10	10	3867367
F3 (C16-C34 Hydrocarbons)	ug/g	<50	<50	<50	<50	<50	<50	50	3867367
F4 (C34-C50 Hydrocarbons)	ug/g	<50	<50	<50	<50	<50	<50	50	3867367
Reached Baseline at C50	ug/g	Yes	Yes	Yes	Yes	Yes	Yes		3867367
Extraction Surrogate Recovery (%)									
D10-Ethylbenzene	%	78	98	92	102	90	85		3866178
o-Terphenyl	%	99	98	101	113	122	101		3867367
Instrument Surrogate Recovery (%)									
1,4-Difluorobenzene	%	103	102	100	101	101	104		3866178
4-Bromofluorobenzene	%	92	95	110	106	105	91		3866178
D4-1,2-Dichloroethane	%	101	98	96	98	98	101		3866178
RDL = Reportable Detection Limit QC Batch = Quality Control Batch									

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

HBTEX/F1-F4 PET. HYDROCARBONS IN SOIL (SOIL)

Maxxam ID		YW2047	YW2047		
Sampling Date		2014/12/10 20:25	2014/12/10 20:25		
COC Number		496344-18-01	496344-18-01		
	Units	BH-305-5.3-5.9	BH-305-5.3-5.9 Lab-Dup	RDL	QC Batch
Benzene	ug/g	<0.020	<0.020	0.020	3866178
Toluene	ug/g	<0.020	<0.020	0.020	3866178
Ethylbenzene	ug/g	<0.020	<0.020	0.020	3866178
o-Xylene	ug/g	<0.020	<0.020	0.020	3866178
p+m-Xylene	ug/g	<0.040	<0.040	0.040	3866178
Total Xylenes	ug/g	<0.040	<0.040	0.040	3866178
Hexane	ug/g	<0.50	<0.50	0.50	3866178
F1 (C6-C10)	ug/g	<10	<10	10	3866178
F1 (C6-C10) - BTEX	ug/g	<10	<10	10	3866178
F2 (C10-C16 Hydrocarbons)	ug/g	<10		10	3867367
F3 (C16-C34 Hydrocarbons)	ug/g	<50		50	3867367
F4 (C34-C50 Hydrocarbons)	ug/g	<50		50	3867367
Reached Baseline at C50	ug/g	Yes			3867367
Extraction Surrogate Recovery (%)					
D10-Ethylbenzene	%	92	83		3866178
o-Terphenyl	%	98			3867367
Instrument Surrogate Recovery (%)					
1,4-Difluorobenzene	%	103	103		3866178
4-Bromofluorobenzene	%	94	100		3866178
D4-1,2-Dichloroethane	%	97	100		3866178
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate					

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

O.REG 153 PAHS (SOIL)

Maxxam ID		YW2041	YW2041		YW2042	YW2043	YW2044		
Sampling Date		2014/12/10 15:35	2014/12/10 15:35		2014/12/10 16:00	2014/12/10 17:20	2014/12/10 17:55		
COC Number		496344-18-01	496344-18-01		496344-18-01	496344-18-01	496344-18-01		
	Units	BH-303-3.0-3.7	BH-303-3.0-3.7 Lab-Dup	QC Batch	BH-303-5.3-5.9	BH-304-3.0-3.7	BH-304-5.3-5.9	RDL	QC Batch
Moisture	%	13	13	3862995	28	26	17	1.0	3865050
Methylnaphthalene, 2-(1-)	ug/g	<0.0071		3859839	<0.0071	0.077	0.056	0.0071	3859839
Acenaphthene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
Acenaphthylene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
Anthracene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
Benzo(a)anthracene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
Benzo(a)pyrene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
Benzo(b/j)fluoranthene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
Benzo(g,h,i)perylene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
Benzo(k)fluoranthene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
Chrysene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
Dibenz(a,h)anthracene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
Fluoranthene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
Fluorene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
Indeno(1,2,3-cd)pyrene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
1-Methylnaphthalene	ug/g	<0.0050		3865019	<0.0050	0.036	0.035	0.0050	3865019
2-Methylnaphthalene	ug/g	<0.0050		3865019	<0.0050	0.041	0.020	0.0050	3865019
Naphthalene	ug/g	<0.0050		3865019	<0.0050	0.029	0.0056	0.0050	3865019
Phenanthrene	ug/g	<0.0050		3865019	<0.0050	<0.0050	0.0079	0.0050	3865019
Pyrene	ug/g	<0.0050		3865019	<0.0050	<0.0050	<0.0050	0.0050	3865019
Extraction Surrogate Recovery (%)									
D10-Anthracene	%	89		3865019	89	86	91		3865019
D14-Terphenyl (FS)	%	93		3865019	96	92	97		3865019
D8-Acenaphthylene	%	81		3865019	82	84	87		3865019
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate									

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

O.REG 153 PAHS (SOIL)

Maxxam ID		YW2044	YW2045	YW2046	YW2047		
Sampling Date		2014/12/10 17:55	2014/12/10 18:55	2014/12/10 19:40	2014/12/10 20:25		
COC Number		496344-18-01	496344-18-01	496344-18-01	496344-18-01		
	Units	BH-304-5.3-5.9 Lab-Dup	DUP-02	BH-305-3.8-4.4	BH-305-5.3-5.9	RDL	QC Batch
Moisture	%	16	18	34	30	1.0	3865050
Methylnaphthalene, 2-(1-)	ug/g		0.033	<0.0071	<0.0071	0.0071	3859839
Acenaphthene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Acenaphthylene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Anthracene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Benzo(a)anthracene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Benzo(a)pyrene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Benzo(b/j)fluoranthene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Benzo(g,h,i)perylene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Benzo(k)fluoranthene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Chrysene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Dibenz(a,h)anthracene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Fluoranthene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Fluorene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Indeno(1,2,3-cd)pyrene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
1-Methylnaphthalene	ug/g	0.041	0.023	<0.0050	<0.0050	0.0050	3865019
2-Methylnaphthalene	ug/g	0.029	0.010	<0.0050	<0.0050	0.0050	3865019
Naphthalene	ug/g	0.0068	<0.0050	<0.0050	<0.0050	0.0050	3865019
Phenanthrene	ug/g	0.0079	0.0063	<0.0050	<0.0050	0.0050	3865019
Pyrene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Extraction Surrogate Recovery (%)							
D10-Anthracene	%	89	88	86	88		3865019
D14-Terphenyl (FS)	%	94	91	94	94		3865019
D8-Acenaphthylene	%	86	83	82	83		3865019
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate							

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

O.REG 153 PCBS (SOIL)

Maxxam ID		YW2046	YW2046	YW2047		
Sampling Date		2014/12/10 19:40	2014/12/10 19:40	2014/12/10 20:25		
COC Number		496344-18-01	496344-18-01	496344-18-01		
	Units	BH-305-3.8-4.4	BH-305-3.8-4.4 Lab-Dup	BH-305-5.3-5.9	RDL	QC Batch
Total PCB	ug/g	<0.020	<0.020	<0.020	0.020	3864616
Extraction Surrogate Recovery (%)						
Decachlorobiphenyl	%	92	97	92		3864616
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate						

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

ELEMENTS BY ATOMIC SPECTROSCOPY (SOIL)

Maxxam ID		YW2041	YW2042	YW2043	YW2043	YW2044		
Sampling Date		2014/12/10 15:35	2014/12/10 16:00	2014/12/10 17:20	2014/12/10 17:20	2014/12/10 17:55		
COC Number		496344-18-01	496344-18-01	496344-18-01	496344-18-01	496344-18-01		
	Units	BH-303-3.0-3.7	BH-303-5.3-5.9	BH-304-3.0-3.7	BH-304-3.0-3.7 Lab-Dup	BH-304-5.3-5.9	RDL	QC Batch
Acid Extractable Arsenic (As)	ug/g	<1.0	1.0	<1.0	<1.0	<1.0	1.0	3866241
Acid Extractable Barium (Ba)	ug/g	150	280	200	200	33	0.50	3866241
Acid Extractable Chromium (Cr)	ug/g	35	58	44	46	9.1	1.0	3866241
Acid Extractable Copper (Cu)	ug/g	18	27	21	23	11	0.50	3866241
Acid Extractable Lead (Pb)	ug/g	4.4	5.2	4.4	4.5	2.3	1.0	3866241
Acid Extractable Zinc (Zn)	ug/g	47	69	54	53	12	5.0	3866241
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate								

Maxxam ID		YW2045	YW2046	YW2047		
Sampling Date		2014/12/10 18:55	2014/12/10 19:40	2014/12/10 20:25		
COC Number		496344-18-01	496344-18-01	496344-18-01		
	Units	DUP-02	BH-305-3.8-4.4	BH-305-5.3-5.9	RDL	QC Batch
Acid Extractable Arsenic (As)	ug/g	<1.0	<1.0	1.0	1.0	3866241
Acid Extractable Barium (Ba)	ug/g	26	66	120	0.50	3866241
Acid Extractable Chromium (Cr)	ug/g	11	22	39	1.0	3866241
Acid Extractable Copper (Cu)	ug/g	14	13	19	0.50	3866241
Acid Extractable Lead (Pb)	ug/g	3.5	2.4	3.8	1.0	3866241
Acid Extractable Zinc (Zn)	ug/g	15	26	46	5.0	3866241
RDL = Reportable Detection Limit QC Batch = Quality Control Batch						

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VOLATILE ORGANICS BY GC/MS (SOIL)

Maxxam ID		YW2041	YW2041	YW2042	YW2046	YW2047		
Sampling Date		2014/12/10 15:35	2014/12/10 15:35	2014/12/10 16:00	2014/12/10 19:40	2014/12/10 20:25		
COC Number		496344-18-01	496344-18-01	496344-18-01	496344-18-01	496344-18-01		
	Units	BH-303-3.0-3.7	BH-303-3.0-3.7 Lab-Dup	BH-303-5.3-5.9	BH-305-3.8-4.4	BH-305-5.3-5.9	RDL	QC Batch
Dichlorodifluoromethane (FREON 12)	ug/g				<0.050	<0.050	0.050	3861394
1,1-Dichloroethane	ug/g				<0.050	<0.050	0.050	3861394
1,2-Dichloroethane	ug/g	<0.050	<0.050	<0.050	<0.050	<0.050	0.050	3861394
1,1-Dichloroethylene	ug/g				<0.050	<0.050	0.050	3861394
cis-1,2-Dichloroethylene	ug/g				<0.050	<0.050	0.050	3861394
trans-1,2-Dichloroethylene	ug/g				<0.050	<0.050	0.050	3861394
Ethylene Dibromide	ug/g	<0.050	<0.050	<0.050	<0.050	<0.050	0.050	3861394
Methyl t-butyl ether (MTBE)	ug/g	<0.050	<0.050	<0.050	<0.050	<0.050	0.050	3861394
Tetrachloroethylene	ug/g				<0.050	<0.050	0.050	3861394
1,1,1-Trichloroethane	ug/g				<0.050	<0.050	0.050	3861394
1,1,2-Trichloroethane	ug/g				<0.050	<0.050	0.050	3861394
Trichloroethylene	ug/g				<0.050	<0.050	0.050	3861394
Vinyl Chloride	ug/g				<0.020	<0.020	0.020	3861394
Trichlorofluoromethane (FREON 11)	ug/g				<0.050	<0.050	0.050	3861394
Extraction Surrogate Recovery (%)								
D10-o-Xylene	%	89	89	119	107	95		3861394
Instrument Surrogate Recovery (%)								
4-Bromofluorobenzene	%	82	83	97	75	84		3861394
D4-1,2-Dichloroethane	%	98	100	99	99	102		3861394
D8-Toluene	%	103	103	101	104	102		3861394
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate								

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YW2041
Sample ID: BH-303-3.0-3.7
Matrix: Soil

Collected: 2014/12/10
Relinquished: 2014/12/11
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3859839	N/A	2014/12/22	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866178	2014/12/16	2014/12/19	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3867367	2014/12/20	2014/12/20	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866241	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3862995	N/A	2014/12/17	Jessy Mathew Vinod
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou
Volatile Organic Compounds in Soil	P&T/MS	3861394	2014/12/16	2014/12/17	Karen Huynh

Maxxam ID: YW2041 Dup
Sample ID: BH-303-3.0-3.7
Matrix: Soil

Collected: 2014/12/10
Relinquished: 2014/12/11
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Moisture	BAL	3862995	N/A	2014/12/17	Jessy Mathew Vinod
Volatile Organic Compounds in Soil	P&T/MS	3861394	2014/12/16	2014/12/17	Karen Huynh

Maxxam ID: YW2042
Sample ID: BH-303-5.3-5.9
Matrix: Soil

Collected: 2014/12/10
Relinquished: 2014/12/11
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3859839	N/A	2014/12/22	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866178	2014/12/16	2014/12/19	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3867367	2014/12/20	2014/12/20	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866241	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3865050	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou
Volatile Organic Compounds in Soil	P&T/MS	3861394	2014/12/16	2014/12/17	Karen Huynh

Maxxam ID: YW2043
Sample ID: BH-304-3.0-3.7
Matrix: Soil

Collected: 2014/12/10
Relinquished: 2014/12/11
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3859839	N/A	2014/12/22	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866178	2014/12/16	2014/12/19	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3867367	2014/12/20	2014/12/20	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866241	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3865050	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YW2043 Dup
Sample ID: BH-304-3.0-3.7
Matrix: Soil

Collected: 2014/12/10
Relinquished: 2014/12/11
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866241	2014/12/19	2014/12/19	Grace Bu

Maxxam ID: YW2044
Sample ID: BH-304-5.3-5.9
Matrix: Soil

Collected: 2014/12/10
Relinquished: 2014/12/11
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3859839	N/A	2014/12/22	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866178	2014/12/16	2014/12/19	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3867367	2014/12/20	2014/12/20	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866241	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3865050	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou

Maxxam ID: YW2044 Dup
Sample ID: BH-304-5.3-5.9
Matrix: Soil

Collected: 2014/12/10
Relinquished: 2014/12/11
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Moisture	BAL	3865050	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou

Maxxam ID: YW2045
Sample ID: DUP-02
Matrix: Soil

Collected: 2014/12/10
Relinquished: 2014/12/11
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3859839	N/A	2014/12/22	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866178	2014/12/16	2014/12/19	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3867367	2014/12/20	2014/12/20	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866241	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3865050	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou

Maxxam ID: YW2046
Sample ID: BH-305-3.8-4.4
Matrix: Soil

Collected: 2014/12/10
Relinquished: 2014/12/11
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3859839	N/A	2014/12/22	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866178	2014/12/16	2014/12/19	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3867367	2014/12/20	2014/12/20	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866241	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3865050	N/A	2014/12/18	Valentina Kaftani

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YW2046
Sample ID: BH-305-3.8-4.4
Matrix: Soil

Collected: 2014/12/10
Relinquished: 2014/12/11
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou
Polychlorinated Biphenyl in Soil	GC/ECD	3864616	2014/12/18	2014/12/18	Li Peng
Volatile Organic Compounds in Soil	P&T/MS	3861394	2014/12/16	2014/12/17	Karen Huynh

Maxxam ID: YW2046 Dup
Sample ID: BH-305-3.8-4.4
Matrix: Soil

Collected: 2014/12/10
Relinquished: 2014/12/11
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Polychlorinated Biphenyl in Soil	GC/ECD	3864616	2014/12/18	2014/12/18	Li Peng

Maxxam ID: YW2047
Sample ID: BH-305-5.3-5.9
Matrix: Soil

Collected: 2014/12/10
Relinquished: 2014/12/11
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3859839	N/A	2014/12/22	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866178	2014/12/16	2014/12/19	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3867367	2014/12/20	2014/12/20	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866241	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3865050	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou
Polychlorinated Biphenyl in Soil	GC/ECD	3864616	2014/12/18	2014/12/18	Li Peng
Volatile Organic Compounds in Soil	P&T/MS	3861394	2014/12/16	2014/12/17	Karen Huynh

Maxxam ID: YW2047 Dup
Sample ID: BH-305-5.3-5.9
Matrix: Soil

Collected: 2014/12/10
Relinquished: 2014/12/11
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866178	2014/12/16	2014/12/22	Simon Xi

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	1.7°C
-----------	-------

Sample YW2046-01 : PCB Analysis: Detection limits were adjusted for high moisture content.

Sample YW2047-01 : PCB Analysis: Detection limits were adjusted for high moisture content.

Results relate only to the items tested.

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC				Date				
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits
3861394	KH1	Method Blank	4-Bromofluorobenzene	2014/12/17		85	%	60 - 140
			D10-o-Xylene	2014/12/17		96	%	60 - 130
			D4-1,2-Dichloroethane	2014/12/17		98	%	60 - 140
			D8-Toluene	2014/12/17		102	%	60 - 140
			Dichlorodifluoromethane (FREON 12)	2014/12/17	<0.050		ug/g	
			1,1-Dichloroethane	2014/12/17	<0.050		ug/g	
			1,2-Dichloroethane	2014/12/17	<0.050		ug/g	
			1,1-Dichloroethylene	2014/12/17	<0.050		ug/g	
			cis-1,2-Dichloroethylene	2014/12/17	<0.050		ug/g	
			trans-1,2-Dichloroethylene	2014/12/17	<0.050		ug/g	
			Ethylene Dibromide	2014/12/17	<0.050		ug/g	
			Methyl t-butyl ether (MTBE)	2014/12/17	<0.050		ug/g	
			Tetrachloroethylene	2014/12/17	<0.050		ug/g	
			1,1,1-Trichloroethane	2014/12/17	<0.050		ug/g	
			1,1,2-Trichloroethane	2014/12/17	<0.050		ug/g	
			Trichloroethylene	2014/12/17	<0.050		ug/g	
			Vinyl Chloride	2014/12/17	<0.020		ug/g	
			Trichlorofluoromethane (FREON 11)	2014/12/17	<0.050		ug/g	
			3864616	LPG	Method Blank	Decachlorobiphenyl	2014/12/18	
Total PCB	2014/12/18	<0.010					ug/g	
3865019	YZ	Method Blank	D10-Anthracene	2014/12/19		89	%	50 - 130
			D14-Terphenyl (FS)	2014/12/19		92	%	50 - 130
			D8-Acenaphthylene	2014/12/19		86	%	50 - 130
			Acenaphthene	2014/12/19	<0.0050		ug/g	
			Acenaphthylene	2014/12/19	<0.0050		ug/g	
			Anthracene	2014/12/19	<0.0050		ug/g	
			Benzo(a)anthracene	2014/12/19	<0.0050		ug/g	
			Benzo(a)pyrene	2014/12/19	<0.0050		ug/g	
			Benzo(b/j)fluoranthene	2014/12/19	<0.0050		ug/g	
			Benzo(g,h,i)perylene	2014/12/19	<0.0050		ug/g	
			Benzo(k)fluoranthene	2014/12/19	<0.0050		ug/g	
			Chrysene	2014/12/19	<0.0050		ug/g	
			Dibenz(a,h)anthracene	2014/12/19	<0.0050		ug/g	
			Fluoranthene	2014/12/19	<0.0050		ug/g	
			Fluorene	2014/12/19	<0.0050		ug/g	
			Indeno(1,2,3-cd)pyrene	2014/12/19	<0.0050		ug/g	
			1-Methylnaphthalene	2014/12/19	<0.0050		ug/g	
2-Methylnaphthalene	2014/12/19	<0.0050		ug/g				
Naphthalene	2014/12/19	<0.0050		ug/g				
Phenanthrene	2014/12/19	<0.0050		ug/g				
Pyrene	2014/12/19	<0.0050		ug/g				
3866178	JXI	Method Blank	1,4-Difluorobenzene	2014/12/19		101	%	60 - 140
			4-Bromofluorobenzene	2014/12/19		100	%	60 - 140
			D10-Ethylbenzene	2014/12/19		90	%	60 - 140
			D4-1,2-Dichloroethane	2014/12/19		97	%	60 - 140
			Benzene	2014/12/19	<0.020		ug/g	
			Toluene	2014/12/19	<0.020		ug/g	
			Ethylbenzene	2014/12/19	<0.020		ug/g	
			o-Xylene	2014/12/19	<0.020		ug/g	
			p+m-Xylene	2014/12/19	<0.040		ug/g	
			Total Xylenes	2014/12/19	<0.040		ug/g	

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC			Parameter	Date	Value	Recovery	Units	QC Limits
Batch	Init	QC Type		Analyzed				
			Hexane	2014/12/19	<0.50		ug/g	
			F1 (C6-C10)	2014/12/19	<10		ug/g	
			F1 (C6-C10) - BTEX	2014/12/19	<10		ug/g	
3866241	GBU	Method Blank	Acid Extractable Arsenic (As)	2014/12/19	<1.0		ug/g	
			Acid Extractable Barium (Ba)	2014/12/19	<0.50		ug/g	
			Acid Extractable Chromium (Cr)	2014/12/19	<1.0		ug/g	
			Acid Extractable Copper (Cu)	2014/12/19	<0.50		ug/g	
			Acid Extractable Lead (Pb)	2014/12/19	<1.0		ug/g	
			Acid Extractable Zinc (Zn)	2014/12/19	<5.0		ug/g	
3867367	JKA	Method Blank	o-Terphenyl	2014/12/20		99	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/20	<10		ug/g	
			F3 (C16-C34 Hydrocarbons)	2014/12/20	<50		ug/g	
			F4 (C34-C50 Hydrocarbons)	2014/12/20	<50		ug/g	
3861394	KH1	RPD [YW2041-05]	1,2-Dichloroethane	2014/12/17	NC		%	50
			Ethylene Dibromide	2014/12/17	NC		%	50
			Methyl t-butyl ether (MTBE)	2014/12/17	NC		%	50
3862995	MYG	RPD [YW2041-02]	Moisture	2014/12/17	1.6		%	20
3866241	GBU	RPD [YW2043-01]	Acid Extractable Arsenic (As)	2014/12/19	NC		%	30
			Acid Extractable Barium (Ba)	2014/12/19	0.31		%	30
			Acid Extractable Chromium (Cr)	2014/12/19	4.5		%	30
			Acid Extractable Copper (Cu)	2014/12/19	7.2		%	30
			Acid Extractable Lead (Pb)	2014/12/19	NC		%	30
			Acid Extractable Zinc (Zn)	2014/12/19	2.5		%	30
3865019	YZ	RPD [YW2044-02]	Acenaphthene	2014/12/19	NC		%	40
			Acenaphthylene	2014/12/19	NC		%	40
			Anthracene	2014/12/19	NC		%	40
			Benzo(a)anthracene	2014/12/19	NC		%	40
			Benzo(a)pyrene	2014/12/19	NC		%	40
			Benzo(b/j)fluoranthene	2014/12/19	NC		%	40
			Benzo(g,h,i)perylene	2014/12/19	NC		%	40
			Benzo(k)fluoranthene	2014/12/19	NC		%	40
			Chrysene	2014/12/19	NC		%	40
			Dibenz(a,h)anthracene	2014/12/19	NC		%	40
			Fluoranthene	2014/12/19	NC		%	40
			Fluorene	2014/12/19	NC		%	40
			Indeno(1,2,3-cd)pyrene	2014/12/19	NC		%	40
			1-Methylnaphthalene	2014/12/19	14		%	40
			2-Methylnaphthalene	2014/12/19	NC		%	40
			Naphthalene	2014/12/19	NC		%	40
			Phenanthrene	2014/12/19	NC		%	40
			Pyrene	2014/12/19	NC		%	40
3865050	DEE	RPD [YW2044-02]	Moisture	2014/12/18	3.1		%	20
3864616	LPG	RPD [YW2046-02]	Total PCB	2014/12/18	NC		%	50
3866178	JXI	RPD [YW2047-04]	Benzene	2014/12/22	NC		%	50
			Toluene	2014/12/22	NC		%	50
			Ethylbenzene	2014/12/22	NC		%	50
			o-Xylene	2014/12/22	NC		%	50
			p+m-Xylene	2014/12/22	NC		%	50
			Total Xylenes	2014/12/22	NC		%	50
			Hexane	2014/12/22	NC		%	50
			F1 (C6-C10)	2014/12/22	NC		%	30

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	Units	QC Limits			
3861394	KH1	Matrix Spike [YW2041-05]	F1 (C6-C10) - BTEX	2014/12/22	NC		%	30			
			4-Bromofluorobenzene	2014/12/17		106	%	60 - 140			
			D10-o-Xylene	2014/12/17		101	%	60 - 130			
			D4-1,2-Dichloroethane	2014/12/17		96	%	60 - 140			
			D8-Toluene	2014/12/17		100	%	60 - 140			
			Dichlorodifluoromethane (FREON 12)	2014/12/17		106	%	60 - 140			
			1,1-Dichloroethane	2014/12/17		107	%	60 - 140			
			1,2-Dichloroethane	2014/12/17		101	%	60 - 140			
			1,1-Dichloroethylene	2014/12/17		117	%	60 - 140			
			cis-1,2-Dichloroethylene	2014/12/17		103	%	60 - 140			
			trans-1,2-Dichloroethylene	2014/12/17		107	%	60 - 140			
			Ethylene Dibromide	2014/12/17		98	%	60 - 140			
			Methyl t-butyl ether (MTBE)	2014/12/17		100	%	60 - 140			
			Tetrachloroethylene	2014/12/17		105	%	60 - 140			
			1,1,1-Trichloroethane	2014/12/17		107	%	60 - 140			
			1,1,2-Trichloroethane	2014/12/17		96	%	60 - 140			
			Trichloroethylene	2014/12/17		104	%	60 - 140			
			Vinyl Chloride	2014/12/17		107	%	60 - 140			
			3864616	LPG	Matrix Spike [YW2046-02]	Trichlorofluoromethane (FREON 11)	2014/12/17		110	%	60 - 140
						Decachlorobiphenyl	2014/12/18		101	%	60 - 130
3865019	YZ	Matrix Spike [YW2044-02]	Total PCB	2014/12/18		108	%	60 - 130			
			D10-Anthracene	2014/12/19		87	%	50 - 130			
			D14-Terphenyl (FS)	2014/12/19		94	%	50 - 130			
			D8-Acenaphthylene	2014/12/19		84	%	50 - 130			
			Acenaphthene	2014/12/19		87	%	50 - 130			
			Acenaphthylene	2014/12/19		84	%	50 - 130			
			Anthracene	2014/12/19		86	%	50 - 130			
			Benzo(a)anthracene	2014/12/19		87	%	50 - 130			
			Benzo(a)pyrene	2014/12/19		88	%	50 - 130			
			Benzo(b/j)fluoranthene	2014/12/19		88	%	50 - 130			
			Benzo(g,h,i)perylene	2014/12/19		85	%	50 - 130			
			Benzo(k)fluoranthene	2014/12/19		89	%	50 - 130			
			Chrysene	2014/12/19		87	%	50 - 130			
			Dibenz(a,h)anthracene	2014/12/19		85	%	50 - 130			
			Fluoranthene	2014/12/19		92	%	50 - 130			
			Fluorene	2014/12/19		89	%	50 - 130			
			Indeno(1,2,3-cd)pyrene	2014/12/19		94	%	50 - 130			
			1-Methylnaphthalene	2014/12/19		92	%	50 - 130			
			2-Methylnaphthalene	2014/12/19		90	%	50 - 130			
Naphthalene	2014/12/19		79	%	50 - 130						
Phenanthrene	2014/12/19		81	%	50 - 130						
Pyrene	2014/12/19		91	%	50 - 130						
3866178	JXI	Matrix Spike [YW2047-04]	1,4-Difluorobenzene	2014/12/19		100	%	60 - 140			
			4-Bromofluorobenzene	2014/12/19		105	%	60 - 140			
			D10-Ethylbenzene	2014/12/19		87	%	60 - 140			
			D4-1,2-Dichloroethane	2014/12/19		99	%	60 - 140			
			Benzene	2014/12/19		72	%	60 - 140			

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC			Parameter	Date	Value	Recovery	Units	QC Limits
Batch	Init	QC Type		Analyzed				
			Toluene	2014/12/19		69	%	60 - 140
			Ethylbenzene	2014/12/19		77	%	60 - 140
			o-Xylene	2014/12/19		83	%	60 - 140
			p+m-Xylene	2014/12/19		75	%	60 - 140
			Hexane	2014/12/19		69	%	60 - 140
			F1 (C6-C10)	2014/12/19		62	%	60 - 140
3866241	GBU	Matrix Spike [YW2043-01]	Acid Extractable Arsenic (As)	2014/12/19		100	%	75 - 125
			Acid Extractable Barium (Ba)	2014/12/19		NC	%	75 - 125
			Acid Extractable Chromium (Cr)	2014/12/19		NC	%	75 - 125
			Acid Extractable Copper (Cu)	2014/12/19		NC	%	75 - 125
			Acid Extractable Lead (Pb)	2014/12/19		101	%	75 - 125
			Acid Extractable Zinc (Zn)	2014/12/19		NC	%	75 - 125
3861394	KH1	LCS	4-Bromofluorobenzene	2014/12/17		105	%	60 - 140
			D10-o-Xylene	2014/12/17		107	%	60 - 130
			D4-1,2-Dichloroethane	2014/12/17		97	%	60 - 140
			D8-Toluene	2014/12/17		100	%	60 - 140
			Dichlorodifluoromethane (FREON 12)	2014/12/17		101	%	60 - 140
			1,1-Dichloroethane	2014/12/17		106	%	60 - 130
			1,2-Dichloroethane	2014/12/17		103	%	60 - 130
			1,1-Dichloroethylene	2014/12/17		114	%	60 - 130
			cis-1,2-Dichloroethylene	2014/12/17		103	%	60 - 130
			trans-1,2-Dichloroethylene	2014/12/17		106	%	60 - 130
			Ethylene Dibromide	2014/12/17		101	%	60 - 130
			Methyl t-butyl ether (MTBE)	2014/12/17		104	%	60 - 130
			Tetrachloroethylene	2014/12/17		101	%	60 - 130
			1,1,1-Trichloroethane	2014/12/17		106	%	60 - 130
			1,1,2-Trichloroethane	2014/12/17		98	%	60 - 130
			Trichloroethylene	2014/12/17		102	%	60 - 130
			Vinyl Chloride	2014/12/17		104	%	60 - 130
			Trichlorofluoromethane (FREON 11)	2014/12/17		107	%	60 - 130
3864616	LPG	LCS	Decachlorobiphenyl	2014/12/18		91	%	60 - 130
			Total PCB	2014/12/18		103	%	60 - 130
3865019	YZ	LCS	D10-Anthracene	2014/12/19		87	%	50 - 130
			D14-Terphenyl (FS)	2014/12/19		93	%	50 - 130
			D8-Acenaphthylene	2014/12/19		84	%	50 - 130
			Acenaphthene	2014/12/19		89	%	50 - 130
			Acenaphthylene	2014/12/19		85	%	50 - 130
			Anthracene	2014/12/19		88	%	50 - 130
			Benzo(a)anthracene	2014/12/19		82	%	50 - 130
			Benzo(a)pyrene	2014/12/19		89	%	50 - 130
			Benzo(b/j)fluoranthene	2014/12/19		88	%	50 - 130
			Benzo(g,h,i)perylene	2014/12/19		88	%	50 - 130
			Benzo(k)fluoranthene	2014/12/19		90	%	50 - 130
			Chrysene	2014/12/19		88	%	50 - 130
			Dibenz(a,h)anthracene	2014/12/19		89	%	50 - 130
			Fluoranthene	2014/12/19		91	%	50 - 130
			Fluorene	2014/12/19		89	%	50 - 130
			Indeno(1,2,3-cd)pyrene	2014/12/19		96	%	50 - 130
			1-Methylnaphthalene	2014/12/19		93	%	50 - 130
			2-Methylnaphthalene	2014/12/19		91	%	50 - 130

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC			Parameter	Date	Value	Recovery	Units	QC Limits
Batch	Init	QC Type		Analyzed				
3866178	JXI	LCS	Naphthalene	2014/12/19		82	%	50 - 130
			Phenanthrene	2014/12/19		84	%	50 - 130
			Pyrene	2014/12/19		91	%	50 - 130
			1,4-Difluorobenzene	2014/12/19		100	%	60 - 140
			4-Bromofluorobenzene	2014/12/19		107	%	60 - 140
			D10-Ethylbenzene	2014/12/19		102	%	60 - 140
			D4-1,2-Dichloroethane	2014/12/19		99	%	60 - 140
			Benzene	2014/12/19		113	%	60 - 140
			Toluene	2014/12/19		106	%	60 - 140
			Ethylbenzene	2014/12/19		115	%	60 - 140
			o-Xylene	2014/12/19		119	%	60 - 140
			p+m-Xylene	2014/12/19		112	%	60 - 140
			Hexane	2014/12/19		111	%	60 - 140
			F1 (C6-C10)	2014/12/19		98	%	80 - 120
3866241	GBU	LCS	Acid Extractable Arsenic (As)	2014/12/19		103	%	80 - 120
			Acid Extractable Barium (Ba)	2014/12/19		103	%	80 - 120
			Acid Extractable Chromium (Cr)	2014/12/19		102	%	80 - 120
			Acid Extractable Copper (Cu)	2014/12/19		103	%	80 - 120
			Acid Extractable Lead (Pb)	2014/12/19		101	%	80 - 120
			Acid Extractable Zinc (Zn)	2014/12/19		104	%	80 - 120
3867367	JKA	LCS	o-Terphenyl	2014/12/20		98	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/20		101	%	80 - 120
			F3 (C16-C34 Hydrocarbons)	2014/12/20		104	%	80 - 120
			F4 (C34-C50 Hydrocarbons)	2014/12/20		109	%	80 - 120

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

NC (Matrix Spike): The recovery in the matrix spike was not calculated. The relative difference between the concentration in the parent sample and the spiked amount was too small to permit a reliable recovery calculation (matrix spike concentration was less than 2x that of the native sample concentration).


NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (one or both samples < 5x RDL).

Maxxam Job #: B4N7072
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Ewa Pranjic


Ewa Pranjic, M.Sc., C.Chem, Scientific Specialist

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road
Mississauga, Ontario L5N 2L8
www.maxxam.ca

Phone: (905) 817-5700
Fax: (905) 817-5777
Toll Free: 800-563-6266

**EXXONMOBIL/IMPERIAL OIL - MAXXAM
CHAIN-OF-CUSTODY RECORD
ANALYSIS REQUESTED**

Page 1 of 1
C of C # 496344-18-01



496344

INVOICE INFORMATION				REPORT INFORMATION																					
Company Name: Imperial Oil, a partnership of Imperial Oil Limited and McColI Frontenac Petrole				Company Name: Parsons																					
Contact Name: Daniel Grenzowski				Contact Name: Holly Losignore																					
Address: 1 Duncan Mill Road North York ON M3B 1Z2				Address: 3715 Laird Road Suite 100 Mississauga ON L5L 0A3																					
Email: daniel.grenzowski@esso.ca				Email: Holly.Losignore@parsons.com; labreport@																					
Phone: (416) 442-5012 x				Phone: (905) 569-4111 x																					
Sampler Name (Print): Edward Parker				Consultant Project #: 10-8518.3																					
FIELD SAMPLE ID	MATRIX				# CONTAINERS	SAMPLING		FIELD FILTERED & PRESERVED	LAB FILTRATION REQUIRED	F1/BTEX	F2-F4	PAHs	VOCs	Lead	ICPMS Metals	TCLP VOC	TCLP Inorganics	TCLP SVOCs	TCLP PCBs	TCLP B(a)p	PCBs	Metals (6) - Arsenic, Barium, Cadmium, Copper, Lead, Zinc	Hexane	VOC (3): ethylene dibromide, 1,2-dichloroethane, MTBE	VOC (14): ethylene dibromide, 1,2-dichloroethane, 1,1-dichloroethane, tetrachloroethylene, trichloroethylene, 1,1-dichloroethylene, cis-1,2-dichloroethylene, trans-1,2-dichloroethylene, vinyl chloride, 1,1,1-trichloroethane, 1,1,2-trichloroethane, MTBE, Freon-11, Freon-12
	GROUND WATER	SURFACE WATER	SOIL	OTHER		DATE (YYYY/MM/DD)	TIME (24 HR)																		
1			✓		8	2014/12/10	15:35	✓		✓	✓	✓											✓	✓	
2			✓		8	2014/12/10	16:00	✓		✓	✓	✓											✓	✓	
3			✓		6	2014/12/10	17:30	✓		✓	✓	✓											✓	✓	
4			✓		6	2014/12/10	17:55	✓		✓	✓	✓											✓	✓	
5			✓		6	2014/12/10	18:55	✓		✓	✓	✓											✓	✓	
6			✓		9	2014/12/10	19:40	✓		✓	✓	✓											✓	✓	
7			✓		9	2014/12/10	20:25	✓		✓	✓	✓											✓	✓	
8						YYYY/MM/DD	HH:MM																		
9						YYYY/MM/DD	HH:MM																		
10						YYYY/MM/DD	HH:MM																		

IOL SITE LOCATION: 1545 WOODROFFE AVENUE, OTTAWA, ON			REGULATORY CRITERIA / DETECTION LIMITS: <input checked="" type="checkbox"/> REG 153 Table 3 <input type="checkbox"/> 2004 <input checked="" type="checkbox"/> 2011 <input type="checkbox"/> RSC (Please indicate which Reg. version and if RSC required)				SPECIAL INSTRUCTIONS: Test Samples as per TDG ICE-YES				# JARS USED AND NOT SUBMITTED Enter N/A for Water Ø		TURNAROUND TIME Standard (5 days) <input checked="" type="checkbox"/> Rush (3 days) <input type="checkbox"/> (2 days) <input type="checkbox"/> (1 day) <input type="checkbox"/> (same day) <input type="checkbox"/> Date Required	
IOL SITE # (if applicable): N/A			<input type="checkbox"/> ODWS <input type="checkbox"/> PWQO				VOC Med/Fine							
IOL PROJECT # (if applicable): ME.00214			<input type="checkbox"/> Other											
MAXXAM TASK ORDER # OR SERVICE ORDER # + LINE ITEM: 4410259930-10														

COOLER ID: 1			COOLER ID:			COOLER ID:		
CUSTODY SEAL PRESENT	YES	NO	CUSTODY SEAL PRESENT	YES	NO	CUSTODY SEAL PRESENT	YES	NO
INTACT	✓		INTACT			INTACT		
TEMP	2	2	TEMP	1	2	TEMP	1	2
1	2	3	1	2	3	1	2	3

RELINQUISHED BY:		DATE:	TIME (24 HR)	RECEIVED BY:		DATE:	TIME (24 HR)
1. <i>[Signature]</i>	Edward Parker	2014/12/11	17:30	1. <i>[Signature]</i>	MANI, FRANCIS	2014/12/15	14:52
2. <i>[Signature]</i>		YYYY/MM/DD	HH:MM	2. <i>[Signature]</i>		YYYY/MM/DD	HH:MM
3. <i>[Signature]</i>		YYYY/MM/DD	HH:MM	3. <i>[Signature]</i>		YYYY/MM/DD	HH:MM


LAB USE ONLY	
MAXXAM JOB #	
B4N7072	
SAMPLES	
LABELLED BY:	VERIFIED BY:
ABH	FW

COC - 1012 (2013) IOL - ON

White Maxxam

Yellow Client

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u> Consultant Project Number: <u>10-8518.3</u>	Sampling Date: <u>2014/12/10</u> Laboratory: <u>Maxxam Analytics Inc.</u> Laboratory Job Number: <u>B4N7072</u>																														
Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Instrument Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> <td rowspan="6">All lab QC met acceptance criteria.</td> </tr> <tr> <td>Extraction Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Method Blank Concentration</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Duplicate RPD</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Spike Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Lab Control Sample Recovery/Spiked Blank</td> <td align="center">X</td> <td></td> <td></td> </tr> </tbody> </table>			Yes	No	NA	Comments	Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.	Extraction Surrogate Recovery	X			Method Blank Concentration	X			Matrix Duplicate RPD	X			Matrix Spike Recovery	X			Lab Control Sample Recovery/Spiked Blank	X		
	Yes	No	NA	Comments																											
Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.																											
Extraction Surrogate Recovery	X																														
Method Blank Concentration	X																														
Matrix Duplicate RPD	X																														
Matrix Spike Recovery	X																														
Lab Control Sample Recovery/Spiked Blank	X																														
Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Field Blank Concentration</td> <td></td> <td></td> <td align="center">X</td> <td rowspan="3">All field QC samples met the alert limits.</td> </tr> <tr> <td>Trip Blank Concentration</td> <td></td> <td></td> <td align="center">X</td> </tr> <tr> <td>Field Duplicate RPD</td> <td align="center">X</td> <td></td> <td></td> </tr> </tbody> </table>			Yes	No	NA	Comments	Field Blank Concentration			X	All field QC samples met the alert limits.	Trip Blank Concentration			X	Field Duplicate RPD	X														
	Yes	No	NA	Comments																											
Field Blank Concentration			X	All field QC samples met the alert limits.																											
Trip Blank Concentration			X																												
Field Duplicate RPD	X																														
Has CofA been signed off (Yes/No)?: <u>Yes</u> Has lab warranted all tests were in statistical control in CofA (Yes/No)?: <u>Yes</u> Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?: <u>Yes</u> Were all samples analyzed within hold times (Yes/No)?: <u>Yes</u> All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?: <u>Yes</u> Is Chain of Custody completed and signed (Yes/No)?: <u>Yes</u> Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?: <u>Yes</u>																															
Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: <u>No</u> Date Issued: <u>N/A</u> Date of Response: <u>N/A</u>																															
Is data considered to be reliable (Yes/No)?: <u>Yes</u> If answer is "No", describe and provide rationale:																															
Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u> Revision Date (if applicable): _____	Data Reviewed by (Signature): <u></u> Revised by (Signature): _____																														

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-15-01

Report Date: 2014/12/23
Report #: R3269782
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N7299

Received: 2014/12/15, 14:52

Sample Matrix: Soil
Samples Received: 5

Analyses	Quantity	Laboratory Method	Primary Reference
Methylnaphthalene Sum	5	CAM SOP-00301	EPA 8270D m
Petroleum Hydro. CCME F1 & BTEX in Soil	5	CAM SOP-00315	CCME PHC-CWS m
Petroleum Hydrocarbons F2-F4 in Soil	5	CAM SOP-00316	CCME CWS m
Acid Extractable Metals Analysis by ICP	5	CAM SOP-00408	EPA 6010C m
Moisture	5	CAM SOP-00445	Carter 2nd ed 51.2 m
PAH Compounds in Soil by GC/MS (SIM)	5	CAM SOP-00318	EPA 8270D m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-15-01

Report Date: 2014/12/23
Report #: R3269782
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N7299

Received: 2014/12/15, 14:52

Encryption Key  Kudrat Bajwa
23 Dec 2014 13:13:29 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Kudrat Bajwa, B.Sc., Project Manager
Email: KBajwa@maxxam.ca
Phone# (905)817-5822

=====
Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N7299
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

LEAD IN SOIL (SOIL)

Maxxam ID		YW3227	YW3228	YW3229	YW3230	YW3231		
Sampling Date		2014/12/11 13:00	2014/12/11 13:50	2014/12/11 13:50	2014/12/11 15:20	2014/12/11 16:00		
COC Number		496344-15-01	496344-15-01	496344-15-01	496344-15-01	496344-15-01		
	Units	BH-306-3.0-3.7	BH-306-5.3-5.9	DUP-03	BH-307-3.8-4.4	BH-307-6.1-6.7	RDL	QC Batch
Acid Extractable Lead (Pb)	ug/g	<5.0	<5.0	<5.0	5.4	8.5	5.0	3866097
RDL = Reportable Detection Limit								
QC Batch = Quality Control Batch								

Maxxam Job #: B4N7299
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

HBTEX/F1-F4 PET. HYDROCARBONS IN SOIL (SOIL)

Maxxam ID		YW3227	YW3227	YW3228	YW3229	YW3230	YW3231		
Sampling Date		2014/12/11 13:00	2014/12/11 13:00	2014/12/11 13:50	2014/12/11 13:50	2014/12/11 15:20	2014/12/11 16:00		
COC Number		496344-15-01	496344-15-01	496344-15-01	496344-15-01	496344-15-01	496344-15-01		
	Units	BH-306-3.0-3.7	BH-306-3.0-3.7 Lab-Dup	BH-306-5.3-5.9	DUP-03	BH-307-3.8-4.4	BH-307-6.1-6.7	RDL	QC Batch
Moisture	%	25		16	15	27	14	1.0	3865259
Benzene	ug/g	<0.020	<0.020	0.030	0.037	<0.020	<0.020	0.020	3866048
Toluene	ug/g	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.020	3866048
Ethylbenzene	ug/g	<0.020	<0.020	0.12	0.16	<0.020	0.054	0.020	3866048
o-Xylene	ug/g	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.020	3866048
p+m-Xylene	ug/g	<0.040	<0.040	0.12	0.16	<0.040	<0.040	0.040	3866048
Total Xylenes	ug/g	<0.040	<0.040	0.12	0.16	<0.040	<0.040	0.040	3866048
Hexane	ug/g	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.50	3866048
F1 (C6-C10)	ug/g	<10	<10	<10	<10	<10	<10	10	3866048
F1 (C6-C10) - BTEX	ug/g	<10	<10	<10	<10	<10	<10	10	3866048
F2 (C10-C16 Hydrocarbons)	ug/g	<10		<10	<10	<10	<10	10	3866849
F3 (C16-C34 Hydrocarbons)	ug/g	<50		<50	<50	<50	<50	50	3866849
F4 (C34-C50 Hydrocarbons)	ug/g	<50		<50	<50	<50	<50	50	3866849
Reached Baseline at C50	ug/g	Yes		Yes	Yes	Yes	Yes		3866849
Extraction Surrogate Recovery (%)									
D10-Ethylbenzene	%	90	85	92	86	89	87		3866048
o-Terphenyl	%	93		93	94	90	92		3866849
Instrument Surrogate Recovery (%)									
1,4-Difluorobenzene	%	99	101	101	99	100	98		3866048
4-Bromofluorobenzene	%	98	102	103	102	106	100		3866048
D4-1,2-Dichloroethane	%	96	102	98	97	102	98		3866048

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch
Lab-Dup = Laboratory Initiated Duplicate

Maxxam Job #: B4N7299
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

SEMI-VOLATILE ORGANICS BY GC-MS (SOIL)

Maxxam ID		YW3227	YW3228	YW3229	YW3230	YW3231		
Sampling Date		2014/12/11 13:00	2014/12/11 13:50	2014/12/11 13:50	2014/12/11 15:20	2014/12/11 16:00		
COC Number		496344-15-01	496344-15-01	496344-15-01	496344-15-01	496344-15-01		
	Units	BH-306-3.0-3.7	BH-306-5.3-5.9	DUP-03	BH-307-3.8-4.4	BH-307-6.1-6.7	RDL	QC Batch
Methylnaphthalene, 2-(1-)	ug/g	<0.0071	0.021	0.024	<0.0071	<0.0071	0.0071	3869476
Acenaphthene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Acenaphthylene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Anthracene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Fluoranthene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Fluorene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
1-Methylnaphthalene	ug/g	<0.0050	0.015	0.017	<0.0050	0.0069	0.0050	3865019
2-Methylnaphthalene	ug/g	<0.0050	0.0061	0.0076	<0.0050	<0.0050	0.0050	3865019
Naphthalene	ug/g	<0.0050	<0.0050	0.0051	<0.0050	<0.0050	0.0050	3865019
Phenanthrene	ug/g	<0.0050	<0.0050	<0.0050	<0.0050	<0.0050	0.0050	3865019
Extraction Surrogate Recovery (%)								
D10-Anthracene	%	90	88	89	89	90		3865019
D14-Terphenyl (FS)	%	95	93	93	94	92		3865019
D8-Acenaphthylene	%	84	82	82	85	82		3865019
RDL = Reportable Detection Limit								
QC Batch = Quality Control Batch								

Maxxam Job #: B4N7299
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YW3227
Sample ID: BH-306-3.0-3.7
Matrix: Soil

Collected: 2014/12/11
Relinquished: 2014/12/12
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3869476	N/A	2014/12/23	Cristina Carriere
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866048	2014/12/17	2014/12/19	Mamdouh Salib
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3866849	2014/12/19	2014/12/19	Jolanta Kawzowicz
Acid Extractable Metals Analysis by ICP	ICP	3866097	2014/12/19	2014/12/19	Azita Fazaeli
Moisture	BAL	3865259	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou

Maxxam ID: YW3227 Dup
Sample ID: BH-306-3.0-3.7
Matrix: Soil

Collected: 2014/12/11
Relinquished: 2014/12/12
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866048	2014/12/17	2014/12/19	Mamdouh Salib

Maxxam ID: YW3228
Sample ID: BH-306-5.3-5.9
Matrix: Soil

Collected: 2014/12/11
Relinquished: 2014/12/12
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3869476	N/A	2014/12/23	Cristina Carriere
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866048	2014/12/17	2014/12/19	Mamdouh Salib
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3866849	2014/12/19	2014/12/19	Jolanta Kawzowicz
Acid Extractable Metals Analysis by ICP	ICP	3866097	2014/12/19	2014/12/19	Azita Fazaeli
Moisture	BAL	3865259	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou

Maxxam ID: YW3229
Sample ID: DUP-03
Matrix: Soil

Collected: 2014/12/11
Relinquished: 2014/12/12
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3869476	N/A	2014/12/23	Cristina Carriere
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866048	2014/12/17	2014/12/19	Mamdouh Salib
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3866849	2014/12/19	2014/12/19	Jolanta Kawzowicz
Acid Extractable Metals Analysis by ICP	ICP	3866097	2014/12/19	2014/12/19	Azita Fazaeli
Moisture	BAL	3865259	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou

Maxxam ID: YW3230
Sample ID: BH-307-3.8-4.4
Matrix: Soil

Collected: 2014/12/11
Relinquished: 2014/12/12
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3869476	N/A	2014/12/23	Cristina Carriere

Maxxam Job #: B4N7299
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YW3230
Sample ID: BH-307-3.8-4.4
Matrix: Soil

Collected: 2014/12/11
Relinquished: 2014/12/12
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866048	2014/12/17	2014/12/19	Mamdouh Salib
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3866849	2014/12/19	2014/12/19	Jolanta Kawzowicz
Acid Extractable Metals Analysis by ICP	ICP	3866097	2014/12/19	2014/12/19	Azita Fazaeli
Moisture	BAL	3865259	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou

Maxxam ID: YW3231
Sample ID: BH-307-6.1-6.7
Matrix: Soil

Collected: 2014/12/11
Relinquished: 2014/12/12
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3869476	N/A	2014/12/23	Cristina Carriere
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866048	2014/12/17	2014/12/19	Mamdouh Salib
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3866849	2014/12/19	2014/12/19	Jolanta Kawzowicz
Acid Extractable Metals Analysis by ICP	ICP	3866097	2014/12/19	2014/12/19	Azita Fazaeli
Moisture	BAL	3865259	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou

Maxxam Job #: B4N7299
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	1.0°C
-----------	-------

Results relate only to the items tested.

Maxxam Job #: B4N7299
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC				Date							
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits			
3865019	YZ	Method Blank	D10-Anthracene	2014/12/19		89	%	50 - 130			
			D14-Terphenyl (FS)	2014/12/19		92	%	50 - 130			
			D8-Acenaphthylene	2014/12/19		86	%	50 - 130			
			Acenaphthene	2014/12/19	<0.0050			ug/g			
			Acenaphthylene	2014/12/19	<0.0050			ug/g			
			Anthracene	2014/12/19	<0.0050			ug/g			
			Fluoranthene	2014/12/19	<0.0050			ug/g			
			Fluorene	2014/12/19	<0.0050			ug/g			
			1-Methylnaphthalene	2014/12/19	<0.0050			ug/g			
			2-Methylnaphthalene	2014/12/19	<0.0050			ug/g			
			Naphthalene	2014/12/19	<0.0050			ug/g			
			Phenanthrene	2014/12/19	<0.0050			ug/g			
			3866048	MSB	Method Blank	1,4-Difluorobenzene	2014/12/19		94	%	60 - 140
4-Bromofluorobenzene	2014/12/19					99	%	60 - 140			
D10-Ethylbenzene	2014/12/19					93	%	60 - 140			
D4-1,2-Dichloroethane	2014/12/19					95	%	60 - 140			
Benzene	2014/12/19	<0.020						ug/g			
Toluene	2014/12/19	<0.020						ug/g			
Ethylbenzene	2014/12/19	<0.020						ug/g			
o-Xylene	2014/12/19	<0.020						ug/g			
p+m-Xylene	2014/12/19	<0.040						ug/g			
Total Xylenes	2014/12/19	<0.040						ug/g			
Hexane	2014/12/19	<0.50						ug/g			
F1 (C6-C10)	2014/12/19	<10						ug/g			
F1 (C6-C10) - BTEX	2014/12/19	<10						ug/g			
3866097	AFZ	Method Blank				Acid Extractable Lead (Pb)	2014/12/19	<5.0		ug/g	
						3866849	JKA	Method Blank	o-Terphenyl	2014/12/19	
			F2 (C10-C16 Hydrocarbons)	2014/12/19	<10					ug/g	
			F3 (C16-C34 Hydrocarbons)	2014/12/19	<50					ug/g	
F4 (C34-C50 Hydrocarbons)	2014/12/19	<50		ug/g							
3866048	MSB	RPD [YW3227-05]	Benzene	2014/12/19	NC		%	50			
			Toluene	2014/12/19	NC		%	50			
			Ethylbenzene	2014/12/19	NC		%	50			
			o-Xylene	2014/12/19	NC		%	50			
			p+m-Xylene	2014/12/19	NC		%	50			
			Total Xylenes	2014/12/19	NC		%	50			
			Hexane	2014/12/19	NC		%	50			
			F1 (C6-C10)	2014/12/19	NC		%	30			
			F1 (C6-C10) - BTEX	2014/12/19	NC		%	30			
			3866048	MSB	Matrix Spike [YW3227-05]	1,4-Difluorobenzene	2014/12/19		112	%	60 - 140
4-Bromofluorobenzene	2014/12/19					116	%	60 - 140			
D10-Ethylbenzene	2014/12/19					110	%	60 - 140			
D4-1,2-Dichloroethane	2014/12/19					114	%	60 - 140			
Benzene	2014/12/19					83	%	60 - 140			
Toluene	2014/12/19					87	%	60 - 140			
Ethylbenzene	2014/12/19					98	%	60 - 140			
o-Xylene	2014/12/19					100	%	60 - 140			
p+m-Xylene	2014/12/19					90	%	60 - 140			
Hexane	2014/12/19					62	%	60 - 140			
F1 (C6-C10)	2014/12/19					74	%	60 - 140			

Maxxam Job #: B4N7299
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC				Date							
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits			
3865019	YZ	LCS	D10-Anthracene	2014/12/19		87	%	50 - 130			
			D14-Terphenyl (FS)	2014/12/19		93	%	50 - 130			
			D8-Acenaphthylene	2014/12/19		84	%	50 - 130			
			Acenaphthene	2014/12/19		89	%	50 - 130			
			Acenaphthylene	2014/12/19		85	%	50 - 130			
			Anthracene	2014/12/19		88	%	50 - 130			
			Fluoranthene	2014/12/19		91	%	50 - 130			
			Fluorene	2014/12/19		89	%	50 - 130			
			1-Methylnaphthalene	2014/12/19		93	%	50 - 130			
			2-Methylnaphthalene	2014/12/19		91	%	50 - 130			
			Naphthalene	2014/12/19		82	%	50 - 130			
			Phenanthrene	2014/12/19		84	%	50 - 130			
			3866048	MSB	LCS	1,4-Difluorobenzene	2014/12/19		98	%	60 - 140
						4-Bromofluorobenzene	2014/12/19		107	%	60 - 140
D10-Ethylbenzene	2014/12/19					90	%	60 - 140			
D4-1,2-Dichloroethane	2014/12/19					101	%	60 - 140			
Benzene	2014/12/19					90	%	60 - 140			
Toluene	2014/12/19					95	%	60 - 140			
Ethylbenzene	2014/12/19					106	%	60 - 140			
o-Xylene	2014/12/19					107	%	60 - 140			
p+m-Xylene	2014/12/19					97	%	60 - 140			
Hexane	2014/12/19					78	%	60 - 140			
3866097	AFZ	LCS	F1 (C6-C10)	2014/12/19		93	%	80 - 120			
3866849	JKA	LCS	Acid Extractable Lead (Pb)	2014/12/19		108	%	80 - 120			
			o-Terphenyl	2014/12/19		95	%	60 - 130			
			F2 (C10-C16 Hydrocarbons)	2014/12/19		85	%	80 - 120			
			F3 (C16-C34 Hydrocarbons)	2014/12/19		99	%	80 - 120			
			F4 (C34-C50 Hydrocarbons)	2014/12/19		96	%	80 - 120			

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (one or both samples < 5x RDL).

Maxxam Job #: B4N7299
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Services

Ewa Pranjic



Ewa Pranjic, M.Sc., C.Chem, Scientific Specialist

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road
Mississauga, Ontario L5N 2L8
www.maxxam.ca

Phone: (905) 817-5700
Fax: (905) 817-5777
Toll Free: 800-563-6266

**EXXONMOBIL/IMPERIAL OIL - MAXXAM
CHAIN-OF-CUSTODY RECORD
ANALYSIS REQUESTED**

Page | of |
C of C # 496344-15-01



INVOICE INFORMATION				REPORT INFORMATION																				
Company Name: Imperial Oil, a partnership of Imperial Oil Limited and McColl Frontenac Petrole				Company Name: Parsons																				
Contact Name: Daniel Grenzowski				Contact Name: Holly Losignore																				
Address: 1 Duncan Mill Road North York ON M3B 1Z2				Address: 3715 Laird Road Suite 100 Mississauga ON L5L 0A3																				
Email: daniel.grenzowski@esso.ca				Email: Holly.Losignore@parsons.com; labreport@																				
Phone: (416) 442-5012 x				Phone: (905) 569-4111 x																				
Sampler Name (Print): Edward Parker				Consultant Project #: 10-8518.3																				
FIELD SAMPLE ID	MATRIX				# CONTAINERS	SAMPLING		FIELD FILTERED & PRESERVED	LAB FILTRATION REQUIRED	F1/BTEX	F2-F4	PAHs	VOCs	Lead	ICPMS Metals	TCLP VOC	TCLP Inorganics	TCLP SVOCs	TCLP PCBs	TCLP BOP	PCBs	Hexane	2- and 3-ring PAHs: naphthalene, 1-methylnaphthalene, 2-methylnaphthalene, acenaphthene, acenaphthylene, anthracene, fluorene, fluoranthene, phenanthrene	
	GROUND WATER	SURFACE WATER	SOIL	OTHER		DATE (YYYYMMDD)	TIME (24 HR)																	
1			✓		7	2014/12/11	13:00			✓	✓													
2			✓		7	2014/12/11	13:50			✓	✓													
3			✓		7	2014/12/11	13:50			✓	✓													
4					7	2014/12/11	HH:MM																	
5			✓		7	2014/12/11	15:20			✓	✓													
6			✓		7	2014/12/11	16:00			✓	✓													
7						YYYYMMDD	HH:MM																	
8						YYYYMMDD	HH:MM																	
9						YYYYMMDD	HH:MM																	
10						YYYYMMDD	HH:MM																	


IOL SITE LOCATION: 1545 WOODROFFE AVENUE, OTTAWA, ON		REGULATORY CRITERIA / DETECTION LIMITS:		SPECIAL INSTRUCTIONS:		# JARS USED AND NOT SUBMITTED Enter N/A for Water		TURNAROUND TIME	
IOL SITE # (if applicable): N/A		<input checked="" type="checkbox"/> REG 153 Table <u>3</u> <input type="checkbox"/> 2004 <input checked="" type="checkbox"/> 2011 <input type="checkbox"/> RSC (Please indicate which Reg. version and if RSC required)		Test samples as per TDG				Standard (5 days) <input checked="" type="checkbox"/>	
IOL PROJECT # (if applicable): ME.00214		<input type="checkbox"/> ODWS <input type="checkbox"/> PWQO		1000 med/fin				Rush (3 days) <input type="checkbox"/>	
MAXXAM TASK ORDER # OR SERVICE ORDER # + LINE ITEM: 4410259930-10		<input type="checkbox"/> Other		ICG-YES				(1 day) <input type="checkbox"/>	
COOLER ID: 1		COOLER ID:		COOLER ID:				(same day) <input type="checkbox"/>	
CUSTODY SEAL PRESENT <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		CUSTODY SEAL PRESENT <input type="checkbox"/> YES <input type="checkbox"/> NO		CUSTODY SEAL PRESENT <input type="checkbox"/> YES <input type="checkbox"/> NO				Date Required	
TEMP 1: 2 2: 0 3: 1		TEMP 1: 2 3:		TEMP 1: 2 3:				LAB USE ONLY	
RELINQUISHED BY: <i>Edward Parker</i>		DATE: 2014/12/12		TIME (24 HR): 17:30		RECEIVED BY: <i>MARA FERRELL</i>		DATE: 2014/12/15	
1. <i>Edward Parker</i>		printed name: Edward Parker		printed name: Edward Parker		1. <i>MARA FERRELL</i>		DATE: 2014/12/15	
2. <i>Edward Parker</i>		signature: Edward Parker		signature: Edward Parker		2. <i>MARA FERRELL</i>		TIME (24 HR): 14:52	
3. <i>Edward Parker</i>		signature: Edward Parker		signature: Edward Parker		3. <i>MARA FERRELL</i>		SAMPLES	
		signature: Edward Parker		signature: Edward Parker				LABELED BY: FW	
		signature: Edward Parker		signature: Edward Parker				VERIFIED BY: MAF	

COC-1012 (2013) IOL-ON

White: Maxxam

Yellow: Client

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u> Consultant Project Number: <u>10-8518.3</u>	Sampling Date: <u>2014/12/11</u> Laboratory: <u>Maxxam Analytics Inc.</u> Laboratory Job Number: <u>B4N7299</u>																														
Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Instrument Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> <td rowspan="6">All lab QC met acceptance criteria.</td> </tr> <tr> <td>Extraction Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Method Blank Concentration</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Duplicate RPD</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Spike Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Lab Control Sample Recovery/Spiked Blank</td> <td align="center">X</td> <td></td> <td></td> </tr> </tbody> </table>			Yes	No	NA	Comments	Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.	Extraction Surrogate Recovery	X			Method Blank Concentration	X			Matrix Duplicate RPD	X			Matrix Spike Recovery	X			Lab Control Sample Recovery/Spiked Blank	X		
	Yes	No	NA	Comments																											
Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.																											
Extraction Surrogate Recovery	X																														
Method Blank Concentration	X																														
Matrix Duplicate RPD	X																														
Matrix Spike Recovery	X																														
Lab Control Sample Recovery/Spiked Blank	X																														
Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Field Blank Concentration</td> <td></td> <td></td> <td align="center">X</td> <td rowspan="3">All field QC samples met the alert limits.</td> </tr> <tr> <td>Trip Blank Concentration</td> <td></td> <td></td> <td align="center">X</td> </tr> <tr> <td>Field Duplicate RPD</td> <td align="center">X</td> <td></td> <td></td> </tr> </tbody> </table>			Yes	No	NA	Comments	Field Blank Concentration			X	All field QC samples met the alert limits.	Trip Blank Concentration			X	Field Duplicate RPD	X														
	Yes	No	NA	Comments																											
Field Blank Concentration			X	All field QC samples met the alert limits.																											
Trip Blank Concentration			X																												
Field Duplicate RPD	X																														
Has CofA been signed off (Yes/No)?: <u>Yes</u> Has lab warranted all tests were in statistical control in CofA (Yes/No)?: <u>Yes</u> Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?: <u>Yes</u> Were all samples analyzed within hold times (Yes/No)?: <u>Yes</u> All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?: <u>Yes</u> Is Chain of Custody completed and signed (Yes/No)?: <u>Yes</u> Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?: <u>Yes</u>																															
Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: <u>No</u> Date Issued: <u>N/A</u> Date of Response: <u>N/A</u>																															
Is data considered to be reliable (Yes/No)?: <u>Yes</u> If answer is "No", describe and provide rationale:																															
Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u> Revision Date (if applicable): _____	Data Reviewed by (Signature): <u></u> Revised by (Signature): _____																														

Attention: Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A; 1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-16-01

Report Date: 2014/12/23
Report #: R3269787
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N7305

Received: 2014/12/15, 14:52

Sample Matrix: Soil
Samples Received: 4

Analyses	Quantity	Laboratory Method	Primary Reference
Methylnaphthalene Sum	4	CAM SOP-00301	EPA 8270D m
Petroleum Hydro. CCME F1 & BTEX in Soil	4	CAM SOP-00315	CCME PHC-CWS m
Petroleum Hydrocarbons F2-F4 in Soil	4	CAM SOP-00316	CCME CWS m
Strong Acid Leachable Metals by ICPMS	4	CAM SOP-00447	EPA 6020A m
Moisture	4	CAM SOP-00445	Carter 2nd ed 51.2 m
PAH Compounds in Soil by GC/MS (SIM)	4	CAM SOP-00318	EPA 8270D m
Volatile Organic Compounds in Soil	2	CAM SOP-00226	EPA 8260 m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-16-01

Report Date: 2014/12/23
Report #: R3269787
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N7305
Received: 2014/12/15, 14:52

Encryption Key  Kudrat Bajwa
23 Dec 2014 14:59:22 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Kudrat Bajwa, B.Sc., Project Manager
Email: KBajwa@maxxam.ca
Phone# (905)817-5822

=====
Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N7305
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

HBTEX/F1-F4 PET. HYDROCARBONS IN SOIL (SOIL)

Maxxam ID		YW3246	YW3246	YW3247	YW3248	YW3249		
Sampling Date		2014/12/12 11:45	2014/12/12 11:45	2014/12/12 12:50	2014/12/12 13:40	2014/12/12 14:25		
COC Number		496344-16-01	496344-16-01	496344-16-01	496344-16-01	496344-16-01		
	Units	BH-308-3.0-3.7	BH-308-3.0-3.7 Lab-Dup	BH-308-6.1-6.7	BH-309-3.0-3.7	BH-309-5.3-5.9	RDL	QC Batch
Moisture	%	27		28	29	14	1.0	3865259
Benzene	ug/g	<0.020		<0.020	<0.020	<0.020	0.020	3866178
Toluene	ug/g	<0.020		<0.020	<0.020	<0.020	0.020	3866178
Ethylbenzene	ug/g	<0.020		<0.020	<0.020	<0.020	0.020	3866178
o-Xylene	ug/g	<0.020		<0.020	<0.020	<0.020	0.020	3866178
p+m-Xylene	ug/g	<0.040		<0.040	<0.040	<0.040	0.040	3866178
Total Xylenes	ug/g	<0.040		<0.040	<0.040	<0.040	0.040	3866178
Hexane	ug/g	<0.50		<0.50	<0.50	<0.50	0.50	3866178
F1 (C6-C10)	ug/g	<10		<10	<10	<10	10	3866178
F1 (C6-C10) - BTEX	ug/g	<10		<10	<10	<10	10	3866178
F2 (C10-C16 Hydrocarbons)	ug/g	<10	<10	<10	<10	<10	10	3866849
F3 (C16-C34 Hydrocarbons)	ug/g	<50	<50	<50	<50	<50	50	3866849
F4 (C34-C50 Hydrocarbons)	ug/g	<50	<50	<50	<50	<50	50	3866849
Reached Baseline at C50	ug/g	Yes	Yes	Yes	Yes	Yes		3866849
Extraction Surrogate Recovery (%)								
D10-Ethylbenzene	%	95		91	80	90		3866178
o-Terphenyl	%	90	90	90	87	90		3866849
Instrument Surrogate Recovery (%)								
1,4-Difluorobenzene	%	103		103	102	104		3866178
4-Bromofluorobenzene	%	92		93	97	89		3866178
D4-1,2-Dichloroethane	%	100		99	99	100		3866178
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate								

Maxxam Job #: B4N7305
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

O.REG 153 PAHS (SOIL)

Maxxam ID		YW3246	YW3247		YW3248		YW3249		
Sampling Date		2014/12/12 11:45	2014/12/12 12:50		2014/12/12 13:40		2014/12/12 14:25		
COC Number		496344-16-01	496344-16-01		496344-16-01		496344-16-01		
	Units	BH-308-3.0-3.7	BH-308-6.1-6.7	RDL	BH-309-3.0-3.7	RDL	BH-309-5.3-5.9	RDL	QC Batch
Methylnaphthalene, 2-(1-)	ug/g	<0.0071	<0.0071	0.0071	<0.0071	0.0071	<0.0071	0.0071	3862760
Acenaphthene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Acenaphthylene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Anthracene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Benzo(a)anthracene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Benzo(a)pyrene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Benzo(b/j)fluoranthene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Benzo(g,h,i)perylene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Benzo(k)fluoranthene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Chrysene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Dibenz(a,h)anthracene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Fluoranthene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Fluorene	ug/g	<0.0050	<0.0050	0.0050	<0.010 (1)	0.010	<0.0050	0.0050	3865019
Indeno(1,2,3-cd)pyrene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
1-Methylnaphthalene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
2-Methylnaphthalene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Naphthalene	ug/g	<0.0050	<0.0050	0.0050	<0.020 (1)	0.020	<0.0050	0.0050	3865019
Phenanthrene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Pyrene	ug/g	<0.0050	<0.0050	0.0050	<0.0050	0.0050	<0.0050	0.0050	3865019
Extraction Surrogate Recovery (%)									
D10-Anthracene	%	87	88		89		92		3865019
D14-Terphenyl (FS)	%	91	97		96		94		3865019
D8-Acenaphthylene	%	81	81		84		84		3865019
RDL = Reportable Detection Limit QC Batch = Quality Control Batch (1) DL was raised due to matrix interference.									

Maxxam Job #: B4N7305
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

ELEMENTS BY ATOMIC SPECTROSCOPY (SOIL)

Maxxam ID		YW3246	YW3247	YW3248	YW3249		
Sampling Date		2014/12/12 11:45	2014/12/12 12:50	2014/12/12 13:40	2014/12/12 14:25		
COC Number		496344-16-01	496344-16-01	496344-16-01	496344-16-01		
	Units	BH-308-3.0-3.7	BH-308-6.1-6.7	BH-309-3.0-3.7	BH-309-5.3-5.9	RDL	QC Batch
Acid Extractable Arsenic (As)	ug/g	<1.0	1.0	<1.0	<1.0	1.0	3866241
Acid Extractable Barium (Ba)	ug/g	97	150	120	30	0.50	3866241
Acid Extractable Chromium (Cr)	ug/g	26	41	35	7.5	1.0	3866241
Acid Extractable Copper (Cu)	ug/g	16	21	19	8.3	0.50	3866241
Acid Extractable Lead (Pb)	ug/g	3.4	3.8	3.7	2.1	1.0	3866241
Acid Extractable Zinc (Zn)	ug/g	33	52	41	12	5.0	3866241
RDL = Reportable Detection Limit							
QC Batch = Quality Control Batch							

Maxxam Job #: B4N7305
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VOLATILE ORGANICS BY GC/MS (SOIL)

Maxxam ID		YW3246	YW3247		
Sampling Date		2014/12/12 11:45	2014/12/12 12:50		
COC Number		496344-16-01	496344-16-01		
	Units	BH-308-3.0-3.7	BH-308-6.1-6.7	RDL	QC Batch
1,2-Dichloroethane	ug/g	<0.050	<0.050	0.050	3861394
Ethylene Dibromide	ug/g	<0.050	<0.050	0.050	3861394
Methyl t-butyl ether (MTBE)	ug/g	<0.050	<0.050	0.050	3861394
Extraction Surrogate Recovery (%)					
D10-o-Xylene	%	93	99		3861394
Instrument Surrogate Recovery (%)					
4-Bromofluorobenzene	%	82	83		3861394
D4-1,2-Dichloroethane	%	101	100		3861394
D8-Toluene	%	103	103		3861394
RDL = Reportable Detection Limit					
QC Batch = Quality Control Batch					

Maxxam Job #: B4N7305
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YW3246
Sample ID: BH-308-3.0-3.7
Matrix: Soil

Collected: 2014/12/12
Relinquished: 2014/12/12
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3862760	N/A	2014/12/22	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866178	2014/12/16	2014/12/19	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3866849	2014/12/19	2014/12/19	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866241	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3865259	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou
Volatile Organic Compounds in Soil	P&T/MS	3861394	2014/12/16	2014/12/17	Karen Huynh

Maxxam ID: YW3246 Dup
Sample ID: BH-308-3.0-3.7
Matrix: Soil

Collected: 2014/12/12
Relinquished: 2014/12/12
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3866849	2014/12/19	2014/12/20	Jolanta Kawzowicz

Maxxam ID: YW3247
Sample ID: BH-308-6.1-6.7
Matrix: Soil

Collected: 2014/12/12
Relinquished: 2014/12/12
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3862760	N/A	2014/12/22	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866178	2014/12/16	2014/12/19	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3866849	2014/12/19	2014/12/20	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866241	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3865259	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou
Volatile Organic Compounds in Soil	P&T/MS	3861394	2014/12/16	2014/12/17	Karen Huynh

Maxxam ID: YW3248
Sample ID: BH-309-3.0-3.7
Matrix: Soil

Collected: 2014/12/12
Relinquished: 2014/12/12
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3862760	N/A	2014/12/22	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866178	2014/12/16	2014/12/19	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3866849	2014/12/19	2014/12/20	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866241	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3865259	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou

Maxxam Job #: B4N7305
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YW3249
Sample ID: BH-309-5.3-5.9
Matrix: Soil

Collected: 2014/12/12
Relinquished: 2014/12/12
Received: 2014/12/15

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3862760	N/A	2014/12/22	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3866178	2014/12/16	2014/12/19	Simon Xi
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3866849	2014/12/19	2014/12/19	Jolanta Kawzowicz
Strong Acid Leachable Metals by ICPMS	ICP/MS	3866241	2014/12/19	2014/12/19	Grace Bu
Moisture	BAL	3865259	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou

Maxxam Job #: B4N7305
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	1.0°C
-----------	-------

Results relate only to the items tested.

Maxxam Job #: B4N7305
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC				Date					
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits	
3861394	KH1	Method Blank	4-Bromofluorobenzene	2014/12/17		85	%	60 - 140	
			D10-o-Xylene	2014/12/17		96	%	60 - 130	
			D4-1,2-Dichloroethane	2014/12/17		98	%	60 - 140	
			D8-Toluene	2014/12/17		102	%	60 - 140	
			1,2-Dichloroethane	2014/12/17	<0.050		ug/g		
			Ethylene Dibromide	2014/12/17	<0.050		ug/g		
			Methyl t-butyl ether (MTBE)	2014/12/17	<0.050		ug/g		
3865019	YZ	Method Blank	D10-Anthracene	2014/12/19		89	%	50 - 130	
			D14-Terphenyl (FS)	2014/12/19		92	%	50 - 130	
			D8-Acenaphthylene	2014/12/19		86	%	50 - 130	
			Acenaphthene	2014/12/19	<0.0050		ug/g		
			Acenaphthylene	2014/12/19	<0.0050		ug/g		
			Anthracene	2014/12/19	<0.0050		ug/g		
			Benzo(a)anthracene	2014/12/19	<0.0050		ug/g		
			Benzo(a)pyrene	2014/12/19	<0.0050		ug/g		
			Benzo(b/j)fluoranthene	2014/12/19	<0.0050		ug/g		
			Benzo(g,h,i)perylene	2014/12/19	<0.0050		ug/g		
			Benzo(k)fluoranthene	2014/12/19	<0.0050		ug/g		
			Chrysene	2014/12/19	<0.0050		ug/g		
			Dibenz(a,h)anthracene	2014/12/19	<0.0050		ug/g		
			Fluoranthene	2014/12/19	<0.0050		ug/g		
			Fluorene	2014/12/19	<0.0050		ug/g		
			Indeno(1,2,3-cd)pyrene	2014/12/19	<0.0050		ug/g		
			1-Methylnaphthalene	2014/12/19	<0.0050		ug/g		
			2-Methylnaphthalene	2014/12/19	<0.0050		ug/g		
			Naphthalene	2014/12/19	<0.0050		ug/g		
			Phenanthrene	2014/12/19	<0.0050		ug/g		
Pyrene	2014/12/19	<0.0050		ug/g					
3866178	JXI	Method Blank	1,4-Difluorobenzene	2014/12/19		101	%	60 - 140	
			4-Bromofluorobenzene	2014/12/19		100	%	60 - 140	
			D10-Ethylbenzene	2014/12/19		90	%	60 - 140	
			D4-1,2-Dichloroethane	2014/12/19		97	%	60 - 140	
			Benzene	2014/12/19	<0.020		ug/g		
			Toluene	2014/12/19	<0.020		ug/g		
			Ethylbenzene	2014/12/19	<0.020		ug/g		
			o-Xylene	2014/12/19	<0.020		ug/g		
			p+m-Xylene	2014/12/19	<0.040		ug/g		
			Total Xylenes	2014/12/19	<0.040		ug/g		
			Hexane	2014/12/19	<0.50		ug/g		
			F1 (C6-C10)	2014/12/19	<10		ug/g		
			F1 (C6-C10) - BTEX	2014/12/19	<10		ug/g		
			3866241	GBU	Method Blank	Acid Extractable Arsenic (As)	2014/12/19	<1.0	
Acid Extractable Barium (Ba)	2014/12/19	<0.50					ug/g		
Acid Extractable Chromium (Cr)	2014/12/19	<1.0					ug/g		
Acid Extractable Copper (Cu)	2014/12/19	<0.50					ug/g		
Acid Extractable Lead (Pb)	2014/12/19	<1.0					ug/g		
Acid Extractable Zinc (Zn)	2014/12/19	<5.0					ug/g		
3866849	JKA	Method Blank	o-Terphenyl	2014/12/19		94	%	60 - 130	
			F2 (C10-C16 Hydrocarbons)	2014/12/19	<10		ug/g		
			F3 (C16-C34 Hydrocarbons)	2014/12/19	<50		ug/g		
			F4 (C34-C50 Hydrocarbons)	2014/12/19	<50		ug/g		

Maxxam Job #: B4N7305
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	Units	QC Limits			
3866849	JKA	RPD [YW3246-03]	F2 (C10-C16 Hydrocarbons)	2014/12/20	NC		%	30			
			F3 (C16-C34 Hydrocarbons)	2014/12/20	NC		%	30			
			F4 (C34-C50 Hydrocarbons)	2014/12/20	NC		%	30			
3866849	JKA	Matrix Spike [YW3246-03]	o-Terphenyl	2014/12/19		100	%	60 - 130			
			F2 (C10-C16 Hydrocarbons)	2014/12/19		96	%	50 - 130			
			F3 (C16-C34 Hydrocarbons)	2014/12/19		108	%	50 - 130			
			F4 (C34-C50 Hydrocarbons)	2014/12/19		105	%	50 - 130			
3861394	KH1	LCS	4-Bromofluorobenzene	2014/12/17		105	%	60 - 140			
			D10-o-Xylene	2014/12/17		107	%	60 - 130			
			D4-1,2-Dichloroethane	2014/12/17		97	%	60 - 140			
			D8-Toluene	2014/12/17		100	%	60 - 140			
			1,2-Dichloroethane	2014/12/17		103	%	60 - 130			
			Ethylene Dibromide	2014/12/17		101	%	60 - 130			
			Methyl t-butyl ether (MTBE)	2014/12/17		104	%	60 - 130			
			D10-Anthracene	2014/12/19		87	%	50 - 130			
			D14-Terphenyl (FS)	2014/12/19		93	%	50 - 130			
			D8-Acenaphthylene	2014/12/19		84	%	50 - 130			
3865019	YZ	LCS	Acenaphthene	2014/12/19		89	%	50 - 130			
			Acenaphthylene	2014/12/19		85	%	50 - 130			
			Anthracene	2014/12/19		88	%	50 - 130			
			Benzo(a)anthracene	2014/12/19		82	%	50 - 130			
			Benzo(a)pyrene	2014/12/19		89	%	50 - 130			
			Benzo(b/j)fluoranthene	2014/12/19		88	%	50 - 130			
			Benzo(g,h,i)perylene	2014/12/19		88	%	50 - 130			
			Benzo(k)fluoranthene	2014/12/19		90	%	50 - 130			
			Chrysene	2014/12/19		88	%	50 - 130			
			Dibenz(a,h)anthracene	2014/12/19		89	%	50 - 130			
			Fluoranthene	2014/12/19		91	%	50 - 130			
			Fluorene	2014/12/19		89	%	50 - 130			
			Indeno(1,2,3-cd)pyrene	2014/12/19		96	%	50 - 130			
			1-Methylnaphthalene	2014/12/19		93	%	50 - 130			
			2-Methylnaphthalene	2014/12/19		91	%	50 - 130			
			Naphthalene	2014/12/19		82	%	50 - 130			
			Phenanthrene	2014/12/19		84	%	50 - 130			
			Pyrene	2014/12/19		91	%	50 - 130			
			3866178	JXI	LCS	1,4-Difluorobenzene	2014/12/19		100	%	60 - 140
						4-Bromofluorobenzene	2014/12/19		107	%	60 - 140
D10-Ethylbenzene	2014/12/19					102	%	60 - 140			
D4-1,2-Dichloroethane	2014/12/19					99	%	60 - 140			
Benzene	2014/12/19					113	%	60 - 140			
Toluene	2014/12/19					106	%	60 - 140			
Ethylbenzene	2014/12/19					115	%	60 - 140			
o-Xylene	2014/12/19					119	%	60 - 140			
p+m-Xylene	2014/12/19					112	%	60 - 140			
Hexane	2014/12/19					111	%	60 - 140			
3866241	GBU	LCS	F1 (C6-C10)	2014/12/19		98	%	80 - 120			
			Acid Extractable Arsenic (As)	2014/12/19		103	%	80 - 120			
			Acid Extractable Barium (Ba)	2014/12/19		103	%	80 - 120			
			Acid Extractable Chromium (Cr)	2014/12/19		102	%	80 - 120			
			Acid Extractable Copper (Cu)	2014/12/19		103	%	80 - 120			

Maxxam Job #: B4N7305
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	Units	QC Limits
3866849	JKA	LCS	Acid Extractable Lead (Pb)	2014/12/19		101	%	80 - 120
			Acid Extractable Zinc (Zn)	2014/12/19		104	%	80 - 120
			o-Terphenyl	2014/12/19		95	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/19		85	%	80 - 120
			F3 (C16-C34 Hydrocarbons)	2014/12/19		99	%	80 - 120
			F4 (C34-C50 Hydrocarbons)	2014/12/19		96	%	80 - 120

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (one or both samples < 5x RDL).

Maxxam Job #: B4N7305
Report Date: 2014/12/23

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Services

Ewa Pranjic



Ewa Pranjic, M.Sc., C.Chem, Scientific Specialist

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road
Mississauga, Ontario L5N 2L8
www.maxxam.ca

Phone: (905) 817-5700
Fax: (905) 817-5777
Toll Free: 800-563-6266

EXXONMOBIL/IMPERIAL OIL - MAXXAM
CHAIN-OF-CUSTODY RECORD
ANALYSIS REQUESTED

Page 1 of 1
C of C # 496344-16-01



496344

INVOICE INFORMATION				REPORT INFORMATION																				
Company Name: Imperial Oil, a partnership of Imperial Oil Limited and McColl Frontenac Petrole				Company Name: Parsons																				
Contact Name: Daniel Grenzowski				Contact Name: Holly Losignore																				
Address: 1 Duncan Mill Road North York ON M3B 1Z2				Address: 3715 Laird Road Suite 100 Mississauga ON L5L 0A3																				
Email: daniel.grenzowski@esso.ca				Email: Holly.Losignore@parsons.com; labreport@																				
Phone: (416) 442-5012 x				Phone: (905) 569-4111 x																				
Sampler Name (Print): Edward Parker				Consultant Project #: 10-8518.3																				
FIELD SAMPLE ID	MATRIX				# CONTAINERS	SAMPLING		FIELD FILTERED & PRESERVED	LAB FILTRATION REQUIRED	F1/BTEX	F2-F4	PAHs	VOCs	Lead	ICPMS Metals	TCLP VOC	TCLP Inorganics	TCLP SVOCs	TCLP PCBs	TCLP B(a)P	PCBs	VOC (3) ethylene dibromide 1,2-dichloroethane, MTBE	Hexane	Metals (6) - arsenic, barium, chromium, copper, lead, zinc
	GROUND WATER	SURFACE WATER	SOIL	OTHER		DATE (YYYY/MM/DD)	TIME (24 HR)																	
1			✓		8	2014/12/12	11:45			✓	✓	✓										✓	✓	✓
2			✓		8	2014/12/12	12:50			✓	✓	✓										✓	✓	✓
3			✓		6	2014/12/12	13:40			✓	✓	✓										✓	✓	✓
4			✓		6	2014/12/12	14:25			✓	✓	✓										✓	✓	✓
5						YYYYMMDD	HH:MM																	
6						YYYYMMDD	HH:MM																	
7						YYYYMMDD	HH:MM																	
8						YYYYMMDD	HH:MM																	
9						YYYYMMDD	HH:MM																	
10						YYYYMMDD	HH:MM																	

IOL SITE LOCATION: 1545 WOODROFFE AVENUE, OTTAWA, ON			REGULATORY CRITERIA / DETECTION LIMITS: <input checked="" type="checkbox"/> REG 153 Table <u>3</u> <input type="checkbox"/> 2004 <input checked="" type="checkbox"/> 2011 <input type="checkbox"/> RSC (Please indicate which Reg. version and if RSC required)				SPECIAL INSTRUCTIONS: <i>Test samples as per TDG ICE-YES</i>			# JARS USED AND NOT SUBMITTED Enter N/A for Water <i>Ø</i>		TURNAROUND TIME Standard (5 days) <input checked="" type="checkbox"/> Rush (3 days) <input type="checkbox"/> (2 days) <input type="checkbox"/> (1 day) <input type="checkbox"/> (same day) <input type="checkbox"/> Date Required	
IOL SITE # (if applicable): N/A			<input type="checkbox"/> ODWS <input type="checkbox"/> PWQO										
IOL PROJECT # (if applicable): ME.00214			<input type="checkbox"/> Other										
MAXXAM TASK ORDER # OR SERVICE ORDER # + LINE ITEM: 4410259930-10													

COOLER ID: 1			COOLER ID:			COOLER ID:			COOLER ID:			LAB USE ONLY		
CUSTODY SEAL	YES	NO	CUSTODY SEAL	YES	NO	CUSTODY SEAL	YES	NO	CUSTODY SEAL	YES	NO	MAXXAM JOB #		
PRESENT	✓		PRESENT			PRESENT			PRESENT			B4N7305		
INTACT	✓		INTACT			INTACT			INTACT			SAMPLES		
RELINQUISHED BY: <i>[Signature]</i> Edward Parker			DATE: 2014/12/12			TIME (24 HR): 17:30			RECEIVED BY: <i>[Signature]</i> MARC FERUS			DATE: 2014/12/15		
signature			YYYYMMDD			HH:MM			signature			YYYYMMDD		
signature			YYYYMMDD			HH:MM			signature			YYYYMMDD		

COC - 1012 (2013) IOL - ON

White: Maxxam

Yellow: Client

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u>	Sampling Date: <u>2014/12/12</u> Laboratory: <u>Maxxam Analytics Inc.</u>
Consultant Project Number: <u>10-8518.3</u>	Laboratory Job Number: <u>B4N7305</u>

Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?

	Yes	No	NA	Comments
Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.
Extraction Surrogate Recovery	X			
Method Blank Concentration	X			
Matrix Duplicate RPD	X			
Matrix Spike Recovery	X			
Lab Control Sample Recovery/Spiked Blank	X			

Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?

	Yes	No	NA	Comments
Field Blank Concentration			X	No field QC samples were submitted.
Trip Blank Concentration			X	
Field Duplicate RPD			X	

Has CofA been signed off (Yes/No)?:	<u>Yes</u>
Has lab warranted all tests were in statistical control in CofA (Yes/No)?:	<u>Yes</u>
Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?:	<u>Yes</u>
Were all samples analyzed within hold times (Yes/No)?:	<u>Yes</u>
All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?:	<u>Yes</u>
Is Chain of Custody completed and signed (Yes/No)?:	<u>Yes</u>
Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?:	<u>Yes</u>

Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: No

Date Issued: N/A Date of Response: N/A

Is data considered to be reliable (Yes/No)?: Yes

If answer is "No", describe and provide rationale:

Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u>	Data Reviewed by (Signature): Revised by (Signature): _____
Revision Date (if applicable): _____	

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-17-01

Report Date: 2014/12/29
Report #: R3273066
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N9434

Received: 2014/12/17, 17:55

Sample Matrix: Soil
Samples Received: 2

Analyses	Quantity	Laboratory Method	Primary Reference
Methylnaphthalene Sum	2	CAM SOP-00301	EPA 8270D m
Petroleum Hydro. CCME F1 & BTEX in Soil	2	CAM SOP-00315	CCME PHC-CWS m
Petroleum Hydrocarbons F2-F4 in Soil	2	CAM SOP-00316	CCME CWS m
Strong Acid Leachable Metals by ICPMS	2	CAM SOP-00447	EPA 6020A m
Moisture	2	CAM SOP-00445	Carter 2nd ed 51.2 m
PAH Compounds in Soil by GC/MS (SIM)	2	CAM SOP-00318	EPA 8270D m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-17-01

Report Date: 2014/12/29
Report #: R3273066
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N9434
Received: 2014/12/17, 17:55

Encryption Key  Kudrat Bajwa
29 Dec 2014 09:25:51 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Kudrat Bajwa, B.Sc., Project Manager
Email: KBajwa@maxxam.ca
Phone# (905)817-5822

=====
Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N9434
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

HBTEX/F1-F4 PET. HYDROCARBONS IN SOIL (SOIL)

Maxxam ID		YX3054	YX3055		
Sampling Date		2014/12/13 10:50	2014/12/13 11:40		
COC Number		496344-17-01	496344-17-01		
	Units	BH-311-3.0-3.7	BH-311-5.5-6.1	RDL	QC Batch
Benzene	ug/g	<0.020	<0.020	0.020	3869158
Toluene	ug/g	<0.020	<0.020	0.020	3869158
Ethylbenzene	ug/g	<0.020	<0.020	0.020	3869158
o-Xylene	ug/g	<0.020	<0.020	0.020	3869158
p+m-Xylene	ug/g	<0.040	<0.040	0.040	3869158
Total Xylenes	ug/g	<0.040	<0.040	0.040	3869158
Hexane	ug/g	<0.50	<0.50	0.50	3869158
F1 (C6-C10)	ug/g	<10	<10	10	3869158
F1 (C6-C10) - BTEX	ug/g	<10	<10	10	3869158
F2 (C10-C16 Hydrocarbons)	ug/g	<10	<10	10	3869151
F3 (C16-C34 Hydrocarbons)	ug/g	<50	<50	50	3869151
F4 (C34-C50 Hydrocarbons)	ug/g	<50	<50	50	3869151
Reached Baseline at C50	ug/g	Yes	Yes		3869151
Extraction					
Surrogate Recovery (%)					
D10-Ethylbenzene	%	81	89		3869158
o-Terphenyl	%	101	98		3869151
Instrument					
Surrogate Recovery (%)					
1,4-Difluorobenzene	%	104	104		3869158
4-Bromofluorobenzene	%	99	97		3869158
D4-1,2-Dichloroethane	%	96	94		3869158
RDL = Reportable Detection Limit					
QC Batch = Quality Control Batch					

Maxxam Job #: B4N9434
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

O.REG 153 PAHS (SOIL)

Maxxam ID		YX3054	YX3055		
Sampling Date		2014/12/13 10:50	2014/12/13 11:40		
COC Number		496344-17-01	496344-17-01		
	Units	BH-311-3.0-3.7	BH-311-5.5-6.1	RDL	QC Batch
Moisture	%	30	17	1.0	3868602
Methylnaphthalene, 2-(1-)	ug/g	<0.0071	<0.0071	0.0071	3863849
Acenaphthene	ug/g	<0.0050	<0.0050	0.0050	3867006
Acenaphthylene	ug/g	<0.0050	<0.0050	0.0050	3867006
Anthracene	ug/g	<0.0050	<0.0050	0.0050	3867006
Benzo(a)anthracene	ug/g	<0.0050	<0.0050	0.0050	3867006
Benzo(a)pyrene	ug/g	<0.0050	<0.0050	0.0050	3867006
Benzo(b/j)fluoranthene	ug/g	<0.0050	<0.0050	0.0050	3867006
Benzo(g,h,i)perylene	ug/g	<0.0050	<0.0050	0.0050	3867006
Benzo(k)fluoranthene	ug/g	<0.0050	<0.0050	0.0050	3867006
Chrysene	ug/g	<0.0050	<0.0050	0.0050	3867006
Dibenz(a,h)anthracene	ug/g	<0.0050	<0.0050	0.0050	3867006
Fluoranthene	ug/g	<0.0050	<0.0050	0.0050	3867006
Fluorene	ug/g	<0.0050	<0.0050	0.0050	3867006
Indeno(1,2,3-cd)pyrene	ug/g	<0.0050	<0.0050	0.0050	3867006
1-Methylnaphthalene	ug/g	<0.0050	<0.0050	0.0050	3867006
2-Methylnaphthalene	ug/g	<0.0050	<0.0050	0.0050	3867006
Naphthalene	ug/g	<0.0050	<0.0050	0.0050	3867006
Phenanthrene	ug/g	<0.0050	<0.0050	0.0050	3867006
Pyrene	ug/g	<0.0050	<0.0050	0.0050	3867006
Extraction Surrogate Recovery (%)					
D10-Anthracene	%	83	92		3867006
D14-Terphenyl (FS)	%	102	103		3867006
D8-Acenaphthylene	%	84	86		3867006
RDL = Reportable Detection Limit					
QC Batch = Quality Control Batch					

Maxxam Job #: B4N9434
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

ELEMENTS BY ATOMIC SPECTROSCOPY (SOIL)

Maxxam ID		YX3054	YX3055		
Sampling Date		2014/12/13 10:50	2014/12/13 11:40		
COC Number		496344-17-01	496344-17-01		
	Units	BH-311-3.0-3.7	BH-311-5.5-6.1	RDL	QC Batch
Acid Extractable Arsenic (As)	ug/g	<1.0	<1.0	1.0	3869519
Acid Extractable Barium (Ba)	ug/g	270	37	0.50	3869519
Acid Extractable Chromium (Cr)	ug/g	72	6.1	1.0	3869519
Acid Extractable Copper (Cu)	ug/g	32	12	0.50	3869519
Acid Extractable Lead (Pb)	ug/g	6.3	2.2	1.0	3869519
Acid Extractable Zinc (Zn)	ug/g	89	18	5.0	3869519
RDL = Reportable Detection Limit					
QC Batch = Quality Control Batch					

Maxxam Job #: B4N9434
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YX3054
Sample ID: BH-311-3.0-3.7
Matrix: Soil

Collected: 2014/12/13
Relinquished: 2014/12/15
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3863849	N/A	2014/12/23	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3869158	2014/12/18	2014/12/23	Anca Ganea
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3869151	2014/12/23	2014/12/23	Jeevaraj Jeevaratnam
Strong Acid Leachable Metals by ICPMS	ICP/MS	3869519	2014/12/23	2014/12/23	Grace Bu
Moisture	BAL	3868602	N/A	2014/12/22	Shivani Desai
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3867006	2014/12/19	2014/12/22	Lingyun Feng

Maxxam ID: YX3055
Sample ID: BH-311-5.5-6.1
Matrix: Soil

Collected: 2014/12/13
Relinquished: 2014/12/15
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3863849	N/A	2014/12/23	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3869158	2014/12/18	2014/12/23	Anca Ganea
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3869151	2014/12/23	2014/12/23	Jeevaraj Jeevaratnam
Strong Acid Leachable Metals by ICPMS	ICP/MS	3869519	2014/12/23	2014/12/23	Grace Bu
Moisture	BAL	3868602	N/A	2014/12/22	Shivani Desai
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3867006	2014/12/19	2014/12/22	Lingyun Feng

Maxxam Job #: B4N9434
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	3.0°C
-----------	-------

Results relate only to the items tested.

Maxxam Job #: B4N9434
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC			Parameter	Date	Value	Recovery	Units	QC Limits	
Batch	Init	QC Type		Analyzed					
3867006	LFE	Method Blank	D10-Anthracene	2014/12/22		90	%	50 - 130	
			D14-Terphenyl (FS)	2014/12/22		101	%	50 - 130	
			D8-Acenaphthylene	2014/12/22		86	%	50 - 130	
			Acenaphthene	2014/12/22	<0.0050			ug/g	
			Acenaphthylene	2014/12/22	<0.0050			ug/g	
			Anthracene	2014/12/22	<0.0050			ug/g	
			Benzo(a)anthracene	2014/12/22	<0.0050			ug/g	
			Benzo(a)pyrene	2014/12/22	<0.0050			ug/g	
			Benzo(b/j)fluoranthene	2014/12/22	<0.0050			ug/g	
			Benzo(g,h,i)perylene	2014/12/22	<0.0050			ug/g	
			Benzo(k)fluoranthene	2014/12/22	<0.0050			ug/g	
			Chrysene	2014/12/22	<0.0050			ug/g	
			Dibenz(a,h)anthracene	2014/12/22	<0.0050			ug/g	
			Fluoranthene	2014/12/22	<0.0050			ug/g	
			Fluorene	2014/12/22	<0.0050			ug/g	
			Indeno(1,2,3-cd)pyrene	2014/12/22	<0.0050			ug/g	
			1-Methylnaphthalene	2014/12/22	<0.0050			ug/g	
			2-Methylnaphthalene	2014/12/22	<0.0050			ug/g	
			Naphthalene	2014/12/22	<0.0050			ug/g	
Phenanthrene	2014/12/22	<0.0050			ug/g				
Pyrene	2014/12/22	<0.0050			ug/g				
3869151	JJE	Method Blank	o-Terphenyl	2014/12/23		99	%	60 - 130	
			F2 (C10-C16 Hydrocarbons)	2014/12/23	<10		ug/g		
			F3 (C16-C34 Hydrocarbons)	2014/12/23	<50		ug/g		
			F4 (C34-C50 Hydrocarbons)	2014/12/23	<50		ug/g		
3869158	AGA	Method Blank	1,4-Difluorobenzene	2014/12/23		106	%	60 - 140	
			4-Bromofluorobenzene	2014/12/23		104	%	60 - 140	
			D10-Ethylbenzene	2014/12/23		84	%	60 - 140	
			D4-1,2-Dichloroethane	2014/12/23		99	%	60 - 140	
			Benzene	2014/12/23	<0.020			ug/g	
			Toluene	2014/12/23	<0.020			ug/g	
			Ethylbenzene	2014/12/23	<0.020			ug/g	
			o-Xylene	2014/12/23	<0.020			ug/g	
			p+m-Xylene	2014/12/23	<0.040			ug/g	
			Total Xylenes	2014/12/23	<0.040			ug/g	
			Hexane	2014/12/23	<0.50			ug/g	
			F1 (C6-C10)	2014/12/23	<10			ug/g	
			F1 (C6-C10) - BTEX	2014/12/23	<10			ug/g	
			3869519	GBU	Method Blank	Acid Extractable Arsenic (As)	2014/12/23	<1.0	
Acid Extractable Barium (Ba)	2014/12/23	<0.50					ug/g		
Acid Extractable Chromium (Cr)	2014/12/23	<1.0					ug/g		
Acid Extractable Copper (Cu)	2014/12/23	<0.50					ug/g		
Acid Extractable Lead (Pb)	2014/12/23	<1.0					ug/g		
Acid Extractable Zinc (Zn)	2014/12/23	<5.0					ug/g		
3867006	LFE	LCS	D10-Anthracene	2014/12/22		91	%	50 - 130	
			D14-Terphenyl (FS)	2014/12/22		102	%	50 - 130	
			D8-Acenaphthylene	2014/12/22		89	%	50 - 130	
			Acenaphthene	2014/12/22		84	%	50 - 130	
			Acenaphthylene	2014/12/22		87	%	50 - 130	
			Anthracene	2014/12/22		87	%	50 - 130	
			Benzo(a)anthracene	2014/12/22		87	%	50 - 130	

Maxxam Job #: B4N9434
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC			Parameter	Date	Value	Recovery	Units	QC Limits
Batch	Init	QC Type		Analyzed				
			Benzo(a)pyrene	2014/12/22		86	%	50 - 130
			Benzo(b/j)fluoranthene	2014/12/22		83	%	50 - 130
			Benzo(g,h,i)perylene	2014/12/22		79	%	50 - 130
			Benzo(k)fluoranthene	2014/12/22		83	%	50 - 130
			Chrysene	2014/12/22		87	%	50 - 130
			Dibenz(a,h)anthracene	2014/12/22		82	%	50 - 130
			Fluoranthene	2014/12/22		96	%	50 - 130
			Fluorene	2014/12/22		93	%	50 - 130
			Indeno(1,2,3-cd)pyrene	2014/12/22		92	%	50 - 130
			1-Methylnaphthalene	2014/12/22		93	%	50 - 130
			2-Methylnaphthalene	2014/12/22		93	%	50 - 130
			Naphthalene	2014/12/22		83	%	50 - 130
			Phenanthrene	2014/12/22		84	%	50 - 130
			Pyrene	2014/12/22		97	%	50 - 130
3869151	JJE	LCS	o-Terphenyl	2014/12/23		96	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/23		93	%	80 - 120
			F3 (C16-C34 Hydrocarbons)	2014/12/23		99	%	80 - 120
			F4 (C34-C50 Hydrocarbons)	2014/12/23		104	%	80 - 120
3869158	AGA	LCS	1,4-Difluorobenzene	2014/12/23		104	%	60 - 140
			4-Bromofluorobenzene	2014/12/23		99	%	60 - 140
			D10-Ethylbenzene	2014/12/23		81	%	60 - 140
			D4-1,2-Dichloroethane	2014/12/23		96	%	60 - 140
			Benzene	2014/12/23		87	%	60 - 140
			Toluene	2014/12/23		89	%	60 - 140
			Ethylbenzene	2014/12/23		96	%	60 - 140
			o-Xylene	2014/12/23		92	%	60 - 140
			p+m-Xylene	2014/12/23		87	%	60 - 140
			Hexane	2014/12/23		105	%	60 - 140
			F1 (C6-C10)	2014/12/23		88	%	80 - 120
3869519	GBU	LCS	Acid Extractable Arsenic (As)	2014/12/23		101	%	80 - 120
			Acid Extractable Barium (Ba)	2014/12/23		100	%	80 - 120
			Acid Extractable Chromium (Cr)	2014/12/23		100	%	80 - 120
			Acid Extractable Copper (Cu)	2014/12/23		101	%	80 - 120
			Acid Extractable Lead (Pb)	2014/12/23		100	%	80 - 120
			Acid Extractable Zinc (Zn)	2014/12/23		103	%	80 - 120

LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

Maxxam Job #: B4N9434
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Services

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road
Mississauga, Ontario L5N 2L8
www.maxxam.ca

Phone: (905) 817-5700
Fax: (905) 817-5777
Toll Free: 800-563-6266

EXXONMOBIL/IMPERIAL OIL - MAXXAM
CHAIN-OF-CUSTODY RECORD
ANALYSIS REQUESTED

Page 1 of 1
C of C # 496344-17-01



INVOICE INFORMATION				REPORT INFORMATION																				
Company Name: Imperial Oil, a partnership of Imperial Oil Limited and McColl Frontenac Petrole				Company Name: Parsons																				
Contact Name: Daniel Grenzowski				Contact Name: Holly Losignore																				
Address: 1 Duncan Mill Road North York ON M3B 1Z2				Address: 3715 Laird Road Suite 100 Mississauga ON L5L 0A3																				
Email: daniel.grenzowski@esso.ca				Email: Holly.Losignore@parsons.com; labreport@																				
Phone: (416) 442-5012 x				Phone: (905) 569-4111 x																				
Sampler Name (Print): THEO MOSHONAS				Consultant Project #: 10-8518.3																				
FIELD SAMPLE ID	MATRIX				# CONTAINERS	SAMPLING		FIELD FILTERED & PRESERVED	LAB FILTRATION REQUIRED	F1/BTEX	F2-F4	PAHs	VOCs	Lead	ICPMS Metals	TCLP VOC	TCLP Inorganics	TCLP SVOCs	TCLP PCBs	TCLP Biop	PCBs	n-HEXANE	METALS (6) arsenic, barium, cadmium, copper, lead, chromium	
	GROUND WATER	SURFACE WATER	SOIL	OTHER		DATE (YYYYMMDD)	TIME (24 HR)																	
1			✓		6	2014/12/13	10:50	~	~	✓	✓	✓												
2			✓		6	2014/12/13	11:40	~	~	✓	✓	✓												
3						YYYYMMDD	HH:MM																	
4						YYYYMMDD	HH:MM																	
5						YYYYMMDD	HH:MM																	
6						YYYYMMDD	HH:MM																	
7						YYYYMMDD	HH:MM																	
8						YYYYMMDD	HH:MM																	
9						YYYYMMDD	HH:MM																	
10						YYYYMMDD	HH:MM																	

IOL SITE LOCATION: 1545 WOODROFFE AVENUE, OTTAWA, ON			REGULATORY CRITERIA / DETECTION LIMITS: <input checked="" type="checkbox"/> REG 153 Table 3 <input type="checkbox"/> 2004 <input checked="" type="checkbox"/> 2011 <input type="checkbox"/> RSC (Please indicate which Reg. version and if RSC required)				SPECIAL INSTRUCTIONS: BEST SAMPLES AS PER EDG			# JARS USED AND NOT SUBMITTED: Enter N/A for Water 0		TURNAROUND TIME Standard (5 days) <input checked="" type="checkbox"/> Rush (3 days) <input type="checkbox"/> (2 days) <input type="checkbox"/> (1 day) <input type="checkbox"/> (same day) <input type="checkbox"/>	
IOL SITE # (if applicable): N/A			<input type="checkbox"/> ODWS <input type="checkbox"/> PWQO 1/c/c FINE/MED				ICE-YES					Date Required	
IOL PROJECT # (if applicable): ME.00214			<input type="checkbox"/> Other										
MAXXAM TASK ORDER # OR SERVICE ORDER # + LINE ITEM: 4410259930-10													

COOLER ID: 1			COOLER ID:			COOLER ID:			LAB USE ONLY												
CUSTODY SEAL	YES	NO	TEMP	1	2	3	CUSTODY SEAL	YES	NO	TEMP	1	2	3	CUSTODY SEAL	YES	NO	TEMP	1	2	3	MAXXAM JOB #
PRESENT	✓		3				PRESENT							PRESENT							BAN 9434
INTACT							INTACT							INTACT							SAMPLES

RELINQUISHED BY:		DATE:		TIME (24 HR)		RECEIVED BY:		DATE:		TIME (24 HR)		SAMPLES	
THEO MOSHONAS		2014/12/13		15:20		1. ARKA		2014/12/17		17:55		HGL	
signature		printed name		HH:MM		signature		YYYYMMDD		HH:MM		VERIFIED BY:	
signature		printed name		HH:MM		signature		YYYYMMDD		HH:MM		FW	

COC - 1012 (2013) IOL - ON

White: Maxxam

Yellow: Client

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u> Consultant Project Number: <u>10-8518.3</u>	Sampling Date: <u>2014/12/13</u> Laboratory: <u>Maxxam Analytics Inc.</u> Laboratory Job Number: <u>B4N9434</u>
---	---

Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?

	Yes	No	NA	Comments
Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.
Extraction Surrogate Recovery	X			
Method Blank Concentration	X			
Matrix Duplicate RPD			X	
Matrix Spike Recovery			X	
Lab Control Sample Recovery/Spiked Blank	X			

Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?

	Yes	No	NA	Comments
Field Blank Concentration			X	No field QC samples were submitted.
Trip Blank Concentration			X	
Field Duplicate RPD			X	

Has CofA been signed off (Yes/No)?:	<u>Yes</u>
Has lab warranted all tests were in statistical control in CofA (Yes/No)?:	<u>Yes</u>
Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?:	<u>Yes</u>
Were all samples analyzed within hold times (Yes/No)?:	<u>Yes</u>
All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?:	<u>Yes</u>
Is Chain of Custody completed and signed (Yes/No)?:	<u>Yes</u>
Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?:	<u>Yes</u>

Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: No

Date Issued: N/A Date of Response: N/A

Is data considered to be reliable (Yes/No)?: Yes

If answer is "No", describe and provide rationale:

Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u> Revision Date (if applicable): _____	Data Reviewed by (Signature):  Revised by (Signature): _____
--	--

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-06-01

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Report Date: 2015/01/26
Report #: R3312635
Version: 2 - Revision

CERTIFICATE OF ANALYSIS – REVISED REPORT

MAXXAM JOB #: B4N9446
Received: 2014/12/17, 17:55

Sample Matrix: Soil
Samples Received: 1

Analyses	Quantity	Laboratory Method	Primary Reference
Polychlorinated Biphenyl in Soil	1	CAM SOP-00309	EPA 8082A m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Encryption Key  Kudrat Bajwa
26 Jan 2015 09:21:03 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Kudrat Bajwa, B.Sc., Project Manager
Email: KBajwa@maxxam.ca
Phone# (905)817-5822

=====
Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

O.REG 153 PCBS (SOIL)

Maxxam ID		YX3107		
Sampling Date		2014/12/13 09:25		
COC Number		496344-06-01		
	Units	FIELD BLANK-01	RDL	QC Batch
Total PCB	ug/g	<0.010	0.010	3864616
Extraction Surrogate Recovery (%)				
Decachlorobiphenyl	%	95		3864616
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YX3107
Sample ID: FIELD BLANK-01
Matrix: Soil

Collected: 2014/12/13
Relinquished: 2014/12/15
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Polychlorinated Biphenyl in Soil	GC/ECD	3864616	2014/12/18	2014/12/18	Li Peng

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	3.0°C
-----------	-------

Revised Report: Report re-issued to include only PCB analysis results for sample ID FIELD BLANK-01, as per request by D. Bettencourt.

Results relate only to the items tested.

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC				Date				
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits
3864616	LPG	Method Blank	Decachlorobiphenyl	2014/12/18		91	%	60 - 130
			Total PCB	2014/12/18	<0.010		ug/g	
3864616	LPG	LCS	Decachlorobiphenyl	2014/12/18		91	%	60 - 130
			Total PCB	2014/12/18		103	%	60 - 130

LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Services

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road
Mississauga, Ontario L5N 2L8
www.maxxam.ca

Phone: (905) 817-5700
Fax: (905) 817-5777
Toll Free: 800-563-6266

EXXONMOBIL/IMPERIAL OIL - MAXXAM
CHAIN-OF-CUSTODY RECORD
ANALYSIS REQUESTED

Page 1 of 1
C of C # 496344-06-01



INVOICE INFORMATION		REPORT INFORMATION																					
Company Name: Imperial Oil, a partnership of Imperial Oil Limited and McColl Frontenac Petrole		Company Name: Parsons																					
Contact Name: Daniel Grenzowski		Contact Name: Holly Losignore																					
Address: 1 Duncan Mill Road North York ON M3B 1Z2		Address: 3715 Laird Road Suite 100 Mississauga ON L5L 0A3																					
Email: daniel.grenzowski@esso.ca		Email: Holly.Losignore@parsons.com; labreport@																					
Phone: (416) 442-5012 x		Phone: (905) 569-4111 x																					
Sampler Name (Print): THEO MOSHONAS		Consultant Project #: 10-8518.3																					
FIELD SAMPLE ID	MATRIX				# CONTAINERS	SAMPLING		FIELD FILTERED & PRESERVED	LAB FILTRATION REQUIRED	F1/BTEX	F2-F4	PAHs	VOCs	Lead	ICPMS Metals	TCLP VOC	TCLP Inorganics	TCLP SVOCs	TCLP PCBs	TCLP B(a)P	PCBs	n-hexane	
	GROUND WATER	SURFACE WATER	SOIL	OTHER		DATE (YYYYMMDD)	TIME (24 HR)																
1				✓	2	2014/12/13	09:40	~	~	✓			✓										
2				✓	2	2014/12/13	09:25	~	~			✓	✓								✓	✓	
3						YYYYMMDD	HH:MM																
4						YYYYMMDD	HH:MM																
5						YYYYMMDD	HH:MM																
6						YYYYMMDD	HH:MM																
7						YYYYMMDD	HH:MM																
8						YYYYMMDD	HH:MM																
9						YYYYMMDD	HH:MM																
10						YYYYMMDD	HH:MM																

IOL SITE LOCATION: 1545 WOODROFFE AVENUE, OTTAWA, ON		REGULATORY CRITERIA / DETECTION LIMITS: <input checked="" type="checkbox"/> REG 153 Table <u>3</u> <input type="checkbox"/> 2004 <input checked="" type="checkbox"/> 2011 <input type="checkbox"/> RSC (Please indicate which Reg. version and if RSC required)		SPECIAL INSTRUCTIONS: TEST SAMPLES AS PER TOC		# JARS USED AND NOT SUBMITTED Enter N/A for Water 0		TURNAROUND TIME Standard (5 days) <input checked="" type="checkbox"/> Rush (3 days) <input type="checkbox"/> (2 days) <input type="checkbox"/> (1 day) <input type="checkbox"/> (same day) <input type="checkbox"/> Date Required	
IOL SITE # (if applicable): N/A		<input type="checkbox"/> ODWS <input type="checkbox"/> PW00 <u>1/c/a</u> <u>meo/pme</u>							
IOL PROJECT # (if applicable): ME.00214		<input type="checkbox"/> Other							
MAXXAM TASK ORDER # OR SERVICE ORDER # + LINE ITEM: 4410259930-10									

COOLER ID: 1			COOLER ID:			COOLER ID:		
CUSTODY SEAL	YES	NO	CUSTODY SEAL	YES	NO	CUSTODY SEAL	YES	NO
PRESENT	✓		PRESENT			PRESENT		
INTACT			INTACT			INTACT		
TEMP	3	3	TEMP	1	2	TEMP	1	2
	1	2		1	2		1	2

RELINQUISHED BY:		DATE:		TIME (24 HR)		RECEIVED BY:		DATE:		TIME (24 HR)	
1. <u>Theo Moshonas</u>		2014/12/15		15:20		1. <u>MORIEL</u>		2014/12/17		17:55	
signature		printed name		YYYYMMDD		signature		YYYYMMDD		HH:MM	
2. _____		_____		_____		2. _____		_____		_____	
signature		printed name		YYYYMMDD		signature		YYYYMMDD		HH:MM	
3. _____		_____		_____		3. _____		_____		_____	
signature		printed name		YYYYMMDD		signature		YYYYMMDD		HH:MM	

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u> Consultant Project Number: <u>10-8518.3</u>	Sampling Date: <u>2014/12/13</u> Laboratory: <u>Maxxam Analytics Inc.</u> Laboratory Job Number: <u>B4N9446</u>
---	---

Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?

	Yes	No	NA	Comments
Instrument Surrogate Recovery			X	All lab QC met acceptance criteria.
Extraction Surrogate Recovery	X			
Method Blank Concentration	X			
Matrix Duplicate RPD			X	
Matrix Spike Recovery			X	
Lab Control Sample Recovery/Spiked Blank	X			

Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?

	Yes	No	NA	Comments
Field Blank Concentration	X			All field QC samples met the alert limits.
Trip Blank Concentration			X	
Field Duplicate RPD			X	

Has CofA been signed off (Yes/No)?:	<u>Yes</u>
Has lab warranted all tests were in statistical control in CofA (Yes/No)?:	<u>Yes</u>
Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?:	<u>Yes</u>
Were all samples analyzed within hold times (Yes/No)?:	<u>Yes</u>
All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?:	<u>Yes</u>
Is Chain of Custody completed and signed (Yes/No)?:	<u>Yes</u>
Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?:	<u>Yes</u>

Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: No

Date Issued: N/A Date of Response: N/A

Is data considered to be reliable (Yes/No)?: Yes

If answer is "No", describe and provide rationale:

Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u> Revision Date (if applicable): _____	Data Reviewed by (Signature):  Revised by (Signature): _____
--	--

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-06-01

Report Date: 2015/01/26
Report #: R3312667
Version: 3 - Revision

CERTIFICATE OF ANALYSIS – REVISED REPORT

MAXXAM JOB #: B4N9446

Received: 2014/12/17, 17:55

Sample Matrix: Soil
Samples Received: 2

Analyses	Quantity	Laboratory Method	Primary Reference
Methylnaphthalene Sum	1	CAM SOP-00301	EPA 8270D m
1,3-Dichloropropene Sum	1	CAM SOP-00226	EPA 8260
Petroleum Hydro. CCME F1 & BTEX in Soil	1	CAM SOP-00315	CCME PHC-CWS m
Moisture	1	CAM SOP-00445	Carter 2nd ed 51.2 m
PAH Compounds in Soil by GC/MS (SIM)	1	CAM SOP-00318	EPA 8270D m
Volatile Organic Compounds in Soil	1	CAM SOP-00226	EPA 8260 m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-06-01

Report Date: 2015/01/26
Report #: R3312667
Version: 3 - Revision

CERTIFICATE OF ANALYSIS – REVISED REPORT

MAXXAM JOB #: B4N9446
Received: 2014/12/17, 17:55

Encryption Key  Kudrat Bajwa
26 Jan 2015 09:34:27 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Kudrat Bajwa, B.Sc., Project Manager
Email: KBajwa@maxxam.ca
Phone# (905)817-5822

=====
Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

O.REG 153 PAHS (SOIL)

Maxxam ID		YX3107		
Sampling Date		2014/12/13 09:25		
COC Number		496344-06-01		
	Units	FIELD BLANK-01	RDL	QC Batch
Moisture	%	<1.0	1.0	3865050
Methylnaphthalene, 2-(1-)	ug/g	<0.0071	0.0071	3863849
Acenaphthene	ug/g	<0.0050	0.0050	3865019
Acenaphthylene	ug/g	<0.0050	0.0050	3865019
Anthracene	ug/g	<0.0050	0.0050	3865019
Benzo(a)anthracene	ug/g	<0.0050	0.0050	3865019
Benzo(a)pyrene	ug/g	<0.0050	0.0050	3865019
Benzo(b/j)fluoranthene	ug/g	<0.0050	0.0050	3865019
Benzo(g,h,i)perylene	ug/g	<0.0050	0.0050	3865019
Benzo(k)fluoranthene	ug/g	<0.0050	0.0050	3865019
Chrysene	ug/g	<0.0050	0.0050	3865019
Dibenz(a,h)anthracene	ug/g	<0.0050	0.0050	3865019
Fluoranthene	ug/g	<0.0050	0.0050	3865019
Fluorene	ug/g	<0.0050	0.0050	3865019
Indeno(1,2,3-cd)pyrene	ug/g	<0.0050	0.0050	3865019
1-Methylnaphthalene	ug/g	<0.0050	0.0050	3865019
2-Methylnaphthalene	ug/g	<0.0050	0.0050	3865019
Naphthalene	ug/g	<0.0050	0.0050	3865019
Phenanthrene	ug/g	<0.0050	0.0050	3865019
Pyrene	ug/g	<0.0050	0.0050	3865019
Extraction Surrogate Recovery (%)				
D10-Anthracene	%	88		3865019
D14-Terphenyl (FS)	%	91		3865019
D8-Acenaphthylene	%	84		3865019
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

O.REG 153 VOLATILE ORGANICS (SOIL)

Maxxam ID		YX3106		
Sampling Date		2014/12/13 09:40		
COC Number		496344-06-01		
	Units	TRIP BLANK-01	RDL	QC Batch
1,3-Dichloropropene (cis+trans)	ug/g	<0.050	0.050	3862761
Acetone (2-Propanone)	ug/g	<0.50	0.50	3864759
Benzene	ug/g	<0.020	0.020	3864759
Bromodichloromethane	ug/g	<0.050	0.050	3864759
Bromoform	ug/g	<0.050	0.050	3864759
Bromomethane	ug/g	<0.050	0.050	3864759
Carbon Tetrachloride	ug/g	<0.050	0.050	3864759
Chlorobenzene	ug/g	<0.050	0.050	3864759
Chloroform	ug/g	<0.050	0.050	3864759
Dibromochloromethane	ug/g	<0.050	0.050	3864759
1,2-Dichlorobenzene	ug/g	<0.050	0.050	3864759
1,3-Dichlorobenzene	ug/g	<0.050	0.050	3864759
1,4-Dichlorobenzene	ug/g	<0.050	0.050	3864759
Dichlorodifluoromethane (FREON 12)	ug/g	<0.050	0.050	3864759
1,1-Dichloroethane	ug/g	<0.050	0.050	3864759
1,2-Dichloroethane	ug/g	<0.050	0.050	3864759
1,1-Dichloroethylene	ug/g	<0.050	0.050	3864759
cis-1,2-Dichloroethylene	ug/g	<0.050	0.050	3864759
trans-1,2-Dichloroethylene	ug/g	<0.050	0.050	3864759
1,2-Dichloropropane	ug/g	<0.050	0.050	3864759
cis-1,3-Dichloropropene	ug/g	<0.030	0.030	3864759
trans-1,3-Dichloropropene	ug/g	<0.040	0.040	3864759
Ethylbenzene	ug/g	<0.020	0.020	3864759
Ethylene Dibromide	ug/g	<0.050	0.050	3864759
Hexane	ug/g	<0.050	0.050	3864759
Methylene Chloride(Dichloromethane)	ug/g	<0.050	0.050	3864759
Methyl Isobutyl Ketone	ug/g	<0.50	0.50	3864759
Methyl Ethyl Ketone (2-Butanone)	ug/g	<0.50	0.50	3864759
Methyl t-butyl ether (MTBE)	ug/g	<0.050	0.050	3864759
Styrene	ug/g	<0.050	0.050	3864759
1,1,1,2-Tetrachloroethane	ug/g	<0.050	0.050	3864759
1,1,2,2-Tetrachloroethane	ug/g	<0.050	0.050	3864759
Tetrachloroethylene	ug/g	<0.050	0.050	3864759
Toluene	ug/g	<0.020	0.020	3864759
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

O.REG 153 VOLATILE ORGANICS (SOIL)

Maxxam ID		YX3106		
Sampling Date		2014/12/13 09:40		
COC Number		496344-06-01		
	Units	TRIP BLANK-01	RDL	QC Batch
1,1,1-Trichloroethane	ug/g	<0.050	0.050	3864759
1,1,2-Trichloroethane	ug/g	<0.050	0.050	3864759
Trichloroethylene	ug/g	<0.050	0.050	3864759
Vinyl Chloride	ug/g	<0.020	0.020	3864759
p+m-Xylene	ug/g	<0.020	0.020	3864759
o-Xylene	ug/g	<0.020	0.020	3864759
Total Xylenes	ug/g	<0.020	0.020	3864759
Trichlorofluoromethane (FREON 11)	ug/g	<0.050	0.050	3864759
Extraction				
Surrogate Recovery (%)				
D10-o-Xylene	%	84		3864759
Instrument				
Surrogate Recovery (%)				
4-Bromofluorobenzene	%	86		3864759
D4-1,2-Dichloroethane	%	100		3864759
D8-Toluene	%	102		3864759
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

PETROLEUM HYDROCARBONS (CCME)

Maxxam ID		YX3106		
Sampling Date		2014/12/13 09:40		
COC Number		496344-06-01		
	Units	TRIP BLANK-01	RDL	QC Batch
F1 (C6-C10)	ug/g	<10	10	3869158
F1 (C6-C10) - BTEX	ug/g	<10	10	3869158
Extraction Surrogate Recovery (%)				
D10-Ethylbenzene	%	80		3869158
Instrument Surrogate Recovery (%)				
1,4-Difluorobenzene	%	106		3869158
4-Bromofluorobenzene	%	100		3869158
D4-1,2-Dichloroethane	%	97		3869158
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YX3106
Sample ID: TRIP BLANK-01
Matrix: Soil

Collected: 2014/12/13
Relinquished: 2014/12/15
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
1,3-Dichloropropene Sum	CALC	3862761	N/A	2014/12/23	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3869158	2014/12/18	2014/12/23	Anca Ganea
Volatile Organic Compounds in Soil	P&T/MS	3864759	2014/12/18	2014/12/19	Karen Huynh

Maxxam ID: YX3107
Sample ID: FIELD BLANK-01
Matrix: Soil

Collected: 2014/12/13
Relinquished: 2014/12/15
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3863849	N/A	2014/12/22	Automated Statchk
Moisture	BAL	3865050	N/A	2014/12/18	Valentina Kaftani
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3865019	2014/12/18	2014/12/19	Yuan Zhou

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	3.0°C
-----------	-------

Revised Report: Report re-issued to include only PAH analysis results for sample ID FIELD BLANK-01 and VOC, F1BTEX, F2-F4 analysis for sample ID TRIP BLANK-01, as per request by D. Bettencourt.

Results relate only to the items tested.

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC				Date					
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits	
3864759	KH1	Method Blank	4-Bromofluorobenzene	2014/12/19		85	%	60 - 140	
			D10-o-Xylene	2014/12/19		98	%	60 - 130	
			D4-1,2-Dichloroethane	2014/12/19		98	%	60 - 140	
			D8-Toluene	2014/12/19		102	%	60 - 140	
			Acetone (2-Propanone)	2014/12/19	<0.50		ug/g		
			Benzene	2014/12/19	<0.020		ug/g		
			Bromodichloromethane	2014/12/19	<0.050		ug/g		
			Bromoform	2014/12/19	<0.050		ug/g		
			Bromomethane	2014/12/19	<0.050		ug/g		
			Carbon Tetrachloride	2014/12/19	<0.050		ug/g		
			Chlorobenzene	2014/12/19	<0.050		ug/g		
			Chloroform	2014/12/19	<0.050		ug/g		
			Dibromochloromethane	2014/12/19	<0.050		ug/g		
			1,2-Dichlorobenzene	2014/12/19	<0.050		ug/g		
			1,3-Dichlorobenzene	2014/12/19	<0.050		ug/g		
			1,4-Dichlorobenzene	2014/12/19	<0.050		ug/g		
			Dichlorodifluoromethane (FREON 12)	2014/12/19	<0.050		ug/g		
			1,1-Dichloroethane	2014/12/19	<0.050		ug/g		
			1,2-Dichloroethane	2014/12/19	<0.050		ug/g		
			1,1-Dichloroethylene	2014/12/19	<0.050		ug/g		
			cis-1,2-Dichloroethylene	2014/12/19	<0.050		ug/g		
			trans-1,2-Dichloroethylene	2014/12/19	<0.050		ug/g		
			1,2-Dichloropropane	2014/12/19	<0.050		ug/g		
			cis-1,3-Dichloropropene	2014/12/19	<0.030		ug/g		
			trans-1,3-Dichloropropene	2014/12/19	<0.040		ug/g		
			Ethylbenzene	2014/12/19	<0.020		ug/g		
			Ethylene Dibromide	2014/12/19	<0.050		ug/g		
			Hexane	2014/12/19	<0.050		ug/g		
			Methylene Chloride(Dichloromethane)	2014/12/19	<0.050		ug/g		
			Methyl Isobutyl Ketone	2014/12/19	<0.50		ug/g		
			Methyl Ethyl Ketone (2-Butanone)	2014/12/19	<0.50		ug/g		
			Methyl t-butyl ether (MTBE)	2014/12/19	<0.050		ug/g		
			Styrene	2014/12/19	<0.050		ug/g		
			1,1,1,2-Tetrachloroethane	2014/12/19	<0.050		ug/g		
			1,1,2,2-Tetrachloroethane	2014/12/19	<0.050		ug/g		
			Tetrachloroethylene	2014/12/19	<0.050		ug/g		
			Toluene	2014/12/19	<0.020		ug/g		
			1,1,1-Trichloroethane	2014/12/19	<0.050		ug/g		
			1,1,2-Trichloroethane	2014/12/19	<0.050		ug/g		
			Trichloroethylene	2014/12/19	<0.050		ug/g		
			Vinyl Chloride	2014/12/19	<0.020		ug/g		
p+m-Xylene	2014/12/19	<0.020		ug/g					
o-Xylene	2014/12/19	<0.020		ug/g					
Total Xylenes	2014/12/19	<0.020		ug/g					
Trichlorofluoromethane (FREON 11)	2014/12/19	<0.050		ug/g					
3865019	YZ	Method Blank	D10-Anthracene	2014/12/19		89	%	50 - 130	
			D14-Terphenyl (FS)	2014/12/19		92	%	50 - 130	
			D8-Acenaphthylene	2014/12/19		86	%	50 - 130	
			Acenaphthene	2014/12/19	<0.0050		ug/g		
			Acenaphthylene	2014/12/19	<0.0050		ug/g		
			Anthracene	2014/12/19	<0.0050		ug/g		

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC			Parameter	Date	Value	Recovery	Units	QC Limits
Batch	Init	QC Type		Analyzed				
			Benzo(a)anthracene	2014/12/19	<0.0050		ug/g	
			Benzo(a)pyrene	2014/12/19	<0.0050		ug/g	
			Benzo(b/j)fluoranthene	2014/12/19	<0.0050		ug/g	
			Benzo(g,h,i)perylene	2014/12/19	<0.0050		ug/g	
			Benzo(k)fluoranthene	2014/12/19	<0.0050		ug/g	
			Chrysene	2014/12/19	<0.0050		ug/g	
			Dibenz(a,h)anthracene	2014/12/19	<0.0050		ug/g	
			Fluoranthene	2014/12/19	<0.0050		ug/g	
			Fluorene	2014/12/19	<0.0050		ug/g	
			Indeno(1,2,3-cd)pyrene	2014/12/19	<0.0050		ug/g	
			1-Methylnaphthalene	2014/12/19	<0.0050		ug/g	
			2-Methylnaphthalene	2014/12/19	<0.0050		ug/g	
			Naphthalene	2014/12/19	<0.0050		ug/g	
			Phenanthrene	2014/12/19	<0.0050		ug/g	
			Pyrene	2014/12/19	<0.0050		ug/g	
3869158	AGA	Method Blank	1,4-Difluorobenzene	2014/12/23		106	%	60 - 140
			4-Bromofluorobenzene	2014/12/23		104	%	60 - 140
			D10-Ethylbenzene	2014/12/23		84	%	60 - 140
			D4-1,2-Dichloroethane	2014/12/23		99	%	60 - 140
			F1 (C6-C10)	2014/12/23	<10		ug/g	
			F1 (C6-C10) - BTEX	2014/12/23	<10		ug/g	
3864759	KH1	LCS	4-Bromofluorobenzene	2014/12/19		105	%	60 - 140
			D10-o-Xylene	2014/12/19		102	%	60 - 130
			D4-1,2-Dichloroethane	2014/12/19		96	%	60 - 140
			D8-Toluene	2014/12/19		99	%	60 - 140
			Acetone (2-Propanone)	2014/12/19		101	%	60 - 140
			Benzene	2014/12/19		101	%	60 - 130
			Bromodichloromethane	2014/12/19		95	%	60 - 130
			Bromoform	2014/12/19		93	%	60 - 130
			Bromomethane	2014/12/19		98	%	60 - 140
			Carbon Tetrachloride	2014/12/19		104	%	60 - 130
			Chlorobenzene	2014/12/19		97	%	60 - 130
			Chloroform	2014/12/19		102	%	60 - 130
			Dibromochloromethane	2014/12/19		96	%	60 - 130
			1,2-Dichlorobenzene	2014/12/19		95	%	60 - 130
			1,3-Dichlorobenzene	2014/12/19		94	%	60 - 130
			1,4-Dichlorobenzene	2014/12/19		89	%	60 - 130
			Dichlorodifluoromethane (FREON 12)	2014/12/19		100	%	60 - 140
			1,1-Dichloroethane	2014/12/19		103	%	60 - 130
			1,2-Dichloroethane	2014/12/19		101	%	60 - 130
			1,1-Dichloroethylene	2014/12/19		110	%	60 - 130
			cis-1,2-Dichloroethylene	2014/12/19		102	%	60 - 130
			trans-1,2-Dichloroethylene	2014/12/19		103	%	60 - 130
			1,2-Dichloropropane	2014/12/19		99	%	60 - 130
			cis-1,3-Dichloropropene	2014/12/19		92	%	60 - 130
			trans-1,3-Dichloropropene	2014/12/19		89	%	60 - 130
			Ethylbenzene	2014/12/19		97	%	60 - 130
			Ethylene Dibromide	2014/12/19		102	%	60 - 130
			Hexane	2014/12/19		98	%	60 - 130
			Methylene Chloride(Dichloromethane)	2014/12/19		105	%	60 - 130
			Methyl Isobutyl Ketone	2014/12/19		104	%	60 - 130

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC			Parameter	Date	Value	Recovery	Units	QC Limits
Batch	Init	QC Type		Analyzed				
			Methyl Ethyl Ketone (2-Butanone)	2014/12/19		101	%	60 - 140
			Methyl t-butyl ether (MTBE)	2014/12/19		105	%	60 - 130
			Styrene	2014/12/19		105	%	60 - 130
			1,1,1,2-Tetrachloroethane	2014/12/19		97	%	60 - 130
			1,1,2,2-Tetrachloroethane	2014/12/19		101	%	60 - 130
			Tetrachloroethylene	2014/12/19		99	%	60 - 130
			Toluene	2014/12/19		95	%	60 - 130
			1,1,1-Trichloroethane	2014/12/19		103	%	60 - 130
			1,1,2-Trichloroethane	2014/12/19		97	%	60 - 130
			Trichloroethylene	2014/12/19		102	%	60 - 130
			Vinyl Chloride	2014/12/19		99	%	60 - 130
			p+m-Xylene	2014/12/19		102	%	60 - 130
			o-Xylene	2014/12/19		97	%	60 - 130
			Trichlorofluoromethane (FREON 11)	2014/12/19		103	%	60 - 130
3865019	YZ	LCS	D10-Anthracene	2014/12/19		87	%	50 - 130
			D14-Terphenyl (FS)	2014/12/19		93	%	50 - 130
			D8-Acenaphthylene	2014/12/19		84	%	50 - 130
			Acenaphthene	2014/12/19		89	%	50 - 130
			Acenaphthylene	2014/12/19		85	%	50 - 130
			Anthracene	2014/12/19		88	%	50 - 130
			Benzo(a)anthracene	2014/12/19		82	%	50 - 130
			Benzo(a)pyrene	2014/12/19		89	%	50 - 130
			Benzo(b/j)fluoranthene	2014/12/19		88	%	50 - 130
			Benzo(g,h,i)perylene	2014/12/19		88	%	50 - 130
			Benzo(k)fluoranthene	2014/12/19		90	%	50 - 130
			Chrysene	2014/12/19		88	%	50 - 130
			Dibenz(a,h)anthracene	2014/12/19		89	%	50 - 130
			Fluoranthene	2014/12/19		91	%	50 - 130
			Fluorene	2014/12/19		89	%	50 - 130
			Indeno(1,2,3-cd)pyrene	2014/12/19		96	%	50 - 130
			1-Methylnaphthalene	2014/12/19		93	%	50 - 130
			2-Methylnaphthalene	2014/12/19		91	%	50 - 130
			Naphthalene	2014/12/19		82	%	50 - 130
			Phenanthrene	2014/12/19		84	%	50 - 130
			Pyrene	2014/12/19		91	%	50 - 130
3869158	AGA	LCS	1,4-Difluorobenzene	2014/12/23		104	%	60 - 140
			4-Bromofluorobenzene	2014/12/23		99	%	60 - 140
			D10-Ethylbenzene	2014/12/23		81	%	60 - 140
			D4-1,2-Dichloroethane	2014/12/23		96	%	60 - 140
			F1 (C6-C10)	2014/12/23		88	%	80 - 120

LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

Maxxam Job #: B4N9446
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Services

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road
Mississauga, Ontario L5N 2L8
www.maxxam.ca

Phone: (905) 817-5700
Fax: (905) 817-5777
Toll Free: 800-563-6266

**EXXONMOBIL/IMPERIAL OIL - MAXXAM
CHAIN-OF-CUSTODY RECORD
ANALYSIS REQUESTED**

Page 1 of 1
C of C # 496344-06-01



INVOICE INFORMATION		REPORT INFORMATION																					
Company Name: Imperial Oil, a partnership of Imperial Oil Limited and McColl Frontenac Petrole		Company Name: Parsons																					
Contact Name: Daniel Grenzowski		Contact Name: Holly Losignore																					
Address: 1 Duncan Mill Road North York ON M3B 1Z2		Address: 3715 Laird Road Suite 100 Mississauga ON L5L 0A3																					
Email: daniel.grenzowski@esso.ca		Email: Holly.Losignore@parsons.com; labreport@																					
Phone: (416) 442-5012 x		Phone: (905) 569-4111 x																					
Sampler Name (Print): THEO MOSHONAS		Consultant Project #: 10-8518.3																					
FIELD SAMPLE ID	MATRIX				# CONTAINERS	SAMPLING		FIELD FILTERED & PRESERVED	LAB FILTRATION REQUIRED	F1/BTEX	F2-F4	PAHs	VOCs	Lead	ICPMS Metals	TCLP VOC	TCLP Inorganics	TCLP SVOCs	TCLP PCBs	TCLP B(a)P	PCBs	n-hexane	
	GROUND WATER	SURFACE WATER	SOIL	OTHER		DATE (YYYYMMDD)	TIME (24 HR)																
1				✓	1	2014/12/13	09:40	~	~	✓			✓										
2				✓	2	2014/12/13	09:25	~	~			✓									✓	✓	
3						YYYYMMDD	HH:MM																
4						YYYYMMDD	HH:MM																
5						YYYYMMDD	HH:MM																
6						YYYYMMDD	HH:MM																
7						YYYYMMDD	HH:MM																
8						YYYYMMDD	HH:MM																
9						YYYYMMDD	HH:MM																
10						YYYYMMDD	HH:MM																


IOL SITE LOCATION: 1545 WOODROFFE AVENUE, OTTAWA, ON		REGULATORY CRITERIA / DETECTION LIMITS: <input checked="" type="checkbox"/> REG 153 Table <u>3</u> <input type="checkbox"/> 2004 <input checked="" type="checkbox"/> 2011 <input type="checkbox"/> RSC (Please indicate which Reg. version and if RSC required)				SPECIAL INSTRUCTIONS: TEST SAMPLES AS PER TOC				# JARS USED AND NOT SUBMITTED Enter N/A for Water 0		TURNAROUND TIME Standard (5 days) <input checked="" type="checkbox"/> Rush (3 days) <input type="checkbox"/> (2 days) <input type="checkbox"/> (1 day) <input type="checkbox"/> (same day) <input type="checkbox"/> Date Required	
IOL SITE # (if applicable): N/A		<input type="checkbox"/> ODWS <input type="checkbox"/> PWOO <u>1/c/a</u> <u>neo/paw</u>				TCE-YES							
IOL PROJECT # (if applicable): ME.00214		<input type="checkbox"/> Other											
MAXXAM TASK ORDER # OR SERVICE ORDER # + LINE ITEM: 4410259930-10													

COOLER ID: 1			COOLER ID:			COOLER ID:		
CUSTODY SEAL	YES	NO	CUSTODY SEAL	YES	NO	CUSTODY SEAL	YES	NO
PRESENT	✓		PRESENT			PRESENT		
INTACT	✓		INTACT			INTACT		
TEMP	3	3	TEMP	1	2	TEMP	1	2
	1	2		3			3	

RELINQUISHED BY:		DATE:	TIME (24 HR)	RECEIVED BY:		DATE:	TIME (24 HR)
1. <u>Theo Moshonas</u>	<u>THEO MOSHONAS</u>	<u>2014/12/15</u>	<u>15:20</u>	1. <u>MORDE</u>	<u>AUCA DATEL</u>	<u>2014/12/17</u>	<u>17:55</u>
2. _____	_____	YYYYMMDD	HH:MM	2. _____	_____	YYYYMMDD	HH:MM
3. _____	_____	YYYYMMDD	HH:MM	3. _____	_____	YYYYMMDD	HH:MM

LAB USE ONLY	
MAXXAM JOB #	
B4N9446	
SAMPLES	
LABELED BY:	VERIFIED BY:
HG1	FW

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u> Consultant Project Number: <u>10-8518.3</u>	Sampling Date: <u>2014/12/13</u> Laboratory: <u>Maxxam Analytics Inc.</u> Laboratory Job Number: <u>B4N9446</u>																														
Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Instrument Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> <td rowspan="6">All lab QC met acceptance criteria.</td> </tr> <tr> <td>Extraction Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Method Blank Concentration</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Duplicate RPD</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Spike Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Lab Control Sample Recovery/Spiked Blank</td> <td align="center">X</td> <td></td> <td></td> </tr> </tbody> </table>			Yes	No	NA	Comments	Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.	Extraction Surrogate Recovery	X			Method Blank Concentration	X			Matrix Duplicate RPD	X			Matrix Spike Recovery	X			Lab Control Sample Recovery/Spiked Blank	X		
	Yes	No	NA	Comments																											
Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.																											
Extraction Surrogate Recovery	X																														
Method Blank Concentration	X																														
Matrix Duplicate RPD	X																														
Matrix Spike Recovery	X																														
Lab Control Sample Recovery/Spiked Blank	X																														
Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Field Blank Concentration</td> <td align="center">X</td> <td></td> <td></td> <td rowspan="3">All field QC samples met the alert limits.</td> </tr> <tr> <td>Trip Blank Concentration</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Field Duplicate RPD</td> <td></td> <td></td> <td align="center">X</td> </tr> </tbody> </table>			Yes	No	NA	Comments	Field Blank Concentration	X			All field QC samples met the alert limits.	Trip Blank Concentration	X			Field Duplicate RPD			X												
	Yes	No	NA	Comments																											
Field Blank Concentration	X			All field QC samples met the alert limits.																											
Trip Blank Concentration	X																														
Field Duplicate RPD			X																												
Has CofA been signed off (Yes/No)?: <u>Yes</u> Has lab warranted all tests were in statistical control in CofA (Yes/No)?: <u>Yes</u> Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?: <u>Yes</u> Were all samples analyzed within hold times (Yes/No)?: <u>Yes</u> All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?: <u>Yes</u> Is Chain of Custody completed and signed (Yes/No)?: <u>Yes</u> Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?: <u>Yes</u>																															
Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: <u>No</u> Date Issued: <u>N/A</u> Date of Response: <u>N/A</u>																															
Is data considered to be reliable (Yes/No)?: <u>Yes</u> If answer is "No", describe and provide rationale:																															
Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u> Revision Date (if applicable): _____	Data Reviewed by (Signature): <u></u> Revised by (Signature): _____																														

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-03-01

Report Date: 2014/12/29
Report #: R3273068
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N9454
Received: 2014/12/17, 17:55

Sample Matrix: Soil
Samples Received: 2

Analyses	Quantity	Laboratory Method	Primary Reference
Methylnaphthalene Sum	2	CAM SOP-00301	EPA 8270D m
Petroleum Hydro. CCME F1 & BTEX in Soil	2	CAM SOP-00315	CCME PHC-CWS m
Petroleum Hydrocarbons F2-F4 in Soil	2	CAM SOP-00316	CCME CWS m
Strong Acid Leachable Metals by ICPMS	2	CAM SOP-00447	EPA 6020A m
Moisture	2	CAM SOP-00445	Carter 2nd ed 51.2 m
PAH Compounds in Soil by GC/MS (SIM)	2	CAM SOP-00318	EPA 8270D m
Volatile Organic Compounds in Soil	2	CAM SOP-00226	EPA 8260 m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496344-03-01

Report Date: 2014/12/29
Report #: R3273068
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N9454
Received: 2014/12/17, 17:55

Encryption Key  Kudrat Bajwa
29 Dec 2014 09:54:36 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Kudrat Bajwa, B.Sc., Project Manager
Email: KBajwa@maxxam.ca
Phone# (905)817-5822

=====
Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N9454
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

HBTEX/F1-F4 PET. HYDROCARBONS IN SOIL (SOIL)

Maxxam ID		YX3167	YX3167	YX3168		
Sampling Date		2014/12/13 08:10	2014/12/13 08:10	2014/12/13 09:20		
COC Number		496344-03-01	496344-03-01	496344-03-01		
	Units	BH-310-3.0-3.7	BH-310-3.0-3.7 Lab-Dup	BH-310-5.5-6.1	RDL	QC Batch
Benzene	ug/g	<0.020	<0.020	<0.020	0.020	3869158
Toluene	ug/g	<0.020	<0.020	<0.020	0.020	3869158
Ethylbenzene	ug/g	<0.020	<0.020	<0.020	0.020	3869158
o-Xylene	ug/g	<0.020	<0.020	<0.020	0.020	3869158
p+m-Xylene	ug/g	<0.040	<0.040	<0.040	0.040	3869158
Total Xylenes	ug/g	<0.040	<0.040	<0.040	0.040	3869158
Hexane	ug/g	<0.50	<0.50	<0.50	0.50	3869158
F1 (C6-C10)	ug/g	<10	<10	<10	10	3869158
F1 (C6-C10) - BTEX	ug/g	<10	<10	<10	10	3869158
F2 (C10-C16 Hydrocarbons)	ug/g	<10	<10	<10	10	3869151
F3 (C16-C34 Hydrocarbons)	ug/g	<50	<50	<50	50	3869151
F4 (C34-C50 Hydrocarbons)	ug/g	<50	<50	<50	50	3869151
Reached Baseline at C50	ug/g	Yes	Yes	Yes		3869151
Extraction						
Surrogate Recovery (%)						
D10-Ethylbenzene	%	71	80	75		3869158
o-Terphenyl	%	100	98	95		3869151
Instrument						
Surrogate Recovery (%)						
1,4-Difluorobenzene	%	107	102	104		3869158
4-Bromofluorobenzene	%	105	101	97		3869158
D4-1,2-Dichloroethane	%	99	95	97		3869158
RDL = Reportable Detection Limit						
QC Batch = Quality Control Batch						
Lab-Dup = Laboratory Initiated Duplicate						

Maxxam Job #: B4N9454
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

O.REG 153 PAHS (SOIL)

Maxxam ID		YX3167	YX3168		
Sampling Date		2014/12/13 08:10	2014/12/13 09:20		
COC Number		496344-03-01	496344-03-01		
	Units	BH-310-3.0-3.7	BH-310-5.5-6.1	RDL	QC Batch
Moisture	%	19	29	1.0	3866414
Methylnaphthalene, 2-(1-)	ug/g	<0.0071	<0.0071	0.0071	3863849
Acenaphthene	ug/g	<0.0050	<0.0050	0.0050	3867006
Acenaphthylene	ug/g	<0.0050	<0.0050	0.0050	3867006
Anthracene	ug/g	<0.0050	<0.0050	0.0050	3867006
Benzo(a)anthracene	ug/g	<0.0050	<0.0050	0.0050	3867006
Benzo(a)pyrene	ug/g	<0.0050	<0.0050	0.0050	3867006
Benzo(b/j)fluoranthene	ug/g	<0.0050	<0.0050	0.0050	3867006
Benzo(g,h,i)perylene	ug/g	<0.0050	<0.0050	0.0050	3867006
Benzo(k)fluoranthene	ug/g	<0.0050	<0.0050	0.0050	3867006
Chrysene	ug/g	<0.0050	<0.0050	0.0050	3867006
Dibenz(a,h)anthracene	ug/g	<0.0050	<0.0050	0.0050	3867006
Fluoranthene	ug/g	<0.0050	<0.0050	0.0050	3867006
Fluorene	ug/g	<0.0050	<0.0050	0.0050	3867006
Indeno(1,2,3-cd)pyrene	ug/g	<0.0050	<0.0050	0.0050	3867006
1-Methylnaphthalene	ug/g	<0.0050	<0.0050	0.0050	3867006
2-Methylnaphthalene	ug/g	<0.0050	<0.0050	0.0050	3867006
Naphthalene	ug/g	<0.0050	<0.0050	0.0050	3867006
Phenanthrene	ug/g	<0.0050	<0.0050	0.0050	3867006
Pyrene	ug/g	<0.0050	<0.0050	0.0050	3867006
Extraction Surrogate Recovery (%)					
D10-Anthracene	%	95	84		3867006
D14-Terphenyl (FS)	%	103	101		3867006
D8-Acenaphthylene	%	87	85		3867006
RDL = Reportable Detection Limit					
QC Batch = Quality Control Batch					

Maxxam Job #: B4N9454
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

ELEMENTS BY ATOMIC SPECTROSCOPY (SOIL)

Maxxam ID		YX3167	YX3168	YX3168		
Sampling Date		2014/12/13 08:10	2014/12/13 09:20	2014/12/13 09:20		
COC Number		496344-03-01	496344-03-01	496344-03-01		
	Units	BH-310-3.0-3.7	BH-310-5.5-6.1	BH-310-5.5-6.1 Lab-Dup	RDL	QC Batch
Acid Extractable Arsenic (As)	ug/g	<1.0	<1.0	<1.0	1.0	3869519
Acid Extractable Barium (Ba)	ug/g	64	140	140	0.50	3869519
Acid Extractable Chromium (Cr)	ug/g	19	41	42	1.0	3869519
Acid Extractable Copper (Cu)	ug/g	9.1	21	21	0.50	3869519
Acid Extractable Lead (Pb)	ug/g	2.1	3.8	3.8	1.0	3869519
Acid Extractable Zinc (Zn)	ug/g	20	48	50	5.0	3869519
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate						

Maxxam Job #: B4N9454
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VOLATILE ORGANICS BY GC/MS (SOIL)

Maxxam ID		YX3167	YX3167	YX3168		
Sampling Date		2014/12/13 08:10	2014/12/13 08:10	2014/12/13 09:20		
COC Number		496344-03-01	496344-03-01	496344-03-01		
	Units	BH-310-3.0-3.7	BH-310-3.0-3.7 Lab-Dup	BH-310-5.5-6.1	RDL	QC Batch
1,2-Dichloroethane	ug/g	<0.050	<0.050	<0.050	0.050	3864759
Ethylene Dibromide	ug/g	<0.050	<0.050	<0.050	0.050	3864759
Methyl t-butyl ether (MTBE)	ug/g	<0.050	<0.050	<0.050	0.050	3864759
Extraction Surrogate Recovery (%)						
D10-o-Xylene	%	88	92	89		3864759
Instrument Surrogate Recovery (%)						
4-Bromofluorobenzene	%	82	82	83		3864759
D4-1,2-Dichloroethane	%	96	96	98		3864759
D8-Toluene	%	105	105	102		3864759
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate						

Maxxam Job #: B4N9454
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YX3167
Sample ID: BH-310-3.0-3.7
Matrix: Soil

Collected: 2014/12/13
Relinquished: 2014/12/15
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3863849	N/A	2014/12/23	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3869158	2014/12/18	2014/12/23	Anca Ganea
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3869151	2014/12/23	2014/12/23	Jeevaraj Jeevaratnam
Strong Acid Leachable Metals by ICPMS	ICP/MS	3869519	2014/12/23	2014/12/23	Grace Bu
Moisture	BAL	3866414	N/A	2014/12/19	Chamika Deeyagaha
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3867006	2014/12/19	2014/12/22	Lingyun Feng
Volatile Organic Compounds in Soil	P&T/MS	3864759	2014/12/18	2014/12/19	Karen Huynh

Maxxam ID: YX3167 Dup
Sample ID: BH-310-3.0-3.7
Matrix: Soil

Collected: 2014/12/13
Relinquished: 2014/12/15
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3869158	2014/12/18	2014/12/23	Anca Ganea
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3869151	2014/12/23	2014/12/23	Jeevaraj Jeevaratnam
Volatile Organic Compounds in Soil	P&T/MS	3864759	2014/12/18	2014/12/19	Karen Huynh

Maxxam ID: YX3168
Sample ID: BH-310-5.5-6.1
Matrix: Soil

Collected: 2014/12/13
Relinquished: 2014/12/15
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Methylnaphthalene Sum	CALC	3863849	N/A	2014/12/23	Automated Statchk
Petroleum Hydro. CCME F1 & BTEX in Soil	HSGC/MSFD	3869158	2014/12/18	2014/12/23	Anca Ganea
Petroleum Hydrocarbons F2-F4 in Soil	GC/FID	3869151	2014/12/23	2014/12/23	Jeevaraj Jeevaratnam
Strong Acid Leachable Metals by ICPMS	ICP/MS	3869519	2014/12/23	2014/12/23	Grace Bu
Moisture	BAL	3866414	N/A	2014/12/19	Chamika Deeyagaha
PAH Compounds in Soil by GC/MS (SIM)	GC/MS	3867006	2014/12/19	2014/12/22	Lingyun Feng
Volatile Organic Compounds in Soil	P&T/MS	3864759	2014/12/18	2014/12/19	Karen Huynh

Maxxam ID: YX3168 Dup
Sample ID: BH-310-5.5-6.1
Matrix: Soil

Collected: 2014/12/13
Relinquished: 2014/12/15
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Strong Acid Leachable Metals by ICPMS	ICP/MS	3869519	2014/12/23	2014/12/23	Grace Bu

Maxxam Job #: B4N9454
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	3.0°C
-----------	-------

Results relate only to the items tested.

Maxxam Job #: B4N9454
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC				Date							
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits			
3864759	KH1	Method Blank	4-Bromofluorobenzene	2014/12/19		85	%	60 - 140			
			D10-o-Xylene	2014/12/19		98	%	60 - 130			
			D4-1,2-Dichloroethane	2014/12/19		98	%	60 - 140			
			D8-Toluene	2014/12/19		102	%	60 - 140			
			1,2-Dichloroethane	2014/12/19	<0.050		ug/g				
			Ethylene Dibromide	2014/12/19	<0.050		ug/g				
			Methyl t-butyl ether (MTBE)	2014/12/19	<0.050		ug/g				
3867006	LFE	Method Blank	D10-Anthracene	2014/12/22		90	%	50 - 130			
			D14-Terphenyl (FS)	2014/12/22		101	%	50 - 130			
			D8-Acenaphthylene	2014/12/22		86	%	50 - 130			
			Acenaphthene	2014/12/22	<0.0050		ug/g				
			Acenaphthylene	2014/12/22	<0.0050		ug/g				
			Anthracene	2014/12/22	<0.0050		ug/g				
			Benzo(a)anthracene	2014/12/22	<0.0050		ug/g				
			Benzo(a)pyrene	2014/12/22	<0.0050		ug/g				
			Benzo(b/j)fluoranthene	2014/12/22	<0.0050		ug/g				
			Benzo(g,h,i)perylene	2014/12/22	<0.0050		ug/g				
			Benzo(k)fluoranthene	2014/12/22	<0.0050		ug/g				
			Chrysene	2014/12/22	<0.0050		ug/g				
			Dibenz(a,h)anthracene	2014/12/22	<0.0050		ug/g				
			Fluoranthene	2014/12/22	<0.0050		ug/g				
			Fluorene	2014/12/22	<0.0050		ug/g				
			Indeno(1,2,3-cd)pyrene	2014/12/22	<0.0050		ug/g				
			1-Methylnaphthalene	2014/12/22	<0.0050		ug/g				
			2-Methylnaphthalene	2014/12/22	<0.0050		ug/g				
			Naphthalene	2014/12/22	<0.0050		ug/g				
			Phenanthrene	2014/12/22	<0.0050		ug/g				
Pyrene	2014/12/22	<0.0050		ug/g							
3869151	JJE	Method Blank	o-Terphenyl	2014/12/23		99	%	60 - 130			
			F2 (C10-C16 Hydrocarbons)	2014/12/23	<10		ug/g				
			F3 (C16-C34 Hydrocarbons)	2014/12/23	<50		ug/g				
			F4 (C34-C50 Hydrocarbons)	2014/12/23	<50		ug/g				
3869158	AGA	Method Blank	1,4-Difluorobenzene	2014/12/23		106	%	60 - 140			
			4-Bromofluorobenzene	2014/12/23		104	%	60 - 140			
			D10-Ethylbenzene	2014/12/23		84	%	60 - 140			
			D4-1,2-Dichloroethane	2014/12/23		99	%	60 - 140			
			Benzene	2014/12/23	<0.020		ug/g				
			Toluene	2014/12/23	<0.020		ug/g				
			Ethylbenzene	2014/12/23	<0.020		ug/g				
			o-Xylene	2014/12/23	<0.020		ug/g				
			p+m-Xylene	2014/12/23	<0.040		ug/g				
			Total Xylenes	2014/12/23	<0.040		ug/g				
			Hexane	2014/12/23	<0.50		ug/g				
			F1 (C6-C10)	2014/12/23	<10		ug/g				
			F1 (C6-C10) - BTEX	2014/12/23	<10		ug/g				
			3869519	GBU	Method Blank	Acid Extractable Arsenic (As)	2014/12/23	<1.0		ug/g	
						Acid Extractable Barium (Ba)	2014/12/23	<0.50		ug/g	
Acid Extractable Chromium (Cr)	2014/12/23	<1.0					ug/g				
Acid Extractable Copper (Cu)	2014/12/23	<0.50					ug/g				
Acid Extractable Lead (Pb)	2014/12/23	<1.0					ug/g				
Acid Extractable Zinc (Zn)	2014/12/23	<5.0					ug/g				

Maxxam Job #: B4N9454
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	Units	QC Limits
3864759	KH1	RPD [YX3167-05]	1,2-Dichloroethane	2014/12/19	NC		%	50
			Ethylene Dibromide	2014/12/19	NC		%	50
			Methyl t-butyl ether (MTBE)	2014/12/19	NC		%	50
3869151	JJE	RPD [YX3167-04]	F2 (C10-C16 Hydrocarbons)	2014/12/23	NC		%	30
			F3 (C16-C34 Hydrocarbons)	2014/12/23	NC		%	30
			F4 (C34-C50 Hydrocarbons)	2014/12/23	NC		%	30
3869158	AGA	RPD [YX3167-06]	Benzene	2014/12/23	NC		%	50
			Toluene	2014/12/23	NC		%	50
			Ethylbenzene	2014/12/23	NC		%	50
			o-Xylene	2014/12/23	NC		%	50
			p+m-Xylene	2014/12/23	NC		%	50
			Total Xylenes	2014/12/23	NC		%	50
			Hexane	2014/12/23	NC		%	50
			F1 (C6-C10)	2014/12/23	NC		%	30
			F1 (C6-C10) - BTEX	2014/12/23	NC		%	30
			3869519	GBU	RPD [YX3168-01]	Acid Extractable Arsenic (As)	2014/12/23	NC
Acid Extractable Barium (Ba)	2014/12/23	2.3					%	30
Acid Extractable Chromium (Cr)	2014/12/23	2.3					%	30
Acid Extractable Copper (Cu)	2014/12/23	0.66					%	30
Acid Extractable Lead (Pb)	2014/12/23	NC					%	30
Acid Extractable Zinc (Zn)	2014/12/23	4.6					%	30
3864759	KH1	Matrix Spike [YX3167-05]	4-Bromofluorobenzene	2014/12/19		105	%	60 - 140
			D10-o-Xylene	2014/12/19		100	%	60 - 130
			D4-1,2-Dichloroethane	2014/12/19		94	%	60 - 140
			D8-Toluene	2014/12/19		100	%	60 - 140
			1,2-Dichloroethane	2014/12/19		98	%	60 - 140
			Ethylene Dibromide	2014/12/19		99	%	60 - 140
			Methyl t-butyl ether (MTBE)	2014/12/19		102	%	60 - 140
3869151	JJE	Matrix Spike [YX3167-04]	o-Terphenyl	2014/12/23		96	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/23		95	%	50 - 130
			F3 (C16-C34 Hydrocarbons)	2014/12/23		101	%	50 - 130
			F4 (C34-C50 Hydrocarbons)	2014/12/23		105	%	50 - 130
3869158	AGA	Matrix Spike [YX3167-06]	1,4-Difluorobenzene	2014/12/23		107	%	60 - 140
			4-Bromofluorobenzene	2014/12/23		102	%	60 - 140
			D10-Ethylbenzene	2014/12/23		88	%	60 - 140
			D4-1,2-Dichloroethane	2014/12/23		96	%	60 - 140
			Benzene	2014/12/23		74	%	60 - 140
			Toluene	2014/12/23		78	%	60 - 140
			Ethylbenzene	2014/12/23		84	%	60 - 140
			o-Xylene	2014/12/23		81	%	60 - 140
			p+m-Xylene	2014/12/23		77	%	60 - 140
			Hexane	2014/12/23		84	%	60 - 140
3869519	GBU	Matrix Spike [YX3168-01]	F1 (C6-C10)	2014/12/23		82	%	60 - 140
			Acid Extractable Arsenic (As)	2014/12/23		95	%	75 - 125
			Acid Extractable Barium (Ba)	2014/12/23		NC	%	75 - 125
			Acid Extractable Chromium (Cr)	2014/12/23		NC	%	75 - 125
			Acid Extractable Copper (Cu)	2014/12/23		NC	%	75 - 125
			Acid Extractable Lead (Pb)	2014/12/23		97	%	75 - 125
3864759	KH1	LCS	Acid Extractable Zinc (Zn)	2014/12/23		NC	%	75 - 125
			4-Bromofluorobenzene	2014/12/19		105	%	60 - 140
			D10-o-Xylene	2014/12/19		102	%	60 - 130

Maxxam Job #: B4N9454
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC					Date				
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits	
3867006	LFE	LCS	D4-1,2-Dichloroethane	2014/12/19		96	%	60 - 140	
			D8-Toluene	2014/12/19		99	%	60 - 140	
			1,2-Dichloroethane	2014/12/19		101	%	60 - 130	
			Ethylene Dibromide	2014/12/19		102	%	60 - 130	
			Methyl t-butyl ether (MTBE)	2014/12/19		105	%	60 - 130	
			D10-Anthracene	2014/12/22		91	%	50 - 130	
			D14-Terphenyl (FS)	2014/12/22		102	%	50 - 130	
			D8-Acenaphthylene	2014/12/22		89	%	50 - 130	
			Acenaphthene	2014/12/22		84	%	50 - 130	
			Acenaphthylene	2014/12/22		87	%	50 - 130	
			Anthracene	2014/12/22		87	%	50 - 130	
			Benzo(a)anthracene	2014/12/22		87	%	50 - 130	
			Benzo(a)pyrene	2014/12/22		86	%	50 - 130	
			Benzo(b/j)fluoranthene	2014/12/22		83	%	50 - 130	
			Benzo(g,h,i)perylene	2014/12/22		79	%	50 - 130	
			Benzo(k)fluoranthene	2014/12/22		83	%	50 - 130	
			Chrysene	2014/12/22		87	%	50 - 130	
			Dibenz(a,h)anthracene	2014/12/22		82	%	50 - 130	
			Fluoranthene	2014/12/22		96	%	50 - 130	
			Fluorene	2014/12/22		93	%	50 - 130	
Indeno(1,2,3-cd)pyrene	2014/12/22		92	%	50 - 130				
1-Methylnaphthalene	2014/12/22		93	%	50 - 130				
2-Methylnaphthalene	2014/12/22		93	%	50 - 130				
Naphthalene	2014/12/22		83	%	50 - 130				
Phenanthrene	2014/12/22		84	%	50 - 130				
Pyrene	2014/12/22		97	%	50 - 130				
3869151	JJE	LCS	o-Terphenyl	2014/12/23		96	%	60 - 130	
			F2 (C10-C16 Hydrocarbons)	2014/12/23		93	%	80 - 120	
			F3 (C16-C34 Hydrocarbons)	2014/12/23		99	%	80 - 120	
			F4 (C34-C50 Hydrocarbons)	2014/12/23		104	%	80 - 120	
3869158	AGA	LCS	1,4-Difluorobenzene	2014/12/23		104	%	60 - 140	
			4-Bromofluorobenzene	2014/12/23		99	%	60 - 140	
			D10-Ethylbenzene	2014/12/23		81	%	60 - 140	
			D4-1,2-Dichloroethane	2014/12/23		96	%	60 - 140	
			Benzene	2014/12/23		87	%	60 - 140	
			Toluene	2014/12/23		89	%	60 - 140	
			Ethylbenzene	2014/12/23		96	%	60 - 140	
			o-Xylene	2014/12/23		92	%	60 - 140	
			p+m-Xylene	2014/12/23		87	%	60 - 140	
			Hexane	2014/12/23		105	%	60 - 140	
			F1 (C6-C10)	2014/12/23		88	%	80 - 120	
3869519	GBU	LCS	Acid Extractable Arsenic (As)	2014/12/23		101	%	80 - 120	
			Acid Extractable Barium (Ba)	2014/12/23		100	%	80 - 120	
			Acid Extractable Chromium (Cr)	2014/12/23		100	%	80 - 120	
			Acid Extractable Copper (Cu)	2014/12/23		101	%	80 - 120	
			Acid Extractable Lead (Pb)	2014/12/23		100	%	80 - 120	

Maxxam Job #: B4N9454
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC				Date					
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits	
			Acid Extractable Zinc (Zn)	2014/12/23		103	%	80 - 120	
<p>Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.</p> <p>Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.</p> <p>LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.</p> <p>Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.</p> <p>Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.</p> <p>NC (Matrix Spike): The recovery in the matrix spike was not calculated. The relative difference between the concentration in the parent sample and the spiked amount was too small to permit a reliable recovery calculation (matrix spike concentration was less than 2x that of the native sample concentration).</p> <p>NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (one or both samples < 5x RDL).</p>									

Maxxam Job #: B4N9454
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Services

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road
Mississauga, Ontario L5N 2L8
www.maxxam.ca

Phone: (905) 817-5700
Fax: (905) 817-5777
Toll Free: 800-563-6266

**EXXONMOBIL/IMPERIAL OIL - MAXXAM
CHAIN-OF-CUSTODY RECORD
ANALYSIS REQUESTED**

Page 1 of 1
C of C # 496344-03-01



496344

INVOICE INFORMATION				REPORT INFORMATION																					
Company Name: Imperial Oil, a partnership of Imperial Oil Limited and McCoil Frontenac Petrole				Company Name: Parsons																					
Contact Name: Daniel Grenzowski				Contact Name: Holly Losignore																					
Address: 1 Duncan Mill Road North York ON M3B 1Z2				Address: 3715 Laird Road Suite 100 Mississauga ON L5L 0A3																					
Email: daniel.grenzowski@esso.ca				Email: Holly.Losignore@parsons.com; labreport@																					
Phone: (416) 442-5012 x				Phone: (905) 569-4111 x																					
Sampler Name (Print): THEO MOSHONAS				Consultant Project #: 10-8518.3																					
FIELD SAMPLE ID	MATRIX				# CONTAINERS	SAMPLING		FIELD FILTERED & PRESERVED	LAB FILTRATION REQUIRED	F1/BTEX	F2-F4	PAHs	VOCs	Lead	ICP/MS Metals	TCLP VOC	TCLP Inorganics	TCLP SVOCs	TCLP PCBs	TCLP BiUP	PCBs	HEXANE	METALS (6) <i>arsenic, barium, copper, lead, zinc, chromium</i>	VOC (3): ethylene dibromide, 1,2-dichloroethane, MTBE	
	GROUND WATER	SURFACE WATER	SOIL	OTHER		DATE (YYYY/MM/DD)	TIME (24 HR)																		
1			✓		8	2014/12/13	08:10	N	N	✓	✓	✓												✓	
2			✓		8	2014/12/13	09:20	N	N	✓	✓	✓												✓	
3						YYYY/MM/DD	HH:MM																		
4						YYYY/MM/DD	HH:MM																		
5						YYYY/MM/DD	HH:MM																		
6						YYYY/MM/DD	HH:MM																		
7						YYYY/MM/DD	HH:MM																		
8						YYYY/MM/DD	HH:MM																		
9						YYYY/MM/DD	HH:MM																		
10						YYYY/MM/DD	HH:MM																		

IOL SITE LOCATION: 1545 WOODROFFE AVENUE, OTTAWA, ON				REGULATORY CRITERIA / DETECTION LIMITS: <input checked="" type="checkbox"/> REG 153 Table 3 <input type="checkbox"/> 2004 <input checked="" type="checkbox"/> 2011 <input type="checkbox"/> RSC (Please indicate which Reg. version and if RSC required)				SPECIAL INSTRUCTIONS: TEST SAMPLES AS PER TDG ISE-YES				# JARS USED AND NOT SUBMITTED Enter N/A for Water φ		TURNAROUND TIME Standard (5 days) <input checked="" type="checkbox"/> Rush (3 days) <input type="checkbox"/> (2 days) <input type="checkbox"/> (1 day) <input type="checkbox"/> (same day) <input type="checkbox"/> Date Required	
IOL SITE # (if applicable): N/A				<input type="checkbox"/> ODWS <input type="checkbox"/> PWQO <i>FINE/MED 11/c/c</i>											
IOL PROJECT # (if applicable): ME.00214				<input type="checkbox"/> Other											
MAXXAM TASK ORDER # OR SERVICE ORDER # + LINE ITEM: 4410259930-10															

COOLER ID:			COOLER ID:			COOLER ID:														
CUSTODY SEAL PRESENT	YES	NO	TEMP	1	2	3	CUSTODY SEAL PRESENT	YES	NO	TEMP	1	2	3	CUSTODY SEAL PRESENT	YES	NO	TEMP	1	2	3
INTACT	✓		3	3	3		INTACT							INTACT						

RELINQUISHED BY:		DATE:	TIME (24 HR)	RECEIVED BY:		DATE:	TIME (24 HR)
<i>Theo Moshonas</i>		2014/12/13	15:20	<i>AKKA</i>		2014/12/17	17:55
1. signature	printed name	YYYYMMDD	HH:MM	1. signature	printed name	YYYYMMDD	HH:MM
2. signature	printed name	YYYYMMDD	HH:MM	2. signature	printed name	YYYYMMDD	HH:MM
3. signature	printed name	YYYYMMDD	HH:MM	3. signature	printed name	YYYYMMDD	HH:MM

LAB USE ONLY	
MAXXAM JOB #	
BAN9454	
SAMPLES	
LABELLED BY:	VERIFIED BY:
HGL	FW

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u> Consultant Project Number: <u>10-8518.3</u>	Sampling Date: <u>2014/12/13</u> Laboratory: <u>Maxxam Analytics Inc.</u> Laboratory Job Number: <u>B4N9454</u>
---	---

Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?

	Yes	No	NA	Comments
Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.
Extraction Surrogate Recovery	X			
Method Blank Concentration	X			
Matrix Duplicate RPD	X			
Matrix Spike Recovery	X			
Lab Control Sample Recovery/Spiked Blank	X			

Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?

	Yes	No	NA	Comments
Field Blank Concentration			X	No field QC samples were submitted.
Trip Blank Concentration			X	
Field Duplicate RPD			X	

Has CofA been signed off (Yes/No)?:	<u>Yes</u>
Has lab warranted all tests were in statistical control in CofA (Yes/No)?:	<u>Yes</u>
Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?:	<u>Yes</u>
Were all samples analyzed within hold times (Yes/No)?:	<u>Yes</u>
All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?:	<u>Yes</u>
Is Chain of Custody completed and signed (Yes/No)?:	<u>Yes</u>
Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?:	<u>Yes</u>

Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: No

Date Issued: N/A Date of Response: N/A

Is data considered to be reliable (Yes/No)?: Yes

If answer is "No", describe and provide rationale:

Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u> Revision Date (if applicable): _____	Data Reviewed by (Signature): <u></u> Revised by (Signature): _____
--	---

Attention: Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A; 1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496340-03-01

Report Date: 2015/01/26
Report #: R3312639
Version: 2 - Revision

CERTIFICATE OF ANALYSIS – REVISED REPORT

MAXXAM JOB #: B4N9466
Received: 2014/12/17, 17:55

Sample Matrix: Water
Samples Received: 1

Analyses	Quantity	Laboratory Method	Primary Reference
Petroleum Hydro. CCME F1 & BTEX in Water	1	CAM SOP-00315	CCME PHC-CWS m
Petroleum Hydrocarbons F2-F4 in Water	1	CAM SOP-00316	CCME PHC-CWS m
Dissolved Metals by ICPMS	1	CAM SOP-00447	EPA 6020 m
Volatile Organic Compounds in Water	1	CAM SOP-00226	EPA 8260 m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Encryption Key  Kudrat Bajwa
26 Jan 2015 09:22:35 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Kudrat Bajwa, B.Sc., Project Manager
Email: KBajwa@maxxam.ca
Phone# (905)817-5822

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

LEAD (DISSOLVED) IN WATER

Maxxam ID		YX3183		
Sampling Date		2014/12/15 12:55		
COC Number		496340-03-01		
	Units	BH-306	RDL	QC Batch
Dissolved Lead (Pb)	ug/L	<0.50	0.50	3866045
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

HBTEX/F1-F4 PET. HYDROCARBONS IN WATER (WATER)

Maxxam ID		YX3183		
Sampling Date		2014/12/15 12:55		
COC Number		496340-03-01		
	Units	BH-306	RDL	QC Batch
Benzene	ug/L	220	0.40	3869167
Toluene	ug/L	18	0.40	3869167
Ethylbenzene	ug/L	900	0.40	3869167
o-Xylene	ug/L	60	0.40	3869167
p+m-Xylene	ug/L	370	0.80	3869167
Total Xylenes	ug/L	430	0.80	3869167
Hexane	ug/L	<10	10	3869167
F1 (C6-C10)	ug/L	2900	50	3869167
F1 (C6-C10) - BTEX	ug/L	1300	50	3869167
F2 (C10-C16 Hydrocarbons)	ug/L	1800	100	3869805
F3 (C16-C34 Hydrocarbons)	ug/L	<200	200	3869805
F4 (C34-C50 Hydrocarbons)	ug/L	<200	200	3869805
Reached Baseline at C50	ug/L	Yes		3869805
Extraction				
Surrogate Recovery (%)				
o-Terphenyl	%	93		3869805
Instrument				
Surrogate Recovery (%)				
1,4-Difluorobenzene	%	103		3869167
4-Bromofluorobenzene	%	103		3869167
D10-Ethylbenzene	%	98		3869167
D4-1,2-Dichloroethane	%	92		3869167
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VOLATILE ORGANICS BY GC/MS (WATER)

Maxxam ID		YX3183		
Sampling Date		2014/12/15 12:55		
COC Number		496340-03-01		
	Units	BH-306	RDL	QC Batch
1,2-Dichloroethane	ug/L	<20	20	3865219
Ethylene Dibromide	ug/L	<20	20	3865219
Methyl t-butyl ether (MTBE)	ug/L	<20	20	3865219
Instrument				
Surrogate Recovery (%)				
4-Bromofluorobenzene	%	99		3865219
D4-1,2-Dichloroethane	%	101		3865219
D8-Toluene	%	99		3865219
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YX3183
Sample ID: BH-306
Matrix: Water

Collected: 2014/12/15
Relinquished: 2014/12/16
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Water	HSGC/MSFD	3869167	N/A	2014/12/24	Abdikarim Ali
Petroleum Hydrocarbons F2-F4 in Water	GC/FID	3869805	2014/12/23	2014/12/24	(Kent) Maolin Li
Dissolved Metals by ICPMS	ICP/MS	3866045	N/A	2014/12/22	Arefa Dabhad
Volatile Organic Compounds in Water	P&T/MS	3865219	N/A	2014/12/20	Sarah Lam

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	-0.7°C
-----------	--------

Revised Report: Report re-issued to include only sample ID BH-306 on this CofA, as per request by D. Bettencourt.

Sample YX3183-01 : VOC Analysis: Due to high concentrations of non-target analytes, sample required dilution. Detection limits were adjusted accordingly.

F1-BTEX Analysis: Due to high concentration of target analytes, sample required dilution. Reporting limits were adjusted accordingly.

Results relate only to the items tested.

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC				Date					
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits	
3865219	SLM	Method Blank	4-Bromofluorobenzene	2014/12/19		95	%	70 - 130	
			D4-1,2-Dichloroethane	2014/12/19		104	%	70 - 130	
			D8-Toluene	2014/12/19		97	%	70 - 130	
			1,2-Dichloroethane	2014/12/19	<0.20		ug/L		
			Ethylene Dibromide	2014/12/19	<0.20		ug/L		
			Methyl t-butyl ether (MTBE)	2014/12/19	<0.20		ug/L		
3866045	ADA	Method Blank	Dissolved Arsenic (As)	2014/12/22	<1.0		ug/L		
			Dissolved Barium (Ba)	2014/12/22	<2.0		ug/L		
			Dissolved Chromium (Cr)	2014/12/22	<5.0		ug/L		
			Dissolved Copper (Cu)	2014/12/22	<1.0		ug/L		
			Dissolved Lead (Pb)	2014/12/22	<0.50		ug/L		
			Dissolved Zinc (Zn)	2014/12/22	<5.0		ug/L		
3869167	AAI	Method Blank	1,4-Difluorobenzene	2014/12/23		100	%	70 - 130	
			4-Bromofluorobenzene	2014/12/23		103	%	70 - 130	
			D10-Ethylbenzene	2014/12/23		92	%	70 - 130	
			D4-1,2-Dichloroethane	2014/12/23		97	%	70 - 130	
			Benzene	2014/12/23	<0.20		ug/L		
			Toluene	2014/12/23	<0.20		ug/L		
			Ethylbenzene	2014/12/23	<0.20		ug/L		
			o-Xylene	2014/12/23	<0.20		ug/L		
			p+m-Xylene	2014/12/23	<0.40		ug/L		
			Total Xylenes	2014/12/23	<0.40		ug/L		
			Hexane	2014/12/23	<5.0		ug/L		
			F1 (C6-C10)	2014/12/23	<25		ug/L		
			F1 (C6-C10) - BTEX	2014/12/23	<25		ug/L		
			3869805	KLI	Method Blank	o-Terphenyl	2014/12/24		94
F2 (C10-C16 Hydrocarbons)	2014/12/24	<100					ug/L		
F3 (C16-C34 Hydrocarbons)	2014/12/24	<200					ug/L		
F4 (C34-C50 Hydrocarbons)	2014/12/24	<200					ug/L		
3865219	SLM	RPD [YX3184-04]	1,2-Dichloroethane	2014/12/20	NC		%	30	
			Ethylene Dibromide	2014/12/20	NC		%	30	
			Methyl t-butyl ether (MTBE)	2014/12/20	1.9		%	30	
3869805	KLI	RPD [YX3184-02]	F2 (C10-C16 Hydrocarbons)	2014/12/24	NC		%	30	
			F3 (C16-C34 Hydrocarbons)	2014/12/24	NC		%	30	
			F4 (C34-C50 Hydrocarbons)	2014/12/24	NC		%	30	
3865219	SLM	Matrix Spike [YX3183-04]	4-Bromofluorobenzene	2014/12/20		99	%	70 - 130	
			D4-1,2-Dichloroethane	2014/12/20		98	%	70 - 130	
			D8-Toluene	2014/12/20		100	%	70 - 130	
			1,2-Dichloroethane	2014/12/20		95	%	70 - 130	
			Ethylene Dibromide	2014/12/20		102	%	70 - 130	
			Methyl t-butyl ether (MTBE)	2014/12/20		93	%	70 - 130	
3869805	KLI	Matrix Spike [YX3183-02]	o-Terphenyl	2014/12/24		96	%	60 - 130	
			F2 (C10-C16 Hydrocarbons)	2014/12/24		104	%	50 - 130	
			F3 (C16-C34 Hydrocarbons)	2014/12/24		105	%	50 - 130	
			F4 (C34-C50 Hydrocarbons)	2014/12/24		104	%	50 - 130	
3865219	SLM	LCS	4-Bromofluorobenzene	2014/12/19		99	%	70 - 130	
			D4-1,2-Dichloroethane	2014/12/19		98	%	70 - 130	
			D8-Toluene	2014/12/19		101	%	70 - 130	
			1,2-Dichloroethane	2014/12/19		88	%	70 - 130	
			Ethylene Dibromide	2014/12/19		95	%	70 - 130	
			Methyl t-butyl ether (MTBE)	2014/12/19		86	%	70 - 130	

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC				Date								
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits				
3866045	ADA	LCS	Dissolved Arsenic (As)	2014/12/22		101	%	80 - 120				
			Dissolved Barium (Ba)	2014/12/22		103	%	80 - 120				
			Dissolved Chromium (Cr)	2014/12/22		101	%	80 - 120				
			Dissolved Copper (Cu)	2014/12/22		101	%	80 - 120				
			Dissolved Lead (Pb)	2014/12/22		98	%	80 - 120				
			Dissolved Zinc (Zn)	2014/12/22		99	%	80 - 120				
3869167	AAI	LCS	1,4-Difluorobenzene	2014/12/23		99	%	70 - 130				
			4-Bromofluorobenzene	2014/12/23		104	%	70 - 130				
			D10-Ethylbenzene	2014/12/23		92	%	70 - 130				
			D4-1,2-Dichloroethane	2014/12/23		97	%	70 - 130				
			Benzene	2014/12/23		93	%	70 - 130				
			Toluene	2014/12/23		94	%	70 - 130				
			Ethylbenzene	2014/12/23		101	%	70 - 130				
			o-Xylene	2014/12/23		103	%	70 - 130				
			p+m-Xylene	2014/12/23		93	%	70 - 130				
			Hexane	2014/12/23		77	%	70 - 130				
			F1 (C6-C10)	2014/12/23		88	%	70 - 130				
			3869805	KLI	LCS	o-Terphenyl	2014/12/24		96	%	60 - 130	
						F2 (C10-C16 Hydrocarbons)	2014/12/24		98	%	60 - 130	
						F3 (C16-C34 Hydrocarbons)	2014/12/24		107	%	60 - 130	
F4 (C34-C50 Hydrocarbons)	2014/12/24					103	%	60 - 130				

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (one or both samples < 5x RDL).

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Services

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road
Mississauga, Ontario L5N 2L8
www.maxxam.ca

Phone: (905) 817-5700
Fax: (905) 817-5777
Toll Free: 800-563-6266

EXXONMOBIL/IMPERIAL OIL - MAXXAM
CHAIN-OF-CUSTODY RECORD
ANALYSIS REQUESTED

Page 1 of 1
C of C # 496340-03-01



INVOICE INFORMATION				REPORT INFORMATION												
Company Name: Imperial Oil, a partnership of Imperial Oil Limited and McColl Frontenac Petrole				Company Name: Parsons												
Contact Name: Daniel Grenzowski				Contact Name: Holly Losignore												
Address: 1 Duncan Mill Road North York ON M3B 1Z2				Address: 3715 Laird Road Suite 100 Mississauga ON L5L 0A3												
Email: daniel.grenzowski@esso.ca				Email: Holly.Losignore@parsons.com; labreport@												
Phone: (416) 442-5012 x				Phone: (905) 569-4111 x												
Sampler Name (Print): THEO MOSHONAS				Consultant Project #: 10-8518.3												
FIELD SAMPLE ID	MATRIX				# CONTAINERS	SAMPLING		FIELD FILTERED & PRESERVED	LAB FILTRATION REQUIRED	F1/BTEX	F2-F4	VOC	LEAD	VOC (3): ethylene dibromide, 1,2-dichloroethane, MTBE	n-hexane	METALS (6) Arsenic, Barium, Cadmium, Copper, Lead, Zinc
	GROUND WATER	SURFACE WATER	SOIL	OTHER		DATE (YYYYMMDD)	TIME (24 HR)									
1	✓				12	2014/12/15	12:55	Y	N	✓	✓	✓	✓	✓	✓	
2	✓				12	2014/12/15	14:05	Y	N	✓	✓	✓	✓	✓	✓	
3	✓				12	2014/12/15	14:05	Y	N	✓	✓	✓	✓	✓	✓	
4						YYYYMMDD	HH:MM									
5						YYYYMMDD	HH:MM									
6						YYYYMMDD	HH:MM									
7						YYYYMMDD	HH:MM									
8						YYYYMMDD	HH:MM									
9						YYYYMMDD	HH:MM									
10						YYYYMMDD	HH:MM									

IOL SITE LOCATION: 1545 WOODROFFE AVENUE, OTTAWA, ON			REGULATORY CRITERIA / DETECTION LIMITS: <input checked="" type="checkbox"/> REG 153 Table 3 <input type="checkbox"/> 2004 <input checked="" type="checkbox"/> 2011 <input type="checkbox"/> RSC (Please indicate which Reg. version and if RSC required)				SPECIAL INSTRUCTIONS: TEST SAMPLES AS PER TOG ICE - YES			# JARS USED AND NOT SUBMITTED Enter N/A for Water N/A			TURNAROUND TIME Standard (5 days) <input checked="" type="checkbox"/> Rush (3 days) <input type="checkbox"/> (2 days) <input type="checkbox"/> (1 day) <input type="checkbox"/> (same day) <input type="checkbox"/> Date Required		
IOL SITE # (if applicable): N/A			<input type="checkbox"/> ODWS <input type="checkbox"/> PWQO <input type="checkbox"/> Other				1/c/c MEO/FNE								
IOL PROJECT # (if applicable): ME.00214			MAXXAM TASK ORDER # OR SERVICE ORDER # + LINE ITEM: 4410259930-10												

COOLER ID: 1			COOLER ID:			COOLER ID:														
CUSTODY SEAL	YES	NO	TEMP	1	2	3	CUSTODY SEAL	YES	NO	TEMP	1	2	3	CUSTODY SEAL	YES	NO	TEMP	1	2	3
PRESENT	✓		0	0	-2		PRESENT							PRESENT						
INTACT			1	2	3		INTACT							INTACT						

RELINQUISHED BY: <i>[Signature]</i>		DATE: 2014/12/16		TIME (24 HR): 17:00		RECEIVED BY: <i>[Signature]</i>		DATE: 2014/12/17		TIME (24 HR): 17:55		LAB USE ONLY MAXXAM JOB # B4N9466	
1. signature	THEO MOSHONAS	YYYYMMDD	HH:MM	1. signature	FANG WANG	YYYYMMDD	HH:MM	SAMPLES		Labeled by: HGL		VERIFIED BY: FW	
2. signature		YYYYMMDD	HH:MM	2. signature		YYYYMMDD	HH:MM						
3. signature		YYYYMMDD	HH:MM	3. signature		YYYYMMDD	HH:MM						

COC - 1012 (2013) IOL - ON

White: Maxxam

Yellow: Client

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u> Consultant Project Number: <u>10-8518.3</u>	Sampling Date: <u>2014/12/15</u> Laboratory: <u>Maxxam Analytics Inc.</u> Laboratory Job Number: <u>B4N9466</u>
---	---

Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?

	Yes	No	NA	Comments
Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.
Extraction Surrogate Recovery	X			
Method Blank Concentration	X			
Matrix Duplicate RPD	X			
Matrix Spike Recovery	X			
Lab Control Sample Recovery/Spiked Blank	X			

Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?

	Yes	No	NA	Comments
Field Blank Concentration			X	All field QC samples met the alert limits.
Trip Blank Concentration			X	
Field Duplicate RPD	X			

Has CofA been signed off (Yes/No)?:	<u>Yes</u>
Has lab warranted all tests were in statistical control in CofA (Yes/No)?:	<u>Yes</u>
Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?:	<u>Yes</u>
Were all samples analyzed within hold times (Yes/No)?:	<u>Yes</u>
All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?:	<u>N/A</u>
Is Chain of Custody completed and signed (Yes/No)?:	<u>Yes</u>
Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?:	<u>Yes</u>

Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: No

Date Issued: N/A Date of Response: N/A

Is data considered to be reliable (Yes/No)?: Yes

If answer is "No", describe and provide rationale:

Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u> Revision Date (if applicable): _____	Data Reviewed by (Signature):  Revised by (Signature): _____
--	--

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496340-03-01

Report Date: 2015/01/26
Report #: R3312640
Version: 3 - Revision

CERTIFICATE OF ANALYSIS – REVISED REPORT

MAXXAM JOB #: B4N9466

Received: 2014/12/17, 17:55

Sample Matrix: Water
Samples Received: 2

Analyses	Quantity	Laboratory Method	Primary Reference
Petroleum Hydro. CCME F1 & BTEX in Water	2	CAM SOP-00315	CCME PHC-CWS m
Petroleum Hydrocarbons F2-F4 in Water	2	CAM SOP-00316	CCME PHC-CWS m
Dissolved Metals by ICPMS	2	CAM SOP-00447	EPA 6020 m
Volatile Organic Compounds in Water	2	CAM SOP-00226	EPA 8260 m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Encryption Key  Kudrat Bajwa
26 Jan 2015 09:25:23 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Kudrat Bajwa, B.Sc., Project Manager
Email: KBajwa@maxxam.ca
Phone# (905)817-5822

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

HBTEX/F1-F4 PET. HYDROCARBONS IN WATER (WATER)

Maxxam ID		YX3184	YX3184	YX3185		
Sampling Date		2014/12/15 14:05	2014/12/15 14:05	2014/12/15 14:05		
COC Number		496340-03-01	496340-03-01	496340-03-01		
	Units	BH-309	BH-309 Lab-Dup	DUP-04	RDL	QC Batch
Benzene	ug/L	0.26		0.32	0.20	3869167
Toluene	ug/L	<0.20		<0.20	0.20	3869167
Ethylbenzene	ug/L	0.52		0.54	0.20	3869167
o-Xylene	ug/L	<0.20		<0.20	0.20	3869167
p+m-Xylene	ug/L	<0.40		<0.40	0.40	3869167
Total Xylenes	ug/L	<0.40		<0.40	0.40	3869167
Hexane	ug/L	<5.0		<5.0	5.0	3869167
F1 (C6-C10)	ug/L	79		68	25	3869167
F1 (C6-C10) - BTEX	ug/L	78		67	25	3869167
F2 (C10-C16 Hydrocarbons)	ug/L	<100	<100	<100	100	3869805
F3 (C16-C34 Hydrocarbons)	ug/L	<200	<200	<200	200	3869805
F4 (C34-C50 Hydrocarbons)	ug/L	<200	<200	<200	200	3869805
Reached Baseline at C50	ug/L	Yes	Yes	Yes		3869805
Extraction Surrogate Recovery (%)						
o-Terphenyl	%	94	95	92		3869805
Instrument Surrogate Recovery (%)						
1,4-Difluorobenzene	%	102		102		3869167
4-Bromofluorobenzene	%	102		103		3869167
D10-Ethylbenzene	%	96		97		3869167
D4-1,2-Dichloroethane	%	92		91		3869167
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate						

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

Maxxam ID		YX3184	YX3185		
Sampling Date		2014/12/15 14:05	2014/12/15 14:05		
COC Number		496340-03-01	496340-03-01		
	Units	BH-309	DUP-04	RDL	QC Batch
Dissolved Arsenic (As)	ug/L	<1.0	<1.0	1.0	3866045
Dissolved Barium (Ba)	ug/L	360	350	2.0	3866045
Dissolved Chromium (Cr)	ug/L	<5.0	<5.0	5.0	3866045
Dissolved Copper (Cu)	ug/L	<2.0	<2.0	2.0	3866045
Dissolved Lead (Pb)	ug/L	<0.50	<0.50	0.50	3866045
Dissolved Zinc (Zn)	ug/L	<5.0	<5.0	5.0	3866045
RDL = Reportable Detection Limit					
QC Batch = Quality Control Batch					

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VOLATILE ORGANICS BY GC/MS (WATER)

Maxxam ID		YX3184	YX3184	YX3185		
Sampling Date		2014/12/15 14:05	2014/12/15 14:05	2014/12/15 14:05		
COC Number		496340-03-01	496340-03-01	496340-03-01		
	Units	BH-309	BH-309 Lab-Dup	DUP-04	RDL	QC Batch
1,2-Dichloroethane	ug/L	<0.20	<0.20	<0.20	0.20	3865219
Ethylene Dibromide	ug/L	<0.20	<0.20	<0.20	0.20	3865219
Methyl t-butyl ether (MTBE)	ug/L	1.0	1.0	0.98	0.20	3865219
Instrument Surrogate Recovery (%)						
4-Bromofluorobenzene	%	96	97	96		3865219
D4-1,2-Dichloroethane	%	101	101	101		3865219
D8-Toluene	%	97	98	98		3865219
RDL = Reportable Detection Limit						
QC Batch = Quality Control Batch						
Lab-Dup = Laboratory Initiated Duplicate						

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YX3184
Sample ID: BH-309
Matrix: Water

Collected: 2014/12/15
Relinquished: 2014/12/16
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Water	HSGC/MSFD	3869167	N/A	2014/12/24	Abdikarim Ali
Petroleum Hydrocarbons F2-F4 in Water	GC/FID	3869805	2014/12/23	2014/12/24	(Kent) Maolin Li
Dissolved Metals by ICPMS	ICP/MS	3866045	N/A	2014/12/22	Arefa Dabhad
Volatile Organic Compounds in Water	P&T/MS	3865219	N/A	2014/12/20	Sarah Lam

Maxxam ID: YX3184 Dup
Sample ID: BH-309
Matrix: Water

Collected: 2014/12/15
Relinquished: 2014/12/16
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydrocarbons F2-F4 in Water	GC/FID	3869805	2014/12/23	2014/12/24	(Kent) Maolin Li
Volatile Organic Compounds in Water	P&T/MS	3865219	N/A	2014/12/20	Sarah Lam

Maxxam ID: YX3185
Sample ID: DUP-04
Matrix: Water

Collected: 2014/12/15
Relinquished: 2014/12/16
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Water	HSGC/MSFD	3869167	N/A	2014/12/24	Abdikarim Ali
Petroleum Hydrocarbons F2-F4 in Water	GC/FID	3869805	2014/12/23	2014/12/24	(Kent) Maolin Li
Dissolved Metals by ICPMS	ICP/MS	3866045	N/A	2014/12/22	Arefa Dabhad
Volatile Organic Compounds in Water	P&T/MS	3865219	N/A	2014/12/20	Sarah Lam

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	-0.7°C
-----------	--------

Revised Report: Report re-issued to include only sample ID BH-309 and DUP-04 on this CofA, as per request by D. Bettencourt.

Results relate only to the items tested.

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	Units	QC Limits	
3865219	SLM	Method Blank	4-Bromofluorobenzene	2014/12/19		95	%	70 - 130	
			D4-1,2-Dichloroethane	2014/12/19		104	%	70 - 130	
			D8-Toluene	2014/12/19		97	%	70 - 130	
			1,2-Dichloroethane	2014/12/19	<0.20			ug/L	
			Ethylene Dibromide	2014/12/19	<0.20			ug/L	
			Methyl t-butyl ether (MTBE)	2014/12/19	<0.20			ug/L	
3866045	ADA	Method Blank	Dissolved Arsenic (As)	2014/12/22	<1.0		ug/L		
			Dissolved Barium (Ba)	2014/12/22	<2.0		ug/L		
			Dissolved Chromium (Cr)	2014/12/22	<5.0		ug/L		
			Dissolved Copper (Cu)	2014/12/22	<1.0		ug/L		
			Dissolved Lead (Pb)	2014/12/22	<0.50		ug/L		
			Dissolved Zinc (Zn)	2014/12/22	<5.0		ug/L		
3869167	AAI	Method Blank	1,4-Difluorobenzene	2014/12/23		100	%	70 - 130	
			4-Bromofluorobenzene	2014/12/23		103	%	70 - 130	
			D10-Ethylbenzene	2014/12/23		92	%	70 - 130	
			D4-1,2-Dichloroethane	2014/12/23		97	%	70 - 130	
			Benzene	2014/12/23	<0.20			ug/L	
			Toluene	2014/12/23	<0.20			ug/L	
			Ethylbenzene	2014/12/23	<0.20			ug/L	
			o-Xylene	2014/12/23	<0.20			ug/L	
			p+m-Xylene	2014/12/23	<0.40			ug/L	
			Total Xylenes	2014/12/23	<0.40			ug/L	
			Hexane	2014/12/23	<5.0			ug/L	
			F1 (C6-C10)	2014/12/23	<25			ug/L	
			F1 (C6-C10) - BTEX	2014/12/23	<25			ug/L	
			3869805	KLI	Method Blank	o-Terphenyl	2014/12/24		94
F2 (C10-C16 Hydrocarbons)	2014/12/24	<100					ug/L		
F3 (C16-C34 Hydrocarbons)	2014/12/24	<200					ug/L		
F4 (C34-C50 Hydrocarbons)	2014/12/24	<200					ug/L		
3865219	SLM	RPD [YX3184-04]	1,2-Dichloroethane	2014/12/20	NC		%	30	
			Ethylene Dibromide	2014/12/20	NC		%	30	
			Methyl t-butyl ether (MTBE)	2014/12/20	1.9		%	30	
3869805	KLI	RPD [YX3184-02]	F2 (C10-C16 Hydrocarbons)	2014/12/24	NC		%	30	
			F3 (C16-C34 Hydrocarbons)	2014/12/24	NC		%	30	
			F4 (C34-C50 Hydrocarbons)	2014/12/24	NC		%	30	
3865219	SLM	Matrix Spike [YX3183-04]	4-Bromofluorobenzene	2014/12/20		99	%	70 - 130	
			D4-1,2-Dichloroethane	2014/12/20		98	%	70 - 130	
			D8-Toluene	2014/12/20		100	%	70 - 130	
			1,2-Dichloroethane	2014/12/20		95	%	70 - 130	
			Ethylene Dibromide	2014/12/20		102	%	70 - 130	
			Methyl t-butyl ether (MTBE)	2014/12/20		93	%	70 - 130	
3869805	KLI	Matrix Spike [YX3183-02]	o-Terphenyl	2014/12/24		96	%	60 - 130	
			F2 (C10-C16 Hydrocarbons)	2014/12/24		104	%	50 - 130	
			F3 (C16-C34 Hydrocarbons)	2014/12/24		105	%	50 - 130	
			F4 (C34-C50 Hydrocarbons)	2014/12/24		104	%	50 - 130	
3865219	SLM	LCS	4-Bromofluorobenzene	2014/12/19		99	%	70 - 130	
			D4-1,2-Dichloroethane	2014/12/19		98	%	70 - 130	
			D8-Toluene	2014/12/19		101	%	70 - 130	
			1,2-Dichloroethane	2014/12/19		88	%	70 - 130	
			Ethylene Dibromide	2014/12/19		95	%	70 - 130	
			Methyl t-butyl ether (MTBE)	2014/12/19		86	%	70 - 130	

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC				Date								
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits				
3866045	ADA	LCS	Dissolved Arsenic (As)	2014/12/22		101	%	80 - 120				
			Dissolved Barium (Ba)	2014/12/22		103	%	80 - 120				
			Dissolved Chromium (Cr)	2014/12/22		101	%	80 - 120				
			Dissolved Copper (Cu)	2014/12/22		101	%	80 - 120				
			Dissolved Lead (Pb)	2014/12/22		98	%	80 - 120				
			Dissolved Zinc (Zn)	2014/12/22		99	%	80 - 120				
3869167	AAI	LCS	1,4-Difluorobenzene	2014/12/23		99	%	70 - 130				
			4-Bromofluorobenzene	2014/12/23		104	%	70 - 130				
			D10-Ethylbenzene	2014/12/23		92	%	70 - 130				
			D4-1,2-Dichloroethane	2014/12/23		97	%	70 - 130				
			Benzene	2014/12/23		93	%	70 - 130				
			Toluene	2014/12/23		94	%	70 - 130				
			Ethylbenzene	2014/12/23		101	%	70 - 130				
			o-Xylene	2014/12/23		103	%	70 - 130				
			p+m-Xylene	2014/12/23		93	%	70 - 130				
			Hexane	2014/12/23		77	%	70 - 130				
			F1 (C6-C10)	2014/12/23		88	%	70 - 130				
			3869805	KLI	LCS	o-Terphenyl	2014/12/24		96	%	60 - 130	
						F2 (C10-C16 Hydrocarbons)	2014/12/24		98	%	60 - 130	
						F3 (C16-C34 Hydrocarbons)	2014/12/24		107	%	60 - 130	
F4 (C34-C50 Hydrocarbons)	2014/12/24					103	%	60 - 130				

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (one or both samples < 5x RDL).

Maxxam Job #: B4N9466
Report Date: 2015/01/26

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Services

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road
Mississauga, Ontario L5N 2L8
www.maxxam.ca

Phone: (905) 817-5700
Fax: (905) 817-5777
Toll Free: 800-563-6266

EXXONMOBIL/IMPERIAL OIL - MAXXAM
CHAIN-OF-CUSTODY RECORD
ANALYSIS REQUESTED

Page 1 of 1
C of C # 496340-03-01



INVOICE INFORMATION				REPORT INFORMATION												
Company Name: Imperial Oil, a partnership of Imperial Oil Limited and McColl Frontenac Petrole				Company Name: Parsons												
Contact Name: Daniel Grenzowski				Contact Name: Holly Losignore												
Address: 1 Duncan Mill Road North York ON M3B 1Z2				Address: 3715 Laird Road Suite 100 Mississauga ON L5L 0A3												
Email: daniel.grenzowski@esso.ca				Email: Holly.Losignore@parsons.com; labreport@												
Phone: (416) 442-5012 x				Phone: (905) 569-4111 x												
Sampler Name (Print): THEO MOSHONAS				Consultant Project #: 10-8518.3												
FIELD SAMPLE ID	MATRIX				# CONTAINERS	SAMPLING		FIELD FILTERED & PRESERVED	LAB FILTRATION REQUIRED	F1/BTEX	F2-F4	VOC	LEAD	VOC (3): ethylene dibromide, 1,2-dichloroethane, MTBE	n-hexane	METALS (6) arsenic, barium, chromium, copper, lead, zinc
	GROUND WATER	SURFACE WATER	SOIL	OTHER		DATE (YYYYMMDD)	TIME (24 HR)									
1 BH-306	✓				12	2014/12/15	12:56	Y	N	✓	✓	✓	✓	✓	✓	✓
2 BH-309	✓				12	2014/12/15	14:05	Y	N	✓	✓	✓	✓	✓	✓	✓
3 DUP-04	✓				12	2014/12/15	14:05	Y	N	✓	✓	✓	✓	✓	✓	✓
4						YYYYMMDD	HH:MM									
5						YYYYMMDD	HH:MM									
6						YYYYMMDD	HH:MM									
7						YYYYMMDD	HH:MM									
8						YYYYMMDD	HH:MM									
9						YYYYMMDD	HH:MM									
10						YYYYMMDD	HH:MM									

IOL SITE LOCATION: 1545 WOODROFFE AVENUE, OTTAWA, ON			REGULATORY CRITERIA / DETECTION LIMITS: <input checked="" type="checkbox"/> REG 153 Table 3 <input type="checkbox"/> 2004 <input checked="" type="checkbox"/> 2011 <input type="checkbox"/> RSC (Please indicate which Reg. version and if RSC required)				SPECIAL INSTRUCTIONS: TEST SAMPLES AS PER TOG ICE - YES			# JARS USED AND NOT SUBMITTED Enter N/A for Water N/A		TURNAROUND TIME Standard (5 days) <input checked="" type="checkbox"/> Rush (3 days) <input type="checkbox"/> (2 days) <input type="checkbox"/> (1 day) <input type="checkbox"/> (same day) <input type="checkbox"/> Date Required _____	
IOL SITE # (if applicable): N/A			<input type="checkbox"/> ODWS <input type="checkbox"/> PWQO <input type="checkbox"/> Other				1/c/c MEO/FNE						
IOL PROJECT # (if applicable): ME.00214			MAXXAM TASK ORDER # OR SERVICE ORDER # + LINE ITEM: 4410259930-10										

COOLER ID: 1			COOLER ID:			COOLER ID:		
CUSTODY SEAL	YES	NO	CUSTODY SEAL	YES	NO	CUSTODY SEAL	YES	NO
PRESENT	✓		PRESENT			PRESENT		
INTACT			INTACT			INTACT		
TEMP	0	0	TEMP	0	-2	TEMP	1	2
	1	2		1	2		1	2


RELINQUISHED BY: <i>[Signature]</i>		DATE: 2014/12/16		TIME (24 HR): 17:00		RECEIVED BY: <i>[Signature]</i>		DATE: 2014/12/17		TIME (24 HR): 17:55		LAB USE ONLY MAXXAM JOB # B4N9466	
1. signature	THEO MOSHONAS	printed name	YYYYMMDD	HH:MM	signature	printed name	YYYYMMDD	HH:MM	signature	printed name	YYYYMMDD	HH:MM	LABELLED BY: HGL
2. signature		printed name	YYYYMMDD	HH:MM	signature	printed name	YYYYMMDD	HH:MM	signature	printed name	YYYYMMDD	HH:MM	VERIFIED BY: FW

COC - 1012 (2013) IOL - ON

White: Maxxam

Yellow: Client

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u> Consultant Project Number: <u>10-8518.3</u>	Sampling Date: <u>2014/12/15</u> Laboratory: <u>Maxxam Analytics Inc.</u> Laboratory Job Number: <u>B4N9466</u>																														
Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Instrument Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> <td rowspan="6">All lab QC met acceptance criteria.</td> </tr> <tr> <td>Extraction Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Method Blank Concentration</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Duplicate RPD</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Spike Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Lab Control Sample Recovery/Spiked Blank</td> <td align="center">X</td> <td></td> <td></td> </tr> </tbody> </table>			Yes	No	NA	Comments	Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.	Extraction Surrogate Recovery	X			Method Blank Concentration	X			Matrix Duplicate RPD	X			Matrix Spike Recovery	X			Lab Control Sample Recovery/Spiked Blank	X		
	Yes	No	NA	Comments																											
Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.																											
Extraction Surrogate Recovery	X																														
Method Blank Concentration	X																														
Matrix Duplicate RPD	X																														
Matrix Spike Recovery	X																														
Lab Control Sample Recovery/Spiked Blank	X																														
Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Field Blank Concentration</td> <td></td> <td></td> <td align="center">X</td> <td rowspan="3">All field QC samples met the alert limits.</td> </tr> <tr> <td>Trip Blank Concentration</td> <td></td> <td></td> <td align="center">X</td> </tr> <tr> <td>Field Duplicate RPD</td> <td align="center">X</td> <td></td> <td></td> </tr> </tbody> </table>			Yes	No	NA	Comments	Field Blank Concentration			X	All field QC samples met the alert limits.	Trip Blank Concentration			X	Field Duplicate RPD	X														
	Yes	No	NA	Comments																											
Field Blank Concentration			X	All field QC samples met the alert limits.																											
Trip Blank Concentration			X																												
Field Duplicate RPD	X																														
Has CofA been signed off (Yes/No)?: <u>Yes</u> Has lab warranted all tests were in statistical control in CofA (Yes/No)?: <u>Yes</u> Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?: <u>Yes</u> Were all samples analyzed within hold times (Yes/No)?: <u>Yes</u> All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?: <u>N/A</u> Is Chain of Custody completed and signed (Yes/No)?: <u>Yes</u> Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?: <u>Yes</u>																															
Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: <u>No</u> Date Issued: <u>N/A</u> Date of Response: <u>N/A</u>																															
Is data considered to be reliable (Yes/No)?: <u>Yes</u> If answer is "No", describe and provide rationale:																															
Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u> Revision Date (if applicable): _____	Data Reviewed by (Signature): <u></u> Revised by (Signature): _____																														

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496340-01-01

Report Date: 2014/12/29
Report #: R3273070
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N9487

Received: 2014/12/17, 17:55

Sample Matrix: Water
Samples Received: 3

Analyses	Quantity	Laboratory Method	Primary Reference
Petroleum Hydro. CCME F1 & BTEX in Water	3	CAM SOP-00315	CCME PHC-CWS m
Petroleum Hydrocarbons F2-F4 in Water	3	CAM SOP-00316	CCME PHC-CWS m
Dissolved Metals by ICPMS	3	CAM SOP-00447	EPA 6020 m
Volatile Organic Compounds in Water	3	CAM SOP-00226	EPA 8260 m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Encryption Key  Kudrat Bajwa
29 Dec 2014 09:45:11 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Kudrat Bajwa, B.Sc., Project Manager
Email: KBajwa@maxxam.ca
Phone# (905)817-5822

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N9487
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

HBTEX/F1-F4 PET. HYDROCARBONS IN WATER (WATER)

Maxxam ID		YX3294	YX3294	YX3295	YX3296		
Sampling Date		2014/12/15 07:45	2014/12/15 07:45	2014/12/15 08:35	2014/12/15 09:35		
COC Number		496340-01-01	496340-01-01	496340-01-01	496340-01-01		
	Units	BH-308	BH-308 Lab-Dup	BH-305	BH-303	RDL	QC Batch
Benzene	ug/L	2.4	2.2	<0.20	<0.20	0.20	3869167
Toluene	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	3869167
Ethylbenzene	ug/L	1.3	1.4	<0.20	<0.20	0.20	3869167
o-Xylene	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	3869167
p+m-Xylene	ug/L	<0.40	<0.40	<0.40	<0.40	0.40	3869167
Total Xylenes	ug/L	<0.40	<0.40	<0.40	<0.40	0.40	3869167
Hexane	ug/L	<5.0	<5.0	<5.0	<5.0	5.0	3869167
F1 (C6-C10)	ug/L	<25	<25	<25	<25	25	3869167
F1 (C6-C10) - BTEX	ug/L	<25	<25	<25	<25	25	3869167
F2 (C10-C16 Hydrocarbons)	ug/L	<100		<100	<100	100	3869805
F3 (C16-C34 Hydrocarbons)	ug/L	<200		<200	<200	200	3869805
F4 (C34-C50 Hydrocarbons)	ug/L	<200		<200	<200	200	3869805
Reached Baseline at C50	ug/L	Yes		Yes	Yes		3869805
Extraction Surrogate Recovery (%)							
o-Terphenyl	%	95		94	93		3869805
Instrument Surrogate Recovery (%)							
1,4-Difluorobenzene	%	103	102	103	102		3869167
4-Bromofluorobenzene	%	103	103	103	102		3869167
D10-Ethylbenzene	%	98	97	102	97		3869167
D4-1,2-Dichloroethane	%	92	92	91	92		3869167
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate							

Maxxam Job #: B4N9487
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

Maxxam ID		YX3294		YX3295	YX3296		
Sampling Date		2014/12/15 07:45		2014/12/15 08:35	2014/12/15 09:35		
COC Number		496340-01-01		496340-01-01	496340-01-01		
	Units	BH-308	RDL	BH-305	BH-303	RDL	QC Batch
Dissolved Arsenic (As)	ug/L	<1.0	1.0	<1.0	<1.0	1.0	3866045
Dissolved Barium (Ba)	ug/L	330	2.0	410	200	2.0	3866045
Dissolved Chromium (Cr)	ug/L	<5.0	5.0	<5.0	<5.0	5.0	3866045
Dissolved Copper (Cu)	ug/L	<5.0	5.0	<1.0	1.4	1.0	3866045
Dissolved Lead (Pb)	ug/L	<0.50	0.50	<0.50	<0.50	0.50	3866045
Dissolved Zinc (Zn)	ug/L	6.4	5.0	<5.0	<5.0	5.0	3866045
RDL = Reportable Detection Limit							
QC Batch = Quality Control Batch							

Maxxam Job #: B4N9487
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VOLATILE ORGANICS BY GC/MS (WATER)

Maxxam ID		YX3294	YX3295	YX3296		
Sampling Date		2014/12/15 07:45	2014/12/15 08:35	2014/12/15 09:35		
COC Number		496340-01-01	496340-01-01	496340-01-01		
	Units	BH-308	BH-305	BH-303	RDL	QC Batch
Dichlorodifluoromethane (FREON 12)	ug/L		<0.50		0.50	3865219
1,1-Dichloroethane	ug/L		<0.10		0.10	3865219
1,2-Dichloroethane	ug/L	<0.20	<0.20	<0.20	0.20	3865219
1,1-Dichloroethylene	ug/L		<0.10		0.10	3865219
cis-1,2-Dichloroethylene	ug/L		<0.10		0.10	3865219
trans-1,2-Dichloroethylene	ug/L		<0.10		0.10	3865219
Ethylene Dibromide	ug/L	<0.20	<0.20	<0.20	0.20	3865219
Methyl t-butyl ether (MTBE)	ug/L	<0.20	<0.20	<0.20	0.20	3865219
Tetrachloroethylene	ug/L		<0.10		0.10	3865219
1,1,1-Trichloroethane	ug/L		<0.10		0.10	3865219
1,1,2-Trichloroethane	ug/L		<0.20		0.20	3865219
Trichloroethylene	ug/L		<0.10		0.10	3865219
Vinyl Chloride	ug/L		<0.20		0.20	3865219
Trichlorofluoromethane (FREON 11)	ug/L		<0.20		0.20	3865219
Instrument						
Surrogate Recovery (%)						
4-Bromofluorobenzene	%	98	95	96		3865219
D4-1,2-Dichloroethane	%	105	103	105		3865219
D8-Toluene	%	98	97	97		3865219
RDL = Reportable Detection Limit						
QC Batch = Quality Control Batch						

Maxxam Job #: B4N9487
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YX3294
Sample ID: BH-308
Matrix: Water

Collected: 2014/12/15
Relinquished: 2014/12/16
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Water	HSGC/MSFD	3869167	N/A	2014/12/23	Abdikarim Ali
Petroleum Hydrocarbons F2-F4 in Water	GC/FID	3869805	2014/12/23	2014/12/24	(Kent) Maolin Li
Dissolved Metals by ICPMS	ICP/MS	3866045	N/A	2014/12/22	Arefa Dabhad
Volatile Organic Compounds in Water	P&T/MS	3865219	N/A	2014/12/20	Sarah Lam

Maxxam ID: YX3294 Dup
Sample ID: BH-308
Matrix: Water

Collected: 2014/12/15
Relinquished: 2014/12/16
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Water	HSGC/MSFD	3869167	N/A	2014/12/23	Abdikarim Ali

Maxxam ID: YX3295
Sample ID: BH-305
Matrix: Water

Collected: 2014/12/15
Relinquished: 2014/12/16
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Water	HSGC/MSFD	3869167	N/A	2014/12/24	Abdikarim Ali
Petroleum Hydrocarbons F2-F4 in Water	GC/FID	3869805	2014/12/23	2014/12/24	(Kent) Maolin Li
Dissolved Metals by ICPMS	ICP/MS	3866045	N/A	2014/12/22	Arefa Dabhad
Volatile Organic Compounds in Water	P&T/MS	3865219	N/A	2014/12/20	Sarah Lam

Maxxam ID: YX3296
Sample ID: BH-303
Matrix: Water

Collected: 2014/12/15
Relinquished: 2014/12/16
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Water	HSGC/MSFD	3869167	N/A	2014/12/24	Abdikarim Ali
Petroleum Hydrocarbons F2-F4 in Water	GC/FID	3869805	2014/12/23	2014/12/24	(Kent) Maolin Li
Dissolved Metals by ICPMS	ICP/MS	3866045	N/A	2014/12/22	Arefa Dabhad
Volatile Organic Compounds in Water	P&T/MS	3865219	N/A	2014/12/20	Sarah Lam

Maxxam Job #: B4N9487
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	-0.3°C
-----------	--------

Results relate only to the items tested.

Maxxam Job #: B4N9487
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC			Parameter	Date Analyzed	Value	Recovery	Units	QC Limits
Batch	Init	QC Type						
3865219	SLM	Method Blank	4-Bromofluorobenzene	2014/12/19		95	%	70 - 130
			D4-1,2-Dichloroethane	2014/12/19		104	%	70 - 130
			D8-Toluene	2014/12/19		97	%	70 - 130
			Dichlorodifluoromethane (FREON 12)	2014/12/19	<0.50		ug/L	
			1,1-Dichloroethane	2014/12/19	<0.10		ug/L	
			1,2-Dichloroethane	2014/12/19	<0.20		ug/L	
			1,1-Dichloroethylene	2014/12/19	<0.10		ug/L	
			cis-1,2-Dichloroethylene	2014/12/19	<0.10		ug/L	
			trans-1,2-Dichloroethylene	2014/12/19	<0.10		ug/L	
			Ethylene Dibromide	2014/12/19	<0.20		ug/L	
			Methyl t-butyl ether (MTBE)	2014/12/19	<0.20		ug/L	
			Tetrachloroethylene	2014/12/19	<0.10		ug/L	
			1,1,1-Trichloroethane	2014/12/19	<0.10		ug/L	
			1,1,2-Trichloroethane	2014/12/19	<0.20		ug/L	
			Trichloroethylene	2014/12/19	<0.10		ug/L	
			Vinyl Chloride	2014/12/19	<0.20		ug/L	
			Trichlorofluoromethane (FREON 11)	2014/12/19	<0.20		ug/L	
3866045	ADA	Method Blank	Dissolved Arsenic (As)	2014/12/22	<1.0		ug/L	
			Dissolved Barium (Ba)	2014/12/22	<2.0		ug/L	
			Dissolved Chromium (Cr)	2014/12/22	<5.0		ug/L	
			Dissolved Copper (Cu)	2014/12/22	<1.0		ug/L	
			Dissolved Lead (Pb)	2014/12/22	<0.50		ug/L	
			Dissolved Zinc (Zn)	2014/12/22	<5.0		ug/L	
3869167	AAI	Method Blank	1,4-Difluorobenzene	2014/12/23		100	%	70 - 130
			4-Bromofluorobenzene	2014/12/23		103	%	70 - 130
			D10-Ethylbenzene	2014/12/23		92	%	70 - 130
			D4-1,2-Dichloroethane	2014/12/23		97	%	70 - 130
			Benzene	2014/12/23	<0.20		ug/L	
			Toluene	2014/12/23	<0.20		ug/L	
			Ethylbenzene	2014/12/23	<0.20		ug/L	
			o-Xylene	2014/12/23	<0.20		ug/L	
			p+m-Xylene	2014/12/23	<0.40		ug/L	
			Total Xylenes	2014/12/23	<0.40		ug/L	
			Hexane	2014/12/23	<5.0		ug/L	
			F1 (C6-C10)	2014/12/23	<25		ug/L	
			F1 (C6-C10) - BTEX	2014/12/23	<25		ug/L	
3869805	KLI	Method Blank	o-Terphenyl	2014/12/24		94	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/24	<100		ug/L	
			F3 (C16-C34 Hydrocarbons)	2014/12/24	<200		ug/L	
			F4 (C34-C50 Hydrocarbons)	2014/12/24	<200		ug/L	
3869167	AAI	RPD [YX3294-05]	Benzene	2014/12/23	7.2		%	30
			Toluene	2014/12/23	NC		%	30
			Ethylbenzene	2014/12/23	0.59		%	30
			o-Xylene	2014/12/23	NC		%	30
			p+m-Xylene	2014/12/23	NC		%	30
			Total Xylenes	2014/12/23	NC		%	30
			Hexane	2014/12/23	NC		%	30
			F1 (C6-C10)	2014/12/23	NC		%	30
			F1 (C6-C10) - BTEX	2014/12/23	NC		%	30
			3869167	AAI	Matrix Spike [YX3294-05]	1,4-Difluorobenzene	2014/12/23	
4-Bromofluorobenzene	2014/12/23					102	%	70 - 130

Maxxam Job #: B4N9487
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC			Parameter	Date	Value	Recovery	Units	QC Limits
Batch	Init	QC Type		Analyzed				
3865219	SLM	LCS	D10-Ethylbenzene	2014/12/23		97	%	70 - 130
			D4-1,2-Dichloroethane	2014/12/23		91	%	70 - 130
			Benzene	2014/12/23		92	%	70 - 130
			Toluene	2014/12/23		99	%	70 - 130
			Ethylbenzene	2014/12/23		105	%	70 - 130
			o-Xylene	2014/12/23		108	%	70 - 130
			p+m-Xylene	2014/12/23		100	%	70 - 130
			Hexane	2014/12/23		89	%	70 - 130
			F1 (C6-C10)	2014/12/23		71	%	70 - 130
			4-Bromofluorobenzene	2014/12/19		99	%	70 - 130
			D4-1,2-Dichloroethane	2014/12/19		98	%	70 - 130
			D8-Toluene	2014/12/19		101	%	70 - 130
			Dichlorodifluoromethane (FREON 12)	2014/12/19		83	%	60 - 140
			1,1-Dichloroethane	2014/12/19		90	%	70 - 130
			1,2-Dichloroethane	2014/12/19		88	%	70 - 130
			1,1-Dichloroethylene	2014/12/19		92	%	70 - 130
			cis-1,2-Dichloroethylene	2014/12/19		93	%	70 - 130
			trans-1,2-Dichloroethylene	2014/12/19		90	%	70 - 130
			Ethylene Dibromide	2014/12/19		95	%	70 - 130
			Methyl t-butyl ether (MTBE)	2014/12/19		86	%	70 - 130
Tetrachloroethylene	2014/12/19		93	%	70 - 130			
1,1,1-Trichloroethane	2014/12/19		90	%	70 - 130			
1,1,2-Trichloroethane	2014/12/19		95	%	70 - 130			
Trichloroethylene	2014/12/19		93	%	70 - 130			
Vinyl Chloride	2014/12/19		79	%	70 - 130			
Trichlorofluoromethane (FREON 11)	2014/12/19		89	%	70 - 130			
3866045	ADA	LCS	Dissolved Arsenic (As)	2014/12/22		101	%	80 - 120
			Dissolved Barium (Ba)	2014/12/22		103	%	80 - 120
			Dissolved Chromium (Cr)	2014/12/22		101	%	80 - 120
			Dissolved Copper (Cu)	2014/12/22		101	%	80 - 120
			Dissolved Lead (Pb)	2014/12/22		98	%	80 - 120
			Dissolved Zinc (Zn)	2014/12/22		99	%	80 - 120
			1,4-Difluorobenzene	2014/12/23		99	%	70 - 130
3869167	AAI	LCS	4-Bromofluorobenzene	2014/12/23		104	%	70 - 130
			D10-Ethylbenzene	2014/12/23		92	%	70 - 130
			D4-1,2-Dichloroethane	2014/12/23		97	%	70 - 130
			Benzene	2014/12/23		93	%	70 - 130
			Toluene	2014/12/23		94	%	70 - 130
			Ethylbenzene	2014/12/23		101	%	70 - 130
			o-Xylene	2014/12/23		103	%	70 - 130
			p+m-Xylene	2014/12/23		93	%	70 - 130
			Hexane	2014/12/23		77	%	70 - 130
			F1 (C6-C10)	2014/12/23		88	%	70 - 130
			o-Terphenyl	2014/12/24		96	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/24		98	%	60 - 130
			F3 (C16-C34 Hydrocarbons)	2014/12/24		107	%	60 - 130

Maxxam Job #: B4N9487
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC				Date					
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits	
			F4 (C34-C50 Hydrocarbons)	2014/12/24		103	%	60 - 130	
<p>Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.</p> <p>Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.</p> <p>LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.</p> <p>Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.</p> <p>Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.</p> <p>NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (one or both samples < 5x RDL).</p>									

Maxxam Job #: B4N9487
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Services

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road
Mississauga, Ontario L5N 2L8
www.maxxam.ca

Phone: (905) 817-5700
Fax: (905) 817-5777
Toll Free: 800-563-6266

**EXXONMOBIL/IMPERIAL OIL - MAXXAM
CHAIN-OF-CUSTODY RECORD
ANALYSIS REQUESTED**

Page 1 of 1
C of C # 496340-01-01



INVOICE INFORMATION				REPORT INFORMATION													
Company Name: Imperial Oil, a partnership of Imperial Oil Limited and McColl Frontenac Petrole				Company Name: Parsons													
Contact Name: Daniel Grenzowski				Contact Name: Holly Losignore													
Address: 1 Duncan Mill Road North York ON M3B 1Z2				Address: 3715 Laird Road Suite 100 Mississauga ON L5L 0A3													
Email: daniel.grenzowski@esso.ca				Email: Holly.Losignore@parsons.com; labreport@													
Phone: (416) 442-5012 x				Phone: (905) 569-4111 x													
Sampler Name (Print): THEO MOSHONAS				Consultant Project #: 10-8518.3													
FIELD SAMPLE ID	MATRIX				# CONTAINERS	SAMPLING		FIELD FILTERED & PRESERVED	LAB FILTRATION REQUIRED	F1/BTEX	F2/F4	VOC	LEAD	VOC (3): ethylene dibromide, 1,2-dichloroethane, MTBE	n-hexane	METALS (6) (Cadmium, Barium, Copper, Chromium, Zinc, Lead)	VOC (14): ethylene dibromide, 1,2-dichloroethane, 1,1-dichloroethane, tetrachloroethylene, trichloroethylene, 1,1-dichloroethylene, cis-1,2-dichloroethylene, trans-1,2-dichloroethylene, vinyl chloride, 1,1,1-trichloroethane, 1,1,2-trichloroethane, MTBE, Freon-11, Freon-12
	GROUND WATER	SURFACE WATER	SOIL	OTHER		DATE (YYYYMMDD)	TIME (24 HR)										
1 BH-308	✓				12	2014/12/15	07:45	Y	N	✓	✓			✓			
2 BH-305	✓				12	2014/12/15	08:35	Y	N	✓	✓			✓			✓
3 BH-303	✓				12	2014/12/15	09:35	Y	N	✓	✓			✓			
4						YYYYMMDD	HH:MM										
5						YYYYMMDD	HH:MM										
6						YYYYMMDD	HH:MM										
7						YYYYMMDD	HH:MM										
8						YYYYMMDD	HH:MM										
9						YYYYMMDD	HH:MM										
10						YYYYMMDD	HH:MM										

IOL SITE LOCATION: 1545 WOODROFFE AVENUE, OTTAWA, ON			REGULATORY CRITERIA / DETECTION LIMITS: <input checked="" type="checkbox"/> REG 153 Table <u>3</u> <input type="checkbox"/> 2004 <input checked="" type="checkbox"/> 2011 <input type="checkbox"/> RSC (Please indicate which Reg. version and if RSC required)				SPECIAL INSTRUCTIONS: TEST SAMPLES AS PER TOG			# JARS USED AND NOT SUBMITTED Enter N/A for Water N/A		TURNAROUND TIME Standard (5 days) <input checked="" type="checkbox"/> Rush (3 days) <input type="checkbox"/> (2 days) <input type="checkbox"/> (1 day) <input type="checkbox"/> (same day) <input type="checkbox"/> Date Required	
IOL SITE # (if applicable): N/A			<input type="checkbox"/> ODWS <input type="checkbox"/> PWQO <u>1/c/c M&D/FINE</u>				TCE-YES						
IOL PROJECT # (if applicable): ME.00214			Other										
MAXXAM TASK ORDER # OR SERVICE ORDER # + LINE ITEM: 4410259930-10													

COOLER ID: j			COOLER ID:			COOLER ID:		
CUSTODY SEAL	YES	NO	CUSTODY SEAL	YES	NO	CUSTODY SEAL	YES	NO
PRESENT	✓		PRESENT			PRESENT		
INTACT			INTACT			INTACT		
TEMP	0	0	TEMP	1	2	TEMP	1	2
		-1			3			3

RELINQUISHED BY:		DATE:	TIME (24 HR)	RECEIVED BY:		DATE:	TIME (24 HR)
<u>Theo Moshonas</u>		2014/12/16	17:00	<u>Rachel Devlin</u>		2014/12/17	17:55
signature	printed name	YYYYMMDD	HH:MM	signature	printed name	YYYYMMDD	HH:MM
3.				3.			


LAB USE ONLY	
MAXXAM JOB #	
B4N9487	
SAMPLES	
LABELLED BY:	VERIFIED BY:
HGI	FW

COC - 1012 (2013) IOL - ON

White: Maxxam

Yellow: Client

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u> Consultant Project Number: <u>10-8518.3</u>	Sampling Date: <u>2014/12/15</u> Laboratory: <u>Maxxam Analytics Inc.</u> Laboratory Job Number: <u>B4N9487</u>																														
Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Instrument Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> <td rowspan="6">All lab QC met acceptance criteria.</td> </tr> <tr> <td>Extraction Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Method Blank Concentration</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Duplicate RPD</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Spike Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Lab Control Sample Recovery/Spiked Blank</td> <td align="center">X</td> <td></td> <td></td> </tr> </tbody> </table>			Yes	No	NA	Comments	Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.	Extraction Surrogate Recovery	X			Method Blank Concentration	X			Matrix Duplicate RPD	X			Matrix Spike Recovery	X			Lab Control Sample Recovery/Spiked Blank	X		
	Yes	No	NA	Comments																											
Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.																											
Extraction Surrogate Recovery	X																														
Method Blank Concentration	X																														
Matrix Duplicate RPD	X																														
Matrix Spike Recovery	X																														
Lab Control Sample Recovery/Spiked Blank	X																														
Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Field Blank Concentration</td> <td></td> <td></td> <td align="center">X</td> <td rowspan="3">No field QC samples were submitted.</td> </tr> <tr> <td>Trip Blank Concentration</td> <td></td> <td></td> <td align="center">X</td> </tr> <tr> <td>Field Duplicate RPD</td> <td></td> <td></td> <td align="center">X</td> </tr> </tbody> </table>			Yes	No	NA	Comments	Field Blank Concentration			X	No field QC samples were submitted.	Trip Blank Concentration			X	Field Duplicate RPD			X												
	Yes	No	NA	Comments																											
Field Blank Concentration			X	No field QC samples were submitted.																											
Trip Blank Concentration			X																												
Field Duplicate RPD			X																												
Has CofA been signed off (Yes/No)?: <u>Yes</u> Has lab warranted all tests were in statistical control in CofA (Yes/No)?: <u>Yes</u> Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?: <u>Yes</u> Were all samples analyzed within hold times (Yes/No)?: <u>Yes</u> All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?: <u>N/A</u> Is Chain of Custody completed and signed (Yes/No)?: <u>Yes</u> Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?: <u>Yes</u>																															
Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: <u>No</u> Date Issued: <u>N/A</u> Date of Response: <u>N/A</u>																															
Is data considered to be reliable (Yes/No)?: <u>Yes</u> If answer is "No", describe and provide rationale:																															
Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u> Revision Date (if applicable): _____	Data Reviewed by (Signature): <u></u> Revised by (Signature): _____																														

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496340-02-01

Report Date: 2014/12/29
Report #: R3273072
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N9500
Received: 2014/12/17, 17:55

Sample Matrix: Water
Samples Received: 2

Analyses	Quantity	Laboratory Method	Primary Reference
Petroleum Hydro. CCME F1 & BTEX in Water	2	CAM SOP-00315	CCME PHC-CWS m
Petroleum Hydrocarbons F2-F4 in Water	2	CAM SOP-00316	CCME PHC-CWS m
Dissolved Metals by ICPMS	2	CAM SOP-00447	EPA 6020 m
Volatile Organic Compounds in Water	2	CAM SOP-00226	EPA 8260 m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Encryption Key  Kudrat Bajwa
29 Dec 2014 09:43:13 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Kudrat Bajwa, B.Sc., Project Manager
Email: KBajwa@maxxam.ca
Phone# (905)817-5822

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N9500
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

HBTEX/F1-F4 PET. HYDROCARBONS IN WATER (WATER)

Maxxam ID		YX3349	YX3350		
Sampling Date		2014/12/15 10:50	2014/12/15 11:45		
COC Number		496340-02-01	496340-02-01		
	Units	BH-302	BH-301	RDL	QC Batch
Benzene	ug/L	<0.20	<0.20	0.20	3869167
Toluene	ug/L	<0.20	<0.20	0.20	3869167
Ethylbenzene	ug/L	<0.20	<0.20	0.20	3869167
o-Xylene	ug/L	<0.20	0.85	0.20	3869167
p+m-Xylene	ug/L	<0.40	0.52	0.40	3869167
Total Xylenes	ug/L	<0.40	1.4	0.40	3869167
Hexane	ug/L	<5.0	<5.0	5.0	3869167
F1 (C6-C10)	ug/L	<25	<25	25	3869167
F1 (C6-C10) - BTEX	ug/L	<25	<25	25	3869167
F2 (C10-C16 Hydrocarbons)	ug/L	<100	<100	100	3869805
F3 (C16-C34 Hydrocarbons)	ug/L	<200	<200	200	3869805
F4 (C34-C50 Hydrocarbons)	ug/L	<200	<200	200	3869805
Reached Baseline at C50	ug/L	Yes	Yes		3869805
Extraction					
Surrogate Recovery (%)					
o-Terphenyl	%	97	98		3869805
Instrument					
Surrogate Recovery (%)					
1,4-Difluorobenzene	%	101	101		3869167
4-Bromofluorobenzene	%	101	102		3869167
D10-Ethylbenzene	%	96	96		3869167
D4-1,2-Dichloroethane	%	92	92		3869167
RDL = Reportable Detection Limit					
QC Batch = Quality Control Batch					

Maxxam Job #: B4N9500
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

Maxxam ID		YX3349	YX3350		
Sampling Date		2014/12/15 10:50	2014/12/15 11:45		
COC Number		496340-02-01	496340-02-01		
	Units	BH-302	BH-301	RDL	QC Batch
Dissolved Arsenic (As)	ug/L	<1.0	<1.0	1.0	3866045
Dissolved Barium (Ba)	ug/L	120	150	2.0	3866045
Dissolved Chromium (Cr)	ug/L	<5.0	<5.0	5.0	3866045
Dissolved Copper (Cu)	ug/L	<2.0	<2.0	2.0	3866045
Dissolved Lead (Pb)	ug/L	<0.50	<0.50	0.50	3866045
Dissolved Zinc (Zn)	ug/L	<5.0	<5.0	5.0	3866045
RDL = Reportable Detection Limit QC Batch = Quality Control Batch					

Maxxam Job #: B4N9500
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VOLATILE ORGANICS BY GC/MS (WATER)

Maxxam ID		YX3349	YX3350		
Sampling Date		2014/12/15 10:50	2014/12/15 11:45		
COC Number		496340-02-01	496340-02-01		
	Units	BH-302	BH-301	RDL	QC Batch
1,2-Dichloroethane	ug/L	<0.20	<0.20	0.20	3865219
Ethylene Dibromide	ug/L	<0.20	<0.20	0.20	3865219
Methyl t-butyl ether (MTBE)	ug/L	<0.20	<0.20	0.20	3865219
Instrument					
Surrogate Recovery (%)					
4-Bromofluorobenzene	%	95	96		3865219
D4-1,2-Dichloroethane	%	103	102		3865219
D8-Toluene	%	98	99		3865219
RDL = Reportable Detection Limit					
QC Batch = Quality Control Batch					

Maxxam Job #: B4N9500
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YX3349
Sample ID: BH-302
Matrix: Water

Collected: 2014/12/15
Relinquished: 2014/12/16
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Water	HSGC/MSFD	3869167	N/A	2014/12/24	Abdikarim Ali
Petroleum Hydrocarbons F2-F4 in Water	GC/FID	3869805	2014/12/23	2014/12/24	(Kent) Maolin Li
Dissolved Metals by ICPMS	ICP/MS	3866045	N/A	2014/12/22	Arefa Dabhad
Volatile Organic Compounds in Water	P&T/MS	3865219	N/A	2014/12/20	Sarah Lam

Maxxam ID: YX3350
Sample ID: BH-301
Matrix: Water

Collected: 2014/12/15
Relinquished: 2014/12/16
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Water	HSGC/MSFD	3869167	N/A	2014/12/24	Abdikarim Ali
Petroleum Hydrocarbons F2-F4 in Water	GC/FID	3869805	2014/12/23	2014/12/24	(Kent) Maolin Li
Dissolved Metals by ICPMS	ICP/MS	3866045	N/A	2014/12/22	Arefa Dabhad
Volatile Organic Compounds in Water	P&T/MS	3865219	N/A	2014/12/20	Sarah Lam

Maxxam Job #: B4N9500
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	0.7°C
-----------	-------

Results relate only to the items tested.

Maxxam Job #: B4N9500
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC				Date					
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits	
3865219	SLM	Method Blank	4-Bromofluorobenzene	2014/12/19		95	%	70 - 130	
			D4-1,2-Dichloroethane	2014/12/19		104	%	70 - 130	
			D8-Toluene	2014/12/19		97	%	70 - 130	
			1,2-Dichloroethane	2014/12/19	<0.20		ug/L		
			Ethylene Dibromide	2014/12/19	<0.20		ug/L		
			Methyl t-butyl ether (MTBE)	2014/12/19	<0.20		ug/L		
3866045	ADA	Method Blank	Dissolved Arsenic (As)	2014/12/22	<1.0		ug/L		
			Dissolved Barium (Ba)	2014/12/22	<2.0		ug/L		
			Dissolved Chromium (Cr)	2014/12/22	<5.0		ug/L		
			Dissolved Copper (Cu)	2014/12/22	<1.0		ug/L		
			Dissolved Lead (Pb)	2014/12/22	<0.50		ug/L		
			Dissolved Zinc (Zn)	2014/12/22	<5.0		ug/L		
3869167	AAI	Method Blank	1,4-Difluorobenzene	2014/12/23		100	%	70 - 130	
			4-Bromofluorobenzene	2014/12/23		103	%	70 - 130	
			D10-Ethylbenzene	2014/12/23		92	%	70 - 130	
			D4-1,2-Dichloroethane	2014/12/23		97	%	70 - 130	
			Benzene	2014/12/23	<0.20		ug/L		
			Toluene	2014/12/23	<0.20		ug/L		
			Ethylbenzene	2014/12/23	<0.20		ug/L		
			o-Xylene	2014/12/23	<0.20		ug/L		
			p+m-Xylene	2014/12/23	<0.40		ug/L		
			Total Xylenes	2014/12/23	<0.40		ug/L		
			Hexane	2014/12/23	<5.0		ug/L		
			F1 (C6-C10)	2014/12/23	<25		ug/L		
			F1 (C6-C10) - BTEX	2014/12/23	<25		ug/L		
			3869805	KLI	Method Blank	o-Terphenyl	2014/12/24		94
F2 (C10-C16 Hydrocarbons)	2014/12/24	<100					ug/L		
F3 (C16-C34 Hydrocarbons)	2014/12/24	<200					ug/L		
F4 (C34-C50 Hydrocarbons)	2014/12/24	<200					ug/L		
3865219	SLM	LCS	4-Bromofluorobenzene	2014/12/19		99	%	70 - 130	
			D4-1,2-Dichloroethane	2014/12/19		98	%	70 - 130	
			D8-Toluene	2014/12/19		101	%	70 - 130	
			1,2-Dichloroethane	2014/12/19		88	%	70 - 130	
			Ethylene Dibromide	2014/12/19		95	%	70 - 130	
			Methyl t-butyl ether (MTBE)	2014/12/19		86	%	70 - 130	
3866045	ADA	LCS	Dissolved Arsenic (As)	2014/12/22		101	%	80 - 120	
			Dissolved Barium (Ba)	2014/12/22		103	%	80 - 120	
			Dissolved Chromium (Cr)	2014/12/22		101	%	80 - 120	
			Dissolved Copper (Cu)	2014/12/22		101	%	80 - 120	
			Dissolved Lead (Pb)	2014/12/22		98	%	80 - 120	
			Dissolved Zinc (Zn)	2014/12/22		99	%	80 - 120	
3869167	AAI	LCS	1,4-Difluorobenzene	2014/12/23		99	%	70 - 130	
			4-Bromofluorobenzene	2014/12/23		104	%	70 - 130	
			D10-Ethylbenzene	2014/12/23		92	%	70 - 130	
			D4-1,2-Dichloroethane	2014/12/23		97	%	70 - 130	
			Benzene	2014/12/23		93	%	70 - 130	
			Toluene	2014/12/23		94	%	70 - 130	
			Ethylbenzene	2014/12/23		101	%	70 - 130	
			o-Xylene	2014/12/23		103	%	70 - 130	
			p+m-Xylene	2014/12/23		93	%	70 - 130	
			Hexane	2014/12/23		77	%	70 - 130	

Maxxam Job #: B4N9500
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	Units	QC Limits
3869805	KLI	LCS	F1 (C6-C10)	2014/12/23		88	%	70 - 130
			o-Terphenyl	2014/12/24		96	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/24		98	%	60 - 130
			F3 (C16-C34 Hydrocarbons)	2014/12/24		107	%	60 - 130
			F4 (C34-C50 Hydrocarbons)	2014/12/24		103	%	60 - 130

LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

Maxxam Job #: B4N9500
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3


VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Services

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



6740 Campobello Road
Mississauga, Ontario L5N 2L8
www.maxxam.ca

Phone: (905) 817-5700
Fax: (905) 817-5777
Toll Free: 800-563-6266

EXXONMOBIL/IMPERIAL OIL - MAXXAM
CHAIN-OF-CUSTODY RECORD
ANALYSIS REQUESTED

Page 1 of 1
C of C # 496340-02-01




INVOICE INFORMATION		REPORT INFORMATION																													
Company Name: Imperial Oil, a partnership of Imperial Oil Limited and McColl Frontenac Petrole		Company Name: Parsons																													
Contact Name: Daniel Grenzowski		Contact Name: Holly Losignore																													
Address: 1 Duncan Mill Road, North York ON M3B 1Z2		Address: 3715 Laird Road Suite 100, Mississauga ON L5L 0A3																													
Email: daniel.grenzowski@esso.ca		Email: Holly.Losignore@parsons.com; labreport@																													
Phone: (416) 442-5012 x		Phone: (905) 569-4111 x																													
Sampler Name (Print): THEO MOSHONAS		Consultant Project #: 10-8518.3																													
FIELD SAMPLE ID	MATRIX				SAMPLING		FIELD FILTERED & PRESERVED	LAB FILTRATION REQUIRED	FI/BTEX	F2,F4	VOC	LEAD	n-hexane	METALS (6) arsenic, barium, chromium, copper, lead, zinc	VOC (3): ethylene dibromide, 1,2-dichloroethane, MTBE																
	GROUND WATER	SURFACE WATER	SOIL	OTHER	# CONTAINERS	DATE (YYYYMMDD)										TIME (24 HR)															
1	✓				12	2014/12/15	10:50	Y	N	✓	✓			✓	✓																
2	✓				12	2014/12/15	11:45	Y	N	✓	✓			✓	✓																
3						YYYYMMDD	HH:MM																								
4						YYYYMMDD	HH:MM																								
5						YYYYMMDD	HH:MM																								
6						YYYYMMDD	HH:MM																								
7						YYYYMMDD	HH:MM																								
8						YYYYMMDD	HH:MM																								
9						YYYYMMDD	HH:MM																								
10						YYYYMMDD	HH:MM																								
IOL SITE LOCATION: 1545 WOODROFFE AVENUE, OTTAWA, ON				REGULATORY CRITERIA / DETECTION LIMITS: <input checked="" type="checkbox"/> REG 153 Table 3 <input type="checkbox"/> 2004 <input checked="" type="checkbox"/> 2011 <input type="checkbox"/> RSC (Please indicate which Reg. version and if RSC required)				SPECIAL INSTRUCTIONS: TEST SAMPLES AS PER TOC				# JARS USED AND NOT SUBMITTED Enter N/A for Water N/A		TURNAROUND TIME Standard (5 days) <input checked="" type="checkbox"/> Rush (3 days) <input type="checkbox"/> (2 days) <input type="checkbox"/> (1 day) <input type="checkbox"/> (same day) <input type="checkbox"/> Date Required																	
IOL PROJECT # (if applicable): ME.00214				REGULATORY CRITERIA / DETECTION LIMITS: <input type="checkbox"/> ODWS <input type="checkbox"/> PWQO <input type="checkbox"/> Other				SPECIAL INSTRUCTIONS: ICE - YES																							
MAXXAM TASK ORDER # OR SERVICE ORDER # + LINE ITEM: 4410259930-10																															
COOLER ID: 1				COOLER ID:				COOLER ID:																							
CUSTODY SEAL YES NO PRESENT <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> INTACT <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				CUSTODY SEAL YES NO PRESENT <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> INTACT <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>				CUSTODY SEAL YES NO PRESENT <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> INTACT <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>																							
RELINQUISHED BY: 1. [Signature] THEO MOSHONAS				DATE: 2014/12/16				TIME (24 HR): 17:00				RECEIVED BY: 1. [Signature] FANLI WANG				DATE: 2014/12/17				TIME (24 HR): 17:55											
signature				printed name				YYYYMMDD				HH:MM				signature				printed name				YYYYMMDD				HH:MM			
signature				printed name				YYYYMMDD				HH:MM				signature				printed name				YYYYMMDD				HH:MM			
signature				printed name				YYYYMMDD				HH:MM				signature				printed name				YYYYMMDD				HH:MM			

COC - 1012 (2013) IOL - ON

White: Maxxam

Yellow: Client

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u> Consultant Project Number: <u>10-8518.3</u>	Sampling Date: <u>2014/12/15</u> Laboratory: <u>Maxxam Analytics Inc.</u> Laboratory Job Number: <u>B4N9500</u>																														
Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Instrument Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> <td rowspan="6">All lab QC met acceptance criteria.</td> </tr> <tr> <td>Extraction Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Method Blank Concentration</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Duplicate RPD</td> <td></td> <td></td> <td align="center">X</td> </tr> <tr> <td>Matrix Spike Recovery</td> <td></td> <td></td> <td align="center">X</td> </tr> <tr> <td>Lab Control Sample Recovery/Spiked Blank</td> <td align="center">X</td> <td></td> <td></td> </tr> </tbody> </table>			Yes	No	NA	Comments	Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.	Extraction Surrogate Recovery	X			Method Blank Concentration	X			Matrix Duplicate RPD			X	Matrix Spike Recovery			X	Lab Control Sample Recovery/Spiked Blank	X		
	Yes	No	NA	Comments																											
Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.																											
Extraction Surrogate Recovery	X																														
Method Blank Concentration	X																														
Matrix Duplicate RPD			X																												
Matrix Spike Recovery			X																												
Lab Control Sample Recovery/Spiked Blank	X																														
Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Field Blank Concentration</td> <td></td> <td></td> <td align="center">X</td> <td rowspan="3">No field QC samples were submitted.</td> </tr> <tr> <td>Trip Blank Concentration</td> <td></td> <td></td> <td align="center">X</td> </tr> <tr> <td>Field Duplicate RPD</td> <td></td> <td></td> <td align="center">X</td> </tr> </tbody> </table>			Yes	No	NA	Comments	Field Blank Concentration			X	No field QC samples were submitted.	Trip Blank Concentration			X	Field Duplicate RPD			X												
	Yes	No	NA	Comments																											
Field Blank Concentration			X	No field QC samples were submitted.																											
Trip Blank Concentration			X																												
Field Duplicate RPD			X																												
Has CofA been signed off (Yes/No)?: <u>Yes</u> Has lab warranted all tests were in statistical control in CofA (Yes/No)?: <u>Yes</u> Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?: <u>Yes</u> Were all samples analyzed within hold times (Yes/No)?: <u>Yes</u> All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?: <u>N/A</u> Is Chain of Custody completed and signed (Yes/No)?: <u>Yes</u> Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?: <u>Yes</u>																															
Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: <u>No</u> Date Issued: <u>N/A</u> Date of Response: <u>N/A</u>																															
Is data considered to be reliable (Yes/No)?: <u>Yes</u> If answer is "No", describe and provide rationale:																															
Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u> Revision Date (if applicable): _____	Data Reviewed by (Signature): <u></u> Revised by (Signature): _____																														

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496340-04-01

Report Date: 2014/12/29
Report #: R3273074
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N9503

Received: 2014/12/17, 17:55

Sample Matrix: Water
Samples Received: 1

Analyses	Quantity	Laboratory Method	Primary Reference
Petroleum Hydro. CCME F1 & BTEX in Water	1	CAM SOP-00315	CCME PHC-CWS m
Petroleum Hydrocarbons F2-F4 in Water	1	CAM SOP-00316	CCME PHC-CWS m
Dissolved Metals by ICPMS	1	CAM SOP-00447	EPA 6020 m
Volatile Organic Compounds in Water	1	CAM SOP-00226	EPA 8260 m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Encryption Key  Kudrat Bajwa
29 Dec 2014 09:38:10 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Kudrat Bajwa, B.Sc., Project Manager
Email: KBajwa@maxxam.ca
Phone# (905)817-5822

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N9503
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

HBTEX/F1-F4 PET. HYDROCARBONS IN WATER (WATER)

Maxxam ID		YX3356		
Sampling Date		2014/12/15 14:10		
COC Number		496340-04-01		
	Units	FIELD BLANK-02	RDL	QC Batch
Benzene	ug/L	<0.20	0.20	3869167
Toluene	ug/L	<0.20	0.20	3869167
Ethylbenzene	ug/L	<0.20	0.20	3869167
o-Xylene	ug/L	<0.20	0.20	3869167
p+m-Xylene	ug/L	<0.40	0.40	3869167
Total Xylenes	ug/L	<0.40	0.40	3869167
Hexane	ug/L	<5.0	5.0	3869167
F1 (C6-C10)	ug/L	<25	25	3869167
F1 (C6-C10) - BTEX	ug/L	<25	25	3869167
F2 (C10-C16 Hydrocarbons)	ug/L	<100	100	3869805
F3 (C16-C34 Hydrocarbons)	ug/L	<200	200	3869805
F4 (C34-C50 Hydrocarbons)	ug/L	<200	200	3869805
Reached Baseline at C50	ug/L	Yes		3869805
Extraction				
Surrogate Recovery (%)				
o-Terphenyl	%	97		3869805
Instrument				
Surrogate Recovery (%)				
1,4-Difluorobenzene	%	101		3869167
4-Bromofluorobenzene	%	103		3869167
D10-Ethylbenzene	%	98		3869167
D4-1,2-Dichloroethane	%	92		3869167
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B4N9503
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

Maxxam ID		YX3356		
Sampling Date		2014/12/15 14:10		
COC Number		496340-04-01		
	Units	FIELD BLANK-02	RDL	QC Batch
Dissolved Arsenic (As)	ug/L	<1.0	1.0	3866045
Dissolved Barium (Ba)	ug/L	<2.0	2.0	3866045
Dissolved Chromium (Cr)	ug/L	<5.0	5.0	3866045
Dissolved Copper (Cu)	ug/L	<1.0	1.0	3866045
Dissolved Lead (Pb)	ug/L	<0.50	0.50	3866045
Dissolved Zinc (Zn)	ug/L	<5.0	5.0	3866045
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B4N9503
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VOLATILE ORGANICS BY GC/MS (WATER)

Maxxam ID		YX3356		
Sampling Date		2014/12/15 14:10		
COC Number		496340-04-01		
	Units	FIELD BLANK-02	RDL	QC Batch
Dichlorodifluoromethane (FREON 12)	ug/L	<0.50	0.50	3865219
1,1-Dichloroethane	ug/L	<0.10	0.10	3865219
1,2-Dichloroethane	ug/L	<0.20	0.20	3865219
1,1-Dichloroethylene	ug/L	<0.10	0.10	3865219
cis-1,2-Dichloroethylene	ug/L	<0.10	0.10	3865219
trans-1,2-Dichloroethylene	ug/L	<0.10	0.10	3865219
Ethylene Dibromide	ug/L	<0.20	0.20	3865219
Methyl t-butyl ether (MTBE)	ug/L	<0.20	0.20	3865219
Tetrachloroethylene	ug/L	<0.10	0.10	3865219
1,1,1-Trichloroethane	ug/L	<0.10	0.10	3865219
1,1,2-Trichloroethane	ug/L	<0.20	0.20	3865219
Trichloroethylene	ug/L	<0.10	0.10	3865219
Vinyl Chloride	ug/L	<0.20	0.20	3865219
Trichlorofluoromethane (FREON 11)	ug/L	<0.20	0.20	3865219
Instrument				
Surrogate Recovery (%)				
4-Bromofluorobenzene	%	95		3865219
D4-1,2-Dichloroethane	%	104		3865219
D8-Toluene	%	97		3865219
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				

Maxxam Job #: B4N9503
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YX3356
Sample ID: FIELD BLANK-02
Matrix: Water

Collected: 2014/12/15
Relinquished: 2014/12/16
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Water	HSGC/MSFD	3869167	N/A	2014/12/24	Abdikarim Ali
Petroleum Hydrocarbons F2-F4 in Water	GC/FID	3869805	2014/12/23	2014/12/24	(Kent) Maolin Li
Dissolved Metals by ICPMS	ICP/MS	3866045	N/A	2014/12/22	Arefa Dabhad
Volatile Organic Compounds in Water	P&T/MS	3865219	N/A	2014/12/20	Sarah Lam

Maxxam Job #: B4N9503
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	0.7°C
-----------	-------

Results relate only to the items tested.

Maxxam Job #: B4N9503
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC				Date				
Batch	Init	QC Type	Parameter	Analyzed	Value	Recovery	Units	QC Limits
3865219	SLM	Method Blank	4-Bromofluorobenzene	2014/12/19		95	%	70 - 130
			D4-1,2-Dichloroethane	2014/12/19		104	%	70 - 130
			D8-Toluene	2014/12/19		97	%	70 - 130
			Dichlorodifluoromethane (FREON 12)	2014/12/19	<0.50		ug/L	
			1,1-Dichloroethane	2014/12/19	<0.10		ug/L	
			1,2-Dichloroethane	2014/12/19	<0.20		ug/L	
			1,1-Dichloroethylene	2014/12/19	<0.10		ug/L	
			cis-1,2-Dichloroethylene	2014/12/19	<0.10		ug/L	
			trans-1,2-Dichloroethylene	2014/12/19	<0.10		ug/L	
			Ethylene Dibromide	2014/12/19	<0.20		ug/L	
			Methyl t-butyl ether (MTBE)	2014/12/19	<0.20		ug/L	
			Tetrachloroethylene	2014/12/19	<0.10		ug/L	
			1,1,1-Trichloroethane	2014/12/19	<0.10		ug/L	
			1,1,2-Trichloroethane	2014/12/19	<0.20		ug/L	
			Trichloroethylene	2014/12/19	<0.10		ug/L	
			Vinyl Chloride	2014/12/19	<0.20		ug/L	
			Trichlorofluoromethane (FREON 11)	2014/12/19	<0.20		ug/L	
3866045	ADA	Method Blank	Dissolved Arsenic (As)	2014/12/22	<1.0		ug/L	
			Dissolved Barium (Ba)	2014/12/22	<2.0		ug/L	
			Dissolved Chromium (Cr)	2014/12/22	<5.0		ug/L	
			Dissolved Copper (Cu)	2014/12/22	<1.0		ug/L	
			Dissolved Lead (Pb)	2014/12/22	<0.50		ug/L	
			Dissolved Zinc (Zn)	2014/12/22	<5.0		ug/L	
3869167	AAI	Method Blank	1,4-Difluorobenzene	2014/12/23		100	%	70 - 130
			4-Bromofluorobenzene	2014/12/23		103	%	70 - 130
			D10-Ethylbenzene	2014/12/23		92	%	70 - 130
			D4-1,2-Dichloroethane	2014/12/23		97	%	70 - 130
			Benzene	2014/12/23	<0.20		ug/L	
			Toluene	2014/12/23	<0.20		ug/L	
			Ethylbenzene	2014/12/23	<0.20		ug/L	
			o-Xylene	2014/12/23	<0.20		ug/L	
			p+m-Xylene	2014/12/23	<0.40		ug/L	
			Total Xylenes	2014/12/23	<0.40		ug/L	
			Hexane	2014/12/23	<5.0		ug/L	
3869805	KLI	Method Blank	F1 (C6-C10)	2014/12/23	<25		ug/L	
			F1 (C6-C10) - BTEX	2014/12/23	<25		ug/L	
			o-Terphenyl	2014/12/24		94	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/24	<100		ug/L	
			F3 (C16-C34 Hydrocarbons)	2014/12/24	<200		ug/L	
3865219	SLM	LCS	F4 (C34-C50 Hydrocarbons)	2014/12/24	<200		ug/L	
			4-Bromofluorobenzene	2014/12/19		99	%	70 - 130
			D4-1,2-Dichloroethane	2014/12/19		98	%	70 - 130
			D8-Toluene	2014/12/19		101	%	70 - 130
			Dichlorodifluoromethane (FREON 12)	2014/12/19		83	%	60 - 140
			1,1-Dichloroethane	2014/12/19		90	%	70 - 130
			1,2-Dichloroethane	2014/12/19		88	%	70 - 130
			1,1-Dichloroethylene	2014/12/19		92	%	70 - 130
			cis-1,2-Dichloroethylene	2014/12/19		93	%	70 - 130
			trans-1,2-Dichloroethylene	2014/12/19		90	%	70 - 130
Ethylene Dibromide	2014/12/19		95	%	70 - 130			
Methyl t-butyl ether (MTBE)	2014/12/19		86	%	70 - 130			

Maxxam Job #: B4N9503
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	Units	QC Limits
3866045	ADA	LCS	Tetrachloroethylene	2014/12/19		93	%	70 - 130
			1,1,1-Trichloroethane	2014/12/19		90	%	70 - 130
			1,1,2-Trichloroethane	2014/12/19		95	%	70 - 130
			Trichloroethylene	2014/12/19		93	%	70 - 130
			Vinyl Chloride	2014/12/19		79	%	70 - 130
			Trichlorofluoromethane (FREON 11)	2014/12/19		89	%	70 - 130
			Dissolved Arsenic (As)	2014/12/22		101	%	80 - 120
			Dissolved Barium (Ba)	2014/12/22		103	%	80 - 120
			Dissolved Chromium (Cr)	2014/12/22		101	%	80 - 120
			Dissolved Copper (Cu)	2014/12/22		101	%	80 - 120
3869167	AAI	LCS	Dissolved Lead (Pb)	2014/12/22		98	%	80 - 120
			Dissolved Zinc (Zn)	2014/12/22		99	%	80 - 120
			1,4-Difluorobenzene	2014/12/23		99	%	70 - 130
			4-Bromofluorobenzene	2014/12/23		104	%	70 - 130
			D10-Ethylbenzene	2014/12/23		92	%	70 - 130
			D4-1,2-Dichloroethane	2014/12/23		97	%	70 - 130
			Benzene	2014/12/23		93	%	70 - 130
			Toluene	2014/12/23		94	%	70 - 130
			Ethylbenzene	2014/12/23		101	%	70 - 130
			o-Xylene	2014/12/23		103	%	70 - 130
3869805	KLI	LCS	p+m-Xylene	2014/12/23		93	%	70 - 130
			Hexane	2014/12/23		77	%	70 - 130
			F1 (C6-C10)	2014/12/23		88	%	70 - 130
			o-Terphenyl	2014/12/24		96	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/24		98	%	60 - 130
			F3 (C16-C34 Hydrocarbons)	2014/12/24		107	%	60 - 130
			F4 (C34-C50 Hydrocarbons)	2014/12/24		103	%	60 - 130

LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

Maxxam Job #: B4N9503
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Services

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u> Consultant Project Number: <u>10-8518.3</u>	Sampling Date: <u>2014/12/15</u> Laboratory: <u>Maxxam Analytics Inc.</u> Laboratory Job Number: <u>B4N9503</u>
---	---

Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?

	Yes	No	NA	Comments
Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.
Extraction Surrogate Recovery	X			
Method Blank Concentration	X			
Matrix Duplicate RPD			X	
Matrix Spike Recovery			X	
Lab Control Sample Recovery/Spiked Blank	X			

Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?

	Yes	No	NA	Comments
Field Blank Concentration	X			All field QC samples met the alert limits.
Trip Blank Concentration			X	
Field Duplicate RPD			X	

Has CofA been signed off (Yes/No)?:	<u>Yes</u>
Has lab warranted all tests were in statistical control in CofA (Yes/No)?:	<u>Yes</u>
Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?:	<u>Yes</u>
Were all samples analyzed within hold times (Yes/No)?:	<u>Yes</u>
All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?:	<u>N/A</u>
Is Chain of Custody completed and signed (Yes/No)?:	<u>Yes</u>
Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?:	<u>Yes</u>

Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: No

Date Issued: N/A Date of Response: N/A

Is data considered to be reliable (Yes/No)?: Yes

If answer is "No", describe and provide rationale:

Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u> Revision Date (if applicable): _____	Data Reviewed by (Signature):  Revised by (Signature): _____
--	--

Attention:Holly Losignore

Parsons
3715 Laird Road
Suite 100
Mississauga, ON
L5L 0A3

Task Order#: 4410259930
Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3
Your C.O.C. #: 496340-05-01

Report Date: 2014/12/29
Report #: R3273075
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B4N9508
Received: 2014/12/17, 17:55

Sample Matrix: Water
Samples Received: 1

Analyses	Quantity	Laboratory Method	Primary Reference
Petroleum Hydro. CCME F1 & BTEX in Water	1	CAM SOP-00315	CCME PHC-CWS m
Petroleum Hydrocarbons F2-F4 in Water	1	CAM SOP-00316	CCME PHC-CWS m
Dissolved Metals by ICPMS	1	CAM SOP-00447	EPA 6020 m
Volatile Organic Compounds in Water	1	CAM SOP-00226	EPA 8260 m

Remarks:

Maxxam Analytics has performed all analytical testing herein in accordance with ISO 17025 and the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act. All methodologies comply with this document and are validated for use in the laboratory. The methods and techniques employed in this analysis conform to the performance criteria (detection limits, accuracy and precision) as outlined in the Protocol for Analytical Methods Used in the Assessment of Properties under Part XV.1 of the Environmental Protection Act.

The CWS PHC methods employed by Maxxam conform to all prescribed elements of the reference method and performance based elements have been validated. All modifications have been validated and proven equivalent following the 'Alberta Environment Draft Addenda to the CWS-PHC, Appendix 6, Validation of Alternate Methods'. Documentation is available upon request. Maxxam has made the following improvements to the CWS-PHC reference benchmark method: (i) Headspace for F1; and, (ii) Mechanical extraction for F2-F4. Note: F4G cannot be added to the C6 to C50 hydrocarbons.

Maxxam Analytics is accredited by SCC (Lab ID 97) for all specific parameters as required by GUCSO and O.Reg 153/04. Maxxam Analytics is limited in liability to the actual cost of analysis unless otherwise agreed in writing. There is no other warranty expressed or implied. Samples will be retained at Maxxam Analytics for three weeks from receipt of data or as per contract.

All data is in statistical control and has met all QC and method performance criteria unless otherwise flagged. All samples were analysed within hold time unless otherwise flagged. All soil samples for BTEX analysis were methanol extracted within 24 hours unless otherwise flagged.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Encryption Key  Kudrat Bajwa
29 Dec 2014 10:13:40 -05:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Kudrat Bajwa, B.Sc., Project Manager
Email: KBajwa@maxxam.ca
Phone# (905)817-5822

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B4N9508
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

HBTEX/F1-F4 PET. HYDROCARBONS IN WATER (WATER)

Maxxam ID		YX3375		
Sampling Date		2014/12/15 14:25		
COC Number		496340-05-01		
	Units	TRIP BLANK-02	RDL	QC Batch
Benzene	ug/L	<0.20	0.20	3869167
Toluene	ug/L	<0.20	0.20	3869167
Ethylbenzene	ug/L	<0.20	0.20	3869167
o-Xylene	ug/L	<0.20	0.20	3869167
p+m-Xylene	ug/L	<0.40	0.40	3869167
Total Xylenes	ug/L	<0.40	0.40	3869167
Hexane	ug/L	<5.0	5.0	3869167
F1 (C6-C10)	ug/L	<25	25	3869167
F1 (C6-C10) - BTEX	ug/L	<25	25	3869167
F2 (C10-C16 Hydrocarbons)	ug/L	<100	100	3869805
F3 (C16-C34 Hydrocarbons)	ug/L	<200	200	3869805
F4 (C34-C50 Hydrocarbons)	ug/L	<200	200	3869805
Reached Baseline at C50	ug/L	Yes		3869805
Extraction Surrogate Recovery (%)				
o-Terphenyl	%	97		3869805
Instrument Surrogate Recovery (%)				
1,4-Difluorobenzene	%	101		3869167
4-Bromofluorobenzene	%	101		3869167
D10-Ethylbenzene	%	96		3869167
D4-1,2-Dichloroethane	%	92		3869167
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B4N9508
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

Maxxam ID		YX3375		
Sampling Date		2014/12/15 14:25		
COC Number		496340-05-01		
	Units	TRIP BLANK-02	RDL	QC Batch
Dissolved Arsenic (As)	ug/L	<1.0	1.0	3866045
Dissolved Barium (Ba)	ug/L	<2.0	2.0	3866045
Dissolved Chromium (Cr)	ug/L	<5.0	5.0	3866045
Dissolved Copper (Cu)	ug/L	<1.0	1.0	3866045
Dissolved Lead (Pb)	ug/L	<0.50	0.50	3866045
Dissolved Zinc (Zn)	ug/L	<5.0	5.0	3866045
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				

Maxxam Job #: B4N9508
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VOLATILE ORGANICS BY GC/MS (WATER)

Maxxam ID		YX3375		
Sampling Date		2014/12/15 14:25		
COC Number		496340-05-01		
	Units	TRIP BLANK-02	RDL	QC Batch
Dichlorodifluoromethane (FREON 12)	ug/L	<0.50	0.50	3865219
1,1-Dichloroethane	ug/L	<0.10	0.10	3865219
1,2-Dichloroethane	ug/L	<0.20	0.20	3865219
1,1-Dichloroethylene	ug/L	<0.10	0.10	3865219
cis-1,2-Dichloroethylene	ug/L	<0.10	0.10	3865219
trans-1,2-Dichloroethylene	ug/L	<0.10	0.10	3865219
Ethylene Dibromide	ug/L	<0.20	0.20	3865219
Methyl t-butyl ether (MTBE)	ug/L	<0.20	0.20	3865219
Tetrachloroethylene	ug/L	<0.10	0.10	3865219
1,1,1-Trichloroethane	ug/L	<0.10	0.10	3865219
1,1,2-Trichloroethane	ug/L	<0.20	0.20	3865219
Trichloroethylene	ug/L	<0.10	0.10	3865219
Vinyl Chloride	ug/L	<0.20	0.20	3865219
Trichlorofluoromethane (FREON 11)	ug/L	<0.20	0.20	3865219
Instrument				
Surrogate Recovery (%)				
4-Bromofluorobenzene	%	95		3865219
D4-1,2-Dichloroethane	%	103		3865219
D8-Toluene	%	98		3865219
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B4N9508
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

TEST SUMMARY

Maxxam ID: YX3375
Sample ID: TRIP BLANK-02
Matrix: Water

Collected: 2014/12/15
Relinquished: 2014/12/16
Received: 2014/12/17

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Petroleum Hydro. CCME F1 & BTEX in Water	HSGC/MSFD	3869167	N/A	2014/12/24	Abdikarim Ali
Petroleum Hydrocarbons F2-F4 in Water	GC/FID	3869805	2014/12/23	2014/12/24	(Kent) Maolin Li
Dissolved Metals by ICPMS	ICP/MS	3866045	N/A	2014/12/22	Arefa Dabhad
Volatile Organic Compounds in Water	P&T/MS	3865219	N/A	2014/12/20	Sarah Lam

Maxxam Job #: B4N9508
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	-0.7°C
-----------	--------

Results relate only to the items tested.

Maxxam Job #: B4N9508
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	Units	QC Limits
3865219	SLM	Method Blank	4-Bromofluorobenzene	2014/12/19		95	%	70 - 130
			D4-1,2-Dichloroethane	2014/12/19		104	%	70 - 130
			D8-Toluene	2014/12/19		97	%	70 - 130
			Dichlorodifluoromethane (FREON 12)	2014/12/19	<0.50		ug/L	
			1,1-Dichloroethane	2014/12/19	<0.10		ug/L	
			1,2-Dichloroethane	2014/12/19	<0.20		ug/L	
			1,1-Dichloroethylene	2014/12/19	<0.10		ug/L	
			cis-1,2-Dichloroethylene	2014/12/19	<0.10		ug/L	
			trans-1,2-Dichloroethylene	2014/12/19	<0.10		ug/L	
			Ethylene Dibromide	2014/12/19	<0.20		ug/L	
			Methyl t-butyl ether (MTBE)	2014/12/19	<0.20		ug/L	
			Tetrachloroethylene	2014/12/19	<0.10		ug/L	
			1,1,1-Trichloroethane	2014/12/19	<0.10		ug/L	
			1,1,2-Trichloroethane	2014/12/19	<0.20		ug/L	
			Trichloroethylene	2014/12/19	<0.10		ug/L	
			Vinyl Chloride	2014/12/19	<0.20		ug/L	
			3866045	ADA	Method Blank	Trichlorofluoromethane (FREON 11)	2014/12/19	<0.20
Dissolved Arsenic (As)	2014/12/22	<1.0					ug/L	
Dissolved Barium (Ba)	2014/12/22	<2.0					ug/L	
Dissolved Chromium (Cr)	2014/12/22	<5.0					ug/L	
Dissolved Copper (Cu)	2014/12/22	<1.0					ug/L	
Dissolved Lead (Pb)	2014/12/22	<0.50					ug/L	
3869167	AAI	Method Blank	Dissolved Zinc (Zn)	2014/12/22	<5.0		ug/L	
			1,4-Difluorobenzene	2014/12/23		100	%	70 - 130
			4-Bromofluorobenzene	2014/12/23		103	%	70 - 130
			D10-Ethylbenzene	2014/12/23		92	%	70 - 130
			D4-1,2-Dichloroethane	2014/12/23		97	%	70 - 130
			Benzene	2014/12/23	<0.20		ug/L	
			Toluene	2014/12/23	<0.20		ug/L	
			Ethylbenzene	2014/12/23	<0.20		ug/L	
			o-Xylene	2014/12/23	<0.20		ug/L	
			p+m-Xylene	2014/12/23	<0.40		ug/L	
			Total Xylenes	2014/12/23	<0.40		ug/L	
3869805	KLI	Method Blank	Hexane	2014/12/23	<5.0		ug/L	
			F1 (C6-C10)	2014/12/23	<25		ug/L	
			F1 (C6-C10) - BTEX	2014/12/23	<25		ug/L	
			o-Terphenyl	2014/12/24		94	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/24	<100		ug/L	
3865219	SLM	LCS	F3 (C16-C34 Hydrocarbons)	2014/12/24	<200		ug/L	
			F4 (C34-C50 Hydrocarbons)	2014/12/24	<200		ug/L	
3865219	SLM	LCS	4-Bromofluorobenzene	2014/12/19		99	%	70 - 130
			D4-1,2-Dichloroethane	2014/12/19		98	%	70 - 130
			D8-Toluene	2014/12/19		101	%	70 - 130
			Dichlorodifluoromethane (FREON 12)	2014/12/19		83	%	60 - 140
			1,1-Dichloroethane	2014/12/19		90	%	70 - 130
			1,2-Dichloroethane	2014/12/19		88	%	70 - 130
			1,1-Dichloroethylene	2014/12/19		92	%	70 - 130
			cis-1,2-Dichloroethylene	2014/12/19		93	%	70 - 130
			trans-1,2-Dichloroethylene	2014/12/19		90	%	70 - 130
			Ethylene Dibromide	2014/12/19		95	%	70 - 130
			Methyl t-butyl ether (MTBE)	2014/12/19		86	%	70 - 130

Maxxam Job #: B4N9508
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

QUALITY ASSURANCE REPORT(CONT'D)

QA/QC			Parameter	Date	Value	Recovery	Units	QC Limits
Batch	Init	QC Type		Analyzed				
3866045	ADA	LCS	Tetrachloroethylene	2014/12/19		93	%	70 - 130
			1,1,1-Trichloroethane	2014/12/19		90	%	70 - 130
			1,1,2-Trichloroethane	2014/12/19		95	%	70 - 130
			Trichloroethylene	2014/12/19		93	%	70 - 130
			Vinyl Chloride	2014/12/19		79	%	70 - 130
			Trichlorofluoromethane (FREON 11)	2014/12/19		89	%	70 - 130
			Dissolved Arsenic (As)	2014/12/22		101	%	80 - 120
			Dissolved Barium (Ba)	2014/12/22		103	%	80 - 120
			Dissolved Chromium (Cr)	2014/12/22		101	%	80 - 120
			Dissolved Copper (Cu)	2014/12/22		101	%	80 - 120
3869167	AAI	LCS	Dissolved Lead (Pb)	2014/12/22		98	%	80 - 120
			Dissolved Zinc (Zn)	2014/12/22		99	%	80 - 120
			1,4-Difluorobenzene	2014/12/23		99	%	70 - 130
			4-Bromofluorobenzene	2014/12/23		104	%	70 - 130
			D10-Ethylbenzene	2014/12/23		92	%	70 - 130
			D4-1,2-Dichloroethane	2014/12/23		97	%	70 - 130
			Benzene	2014/12/23		93	%	70 - 130
			Toluene	2014/12/23		94	%	70 - 130
			Ethylbenzene	2014/12/23		101	%	70 - 130
			o-Xylene	2014/12/23		103	%	70 - 130
3869805	KLI	LCS	p+m-Xylene	2014/12/23		93	%	70 - 130
			Hexane	2014/12/23		77	%	70 - 130
			F1 (C6-C10)	2014/12/23		88	%	70 - 130
			o-Terphenyl	2014/12/24		96	%	60 - 130
			F2 (C10-C16 Hydrocarbons)	2014/12/24		98	%	60 - 130
			F3 (C16-C34 Hydrocarbons)	2014/12/24		107	%	60 - 130
			F4 (C34-C50 Hydrocarbons)	2014/12/24		103	%	60 - 130

LCS: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

Maxxam Job #: B4N9508
Report Date: 2014/12/29

Parsons
Task Order#: 4410259930, Line Item: 10
Site#: ME.00214
Site Location: N/A;1545 WOODROFFE AVENUE, OTTAWA, ON
Project #: 10-8518.3

VALIDATION SIGNATURE PAGE


The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Services

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

DATA QUALITY REVIEW CHECKLIST

Consultant: <u>Parsons Canada Ltd.</u> <u>1545 Woodroffe Avenue</u> Location: <u>Ottawa, Ontario</u> Consultant Project Number: <u>10-8518.3</u>	Sampling Date: <u>2014/12/15</u> Laboratory: <u>Maxxam Analytics Inc.</u> Laboratory Job Number: <u>B4N9508</u>																														
Are All Laboratory QC Samples Within Acceptance Criteria (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Instrument Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> <td rowspan="6">All lab QC met acceptance criteria.</td> </tr> <tr> <td>Extraction Surrogate Recovery</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Method Blank Concentration</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Matrix Duplicate RPD</td> <td></td> <td></td> <td align="center">X</td> </tr> <tr> <td>Matrix Spike Recovery</td> <td></td> <td></td> <td align="center">X</td> </tr> <tr> <td>Lab Control Sample Recovery/Spiked Blank</td> <td align="center">X</td> <td></td> <td></td> </tr> </tbody> </table>			Yes	No	NA	Comments	Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.	Extraction Surrogate Recovery	X			Method Blank Concentration	X			Matrix Duplicate RPD			X	Matrix Spike Recovery			X	Lab Control Sample Recovery/Spiked Blank	X		
	Yes	No	NA	Comments																											
Instrument Surrogate Recovery	X			All lab QC met acceptance criteria.																											
Extraction Surrogate Recovery	X																														
Method Blank Concentration	X																														
Matrix Duplicate RPD			X																												
Matrix Spike Recovery			X																												
Lab Control Sample Recovery/Spiked Blank	X																														
Are All Field QC Samples Within Alert Limits (Yes, No, Not Applicable)?																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;"></th> <th style="width:10%;">Yes</th> <th style="width:10%;">No</th> <th style="width:10%;">NA</th> <th style="width:10%;">Comments</th> </tr> </thead> <tbody> <tr> <td>Field Blank Concentration</td> <td></td> <td></td> <td align="center">X</td> <td rowspan="3">All field QC samples met the alert limits.</td> </tr> <tr> <td>Trip Blank Concentration</td> <td align="center">X</td> <td></td> <td></td> </tr> <tr> <td>Field Duplicate RPD</td> <td></td> <td></td> <td align="center">X</td> </tr> </tbody> </table>			Yes	No	NA	Comments	Field Blank Concentration			X	All field QC samples met the alert limits.	Trip Blank Concentration	X			Field Duplicate RPD			X												
	Yes	No	NA	Comments																											
Field Blank Concentration			X	All field QC samples met the alert limits.																											
Trip Blank Concentration	X																														
Field Duplicate RPD			X																												
Has CofA been signed off (Yes/No)?: <u>Yes</u> Has lab warranted all tests were in statistical control in CofA (Yes/No)?: <u>Yes</u> Has lab warranted all tests were analyzed following SOP's in CofA (Yes, No or N/A)?: <u>Yes</u> Were all samples analyzed within hold times (Yes/No)?: <u>Yes</u> All volatiles samples methanol extracted, if required, within 48 hours (Yes, No or N/A)?: <u>N/A</u> Is Chain of Custody completed and signed (Yes/No)?: <u>Yes</u> Were sample temperatures acceptable when they reached lab (Yes, No or N/A)?: <u>Yes</u>																															
Was a Data Quality Waiver (DQW) issued (Yes, No or N/A)?: <u>No</u> Date Issued: <u>N/A</u> Date of Response: <u>N/A</u>																															
Is data considered to be reliable (Yes/No)?: <u>Yes</u> If answer is "No", describe and provide rationale:																															
Data Reviewed by (Print): <u>Beverley Noel</u> Review Date: <u>2015/01/07</u> Revision Date (if applicable): _____	Data Reviewed by (Signature): <u></u> Revised by (Signature): _____																														

APPENDIX D

QUALITY ASSURANCE AND QUALITY CONTROL

QUALITY ASSURANCE AND QUALITY CONTROL DISCUSSION

There were no lab or field QA/QC issues identified in this report that need to be discussed in detail.

The soil field QA/QC program consisted of three field duplicate samples for the analysis of one or more of the following parameters: BTEX, PHC fractions F1 to F4, hexane, lead, selected or full suites of PAHs, and selected metals. The program also included one trip blank methanol sample for analysis of BTEX, PHC fraction F1, and VOCs; and one field blank silica sand soil sample for analysis of PAHs and PCBs.

The groundwater field QA/QC program consisted of one field duplicate, one field blank, and one trip blank sample for the analysis of BTEX, PHC fractions F1 to F4, hexane, lead, selected VOCs, and selected metals.

For the field duplicate samples, evaluations of the QA/QC results were determined by calculating the relative percent difference (RPD) between the field duplicate and original sample results, and comparison of the RPD to designated alert limits.

$$RPD = \left| \frac{(x_1 - x_2)}{\left(\frac{(x_1 + x_2)}{2}\right)} \right| \times 100$$

Consistent with laboratory practices and to permit reliable calculations, an RPD is only calculated when the original and duplicate sample concentrations are at least five times the reportable detection limit.

The designated field duplicate RPD alert limits are presented in Tables D-1 to D-3 for soil. All of the RPDs were within acceptable limits.

The soil trip blank data was compared to the alert limits and are presented in Tables D-4 and D-5. All of the results were within the alert limits.

The soil field blank data were compared to the alert limits and are presented in Tables D-6 and D-7. All of the results were within the alert limits.

The designated field duplicate RPD alert limits are presented in Tables D-8 to D-10 for groundwater. All of the RPDs were within acceptable limits.

The water trip blank and field blank data were compared to the alert limits and are presented in Tables D-11 to D-13. All of the results were within the alert limits.

The laboratory QA/QC program consisted of one or more of the following analysis (a) instrument and extraction surrogate recoveries for soil and/or groundwater samples that were analyzed, and (b) the analysis of method blank, matrix duplicate, matrix spike and/or laboratory control samples for the sample analytical batches that were analyzed. The laboratory QA/QC results are presented in the certificates of analysis. As indicated, no laboratory QA/QC issues were identified. No field or laboratory QA/QC issues were identified that would affect the overall conclusions presented in this report. Overall, the results reported are considered to be reliable.

TABLE D-1

RELATIVE PERCENT DIFFERENCE CALCULATIONS - SOIL FIELD DUPLICATE SAMPLES
PETROLEUM HYDROCARBON PARAMETERS, HEXANE AND LEAD

SAMPLE LOCATIONS	BH-301-5.3-5.9	RDL	DUP-01 FIELD DUPLICATE BH-301-5.3-5.9	RDL	RPD	BH-304-5.3-5.9	RDL	DUP-02 FIELD DUPLICATE BH-304-5.3-5.9	RDL	RPD	RPD ALERT LIMITS (%) ^a	
Maxxam Certificate of Analysis No.	B4N6049V1		B4N6049V1			B4N7072V1		B4N7072V1				
Maxxam Sample ID	YV6418		YV6419			YW2044		YW2045				
Depth (mbgs)	5.3-5.9		5.3-5.9			5.3-5.9		5.3-5.9				
Date Sampled (yyyy/mm/dd)	2014/12/09		2014/12/09			2014/12/10		2014/12/10				
PARAMETERS												
Benzene	<0.020	0.020	<0.020	0.020	NC	<0.020	0.020	<0.020	0.020	NC	100	
Toluene	<0.020	0.020	<0.020	0.020	NC	<0.020	0.020	<0.020	0.020	NC	100	
Ethylbenzene	<0.020	0.020	<0.020	0.020	NC	0.15	0.020	0.048	0.020	NC	100	
Total Xylenes	<0.040	0.040	<0.040	0.040	NC	0.12	0.040	0.11	0.040	NC	100	
Petroleum Hydrocarbons F1 (C6 - C10) ^b	<10	10	<10	10	NC	<10	10	<10	10	NC	100	
Petroleum Hydrocarbons F2 (>C10 - C16) ^c	<10	10	<10	10	NC	<10	10	<10	10	NC	100	
Petroleum Hydrocarbons F3 (>C16 - C34) ^d	<50	50	<50	50	NC	<50	50	<50	50	NC	100	
Petroleum Hydrocarbons F4 (>C34 - C50) ^d	<50	50	<50	50	NC	<50	50	<50	50	NC	100	
Hexane	<0.50	0.50	<0.50	0.50	NC	<0.50	0.50	<0.50	0.50	NC	100	
Lead	5.4	1.0	2.8	1.0	NC	2.3	1.0	3.5	1.0	NC	100	

a - Alert limits used for field duplicate samples

b - BTEX have been subtracted from the fraction

c - Naphthalene has not been subtracted from the fraction

d - PAHs have not been subtracted from the fraction

NA - Not applicable

NC - Not calculated

RDL - Reportable Detection Limit

RPD - Relative Percent Difference (not calculated when one or both results are less than 5X RDL)

"-" - Not analyzed

mbgs - metres below ground surface

BOLD - Exceeds RPD alert limit

Results for all parameters are reported in micrograms per gram (µg/g) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE D-1

RELATIVE PERCENT DIFFERENCE CALCULATIONS - SOIL FIELD DUPLICATE SAMPLES
PETROLEUM HYDROCARBON PARAMETERS, HEXANE AND LEAD

SAMPLE LOCATIONS	BH-306-5.3-5.9	RDL	DUP-03 FIELD DUPLICATE	RDL	RPD	
Maxxam Certificate of Analysis No.	B4N7299V1		BH-306-5.3-5.9 B4N7299V1			RPD ALERT LIMITS (%) ^a
Maxxam Sample ID	YW3228		YW3229			
Depth (mbgs)	5.3-5.9		5.3-5.9			
Date Sampled (yyyy/mm/dd)	2014/12/11		2014/12/11			
PARAMETERS						
Benzene	0.030	0.020	0.037	0.020	NC	100
Toluene	<0.020	0.020	<0.020	0.020	NC	100
Ethylbenzene	0.12	0.020	0.16	0.020	29%	100
Total Xylenes	0.12	0.040	0.16	0.040	NC	100
Petroleum Hydrocarbons F1 (C6 - C10) ^b	<10	10	<10	10	NC	100
Petroleum Hydrocarbons F2 (>C10 - C16) ^c	<10	10	<10	10	NC	100
Petroleum Hydrocarbons F3 (>C16 - C34) ^d	<50	50	<50	50	NC	100
Petroleum Hydrocarbons F4 (>C34 - C50)	<50	50	<50	50	NC	100
Hexane	<0.50	0.50	<0.50	0.50	NC	100
Lead	<5.0	5.0	<5.0	5.0	NC	100

a - Alert limits used for field duplicate samples

b - BTEX have been subtracted from the fraction

c - Naphthalene has not been subtracted from the fraction

d - PAHs have not been subtracted from the fraction

NA - Not applicable

NC - Not calculated

RDL - Reportable Detection Limit

RPD - Relative Percent Difference (not calculated when one or both results are less than 5X RDL)

"-" - Not analyzed

mbgs - metres below ground surface

BOLD - Exceeds RPD alert limit

Results for all parameters are reported in micrograms per gram (µg/g) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE D-2

RELATIVE PERCENT DIFFERENCE CALCULATIONS - SOIL FIELD DUPLICATE SAMPLES
POLYCYCLIC AROMATIC HYDROCARBONS

SAMPLE LOCATIONS	BH-301-5.3-5.9	RDL	DUP-01	RDL	RPD	BH-304-5.3-5.9	RDL	DUP-02	RDL	RPD	RPD ALERT LIMITS (%) ^a	
			FIELD DUPLICATE					FIELD DUPLICATE				
Maxxam Certificate of Analysis No.	B4N6049V1		BH-301-5.3-5.9			B4N7072V1		BH-304-5.3-5.9				
Maxxam Sample ID	YV6418		B4N6049V1			YW2044		B4N7072V1				
Depth (mbgs)	5.3-5.9		YV6419			5.3-5.9		YW2045				
Date Sampled (yyyy/mm/dd)	2014/12/09		2014/12/09			2014/12/10		2014/12/10				
PARAMETERS												
Acenaphthene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	
Acenaphthylene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	
Anthracene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	
Benzo(a)anthracene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	
Benzo(a)pyrene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	
Benzo(b)fluoranthene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	
Benzo(g,h,i)perylene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	
Benzo(k)fluoranthene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	
Chrysene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	
Dibenz(a,h)anthracene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	
Fluoranthene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	
Fluorene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	
Indeno(1,2,3-cd)pyrene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	
1-Methylnaphthalene	<0.0050	0.0050	<0.0050	0.0050	NC	0.035	0.0050	0.023	0.0050	NC	100	
2-Methylnaphthalene	<0.0050	0.0050	<0.0050	0.0050	NC	0.020	0.0050	0.010	0.0050	NC	100	
Total Methylnaphthalenes	<0.0071	0.0071	<0.0071	0.0071	NC	0.056	0.0071	0.033	0.0071	NC	100	
Naphthalene	<0.0050	0.0050	<0.0050	0.0050	NC	0.0056	0.0050	<0.0050	0.0050	NC	100	
Phenanthrene	<0.0050	0.0050	<0.0050	0.0050	NC	0.0079	0.0050	0.0063	0.0050	NC	100	
Pyrene	<0.0050	0.0050	<0.0050	0.0050	NC	<0.0050	0.0050	<0.0050	0.0050	NC	100	

a - Alert limits used for field duplicate samples

NA - Not applicable

NC - Not calculated

RDL - Reportable Detection Limit

RPD - Relative Percent Difference (not calculated when one or both results are less than 5X RDL)

"-" - Not analyzed

mbgs - metres below ground surface

BOLD - Exceeds RPD alert limit

Results for all parameters are reported in micrograms per gram (µg/g) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE D-2

RELATIVE PERCENT DIFFERENCE CALCULATIONS - SOIL FIELD DUPLICATE SAMPLES
POLYCYCLIC AROMATIC HYDROCARBONS

SAMPLE LOCATIONS	BH-306-5.3-5.9	RDL	DUP-03 FIELD DUPLICATE	RDL	RPD	
Maxxam Certificate of Analysis No.	B4N7299V1		BH-306-5.3-5.9 B4N7299V1			RPD ALERT LIMITS (%) ^a
Maxxam Sample ID	YW3228		YW3229			
Depth (mbgs)	5.3-5.9		5.3-5.9			
Date Sampled (yyyy/mm/dd)	2014/12/11		2014/12/11			
PARAMETERS						
Acenaphthene	<0.0050	0.0050	<0.0050	0.0050	NC	100
Acenaphthylene	<0.0050	0.0050	<0.0050	0.0050	NC	100
Anthracene	<0.0050	0.0050	<0.0050	0.0050	NC	100
Benzo(a)anthracene	-	NA	-	NA	NA	100
Benzo(a)pyrene	-	NA	-	NA	NA	100
Benzo(b,j)fluoranthene	-	NA	-	NA	NA	100
Benzo(g,h,i)perylene	-	NA	-	NA	NA	100
Benzo(k)fluoranthene	-	NA	-	NA	NA	100
Chrysene	-	NA	-	NA	NA	100
Dibenz(a,h)anthracene	-	NA	-	NA	NA	100
Fluoranthene	<0.0050	0.0050	<0.0050	0.0050	NC	100
Fluorene	<0.0050	0.0050	<0.0050	0.0050	NC	100
Indeno(1,2,3-cd)pyrene	-	NA	-	NA	NA	100
1-Methylnaphthalene	0.015	0.0050	0.017	0.0050	NC	100
2-Methylnaphthalene	0.0061	0.0050	0.0076	0.0050	NC	100
Total Methylnaphthalenes	0.021	0.0071	0.024	0.0071	NC	100
Naphthalene	<0.0050	0.0050	0.0051	0.0050	NC	100
Phenanthrene	<0.0050	0.0050	<0.0050	0.0050	NC	100
Pyrene	-	NA	-	NA	NA	100

a - Alert limits used for field duplicate samples

NA - Not applicable

NC - Not calculated

RDL - Reportable Detection Limit

RPD - Relative Percent Difference (not calculated when one or both results are less than 5X RDL)

"-" - Not analyzed

mbgs - metres below ground surface

BOLD - Exceeds RPD alert limit

Results for all parameters are reported in micrograms per gram ($\mu\text{g/g}$) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE D-3

RELATIVE PERCENT DIFFERENCE CALCULATIONS - SOIL FIELD DUPLICATE SAMPLES
SELECTED METALS

SAMPLE LOCATIONS	BH-301-5.3-5.9	RDL	DUP-01 FIELD DUPLICATE BH-301-5.3-5.9	RDL	RPD	BH-304-5.3-5.9	RDL	DUP-02 FIELD DUPLICATE BH-304-5.3-5.9	RDL	RPD	RPD ALERT LIMITS (%) ^a	
Maxxam Certificate of Analysis No.	B4N6049V1		B4N6049V1			B4N7072V1		B4N7072V1				
Maxxam Sample ID	YV6418		YV6419			YW2044		YW2045				
Depth (mbgs)	5.3-5.9		5.3-5.9			5.3-5.9		5.3-5.9				
Date Sampled (yyyy/mm/dd)	2014/12/09		2014/12/09			2014/12/10		2014/12/10				
PARAMETERS												
Arsenic	<1.0	1.0	<1.0	1.0	NC	<1.0	1.0	<1.0	1.0	NC	100	
Barium	23	0.50	28	0.50	20%	33	0.50	26	0.50	24%	100	
Chromium (Total)	9.0	1.0	5.2	1.0	54%	9.1	1.0	11	1.0	19%	100	
Copper	9.7	0.50	25	0.50	88%	11	0.50	14	0.50	24%	100	
Lead	5.4	1.0	2.8	1.0	NC	2.3	1.0	3.5	1.0	NC	100	
Zinc	11	5.0	30	5.0	NC	12	5.0	15	5.0	NC	100	

a - Alert limits used for field duplicate samples

NA - Not applicable

NC - Not calculated

RDL - Reportable Detection Limit

RPD - Relative Percent Difference (not calculated when one or both results are less than 5X RDL)

"-" - Not analyzed

mbgs - metres below ground surface

BOLD - Exceeds RPD alert limit

Results for all parameters are reported in micrograms per gram ($\mu\text{g/g}$) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE D-4

SOIL TRIP BLANK DATA
PETROLEUM HYDROCARBON PARAMETERS AND HEXANE

SAMPLE LOCATIONS	RDL	TRIP BLANK-01	EXCEEDS ALERT LIMIT (yes/no)
Maxxam Certificate of Analysis No.		B4N9446V1	
Maxxam Sample ID		YX3106	
Date Sampled (yyyy/mm/dd)		2014/12/13	
PARAMETERS			
Benzene	0.020	<0.020	No
Toluene	0.020	<0.020	No
Ethylbenzene	0.020	<0.020	No
Total Xylenes	0.040	<0.020	No
Petroleum Hydrocarbons F1 (C6 - C10) ^a	10	<10	No
Hexane	0.50	<0.050	No

a - BTEX have been subtracted from the fraction

b - Naphthalene has not been subtracted from the fraction

c - PAHs have not been subtracted from the fraction

RDL - Reportable detection limit

"-" - Not analyzed

BOLD - Exceeds alert limit

Note - Alert limits for field blanks are 1x RDL for BTEX, Hexane, and Petroleum Hydrocarbons fraction F1.

Results for all parameters are reported in micrograms per gram (µg/g) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE D-5

SOIL TRIP BLANK DATA
VOLATILE ORGANIC COMPOUNDS

SAMPLE LOCATIONS	RDL	TRIP BLANK-01	EXCEEDS ALERT LIMIT (yes/no)
Maxxam Certificate of Analysis No.		B4N9446V1	
Maxxam Sample ID		YX3106	
Date Sampled (yyyy/mm/dd)		2014/12/13	
PARAMETERS			
Acetone	0.50	<0.50	No
Bromodichloromethane	0.050	<0.050	No
Bromoform	0.050	<0.050	No
Bromomethane	0.050	<0.050	No
Carbon Tetrachloride	0.050	<0.050	No
Chlorobenzene	0.050	<0.050	No
Chloroform	0.050	<0.050	No
Dibromochloromomethane	0.050	<0.050	No
1,2-Dichlorobenzene	0.050	<0.050	No
1,3-Dichlorobenzene	0.050	<0.050	No
1,4-Dichlorobenzene	0.050	<0.050	No
Dichlorodifluoromethane	0.050	<0.050	No
1,1-Dichloroethane	0.050	<0.050	No
1,2-Dichloroethane	0.050	<0.050	No
1,1-Dichloroethylene	0.050	<0.050	No
cis-1,2-Dichloroethylene	0.050	<0.050	No
trans-1,2-Dichloroethylene	0.050	<0.050	No
1,2-Dichloropropane	0.050	<0.050	No
cis-1,3-Dichloropropene	0.030	<0.030	No
trans-1,3-Dichloropropene	0.040	<0.040	No
1,3-Dichloropropene	0.050	<0.050	No
Ethylene Dibromide	0.050	<0.050	No
Methyl ethyl ketone	0.50	<0.50	No
Methyl isobutyl ketone	0.50	<0.50	No
Methyl t-butyl ether	0.050	<0.050	No
Methylene Chloride	0.050	<0.050	No
Styrene	0.050	<0.050	No
1,1,1,2-Tetrachloroethane	0.050	<0.050	No
1,1,2,2-Tetrachloroethane	0.050	<0.050	No
Tetrachloroethylene	0.050	<0.050	No
1,1,1-Trichloroethane	0.050	<0.050	No
1,1,2-Trichloroethane	0.050	<0.050	No
Trichloroethylene	0.050	<0.050	No
Trichlorofluoromethane	0.050	<0.050	No
Vinyl Chloride	0.020	<0.020	No

RDL - Reportable detection limit

"-" - Not analyzed

BOLD - Exceeds alert limit

Note - Alert limits for trip blanks are 1x RDL for VOCs.

Results for all parameters are reported in micrograms per gram ($\mu\text{g/g}$) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE D-6
SOIL FIELD BLANK DATA
POLYCYCLIC AROMATIC HYDROCARBONS

SAMPLE LOCATIONS	RDL	FIELD BLANK-01	EXCEEDS ALERT LIMIT (yes/no)
Maxxam Certificate of Analysis No.		B4N9446V1	
Maxxam Sample ID		YX3107	
Date Sampled (yyyy/mm/dd)		2014/12/13	
PARAMETERS			
Acenaphthene	0.0050	<0.0050	No
Acenaphthylene	0.0050	<0.0050	No
Anthracene	0.0050	<0.0050	No
Benzo(a)anthracene	0.0050	<0.0050	No
Benzo(a)pyrene	0.0050	<0.0050	No
Benzo(b,j)fluoranthene	0.0050	<0.0050	No
Benzo(g,h,i)perylene	0.0050	<0.0050	No
Benzo(k)fluoranthene	0.0050	<0.0050	No
Chrysene	0.0050	<0.0050	No
Dibenz(a,h)anthracene	0.0050	<0.0050	No
Fluoranthene	0.0050	<0.0050	No
Fluorene	0.0050	<0.0050	No
Indeno(1,2,3-cd)pyrene	0.0050	<0.0050	No
1-Methylnaphthalene	0.0050	<0.0050	No
2-Methylnaphthalene	0.0050	<0.0050	No
Total Methylnaphthalenes	0.0071	<0.0071	No
Naphthalene	0.0050	<0.0050	No
Phenanthrene	0.0050	<0.0050	No
Pyrene	0.0050	<0.0050	No

RDL - Reportable detection limit

"-" - Not analyzed

BOLD - Exceeds alert limit

Note - Alert limits for field blanks are 5x RDL for PAHs.

Results for all parameters are reported in micrograms per gram ($\mu\text{g/g}$) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis

TABLE D-7

SOIL FIELD BLANK DATA
POLYCHLORINATED BIPHENYLS

SAMPLE LOCATIONS	RDL	FIELD BLANK-01	EXCEEDS ALERT LIMIT (yes/no)
Maxxam Certificate of Analysis No.		B4N9446V1	
Maxxam Sample ID		YX3107	
Date Sampled (yyyy/mm/dd)		2014/12/13	
PARAMETERS			
Total Polychlorinated Biphenyls	0.010	<0.010	No

RDL - Reportable detection limit

"-" - Not analyzed

BOLD - Exceeds alert limit

Note - Alert limits for field blanks and trip blanks are 5x RDL for PCBs.

Results for all parameters are reported in micrograms per gram ($\mu\text{g/g}$) on a dry weight basis

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE D-8

RELATIVE PERCENT DIFFERENCE CALCULATIONS - GROUNDWATER FIELD DUPLICATE SAMPLES
PETROLEUM HYDROCARBON PARAMETERS, HEXANE AND LEAD

SAMPLE LOCATIONS	BH-309	RDL	DUP-04	RDL	RPD	
			FIELD DUPLICATE			
			BH-309			
Maxxam Certificate of Analysis No.	B4N9466V1		B4N9466V1			RPD ALERT LIMITS (%) ^a
Maxxam Sample ID	YX3184		YX3185			
Date Sampled (yyyy/mm/dd)	2014/12/15		2014/12/15			
PARAMETERS						
Benzene	0.26	0.20	0.32	0.20	NC	80
Toluene	<0.20	0.20	<0.20	0.20	NC	80
Ethylbenzene	0.52	0.20	0.54	0.20	NC	80
Total Xylenes	<0.40	0.40	<0.40	0.40	NC	80
Petroleum Hydrocarbons F1 (C6 - C10) ^b	78	25	67	25	NC	80
Petroleum Hydrocarbons F2 (>C10 - C16) ^c	<100	100	<100	100	NC	80
Petroleum Hydrocarbons F3 (>C16 - C34) ^d	<200	200	<200	200	NC	80
Petroleum Hydrocarbons F4 (>C34 - C50) ⁱⁱ	<200	200	<200	200	NC	80
Hexane	<5.0	5.0	<5.0	5.0	NC	80
Lead	<0.50	0.50	<0.50	0.50	NC	50

a - Alert limits used for field duplicate samples

b - BTEX have been subtracted from the fraction

c - Naphthalene has not been subtracted from the fraction

d - PAHs have not been subtracted from the fraction

NA - Not applicable

NC - Not calculated

RDL - Reportable Detection Limit

RPD - Relative Percent Difference (not calculated when one or both results are less than 5X RDL)

"-" - Not analyzed

BOLD - Exceeds RPD alert limit

Results for all parameters are reported in micrograms per litre (µg/L)

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE D-9

RELATIVE PERCENT DIFFERENCE CALCULATIONS - GROUNDWATER FIELD DUPLICATE SAMPLES
SELECTED VOLATILE ORGANIC COMPOUNDS

SAMPLE LOCATIONS	BH-309	RDL	DUP-04	RDL	RPD	
			FIELD DUPLICATE			
			BH-309			
Maxxam Certificate of Analysis No.	B4N9466V1		B4N9466V1			RPD ALERT LIMITS (%) ^a
Maxxam Sample ID	YX3184		YX3185			
Date Sampled (yyyy/mm/dd)	2014/12/15		2014/12/15			
PARAMETERS						
1,2-Dichloroethane	<0.20	0.20	<0.20	0.20	NC	80
Ethylene Dibromide	<0.20	0.20	<0.20	0.20	NC	80
Methyl t-butyl ether	1.0	0.20	0.98	0.20	NC	80

a - Alert limits used for field duplicate samples

NA - Not applicable

NC - Not calculated

RDL - Reportable Detection Limit

RPD - Relative Percent Difference (not calculated when one or both results are less than 5X RDL)

"-" - Not analyzed

BOLD - Exceeds RPD alert limit

Results for all parameters are reported in micrograms per litre (µg/L)

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE D-10

RELATIVE PERCENT DIFFERENCE CALCULATIONS - GROUNDWATER FIELD DUPLICATE SAMPLES
SELECTED METALS

SAMPLE LOCATIONS	BH-309	RDL	DUP-04 FIELD DUPLICATE BH-309	RDL	RPD	RPD ALERT LIMITS (%) ^a
Maxxam Certificate of Analysis No.	B4N9466V1		B4N9466V1			
Maxxam Sample ID	YX3184		YX3185			
Date Sampled (yyyy/mm/dd)	2014/12/15		2014/12/15			
PARAMETERS						
Arsenic	<1.0	1.0	<1.0	1.0	NC	50
Barium	360	2.0	350	2.0	3%	50
Chromium	<5.0	5.0	<5.0	5.0	NC	50
Copper	<2.0	2.0	<2.0	2.0	NC	50
Zinc	<5.0	5.0	<5.0	5.0	NC	50

a - Alert limits used for field duplicate samples

NA - Not applicable

NC Not calculated

RDL - Reportable Detection Limit

RPD - Relative Percent Difference (not calculated when one or both results are less than 5X RDL)

"-" - Not analyzed

BOLD - Exceeds RPD alert limit

Results for all parameters are reported in micrograms per litre (µg/L)

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE D-11

GROUNDWATER FIELD BLANK AND TRIP BLANK DATA
PETROLEUM HYDROCARBON PARAMETERS, HEXANE AND LEAD

SAMPLE LOCATIONS	RDL	FIELD BLANK-02	EXCEEDS ALERT LIMIT (yes/no)	TRIP BLANK-02	EXCEEDS ALERT LIMIT (yes/no)
Maxxam Certificate of Analysis No.		B4N9503V1		B4N9508V1	
Maxxam Sample ID		YX3356		YX3375	
Date Sampled (yyyy/mm/dd)		2014/12/15		2014/12/15	
PARAMETERS					
Benzene	0.40	<0.20	No	<0.20	No
Toluene	0.20	<0.20	No	<0.20	No
Ethylbenzene	0.20	<0.20	No	<0.20	No
Total Xylenes	0.40	<0.40	No	<0.40	No
Petroleum Hydrocarbons F1 (C6 - C10) ^a	25	<25	No	<25	No
Petroleum Hydrocarbons F2 (>C10 - C16) ^b	100	<100	No	<100	No
Petroleum Hydrocarbons F3 (>C16 - C34) ^c	200	<200	No	<200	No
Petroleum Hydrocarbons F4 (>C34 - C50) ^d	200	<200	No	<200	No
Hexane	5.0	<5.0	No	<5.0	No
Lead	0.50	<0.50	No	<0.50	No

a - BTEX have been subtracted from the fraction

b - Naphthalene has not been subtracted from the fraction

c - PAHs have not been subtracted from the fraction

RDL - Reportable detection limit

"-" - Not analyzed

BOLD - Exceeds alert limit

Note - Alert limits for field blanks and trip blanks are 5x RDL for BTEX, hexane and lead; 2x RDL for petroleum hydrocarbons fractions F1 to F4.

Results for all parameters are reported in micrograms per litre (µg/L)

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE D-12

GROUNDWATER FIELD BLANK AND TRIP BLANK DATA
SELECTED VOLATILE ORGANIC COMPOUNDS

SAMPLE LOCATIONS	RDL	FIELD BLANK-02	EXCEEDS ALERT LIMIT (yes/no)	TRIP BLANK-02	EXCEEDS ALERT LIMIT (yes/no)
Maxxam Certificate of Analysis No.		B4N9503V1		B4N9508V1	
Maxxam Sample ID		YX3356		YX3375	
Date Sampled (yyyy/mm/dd)		2014/12/15		2014/12/15	
PARAMETERS					
Dichlorodifluoromethane	0.50	<0.50	No	<0.50	No
1,1-Dichloroethane	0.10	<0.10	No	<0.10	No
1,2-Dichloroethane	0.20	<0.20	No	<0.20	No
1,1-Dichloroethylene	0.10	<0.10	No	<0.10	No
cis-1,2-Dichloroethylene	0.10	<0.10	No	<0.10	No
trans-1,2-Dichloroethylene	0.10	<0.10	No	<0.10	No
Ethylene Dibromide	0.20	<0.20	No	<0.20	No
Methyl t-butyl ether	0.20	<0.20	No	<0.20	No
Tetrachloroethylene	0.10	<0.10	No	<0.10	No
1,1,1-Trichloroethane	0.10	<0.10	No	<0.10	No
1,1,2-Trichloroethane	0.20	<0.20	No	<0.20	No
Trichloroethylene	0.10	<0.10	No	<0.10	No
Trichlorofluoromethane	0.20	<0.20	No	<0.20	No
Vinyl Chloride	0.20	<0.20	No	<0.20	No

RDL - Reportable detection limit

"-" - Not analyzed

BOLD - Exceeds alert limit

Note - Alert limits for field blanks and trip blanks are 5x RDL for VOCs.

Results for all parameters are reported in micrograms per litre ($\mu\text{g/L}$)

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.

TABLE D-13

GROUNDWATER FIELD BLANK AND TRIP BLANK DATA
SELECTED METAL

SAMPLE LOCATIONS	RDL	FIELD BLANK-02	EXCEEDS ALERT LIMIT (yes/no)	TRIP BLANK-02	EXCEEDS ALERT LIMIT (yes/no)
Maxxam Certificate of Analysis No.		B4N9503V1		B4N9508V1	
Maxxam Sample ID		YX3356		YX3375	
Date Sampled (yyyy/mm/dd)		2014/12/15		2014/12/15	
PARAMETERS					
Arsenic	1.0	<1.0	No	<1.0	No
Barium	2.0	<2.0	No	<2.0	No
Chromium	5.0	<5.0	No	<5.0	No
Copper	2.0	<1.0	No	<1.0	No
Zinc	5.0	<5.0	No	<5.0	No

RDL - Reportable detection limit

"-" - Not analyzed

The specific date each sample was analyzed is presented in the laboratory Certificates of Analysis.

BOLD - Exceeds alert limit

Note - Alert limits for field blanks and trip blanks are 5x RDL for metals.

Results for all parameters are reported in micrograms per litre ($\mu\text{g/L}$)

The specific date each sample was analyzed for each parameter is presented in the laboratory Certificates of Analysis.