


**NOTES**

- GROUPS OF TREES AND OTHER EXISTING VEGETATION TO BE PROTECTED SHALL BE TREATED IN A LIKE MANNER WITH FENCING AROUND THE ENTIRE STAND(S). PROTECTIVE FENCING SHALL BE ERECTED AT CRZ FOR GROUP OF TREES AND AT A MINIMUM OF 1.5 METRES BEYOND THE DRIP LINE FOR SHRUB BEDS, AT THE DISCRETION OF CITY STAFF.
- THE CRITICAL ROOT ZONE (CRZ) IS THE AREA UNDER A TREE WHERE THERE SHOULD BE NO DISTURBANCE BEFORE, DURING AND AFTER CONSTRUCTION. THE CRZ IS ESTABLISHED AS BEING 10 CENTIMETRES FROM THE TRUNK OF THE TREE FOR EVERY CENTIMETRE OF TRUNK DIAMETER.
- AREAS WITHIN THE PROTECTIVE FENCING SHALL REMAIN UNDISTURBED AND SHALL NOT BE USED FOR THE STORAGE OF BUILDING MATERIALS OR EQUIPMENT, OR PARKING OF VEHICLES. NO RINGING CABLES SHALL BE WRAPPED AROUND OR INSTALLED IN TREES. SURPLUS SOIL, EQUIPMENT, DEBRIS OR MATERIALS SHALL NOT BE PLACED OVER ROOT SYSTEMS OF THE TREE(S) WITHIN THE PROTECTIVE FENCING.
- WHERE SOME FILL MUST BE TEMPORARILY LOCATED NEAR THE CRZ, A PLYWOOD BARRIER MUST BE USED TO ENSURE NO MATERIAL ENTERS THE CRZ.
- ANY OPEN FACE CUTS OUTSIDE OF A CRZ THAT ARE CONSISTENT WITH AN APPROVED PLAN THAT REQUIRE ROOT PRUNING, REQUIRE THE SERVICES OF A CERTIFIED ARBORIST OR QUALIFIED TREE WORKER UNDER THE SUPERVISION OF A CERTIFIED ARBORIST.
- FENCE TO BE INSPECTED ON A REGULAR BASIS AND MAINTAINED BY CONTRACTOR IN PROPER CONDITION FOR THE ENTIRE DURATION OF CONSTRUCTION.
- SEDIMENT ACCUMULATIONS TO BE REMOVED BY CONTRACTOR WHEN SEDIMENT DEPOSITS REACH TO WITHIN 150mm OF TOP OF FILTER FABRIC BARRIER.
- THE CONTRACTOR SHALL TAKE EVERY PRECAUTION NECESSARY TO PREVENT DAMAGE TO THE TREES TO BE RETAINED.
- TREE THAT HAVE DIED OR HAVE BEEN DAMAGED BEYOND REPAIR, SHALL BE REMOVED AND REPLACED BY THE CONTRACTOR AT THEIR OWN EXPENSE, WITH TREES OF EQUAL SIZE AND SPECIES AS INDICATED BY MUNICIPAL STAFF.


**1 TEMPORARY TREE PROTECTION FENCE**  
N.T.S.



**2 SHRUB PLANTING**  
N.T.S.

**PLANTING NOTES**

- THE DETAILS ON THIS SHEET DO NOT REPRESENT ANY PARTICULAR SPECIES.
- TREES AND SHRUBS AS INDICATED IN THE DETAILS REPRESENT BOTH CONIFEROUS AND DECIDUOUS SPECIES.
- MATERIAL PLANTED IN GROUP SHALL BE SET IN CONTINUOUS PLANTING BEDS.
- CENTRE LINE OF SHRUBS SHALL NOT BE CLOSER THAN 2.4m FROM BUILDING FACE TO PROTECT BUILDING FOOTINGS AND INSULATION.
- PRUNING - TO SUIT SPECIES - PRUNE BRANCHES BY 1/3 TO REMOVE DAMAGED OR OBJECTIONABLE BRANCHES FOLLOWING PROPER HORTICULTURAL PRACTICE. DO NOT PRUNE LEADERS.
- FIRMLY COMPACT BACKFILLED PLANTING MIXTURE TO ELIMINATE AIR POCKETS OR PREVENT SETTLEMENT.
- PLANTING MATERIAL QUALITY STANDARDS:
  - ALL PLANT MATERIALS TO CONFORM TO THE CANADIAN NURSERY LANDSCAPE ASSOCIATION FOR VARIETY, SIZE AND CONDITION;
  - PLANT MATERIAL COLLECTED FROM WILD SOURCES WILL NOT BE ACCEPTED;
  - LANDSCAPE ARCHITECT RESERVES THE RIGHT TO REFUSE ACCEPTANCE OF ANY PLANT DISPLAYING POOR GROWTH HABITS, INJURY OR DISEASE;
  - ANY PLANTS THAT DO NOT CONFORM TO THE ABOVE STANDARDS WILL BE PROMPTLY REMOVED FROM THE SITE BY THE CONTRACTOR AND REPLACED WITH MATERIAL OF ACCEPTABLE QUALITY AT NO ADDITIONAL COST TO THE PROJECT.



**GENERAL NOTES**

- THIS DRAWING FORMS PART OF A SET AND MAY NOT BE SEPARATED. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER DRAWINGS, NOTES AND SPECIFICATIONS IN THE CONTRACT DOCUMENTS.
- THIS DRAWING SHALL NOT BE USED FOR CONSTRUCTION UNLESS STAMPED AND SIGNED BY THE LANDSCAPE ARCHITECT.
- ANY AMBIGUITY IN THIS DRAWING OR ACCOMPANYING DETAILS IS TO BE REPORTED TO THE LANDSCAPE ARCHITECT FOR DIRECTION. DO NOT PROCEED IN UNCERTAINTY.
- DRAWINGS NOT TO BE SCALED. USE FIGURE DIMENSIONS ONLY.

**LEGAL DESCRIPTION**

PART OF LOT 18, CONCESSION 12,  
GEOGRAPHIC TOWNSHIP OF GOULBOURN,  
CITY OF OTTAWA

TO BE READ IN CONJUNCTION WITH CONTRACT DOCUMENTS

No.	Revision/Issue	Date
00	ISSUED FOR SITE PLAN CONTROL APPLICATION	DEC/07/2015

Check and verify all dimensions before proceeding with the work. Do not scale drawings

**McINTOSH PERRY** **MP**  
115 Walgreen Road R.R. #3, Carp, ON K0A 1L0  
Tel: 613-836-2184 Fax: 613-836-3742

Stamp: Stamp:

Client:  
**BEL-CON DESIGN-BUILDERS LTD.**  
10 Dundas St. W.  
Belleville ON

Project:  
6801 HAZELDEAN ROAD  
**KANATA COLLISION**  
**PROPOSED NEW BUILDING**  
STITTSVILLE ONTARIO

Drawing Title:  
**LANDSCAPE DETAILS**

Scale: VARIES	Project Number: OCP-14-0428
Drawn by: ILL	
Checked By: ILL	
Designed By: ILL	Drawing Number: L200
Date: JUL/27/2015	SHEET 2 of 2