



STATION	0+080	0+100	0+120	0+140	0+160	0+180	0+200	0+220
TOP OF WATERMAIN	86.866	86.253	86.350	86.257	86.165	86.138	86.263	86.289
ROAD GRADE	88.574	88.750	88.657	88.565	88.538	88.663	88.789	88.815
STN SEWER INVERT	83.000	84.000	85.000	86.000	87.000	88.000	89.000	90.000
SAN SEWER INVERT	83.000	84.000	85.000	86.000	87.000	88.000	89.000	90.000

STATION	0+080	0+100	0+120	0+140	0+160	0+180	0+200	0+220
TOP OF WATERMAIN	86.866	86.253	86.350	86.257	86.165	86.138	86.263	86.289
ROAD GRADE	88.574	88.750	88.657	88.565	88.538	88.663	88.789	88.815
STN SEWER INVERT	83.000	84.000	85.000	86.000	87.000	88.000	89.000	90.000
SAN SEWER INVERT	83.000	84.000	85.000	86.000	87.000	88.000	89.000	90.000

STATION	0+800	0+817.528	0+820	0+840	0+860	0+880
TOP OF WATERMAIN	86.769	86.550	86.550	86.740	86.822	86.845
ROAD GRADE	89.01	89.02	89.04	89.06	89.94	88.83
STN SEWER INVERT	83.000	84.000	85.000	86.000	87.000	88.000
SAN SEWER INVERT	83.000	84.000	85.000	86.000	87.000	88.000

NOTES:

- THE LOCATION OF EXISTING UTILITIES AND EXISTING LOCATION SHOULD BE DETERMINED BY CONSULTING THE MUNICIPAL AUTHORITIES AND PRIVATE COMPANIES RESPONSIBLE FOR ADEQUATE PROTECTION DURING CONSTRUCTION.
- ALL SEWERS AND WATERMAIN TO BE AS PER CURRENT CITY OF OTTAWA STANDARDS AND SPECIFICATIONS. FOR ALL SEWERS TYPE "B" BEDDING TO BE PROVIDED.
- ALL REQUIRED INSULATION TO BE INSTALLED TO CITY STANDARDS AND SPECIFICATIONS.
- ALL CATCHBASIN LEADS TO BE 200mm DIAMETER PVC DR-35 @ 2.00% MIN. UNLESS OTHERWISE NOTED.
- ALL REAR YARD CATCHBASIN LEADS TO BE 200mm DIAMETER PVC DR-35 @ 1.00% UNLESS OTHERWISE NOTED.
- OWNER TO PROVIDE STRUCTURE INFORMATION REFER TO DRAWING 11850-C-101.
- ALL VULNERABLE BUILDING FOUNDATIONS REFER TO DRAWING 11850-C-101.
- PROPOSED CUT OFF WALLS AS PER CITY STANDARD 88.
- REFER TO DRAWING 11850-C-400 FOR SIZING OF INLET CONTROL DEVICES.

No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14
REVISIONS	ISSUED FOR SITE PLAN APPROVAL													
By														
Date	08/06/07													

IBI GROUP
 333 Preston Street
 7th Floor
 Ottawa, Ontario
 Canada K1S 5N4
 Tel: (613) 225-1311
 Fax: (613) 225-9888

CLARIDGE
 L.P. ENGINEERS
 1100 Avenue Road
 Ottawa, Ontario
 Canada K1S 5N4
 Tel: (613) 225-1311
 Fax: (613) 225-9888

PROFESSIONAL ENGINEER
 T. R. BRULE
 1100 Avenue Road
 Ottawa, Ontario
 Canada K1S 5N4
 Tel: (613) 225-1311
 Fax: (613) 225-9888

STREET A RUE VALIN

Scale: HORIZ 1:500
 VERT 1:50

Design: R.P.K.
 Drawn: D.D.
 Checked: T.R.B.

Date: MAY 09

Project No. 11850
 Drawing No. C-101