



Record of Site Condition
Under Part XV.1 of the Environmental Protection Act

Summary

Record of Site Condition Number	226363
Date Filed to Environmental Site Registry	2020/01/20
Certification Date	2018/07/27
Current Property Use	Commercial
Intended Property Use	Residential
Certificate of Property Use Number	2760-BDBL9B
Applicable Site Condition Standards	Full Depth Generic Site Conditions Standard, with Potable Ground Water, Medium and Fine Textured Soil, for Residential property use, with RA
Property Municipal Address	1830 TRIM ROAD, OTTAWA, ON, K4A 3P8

Notice to Readers Concerning Due Diligence

This record of site condition (RSC) has been filed in the Environmental Site Registry to which the public has access and which contains a notice advising users of the Environmental Site Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Environmental Site Registry.

Contents of this Record of Site Condition

This RSC consists of this document which is available to be printed directly from the Environmental Site Registry as well as all supporting documentation indicated in this RSC to have been submitted in electronic format to the Ministry of the Environment, Conservation and Parks.

Part 1: Property Ownership, Property Information and Owner's Certifications

Information about the owner who is submitting or authorizing the submission of the record of site condition

Owner name	FIRSTCANADA ULC
Owner type	Firm, corporation or partnership
Authorized person	TROY PHINNEY
Mailing address	SUITE 3500, 855 2ND STREET SW, CALGARY Alberta, Canada
Postal Code	T2P 4J8
Phone	(289) 208-6379
Fax	
Email address	troy.phinney@firstgroup.com

Record of site condition property location information

Municipal address(es)	1830 TRIM ROAD, OTTAWA, ON K4A 3P8
Municipality	Ottawa
Legal description	See attached Lawyer's letter
Assessment roll number(s)	0614500301017050000
Property identifier number(s)	14531-0715 (LT)

Record of site condition property geographical references

Coordinate system	UTM
Datum	NAD 83
Zone	18
Easting	464,093.00
Northing	5,035,743.00

Record of site condition property use information

The following types of property uses are defined by the Regulation: Agricultural or other use, Commercial use, Community use, Industrial use, Institutional use, Parkland use, and Residential use.

Current property use	Commercial
Intended property use	Residential
Certificate of property use has been issued under section 168.6 of the Environmental Protection Act	Yes
Certificate of property use number	2760-BDBL9B

**Please see the signed statements of property owner, or agent,
or receiver at the end of this record of site condition**

The rest of this page has been left intentionally blank

Part 2: List of reports, summary of site conditions and qualified person's statements and certifications

Qualified person's information

Name	TROY AUSTRINS
Type of licence under Professional Engineers Act	Licence
Licence number	90367947
Qualified person's employer name	ARCADIS CANADA INC.
Mailing address	UNIT 201, 1050 MORRISON DRIVE, OTTAWA Ontario, K2H 8K7 Canada
Phone	(613) 703-3035
Fax	(613) 721-0029
Email address	troy.austrins@arcadis.com

Municipal information

Local or single-tier municipality	Ottawa
-----------------------------------	--------

Ministry of the Environment, Conservation and Parks District Office

District office	Ottawa District Office
District office address	2430 Don Reid Drive, Ottawa ON K1H 1E1

Phase one environmental site assessment report

Document used as the phase one environmental site assessment report and updates in submitting the record of site condition for filing

The date the last work on all of the records review, interviews and site reconnaissance components of the phase one environmental site assessment was done (refer to clause 28(1) (a) of O. Reg. 153/04)	(yyyy/mm/dd) 2019-08-01
--	----------------------------

Type of report	Report title	Date of report (yyyy/mm/dd)	Author of report	Name of consulting company
Phase one environmental site assessment	Phase One ESA- 1830 Trim Road, Ottawa	2019-08-01	Troy Austrins	ARCADIS CANADA INC.

Reports and other documents related to the phase one environmental site assessment

Reports and other documents relied upon in certifying the information set out in section 10 of Schedule A or otherwise used in conducting the phase one environmental site assessment

Report title	Date of report (yyyy/mm/dd)	Author of report	Name of consulting company
Tank Excavation Monitoring- First Student Canada	2015-10-29	Darren Coleman	STRATA ENVIRONMENTAL

Phase two environmental site assessment report

Document used as the phase two environmental site assessment report and updates in submitting the record of site condition for filing

The date the last work on all of the planning of the site investigation and conducting the site investigation components of the phase two environmental site assessment was done (refer to clause 33.5(1)(a) of O. Reg. 153/04)	(yyyy/mm/dd) 2018-07-27
---	----------------------------

Type of report	Report title	Date of report (yyyy/mm/dd)	Author of report	Name of consulting company
Phase two environmental site assessment	Phase Two ESA- 1830 Trim Road, Ottawa	2019-08-31	troy austrins	ARCADIS CANADA INC.

Reports and other documents related to the phase two environmental site assessment

Reports and other documents relied upon in making any certifications in the record of site condition for the purposes of Part IV of Schedule A or otherwise used in conducting the phase two environmental site assessment

Report title	Date of report (yyyy/mm/dd)	Author of report	Name of consulting company
Tank Excavation Monitoring- First Student Canada	2015-10-29	Darren Coleman	STRATA ENVIRONMENTAL
Risk Assessment- 1830 Trim Road, Ottawa	2018-11-19	Lauren McDonald	ARCADIS CANADA INC.

Environmental condition

Section 41 applies?	No
Section 43.1 applies?	Yes

Site condition information

Certification date (yyyy/mm/dd)	2018/07/27
Total area of record of site condition property (in hectares)	4.10000
Number of any previously filed record of site condition that applies to any part of the record of site condition property	
Number of any previously filed transition notice that applies to any part of the record of site condition property	
Soil texture	Medium and fine
Assessment/restoration approach	Full depth generic
Site investigation includes the investigation, sampling and analysis of ground water?	Yes
Is there soil present that is sufficient to investigate, sample and analyze soil on, in or under the property in accordance with s. 6, Schedule E of O.Reg. 153/04?	Yes
Site investigation includes the investigation, sampling and analysis of soil on, in or under the property which is used in the record of site condition?	Yes
Name of the laboratory used to analyze any samples collected of soil, ground water or sediment	MAXXAM ANALYTICS INC.
Ground water condition (potable, non-potable)	Potable
Applicable site condition standard	TABLE 6

Risk assessment information

A risk assessment has been prepared and accepted by the Director in support of this record of site condition?	Yes
Risk assessment identification number	MGRA 1557-16
Risk assessment was a site specific risk assessment completed and approved in accordance with the Cleanup Guideline 1996?	No

Table 1 – Maximum contaminant concentrations compared to applicable site condition standards

Measured concentration for contaminants in soil

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
1	Boron (Hot Water Soluble)*		0.67	1.5	µg/g
2	Chromium VI		0.5	10	µg/g
3	Mercury	<	0.05	1.8	µg/g
4	Sodium Adsorption Ratio		4.5	5	
5	Acetone	<	1	28	µg/g
6	Bromomethane	<	0.05	0.05	µg/g
7	Carbon Tetrachloride	<	0.1	0.12	µg/g
8	Chlorobenzene	<	0.1	2.7	µg/g
9	Chloroform	<	0.1	0.18	µg/g
10	Dichlorobenzene, 1,2-	<	0.1	1.7	µg/g
11	Dichlorobenzene, 1,3-	<	0.1	6	µg/g
12	Dichlorobenzene, 1,4-	<	0.05	0.097	µg/g
13	Dichlorodifluoromethane	<	0.1	25	µg/g
14	Dichloroethane, 1,1-	<	0.1	0.6	µg/g
15	Dichloroethane, 1,2-	<	0.05	0.05	µg/g
16	Dichloroethylene, 1,1-	<	0.05	0.05	µg/g
17	Dichloroethylene, 1,2-cis-	<	0.1	2.5	µg/g
18	Dichloroethylene, 1,2-trans-	<	0.1	0.75	µg/g
19	Dichloropropane, 1,2-	<	0.085	0.085	µg/g
20	Dichloropropene, 1,3-	<	0.08	0.081	µg/g
21	Ethylene dibromide	<	0.05	0.05	µg/g
22	Hexane (n)		0.13	34	µg/g
23	Methyl Ethyl Ketone	<	0.1	44	µg/g
24	Methyl Isobutyl Ketone	<	1	4.3	µg/g
25	Methyl tert-Butyl Ether (MTBE)	<	0.1	1.4	µg/g
26	Methylene Chloride	<	0.1	0.96	µg/g
27	Styrene	<	0.1	2.2	µg/g
28	Tetrachloroethane, 1,1,1,2-	<	0.05	0.05	µg/g
29	Tetrachloroethane, 1,1,2,2-	<	0.05	0.05	µg/g
30	Tetrachloroethylene	<	0.1	2.3	µg/g
31	Trichloroethane, 1,1,1-	<	0.1	3.4	µg/g
32	Trichloroethane, 1,1,2-	<	0.05	0.05	µg/g
33	Trichloroethylene	<	0.1	0.52	µg/g
34	Trichlorofluoromethane	<	0.1	5.8	µg/g
35	Vinyl Chloride	<	0.02	0.022	µg/g

...Continued on next page

Table 1 – Maximum contaminant concentrations compared to applicable site condition standards

Measured concentration for contaminants in soil

Continued from previous page....

Contaminant name	Maximum concentration		Applicable site condition	Unit of measure
36 Petroleum Hydrocarbons F1****	<	30	65	µg/g
37 Petroleum Hydrocarbons F2	<	20	150	µg/g
38 Petroleum Hydrocarbons F3	<	100	1300	µg/g
39 Petroleum Hydrocarbons F4	<	100	5600	µg/g
40 Polychlorinated Biphenyls	<	0.03	0.35	µg/g
41 Acenaphthene	<	0.005	29	µg/g
42 Acenaphthylene	<	0.005	0.17	µg/g
43 Anthracene	<	0.005	0.74	µg/g
44 Benz[a]anthracene		0.053	0.63	µg/g
45 Benzo[a]pyrene		0.057	0.3	µg/g
46 Benzo[b]fluoranthene		0.085	0.78	µg/g
47 Benzo[ghi]perylene		0.035	7.8	µg/g
48 Benzo[k]fluoranthene		0.024	0.78	µg/g
49 Chrysene		0.057	7.8	µg/g
50 Dibenz[a h]anthracene		0.0086	0.1	µg/g
51 Fluoranthene		0.11	0.69	µg/g
52 Fluorene	<	0.005	69	µg/g
53 Indeno[1 2 3-cd]pyrene		0.035	0.48	µg/g
54 Methlynaphthalene, 2-(1-) ***	<	0.005	3.4	µg/g
55 Naphthalene	<	0.005	0.75	µg/g
56 Phenanthrene		0.022	7.8	µg/g
57 Pyrene		0.089	78	µg/g
58 Aldrin	<	0.004	0.05	µg/g
59 Chlordane	<	0.004	0.05	µg/g
60 DDD	<	0.004	3.3	µg/g
61 DDE	<	0.004	0.33	µg/g
62 DDT	<	0.004	1.4	µg/g
63 Dieldrin	<	0.004	0.05	µg/g
64 Endosulfan	<	0.004	0.04	µg/g
65 Endrin	<	0.004	0.04	µg/g
66 Heptachlor	<	0.004	0.15	µg/g
67 Heptachlor Epoxide	<	0.004	0.05	µg/g
68 Hexachlorobenzene	<	0.004	0.52	µg/g
69 Hexachlorobutadiene	<	0.01	0.014	µg/g
70 Hexachlorocyclohexane Gamma-	<	0.004	0.063	µg/g

...Continued on next page

Table 1 – Maximum contaminant concentrations compared to applicable site condition standards**Measured concentration for contaminants in soil***Continued from previous page....*

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
71	Hexachloroethane	<	0.01	0.071	µg/g
72	Methoxychlor	<	0.01	0.13	µg/g
73	Antimony	<	0.2	7.5	µg/g
74	Arsenic		4	18	µg/g
75	Selenium		0.8	2.4	µg/g
76	Beryllium		1.3	5	µg/g
77	Boron (total)		14	120	µg/g
78	Cadmium		0.3	1.2	µg/g
79	Cobalt		22	22	µg/g
80	Copper		60	180	µg/g
81	Lead		23	120	µg/g
82	Molybdenum		1.3	6.9	µg/g
83	Nickel		88	130	µg/g
84	Silver	<	0.2	25	µg/g
85	Thallium		0.51	1	µg/g
86	Uranium		2.6	23	µg/g
87	Vanadium		86	86	µg/g
88	Zinc		130	340	µg/g
89	Benzene	<	0.04	0.17	µg/g
90	Ethylbenzene	<	0.04	1.6	µg/g
91	Toluene		0.041	6	µg/g
92	Xylene Mixture		0.057	25	µg/g

Table 1 – Maximum contaminant concentrations compared to applicable site condition standards (Continued)**Ground water**

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
1	Chromium VI	<	0.5	25	µg/L
2	Cyanide (CN-)	<	2	52	µg/L
3	Mercury	<	0.1	0.1	µg/L
4	Acetone	<	0.5	2700	µg/L
5	Bromomethane	<	0.5	0.89	µg/L
6	Carbon Tetrachloride	<	0.2	0.2	µg/L
7	Chlorobenzene	<	0.2	30	µg/L
8	Chloroform	<	0.2	2	µg/L
9	Dichlorobenzene, 1,2-	<	0.5	3	µg/L
10	Dichlorobenzene, 1,3-	<	0.5	59	µg/L
11	Dichlorobenzene, 1,4-	<	0.5	0.5	µg/L
12	Dichlorodifluoromethane	<	1	590	µg/L
13	Dichloroethane, 1,1-	<	0.2	5	µg/L
14	Dichloroethane, 1,2-	<	0.5	0.5	µg/L
15	Dichloroethylene, 1,1-	<	0.2	0.5	µg/L
16	Dichloroethylene, 1,2-cis-	<	0.5	1.6	µg/L
17	Dichloroethylene, 1,2-trans-	<	0.5	1.6	µg/L
18	Dichloropropane, 1,2-	<	0.2	0.58	µg/L
19	Dichloropropene, 1,3-	<	0.4	0.5	µg/L
20	Ethylene dibromide	<	0.2	0.2	µg/L
21	Hexane (n)	<	1	5	µg/L
22	Methyl Ethyl Ketone	<	10	1800	µg/L
23	Methyl Isobutyl Ketone	<	5	640	µg/L
24	Methyl tert-Butyl Ether (MTBE)	<	0.5	15	µg/L
25	Methylene Chloride	<	2	26	µg/L
26	Styrene	<	0.5	5.4	µg/L
27	Tetrachloroethane, 1,1,1,2-	<	0.5	1.1	µg/L
28	Tetrachloroethane, 1,1,2,2-	<	0.5	0.5	µg/L
29	Tetrachloroethylene	<	0.2	0.5	µg/L
30	Trichloroethane, 1,1,1-	<	0.2	23	µg/L
31	Trichloroethane, 1,1,2-	<	0.5	0.5	µg/L
32	Trichloroethylene	<	0.2	0.5	µg/L
33	Trichlorofluoromethane	<	0.5	150	µg/L
34	Vinyl Chloride	<	0.2	0.5	µg/L
35	Bromodichloromethane	<	0.5	16	µg/L

...Continued on next page

Table 1 – Maximum contaminant concentrations compared to applicable site condition standards (Continued)

Ground water

Continued from previous page....

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
36	Bromoform	<	1	5	µg/L
37	Dibromochloromethane	<	0.5	25	µg/L
38	Petroleum Hydrocarbons F1****	<	25	420	µg/L
39	Petroleum Hydrocarbons F2	<	100	150	µg/L
40	Petroleum Hydrocarbons F3	<	200	500	µg/L
41	Petroleum Hydrocarbons F4	<	200	500	µg/L
42	Polychlorinated Biphenyls	<	0.05	0.2	µg/L
43	Acenaphthene	<	0.05	4.1	µg/L
44	Acenaphthylene	<	0.05	1	µg/L
45	Anthracene	<	0.05	1	µg/L
46	Benz[a]anthracene	<	0.05	1	µg/L
47	Benzo[a]pyrene	<	0.01	0.01	µg/L
48	Benzo[b]fluoranthene	<	0.05	0.1	µg/L
49	Benzo[ghi]perylene	<	0.05	0.2	µg/L
50	Benzo[k]fluoranthene	<	0.05	0.1	µg/L
51	Chrysene	<	0.05	0.1	µg/L
52	Dibenz[a h]anthracene	<	0.05	0.2	µg/L
53	Fluoranthene	<	0.05	0.41	µg/L
54	Fluorene	<	0.05	120	µg/L
55	Indeno[1 2 3-cd]pyrene	<	0.05	0.2	µg/L
56	Methlynaphthalene, 2-(1-) ***	<	0.05	3.2	µg/L
57	Naphthalene		0.063	7	µg/L
58	Phenanthrene		0.031	1	µg/L
59	Pyrene	<	0.05	4.1	µg/L
60	Aldrin	<	0.005	0.35	µg/L
61	Chlordane	<	0.005	0.06	µg/L
62	DDD	<	0.005	1.8	µg/L
63	DDE	<	0.005	10	µg/L
64	DDT	<	0.005	0.05	µg/L
65	Dieldrin	<	0.005	0.35	µg/L
66	Endosulfan	<	0.005	0.56	µg/L
67	Endrin	<	0.005	0.36	µg/L
68	Heptachlor	<	0.005	0.038	µg/L
69	Heptachlor Epoxide	<	0.005	0.038	µg/L
70	Hexachlorobenzene	<	0.005	1	µg/L

...Continued on next page

Table 1 – Maximum contaminant concentrations compared to applicable site condition standards (Continued)

Ground water

Continued from previous page....

Contaminant name	Maximum concentration		Applicable site condition	Unit of measure
71 Hexachlorobutadiene	<	0.009	0.012	µg/L
72 Hexachlorocyclohexane Gamma-	<	0.003	0.95	µg/L
73 Hexachloroethane	<	0.05	0.17	µg/L
74 Methoxychlor	<	0.01	0.3	µg/L
75 Sodium		410,000	490000	µg/L
76 Antimony	<	0.5	6	µg/L
77 Arsenic		1	25	µg/L
78 Selenium	<	2	10	µg/L
79 Barium		140	1000	µg/L
80 Beryllium	<	0.5	4	µg/L
81 Boron (total)		66	5000	µg/L
82 Cadmium	<	0.1	2.1	µg/L
83 Chromium Total	<	5	50	µg/L
84 Cobalt		1.8	3.8	µg/L
85 Copper		2.3	69	µg/L
86 Lead		0.77	10	µg/L
87 Molybdenum		13	70	µg/L
88 Nickel		5.4	100	µg/L
89 Silver	<	0.1	1.2	µg/L
90 Thallium		0.58	2	µg/L
91 Vanadium		3.2	6.2	µg/L
92 Zinc	<	5	890	µg/L
93 Benzene	<	0.2	0.5	µg/L
94 Ethylbenzene	<	0.2	2.4	µg/L
95 Toluene		0.77	24	µg/L
96 Xylene Mixture	<	0.4	72	µg/L

See the attached "Table 2. Maximum contaminant concentrations compared to standards specified in a risk assessment" for standards specified in a risk assessment and comparison to maximum concentrations measured on, in or under the record of site condition property.

The rest of this page has been left intentionally blank

Remedial action and mitigation

Remediated soils

Estimated quantities of the soil, if any, originating at and remaining on the record of site condition property that have been remediated, at a location either on or off the property, to reduce the concentration of contaminants in the soil. Indicate the remediation process or processes used and the estimated amount of soil remediated by each identified process.

Soil remediation process	Estimated quantity of soil (in ground-volume in cubic metres)
none	

Description of remediation

Description of any action taken to reduce the concentration of contaminants (including soil removals) on, in or under the record of site condition property.
45 m3 small above-ground gravel stockpile was removed from site (containing F3 PHCs) in July 2017. Strata Environmental supervised removal of 190 m3 soil from site during tank removal program occurring in July/Aug. 2015. Approx. 190 m3 of imported clean granular fill was brought to the site as backfill at that time.

Soil or sediment removed and not returned

Estimated quantities of soil or sediment, if any, removed from and not returned to the record of site condition property.

Estimated quantity of soil (in ground-volume in cubic metres)	235.0
Estimated quantity of sediment (in ground-volume in cubic metres)	0.0

Soil brought to the property

Estimated quantity of the soil, if any, being brought from another property to and deposited at the record of site condition property, not including any soil that may have originated at but been remediated off the record of site condition property and that is identified in section 28 of Schedule A.

Estimated quantity of soil brought to the property (in ground-volume in cubic metres)	190.0
---	-------

Ground water control or treatment measures

Ground water control or treatment measures that were required for the record of site condition property prior to the certification date for the purpose of submitting the record of site condition for filing.

none

Ground water control or treatment measures that are required for the record of site condition property after the certification date.

Soil and Groundwater Management Plan is required after certification date and after sale of property following acceptance of RSC

Estimated volume of ground water, if any, removed from and not returned to the record of site condition property.

Estimated volume of ground water (in litres)	0.0
--	-----

Other activities including risk management measures

Constructed works that prior to the certification date for the purpose of submitting the record of site condition for filing, were required to control or otherwise mitigate the release or movement of known existing contaminants at the record of site condition property.

none

Constructed works that after the certification date, are required to control or otherwise mitigate the release or movement of known existing contaminants at the record of site condition property.

none

Monitoring or Maintenance**Soil Management Measures**

Soil monitoring requirements or any requirements for care, maintenance or replacement or any monitoring or control works for known existing contaminants, if any, on the record of site condition property, after the certification date.

Soil and Groundwater Management Plan is required after sale of property following acceptance of RSC

Ground water management measures

Ground water monitoring requirements or requirements for care, maintenance or replacement of any monitoring or control works or known existing contaminants, if any, on the record of site condition property, after the certification date.

Soil and Groundwater Management Plan is required after sale of property following acceptance of RSC

Remediated or removed soil, sediment or ground water from near property boundary

Has any soil, sediment or ground water at the record of site condition property that is or was located within 3 metres of the record of site condition property boundary been remediated or removed for the purpose of remediation?

No

C Qualified person's statements and certifications

As the qualified person, I certify that:

☒ A phase one environmental site assessment of the record of site condition property, which includes the evaluation of the information gathered from a records review, site reconnaissance, interviews, a report and any updates required, has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.

☒ A phase two environmental site assessment of the record of site condition property, which includes the evaluation of the information gathered from planning and conducting a site investigation, a report, and any updates required, has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.

☒ The information represents the site conditions at the sampling points at the time of sampling only and the conditions between and beyond the sampling points may vary.

As of 2018/07/27, in my opinion, based on the phase one environmental site assessment and the phase two environmental site assessment, and any confirmatory sampling, there is no evidence of any ☒ contaminants in the soil, ground water or sediment on, in or under the record of site condition property that would interfere with the type of property use to which the record of site condition property will be put, as specified in the record of site condition.

☒ Ground water sampling has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.

As of 2018/07/27, in my opinion, based on the phase one and phase two environmental site assessments and any confirmatory sampling, the record of site condition property meets the applicable full depth ☒ generic site condition standards prescribed by section 36 of the regulation for all contaminants prescribed by the regulation in relation to the type of property use for which this record of site condition is filed, except for those contaminants (if any) specified in this record of site condition at Table 2, Maximum contaminant concentrations compared to standards specified in a risk assessment.

As of 2018/07/27, the maximum known concentration of each contaminant in soil, sediment ☒ and ground water at the record of site condition property for which sampling and analysis has been performed is specified in this record of site condition at Table 1, maximum contaminant concentrations compared to applicable full depth generic site condition standards.

In relation to any contaminant excepted from the certification mentioned above as specified in the record of site condition at Table 2, maximum contaminant concentrations compared to standards specified in a risk assessment, or in relation to any other contaminant that in my opinion is likely to cause an adverse effect:

☒ A risk assessment was prepared for the contaminant with respect to the property for which the phase two environmental site assessment was conducted.

☒ The Director has accepted the risk assessment under clause 168.5 (1) (a) of the Act.

☒ As of 2018/07/27, the property for which the phase two environmental site assessment was conducted meets the standards specified in the risk assessment for the contaminant.

☒ I am a qualified person and have the qualifications required by section 5 of the regulation.

☒ I have in place an insurance policy that satisfies the requirements of section 7 of the regulation.

I acknowledge that the record of site condition will be submitted for filing in the Environmental Site Registry, that records of site condition that are filed in the Registry are available for examination by the public and that the ☒ Registry contains a notice advising users of the Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Registry.

The opinions expressed in this record of site condition are engineering or scientific opinions made in accordance ☒ with generally accepted principles and practices as recognized by members of the environmental engineering or science profession or discipline practising at the same time and in the same or similar location.

I do not hold and have not held and my employer ARCADIS CANADA INC. ☒ does not hold and has not held a direct or indirect interest in the record of site condition property or any property which includes the record of site condition property and was the subject of a phase one or environmental site assessment or risk assessment upon which this record of site condition is based.

environmental site assessment or risk assessment upon which this record of site condition is based.

☒ To the best of my knowledge, the certifications and statements in this part of the record of site condition are true as of 2018/07/27.

☒ By signing this record of site condition, I make no express or implied warranties or guarantees.

By checking the boxes above, and entering my membership/licence number in this submission, I, TROY AUSTRINS, a qualified person as defined in section 5 of O. Reg. 153/04 am, on 2019/12/04:

- a) signing this record of site condition submission as a qualified person; and
- b) making all certifications required as a qualified person for this record of site condition.

☒ **I agree**

Additional documentation provided by property owner or agent

The following documents have been submitted to the Ministry of the Environment, Conservation and Parks as part of the record of site condition

Certificate of status or equivalent for the owner
Lawyer's letter consisting of a legal description of the property
Copy of any deed(s), transfer(s) or other document(s) by which the record of site condition property was acquired
A Current plan of survey
Property specific standards
Area(s) of potential environmental concern
Table of current and past uses of the phase one property
Phase 2 conceptual site model
Owner or agent certification statements

As an owner:

I acknowledge that the record of site condition will be submitted for filing in the Environmental Site Registry, that records of site condition that are filed in the Registry are available for examination by the public and that the Registry contains a notice advising users of the Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Registry.


I have conducted reasonable inquiries to obtain all information relevant to this record of site condition, including information from the other current owners of the record of site condition property named in this part of the record of site condition and I have obtained all information relevant to this record of site condition of which I am aware.

I have disclosed all information referred to in paragraph 2 to any qualified person named in this record of site condition.

To my knowledge, the statements made in this part of the record of site condition are true as of November 28, 2019.

I have ensured that access to the entire property, including the phase one property, any phase two property and the record of site condition property, has been afforded to the qualified person and to persons supervised by the qualified person, for purposes of conducting the site reconnaissance.

Name of owner: _____ First Canada ULC _____

Signature:  _____ Date signed: Nov 28/19

Name of person signing: _____ Troy Phinney, SVP E. Canada _____

I, Troy Phinney am authorized to and hereby do bind First Canada ULC.