

May 27, 2024

File: PE5584-LET.04

Caivan (Jock River) Limited Partnership c/o Barrhaven Conservancy Development Corporation 2934 Baseline Road, Suite 302 Ottawa, Ontario K1T 3R7

Attention: Mr. Daniel Rokin

Subject: Phase I - Environmental Site Assessment Update

Part of 3285 and 3305 Borrisokane Drive

Ottawa, Ontario

Dear Sir,

**Consulting Engineers** 

9 Auriga Drive Ottawa, Ontario K2E 7T9 Tel: (613) 226-7381

Geotechnical Engineering
Environmental Engineering
Hydrogeology
Materials Testing
Building Science
Rural Development Design
Retaining Wall Design
Noise and Vibration Studies

patersongroup.ca

Further to your request, Paterson Group (Paterson) conducted a Phase I - Environmental Site Assessment (Phase I-ESA) Update for the aforementioned property. This report updates a previous Phase I-ESA report completed by Golder, dated October 2018, and a previous Phase I-ESA Update completed by Paterson Group, dated September 2022, and is intended to meet the requirements of a Phase I ESA, as per the MECP Standard O.Reg. 153/04, as amended, under the Environmental Protection Act. This report is to be read in conjunction with the previous reports.


# **Site Information**

The Phase I Property is located on the east side of Borrisokane Road, approximately 75 m north of the Jock River, in the City of Ottawa, Ontario. The northern portion of the Phase I Property consists of Part of 3285 Borrisokane Road. The southern portion of the Phase I Property consists of Part of 3305 Borrisokane Road.

The Phase I Property is zoned as a Residential Third Density Zone (R3YY) and Open Space and Leisure Zone (O1). The Phase I Property is 15.25 hectares in size. The Phase I Property is not currently serviced however, full municipal services will be available at the time of development.

The Phase I Property is shown on Drawing PE5584-4 – Site Plan.





## **Records Review**

#### Phase I ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I Study Area for this assessment. Properties outside the 250 m radius are not considered to have the potential to impact the Phase I Property, based on their separation distance.

#### **First Developed Use Determination**

For the purposes of this report, and based on aerial photographs and the documentation reviewed, the Phase I Property has never been developed. The Phase I Property was used for agricultural purposes until sometime between 2019 and 2021 and currently exists as vacant, undeveloped land.

#### **Previous Engineering Reports**

The following reports were reviewed prior to conducting this assessment:


'Phase I Environmental Site Assessment, 4305, 4375, 4345 McKenna Casey Drive, 3285, 3300, 3305 Borrisokane Road – Ottawa, Ontario, prepared by Golder dated October 2018.

According to historical research conducted as part of the 2018 Phase I ESA, a portion of the Phase I Property addressed 3288 Borrisokane Road was developed with the former farmhouse and barn prior to 1946. The remainder of the Phase I Property has existed solely as agricultural fields and vacant land. No environmental concerns were identified with respect to the historical use of the Phase I Property.

One historical potentially contaminating activity (PCA) in the form of a historical railway was identified immediately north of the Phase I Property. Based on its separation distance, as well as there being no record of spills in the vicinity of the Phase I Property, the former railway was not considered to have the potential to impact the Phase I Property.

Following the historical research, an inspection of the Phase I Property and surrounding lands was conducted. No environmental concerns were identified on the Phase I Property at the time of the site visit.

No areas of potential environmental concern (APECs) were identified at the time of the Phase I -ESA and as a result, a Phase II -ESA was not recommended.



Geotechnical Investigation, Proposed Residential Development, Conservancy Lands – Ottawa, Ontario, prepared by Paterson Group dated July 15, 2021.

The geotechnical investigation involved the advancement of 57 boreholes to a maximum depth of 9.1m below the existing ground surface. Additionally, 39 monitoring wells were installed by others for the purpose of monitoring groundwater levels across the property.

The subsurface profile encountered across the Phase I Property generally consisted of a surficial layer of topsoil underlain by a silty clay deposit. Glacial till was encountered in the south-eastern corner of the Phase I Property at depths ranging from 3.7 to 6.3m below the existing ground surface. Fill material was not encountered during the subsurface investigation.

'Phase I Environmental Site Assessment Update, 4305, 4345 and 4375 McKenna Casey Drive and 3285, 3288, 3300 and 3305 Borrisokane Road – Ottawa, Ontario, prepared by Paterson Group dated September 16, 2022.

According to historical research and site reconnaissance conducted as part of the 2022 Phase I ESA Update, no new potential environmental concerns were identified regarding the Phase I Property since the 2018 Phase I ESA. Based on the results of this Phase I ESA Update, a Phase II Site Assessment was not recommended.

#### **Environment Canada**

A search of the National Pollutant Release Inventory (NPRI) was conducted electronically on May 22, 2024. The Phase I Property was not listed in the NPRI database. No records of pollutant release were listed in the database for properties located within the Phase I Study Area.

#### **Areas of Natural Significance**


A search of natural significance and features within the Phase I Study Area was conducted on the website of the Ontario Ministry of Natural Resources (MNR) on May 22, 2024. The search did not reveal any areas of natural significance within the Phase I Study Area.

#### **Water Bodies**

The nearest body of water with respect to the Phase I Property is the Jock River which runs east to west approximately 75 m south of the Phase I Property.

#### **PCB Inventory**

A search of provincial PCB waste storage sites was conducted. No PCB waste storage sites are located within the Phase I Study Area.



#### Ministry of the Environment, Conservation and Parks (MECP) Instruments

A request was submitted to the MECP Freedom of Information (FOI) office for information with respect to certificates of approval, permits to take water, certificates of property use or any other similar MECP issued instruments for the Phase I Property. At the time of issuance of this report, a response from the MECP had not been received. A copy of the response will be forwarded to the client, should it contain any pertinent information.

A response from the MECP FOI office was received for the request submitted in September 2022 for the previous Phase I ESA Update. No records were found through the search of ministry files. A copy of the response dated October 11, 2022, has been appended to this report.

An ERIS report was obtained for the Phase I Property. As discussed further below, the report includes information obtained from various databases searched for the Phase I Property and Phase I Study Area. The ERIS report identified two records pertaining to permits to take water and environmental compliance approvals. These records are further discussed in the ERIS report section. No other MECP instrument records were identified.

#### **MECP Submissions**

A request was submitted to the MECP FOI office for information with respect to reports related to environmental conditions for the Phase I Property. At the time of issuance of this report, a response from the MECP had not been received. A copy of the response will be forwarded to the client, should it contain any pertinent information.


A response from the MECP FOI office was received for the request submitted in September 2022 for the previous Phase I ESA Update. No records were found through the search of ministry files. A copy of the response dated October 11, 2022, has been appended to this report.

The ERIS report did not identify any reports related to environmental conditions for the Phase I Property or for properties within the Phase I Study Area.

#### **MECP Incident Reports**

A request was submitted to the MECP FOI office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants or inspections maintained by the MECP for the site or adjacent properties. At the time of issuance of this report, a response from the MECP had not been received. A copy of the response will be forwarded to the client, should it contain any pertinent information.

A response from the MECP FOI office was received for the request submitted in September 2022 for the previous Phase I ESA Update.



No records were found through the search of ministry files. A copy of the response dated October 11, 2022, has been appended to this report.

The ERIS report includes information obtained various databases, for the Phase I Property and property within the Phase I Study Area. The report did not identify any records for the Phase I Property. One spill record was identified for a property within the Phase I Study Area; the record pertained to a natural gas leak and is not considered to represent a concern to the subject land, as further discussed in ERIS report section.

#### **MECP Waste Management Records**

A request was submitted to the MECP FOI office for information with respect to waste management records. At the time of issuance of this report, a response from the MECP had not been received. A copy of the response will be forwarded to the client, should it contain any pertinent information.

A response from the MECP FOI office was received for the request submitted in September 2022 for the previous Phase I ESA Update. No records were found through the search of ministry files. A copy of the response dated October 11, 2022, has been appended to this report.

No waste management records for the Phase I Property or properties within the Phase I Study Area were identified by the ERIS report, as discussed further below.

#### **MECP Coal Gasification Plant Inventory**


The Ontario Ministry of Environment document titled "Municipal Coal Gasification Plant Site Inventory, 1991" was reviewed to reference the locations of former plants with respect to the site. No Municipal Coal Gasification Plant Sites are located within the Phase I Study Area.

#### **MECP Brownfields Environmental Site Registry**

A search of the MECP Brownfields Environmental Site Registry was conducted as part of this assessment for the site, neighbouring properties, and the general area of the site. No Records of Site Condition (RSCs) were filed for the Phase I Property or properties within the Phase I Study Area.

## **MECP Waste Disposal Site Inventory**

The Ontario Ministry of Environment document titled "Waste Disposal Site Inventory in Ontario, 1991" was reviewed as part of the historical research. This document includes all recorded active and closed waste disposal sites, industrial manufactured gas plants and coal tar distillation plants in the Province of Ontario. There are no former waste disposal sites located within 250 m of the Phase I Study Area.



#### **Technical Standards and Safety Authority (TSSA)**

The TSSA, Fuels Safety Branch in Toronto, was contacted electronically on May 22, 2024, to inquire about current and former underground storage tanks, spills and incidents for the site and neighbouring properties. A response from the TSSA indicated that no records were listed in the TSSA registry for the selected properties. A copy of the TSSA response has been appended to this report.

The ERIS report includes records from a search of TSSA and related databases. No records were identified for the Phase I Property or Phase I Study Area.

#### **City of Ottawa Landfill Document**

The document entitled "Old Landfill Management Strategy, Phase I – Identification of Sites, City of Ottawa", was reviewed. There are no closed landfill sites within the vicinity of the Phase I study area.

#### **City of Ottawa Historical Land Use Inventory (HLUI)**

A requisition form was sent to the City of Ottawa to request information from the City's Historical Land Use Inventory database for the Phase I Property. A response had not been received at the time of issuing this report. A copy of the search results will be forwarded to the client upon receipt. A copy of the HLUI request form has been appended to this report.

## **Environmental Risk Information Service (ERIS) Report**

An Environmental Risk Information Services (ERIS) report for the Phase I Property and surrounding lands was acquired and reviewed as part of this assessment. It should be noted that the ERIS report includes information that would normally be obtained through the MECP FOI, MECP well records search as well as several other records (i/e/, incident report, waste generators, etc.). A summary of records identified is presented below.

#### On-Site Records

A total of two records were identified for the Phase I Property in the ERIS report:

The ERIS report identified one permit to take water record for the Phase I Property
This record is not considered to pose an environmental risk to the Phase I Property.
The ERIS report identified an ERIS search for the Phase I Property.

#### Off-Site Records

A total of 11 records from various databases were identified for the properties within the 250m radium of the Phase I Property:

Records of 5 historical ERIS searches were identified.  One Pipeline Incident record was identified for the property addressed 200 Liebe
Terrace, approximately 245m northeast of the Phase I Property and includes reported damage of a gas pipeline.
An Ontario Spill Report was also identified for the same property. The record is associated with the pipeline damage incident and lists a natural gas leak from the damaged gas main. Based on the separation distance and nature of the spill, these records are not considered to represent an environmental concern to the Phase I Property.
The ERIS report identified one environmental compliance approval record for a property within the Phase I Study Area. The record is limited to sewer works and is not considered to represent a potentially contaminating activity.
The ERIS report identified one well record and two borehole records within the Phase I Study Area, which are further discussed in the water well records section of this

#### **Aerial Photographs**

report.

The latest aerial photograph reviewed for the 2022 Phase I ESA Update was from 2021. No significant changes are with the Phase I Property since the time of previous photograph. A review of the 2022 aerial photograph shows the Phase I Property remains in the initial stages of residential development with evidence of earthworks and potential lot grading. Several access roads can be seen traversing the Phase I Property. No PCAs were identified through a review of the 2022 aerial photograph.


A copy of the 2022 aerial photograph has been appended to this report.

#### **Topographic Maps**

Topographic maps were obtained from Natural Resources Canada – The Atlas of Canada website and from the City of Ottawa website. Regionally, the topographic maps indicate the Phase I Property is approximately 90 m above sea level and regional topography in the general area of the Phase I Property slopes gently downward to the south, towards the Jock River. An illustration of the referenced topographic map is presented on Figure 2 – Topographic Map, appended to this report.

## **Physiographic Maps**

Physiographic Map was reviewed from the Natural Resources Canada – The Atlas of Canada website. According to this physiographic map, the site is located in the St. Lawrence Lowlands. According to the mapping description provided: "The lowlands are plain-like areas that were all affected by the Pleistocene glaciations and are therefore covered by surficial deposits and other features associated with the ice sheets."



The Phase I Property is located in the Central St. Lawrence Lowland, which is generally less than 150 m above sea level.

#### **Geological Maps**

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on this information, bedrock in the area of the site is reported to consist of interbedded dolostone and sandstone of the Oxford Formation. Overburden reportedly consists of offshore marine sediments with a drift thickness on the order of 10 to 15 m. A small pocket on south portion of the Phase I Property consists overburden of offshore marine sediments with a drift thickness on the order of 15 to 25 m. Based on the completed geotechnical assessment, the subsurface of the Phase I Property consists of clay.


#### **Water Well Records**

A search of the MECP 's web site for all drilled well records within 250 m of the Phase I Property was conducted on May 27, 2024. No well records were identified on the Phase I Property. The search identified total of four well records for the surrounding properties within the Phase I Study Area. Two records pertain to domestic wells that were drilled in 1975 and 2001. One well record for monitoring wells and one well abandonment record from 2015 and 2019 were also identified.

Based on the reviewed well records and borehole records, the general stratigraphy in the area of the Phase I Property consists of silty clay and/or silty sand with gravel underlain by limestone bedrock. The depth of bedrock in the area reportedly ranges from 12.2 to 23.5m. Based on the age of the well records and the availability of municipal services in the area, the potable wells are no longer considered to be in use. A copy of the well records has been appended to this report.

### **Interviews**

Mr. Daniel Rokin, a representative of the current property owner, was interviewed as part of this Phase I ESA Update. Mr. Rokin informed Paterson that the Phase I Property has historically been used for agricultural purposes. Paterson was also informed that there is/has never been any fuel or oil stored on the Phase I Property and that the property is in the initial stages of residential development, with no significant changes since the 2022 Phase I-ESA Update. Mr. Rokin was unaware of any environmental concerns on the Phase I Property or in the immediate vicinity.



# **Site Reconnaissance**

A site reconnaissance visit was conducted on May 23, 2024, by a representative of the Environmental Division at Paterson Group Inc. In addition to the site, the uses of neighbouring properties within the Phase I Study Area were also assessed at the time of the site visit.

#### **Buildings and Structures**

There are currently no buildings or structures on the Phase I Property.

#### **Site Features**


The Phase I Property is primarily occupied by vacant lightly vegetated land with gravel service roads that run east-west across the central portion and along north and south edge of the property. Three surcharge stockpiles were observed on the northern portion of the Phase I Property. These piles consist of engineered fill and/or reworked native material and are used to assess the loading capabilities of the native soils prior to development.

Two small stockpiles of concrete and asphalt were observed near southeast corner of the Phase I Property. Additionally, several small stockpiles of boulders and clay fill were observed on the eastern portion of the Phase I Property. Small amounts of rebar were observed in the concrete within the stockpiles. Although the stockpiled rebar, concrete and asphalt are not considered to have the potential to impact the Phase I Property, it is recommended they are removed and properly disposed of prior to development.

The southwestern portion of the Phase I Property is currently being used as construction staging area for residential development taking place on the adjacent lands to the east of the Phase I Property. Two shipping containers and two site trailers were observed along with stored construction material such as concrete pipes, watermain pipes, manholes, etc.

Site drainage occurs primarily through infiltration in the lightly vegetated areas and sheet flow to drainage ditches throughout the Phase I Property. The Phase I Property is relatively flat and at grade with Borrisokane Road and the regional topography slopes gently downward to the south, towards the Jock River. Groundwater within the Phase I Study Area is expected to flow towards the south.

No evidence of current or former railway or spur lines was observed on the subject land at the time of the site visit. There were no unidentified substances observed on the exterior of the Phase I Property. No concerns regarding Polychlorinated Biphenyls (PCBs) were noted during the site reconnaissance.



As previously discussed, the Phase I Property and surrounding lands are located in an area serviced by the municipality and as such, it is unlikely potable wells remain in use. No potable wells observed on the Phase I Property or on properties within the Phase I Study Area at the time of the site visit.

The Phase I Property is shown on Drawing PE5584-4 – Site Plan.

#### Other Potential Environmental Concerns

No signs of stressed vegetation or unidentified substances were observed on the Phase I Property at the time of this assessment.

#### Importation of Fill Material of Known Quality

Stockpiles of imported crushed stone were observed on the southeastern portion of the Phase I Property. The material was observed to be clean and consisted of engineered fill of Granular A and Granular BII stones. Based on the type of well-graded material observed, it is presumed that these stockpiles of crushed stones were imported from the aggregate quarry and will be used during residential development within Phase I Property. Based on type of material, these stockpiles of crushed stone do not pose an environmental concern to the Phase I Property.


#### **Neighbouring Properties**

An inspection of the neighbouring properties was conducted from publicly accessible roadways at the time of the site inspection. Land use adjacent to the Phase I Property was as follows:

North – Vacant land followed by vacant land and residential dwellings;
South – Vacant land followed by Jock River;
East – Residential development area followed by residential dwellings;
West – Borrisokane Road followed by agricultural fields and vacant lands.

Land use within the Phase I Study Area primarily consists of residential developments and agricultural fields.

No PCAs were identified with respect to the current use of the surrounding lands. The surrounding land use within the Phase I Study Area is presented on Drawing PE5584-5—Surrounding Land Use Plan., appended to this report.



# **Review and Evaluation of Information**

### **Land Use History**

The following table outlines the ownership and land use dating back to the first developed use of the Phase I Property.

Table 1 - L	Table 1 - Land Use History – 3285 and 3305 Borrisokane Road, Ottawa					
Year	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photos, FIPs, etc.		
1946s- 2016	Unknown	Agricultural	Agricultural	The Phase I property is occupied by agricultural fields or vacant land.		
2016- present	Caivan	Residential	Residential	Access road used in conjunction with residential development are visible across the central part of the Phase I Property in the 2022 aerial photo.		

#### Potentially Contaminating Activities and Areas of Potential Environmental Concern

No new potentially contaminating activities (PCAs) were identified at the Phase I Property or within the Phase I Study Area. Therefore, no areas of potential environmental concern (APECs) were identified on the Phase I Property.

# **Conceptual Site Model**

# Geological and Hydrogeological Setting


The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on this information, bedrock in the area of the site is reported to consist of interbedded dolostone and sandstone of the Oxford Formation. Overburden soils consist of clay and silt with a drift thickness ranging from 10 to 15m. A small pocket on south portion of the Phase I Property consists overburden of offshore marine sediments with a drift thickness on the order of 15 to 25 m. Based on the completed geotechnical assessment, the subsurface of the Phase I Property consists of clay.

#### **Existing Buildings and Structures**

There are currently no buildings or structures located on the Phase I Property.

#### **Water Bodies and Areas of Natural Significance**

The Jock River runs approximately 75 m south of the Phase I Property.



No areas of natural significance were identified on the Phase I Property or within the Phase I Study Area.

#### **Water Well Records**

A search of the MECP 's web site for all drilled well records within 250 m of the Phase I Property was conducted on May 27, 2024. No well records were identified for the Phase I Property. The search identified total of four well records for the surrounding properties within the Phase I Study Area. Two records pertain to domestic wells that were drilled in 1975 and 2001. One well record for monitoring wells and one well abandonment record from 2015 and 2019 were also identified.

Based on the reviewed well records and borehole records, the general stratigraphy in the area of the Phase I Property consists of silty clay and/or silty sand with gravel underlain by limestone bedrock. The depth of bedrock in the area reportedly ranges from 12.2 to 23.5m. Based on the age of the well records and the availability of municipal services in the area, the portable wells are no longer considered to be in use. A copy of the well records has been appended to this report.

#### **Neighbouring Land Use**


Neighbouring land use in the Phase I Study Area is primarily residential dwellings to the north, Borrisokane Road followed by agricultural fields and vacant lands to the west, residential development to the east, and vacant lands and the Jock River to the south. No PCAs were identified with respect to the current use of the neighbouring lands.

# Potentially Contaminating Activities and Areas of Potential Environmental Concerns

As previously discussed, no new PCAs or APECs were identified on the Phase I Property or within the study area.

#### Assessment of Uncertainty and/or Absence of Information

The information available for review as part of the preparation of this Phase I- ESA is sufficient to conclude that there are no APECs on the Phase I Property. A variety of independent sources were consulted as part of this assessment, and as such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.



# **Conclusions**

The results of the records review, research, and site inspection indicated that there are no new potential environmental concerns regarding the Phase I Property since the 2022 Phase I ESA Update. Based on the results of this Phase I ESA Update, in our opinion, a Phase II Environmental Site Assessment is not required for the property.

## **Statement of Limitations**

This Phase I - Environmental Site Assessment Update report has been prepared in general accordance with O.Reg. 153/04, as amended. The conclusions presented herein are based on information gathered from a historical review and field inspection program. The findings of the Phase I ESA Update are based on a review of readily available geological, historical, and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as local, provincial, and federal agencies and was limited within the scope-of-work, time, and budget of the project herein.

Should any conditions be encountered at the Phase I Property and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment. This report was prepared for the sole use of Caivan (Jock River) Limited Partnership c/o Barrhaven Conservancy Development Corporation. Permission and notification from Caivan (Jock River) Limited Partnership c/o Barrhaven Conservancy Development Corporation and this firm will be required to release this report to any other party.



We trust that this submission satisfies your current requirements. Should you have any questions, please contact the undersigned.

### Paterson Group Inc.

Sepanchil Kuldan Danahal M. Eng

Kuldeep Panchal, M. Eng

Kaup Munch:

May 27, 2024
K. MUNCH
100108543

Karyn Munch, P.Eng., Q.P.ESA


#### **Report Distribution**

- □ Caivan (Jock River) Limited Partnership c/o Barrhaven Conservancy Development Corporation
   □ Paterson Group (1 copy)
- **Attachments:**
- ☐ Figure 1 Key Plan
- ☐ Figure 2 Topographic Map
- ☐ Aerial Photograph (2022)
- ☐ Drawing PE5584-4 Site Plan
- ☐ Drawing PE5584-5 Surrounding Land Use Plan
- □ FOI Request
- ☐ FOI Response (2022)
- TSSA Correspondence
- □ HLUI Request
- □ MECP Well Record
- □ ERIS Report




# FIGURE 1 KEY PLAN






# FIGURE 2 TOPOGRAPHIC MAP






# AERIAL PHOTOGRAPH 2022









# Ministry of the Environment, Conservation and Parks Freedom of Information Request for Property Information

#### Instructions

ı	lse	th	ie	fo	rm	to	٠
v.	125		1.5	10		10	

- submit and pay for a new FOI request for access to records/information about a property
- · pay for a deposit or a final fee on an existing FOI request

Fields marked with an asterisk (\*) are mandatory.

Are you: *
✓ Submitting a new FOI Request for Property Information
Paying a deposit or final fee for an existing FOI Request for Property Information

## Section 1 – Description of Records Requested

<b>Time</b>	<b>Period</b>	for	Records	Rec	uested
-------------	---------------	-----	---------	-----	--------

From (yyyy/mm/dd) *	To (yyyy/mm/dd) *
2022/09/09	2024/05/22

#### Type of Record(s) \*

- ✓ All environmental records relating to the identified property/site exclusive of Environmental Approvals and Registrations
- ✓ Environmental Approvals and Registrations (e.g. Environmental Compliance Approvals; Certificate of Approval; Renewable Energy Approvals; Environmental Activity and Sector Registry Registrations)

Select only if you are seeking access to an Approval or Registration that is not publicly available or if you are also seeking supporting documents relating to the Approval or Registration.

Operator and vendor Pesticide Licenses from September 4, 2018, final Approvals and Registrations are publicly available on the Access Environment website at:

https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/GoSearch.action?search=basic&lang=en.

Records of Site Condition (RSC) records are publicly available on the Brownfields Environmental Site Registry (BSER).

- RSC records between 2004 to June 30, 2011 are available at: https://www.lrcsde.lrc.gov.on.ca/besrWebPublic/generalSearch
- RSC records filed after July 2011 are available at: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/earchFiledRsc\_search?request\_locale=en

Other Specific Document(s)		
Type of Approval/Registration *		
✓ Drinking Water Licenses		
✓ No Supporting Documents	☐ All Supporting Documents	☐ Some Supporting Documents
✓ Pesticide Licenses		

	Only pesticide licenses post September 2018 are available. Prior to September 2018, only Pesticide license applications and supporting documentation is available
	✓ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
<b>✓</b>	Permits to Take Water
	✓ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
	Water Source *
	✓ Groundwater ✓ Surface Water
✓	Noise Vibrations Approvals/Registrations
	✓ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
✓	Air Emissions Approvals/Registrations
	✓ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
✓	Water Approvals/Registrations - Ontario Water Resources Commission, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster), mains
	✓ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
<b>√</b>	Sewage – Treatment, Stormwater, Storm, Leachate & Lieachate Treatment & Sewage pump stations, Sanitary
	✓ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
<b>√</b>	Waste Water - Industrial discharge
	✓ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
✓	Waste Sites - Disposal, Landfill sites, Transfer stations, Processing sites, Incinerator sites
	✓ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
✓	Waste Management Systems - haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, Polychlorinated Biphenyls (PCBs) storage, transfer or destruction, Waste Generator Systems)
	✓ No Supporting Documents ☐ All Supporting Documents ☐ Some Supporting Documents
	Company Name
<b>√</b>	Waste Generator Registration - number/class
	t any record(s) that should be excluded from the scope of your request (e.g. email correspondences; records originating m your organization/business; records already in your possession, prior year(s) annual reports for approvals)
mii	ease provide any additional relevant information relating to your request. For example, does your request relate to any other nistry business? Please note that this information is being requested only in order to provide contextual information to the cess and Privacy Office and will not in any way affect or expedite the status of any related ministry business identified.

2146E (2022/10) Page 2 of 5

Section 2 – R	equester Infor	mation		
Last Name *		First Nar	ne *	Middle Initia
Panchal		Kuldeep	)	
Business/Organi	zation Name (if ap	olicable or indicate "N/A") *		
Paterson Group	)			
Project/Reference	e Number (if applic	cable)		
PE5584				
Are you submittin  ☐ Yes  ✓ N		pehalf of a client? *		
Mailing Address	6			
Unit Number	Street Number *	Street Name *		
	9	Auriga Drive		
РО Вох	City/Town *		Prov	vince * Postal Code *
	Ottawa		ON	K2E 7T9
Telephone Numb	per *	Email Address *		
613-701-6276	ext.	kpanchal@patersongroup	.ca	
Yes ✓ N Section 3 – C		y Address Information		
Please only so be adjacent to Do the multiput Yes  Please s	ake First Name information about the submit a request when the control of the con	ut multiple addresses? *  ith multiple addresses if the proper owned by the same owner(s).		Unsurveyed Land ed one site, addresses must
Site Nan				
Conserv	vancy			
Property Address Address 1	ss			
Unit Number	Street Numbe	street Name		
	3285	Borrisokane Road		
Full Lot Number		Concession	Geographic To	wnship
			Nepean	
City/Town/Village	e <b>*</b>			
Ottawa				

2146E (2022/10) Page 3 of 5

Closest Intersect	tion		
Strandherd Dri	ve and Borrisok	ane Road	
Address 2			
Unit Number	Street Numb	per Street Name	
	3305	Borrisokane Road	
Full Lot Number		Concession	Geographic Township
			Nepean
City/Town/Village	e *		
Ottawa			
Closest Intersect	tion		
Strandherd Dri	ve and Borrisok	ane Road	
Section 4 – P	revious Prop	erty Address Information	
Do you want the	ministry to searc	h all prior historical addresses for th	nis property/site for the time period of the records
requested? *	-	·	
☐ Yes ✓	No		
Section 5 - C	) Wner Informa	ation	
Diagon provide a			A manage for the appearance managed at
	ty Owner/Tenant		t names for the search years requested.
Address 1	.y Owner/Tenam		
3285 Borrisoka Nepean Ottawa	ne Road		
Owner Na	ame		Date of Ownership (yyyy/mm/dd)
Caivan			
Tenant Na	ame		
Address 2			
3305 Borrisoka Nepean Ottawa	ne Road		
Owner Na	ame		Date of Ownership (yyyy/mm/dd)
Caivan			
Tenant Na	ame		

# Section 6 – Supporting Documents

Please upload any documents (e.g. Maps) that are relevant to your FOI request.

The total size of all attachments must not be more than 8 MB.

2146E (2022/10) Page 4 of 5

1. File Name

key plan.png

Total File Size

0.16 MB

2146E (2022/10) Page 5 of 5

Payment confirmation number: 29358336

# Ministry of the Environment, Conservation and Parks

Access and Privacy Office

12<sup>th</sup> Floor 40 St. Clair Avenue West Toronto ON M4V 1M2 Tel: (416) 314-4075

# Ministère de l'Environnement, de la Protection de la nature et des Parcs

Bureau de l'accès à l'information et de la protection de la vie privée

12<sup>e</sup> étage

40, avenue St. Clair ouest Toronto ON M4V 1M2 Tél.: (416) 314-4075



October 11, 2022

Samuel Berube
Paterson Group Inc.
9 Auriga Drive
Ottawa, Ontario K2E 7T9
sberube@patersongroup.ca

Dear Samuel Berube:

## RE: MECP FOI A-2022-06692, Your Reference PE5584 - Decision Letter

This letter is in response to your request made pursuant to the Freedom of Information and Protection of Privacy Act (the Act) relating to 4375, 4345 McKenna Casey Drive & 3305 Borrisokane Road Napean Ottawa

Borrisokane Road splits the site in two, however the entire parcel is considered to be one site.

The property is all owned by Caivan.

After a thorough search through the files of the ministry's Ottawa District Office, Environmental Assessment and Permissions Division (EAPD), Environmental Monitoring and Reporting Branch (EMRB), and Safe Drinking Water Branch (SDW) no records were located responsive to your request. **This file is now closed.** 

You may request a review of my decision within 30 days from the date of this letter by contacting the Information and Privacy Commissioner/Ontario at http://www.ipc.on.ca. Please note there may be a fee associated with submitting the appeal.

If you have any questions, please contact Tolani Abraham at Tolani. Abraham 2@ontario.ca.

Yours truly,

**ORIGINAL SIGNED BY** 

Ryan Gunn Manager (A), Access and Privacy Office

#### RE: PE5584 - Records Search Request

#### Public Information Services <publicinformationservices@tssa.org>

Wed 5/22/2024 4:33 PM

To:Kuldeep Panchal < KPanchal@patersongroup.ca>

Hello,

#### **NO RECORDS FOUND IN CURRENT DATABASE:**

• We confirm that there are NO <u>fuels records</u> in our database at the subject address(es). <u>This is not a confirmation that there are no records in the archives</u>. For a further search in our archives, please go to the <u>TSSA Client Portal</u> to complete an Application for Release of Public Information.

Please refer to How to Submit a Public Information Request (tssa.org) for instructions.

The associated fee must be paid via credit card (Visa or MasterCard).

Once all steps have been successfully completed you will receive your payment receipt via email.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released. The requestor assumes all risk in using or relying on the information provided.

If you have any questions or concerns, please do not hesitate to contact our Public Information Release team at <u>publicinformationservices@tssa.org</u>.

Kind regards, Sherees





Facilities and Business Services 345 Carlingview Drive Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: publicinformationservices@tssa.org

www.tssa.org



From: Kuldeep Panchal < KPanchal@patersongroup.ca>

Sent: Wednesday, May 22, 2024 2:19 PM

To: Public Information Services <publicinformationservices@tssa.org>

Subject: PE5584 - Records Search Request

**[CAUTION]:** This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello.

Could you please complete a search of your records for **underground/aboveground storage tanks**, **historical spills**, **or other incidents/infractions** for the following addresses in Ottawa, Ontario:

Borrisokane Road: 3231, 3285, 3288, 3300, 3305, 3387, 3390

Greenbank Road: 3430

McKenna Casey Drive: 4235

Strandherd Drive: 4085

Best Regards,



#### **KULDEEP PANCHAL**

Junior Environmental Scientist

**Environmental Division** 

TEL: (613) 226-7381 ext.103 DIRECT: (613) 701-6276

9 AURIGA DRIVE OTTAWA ON K2E 7T9

patersongroup.ca

TEMPORARY SHORING DESIGN SERVICES ARE NOW AVAILABLE, PLEASE CONTACT US TO SEE HOW WE CAN HELP!

NEW OFFICE OPEN IN THE GREATER TORONTO AREA WITH OUR EXPANSIVE LIST OF SERVICES NOW AVAILABLE!

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

	Office Use O	Inly	
Application Number:	Ward Number:	Application Received: (dd/mm/yyyy):	
Client Service Centre Staff:		Fee Received: \$	



# **Historic Land Use Inventory**

**Application Form** 

#### **Notice of Public Record**

All information and materials required in support of your application shall be made available to the public, as indicated by Section 1.0.1 of *The Planning Act*, R.S.O. 1990, C.P.13.

#### **Municipal Freedom of Information and Protection Act**

Personal information on this form is collected under the authority the *Planning Act*, RSO 1990, c. P. 13 and will be used to process this application. Questions about this collection may be directed by mail to Manager, Business Support Services, Planning, Real Estate and Economic Development Department, 110 Laurier Avenue West, Ottawa, K1P 1J1, or by phone at (613) 580-2424, ext. 24075

		Background I	nformation							
*Site Address or Location:	3285 and 3305 Borrisokane Road									
	* Mandatory Field									
*Applicant/Agent Information:										
Company name:	Paterson Group									
Contact name:	Kuldeep Panchal									
Mailing Address:	9 Auriga Drive, Ottawa, ON									
Telephone:	613-226-7381	Email Address:	kpanchal@patersongroup.ca							
*Registered Propo	erty Owner Information:	Same as abo	ve							
Name:	Caivan									
Mailing Address:	2934 Baseline Road, Suite 302, Otto	awa, ON, K2P 1B2								
Telephone:		Email Address:	daniel.rokin@caivan.com							

Page 1 of 3 January 1, 2024

Site Details	
Site Details	
Legal Description and PIN:  Part of Lots 13 and 14, Concession 3 (Rideau Front)	
What is the land currently used for?	
OR Lot area: (irregular lot) 153,468 m <sup>2</sup> Does the site have Full Municipal Services: Yes • No	1 <sup>2</sup>
Required Fees	
Please don't hesitate to visit the Historic Land Use Inventory website more information. Fees must be paid in full at the time of application submission.	
Planning Fee	\$181.00

#### **Submittal Requirements**

The following are required to be submitted with this application:

- 1. Consent to Disclose Information: Consultants and other third parties may make requests for information on behalf of an individual or corporation. However, if the requester is not the owner of the property, the requester must provide the City of Ottawa with a 'consent to disclose information' letter, signed by the property owner. This will authorize the City of Ottawa to release any relevant information about the property or its owner(s) to the requester. Consent for disclosure is required in the event that personal information or proprietary company information is found concerning the property and its owner. All consents must clearly indicate the name of the property owner as well as the name of the requester, and must be signed and dated.
- 2. Disclaimer: Requesters must read and understand the conditions included in the attached disclaimer and submit a signed disclaimer to the City of Ottawa's Planning, Real Estate and Economic Development Department. This disclaimer is related to the Historic Land Use Inventory and must be received by the City of Ottawa, signed and dated by the requestor, before the process can begin.
- 3. A site plan or key plan of the property, its location and particular features.
- 4. Any significant dates or time frames that you would like researched.

# Disclaimer For use with HLUI Database

CITY OF OTTAWA ("the City") is the owner of the Historical Land Use Inventory ("HLUI"), a database of information on the type and location of land uses within the geographic area of Ottawa, which had or have the potential to cause contamination in soil, groundwater or surface water.

he City, in providing information from the HLUI, to	Paterson Group	("the Requester") does so only under the following
conditions and understanding:	· · · · · · · · · · · · · · · · · · ·	

- The HLUI may contain erroneous information given that such records and sources of information may be flawed. Changes in
  municipal addresses over time may have introduced error in such records and sources of information. The City is not responsible
  for any errors or omissions in the HLUI and reserves the right to change and update the HLUI without further notice. The City
  does not, however, make any commitment to update the HLUI. Accordingly, all information from the HLUI is provided on an "as
  is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in
  responding to the request.
- 2. City staff will perform a search of the HLUI based on the information given by the Requester. City staff will make every effort to be accurate, however, the City does not provide an assurance, guarantee, warranty, representation (express or implied), as to the availability, accuracy, completeness or currency of information which will be provided to the Requester. The HLUI in no way confirms the presence or absence of contamination or pollution of any kind. The information provided by the City to the Requester is provided on the assumption that it will not be relied upon by any person whatsoever. The City denies all liability to any such persons attempting to rely on any information provided from the HLUI database.
- 3. The City, its employees, servants, agents, boards, officials or contractors take no responsibility for any actions, claims, losses, liability, judgments, demands, expenses, costs, damages or harm suffered by any person whatsoever including negligence in compiling or disseminating information in the HLUI.
- 4. Copyright is reserved to the City.
- 5. Any use of the information provided from the HLUI which a third party makes, or any reliance on or decisions to be based on it, are the responsibilities of such third parties. The City, its employees, servants, agents, boards, officials or contractors accept no responsibility for any damages, if any, suffered by a third party as a result of decisions made as a result of an information search of the HLUI.
- 6. Any use of this service by the Requestor indicates an acknowledgement, acceptance and limits of this disclaimer.
- 7. All information collected under this request and all records provided in response to this request are subject to the provisions of the Municipal Freedom of Information and Protection of Privacy Act, R.S.O. 1990, c. M.56, as amended.

Signed: Referred
Dated (dd/mm/yyyy): 22/05/2024
Per: Kuldeep Panchal
(Please print name)
Title: Jr. Environmental Scientist
Company: Paterson Group

MINISTRY OF THE ENVIRONMENT

The Ontario Water Resources Act
WATER WELL RECORD 31950

Ontario	1. PRINT ONLY IN SPA	CES PROVIDED		115	14917	7.	NUNICIP.	<b>9</b> i	XF.	, , , ,	DH
COUNTY OR DISTRICT		T BOX WHERE APPLICABLE TOWNSHIP, BOROUGH, CIT		E 3		CON., BI	OCK, TRACT, SUI	14 1	15		0/5
		Noncon			<del></del>	4	R.F.	DATE	E COMPLE		48-53
		R .	# 7 Otta		tario	RC.	BASIN CODE	DAY		_ мо. <u>О</u> 8	3 YR. 75
1514917	18 43933	6 5C118		•	306	4.3 ISEE INS	26 (RUCTIONS)	JUL	08,	1977	301
GENERAL COLOUR	MOST	OTHER MA	ATERIALS			GENERAL	DESCRIPTION			DEPTH FROM	· FEET
brown 8	sand	gravel & bo	oulders		p	acked				0	15
	nardpan	boulders			p	acked				15	77
	Limestone				-					_77	123
										**	
					1.00						
											-
100/5		14,11,270 1015	741E		. 1 1 . 1		. 1	.   .	<u>_</u>		<u> </u>
31 00/5	<u>6 28 11 13  6:07:7</u>								لليا		
2 10 WATE	ER RECORD	51 CASING 8	OPEN HOL			SIZE(S)	OF OPENING	31-33	DIAMETE	R 34-38	LENGTH 39-40
WATER FOUND AT - FEET	KIND OF WATER	DIAM MATERIAL	WALL THICKNESS INCHES	DEPTH -	10	MATER	AL AND TYPE			INCHES DEPTH TO TOP OF SCREEN	41-44 B
O120	FRESH 3 SULPHUR SALTY 4 MINERAL	10-11 1 STEEL 2 GALVANIZE	12 <b>188</b>	0	2079316	S					FEET
2 🗆		3 ☐ CONCRETE 4 M OPEN HÖLE  17-18 1 ☐ STEEL	19	79	123 20-23		T AT - FEET		SEALI		IENT GROUT.
2 🗆	FRESH 3 SULPHUR 24 SALTY 4 MINERAL	2 GALVANIZE 3 CONCRETE	1		0123	FROM 10-1	TO 14-17			CEAO	TACKER, ETC.)
2 🗆	FRESH 3 SULPHUR 29 SALTY 4 MINERAL	24-25 1 ☐ STEEL 2 ☐ GALVANIZE	26		27-30	18 -	21 22-25				
30-33 1 🗆 2 🗀	FRESH 3 SULPHUR 34 ed SALTY 4 MINERAL	3 CONCRETE 4 OPEN HOLE				26.2	9 30-33	80			
71 PURPING TEST METH		N-14 DURATION OF		7-18		L (	CATION	OF	WELL	39	//
1 PUMP	WATER LEVEL 25 END OF WATER LE	VELC DURING	HOURS OO M	IINS	IN DIA	AGRAM BELO	W SHOW DISTA	NCES OF BY ARROW	WELL F	ROM ROAD	AND
LESET 19-21	PUMPING 22-24, 15 MINUTES 26-28	30 MINUTES 45 MINU	32-34 60 MINUTE	5-37		4					
	0 65 FEET 0 65 FEET		FEET 0 65 F	42 Co		4					
IF FLOWING. GIVE RATE  RECOMMENDED PUNI	GPM. P TYPE RECOMMENDED	FÉET 1 CLE				Con.	17				
SHALLOW	DEEP PUMP SETTING O	75 FEET PUMP O	05	GPM		Lo		· 1 -	_	\	بللبل
	S4 1 ■ WATER SUPPLY	5 ABANDONED, IN	SUFFICIENT SUPP			)TRAN	DHERD	VRI	υ <i>Έ</i>		
FINAL STATUS	2 OBSERVATION WELL 3 TEST HOLE				-	Lot C:	15	ليمير	A	1	25.
OF WELL 55	4 TRECHARGE WELL -S6 1 DOMESTIC	5 COMMERCIAL		_{	#	0.1	مسترد				<del>\$</del> → \
WATER	2 STOCK 3 IRRIGATION	6 ☐ MUNICIPAL 7 ☐ PUBLIC SUPPLY 8 ☐ COOLING OR AIR CO	ONDITIONING		3						
USE O	INDUSTRIAL OTHER		NOT USED								
METHOD	CABLE TOOL 2 ROTARY (CONVENT		ND				*				
OF G	3 PROTARY (REVERSE) 4 POTARY (AIR) 5 STAIR PERCUSSION	■ ☐ JETTIN 9 ☐ DRIVIN			11						
NAME OF WELL C			LICENCE NUMBER	$\dashv \vdash$	DATA		ONTRACTOR	59-62 DATE	RECEIVED	109	7) E 63-68
1 1	tal Water Suppl	ly Ltd.	1558	ONLY	DATE OF INSP		INSPEC	TOR JUL	<u> </u>	TAB	20
Sox 4	490 Stittsville		LICENCE NUMBER	USE (		ne 10/	76	The state of the s	Ü	Chi	utney
15 / i	emilton	SUBMISSION DATI		OFFICE USE	V						P
Valte	ontractor	$\nu$ -		<b>75</b> 8			<b></b>	(3)	.53		W I

Print only in spaces provided.

Mark correct box with a checkmark, where applicable.

2 - MINISTRY OF THE ENVIRONMENT COPY

1532290

Municipal 150	Ď8	Con.	. 1	1	_1_		0	3
10	14	15				22	23	24

0506 (07/00) Front Form 9

		1 2				1# 10		
County or District		Township/Borough/City/Town/Nepean		Con block	tract survey	etc.	Lot <sup>25-27</sup>	
		Address 3390 Greenbank R	Rđ., Ne	pean On. K2	J	Date completed	09 day	08 01 month year
21	Ÿ I I	Northing	RC I I	Elevation RC	Basin Code		l , ,	iv
2		DF OVERBURDEN AND BEDROCK	MATERIA	LS (see instruction	ons)			4
General colour	Most common material	Other materials			description		De From	pth - feet To
Brown	sandy soil	stones					0	12
Grey	sandy clay	boulders				***	12	40
Grey	limestone						40	165
Grey	limestone			badly bro	ken		16	5 175
31			ш	حبا لبلت		ـــالــــ	44	البلبا
	14 15	32 43	, LL LL	54 Sizes of 0	opening 3	11-33 Diameter	34-38 L	ength 39-4
Water found	ER RECORD 51 Inside diam	Motorial thickness	Depth - feet				nches	fee
at - feet 165-175	inche	inches inches   1/4   1/4   1/8   1/4   1/8   1/4   1/8   1/		Se-16 Solot No.	and type		Depth at	top of screen
15 10	Gas  Gas  Gas  Gas  Gas  Gas	2 ☐ Galvanized 3 ☐ Concrete 4 ☐ Open hole					<u>-</u>	feet
2	□ Salty 6 □ Gas 17-	1 1 31661		00.00	PLUGGING K Annular space	& SEALING	RECO  Aband	
	☐ Fresh 4 ☐ Minerals ☐ Salty 6 ☐ Gas 6	2 Galvanized 3 Concrete 4 Open hole	13 17.	Depth set a	t - feet Mate	erial and type (Ce	ment grou	t, bentonite, etc.
	☐ Fresh 3 ☐ Sulphur 29 ☐ 4 ☐ Minerals ☐ Salty 6 ☐ Gas ☐ 24-	5 Plastic  25 1 Steel  26		27-30 43 18-21	0 Gr	couted-b	enton	ite(6)
	☐ Fresh <sup>3</sup> ☐ Sulphur <sup>34</sup> <sup>60</sup>	2 Galvanized 3 Concrete 4 Open hole		26-29	30-33 80			
2	☐ Salty 6 ☐ Gas	5 Plastic						
Pumping test in Table 1 Pumping test in Table 2	□ Bailer 12 G	Duration of pumping 15-16 17-18 Hours Mins	4		CATION OF		and and	l lot line
I. Static level I	Water level end of pumping 25 Water levels during	1 ☐ Pumping 2 ☐ Recovery	/ In d	iagram below show cate north by arrow	v distances v.	or wen nom i	oau anu	not line.
5 32 4"	22-24 15 minutes 26-28 30 minutes 173 173	100   85				.1		
32 4 4 feet  If flowing give	feet teet	feet feet feet Water at end of test	!	House	#339U	'		
Recommended	GPM Pump type Recommended	feet	1			1		
□ Shallow	Pecommended pump setting 100	pump rate 5 GPM	1		ł	} }		
FINAL STATU	US OF WELL 54		1	16		I		
1 <b>X</b> Water su 2 ☐ Observat 3 ☐ Test hole	ition well 6  Abandoned, poor qui		·	27/	<b>-</b> 1	•		$\wedge$
4 ☐ Recharg				42'		ـ ا		
WATER USE  1 Domestic	c 5 Commercial	9 ☐ Not use	1					
2 ☐ Stock 3 ☐ Irrigation 4 ☐ Industria		10	الر	Greenba	ank R	8		ভি
	CONSTRUCTION 57			<b>.</b>				<b>A</b>
1 ☐ Cable to		9 ☐ Driving 10 ☐ Digging	/					17
3 ☐ Rotary (a	reverse) 7 Diamond	11 Other					23	0197
Name of Well Con	ntractor	Well Contractor's Licence No.	_  Data	58   Contractor		59-62 Date reco	eived	63-68
Capital	Water Supply Ltd.	Well Contractor's Licence No.	source	15	58	SEP	17	2001
Address B ox 490	O, Stittsvålle On. K	114	Date of insp	pection	inspector			
Name of Well Tec	hnician	Well Technician's Licence No.	Remarks					
S. Mille Signature of Techn	nician Contractor	Submission date					CSS	S.ES1
Tello	prava!	day 9 mo 8 yr 01	<u> </u>					

7247771 Well Tag No. (Place Sticker and/or Print Below) Well Record Ministry of Ontario No tog ON Well Regulation 903 Ontario Water Resources Act the Environment Page Measurements recorded in: Imperial CITY OF OTTAWA Address of Well Location (Street Number/Name) Address of Well Location (Street Number/Name)

4235 McKenna Casey Drive

County/District/Municipality

City of OTTAWA

UTM Coordinates Zone Easting Northing

NAD 8 3 1 9 4 3 9 3 5 2 5 9 1 9 8 7 City/Town/Village
Borrhover 15 Postal Code Province K2J43B Ontario Municipal Plan and Sublot Number Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form) Depth (m/ft) Most Common Material Other Materials General Description Well aboudopment Results of Well Yield Testing Annular Space Depth Set at (m/ft) Type of Sealant Used After test of well vield, water was: Draw Down Recovery Volume Placed Time Water Level ☐ Clear and sand free Time Water Level From To (Material and Type)  $(m^3/ft^3)$ (min) (m/ft) Grout/ce ment (m/ft) (min) Other, specify If pumping discontinued, give reason: Level 1 1 Pump intake set at (m/ft) 2 2 3 3 Pumping rate (I/min / GPM) Method of Construction Well Use 4 4 ☐ Commercial Cable Tool □ Diamond Public ☐ Not used Duration of pumping Domestic ☐ Dewatering ☐ Jetting Rotary (Conventional) Municipal Municipal 5 5 hrs + min ☐ Monitoring Rotary (Reverse) ☐ Driving Livestock ☐ Test Hole Final water level end of pumping (m/ft) ☐ Irrigation Cooling & Air Conditioning Boring Digging 10 10 ☐ Industrial Air percussion Other, specify Other, specify 15 15 If flowing give rate (I/min / GPM) Status of Well Construction Record - Casing 20 20 Depth (m/ft) ☐ Water Supply Inside Open Hole OR Material Wall Recommended pump depth (m/ft) Diamete Thickness (Galvanized, Fibreglass, Concrete, Plastic, Steel) Replacement Well 25 25 (cm/in) (cm/in) Test Hole Recommended pump rate (I/min / GPM) 30 30 Recharge Well Steel Dewatering Well 40 40 Observation and/or Well production (I/min / GPM) Monitoring Hole 50 Alteration Disinfected? (Construction) 60 Yes No Abandoned Insufficient Supply Map of Well Location Construction Record - Screen Abandoned, Poor Water Quality Please provide a map below following instructions on the back Outside Depth (m/ft) Material Diameter Slot No Abandoned, other, (Plastic, Galvanized, Steel) (cm/in) specify Construction Other, specify Water Details Hole Diameter Water found at Depth Kind of Water: Fresh Untested 20 (m/ft) Gas Other, specify Diameter (cm/in) Depth (m/ft) From (m/ft) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (m/ft) ☐ Gas ☐ Other, specify ☐ Water found at Depth Kind of Water: ☐ Fresh ☐ Untested (m/ft) Gas Other, specify McKenna Well Contractor and Well Technician Information Business Name of Well Contractor Harathan Drilling Co Ltd.
Business Address (Street Number/Name)
5847 Hiram Dr
Province Postal Code Business E-ma 6894 Comments: Province
Postal Code
Business E-mail Address

K 4 P / A 2 Information of Well Technician (Last Name, First Name)

Bus. Telephone No. (inc. area code)
Name of Well Technician (Last Name, First Name)

Well Technician's Licence No. Signature of Technician and/or Contractor Date Submitted Well owner's information Ministry Use Only Date Package Delivered Audit No. 2 180811 package delivered Date Work Completed Yes AUG 2 4 2015 ☐ No 0150720 20150817 © Queen's Printer for Ontario, 206 Ministry's Copy



Ministry of the Environment and Climate Change

Well Tag No. (Place Sticker and/or Print Below)

# Well Record

Vieasurement	cal IU s recorde		late Change	; mperial	A2	5/220		Regulation			of
Address of We	ell Location	n (Street Num	ber/Name)	one of the second se	To	سر wnship	/ /	Lot	Conce	ssion	ภาพกระกระกรรณ์การกำรวจเรื่
MO25 County/Distric	STRA	nd Here		18	Ci	DAMA CAN ty/Town/Village	eleton		Province	Postal	Code
Dtta.	NA (	ARLET	<del>'~~~~~</del>	····		OTTAWA			Ontario	T OSIAI	
UTM Coordina NAD   8	ates Zone	Easting		rthing	M	unicipal Plan and Sublot	Number		Other		
	******			nment Sea	And the first Antices of Annal Her State States desire	d (see instructions on the				Dent	h ( <i>m/ft</i> )
General Colo	C 10_	Most Comm	non Material	50120		ar Materials  2 incl Dis		eral Description	r	From	10 10
13.	ento	niTo	HYD	Place	7674	ocher DIA	MAIOS	<u>4]-901 PL</u> G		-4FL	18/811
+2= 6-	PS 1	18-440	0187E	501	1975	N Zinch K	SignX147	F Depl	H	7,7	
	Bent	tonite	hole	P/a	19		1/213/19		ganas e e	-5F4	14/4
#3=	Gps	18-4	40100	DE 50	01193	9N 2inc	1 Bram X	15 Ff	Depth.		
	onto.	rito 1	706 1	145		······································	14 1349	<u> </u>		-5/1	15/7
<del>w</del>		<u> </u>			······································	······································		······································			*
	<del></del>				<u> </u>	······································		<del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
B			Annular	enorug <del>, t</del> on gennete were great it gree		l val s	Processors Contravende Contractor Contractor States and Contractor	Results of We	hitacididen in Madaman Marking a Nic	200000-00000000000000000000000000000000	
Depth Set a	τ ( <i>m/π)</i> Το	<del></del> . ·	Type of Sea (Material ar			Volume Placed (m³/ft³)	After test of well yield,		1 4	Level Time	
		<i>E'</i>	<del></del>	<u>.</u>			Other, specify  If pumping discontinue	ed, give reason:	Static	/ft) (min)	(m/ft)
			<del>' ' '</del>					_	Level 1	1	
				······································	······································		Pump intake set at (m	v∕ft)	2	2	
Methe	d of cor	struction			Well Use		Pumping rate (I/min / 0	Э <i>РМ</i> )	3	3	
Cable Tool	1	☐ Diamond			Commen	cial <b>∡⊣</b> Mot used	Duration of pumping	······································	4	4	
☐ Rotary (Con☐ Rotary (Rev	,	Jetting Driving	i —	mestic estock			hrs + i	min	5	5	
☐ Boring ☐ Air percussi	on	Digging	==	gation ustrial	Cooling 8	& Air Conditioning	Final water level end o	of pumping <i>(m/ft)</i>	10	10	
Other, speci		gran nanggapan a garawaya		ner, <i>specify</i>			If flowing give rate (l/m	nin / GPM)	15	15	
	Open Hole	Struction R OR Material	Wall	and the management of the fortune contra-	n ( <i>m/ft</i> )	Status of Well  Water Supply	Recommended pump	depth (m/ft)	20	20	
		d, Fibreglass, Plastic, Steel)	Thickness (cm/in)	From	То	Replacement Well Test Hole	Recommended pump	rate	25	25	
						Recharge Well Dewatering Well	(I/min / GPM)	rate	30	30	
		······				Observation and/or Monitoring Hole	Well production (I/min.	/ GPM)	40	40	<del></del>
					<u> </u>	Alteration (Construction)	Disinfected?		50 60	50 60	
	Cor	struction R	ecord - Sni	Pen		Abandoned, Insufficient Supply	Yes No	Map of W	ell Location		
Outside	Ma	terial	Slot No	<u> </u>	າ ( <i>m/ft</i> )	☐ Abandoned, Poor Water Quality	Please provide a ma				* 1 N
(cm/in)	Plastic, Gal	vanized, Steel)	0.01.101	From	То	☐ Abandoned, other,  specify	The state of the s	STRAND	he Rd		:
					,	Other, specify	1			······································	<u> </u>
		Water De	ails			ole Diameter	ai z	<u></u>	<u> </u>	Hudon F	1/40
Water found a		Kind of Water	: Fresh	Untested	and the first and a second control of the se	h ( <i>m/ft</i> ) Diameter To ( <i>cm/in</i> )	96 F	+	<b>47</b>	Hydro Fo	
(m/ft) Water found a	<u></u> 1	Other, spe Kind of Water		Untested					111	14	271
(m/ft Water found a		Other, spe			1						X
		Other, spe	<del></del>				#3		*		#/
Buşiness Nan		ell Contract	or and Wel	Technicia	a siya an	i <b>on</b> Il Contractor's Licence No.			#2		
RAYME	and o	Pump 7		S		7260					
Business Add Box 18,			ame) INALO	ST-A/b) S+	eet Mu	nicipality	Comments:				
Province	Po	ostal Code	Busines	s E-mail Add			Well owner's Date	Package Delivere	ed 7	Ministry Use	e Only
Bus Telephone		area code) N	ame of Well	Technician (	_09 /10 Last Name,		information v v	YYYMM	Audit	<sup>No.</sup> Z30	7124
Well Technician	/ 3 / n's Licence	No. Signature		an and/or Co		te Submitted	delivered Date	Work Completed	4978/603000	/.UG 2 1	2019
02	61	1		h	2	0190624	ZV6 ZE	21906	AB Rece		- 0-4
0506E (2014/11)	)	4/		-		Ministry's Copy	•		© (	≀ueen's Printer fo	л Оптапо, 2014

Ministry's Copy



Project Property: Phase I ESA Update-PE5584

3285 and 3305 Borrisokane Road

Ottawa ON

Project No: 60251

Report Type: Quote - Custom-Build Your Own Report

Order No: 24052200254

Requested by: Paterson Group Inc.

Date Completed: May 22, 2024

## **Table of Contents**

Table of Contents	2
Executive Summary	
Executive Summary: Report Summary	4
Executive Summary: Site Report Summary - Project Property	
Executive Summary: Site Report Summary - Surrounding Properties	8
Executive Summary: Summary By Data Source	
Map	12
Aerial	
Topographic Map	14
Detail Report	15
Unplottable Summary	24
Unplottable Report	28
Appendix: Database Descriptions	110
Definitions	120

#### Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# **Executive Summary**

	D	Info
1	Property	Information:

Project Property: Phase I ESA Update-PE5584

3285 and 3305 Borrisokane Road Ottawa ON

Order No: 24052200254

Project No: 60251

**Order Information:** 

Order No: 24052200254
Date Requested: May 22, 2024
Requested by: Paterson Group Inc.

Report Type: Quote - Custom-Build Your Own Report

Historical/Products:

ERIS Xplorer <u>ERIS Xplorer</u>

# Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Υ	0	0	0
AMIS	Abandoned Mine Information System	Υ	0	0	0
ANDR	Anderson's Waste Disposal Sites	Υ	0	0	0
AST	Aboveground Storage Tanks	Υ	0	0	0
AUWR	Automobile Wrecking & Supplies	Υ	0	0	0
BORE	Borehole	Υ	0	2	2
CA	Certificates of Approval	Υ	0	0	0
CDRY	Dry Cleaning Facilities	Υ	0	0	0
CFOT	Commercial Fuel Oil Tanks	Υ	0	0	0
CHEM	Chemical Manufacturers and Distributors	Υ	0	0	0
СНМ	Chemical Register	Υ	0	0	0
CNG	Compressed Natural Gas Stations	Υ	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Υ	0	0	0
CONV	Compliance and Convictions	Υ	0	0	0
CPU	Certificates of Property Use	Υ	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Υ	0	0	0
EASR	Environmental Activity and Sector Registry	Υ	0	0	0
EBR	Environmental Registry	Υ	0	0	0
ECA	Environmental Compliance Approval	Υ	0	1	1
EEM	Environmental Effects Monitoring	Υ	0	0	0
EHS	ERIS Historical Searches	Υ	1	5	6
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Υ	0	0	0
EPAR	Environmental Penalty Annual Report	Υ	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Υ	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	0	0
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Υ	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	0	0
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Υ	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Υ	0	0	0
NEBI	National Energy Board Pipeline Incidents	Υ	0	0	0
NEBP	National Energy Board Wells	Υ	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPR2	National Pollutant Release Inventory 1993-2020	Y	0	0	0
NPRI	National Pollutant Release Inventory - Historic	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PFCH	NPRI Reporters - PFAS Substances	Y	0	0	0
PFHA	Potential PFAS Handlers from NPRI	Y	0	0	0
PINC	Pipeline Incidents	Y	0	1	1
PRT	Private and Retail Fuel Storage Tanks	Υ	0	0	0
PTTW	Permit to Take Water	Υ	1	0	1
REC	Ontario Regulation 347 Waste Receivers Summary	Υ	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Υ	0	0	0
SCT	Scott's Manufacturing Directory	Υ	0	0	0
SPL	Ontario Spills	Υ	0	1	1
SRDS	Wastewater Discharger Registration Database	Υ	0	0	0
TANK	Anderson's Storage Tanks	Υ	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Υ	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Υ	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval	Y	0	0	0
wwis	Inventory Water Well Information System	Y	0	1	1

Database Name Searched Project Boundary Total Property to 0.25km

Total:

2

11

Order No: 24052200254

13

# Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
1	PTTW	Barrhaven Conservancy Development Corporation	Part of Lots 13, 14, and 15, Concessions 3 and 4 Ottawa, ON Canada ON	E/0.0	-0.02	<u>15</u>
<u>2</u>	EHS		4305 Mckenna Casey Drive and 3285, 3288 and 3300 Borrisokane Road Ottawa ON	W/0.0	0.03	<u>15</u>

# Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>3</u>	BORE		ON	SSW/78.8	-0.93	<u>15</u>
4	BORE		ON	SSW/126.3	-3.53	<u>17</u>
<u>5</u>	ECA	Minto Communities Inc.	3231 Borrisokane Rd Ottawa ON K1P 0B6	NNW/145.7	0.98	<u>18</u>
<u>6</u>	wwis		4025 Strany Herd Drive lot 14 con 3 Ottawa ON Well ID: 7339966	NNE/154.3	-0.02	<u>19</u>
7	EHS		Cedarview Rd Strandherd Dr Ottawa ON	NNE/185.3	-0.02	<u>20</u>
<u>8</u>	EHS		SE corner of Strandherd Dr and Borrisokane Road Ottawa ON Ottawa ON	NW/213.2	0.98	<u>21</u>
<u>8</u> .	EHS		SE corner of Strandherd Dr and Borrisokane Road Ottawa ON Ottawa ON	NW/213.2	0.98	<u>21</u>
<u>8</u>	EHS		SE corner of Strandherd Dr and Borrisokane Road Ottawa ON Ottawa ON	NW/213.2	0.98	<u>21</u>
<u>8</u> .	EHS		SE corner of Strandherd Dr and Borrisokane Road Ottawa ON Ottawa ON	NW/213.2	0.98	· <u>21</u>
9	PINC	ENBRIDGE GAS INC	200 LIEBE TERR,,NEPEAN,ON,K2J 6R9, CA ON	NNE/246.1	-0.02	<u>22</u>
9	SPL		200 Liebe Terrace, Ottawa OTTAWA ON	NNE/246.1	-0.02	<u>22</u>

# Executive Summary: Summary By Data Source

### **BORE** - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 2 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
	ON	78.8	<u>3</u>
	ON	126.3	<u>4</u>

### **ECA** - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Mar 31, 2024 has found that there are 1 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	Map Key
Minto Communities Inc.	3231 Borrisokane Rd Ottawa ON K1P 0B6	145.7	<u>5</u>

### **EHS - ERIS Historical Searches**

A search of the EHS database, dated 1999-Dec 31, 2023 has found that there are 6 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	Address	Distance (m)	Map Key
	4305 Mckenna Casey Drive and 3285, 3288 and 3300 Borrisokane Road Ottawa ON	0.0	<u>2</u>
	Cedarview Rd Strandherd Dr Ottawa ON	185.3	<u>7</u>
	SE corner of Strandherd Dr and Borrisokane Road Ottawa ON Ottawa ON	213.2	<u>8</u>

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
	SE corner of Strandherd Dr and Borrisokane Road Ottawa ON Ottawa ON	213.2	<u>8</u>
	SE corner of Strandherd Dr and Borrisokane Road Ottawa ON Ottawa ON	213.2	<u>8</u>
	SE corner of Strandherd Dr and Borrisokane Road Ottawa ON Ottawa ON	213.2	<u>8</u>

## **PINC** - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2021 has found that there are 1 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
ENBRIDGE GAS INC	200 LIEBE TERR,,NEPEAN,ON,K2J 6R9,CA ON	246.1	<u>9</u>

### PTTW - Permit to Take Water

A search of the PTTW database, dated 1994 - Mar 31, 2024 has found that there are 1 PTTW site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
Barrhaven Conservancy Development Corporation	Part of Lots 13, 14, and 15, Concessions 3 and 4 Ottawa, ON Canada ON	0.0	<u>1</u>

### SPL - Ontario Spills

A search of the SPL database, dated 1988-Jan 2023; see description has found that there are 1 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	Distance (m)	<u>Map Key</u>
	200 Liebe Terrace, Ottawa OTTAWA ON	246.1	<u>9</u>


Site Address Distance (m) Map Key


## **WWIS** - Water Well Information System

A search of the WWIS database, dated Dec 31 2023 has found that there are 1 WWIS site(s) within approximately 0.25 kilometers of the project property.

Site	<u>Address</u>	Distance (m)	Map Key
	4025 Strany Herd Drive lot 14 con 3 Ottawa ON	154.3	<u>6</u>

Well ID: 7339966






Aerial Year: 2023 Order Number: 24052200254

Address: 3285 and 3305 Borrisokane Road, Ottawa, ON

ERIS 📚



# **Topographic Map**

Address: 3285 and 3305 Borrisokane Road, ON

Source: ESRI World Topographic Map

Order Number: 24052200254



# **Detail Report**

Мар Кеу	Number Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
1	1 of 1		E/0.0	89.9 / -0.02	Barrhaven Conserva Corporation Part of Lots 13, 14, a Ottawa, ON Canada ON	ncy Development PT nd 15, Concessions 3 and 4	TW
EBR Registry Ministry Ref Notice Type: Notice Stage Notice Date: Proposal Dat Year: Instrument Ty Off Instrumer Posted By: Company Nai Site Address: Location Othe Proponent Na	No: : te: /pe: nt Name: me: : er:	F N F	O21 Permit to take water Permit to Take Wate Ministry of the Environant of Lots 13, 14, assurptions.	onment, Conservation on the conservation of th	ns 3 and 4 Ottawa, ON Ca		
Proponent Ac Comment Per URL:	ddress:	E N		ncy Development I 2, 2021 (30 days	Corporation 2934 Baselin	e Road Suite 302 Ottawa, ON K2H 1B2 Can	ada

### Site Location Details:

Barrhaven Conservancy Residential Development

<u>2</u>	1 of 1	W/0.0	89.9 / 0.03	4305 Mckenna Casey 3300 Borrisokane Ro Ottawa ON	r Drive and 3285, 3288 and pad	EHS
Order No: Status: Report Typ Report Date Date Receiv Previous St Lot/Building Additional I	e: ved: ite Name: g Size:	20170201029 C Custom Report 07-FEB-17 01-FEB-17		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON .25 -75.767329 45.255762	

<u>3</u>	1 of 1	SSW/78.8	89.0 / -0.93			BORE
				ON		
Borehole ID:		848008		Inclin FLG:	No	
OGF ID:		215589664		SP Status:	Initial Entry	
Status:		Decommissioned		Surv Elev:	No	
Type:		Borehole		Piezometer:	No	
Use:		Geotechnical/Geological Inve	estigation	Primary Name:		
Completion Da	ate:	30-JUL-1968		Municipality:		
Static Water L	evel:			Lot:	ROAD	

Direction/ Elev/Diff Site DΒ Map Key Number of (m)

Records Distance (m)

NEPEAN Primary Water Use: Township: Sec. Water Use: Latitude DD: 45.252678 Total Depth m: 23.4 Longitude DD: -75.764973

**Ground Surface** Depth Ref: UTM Zone: 18 Depth Elev: Easting: 439974 5011305 **Boring** Northing: Drill Method:

Orig Ground Elev m: 60.6 Location Accuracy:

Within 10 metres Elev Reliabil Note: Accuracy: DEM Ground Elev m: 91.5

Concession: Location D: Survey D: Comments:

**Borehole Geology Stratum** 

Geology Stratum ID: 6559579 Mat Consistency: Stiff

Top Depth: 1.5 Material Moisture: Bottom Depth: 3.4 Material Texture: Material Color: Brown Non Geo Mat Type: Material 1: Clay Geologic Formation: Material 2: Silt Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

STIFF TO FIRM BROWN SILTY CLAY \*\*Note: Many records provided by the department have a truncated Stratum Description:

[Stratum Description] field.

Geology Stratum ID: 6559580 Mat Consistency: Firm

Top Depth: 3.4 Material Moisture: Bottom Depth: 14.3 Material Texture: Material Color: Grey Non Geo Mat Type: Geologic Formation: Material 1: Clay Material 2: Geologic Group: Silt Material 3: **Boulders** Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

FIRM TO GREY SILTY CLAY, 2' BOULDER AT 63' DEPTH \*\*Note: Many records provided by the department Stratum Description:

have a truncated [Stratum Description] field.

6559578 Geology Stratum ID: Mat Consistency: Loose

Top Depth: Material Moisture: .1 1.5 **Bottom Depth:** Material Texture: Material Color: Brown Non Geo Mat Type: Material 1: Sand Geologic Formation: Material 2: Silt Geologic Group: Material 3: Clay Geologic Period:

Depositional Gen: Material 4: alluvial

Gsc Material Description:

Stratum Description: LOOSE BROWN SILTY SAND, TRACE OF CLAY (ALLUVIUM) \*\*Note: Many records provided by the department

have a truncated [Stratum Description] field.

Geology Stratum ID: 6559577 Mat Consistency: Top Depth: Material Moisture: 0 **Bottom Depth:** Material Texture: .1 Material Color: Non Geo Mat Type:

Material 1: Topsoil Geologic Formation: Material 2: Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: TOPSOIL \*\*Note: Many records provided by the department have a truncated [Stratum Description] field.

Order No: 24052200254

Geology Stratum ID: 6559581 Mat Consistency: Top Depth: 14.3 Material Moisture:

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

**Bottom Depth:** 23.4 Material Texture: Material Color: Non Geo Mat Type: Grey Bedrock Material 1: Geologic Formation: Material 2: Limestone Geologic Group: Material 3: Shale Geologic Period: Depositional Gen: Material 4:

Gsc Material Description:

SOUND GREY LIMESTONE BEDROCK, SOME DARK GREY SHALE LAYERS \*\*Note: Many records provided by Stratum Description:

the department have a truncated [Stratum Description] field.

SSW/126.3 86.4 / -3.53 4 1 of 1 **BORE** ON

Borehole ID: 848009 Inclin FLG: No

OGF ID: 215589665 SP Status: Initial Entry Decommissioned Surv Elev: Status: No Type: Borehole Piezometer: No

Geotechnical/Geological Investigation Primary Name: Use:

Completion Date: JUL-1968 Municipality: Static Water Level:

**ROAD** Lot: Primary Water Use: **NEPEAN** Township: Sec. Water Use: Latitude DD: 45.252266 Total Depth m: 22.9 Longitude DD: -75.764789 Depth Ref: **Ground Surface** UTM Zone: 18

439988 Depth Elev: Easting: Drill Method: **Boring** Northing: 5011259

Orig Ground Elev m: 90.2 Location Accuracy:

Within 10 metres Elev Reliabil Note: Accuracy: **DEM Ground Elev m:** 90.2

Concession: Location D: Survey D: Comments:

### **Borehole Geology Stratum**

Geology Stratum ID: 6559582 Mat Consistency: Material Moisture: Top Depth: 0 **Bottom Depth:** Material Texture: .1 Material Color: Non Geo Mat Type:

Material 1: Topsoil Geologic Formation: Material 2: Geologic Group: Geologic Period: Material 3: Depositional Gen: Material 4:

Gsc Material Description:

Stratum Description: TOPSOIL \*\*Note: Many records provided by the department have a truncated [Stratum Description] field.

Geology Stratum ID: 6559585 Mat Consistency: Soft

Top Depth: Material Moisture: 3.5 **Bottom Depth:** 15.2 Material Texture: Grey Material Color: Non Geo Mat Type: Material 1: Clay Geologic Formation: Material 2: Silt Geologic Group: Material 3: organic material Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

SOFT TO FIRM GREY SENSITIVE SITLY CLAY, TRACE TO SOME ORGANIC MATERIAL \*\*Note: Many records Stratum Description:

provided by the department have a truncated [Stratum Description] field.

6559587 Geology Stratum ID: Mat Consistency: Very Loose

Top Depth: 20 Material Moisture: **Bottom Depth:** 20.8 Material Texture: Material Color: Grey Non Geo Mat Type: Material 1: Silt Geologic Formation:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Material 2: Sand Geologic Group: Material 3: Geologic Period: Clay Material 4: Gravel Depositional Gen:

Gsc Material Description:

VERY LOOSE GREY SANDY SILT, SOME CLAY AND GRAVEL \*\*Note: Many records provided by the Stratum Description:

department have a truncated [Stratum Description] field.

Geology Stratum ID: 6559588 Mat Consistency: Top Depth: 20.8 Material Moisture: **Bottom Depth:** 22.9 Material Texture: Material Color: Grev Non Geo Mat Type: Material 1: **Bedrock** Geologic Formation: Material 2: Limestone Geologic Group: Material 3: Shale Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: SOUND GREY LIMESTONE BEDROCK, SOME DARK GREY SHALE LAYERS \*\*Note: Many records provided by

the department have a truncated [Stratum Description] field.

Geology Stratum ID: 6559583 Mat Consistency: Loose

Top Depth: Material Moisture: .1 1.7 **Bottom Depth:** Material Texture: Material Color: Brown Non Geo Mat Type: Material 1: Sand Geologic Formation: Material 2: Geologic Group: Silt Material 3: Clay Geologic Period:

Material 4: Depositional Gen: alluvial

Gsc Material Description:

Stratum Description: LOOSE BROWN SILTY SAND, TRACE OF CLAY (ALLUVIUM) \*\*Note: Many records provided by the department

have a truncated [Stratum Description] field.

6559584 Geology Stratum ID: Mat Consistency: Very Loose

Top Depth: 1.7 Material Moisture: **Bottom Depth:** 3.5 Material Texture: Material Color: Non Geo Mat Type: Material 1: Silt Geologic Formation: Material 2: Sand Geologic Group: Material 3: organic material Geologic Period:

Material 4: Wood Fragments Gsc Material Description:

Stratum Description: VERY LOOSE ORGANIC SANDY SILT, SOME WOOD, OCCASIONAL FINE SAND SEAM \*\*Note: Many records

Depositional Gen:

provided by the department have a truncated [Stratum Description] field.

6559586 Geology Stratum ID: Mat Consistency: Firm

Top Depth: 15.2 Material Moisture: **Bottom Depth:** 20 Material Texture: Material Color: Grey Non Geo Mat Type: Material 1: Clay Geologic Formation: Material 2: Silt Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: FIRM GREY SILTY CLAY \*\*Note: Many records provided by the department have a truncated [Stratum

Description] field.

5 1 of 1 NNW/145.7 90.9 / 0.98 Minto Communities Inc.

> 3231 Borrisokane Rd Ottawa ON K1P 0B6

**ECA** 

Order No: 24052200254

Approval No: 1170-AYJJZU **MOE District:** Approval Date: 2018-05-22 City: Status: Approved Longitude: Record Type: **ECA** Latitude: Link Source: IDS Geometry X:

SWP Area Name: Geometry Y: Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (i

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Minto Communities Inc.
Address: 3231 Borrisokane Rd

Full Address: Full PDF Link: PDF Site Location:

https://www.accessenvironment.ene.gov.on.ca/instruments/3419-AWKK9X-14.pdf

r Dr Site Location.

6 1 of 1 NNE/154.3 89.9 / -0.02 4025 Strany Herd Drive lot 14 con 3

Ottawa ON

 Well ID:
 7339966
 Flowing (Y/N):

Construction Date:
Use 1st:
Use 2nd:

Not Used

Data Entry Status:
Data Src:

Final Well Status: Observation Wells Date Received: 08/21/2019
Water Type: Selected Flag: TRUE

Water Type:Selected Flag:TRUECasing Material:Abandonment Rec:YesAudit No:Z307124Contractor:7260

Tag: A251220 Form Version: Constructn Method: Owner:

Elevation (m): County: OTTAWA-CARLETON

Elevatn Reliabilty:Lot:014Depth to Bedrock:Concession:03Well Depth:Concession Name:RF

Well Depth: Concession Name: RF
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:

Static Water Level: Zone:
Clear/Cloudy: UTM Reliability:

Municipality: NEPEAN TOWNSHIP

Site Info:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe\_mapping/downloads/2Water/Wells\_pdfs/733\7339966.pdf

### Additional Detail(s) (Map)

Well Completed Date: 06/13/2019 Year Completed: 2019

 Depth (m):

 Latitude:
 45.2593722666595

 Longitude:
 -75.7614307329198

 X:
 -75.76143057143693

 Y:
 45.25937226018095

 Path:
 733\7339966.pdf

### **Bore Hole Information**

 Bore Hole ID:
 1007602298
 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 440259.00

 Code OB Desc:
 North83:
 5012046.00

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 06/13/2019 UTMRC Desc: margin of error : 30 m - 100 m

Order No: 24052200254

Remarks: Location Method: wwn

Location Method Desc: on Water Well Record Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1008026407

Layer: 3 -5.0 Plug From: Plug To: 15.0 Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1008026406

Layer: 2 -5.0 Plug From: 14.0 Plug To: Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1008026405 Plug ID:

Layer: 1

-4.0 Plug From:

Plug To: 18.66699981689453

Plug Depth UOM:

Pipe Information

Pipe ID: 1008024010

Casing No:

Comment: Alt Name:

Results of Well Yield Testing

Pumping Test Method Desc:

Pump Test ID: 1008029231

Pump Set At: Static Level:

Final Level After Pumping:

Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: GPM Rate UOM:

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR:

**Pumping Duration MIN:** 

Flowing:

7 1 of 1 NNE/185.3 89.9 / -0.02 Cedarview Rd Strandherd Dr **EHS** Ottawa ON

Order No: 20141120083 Nearest Intersection: Status:

0

Municipality:

20

Number of Direction/ Elev/Diff Site DΒ Map Key

Y:

Records Distance (m) (m)

Standard Report ON Report Type: Client Prov/State: Report Date: 27-NOV-14 Search Radius (km): .25 20-NOV-14 -75.762636 Date Received: X:

Previous Site Name: Lot/Building Size: Additional Info Ordered:

> 1 of 4 SE corner of Strandherd Dr and Borrisokane 8 NW/213.2 90.9 / 0.98

Road Ottawa ON

45.259807

ON

.25

ON

.25

ON

**EHS** 

**EHS** 

**EHS** 

Order No: 24052200254

Ottawa ON

Municipality:

Nearest Intersection:

22080900128 Order No:

Status: C

**Custom Report** Report Type: Client Prov/State: Report Date: 12-AUG-22 Search Radius (km):

Date Received: 09-AUG-22 X: -75.76606741 45.25892019 Y: Previous Site Name:

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Topographic Maps

8 2 of 4 NW/213.2 90.9 / 0.98 SE corner of Strandherd Dr and Borrisokane

Road Ottawa ON Ottawa ON

Client Prov/State:

22080900128 Order No: Nearest Intersection: Municipality:

С Status:

Report Type: **Custom Report** 12-AUG-22 Report Date:

Search Radius (km): 09-AUG-22 -75.76606741 Date Received: X: Previous Site Name: Y: 45.25892019

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Topographic Maps

NW/213.2 8 3 of 4 90.9 / 0.98 SE corner of Strandherd Dr and Borrisokane

Road Ottawa ON

Ottawa ON

Municipality: Client Prov/State:

Order No: 22080900128 Nearest Intersection:

Status: С

Report Type: Custom Report Report Date: 12-AUG-22

Search Radius (km): .25 Date Received: 09-AUG-22 -75.76606741 X: Previous Site Name: Y: 45.25892019

Lot/Building Size:

Fire Insur. Maps and/or Site Plans; Topographic Maps Additional Info Ordered:

8 4 of 4 NW/213.2 90.9 / 0.98 SE corner of Strandherd Dr and Borrisokane **EHS** 

Road Ottawa ON Ottawa ON

22080900128 Order No: Nearest Intersection: Status: Municipality:

**Custom Report** ON Report Type: Client Prov/State: Report Date: 12-AUG-22 Search Radius (km): .25

-75.76606741 Date Received: 09-AUG-22 X: 45.25892019 Previous Site Name: Y:

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Topographic Maps

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

89.9 / -0.02 1 of 2 NNE/246.1 **ENBRIDGE GAS INC** 9

200 LIEBE TERR,, NEPEAN, ON, K2J 6R9, CA

**PINC** 

SPL

ON

Pipe Material:

Fuel Category:

Health Impact:

**Environment Impact:** Property Damage:

Incident Id:

Incident No: 3059484 6/4/2021 Incident Reported Dt:

Type: FS-Pipeline Incident

Status Code: Tank Status:

Task No:

Spills Action Centre:

Fuel Type:

Fuel Occurrence Tp: Date of Occurrence: Occurrence Start Dt:

Depth:

Notes:

9

Ref No:

Customer Acct Name:

Incident Address: Operation Type:

Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason:

Pipeline Damage Reason Est

Service Interrupt: Enforce Policy: Public Relation: Pipeline System:

PSIG:

Attribute Category: Regulator Location: Method Details:

200 Liebe Terrace, Ottawa

0 No Impact

OTTAWA ON

Municipality No:

Material Group:

Nature of Damage:

Discharger Report:

Health/Env Conseq:

Agency Involved:

**ENBRIDGE GAS INC** 

NNE/246.1

Ottawa District Office

**OTTAWA** 

200 LIEBE TERR,,NEPEAN,ON,K2J 6R9,CA

89.9 / -0.02

2 of 2

Year: Incident Dt:

Dt MOE Arvl on Scn: MOE Reported Dt:

6/4/2021 11:32:52 AM 8/7/2021 12:51:07 PM Dt Document Closed:

Site No:

MOE Response: Desktop Response

Site County/District: Site Geo Ref Meth:

Site District Office:

Nearest Watercourse:

Site Name:

Site Address: 200 Liebe Terrace, Ottawa

1-HFU7P

Site Region: Site Municipality:

Site Lot: Site Conc:

Site Geo Ref Accu: Site Map Datum: Northing: Easting: Incident Cause:

Line Strike Incident Event: **Environment Impact:** 1 Minor Impact

Nature of Impact:

22

Contaminant Qty: 0 other - see notes

System Facility Address: Client Name: **ENBRIDGE CONSUMERS GAS** 

**Private Business** Client Type:

erisinfo.com | Environmental Risk Information Services

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Source Type: Pipeline/Components

Contaminant Code:

Contaminant Name: NATURAL GAS

Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:

Receiving Medium: Air

Incident Reason: Human error (Specify)

Incident Summary: TSSA/Enbridge: 2" plastic gas main damage

Activity Preceding Spill:

Property 2nd Watershed:

Property Tertiary Watershed:

Construction or repair
Lower Ottawa
02LA-Rideau

Sector Type: NATURAL GAS DISTRIBUTION

SAC Action Class:

Call Report Locatn Geodata: {"integration\_ids":["PR00004278563"],"wkts":["POINT (-75.7624965000 45.2600840000)"],"creation\_date":"2021-

06-04"}

# Unplottable Summary

## Total: 77 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
AAGR		Lot 14 Con 4	Nepean ON	
CA	Kemp Park Sanitary Sewer	Part of Lot 14, Concession 4 RF	Ottawa ON	
CA	South Gloucester Transmission Main	Lots 13, 14 and 15, Concession 3	Ottawa ON	
CA	Taggart Construction Limited	Mobile Facility	Ottawa ON	
CA	Gerry Clarke	Strandherd Dr Lots 14/15, Concession 3	Ottawa ON	
CA	City of Ottawa	Strandherd Drive	Ottawa ON	
CA	Minto Communities Inc.		Ottawa ON	
CA	City of Ottawa	Lot 13	Ottawa ON	
CA	City of Ottawa	Strandherd Drive	Ottawa ON	
CA	MINTO CONSTRUCTION LTD. FOSTER DRAIN	W. OF CEDARVIEW RD.	NEPEAN CITY ON	
CA	South Gloucester Transmission Main	Lots 13, 14 and 15, Concession 3	Ottawa ON	
CA	NEPEAN CITY	CEDARVIEW RD/BARRHAVEN MID.SCH	NEPEAN CITY ON	
CA	NEPEAN CITY-LOTS 15 & 16, CONC. 2 & 3	STRANDHERD DR/STORMWATER MANAG	NEPEAN CITY ON	
CA	BARRHAVEN PROPERTIES (RIDEAU FRONT)	PART OF LOT 15 & 16 CONC. 3	NEPEAN CITY ON	
CA	DCR/PHOENIX DEVELOPMENMT CORP.	STRANDHERD DRIVE	NEPEAN CITY ON	
CONV	Taggart Construction Limited		Ottawa ON	
EBR	Minto Communities		ON	

EBR	Minto Communities Inc.	Ottawa, Ontario CITY OF OTTAWA	ON	
EBR	Taggart Construction Limited	Mobile Facility Ottawa Ontario Ottawa	ON	
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Taggart Construction Limited	Mobile Facility	Ottawa ON	K1V 8Y3
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Barrhaven Conservancy Development Corporation		Ottawa ON	K2H 1B2
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	City of Ottawa	Strandherd Drive	Ottawa ON	K2G 6J8
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Barrhaven Conservancy Development Corporation	Part of Lots 13&14, Concession 3 (Rideau Front) Conc	Ottawa ON	K2H 1B2

EHS		Strandherd Dr	Nepean ON
FST	HYLANDS GOLF CLUB	LOT 13 14 & 15 CON 3	OTTAWA ON
FST	HYLANDS GOLF CLUB	LOT 13 14 & 15 CON 3	OTTAWA ON
LIMO		Lot 15 Concession 3 Ottawa	ON
PTTW	Minto Communities Inc.		ON
PTTW	Minto Communities Inc.		ON
PTTW	Taggart Construction Limited	Lot: 14 & 15, Concession 3, City of Ottawa CITY OF OTTAWA	ON
PTTW	Minto Comminities Inc.	Minto Communities Incorporated Address: Lot: 14, Concession: 3, Part of Lot 14 & 15, Geographic Township: NEPEAN, Ottawa, City District Office: Ottawa Site #:	0705-APTL56 CITY OF OTTAWA ON
PTTW	Taggart Construction Limited	Lot: 14 & 15, Concession 3, Township of Nepean, City of Ottawa, CITY OF OTTAWA	ON
SPL	Taggart Construction Limited		Ottawa ON
SPL	Geo. W. Drummond Excavating Inc <unofficial></unofficial>	Strandherd Dr and Temporary	Ottawa ON
wwis		lot 15	ON
wwis		lot 13	ON
wwis		lot 14	ON
wwis		lot 14	ON
wwis		lot 15	ON
wwis		lot 15	ON
wwis		lot 15	ON
wwis		lot 15	ON
wwis		lot 15	ON
wwis		lot 15	ON
wwis		lot 15	ON

WWIS	lot 13	ON
WWIS	lot 15	ON

## **Unplottable Report**

 Site:
 Database:

 Lot 14 Con 4
 Nepean ON

Type: Pit

Region/County: Ottawa-Carleton

 Township:
 Nepean

 Concession:
 4

 Lot:
 14

 Size (ha):
 2.4

Landuse: Comments:

Site: Kemp Park Sanitary Sewer Database:
Part of Lot 14, Concession 4 RF Ottawa ON CA

Certificate #: 6323-5BXHHL

Application Year: 02
Issue Date: 7/15/02

Approval Type: Municipal & Private sewage

Status: Approved

Application Type: New Certificate of Approval

Client Name: City of Ottawa

Client Address: 110 Laurier Avenue West

Client City: Ottawa
Client Postal Code: K1P 1J1

Project Description: Approval is sought for the construction of sanitary sewers on Kemp Dr., Robert St., Doris Ave., Melva St., Elma St.,

Orville St., Bank St.

Contaminants: Emission Control:

Site: South Gloucester Transmission Main
Lots 13, 14 and 15, Concession 3 Ottawa ON
CA
Database:

Certificate #: 2756-4WYRSK

Application Year:01Issue Date:5/31/01

Approval Type: Municipal & Private water

Status: Approved

Application Type:New Certificate of ApprovalClient Name:Corporation of the City of Ottawa

Client Address: 111 Lisgar Street

Client City: Ottawa
Client Postal Code: K2P 2L7

Project Description: Extension of an Existing Feedermain consisting of about 1100 meters of 600mm diamter watermain and

appurtenances.

Contaminants: Emission Control:

<u>Site:</u> Taggart Construction Limited Database:
Mobile Facility Ottawa ON CA

Order No: 24052200254

 Certificate #:
 0636-7KEL2F

 Application Year:
 2008

 Issue Date:
 11/19/2008

 Approval Type:
 Air

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:** 

Site: Gerry Clarke

Strandherd Dr Lots 14/15, Concession 3 Ottawa ON

Database:

Database:

Database: CA

Certificate #: 1248-7GRPKA 2008 Application Year: Issue Date: 9/11/2008

Approval Type: Municipal and Private Sewage Works

Approved

Status:

Application Type: Client Name: Client Address: Client City:

Client Postal Code: Project Description: Contaminants: **Emission Control:** 

Site: City of Ottawa

Strandherd Drive Ottawa ON

1254-73VKL4 Certificate #: Application Year: 2007 Issue Date: 6/17/2007

Municipal and Private Sewage Works Approval Type:

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:** 

Minto Communities Inc. Site: Ottawa ON

3058-7JZKTF

Certificate #: Application Year: 2008 10/7/2008 Issue Date:

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:** 

Site: City of Ottawa Database:

#### Lot 13 Ottawa ON

Certificate #: 3399-6BVHAA

 Application Year:
 2005

 Issue Date:
 6/10/2005

 Approval Type:
 Air

 Status:
 Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code Project Description

Client Postal Code: Project Description: Contaminants: Emission Control:

Site: City of Ottawa

Strandherd Drive Ottawa ON

Database:

 Certificate #:
 5791-77LJ85

 Application Year:
 2007

 Issue Date:
 10/2/2007

Approval Type: Municipal and Private Sewage Works

Status: Revoked and/or Replaced

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

**Emission Control:** 

<u>Site:</u> MINTO CONSTRUCTION LTD. FOSTER DRAIN W. OF CEDARVIEW RD. NEPEAN CITY ON

Database:

Certificate #: 3-0519-87Application Year: 87
Issue Date: 7/18/1987
Approval Type: Municipal sewage
Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code

Client Postal Code: Project Description: Contaminants: Emission Control:

Site: South Gloucester Transmission Main

Lots 13, 14 and 15, Concession 3 Ottawa ON

Database:

Order No: 24052200254

Certificate #: 3134-4X9RLW

Application Year:01Issue Date:10/25/01

Approval Type: Municipal & Private sewage

Status: Approved

Application Type: New Certificate of Approval

Client Name: City of Ottawa

Client Address: 110 Laurier Avenue West

Client City: Ottawa
Client Postal Code: K1P 1J1

Project Description: Temporary dewatering and recharging of trench in order to extend an existing Feedermain. The estimated

Contaminants: **Emission Control:** 

**NEPEAN CITY** Site:

CEDARVIEW RD/BARRHAVEN MID.SCH NEPEAN CITY ON

Database: CA

Certificate #: 3-0147-94-Application Year: 94 2/24/1994 Issue Date: Approval Type: Municipal sewage Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: **Project Description:** Contaminants: **Emission Control:** 

Site: **NEPEAN CITY-LOTS 15 & 16, CONC. 2 & 3** 

STRANDHERD DR/STORMWATER MANAG NEPEAN CITY ON

Approved

3-1089-90-90 10/1/1990 Municipal sewage Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:** 

Certificate #:

Issue Date:

Application Year:

Approval Type: Status:

Site: BARRHAVEN PROPERTIES (RIDEAU FRONT) PART OF LOT 15 & 16 CONC. 3 NEPEAN CITY ON

Certificate #: 3-0098-86-Application Year: 86 3/3/1986 Issue Date: Approval Type: Municipal sewage

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:** 

Status:

Site: DCR/PHOENIX DEVELOPMENMT CORP. STRANDHERD DRIVE NEPEAN CITY ON

3-1122-90-

Certificate #: Application Year: 90 6/26/1990 Issue Date: Municipal sewage Approval Type:

Database:

Database: CA

Database:

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: Taggart Construction Limited

Ottawa ON

File No:012802Location:Crown Brief No:Region:Court Location:Ministry District:

Enforcement Branch.

Publication City: Publication Title:

Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:
Description:

Taggart Construction Limited, Paterson Group Inc. and Robert Passmore have been fined \$5,000 each, totalling \$15,000 plus a victim fine surcharge, after pleading guilty on January 15, 2009 to violations under the Ontario Water Resources Act. Taggart Construction Limited and Paterson Group Inc. were convicted of failing to comply with a Provincial Officer Order by taking more than 50,000 litres of water per day, and Mr. Passmore was convicted of giving false or misleading information to the ministry. The parties were given six months to pay the fine. The Court heard that Taggart Construction Limited was contracted by a developer to install municipal services at a subdivision in Ottawa which required dewatering activities. After being issued a Provincial Officer Order to restrict water taking activities to below 50,000 litres per day until a permit had been obtained, Taggart hired Paterson Group Inc. to submit an application for the permit. Taggart then pumped over 50,000 litres of water based on information provided by Paterson Group employee, Mr. Passmore, that the go ahead to pump had been given when a permit had yet to be issued. In an interview with ministry investigators, Mr. Passmore denied giving Taggart verbal approval to pump in excess of 50,000 litres per day. Taggart Construction Limited, Paterson Group Inc. and Mr. Passmore were charged following an investigation by the Ministry of the Environment's Investigations and

Database:

Order No: 24052200254

Background:

URL:

### **Additional Details**

Publication Date:

Count: 1
Act: OWRA

Regulation: Section:

Act/Regulation/Section: OWRA

Date of Offence: Date of Conviction:

Date Charged:January 15, 2009Charge Disposition:fine, victim fine surcharge

Fine: \$5,000

Synopsis:

Site: Minto Communities Database:
ON EBR

EBR Registry No:019-2808Decision Posted:February 26, 2021Ministry Ref No:KV-C-001-19Exception Posted:

Notice Type: Instrument Section: Section 17 (2) (c)

Notice Stage:DecisionAct 1:Endangered Species Act , R.S.O. 2007Notice Date:Act 2:Endangered Species Act, 2007

Proposal Date: December 4, 2020 Site Location Map:

2020 Year:

Instrument Type: Permit for activities to achieve an overall benefit to a species

Permit for activities with conditions to achieve overall benefit to the species (ESA s.17(2) (c)) Off Instrument Name:

Ministry of the Environment, Conservation and Parks Posted By:

Company Name: Site Address: Location Other:

Proponent Name: Minto Communities

Minto Communities 180 Kent Street Unit 200 Ottawa, ON K1P 0B6 Canada Proponent Address:

**Comment Period:** December 4, 2020 - January 3, 2021 (30 days) Closed

**URL:** https://ero.ontario.ca/notice/019-2808

Site Location Details:

Part of Lot 12, Concession 4, Township of March, Ottawa

Minto Communities Inc. Database: Site: Ottawa, Ontario CITY OF OTTAWA ON **EBR** 

EBR Registry No: 013-0315 Decision Posted: MNRF INST 30/17 Ministry Ref No: **Exception Posted:** 

Notice Type: Section: Instrument Decision Notice Stage: Act 1: Notice Date: September 28, 2017 Act 2:

Proposal Date: April 10, 2017 Site Location Map:

Year: 2017

Instrument Type: (ESA s.17(2) (c)) - Permit for activities with conditions to achieve overall benefit to the species

Off Instrument Name:

Posted By: Company Name: Minto Communities Inc.

Site Address: Location Other: Proponent Name:

180 Kent Street, Suite 200, Ottawa Ontario, Canada K1P 0B6, Minto Communities Inc., 180 Kent Street, Suite Proponent Address:

200, Ottawa Ontario, Canada K1P 0B6

Comment Period:

**URL:** 

Site Location Details:

Ottawa, Ontario CITY OF OTTAWA

Site: **Taggart Construction Limited** Database: Mobile Facility Ottawa Ontario Ottawa ON **EBR** 

Act 1:

Act 2:

Order No: 24052200254

EBR Registry No: IA07E0165 Decision Posted: Ministry Ref No: 8556-6XWUA3 **Exception Posted:** Section:

Notice Type: Instrument Decision Notice Stage: Notice Date: December 09, 2008

Proposal Date: January 30, 2007 Site Location Map:

**Taggart Construction Limited** 

2007 Year:

(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Instrument Type:

Posted By:

Off Instrument Name:

Company Name: Site Address: Location Other:

Proponent Name: 3187 Albion Rd S, Ottawa Ontario, K1V 8Y3

Proponent Address: Comment Period:

URL:

Site Location Details:

Site: Minto Communities Inc.
Ottawa ON K1P 0B6

Approval No: 0195-95LSVA **MOE District:** Approval Date: 2013-03-22 City: Approved Longitude: Status: ECA Latitude: Record Type: IDS Link Source: Geometry X: Geometry Y: SWP Area Name:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Minto Communities Inc.

Address: Full Address: Full PDF Link:

https://www.accessenvironment.ene.gov.on.ca/instruments/1964-8XNJA4-14.pdf

Database:

**ECA** 

Order No: 24052200254

PDF Site Location:

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

3002-8PBSB4 Approval No: **MOE District:** Approval Date: 2012-01-31 City: Status: Revoked and/or Replaced Longitude: Latitude: Record Type: **ECA** IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Minto Communities Inc.

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6465-8NETCD-14.pdf

PDF Site Location:

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

Approval No: 1554-8Y2HZ6 **MOE District:** Approval Date: 2012-09-14 City: Revoked and/or Replaced Longitude: Status: Record Type: **ECA** Latitude: **IDS** Link Source: Geometry X: Geometry Y: SWP Area Name:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Minto Communities Inc.

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1100-8WTMSY-14.pdf

PDF Site Location:

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

 Approval No:
 3053-8YJNWU
 MOE District:

 Approval Date:
 2012-10-01
 City:

 Status:
 Approved
 Longitude:

 Record Type:
 ECA
 Latitude:

Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Minto Communities Inc.

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1397-8XNJGH-14.pdf

PDF Site Location:

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

Approval No: 7202-97BLB4 **MOE District:** Approval Date: 2013-05-23 City: Status: Revoked and/or Replaced Longitude: Record Type: **ECA** Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Minto Communities Inc.

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4553-95ZKWJ-14.pdf

PDF Site Location:

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database:
ECA

Approval No: 7971-9EAST8 **MOE District:** Approval Date: 2014-01-10 City: Approved Longitude: Status: Record Type: **ECA** Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Minto Communities Inc.

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7322-9E4LGN-14.pdf

PDF Site Location:

Site: Minto Communities Inc.
Ottawa ON K1P 0B6
Database: ECA

Approval No: 8270-A3ZLU2 **MOE District:** Approval Date: 2015-11-10 City: Status: Approved Longitude: Record Type: **ECA** Latitude: **IDS** Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Minto Communities Inc.

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8185-A3PRB5-14.pdf

PDF Site Location:

Site: Minto Communities Inc. Database:

#### Ottawa ON K1P 0B6

7661-ABCKQL Approval No: MOE District: Approval Date: 2016-06-30 City: Approved Longitude: Status: Record Type: ECA Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

**Business Name:** Minto Communities Inc.

Address: Full Address:

Full PDF Link:

https://www.accessenvironment.ene.gov.on.ca/instruments/5664-AB4KGV-14.pdf

PDF Site Location:

Minto Communities Inc. Site: Database: Ottawa ON K1P 0B6 **ECA** 

MOE District: Approval No: 0606-AHXJCH 2017-02-02 Approval Date: City: Approved Status: Longitude: Record Type: **ECA** Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

**Business Name:** Minto Communities Inc.

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4552-AHSJ74-14.pdf

PDF Site Location:

Site: Minto Communities Inc. Database: Ottawa ON K1P 0B6

Approval No: 2268-9WYR3F **MOE District:** Approval Date: 2015-06-08 City: Approved Longitude: Status: Record Type: **ECA** Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Business Name: Minto Communities Inc.

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3873-9WWLDY-14.pdf

PDF Site Location:

Minto Communities Inc. Database: Site: Ottawa ON K1P 0B6 **ECA** 

Order No: 24052200254

Approval No: 8813-9WYQ2J **MOE District:** Approval Date: 2015-06-08 City: Status: Approved Longitude: Record Type: **ECA** Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

**Business Name:** Minto Communities Inc.

Address:

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4625-9WXRTA-14.pdf

PDF Site Location:

Site: Taggart Construction Limited

Mobile Facility Ottawa ON K1V 8Y3

Database: ECA

Approval No: 0636-7KEL2F **MOE District:** Approval Date: 2008-11-19 City: Approved Longitude: Status: Record Type: ECA Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-AIR
Project Type: AIR

Business Name: Taggart Construction Limited

Address: Mobile Facility

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8556-6XWUA3-14.pdf

PDF Site Location:

Site: Minto Communities Inc.

Ottawa ON K1P 0B6

Database: ECA

7598-94TRX3 Approval No: **MOE District:** 2013-02-26 Approval Date: City: Status: Approved Longitude: Record Type: **ECA** Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Minto Communities Inc.

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2553-8VDQUF-14.pdf

PDF Site Location:

<u>Site:</u> Minto Communities Inc.

Ottawa ON K1P 0B6

Database: ECA

Approval No: 1720-AKJGKQ **MOE District:** 2017-03-24 Approval Date: City: Approved Status: Longitude: **ECA** Record Type: Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Minto Communities Inc.

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1769-AKEQQZ-14.pdf

PDF Site Location:

<u>Site:</u> Minto Communities Inc.

Ottawa ON K1P 0B6

Database: ECA

Order No: 24052200254

 Approval No:
 3128-AQGJ6T
 MOE District:

 Approval Date:
 2017-08-23
 City:

 Status:
 Approved
 Longitude:

 Record Type:
 ECA
 Latitude:

 Link Source:
 IDS
 Geometry X:

SWP Area Name: Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type:

MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Minto Communities Inc. **Business Name:** 

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4569-AQCRKJ-14.pdf

PDF Site Location:

Minto Communities Inc. Site: Database: Ottawa ON K1P 0B6 **ECA** 

8605-AYUHJG **MOE District:** Approval No: Approval Date: 2018-05-30 City: Status: Approved Longitude: Record Type: ECA Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Minto Communities Inc. **Business Name:** 

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7723-AYKNXD-14.pdf

PDF Site Location:

Barrhaven Conservancy Development Corporation Database: Site: Ottawa ON K2H 1B2 **ECA** 

7522-B9YQCT **MOE District:** Approval No: 2019-03-15 Approval Date: City: Longitude: Status: Approved ECA Record Type: Latitude:

IDS Link Source: Geometry X: SWP Area Name: Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS

Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: Barrhaven Conservancy Development Corporation **Business Name:** 

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/9794-B9RSLF-14.pdf

PDF Site Location:

Site: Minto Communities Inc. Database: Ottawa ON K1P 0B6 **ECA** 

6142-BEJHCE **MOE District:** Approval No: Approval Date: 2019-08-01 City: Approved Status: Longitude: Record Type: **ECA** Latitude: Link Source: IDS Geometry X: Geometry Y: SWP Area Name:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Business Name: Minto Communities Inc.

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0892-BDSKVQ-14.pdf

PDF Site Location:

Site: City of Ottawa Database: **ECA** 

Strandherd Drive Ottawa ON K2G 6J8

2068-BQ6RQX **MOE District:** Approval No: Approval Date: 2020-06-04 City: Status: Approved Longitude: ECA Latitude: Record Type: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

**Business Name:** City of Ottawa Address: Strandherd Drive

Full Address: **Full PDF Link:** https://www.accessenvironment.ene.gov.on.ca/instruments/4653-BPDQTP-14.pdf

PDF Site Location:

Minto Communities Inc. Site: Database: Ottawa ON K1P 0B6 **ECA** 

6432-CA6MRC Approval No: MOE District: Ottawa

Approval Date: January 18, 2022 City: Status: Approved Longitude: Record Type: ECA Latitude:

Link Source: **IDS** Geometry X: -8402261.5817000009 SWP Area Name: South Nation Geometry Y: 5691103.7277999958

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Business Name: Minto Communities Inc.

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2726-C9PS46-14.pdf

PDF Site Location: Avalon South Stormwater Management Facility Expansion

Neighbourhood 4 Lot 4, Concession 10 City of Ottawa, Ontario

Site: Barrhaven Conservancy Development Corporation

Part of Lots 13&14, Concession 3 (Rideau Front) Conc Ottawa ON K2H 1B2

Approval No: 4357-CHMQEM **MOE District:** Ottawa

Approval Date: September 1, 2022 City: Approved Status: Longitude: **ECA** Record Type: Latitude:

Link Source: IDS Geometry X: -8432990.2138999999 SWP Area Name: Rideau Valley Geometry Y: 5663310.8247999977

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: **Business Name:** Barrhaven Conservancy Development Corporation Address: Part of Lots 13&14, Concession 3 (Rideau Front) Conc

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2584-CHEGYR-14.pdf

PDF Site Location: Barrhaven Conservancy East - Phase 2, 3 & Jock River

Part of Lots 13 & 14 (Rideau Front)

City of Ottawa, Ontario

Site: Database: **EHS** Strandherd Dr Nepean ON

Database:

**ECA** 

Order No: 24052200254

Order No: 20000612004 Nearest Intersection: Hwy 416

Status: C Municipality: Report Type: Site Report Client Prov/State: ON 6/13/00 0.85 Report Date: Search Radius (km): Date Received: 6/12/00 -75.786444 X: Previous Site Name: Y: 45.267925

Lot/Building Size: lots 17-20 Con. 4 (200 acres)

**HYLANDS GOLF CLUB** Site:

LOT 13 14 & 15 CON 3 OTTAWA ON

Database: FST

Database:

Database: LIMO

Order No: 24052200254

Inventory No:

10904186

Inventory Status: Installation Year:

Capacity: Capacity Unit: Tank Type: Manufacturer:

Model: Description: Active

Tank Material: **Corrosion Protect: Overfill Protection:** 

Inventory Context: Inventory Item:

Steel

Impressed Current

FS Liquid Fuel Tank FS LIQUID FUEL TANK

**HYLANDS GOLF CLUB** Site:

LOT 13 14 & 15 CON 3 OTTAWA ON

Inventory No: 10904209 Inventory Status:

Installation Year: Capacity: Capacity Unit: Tank Type: Manufacturer: Model:

Description:

Active

UNDERGROUND TANK

UNDERGROUND TANK

Tank Material: Steel

Corrosion Protect: **Overfill Protection:** 

**Inventory Context:** Inventory Item:

**FST** 

Impressed Current

FS Liquid Fuel Tank FS LIQUID FUEL TANK

Site: Lot 15 Concession 3 Ottawa ON

X9005 ECA/Instrument No: **Operation Status:** Historic

C of A Issue Date: C of A Issued to: Lndfl Gas Mgmt (P): Lndfl Gas Mgmt (F): Lndfl Gas Mgmt (E): Lndfl Gas Mgmt Sys: Landfill Gas Mntr: Leachate Coll Sys: ERC Est Vol (m3): **ERC Volume Unit:** ERC Dt Last Det:

Landfill Type:

Source File Type: Historic and Closed Landfills

Fill Rate: Fill Rate Unit: Tot Fill Area (ha): Tot Site Area (ha): Footprint: Tot Apprv Cap (m3): Contam Atten Zone:

**Grndwtr Mntr:** Surf Wtr Mntr: Air Emis Monitor: Approved Waste Type: Client Site Name: ERC Methodology: Site Name:

Site Location Details: Lot 15 Concession 3

Ottawa

Service Area: Page URL:

Natural Attenuation:

Liners:

Cover Material: Leachate Off-Site: Leachate On Site: Req Coll Lndfll Gas: Lndfll Gas Coll: Total Waste Rec: TWR Methodology: TWR Unit: Tot Aprv Cap Unit: Financial Assurance: Last Report Year:

Region: District Office: Site County: Lot: Concession:

Latitude: Longitude: Easting: Northing: UTM Zone: Data Source:

Minto Communities Inc. Database: Site:

011-4898 EBR Registry No: Decision Posted: Ministry Ref No: 3046-8MLKW5 Exception Posted:

Notice Type: Instrument Decision Section: Notice Stage: Act 1: Act 2: Notice Date: December 17, 2014

Proposal Date: November 04, 2011 Site Location Map:

2011 Year:

(OWRA s. 34) - Permit to Take Water Instrument Type:

Off Instrument Name:

Posted By:

Company Name: Minto Communities Inc.

Site Address: Location Other: Proponent Name:

Proponent Address: 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6, Minto Communities Inc., 180 Kent Street , Suite

200, Ottawa Ontario, Canada K1P 0B6

**Comment Period:** 

URL:

#### Site Location Details:

Mahogany Community Development Address: Lot: Part of Lots 4 and 5, Concession: A (Broken Front), Ottawa, City District Office: Ottawa GeoReference: Map Datum: NAD83, Zone: 18, Accuracy Estimate: 1-10 metres eg. Good Quality GPS, UTM Easting: 446650, UTM Northing: 5007555, , LIO GeoReference: Zone: , UTM Easting: , UTM Northing: , Latitude: , Longitude: CITY OF OTTAWA

Minto Communities Inc. Database: Site: ON PTTW

EBR Registry No: 012-9800 **Decision Posted:** Ministry Ref No: 5771-AJEJDR Exception Posted:

Notice Type: Section: Instrument Decision Notice Stage: Act 1:

Notice Date: October 06, 2017 Act 2:

February 13, 2017 Proposal Date: Site Location Map:

2017 Year:

(OWRA s. 34) - Permit to Take Water Instrument Type:

Off Instrument Name:

Posted By:

Minto Communities Inc. Company Name:

Site Address: Location Other: Proponent Name:

Proponent Address: 180 Kent Street, Suite 200, Ottawa Ontario, Canada K1P 0B6, Minto Communities Inc., 180 Kent Street, Suite

200, Ottawa Ontario, Canada K1P 0B6

Comment Period:

URL:

#### Site Location Details:

Avalon West Community Address: Lot: 3 & Part of Lot 4, Concession: 11, Geographic Township: CUMBERLAND, Ottawa, City District Office: Ottawa GeoReference: Zone: 18, UTM Easting: 461611, UTM Northing: 5032496, UTM Location Description: S1- Lot 3 Concession 11, Site #: 5712-AJEJLA CITY OF OTTAWA

Site: Taggart Construction Limited Database: **PTTW** Lot: 14 & 15, Concession 3, City of Ottawa CITY OF OTTAWA

Order No: 24052200254

010-3143 Decision Posted:

EBR Registry No: Ministry Ref No: 6038-7D4RTG Exception Posted: Notice Type:Instrument DecisionSection:Notice Stage:Act 1:Notice Date:November 14, 2014Act 2:

Proposal Date: July 11, 2008 Site Location Map:

Year: 2008

Instrument Type: (OWRA s. 34) - Permit to Take Water

Off Instrument Name:

Posted By:

Company Name: Taggart Construction Limited

Site Address: Location Other: Proponent Name: Proponent Address:

3187 Albion Rd S, Ottawa Ontario, K1V 8Y3

Comment Period:

**URL**:

Site Location Details:

Lot: 14 & 15, Concession 3, City of Ottawa CITY OF OTTAWA

Site: Minto Comminities Inc.

Minto Communities Incorporated Address: Lot: 14, Concession: 3, Part of Lot 14 & 15, Geographic Township:

Database:

PTTW

Database:

Order No: 24052200254

PTTW

NEPEAN, Ottawa, City District Office: Ottawa Site #: 0705-APTL56 CITY OF OTTAWA ON

EBR Registry No:013-1210Decision Posted:Ministry Ref No:4200-APTL2JException Posted:

Notice Type:Instrument DecisionSection:Notice Stage:Act 1:Notice Date:June 19, 2018Act 2:

Proposal Date: August 03, 2017 Site Location Map:

**Year:** 2017

Instrument Type: Permit to Take Water - OWRA s. 34

Off Instrument Name:

Posted By:

Company Name: Minto Comminities Inc.

Site Address: Location Other: Proponent Name:

Proponent Address: 180 Kent Street Suite 200 Ottawa Ontario Canada K1P 0B6 Minto Communities Inc. 180 Kent Street Suite 200

Ottawa Ontario Canada K1P 0B6

Comment Period:

URL:

Site Location Details:

Minto Communities Incorporated Address: Lot: 14, Concession: 3, Part of Lot 14 & 15, Geographic Township: NEPEAN, Ottawa, City District Office: Ottawa Site #: 0705-APTL56 CITY OF OTTAWA

Site: Taggart Construction Limited

Lot: 14 & 15, Concession 3, Township of Nepean, City of Ottawa, CITY OF OTTAWA ON

EBR Registry No:010-3147Decision Posted:Ministry Ref No:6038\s-\s7D4RTGException Posted:Notice Type:Instrument DecisionSection:

Notice Stage: Act 1: Notice Date: December 18, 2014 Act 2:

Proposal Date: April 07, 2008 Site Location Map:

**Year:** 2008

Instrument Type: (OWRA s. 34) - Permit to Take Water

Off Instrument Name:

Posted By:

Company Name: Taggart Construction Limited

Site Address: Location Other: Proponent Name:

Proponent Address: 3187 Albion Rd S, Ottawa Ontario, K1V 8Y3

Comment Period:

URL:

Site Location Details:

Lot: 14 & 15, Concession 3, Township of Nepean, City of Ottawa, CITY OF OTTAWA

<u>Site:</u> Taggart Construction Limited

Ottawa ON

Database: SPL

Database: SPL

Ref No: 7584-BB3KRQ Municipality No: Year: Nature of Damage: Incident Dt: 4/4/2019 Discharger Report: Dt MOE Arvl on Scn: Material Group: MOE Reported Dt: 4/9/2019 Health/Env Conseq: Dt Document Closed: Agency Involved:

Site No: NA

MOE Response: Site County/District:

Site Geo Ref Meth:

Site District Office: Ottawa

Nearest Watercourse:

Site Name: 1896 John Quinn rd, Metcalfe<UNOFFICIAL>

Site Address:

Site Region: Eastern
Site Municipality: Ottawa

Site Lot: Site Conc:

Site Geo Ref Accu:
Site Map Datum:
Northing:
Easting:
Incident Cause:
Incident Event:
Environment Impact:
Nature of Impact:
Contaminant Qty:

System Facility Address:

Client Name: Taggart Construction Limited

Client Type: Corporation

Source Type: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Incident Reason:

Incident Summary: Mobile Crusher Relocation - 2019

Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed:

Sector Type: SAC Action Class:

Call Report Locatn Geodata:

<u>Site:</u> Geo. W. Drummond Excavating Inc<UNOFFICIAL>

Strandherd Dr and Temporary Ottawa ON

6067-6EASVT

**Year:** *Incident Dt:* 7/14/2005

Dt MOE Arvl on Scn:

Municipality No: Nature of Damage:

Discharger Report: 0
Material Group: 0

Order No: 24052200254

Ref No:

MOE Reported Dt: 7/14/2005 Health/Env Conseq: **Dt Document Closed:** Agency Involved:

Site No: MOE Response:

Site County/District: Site Geo Ref Meth:

Site District Office: Ottawa

Nearest Watercourse:

Site Name: Roadway<UNOFFICIAL>

Site Address: Site Region:

Site Municipality: Ottawa

Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting:

Incident Cause: Overturn - Truck Or Trailer

Incident Event:

Environment Impact: Not Anticipated Nature of Impact: Soil Contamination unknown L

Contaminant Qty: System Facility Address:

Client Name: Geo. W. Drummond Excavating Inc<UNOFFICIAL>

Client Type: Source Type:

Contaminant Code:

Contaminant Name: **DIESEL FUEL** 

Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:

Receiving Medium: Land

Incident Reason:

Incident Summary: Ottawa: MVA 300 L diesel to road, cleaning

**Activity Preceding Spill:** Property 2nd Watershed: Property Tertiary Watershed:

Other Motor Vehicle Sector Type:

SAC Action Class: Spills to Highways (usually highway accidents)

Call Report Locatn Geodata:

Site: Database: lot 15 ON

08/03/1989

Order No: 24052200254

TRUE

Well ID: 1523693

Flowing (Y/N): **Construction Date:** Flow Rate: Data Entry Status:

Use 1st: Domestic Use 2nd:

Data Src:

Final Well Status: Water Supply Date Received: Water Type: Selected Flag:

Casing Material: Abandonment Rec: Audit No: 49877 Contractor: 3644

Form Version: Tag:

Constructn Method: Owner:

Elevation (m): County: OTTAWA-CARLETON Elevatn Reliabilty: Lot: 015

Depth to Bedrock: Concession:

Concession Name: Well Depth: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: **NEPEAN TOWNSHIP** 

Site Info:

#### **Bore Hole Information**

Bore Hole ID: 10045467

Elevation: DP2BR: Elevrc: Spatial Status: Zone: East83:

Code OB: Code OB Desc: North83: Open Hole: Org CS: Cluster Kind:

UTMRC: 9 Date Completed: 05/29/1989 UTMRC Desc: unknown UTM

18

Order No: 24052200254

Remarks: Location Method:

Location Method Desc: Not Applicable i.e. no UTM Elevrc Desc:

Location Source Date: Improvement Location Source: Improvement Location Method:

**Source Revision Comment:** Supplier Comment:

# Overburden and Bedrock

Materials Interval

Formation ID: 931055457

Layer: 3 Color: 2 General Color: **GREY** Material 1: 26 Material 1 Desc: **ROCK** Material 2:

Material 2 Desc: **FRACTURED** 

Material 3:

Material 3 Desc:

64.0 Formation Top Depth: Formation End Depth: 70.0 Formation End Depth UOM: ft

#### Overburden and Bedrock

**Materials Interval** 

931055455 Formation ID:

Layer: Color: 2 General Color: **GREY** Material 1: 05 Material 1 Desc: CLAY

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

0.0 Formation Top Depth: Formation End Depth: 15.0 Formation End Depth UOM: ft

#### Overburden and Bedrock

**Materials Interval** 

931055456 Formation ID:

Layer: 2 Color: General Color: **GREY** Material 1: **HARDPAN** Material 1 Desc: Material 2: 11 **GRAVEL** Material 2 Desc:

Material 3: Material 3 Desc: Formation Top Depth: 15.0 Formation End Depth: 64.0 Formation End Depth UOM: ft

# Method of Construction & Well

<u>Use</u>

Method Construction ID:961523693Method Construction Code:5Method Construction:Air Percussion

Other Method Construction:

#### Pipe Information

 Pipe ID:
 10594037

 Casing No:
 1

Comment: Alt Name:

# Construction Record - Casing

**Casing ID:** 930079560

Layer: 1
Material: 1
Open Hole or Material: STEEL

Open Hole or Material: Depth From:

Depth To: 66.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

#### **Construction Record - Casing**

**Casing ID:** 930079561

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:
Depth To: 70.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

# Results of Well Yield Testing

Pumping Test Method Desc: PUMP Pump Test ID: 991523693

Pump Set At:

Static Level:2.0Final Level After Pumping:30.0Recommended Pump Depth:30.0Pumping Rate:20.0

Flowing Rate:

Recommended Pump Rate: 10.0 Levels UOM: ft

Rate UOM:

Water State After Test Code:

Water State After Test:

CLOUDY

Pumping Test Method:1Pumping Duration HR:1Pumping Duration MIN:0Flowing:No

# Draw Down & Recovery

934390278 Pump Test Detail ID:

Test Type: 30 Test Duration: 30.0 Test Level: Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 934908462

Test Type: Test Duration: 60 Test Level: 30.0 Test Level UOM:

#### **Draw Down & Recovery**

Pump Test Detail ID: 934106051

Test Type: Test Duration: 15 30.0 Test Level: Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 934651256

Test Type:

Test Duration: 45 30.0 Test Level: Test Level UOM: ft

#### Water Details

Water ID: 933482053

Layer: 1 Kind Code:

**FRESH** Kind: Water Found Depth: 67.0 Water Found Depth UOM: ft

Site: Database: lot 13 ON

Well ID: 1520666

Construction Date:

Use 1st: Domestic Use 2nd:

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No:

NA Tag:

Constructn Method: Elevation (m):

Elevatn Reliabilty: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level: Clear/Cloudy:

Municipality: **OTTAWA CITY** 

Site Info:

Flowing (Y/N): Flow Rate:

Data Entry Status: Data Src:

08/08/1986 Date Received: Selected Flag: TRUE

Abandonment Rec:

Contractor: 1517 Form Version:

Owner:

County: OTTAWA-CARLETON **WWIS** 

Order No: 24052200254

Lot: 013

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

#### **Bore Hole Information**

Bore Hole ID: 10042508

Elevation: DP2BR: Elevrc: Spatial Status: Zone:

East83: Code OB: Code OB Desc: North83: Open Hole: Org CS:

Cluster Kind: UTMRC: 9

Date Completed: 07/17/1986 UTMRC Desc: unknown UTM Remarks: Location Method:

18

Order No: 24052200254

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc: Location Source Date: Improvement Location Source:

Improvement Location Method: **Source Revision Comment:** Supplier Comment:

#### Overburden and Bedrock Materials Interval

Formation ID: 931045467

Layer: Color: 2 General Color: **GREY** Material 1: 15

LIMESTONE Material 1 Desc:

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

0.0 Formation Top Depth: Formation End Depth: 75.0 Formation End Depth UOM:

# Annular Space/Abandonment

Sealing Record

933109179 Plug ID: Layer:

0.0 Plug From: Plug To: 30.0 Plug Depth UOM: ft

# Method of Construction & Well

<u>Use</u>

**Method Construction ID:** 961520666 **Method Construction Code:** 

**Method Construction:** Cable Tool

Other Method Construction:

# Pipe Information

Pipe ID: 10591078 Casing No:

Comment: Alt Name:

#### Construction Record - Casing

Casing ID: 930074202

Layer: Material: Open Hole or Material:

Depth From:

Depth To:

Casing Diameter:

Casing Diameter UOM:

Casing Depth UOM:

Inch

Casing Depth UOM:

#### Results of Well Yield Testing

Pumping Test Method Desc: BAILER
Pump Test ID: 991520666

Pump Set At:

Static Level:1.0Final Level After Pumping:40.0Recommended Pump Depth:60.0Pumping Rate:20.0

Flowing Rate:

Recommended Pump Rate: 70.0 Levels UOM: ft Rate UOM: GPM

Water State After Test Code: Water State After Test:

Pumping Test Method: 2
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

# **Draw Down & Recovery**

Pump Test Detail ID: 934907199

 Test Type:
 60

 Test Level:
 40.0

 Test Level UOM:
 ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 934112552

Test Type:

 Test Duration:
 15

 Test Level:
 20.0

 Test Level UOM:
 ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 934387835

Test Type:

 Test Duration:
 30

 Test Level:
 30.0

 Test Level UOM:
 ft

# Draw Down & Recovery

Pump Test Detail ID: 934648438

Test Type:

 Test Duration:
 45

 Test Level:
 35.0

 Test Level UOM:
 ft

#### Water Details

*Water ID:* 933477982

Layer: 1
Kind Code: 1

Kind: FRESH
Water Found Depth: 72.0
Water Found Depth UOM: ft

Site:

| lot 14 | ON | Database: WWIS | WWIS |

Well ID: 1524159 Flowing (Y/N):
Construction Date: Flow Rate:

Use 1st: Domestic Data Entry Status:
Use 2nd: Data Src:

Final Well Status: Water Supply Date Received: 01/26/1990

Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec:

Audit No: 56457 Contractor: 3644

Tag: Form Version: 1
Constructn Method: Owner:

Elevation (m):County:OTTAWA-CARLETONElevatn Reliability:Lot:014

Elevatn Reliabilty: Lot: 014
Depth to Bedrock: Concession:
Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:
Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: NEPEAN TOWNSHIP Site Info:

**Bore Hole Information** 

 Bore Hole ID:
 10045931
 Elevation:

 DP2BR:
 Elevrc:

 DP2BR:
 Elevro:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:

 Code OB Desc:
 North83:

 Open Hole:
 Org CS:

 Cluster Kind:
 UTMRC:
 9

Date Completed: 10/27/1989 UTMRC Desc: unknown UTM

Remarks: Location Method: Location Method: Location Method Desc: Not Applicable i.e. no UTM

Not Applicable i.e. no o no

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

**Formation ID:** 931057028

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Material 1:
 15

Material 1 Desc: LIMESTONE

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 85.0 Formation End Depth: 100.0 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

**Formation ID:** 931057027

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Material 1:
 14

 Material 1 Desc:
 HARDPAN

Material 2: 11
Material 2 Desc: GRAVEL

Material 3:

Material 3 Desc:

Formation Top Depth: 45.0
Formation End Depth: 85.0
Formation End Depth UOM: ft

# Overburden and Bedrock

Materials Interval

**Formation ID:** 931057026

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Material 1:
 05

 Material 1 Desc:
 CLAY

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 45.0 Formation End Depth UOM: ft

## Method of Construction & Well

<u>Use</u>

Method Construction ID: 961524159

**Method Construction Code:** 5

Method Construction: Air Percussion

Other Method Construction:

#### Pipe Information

**Pipe ID:** 10594501

Casing No:

Comment: Alt Name:

# Construction Record - Casing

**Casing ID:** 930080416

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To:100.0Casing Diameter:6.0Casing Diameter UOM:inchCasing Depth UOM:ft

## **Construction Record - Casing**

**Casing ID:** 930080415

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To:87.0Casing Diameter:6.0Casing Diameter UOM:inchCasing Depth UOM:ft

#### Results of Well Yield Testing

Pumping Test Method Desc:PUMPPump Test ID:991524159

Pump Set At:
Static Level:

Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:

50.0

Flowing Rate:

Recommended Pump Rate: 15.0 Levels UOM: GPM Rate UOM: Water State After Test Code: Water State After Test: **CLEAR** Pumping Test Method: 1 **Pumping Duration HR:** 1 **Pumping Duration MIN:** 0 No Flowing:

#### **Draw Down & Recovery**

Pump Test Detail ID: 934652939

Test Type:

 Test Duration:
 45

 Test Level:
 40.0

 Test Level UOM:
 ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 934391969

Test Type:

 Test Duration:
 30

 Test Level:
 40.0

 Test Level UOM:
 ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 934910139

Test Type:

 Test Duration:
 60

 Test Level:
 40.0

 Test Level UOM:
 ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 934107740

Test Type:

Test Duration: 15
Test Level: 40.0
Test Level UOM: ft

#### Water Details

**Water ID:** 933482710 **Layer:** 1

Kind Code: 1
Kind: FRESH

Database: Site: **WWIS** lot 14 ON

Selected Flag:

Well ID: 1525694 Flowing (Y/N):

Construction Date: Flow Rate: Domestic Use 1st: Data Entry Status:

Use 2nd: Data Src: Final Well Status: Water Supply Date Received:

Water Type:

Casing Material: Abandonment Rec: Audit No: 68579 3644 Contractor:

Tag: Form Version: 1 Constructn Method: Owner:

Elevation (m): OTTAWA-CARLETON County:

Elevatn Reliabilty: Lot: Depth to Bedrock: Concession: Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: **NEPEAN TOWNSHIP** Site Info:

#### **Bore Hole Information**

Bore Hole ID: 10047429 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: Code OB Desc: North83:

Open Hole: Org CS: Cluster Kind: **UTMRC:** 9

Date Completed: 05/14/1991 UTMRC Desc: unknown UTM

Location Method: Remarks:

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

#### Overburden and Bedrock

## **Materials Interval**

931062030 Formation ID:

Layer: Color: 2 **GREY** General Color: Material 1: 05 Material 1 Desc: CLAY Material 2: 14

Material 2 Desc: **HARDPAN** Material 3: 12 Material 3 Desc: **STONES** Formation Top Depth: 15.0 Formation End Depth: 51.0 Formation End Depth UOM: ft

# Overburden and Bedrock

**Materials Interval** 

10/21/1991 TRUE

**Formation ID:** 931062031

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Material 1:
 15

Material 1 Desc: LIMESTONE

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 51.0
Formation End Depth: 83.0
Formation End Depth UOM: ft

#### Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 931062029

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Material 1:
 05

 Material 1 Desc:
 CLAY

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 15.0
Formation End Depth UOM: ft

# Method of Construction & Well

<u>Use</u>

Method Construction ID: 961525694

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

#### Pipe Information

**Pipe ID:** 10595999

Casing No:

Comment: Alt Name:

#### **Construction Record - Casing**

 Casing ID:
 930083025

 Layer:
 2

Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To:83.0Casing Diameter:6.0Casing Diameter UOM:inchCasing Depth UOM:ft

## Construction Record - Casing

**Casing ID:** 930083024

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To:54.0Casing Diameter:6.0Casing Diameter UOM:inchCasing Depth UOM:ft

#### Results of Well Yield Testing

Pumping Test Method Desc:PUMPPump Test ID:991525694

Pump Set At:

Static Level:5.0Final Level After Pumping:45.0Recommended Pump Depth:45.0Pumping Rate:40.0

Flowing Rate:

Recommended Pump Rate: 15.0
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2

Water State After Test:CLOUDYPumping Test Method:1Pumping Duration HR:1Pumping Duration MIN:0Flowing:No

# **Draw Down & Recovery**

Pump Test Detail ID: 934906864

Test Type:

 Test Duration:
 60

 Test Level:
 45.0

 Test Level UOM:
 ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 934649266

Test Type:

 Test Duration:
 45

 Test Level:
 45.0

 Test Level UOM:
 ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 934105069

Test Type:

Test Duration: 15
Test Level: 45.0
Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 934388728

Test Type:

 Test Duration:
 30

 Test Level:
 45.0

 Test Level UOM:
 ft

#### Water Details

*Water ID:* 933484756

Layer: 1
Kind Code: 1

Kind: FRESH Water Found Depth: 77.0

Well ID: 1526637 Flowing (Y/N): Construction Date: Flow Rate:

Construction Date: Flow Rate:
Use 1st: Not Used Data Entry Status:

Use 2nd:Data Src:1Final Well Status:Test HoleDate Received:10/1

Final Well Status:Test HoleDate Received:10/19/1992Water Type:Selected Flag:TRUE

Casing Material:Abandonment Rec:Audit No:127467Contractor:6571

Tag: Contractor: 657
Form Version: 1

 Constructn Method:
 Owner:

 Elevation (m):
 County:
 OTTAWA-CARLETON

Elevatn Reliabilty: Lot: 015
Depth to Bedrock: Concession:

Well Depth: Concession Name:
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:
Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: OTTAWA CITY
Site Info:

#### **Bore Hole Information**

Bore Hole ID: 10048328 Elevation: DP2BR: Elevrc:

| Spatial Status: | Zone: | 18 | Code OB: | East83: | Code OB Desc: | North83: | Open Hole: | Org CS: | |

Cluster Kind: UTMRC: 9

 Date Completed:
 08/19/1992
 UTMRC Desc:
 unknown UTM

 Remarks:
 Location Method:
 na

Remarks: Location Method: no Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

# Overburden and Bedrock

#### Materials Interval

**Formation ID:** 931064730

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Material 1:
 12

 Material 1 Desc:
 STONES

 Material 2:
 38

Material 2 Desc: CONGLOMERATE

 Material 3:
 28

 Material 3 Desc:
 SAND

 Formation Top Depth:
 0.0

 Formation End Depth:
 3.0

 Formation End Depth UOM:
 ft

# Overburden and Bedrock

Materials Interval

**Formation ID:** 931064731

2 Layer: Color: 2 General Color: GREY Material 1: 05 Material 1 Desc: CLAY Material 2: 06 Material 2 Desc: SILT Material 3: 66 Material 3 Desc: **DENSE** Formation Top Depth: 3.0 Formation End Depth: 23.0 Formation End Depth UOM: ft

# Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111839

 Layer:
 2

 Plug From:
 3.0

 Plug To:
 23.0

 Plug Depth UOM:
 ft

#### Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111838

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 3.0

 Plug Depth UOM:
 ft

#### Method of Construction & Well

<u>Use</u>

Method Construction ID: 961526637

Method Construction Code: 0

Method Construction: Not Known

Other Method Construction:

# Pipe Information

 Pipe ID:
 10596898

 Casing No:
 1

Comment: Alt Name:

#### Construction Record - Casing

**Casing ID:** 930084616

Layer: 1

Material:

Open Hole or Material:

Depth From:

Depth To: 18.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

#### **Construction Record - Screen**

 Screen ID:
 933326413

 Layer:
 1

 Slot:
 010

 Screen Top Depth:
 18.0

Screen End Depth: 23.0 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

Water Details

Water ID: 933486013

Layer: Kind Code:

Kind: **FRESH** Water Found Depth: 5.0 Water Found Depth UOM: ft

Site: Database: lot 15 ON **WWIS** 

Well ID: 1526638 Flowing (Y/N): **Construction Date:** Flow Rate:

Not Used Use 1st: Data Entry Status: Use 2nd: Data Src:

Final Well Status: Test Hole Date Received: 10/19/1992

Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec:

Audit No: 127466 Contractor: 6571 Form Version: 1

Tag: Constructn Method: Owner:

**OTTAWA-CARLETON** Elevation (m): County: Elevatn Reliabilty: Lot: 015

Depth to Bedrock: Concession: Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

**OTTAWA CITY** Municipality: Site Info:

**Bore Hole Information** 

Bore Hole ID: 10048329 Elevation:

DP2BR: Elevrc: Spatial Status: Zone: 18

Code OB: East83: Code OB Desc: North83: Open Hole: Org CS: Cluster Kind: UTMRC:

08/19/1992 **UTMRC Desc:** unknown UTM Date Completed:

Location Method: Remarks: na

Order No: 24052200254

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method:

Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

931064733 Formation ID:

2 Layer: Color: General Color: **GREY** Material 1:

Material 1 Desc: CLAY Material 2: 06 Material 2 Desc: SILT Material 3: 66 DENSE Material 3 Desc: Formation Top Depth: 4.0 Formation End Depth: 30.0 Formation End Depth UOM: ft

# Overburden and Bedrock

Materials Interval

**Formation ID:** 931064732

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Material 1:
 38

Material 1 Desc: CONGLOMERATE

Material 2:12Material 2 Desc:STONESMaterial 3:28Material 3 Desc:SANDFormation Top Depth:0.0Formation End Depth:4.0Formation End Depth UOM:ft

# Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111841

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 30.0

 Plug Depth UOM:
 ft

#### Annular Space/Abandonment

Sealing Record

**Plug ID:** 933111840

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.0

 Plug Depth UOM:
 ft

## Method of Construction & Well

<u>Use</u>

Method Construction ID: 961526638

Method Construction Code: 0

Method Construction: Not Known

Other Method Construction:

# Pipe Information

*Pipe ID:* 10596899

Casing No:

Comment: Alt Name:

# **Construction Record - Casing**

**Casing ID:** 930084618

Layer: 2 Material: 5

**PLASTIC** Open Hole or Material: Depth From: 25.0 Depth To: Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

#### **Construction Record - Casing**

Casing ID: 930084617

Layer: 1 Material: 5

Open Hole or Material: **PLASTIC** 

Depth From:

Depth To: 18.0 Casing Diameter: 2.0 inch Casing Diameter UOM: Casing Depth UOM: ft

#### Construction Record - Screen

933326414 Screen ID:

Layer: 010 Slot: Screen Top Depth: 18.0 Screen End Depth: 21.0 Screen Material:

Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 1.5

#### Water Details

933486014 Water ID:

Layer: 1 Kind Code: **FRESH** Kind: Water Found Depth: 5.0 Water Found Depth UOM: ft

Site: Database: lot 15 ON **WWIS** 

Well ID: 1526639

**Construction Date:** 

Use 1st: Not Used Use 2nd:

Final Well Status: Test Hole

Water Type:

Casing Material:

Audit No: 127465

Tag: Constructn Method:

Elevation (m):

Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level:

Clear/Cloudy:

**OTTAWA CITY** Municipality:

Site Info:

Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:

10/19/1992 Date Received: Selected Flag: TRUE

Abandonment Rec:

Contractor: 6571 Form Version:

Owner:

County: **OTTAWA-CARLETON** Lot:

Order No: 24052200254

015

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

**Bore Hole Information** 

Bore Hole ID: 10048330

DP2BR: Spatial Status:

Elevation: Elevrc: Zone:

18

9

na

unknown UTM

Order No: 24052200254

UTMRC Desc:

Location Method:

Code OB: East83: Code OB Desc: North83: Open Hole: Org CS: Cluster Kind: UTMRC:

Date Completed: 08/19/1992

Remarks:

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

#### Overburden and Bedrock

#### **Materials Interval**

931064735 Formation ID:

Layer: Color: 2 General Color: **GREY** Material 1: 05 Material 1 Desc: CLAY Material 2: 06 SILT Material 2 Desc: Material 3: 80

FINE SAND Material 3 Desc: Formation Top Depth: 4.0 Formation End Depth: 27.0 Formation End Depth UOM: ft

#### Overburden and Bedrock

#### **Materials Interval**

931064734 Formation ID: Layer: Color: **GREY** General Color: Material 1: 12 **STONES** Material 1 Desc: Material 2: 80 **FINE SAND** Material 2 Desc:

Material 3: 01 Material 3 Desc: FILL 0.0 Formation Top Depth: Formation End Depth: 4.0 Formation End Depth UOM:

#### Annular Space/Abandonment

Sealing Record

Plug ID: 933111842 Layer: 1 Plug From: 0.0 Plug To: 3.0 Plug Depth UOM: ft

## Annular Space/Abandonment

Sealing Record

Plug ID: 933111843 

 Layer:
 2

 Plug From:
 3.0

 Plug To:
 27.0

 Plug Depth UOM:
 ft

## Method of Construction & Well

<u>Use</u>

Method Construction ID:961526639Method Construction Code:0Method Construction:Not KnownOther Method Construction:

# Pipe Information

 Pipe ID:
 10596900

 Casing No:
 1

 Comment:
 1

Alt Name:

#### Construction Record - Casing

 Casing ID:
 930084619

 Layer:
 1

 Material:
 5

Open Hole or Material: PLASTIC

Depth From:

Depth To:9.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

#### **Construction Record - Casing**

**Casing ID:** 930084621

Layer: 3 Material: 5

Open Hole or Material: PLASTIC

Depth From:
Depth To: 24.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

# Construction Record - Casing

**Casing ID:** 930084620

Layer: 2
Material: 5
Open Hole or Material: PLASTIC

Depth From:

Depth To:17.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

#### **Construction Record - Screen**

 Screen ID:
 933326415

 Layer:
 1

 Slot:
 010

 Screen Top Depth:
 9.0

 Screen End Depth:
 12.0

Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

Water Details

933486015 Water ID:

Layer:

Kind Code:

Kind: **FRESH** Water Found Depth: 5.0 Water Found Depth UOM: ft

Site: Database: lot 15 ON

Well ID: 1526640 Flowing (Y/N):

Construction Date: Flow Rate: Use 1st: Not Used Data Entry Status:

Use 2nd: Data Src:

10/19/1992 Final Well Status: Test Hole Date Received: Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec: Audit No: 127464 6571

Contractor: Tag: Form Version: 1

Constructn Method: Owner: County: OTTAWA-CARLETON Elevation (m):

Elevatn Reliabilty: Lot: 015

Depth to Bedrock: Concession: Concession Name: Well Depth: Overburden/Bedrock: Easting NAD83:

Northing NAD83: Pump Rate: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: **OTTAWA CITY** 

Site Info:

**Bore Hole Information** 

10048331 Bore Hole ID: Elevation:

DP2BR: Elevrc: Spatial Status: Zone: 18 Code OB: East83:

Code OB Desc: North83: Org CS: Open Hole: Cluster Kind: UTMRC:

UTMRC Desc: 08/18/1992 Date Completed: unknown UTM

Remarks: Location Method: na

Order No: 24052200254

Not Applicable i.e. no UTM Location Method Desc:

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method:

Source Revision Comment: Supplier Comment:

Overburden and Bedrock **Materials Interval** 

931064737 Formation ID:

Layer: Color: 2 General Color: **GREY** Material 1: 05 Material 1 Desc: **CLAY** Material 2:

Material 2 Desc:SILTMaterial 3:66Material 3 Desc:DENSEFormation Top Depth:3.0Formation End Depth:35.0Formation End Depth UOM:ft

#### Overburden and Bedrock

Materials Interval

**Formation ID:** 931064736

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Material 1:
 12

 Material 1 Desc:
 STONES

 Material 2:
 28

 Material 2 Desc:
 SAND

Material 3:

Material 3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 3.0 Formation End Depth UOM: ft

#### Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111845

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 35.0

 Plug Depth UOM:
 ft

# Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111844

 Layer:
 1

 Plug From:
 0.0

Plug From: 0.0
Plug To: 2.0
Plug Depth UOM: ft

# Method of Construction & Well

<u>Use</u>

Method Construction ID:961526640Method Construction Code:0Method Construction:Not Known

Method Construction: Other Method Construction:

#### Pipe Information

**Pipe ID:** 10596901

Casing No: Comment: Alt Name:

# Construction Record - Casing

**Casing ID:** 930084622

Layer: 1
Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To:32.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

#### Construction Record - Screen

**Screen ID:** 933326416

Layer:

 Slot:
 010

 Screen Top Depth:
 32.0

 Screen End Depth:
 35.0

 Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.5

Water Details

*Water ID:* 933486016

Layer: 1
Kind Code: 1

Kind: FRESH
Water Found Depth: 5.0
Water Found Depth UOM: ft

Site:

lot 15 ON

Database:

WWIS

Well ID: 1526641 Flowing (Y/N):
Construction Date: Flow Rate:

Construction Date: Flow Rate:
Use 1st: Not Used Data Entry Status:

Use 2nd:

Data Entry Status.

Data Src:

Final Well Status:Test HoleDate Received:10/19/1992Water Type:Selected Flag:TRUE

Casing Material:Abandonment Rec:Audit No:127463Contractor:6571

Tag: Form Version: 1

 Constructn Method:
 Owner:

 Elevation (m):
 County:
 OTTAWA-CARLETON

Elevatn Reliabilty: Lot: 015

Depth to Bedrock: Concession:
Well Depth: Concession Name:

Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:
Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: OTTAWA CITY

Site Info:

# **Bore Hole Information**

Bore Hole ID: 10048332 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18

Code OB:East83:Code OB Desc:North83:Open Hole:Org CS:

 Cluster Kind:
 UTMRC:
 9

 Date Completed:
 08/17/1992
 UTMRC Desc:
 unl

Date Completed:08/17/1992UTMRC Desc:unknown UTMRemarks:Location Method:na

Order No: 24052200254

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method:

# Source Revision Comment: Supplier Comment:

# Overburden and Bedrock

## Materials Interval

**Formation ID:** 931064739

Layer: Color: General Color: **GREY** Material 1: 05 Material 1 Desc: CLAY Material 2: 06 Material 2 Desc: SILT Material 3: 66 DENSE Material 3 Desc: Formation Top Depth: 2.0 Formation End Depth: 32.0 Formation End Depth UOM: ft

# Overburden and Bedrock

#### Materials Interval

**Formation ID:** 931064738

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Material 1:
 11

 Material 1 Desc:
 GRAVEL

Material 2: 28
Material 2 Desc: SAND

Material 3: Material 3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 2.0 Formation End Depth UOM: ft

# Annular Space/Abandonment

#### Sealing Record

 Plug ID:
 933111846

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.0

 Plug Depth UOM:
 ft

#### Annular Space/Abandonment

#### Sealing Record

 Plug ID:
 933111847

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 32.0

 Plug Depth UOM:
 ft

## Method of Construction & Well

<u>Use</u>

Method Construction ID: 961526641

Method Construction Code:

Method Construction: Not Known

Other Method Construction:

# Pipe Information

**Pipe ID:** 10596902

Casing No: Comment: Alt Name:

#### **Construction Record - Casing**

**Casing ID:** 930084623

Layer:

Material:

Open Hole or Material: PLASTIC

Depth From:

Depth To: 29.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

#### Construction Record - Screen

**Screen ID:** 933326417

 Layer:
 1

 Slot:
 010

 Screen Top Depth:
 29.0

 Screen End Depth:
 32.0

Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

#### Water Details

*Water ID:* 933486017

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 5.0

Site:

| lot 15 | ON | Database: WWIS

.....

Water Found Depth UOM:

**Well ID:** 1526642

Construction Date:

Use 1st: Not Used Use 2nd:

Final Well Status: Test Hole

Water Type:

Casing Material:

**Audit No:** 127462

Tag:

Constructn Method:

Elevation (m): Elevatn Reliabilty: Depth to Bedrock:

Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: OTTAWA CITY

Site Info:

Flowing (Y/N):

Flow Rate: Data Entry Status:

Data Src:

Date Received: 10/19/1992 Selected Flag: TRUE

Abandonment Rec:

Contractor: 6571 Form Version: 1

Owner:

County: OTTAWA-CARLETON

Order No: 24052200254

**Lot:** 015

Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

**Bore Hole Information** 

Bore Hole ID: 10048333

Elevation: DP2BR: Elevrc:

Spatial Status: Zone: Code OB: East83: Code OB Desc: North83:

18

na

unknown UTM

Order No: 24052200254

Open Hole: Org CS: Cluster Kind: UTMRC:

Date Completed: 08/17/1992 UTMRC Desc: **Location Method:** Remarks:

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

# Overburden and Bedrock

#### **Materials Interval**

Formation ID: 931064741

Layer: 2 Color: General Color: **GREY** Material 1: 05 Material 1 Desc: CLAY Material 2: 06 Material 2 Desc: SILT Material 3: 66 Material 3 Desc: **DENSE** Formation Top Depth: 2.0 Formation End Depth: 305.0 Formation End Depth UOM:

#### Overburden and Bedrock

#### **Materials Interval**

Formation ID: 931064740

Layer: 2 Color: General Color: **GREY** Material 1: 12 Material 1 Desc: **STONES** 

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 2.0 Formation End Depth UOM:

#### Annular Space/Abandonment

Sealing Record

Plug ID: 933111848

Layer: 0.0 Plug From: 3.0 Plug To: Plug Depth UOM: ft

## Annular Space/Abandonment

Sealing Record

Plug ID: 933111849

Layer: 2 

 Plug From:
 3.0

 Plug To:
 30.0

 Plug Depth UOM:
 ft

# Method of Construction & Well

<u>Use</u>

Method Construction ID:961526642Method Construction Code:0Method Construction:Not Known

**Other Method Construction:** 

#### Pipe Information

 Pipe ID:
 10596903

 Casing No:
 1

 Comment:
 1

Alt Name:

# Construction Record - Casing

**Casing ID:** 930084624

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To: 28.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

#### Construction Record - Screen

**Screen ID:** 933326418 **Layer:** 1

| Slot: 010 | Screen Top Depth: 28.0 | Screen End Depth: 31.0 | Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.5

# Water Details

*Water ID*: 933486018

Layer: 1
Kind Code: 1

Water Found Depth: 5.0

Water Found Depth UOM: ft

<u>Site:</u>

| lot 15 | ON | Database: | WWIS | | WWIS | |

Order No: 24052200254

Well ID: 1526643 Flowing (Y/N): Construction Date: Flow Rate:

Use 1st: Not Used Data Entry Status:

Use 2nd: Data Src.

Final Well Status:Test HoleDate Received:10/19/1992Water Type:Selected Flag:TRUE

Casing Material: Abandonment Rec:

 Audit No:
 127461
 Contractor:
 6571

 Tag:
 Form Version:
 1

Constructn Method:

Elevation (m): Elevatn Reliabilty:

Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Clear/Cloudy:

Municipality: **OTTAWA CITY** 

Site Info:

**Bore Hole Information** 

Bore Hole ID: 10048334

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

08/17/1992 Date Completed:

Remarks:

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

931064742 Formation ID:

Layer: Color: 2 General Color: **GREY** Material 1: 12 **STONES** Material 1 Desc:

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 1.0 ft Formation End Depth UOM:

Overburden and Bedrock

**Materials Interval** 

931064743 Formation ID:

Layer: 2 Color: General Color: **GREY** Material 1: 05 Material 1 Desc: CLAY Material 2: 06 SILT Material 2 Desc: Material 3: 11 Material 3 Desc: **GRAVEL** Formation Top Depth: 1.0 Formation End Depth: 31.0 Formation End Depth UOM:

Owner:

OTTAWA-CARLETON County:

Lot: 015

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation:

Elevrc:

Zone: 18

East83: North83: Org CS:

**UTMRC:** 9

UTMRC Desc: unknown UTM

Location Method:

# Annular Space/Abandonment

#### Sealing Record

 Plug ID:
 933111851

 Layer:
 2

 Plug From:
 3.0

 Plug To:
 31.0

 Plug Depth UOM:
 ft

# Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111850

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 3.0

 Plug Depth UOM:
 ft

#### Method of Construction & Well

<u>Use</u>

Method Construction ID: 961526643

Method Construction Code:

Method Construction: Not Known

Other Method Construction:

# Pipe Information

**Pipe ID:** 10596904

Casing No:

Comment: Alt Name:

#### **Construction Record - Casing**

**Casing ID:** 930084625

Layer:

Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To: 28.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

## Construction Record - Screen

**Screen ID:** 933326419

 Layer:
 1

 Slot:
 010

 Screen Top Depth:
 28.0

 Screen End Depth:
 31.0

Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

#### Water Details

*Water ID:* 933486019

Layer: 1
Kind Code: 1

Kind: FRESH Water Found Depth: 5.0

ft

Site: Database: lot 13 ON

1517753 Well ID: Flowing (Y/N): **Construction Date:** Flow Rate:

Use 1st: Domestic Data Entry Status: Use 2nd: Data Src:

Final Well Status: Water Supply Date Received: 03/18/1982

Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec: Audit No: Contractor: 1558

Form Version: Tag: 1 Constructn Method: Owner:

**OTTAWA-CARLETON** Elevation (m): County: Elevatn Reliabilty: 013 Lot: Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: NEPEAN TOWNSHIP Site Info:

**Bore Hole Information** 

10039625 Bore Hole ID: Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18 East83: Code OB: Code OB Desc: North83: Open Hole: Org CS:

Cluster Kind: UTMRC: 9 Date Completed: 02/23/1982 **UTMRC Desc:** unknown UTM

Location Method: Remarks: na Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc: Location Source Date: Improvement Location Source:

Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock **Materials Interval** 

931036221 Formation ID: Layer: 4 Color: General Color: **GREY** Material 1: 18

SANDSTONE Material 1 Desc:

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 75.0 Formation End Depth: 175.0 Formation End Depth UOM:

Overburden and Bedrock

**Materials Interval** 

Formation ID: 931036220

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Material 1:
 28

 Material 1 Desc:
 SAND

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 55.0
Formation End Depth: 75.0
Formation End Depth UOM: ft

## Overburden and Bedrock

#### Materials Interval

**Formation ID:** 931036219

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Material 1:
 28

 Material 1 Desc:
 SAND

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 5.0
Formation End Depth: 55.0
Formation End Depth UOM: ft

# Overburden and Bedrock

#### Materials Interval

**Formation ID:** 931036218

 Layer:
 1

 Color:
 7

 General Color:
 RED

 Material 1:
 28

 Material 1 Desc:
 SAND

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 5.0 Formation End Depth UOM: ft

# Method of Construction & Well

<u>Use</u>

Method Construction ID: 961517753

Method Construction Code: 5

Method Construction: Air Percussion

**Other Method Construction:** 

#### Pipe Information

**Pipe ID:** 10588195

Casing No:

Comment: Alt Name:

# Construction Record - Casing

**Casing ID:** 930069265

Layer: 1
Material: 1
Ones Male as Material: STE

Open Hole or Material: Depth From: STEEL

Depth To:76.0Casing Diameter:6.0Casing Diameter UOM:inchCasing Depth UOM:ft

#### Construction Record - Casing

**Casing ID:** 930069266

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To: 175.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

### Results of Well Yield Testing

Pumping Test Method Desc:PUMPPump Test ID:991517753

Pump Set At:

Static Level: 50.0 Final Level After Pumping: 100.0 165.0 Recommended Pump Depth: Pumping Rate: 25.0 Flowing Rate: 5.0 Recommended Pump Rate: Levels UOM: **GPM** Rate UOM: Water State After Test Code: **CLEAR** Water State After Test: Pumping Test Method: **Pumping Duration HR:** 0 **Pumping Duration MIN:** No Flowing:

# **Draw Down & Recovery**

 Pump Test Detail ID:
 934646421

 Test Type:
 Draw Down

 Test Duration:
 45

 Test Level:
 100.0

 Test Level UOM:
 ft

### **Draw Down & Recovery**

 Pump Test Detail ID:
 934895696

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 100.0

 Test Level UOM:
 ft

### **Draw Down & Recovery**

 Pump Test Detail ID:
 934376585

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 100.0

 Test Level UOM:
 ft

### **Draw Down & Recovery**

Pump Test Detail ID: 934102965 Draw Down Test Type: Test Duration: 15 Test Level: 100.0 Test Level UOM:

Water Details

Water ID: 933474291 Layer: Kind Code: **FRESH** Kind: Water Found Depth: 85.0

ft

Site: Database: lot 15 ON **WWIS** 

Well ID: 1530391

Construction Date:

Water Found Depth UOM:

Use 1st:

Use 2nd: Final Well Status: Abandoned-Quality

Water Type:

Casing Material:

Audit No: 194596

Tag:

Constructn Method:

Elevation (m):

Elevatn Reliabilty: Depth to Bedrock:

Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level:

Clear/Cloudy:

**OTTAWA CITY** Municipality:

Site Info:

Flowing (Y/N): Flow Rate: Data Entry Status:

Data Src:

12/01/1998 Date Received: Selected Flag: TRUE

Abandonment Rec:

Contractor: 3749 Form Version: 1

Owner:

County: **OTTAWA-CARLETON** 

18

9

na

unknown UTM

Order No: 24052200254

Lot: 015

Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Elevation:

Elevrc:

Zone:

East83:

North83:

Org CS:

UTMRC:

**UTMRC Desc:** 

Location Method:

**Bore Hole Information** 

Bore Hole ID: 10051926

DP2BR: Spatial Status:

Code OB: Code OB Desc: Open Hole:

Cluster Kind: Date Completed: 09/10/1998

Remarks:

Location Method Desc:

Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 933115535

Layer:

Plug From: 25.0 378.0 Plug To: Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 933115536 Layer: 2 Plug From: 1.0 25.0 Plug To: Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: 961530391 **Method Construction Code:** Not Known **Method Construction:** 

Other Method Construction:

Pipe Information

Pipe ID: 10600496 Casing No:

Comment: Alt Name:

Database: Site: lot 15 ON **WWIS** 

Abandonment Rec:

Order No: 24052200254

1530156 Well ID: Flowing (Y/N):

**Construction Date:** Flow Rate: Data Entry Status: Use 1st: Domestic

Use 2nd: Data Src:

08/27/1998 Final Well Status: Water Supply Date Received: TRUE Water Type: Selected Flag:

Casing Material:

Contractor: Audit No: 192929

4875 Form Version: Tag:

Constructn Method: Owner:

Elevation (m): County: OTTAWA-CARLETON Elevatn Reliabilty: 015 Lot:

Depth to Bedrock: Concession:

Concession Name: OF Well Depth:

Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

**NEPEAN TOWNSHIP** Municipality:

Site Info:

**Bore Hole Information** 

Bore Hole ID: 10051691 Elevation: DP2BR: Elevrc:

Spatial Status: 18 Zone:

Code OB: East83: Code OB Desc: North83: Open Hole: Org CS:

Cluster Kind: UTMRC:

Date Completed: 08/06/1998 UTMRC Desc: unknown UTM Remarks: Location Method: na

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

### Overburden and Bedrock

### **Materials Interval**

**Formation ID:** 931074673

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Material 1:
 16

 Material 1 Desc:
 DOLOMITE

Material 2: 81
Material 2 Desc: SANDY

Material 3:

Material 3 Desc:

Formation Top Depth: 29.0 Formation End Depth: 60.0 Formation End Depth UOM: ft

### Overburden and Bedrock

### Materials Interval

 Formation ID:
 931074672

 Layer:
 2

| Color: | 2 | General Color: | GREY | Material 1: | 34 | Material 1 | Desc: | TILL | Material 2: | 13 |

Material 2 Desc: BOULDERS

Material 3:

Material 3 Desc:

Formation Top Depth: 15.0 Formation End Depth: 29.0 Formation End Depth UOM: ft

# Overburden and Bedrock

### **Materials Interval**

**Formation ID:** 931074674

 Layer:
 4

 Color:
 1

 General Color:
 WHITE

 Material 1:
 18

Material 1 Desc:SANDSTONEMaterial 2:71Material 2 Desc:FRACTURED

Material 2 Desc: Material 3:

Material 3 Desc:

Formation Top Depth: 60.0 Formation End Depth: 140.0 Formation End Depth UOM: ft

# Overburden and Bedrock

### **Materials Interval**

**Formation ID:** 931074671

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Material 1:
 05

Material 1 Desc:CLAYMaterial 2:02Material 2 Desc:TOPSOIL

Material 3: Material 3 Desc:

Formation Top Depth: 0.0
Formation End Depth: 15.0
Formation End Depth UOM: ft

# Annular Space/Abandonment

Sealing Record

 Plug ID:
 933115284

 Layer:
 1

 Plug From:
 2.0

 Plug To:
 33.0

 Plug Depth UOM:
 ft

### Method of Construction & Well

<u>Use</u>

Method Construction ID: 961530156

Method Construction Code:

Method Construction: Rotary (Air)

Other Method Construction:

### Pipe Information

**Pipe ID:** 10600261

Casing No:

Comment: Alt Name:

### **Construction Record - Casing**

**Casing ID:** 930090079

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 33.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

### Construction Record - Casing

**Casing ID:** 930090080

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To: 140.0
Casing Diameter: 6.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

# Results of Well Yield Testing

Pumping Test Method Desc:PUMPPump Test ID:991530156

Pump Set At:

Static Level: 18.0 Final Level After Pumping: 100.0

Recommended Pump Depth: 100.0 40.0 Pumping Rate: Flowing Rate: Recommended Pump Rate: 10.0 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: 2 **CLOUDY** Water State After Test: Pumping Test Method: 1 **Pumping Duration HR:** 1 **Pumping Duration MIN:** 0 Flowing: No

### **Draw Down & Recovery**

 Pump Test Detail ID:
 934661913

 Test Type:
 Recovery

 Test Duration:
 45

 Test Level:
 19.0

 Test Level UOM:
 ft

### **Draw Down & Recovery**

 Pump Test Detail ID:
 934392758

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 20.0

 Test Level UOM:
 ft

### **Draw Down & Recovery**

 Pump Test Detail ID:
 934910455

 Test Type:
 Recovery

 Test Duration:
 60

 Test Level:
 18.0

 Test Level UOM:
 ft

### Water Details

*Water ID*: 933490218

Layer: 1 Kind Code: 5

Kind: Not stated
Water Found Depth: 133.0
Water Found Depth UOM: ft

Site:

| lot 15 ON | Database: WWIS

Order No: 24052200254

Well ID: 1526690 Flowing (Y/N):

Construction Date: Flow Rate:
Use 1st: Domestic Data Entry Status:

Use 2nd: Data Src:

Final Well Status:Water SupplyDate Received:11/18/1992Water Type:Selected Flag:TRUE

Casing Material:Abandonment Rec:Audit No:111971Contractor:3644

Audit No: 1119/1 Contractor: 3644
Tag: Form Version: 1
Constructn Method: Owner:

 Elevation (m):
 County:
 OTTAWA-CARLETON

 Elevatn Reliability:
 Lot:
 015

Depth to Bedrock: Concession:

Well Depth: Concession Name:
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:

Static Water Level:

Clear/Cloudy:

NEPEAN TOWNSHIP Municipality:

Site Info:

**Bore Hole Information** 

Bore Hole ID: 10048381

DP2BR: Elevrc:

Spatial Status: Zone: 18

East83: Code OB: Code OB Desc: North83: Open Hole: Org CS: Cluster Kind: UTMRC:

Date Completed: 11/09/1992 UTMRC Desc: unknown UTM

Zone:

Elevation:

Order No: 24052200254

UTM Reliability:

Remarks: Location Method: na

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** Supplier Comment:

Overburden and Bedrock

**Materials Interval** 

Formation ID: 931064877

2 Layer: Color: 2 General Color: **GREY** Material 1: 14 Material 1 Desc: **HARDPAN** Material 2: **GRAVEL** Material 2 Desc:

Material 3:

Material 3 Desc:

Formation Top Depth: 69.0 Formation End Depth: 90.0 Formation End Depth UOM:

Overburden and Bedrock

**Materials Interval** 

Formation ID: 931064878

Layer: 2 Color: General Color: **GREY** Material 1: 15

Material 1 Desc: LIMESTONE Material 2: **FRACTURED** Material 2 Desc:

Material 3: Material 3 Desc:

Formation Top Depth: 90.0 Formation End Depth: 92.0

Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931064876

Layer: Color: General Color: **GREY**  Material 1: 05
Material 1 Desc: CLAY

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 69.0 Formation End Depth UOM: ft

### Method of Construction & Well

<u>Use</u>

Method Construction ID: 961526690

Method Construction Code:

Method Construction: Air Percussion

Other Method Construction:

### Pipe Information

**Pipe ID:** 10596951

Casing No:

Comment: Alt Name:

### **Construction Record - Casing**

**Casing ID:** 930084702

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To:93.0Casing Diameter:6.0Casing Diameter UOM:inchCasing Depth UOM:ft

### Results of Well Yield Testing

Pumping Test Method Desc: PUMP Pump Test ID: 991526690

Pump Set At:

Static Level:0.0Final Level After Pumping:30.0Recommended Pump Depth:30.0Pumping Rate:50.0

Flowing Rate:

Recommended Pump Rate: 15.0 Levels UOM: ft GPM Rate UOM: Water State After Test Code: **CLOUDY** Water State After Test: Pumping Test Method: **Pumping Duration HR:** 1 0 **Pumping Duration MIN:** Flowing: No

### **Draw Down & Recovery**

 Pump Test Detail ID:
 934652588

 Test Type:
 Recovery

 Test Duration:
 45

 Test Level:
 0.0

 Test Level UOM:
 ft

### **Draw Down & Recovery**

Pump Test Detail ID: 934909783 Recovery Test Type: Test Duration: 60 Test Level: 0.0 Test Level UOM: ft

### **Draw Down & Recovery**

Pump Test Detail ID: 934108441 Test Type: Recovery Test Duration: 15 3.0 Test Level: Test Level UOM: ft

#### **Draw Down & Recovery**

Pump Test Detail ID: 934392075 Recovery Test Type: Test Duration: 30 1.0 Test Level: Test Level UOM: ft

### Water Details

933486077 Water ID:

Layer: Kind Code: **FRESH** Kind: Water Found Depth: 92.0 Water Found Depth UOM: ft

Site: Database: lot 15 ON

18

Order No: 24052200254

1526689 Well ID: Flowing (Y/N): **Construction Date:** Flow Rate:

Data Entry Status: Use 1st: Domestic

Use 2nd: Data Src:

11/05/1992 Final Well Status: Water Supply Date Received:

TRUE Water Type: Selected Flag: Casing Material: Abandonment Rec:

Audit No: 111951 Contractor: 3644

Form Version: Tag: 1 Constructn Method: Owner:

OTTAWA-CARLETON Elevation (m): County:

Elevatn Reliabilty: Lot: 015

Depth to Bedrock: Concession:

Concession Name: Well Depth: Overburden/Bedrock: Easting NAD83:

Pump Rate: Northing NAD83: Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: **NEPEAN TOWNSHIP** Site Info:

### **Bore Hole Information**

Bore Hole ID: 10048380 Elevation:

DP2BR: Elevrc: Spatial Status: Zone:

Code OB: East83: Code OB Desc: North83: Open Hole:

Cluster Kind:

Date Completed: 10/28/1992

Remarks:

Location Method Desc:

Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** 

Supplier Comment:

### Overburden and Bedrock

Materials Interval

931064875 Formation ID:

Layer: Color: General Color: **GREY** 

Material 1: 15

Material 1 Desc: LIMESTONE Material 2: 71

Material 2 Desc: **FRACTURED** 

Material 3: Material 3 Desc:

84.0 Formation Top Depth: 87.0 Formation End Depth: Formation End Depth UOM:

### Overburden and Bedrock

**Materials Interval** 

Formation ID: 931064874

Layer: 2 2 Color: General Color: **GREY** Material 1: 14 Material 1 Desc: **HARDPAN** 

Material 2: 11 **GRAVEL** 

Material 2 Desc: Material 3:

Material 3 Desc:

Formation Top Depth: 70.0 Formation End Depth: 84.0 Formation End Depth UOM:

# Overburden and Bedrock

**Materials Interval** 

931064873 Formation ID:

Layer: Color: 2 General Color: **GREY** Material 1: 05 Material 1 Desc: CLAY

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

0.0 Formation Top Depth: Formation End Depth: 70.0 Formation End Depth UOM: ft

### Method of Construction & Well

<u>Use</u>

erisinfo.com | Environmental Risk Information Services

Org CS:

**UTMRC**: 9 UTMRC Desc: unknown UTM

Location Method: na

Method Construction ID: 961526689

Method Construction Code:

Method Construction: Air Percussion

Other Method Construction:

### Pipe Information

**Pipe ID:** 10596950

Casing No:

Comment: Alt Name:

# Construction Record - Casing

**Casing ID:** 930084701

Layer: 1

Material: 1

Open Hole or Material:STEELDepth From:91.0Casing Diameter:6.0

Casing Diameter UOM: inch Casing Depth UOM: ft

### Results of Well Yield Testing

Pumping Test Method Desc: PUMP Pump Test ID: 991526689

Pump Set At:

Static Level: 2.0

Final Level After Pumping: 30.0
Recommended Pump Depth: 30.0
Pumping Rate: 80.0

Flowing Rate:

Recommended Pump Rate: 15.0

Levels UOM: ft

Rate UOM: GPM Water State After Test Code: 2

Water State After Test: CLOUDY Pumping Test Method: 1

Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: No

### **Draw Down & Recovery**

 Pump Test Detail ID:
 934392074

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 2.0

 Test Level UOM:
 ft

### **Draw Down & Recovery**

 Pump Test Detail ID:
 934108440

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 3.0

 Test Level UOM:
 ft

## **Draw Down & Recovery**

Pump Test Detail ID: 934909782

Test Type: Recovery
Test Duration: 60
Test Level: 2.0
Test Level UOM: ft

**Draw Down & Recovery** 

 Pump Test Detail ID:
 934652587

 Test Type:
 Recovery

 Test Duration:
 45

 Test Level:
 2.0

 Test Level UOM:
 ft

Water Details

*Water ID*: 933486076

Layer: 1
Kind Code: 1

Kind: FRESH
Water Found Depth: 86.0
Water Found Depth UOM: ft

Well ID: 1526653 Flowing (Y/N):
Construction Date: Flow Rate:

Construction Date: Flow Rate:
Use 1st: Not Used Data Entry Status:

Use 2nd: Data Src:

Final Well Status:Test HoleDate Received:10/19/1992Water Type:Selected Flag:TRUE

Casing Material: Abandonment Rec:

 Audit No:
 127468
 Contractor:
 6571

 Tag:
 Form Version:
 1

 Constructn Method:
 Owner:

 Elevation (m):
 County:
 OTTAWA-CARLETON

Elevation (m): County: OTTAWA-CARLE Levatin Reliability: Lot: 015

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Easting NAD83:

Dump Pate:

Depth to Bedrock:

Concession:

Concession Name:

Easting NAD83:

Pump Rate:Northing NAD83:Static Water Level:Zone:

Clear/Cloudy: UTM Reliability:

Municipality: OTTAWA CITY
Site Info:

**Bore Hole Information** 

 Bore Hole ID:
 10048344
 Elevation:

 DP2BR:
 Elevrc:

Spatial Status:Zone:18Code OB:East83:Code OB Desc:North83:

 Open Hole:
 Org CS:

 Cluster Kind:
 UTMRC:
 9

Date Completed:08/19/1992UTMRC Desc:unknown UTMRemarks:Location Method:na

Order No: 24052200254

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location Source:
Improvement Location Method:
Source Revision Comment:

Supplier Comment:

### Overburden and Bedrock

### **Materials Interval**

**Formation ID:** 931064770

Layer: Color: 2 General Color: **GREY** Material 1: 05 Material 1 Desc: CLAY Material 2: 06 Material 2 Desc: SILT Material 3: 66 **DENSE** Material 3 Desc: Formation Top Depth: 6.0 Formation End Depth: 32.0 Formation End Depth UOM: ft

### Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 931064769

Layer:

Color: 6

General Color: BROWN Material 1: 08

Material 1 Desc: FINE SAND

Material 2: 01
Material 2 Desc: FILL

Material 3:

Material 3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 6.0 Formation End Depth UOM: ft

### Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111871

 Layer:
 2

 Plug From:
 3.0

 Plug To:
 32.0

 Plug Depth UOM:
 ft

# Annular Space/Abandonment

Sealing Record

**Plug ID:** 933111870

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 3.0

 Plug Depth UOM:
 ft

## Method of Construction & Well

<u>Use</u>

Method Construction ID: 961526653

Method Construction Code: 0

Method Construction: Not Known

Other Method Construction:

# Pipe Information

**Pipe ID:** 10596914

Casing No:

Comment:

#### Alt Name:

#### Construction Record - Casing

**Casing ID:** 930084635

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To:22.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

### **Construction Record - Screen**

**Screen ID:** 933326429

 Layer:
 1

 Slot:
 010

 Screen Top Depth:
 22.0

 Screen End Depth:
 32.0

Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

# Water Details

Screen Material:

*Water ID*: 933486029

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 5.0

 Water Found Depth UOM:
 ft

Site:

lot 15 ON

Database:

WWIS

Order No: 24052200254

**Well ID:** 1526652 **Flowing (Y/N):** 

Construction Date: Flow Rate:

Use 1st: Not Used Data Entry Status:

 Use 2nd:
 Data Src:
 1

 Final Well Status:
 Test Hole
 Date Received:
 10/19/1992

Water Type: Selected Flag: TRUE
Casing Material: Abandonment Rec:

 Audit No:
 127469
 Contractor:
 6571

 Tag:
 Form Version:
 1

Tag: Form Version: 1
Constructn Method: Owner:

Elevation (m): County: OTTAWA-CARLETON

Elevatn Reliabilty: Lot: 015
Depth to Bedrock: Concession:

Well Depth: Concession Name:
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:

Static Water Level: Northing NAD83

Clear/Cloudy: UTM Reliability:

Municipality: OTTAWA CITY Site Info:

#### **Bore Hole Information**

Bore Hole ID: 10048343 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 18

Code OB: East83:

Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 08/20/1992 Remarks:

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

# Overburden and Bedrock

### Materials Interval

931064768 Formation ID:

Layer: Color: 2 General Color: **GREY** Material 1: 05 Material 1 Desc: CLAY Material 2: 06 Material 2 Desc: SILT Material 3: 66 Material 3 Desc: **DENSE** Formation Top Depth: 5.0 Formation End Depth: 30.0 Formation End Depth UOM: ft

### Overburden and Bedrock

### Materials Interval

Formation ID: 931064767

Layer: Color: 6

General Color: **BROWN** Material 1: 80

FINE SAND Material 1 Desc:

Material 2: 01 Material 2 Desc: **FILL** 

Material 3:

Material 3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 5.0 Formation End Depth UOM:

### Annular Space/Abandonment

### Sealing Record

Plug ID: 933111868

Layer: Plug From: 1.0 3.0 Plug To: Plug Depth UOM: ft

### Annular Space/Abandonment

# Sealing Record

933111869 Plug ID: Layer: Plug From: 3.0 Plug To: 30.0 Plug Depth UOM: ft

North83: Org CS:

UTMRC: 9 UTMRC Desc: unknown UTM

Order No: 24052200254

Location Method:

# Method of Construction & Well

<u>Use</u>

Method Construction ID: 961526652

Method Construction Code:

Method Construction: Not Known

Other Method Construction:

### Pipe Information

**Pipe ID:** 10596913

Casing No:

Comment: Alt Name:

#### Construction Record - Casing

**Casing ID:** 930084634

1

Layer:

Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To:27.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

### **Construction Record - Screen**

**Screen ID:** 933326428

 Layer:
 1

 Slot:
 010

 Screen Top Depth:
 27.0

 Screen End Depth:
 30.0

Screen Material:

Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.5

# Water Details

*Water ID:* 933486028

Layer: 1
Kind Code: 1

Kind: FRESH
Water Found Depth: 5.0
Water Found Depth UOM: ft

<u>Site:</u>

| lot 15 | ON | Database: | WWIS | | WWIS | |

Well ID: 1526651 Flowing (Y/N):
Construction Date: Flow Rate:

Construction Date: Flow Rate:
Use 1st: Not Used Data Entry Status:

Use 2nd: Data Src:

Final Well Status:Test HoleDate Received:10/19/1992Water Type:Selected Flag:TRUE

Casing Material: Abandonment Rec:

 Audit No:
 127470
 Contractor:
 6571

 Tag:
 Form Version:
 1

Constructn Method: Owner:

Elevation (m): County: OTTAWA-CARLETON

Elevatn Reliability: Lot: 015

Depth to Bedrock: Concession:

Concession Name:

Order No: 24052200254

Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: OTTAWA CITY

Site Info:

Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Elevation:

18

unknown UTM

Order No: 24052200254

Elevrc:

East83:

North83:

Org CS:

UTMRC:

**UTMRC Desc:** 

Location Method:

Zone:

### **Bore Hole Information**

**Bore Hole ID:** 10048342

DP2BR: Spatial Status: Code OB: Code OB Desc:

Open Hole: Cluster Kind:

**Date Completed:** 08/20/1992

Remarks:

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

**Formation ID:** 931064765

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Material 1:
 11

 Material 1 Desc:
 GRAVEL

 Material 2:
 08

Material 2 Desc: FINE SAND

Material 3:01Material 3 Desc:FILLFormation Top Depth:0.0Formation End Depth:5.0Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

**Formation ID:** 931064766

Layer: Color: **GREY** General Color: Material 1: 05 Material 1 Desc: CLAY Material 2: 06 SILT Material 2 Desc: Material 3: 66 Material 3 Desc: **DENSE** Formation Top Depth: 5.0 Formation End Depth: 28.0 Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

**Plug ID:** 933111866

Layer:

 Plug From:
 0.0

 Plug To:
 2.0

 Plug Depth UOM:
 ft

## Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111867

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 28.0

 Plug Depth UOM:
 ft

# Method of Construction & Well

<u>Use</u>

Method Construction ID:961526651Method Construction Code:0Method Construction:Not Known

Other Method Construction:

### Pipe Information

 Pipe ID:
 10596912

 Casing No:
 1

 Comment:
 Alt Name:

### **Construction Record - Casing**

**Casing ID:** 930084633

**Layer:** 1 **Material:** 5

Open Hole or Material: PLASTIC

Depth From:

Depth To:23.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

# Construction Record - Screen

Screen ID: 933326427 Layer: Slot: 010 Screen Top Depth: 23.0 Screen End Depth: 28.0 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

# Water Details

 Water ID:
 933486027

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 1.0

 Water Found Depth UOM:
 ft

Site:

lot 15 ON Database: WWIS

**Well ID:** 1526650

Construction Date:

Use 1st: Not Used

Use 2nd:

Final Well Status: Test Hole

Water Type:

Casing Material:

**Audit No:** 127455

Tag:

Constructn Method:

Elevation (m): Elevatn Reliabilty:

Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Clear/Cloudy:

Municipality: OTTAWA CITY

Site Info:

Flowing (Y/N): Flow Rate:

Data Entry Status:

Data Src:

Date Received: 10/19/1992 Selected Flag: TRUE

Abandonment Rec:

Contractor: 6571 Form Version: 1

Owner:

County: OTTAWA-CARLETON

**Lot:** 015

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

### **Bore Hole Information**

**Bore Hole ID:** 10048341

DP2BR: Spatial Status:

Code OB: Code OB Desc: Open Hole: Cluster Kind:

**Date Completed:** 08/12/1992

Remarks:

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation: Elevro:

**Zone**: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 24052200254

Location Method: na

### Overburden and Bedrock

### **Materials Interval**

**Formation ID:** 931064761

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Material 1:
 00

Material 1 Desc: UNKNOWN TYPE

Material 2: 73
Material 2 Desc: HARD

Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth UOM: ft

Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 931064764

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Material 1:
 05

Material 1 Desc: CLAY 06 Material 2: Material 2 Desc: SILT Material 3: 66 DENSE Material 3 Desc: Formation Top Depth: 5.0 Formation End Depth: 33.0 Formation End Depth UOM: ft

# Overburden and Bedrock

Materials Interval

**Formation ID:** 931064763

Layer: 3 Color: **BROWN** General Color: 28 Material 1: Material 1 Desc: SAND Material 2: 11 Material 2 Desc: **GRAVEL** Material 3: 01 Material 3 Desc: **FILL** Formation Top Depth: 2.0 Formation End Depth: 5.0

### Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

**Formation ID:** 931064762

ft

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Material 1:
 12

 Material 1 Desc:
 STONES

 Material 2:
 79

 Material 2 Desc:
 PACKED

Material 3:

Material 3 Desc:

Formation Top Depth: 1.0
Formation End Depth: 2.0
Formation End Depth UOM: ft

### Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111864

 Layer:
 1

 Plug From:
 2.0

 Plug To:
 5.0

 Plug Depth UOM:
 ft

# Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111865

 Layer:
 2

 Plug From:
 5.0

 Plug To:
 33.0

 Plug Depth UOM:
 ft

#### Method of Construction & Well

<u>Use</u>

Method Construction ID: 961526650

**Method Construction Code:** 

Not Known **Method Construction:** 

Other Method Construction:

### Pipe Information

10596911 Pipe ID: Casing No:

Comment: Alt Name:

### **Construction Record - Casing**

Casing ID: 930084632

Layer: Material: 5

**PLASTIC** Open Hole or Material:

Depth From:

30.0 Depth To: Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft

### Construction Record - Screen

Screen ID: 933326426

Layer: Slot: 010 30.0 Screen Top Depth:

Screen End Depth: 33.0 Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

### Water Details

Water ID: 933486026

Layer: Kind Code: Kind: **FRESH** Water Found Depth: 5.0 Water Found Depth UOM:

Site: Database: **WWIS** lot 15 ON

Order No: 24052200254

Well ID: 1526649 Flowing (Y/N):

Construction Date: Flow Rate:

Not Used Data Entry Status: Use 1st:

Use 2nd: Data Src: 10/19/1992 Final Well Status: Test Hole Date Received: Water Type: Selected Flag: **TRUE** 

Casing Material: Abandonment Rec:

Audit No: 127456 Contractor: 6571 Form Version: Tag:

Constructn Method: Owner: County: Elevation (m): **OTTAWA-CARLETON** 

Elevatn Reliabilty: Lot: 015 Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Zone:

UTM Reliability: Clear/Cloudy:

Municipality: OTTAWA CITY

Site Info:

### **Bore Hole Information**

Bore Hole ID: 10048340 Elevation: DP2BR: Elevro:

Spatial Status: Zone: 18

 Cluster Kind:
 UTMRC:
 9

 Date Completed:
 08/13/1992
 UTMRC Desc:
 unknown UTM

Remarks: Location Method: na

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

### Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 931064757

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Material 1:
 00

Material 1 Desc: UNKNOWN TYPE

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth UOM: ft

Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 931064760

Layer: Color: 2 General Color: **GREY** 05 Material 1: Material 1 Desc: CLAY Material 2: 06 Material 2 Desc: SILT Material 3: 66 **DENSE** Material 3 Desc: Formation Top Depth: 8.0 33.0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 931064759

 Layer:
 3

 Color:
 6

 General Color:
 BROWN

 Material 1:
 08

Material 1 Desc: FINE SAND

Material 2: 01
Material 2 Desc: FILL

Material 3: Material 3 Desc:

Formation Top Depth: 4.0
Formation End Depth: 8.0
Formation End Depth UOM: ft

### Overburden and Bedrock Materials Interval

**Formation ID:** 931064758

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Material 1:
 12

 Material 1 Desc:
 STONES

 Material 2:
 08

 Material 3 Desc:
 FINE SAN

Material 2 Desc:FINE SANDMaterial 3:79Material 3 Desc:PACKEDFormation Top Depth:1.0Formation End Depth:4.0Formation End Depth UOM:ft

# Annular Space/Abandonment

Sealing Record

**Plug ID:** 933111863

 Layer:
 2

 Plug From:
 3.0

 Plug To:
 33.0

 Plug Depth UOM:
 ft

# Annular Space/Abandonment

Sealing Record

**Plug ID:** 933111862

 Layer:
 1

 Plug From:
 2.0

 Plug To:
 3.0

 Plug Depth UOM:
 ft

### Method of Construction & Well

<u>Use</u>

Method Construction ID:961526649Method Construction Code:0Method Construction:Not Known

Other Method Construction:

### Pipe Information

**Pipe ID:** 10596910

Casing No:

Comment: Alt Name:

### **Construction Record - Casing**

**Casing ID:** 930084631

Layer: 1
Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To:30.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

### Construction Record - Screen

**Screen ID:** 933326425

Layer: 1

 Slot:
 010

 Screen Top Depth:
 30.0

 Screen End Depth:
 33.0

Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

### Water Details

*Water ID:* 933486025

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 5.0

 Water Found Depth UOM:
 ft

Site:

Database:

18

Order No: 24052200254

lot 15 ON

Well ID: 1526648 Flowing (Y/N):

Construction Date: Flow Rate:

Use 1st: Not Used Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Test Hole Date Received: 10/19/1992
Water Type: Selected Flag: TRUE

Casing Material:Abandonment Rec:Audit No:127457Contractor:6571

Audit No: 12/45/ Contractor: 65/1
Tag: Form Version: 1

Constructn Method: Owner:

Elevation (m):County:OTTAWA-CARLETONElevatn Reliabilty:Lot:015

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Concession:

Concession Name:

Easting NAD83:

Pump Rate: Northing NAD83:
Static Water Level: Zone:

Clear/Cloudy: UTM Reliability:

Municipality: OTTAWA CITY

Site Info:

# **Bore Hole Information**

Bore Hole ID: 10048339 Elevation:

DP2BR: Elevrc:

Spatial Status:Zone:Code OB:East83:Code OB Desc:North83:Open Hole:Org CS:

Cluster Kind: UTMRC: 9

Date Completed: 08/13/1992 UTMRC Desc: unknown UTM

Remarks: Location Method: na

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date:

Improvement Location Source:

### Improvement Location Method: Source Revision Comment: Supplier Comment:

### Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 931064754

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Material 1:
 00

Material 1 Desc: UNKNOWN TYPE

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 1.0 Formation End Depth UOM: ft

# Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 931064756

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Material 1:
 05

 Material 1 Desc:
 CLAY

 Material 2:
 08

Material 2 Desc:FINE SANDMaterial 3:06Material 3 Desc:SILTFormation Top Depth:4.0Formation End Depth:31.0Formation End Depth UOM:ft

### Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 931064755

Layer: 2 Color: 2 General Color: **GREY** Material 1: 12 **STONES** Material 1 Desc: Material 2: 79 **PACKED** Material 2 Desc: Material 3: 01 Material 3 Desc: FILL Formation Top Depth: 1.0 Formation End Depth: 4.0 Formation End Depth UOM: ft

### Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111861

 Layer:
 2

 Plug From:
 3.0

 Plug To:
 31.0

 Plug Depth UOM:
 ft

### Annular Space/Abandonment

### Sealing Record

 Plug ID:
 933111860

 Layer:
 1

 Plug From:
 2.0

 Plug To:
 3.0

 Plug Depth UOM:
 ft

### Method of Construction & Well

<u>Use</u>

Method Construction ID: 961526648

Method Construction Code:

Method Construction: Not Known

Other Method Construction:

# Pipe Information

 Pipe ID:
 10596909

 Casing No:
 1

Comment: Alt Name:

### Construction Record - Casing

**Casing ID:** 930084630

Layer:
Material:

Open Hole or Material: PLASTIC

Depth From:
Depth To: 28.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

### **Construction Record - Screen**

**Screen ID:** 933326424

 Layer:
 1

 Slot:
 010

 Screen Top Depth:
 28.0

 Screen End Depth:
 31.0

Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

### Water Details

*Water ID:* 933486024

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 5.0

 Water Found Depth UOM:
 ft

Site:

lot 15 ON

Database:

WWIS

Order No: 24052200254

1526647 Flowing (Y/N):

Construction Date: Flow Rate:
Use 1st: Not Used Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Test Hole Date Received: 10/19/1992

Well ID:

Water Type:

Casing Material:

Audit No:

127454

Tag:

Constructn Method:

Elevation (m): Elevatn Reliabilty:

Depth to Bedrock:

Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level:

Clear/Cloudy:

Municipality: **OTTAWA CITY** 

Site Info:

**Bore Hole Information** 

Bore Hole ID: 10048338

DP2BR:

Spatial Status:

Code OB: Code OB Desc:

Open Hole: Cluster Kind:

Date Completed: 08/14/1992

Remarks:

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

**Materials Interval** 

931064752 Formation ID:

Layer: Color: **GREY** General Color: Material 1:

**UNKNOWN TYPE** Material 1 Desc:

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

0.0 Formation Top Depth: Formation End Depth: 1.0 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931064753

Layer: 2 Color: 6

**BROWN** General Color: 80 Material 1:

Material 1 Desc: **FINE SAND** Material 2: 01

Material 2 Desc: Material 3: Material 3 Desc:

1.0 Formation Top Depth:

**TRUE** Selected Flag:

Abandonment Rec: Contractor: 6571 Form Version:

Owner:

OTTAWA-CARLETON County:

Lot: 015

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Elevation:

Elevrc: Zone: 18

East83: North83: Org CS:

UTMRC:

UTMRC Desc: unknown UTM

Order No: 24052200254

Location Method: na

**FILL** 

Formation End Depth: 5.0 Formation End Depth UOM:

# Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111859

 Layer:
 2

 Plug From:
 1.0

 Plug To:
 5.0

 Plug Depth UOM:
 ft

### Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111858

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 1.0

 Plug Depth UOM:
 ft

### Method of Construction & Well

<u>Use</u>

Method Construction ID:961526647Method Construction Code:0Method Construction:Not KnownOther Method Construction:

# Pipe Information

 Pipe ID:
 10596908

 Casing No:
 1

 Comment:
 Alt Name:

# Construction Record - Casing

 Casing ID:
 930084629

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

Depth From:

Depth To: 3.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

### Construction Record - Screen

Screen ID: 933326423 Layer: 1 010 Slot: Screen Top Depth: 3.0 Screen End Depth: 6.0 Screen Material: ft Screen Depth UOM: Screen Diameter UOM: inch Screen Diameter: 1.5

### Water Details

*Water ID*: 933486023

Layer: Kind Code: **FRESH** Kind: Water Found Depth: 4.0 Water Found Depth UOM:

Site: Database: lot 15 ON

18

Order No: 24052200254

Well ID: 1526646 Flowing (Y/N): **Construction Date:** Flow Rate:

Not Used Use 1st: Data Entry Status:

Use 2nd: Data Src: Final Well Status: Test Hole

10/19/1992 Date Received: Water Type: Selected Flag: TRUE Casing Material: Abandonment Rec:

Audit No: 127458 6571 Contractor: Form Version: Tag:

Constructn Method: Owner: Elevation (m): OTTAWA-CARLETON County:

Elevatn Reliabilty: Lot: 015 Depth to Bedrock: Concession:

Well Depth: Concession Name: Overburden/Bedrock: Easting NAD83: Northing NAD83: Pump Rate:

Static Water Level: Zone: UTM Reliability:

Clear/Cloudy: Municipality: **OTTAWA CITY** 

Site Info:

**Bore Hole Information** 

Bore Hole ID: 10048337 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: Code OB: East83:

Code OB Desc: North83: Open Hole: Org CS: Cluster Kind: **UTMRC:** 

Date Completed: 08/13/1992 **UTMRC Desc:** unknown UTM

Remarks: Location Method:

Location Method Desc: Not Applicable i.e. no UTM

Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

**Materials Interval** 

931064748 Formation ID:

Layer: Color: 2 General Color: **GREY** Material 1: 00

Material 1 Desc: **UNKNOWN TYPE** 

Material 2: 73 Material 2 Desc: HARD

Material 3: Material 3 Desc:

0.0 Formation Top Depth: Formation End Depth: 1.0 Formation End Depth UOM: ft

### Overburden and Bedrock

### **Materials Interval**

**Formation ID:** 931064749

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Material 1:
 10

Material 1 Desc: COARSE SAND

Material 2:

Material 2 Desc:GRAVELMaterial 3:01Material 3 Desc:FILLFormation Top Depth:1.0Formation End Depth:6.0Formation End Depth UOM:ft

### Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 931064751

Layer: Color: 2 General Color: **GREY** Material 1: 05 Material 1 Desc: CLAY Material 2: 11 Material 2 Desc: **GRAVEL** Material 3: 77 Material 3 Desc: LOOSE Formation Top Depth: 25.0 Formation End Depth: 31.0 Formation End Depth UOM:

## Overburden and Bedrock

**Materials Interval** 

**Formation ID:** 931064750

Layer: 3 2 Color: General Color: **GREY** Material 1: 05 Material 1 Desc: CLAY Material 2: 06 Material 2 Desc: SILT Material 3: 28 Material 3 Desc: SAND Formation Top Depth: 6.0 Formation End Depth: 25.0 Formation End Depth UOM: ft

### Annular Space/Abandonment

Sealing Record

**Plug ID:** 933111857

 Layer:
 2

 Plug From:
 3.0

 Plug To:
 31.0

 Plug Depth UOM:
 ft

# Annular Space/Abandonment

Sealing Record

**Plug ID:** 933111856

Layer:

Plug From: 2.0
Plug To: 3.0
Plug Depth UOM: ft

# Method of Construction & Well

<u>Use</u>

Method Construction ID:961526646Method Construction Code:0Method Construction:Not Known

Other Method Construction:

### Pipe Information

 Pipe ID:
 10596907

 Casing No:
 1

 Comment:
 1

Alt Name:

# Construction Record - Casing

**Casing ID:** 930084628

Layer: 1
Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To: 28.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

### Construction Record - Screen

**Screen ID:** 933326422 **Layer:** 1

Slot: 010
Screen Top Depth: 28.0
Screen End Depth: 31.0
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter: 1.5

### Water Details

*Water ID*: 933486022

Layer: 1
Kind Code: 1

Kind: FRESH
Water Found Depth: 5.0
Water Found Depth UOM: ft

<u>Site:</u>

| lot 15 | ON | Database: | WWIS | | WWIS | |

Well ID: 1526645 Flowing (Y/N):

Construction Date: Flow Rate:
Use 1st: Not Used Data Entry Status:

Use 2nd: Data Src:

Final Well Status: Test Hole Date Received: 10/19/1992
Water Type: Selected Flag: TRUE

Casing Material: Abandonment Rec:

 Audit No:
 127459
 Contractor:
 6571

 Tag:
 Form Version:
 1

Constructn Method:

Elevation (m): Elevatn Reliabilty:

Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Clear/Cloudy:

Municipality:

Site Info:

Owner:

OTTAWA-CARLETON County:

Lot: 015

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

### **Bore Hole Information**

Bore Hole ID: 10048336

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 08/18/1992

Remarks:

Location Method Desc: Not Applicable i.e. no UTM

**OTTAWA CITY** 

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

# Overburden and Bedrock

Materials Interval

931064747 Formation ID:

Layer: Color: 2 General Color: **GREY** Material 1: 05 CLAY Material 1 Desc: Material 2: 06 Material 2 Desc: SILT Material 3: 11 Material 3 Desc: **GRAVEL** Formation Top Depth: 1.0 Formation End Depth: 27.0 Formation End Depth UOM: ft

### Overburden and Bedrock

**Materials Interval** 

Formation ID: 931064746

Layer: Color: 2 General Color: **GREY** Material 1: **STONES** Material 1 Desc:

Material 2: Material 2 Desc: Material 3: Material 3 Desc:

0.0 Formation Top Depth: Formation End Depth: 1.0 Formation End Depth UOM: ft

Elevation:

Elevrc:

Zone: 18

East83: North83: Org CS:

**UTMRC:** 9

UTMRC Desc: unknown UTM

Order No: 24052200254

Location Method:

# Annular Space/Abandonment

### Sealing Record

**Plug ID:** 933111854

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.0

 Plug Depth UOM:
 ft

# Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111855

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 26.0

 Plug Depth UOM:
 ft

### Method of Construction & Well

<u>Use</u>

Method Construction ID: 961526645

Method Construction Code:

Method Construction: Not Known

Other Method Construction:

# Pipe Information

*Pipe ID:* 10596906

Casing No:

Comment: Alt Name:

### **Construction Record - Casing**

**Casing ID:** 930084627

Layer:

Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To: 24.0
Casing Diameter: 2.0
Casing Diameter UOM: inch
Casing Depth UOM: ft

# Construction Record - Screen

**Screen ID:** 933326421

 Layer:
 1

 Slot:
 010

 Screen Top Depth:
 24.0

 Screen End Depth:
 27.0

Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.5

### Water Details

*Water ID:* 933486021

Layer: 1
Kind Code: 1

Kind: FRESH Water Found Depth: 5.0

ft

Well ID: 1526644 Flowing (Y/N):
Construction Date: Flow Rate:

Use 1st: Not Used Data Entry Status:
Use 2nd: Data Src:

Final Well Status:Test HoleDate Received:10/19/1992Water Type:Selected Flag:TRUE

Casing Material: Abandonment Rec:

 Audit No:
 127460
 Contractor:
 6571

 Tag:
 Form Version:
 1

Tag: Form Version: 1
Constructn Method: Owner:

Elevation (m):County:OTTAWA-CARLETONElevatn Reliabilty:Lot:015Depth to Bedrock:Concession:

Well Depth: Concession Name:
Overburden/Bedrock: Easting NAD83:
Pump Rate: Northing NAD83:

Static Water Level: Zone:
Clear/Cloudy: UTM Reliability:

Municipality: OTTAWA CITY

**Bore Hole Information** 

Site Info:

Elevrc Desc:

 Bore Hole ID:
 10048335
 Elevation:

 DP2BR:
 Elevrc:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:

 Code OB Desc:
 North83:

 Open Hole:
 Org CS:

Cluster Kind: UTMRC: 9

Date Completed:08/18/1992UTMRC Desc:unknown UTMRemarks:Location Method:na

Location Method Desc: Not Applicable i.e. no UTM

Source Revision Comment: Supplier Comment:

Location Source Date: Improvement Location Source: Improvement Location Method:

Overburden and Bedrock Materials Interval

**Formation ID:** 931064745

2 Layer: Color: General Color: **GREY** Material 1: 05 Material 1 Desc: CLAY Material 2: 06 Material 2 Desc: SILT Material 3: 11 Material 3 Desc: **GRAVEL** Formation Top Depth: 3.0 Formation End Depth: 28.0

Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

**Formation ID:** 931064744

Order No: 24052200254

ft

 Layer:
 1

 Color:
 2

 General Color:
 GREY

 Material 1:
 12

 Material 1 Desc:
 STONES

 Material 2:
 10

Material 2 Desc: COARSE SAND

Material 3: Material 3 Desc:

Formation Top Depth: 0.0 Formation End Depth: 3.0 Formation End Depth UOM: ft

## Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111852

 Layer:
 1

 Plug From:
 0.0

 Plug To:
 2.0

 Plug Depth UOM:
 ft

### Annular Space/Abandonment

Sealing Record

 Plug ID:
 933111853

 Layer:
 2

 Plug From:
 2.0

 Plug To:
 21.0

 Plug Depth UOM:
 ft

### Method of Construction & Well

<u>Use</u>

Method Construction ID: 961526644

Method Construction Code: 0

Method Construction: Not Known

Other Method Construction:

## Pipe Information

**Pipe ID:** 10596905

Casing No:

Comment: Alt Name:

### Construction Record - Casing

**Casing ID:** 930084626

Layer: 1
Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To:19.0Casing Diameter:2.0Casing Diameter UOM:inchCasing Depth UOM:ft

### **Construction Record - Screen**

 Screen ID:
 933326420

 Layer:
 1

 Slot:
 010

 Screen Top Depth:
 15.0

Screen End Depth: 18.0
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1.5

# Water Details

*Water ID*: 933486020

Layer: 1

Kind Code: 1

Kind: FRESH
Water Found Depth: 1.0
Water Found Depth UOM: ft

# Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

### Abandoned Aggregate Inventory:

Provincial

**AAGR** 

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

Government Publication Date: Sept 2002\*

Aggregate Inventory:

Provincial AGR

This database of licensed and permitted pits and quarries is maintained by the Ontario Ministry of Natural Resources and Forestry (MNRF), as regulated under the Aggregate Resources Act, R.S.O. 1990. Aggregate site data has been divided into active and inactive sites. Active sites may be further subdivided into partial surrenders. In partial surrenders, defined areas of a site are inactive while the rest of the site remains active.

Government Publication Date: Up to Nov 2023

#### **Abandoned Mine Information System:**

rovincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Mar 2022

### Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

#### Aboveground Storage Tanks:

Provincial

**AST** 

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

### Automobile Wrecking & Supplies:

Private

AUWR

Order No: 24052200254

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Apr 30, 2024

Borehole: Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011\*

Dry Cleaning Facilities: Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2022

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

#### **Chemical Manufacturers and Distributors:**

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

<u>Chemical Register:</u> Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Apr 30, 2024

#### **Compressed Natural Gas Stations:**

Private

CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Nov 2023

#### **Inventory of Coal Gasification Plants and Coal Tar Sites:**

Provincial

COAL

**CONV** 

Order No: 24052200254

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

Government Publication Date: Apr 1987 and Nov 1988\*

<u>Compliance and Convictions:</u> Provincial

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Mar 2024

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Mar 31, 2024

<u>Drill Hole Database:</u> Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Aug 2023

Delisted Fuel Tanks:

Provincial DTNK

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Oct 2023

### **Environmental Activity and Sector Registry:**

Provincial EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Mar 31, 2024

Environmental Registry:

Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Mar 31, 2024

### **Environmental Compliance Approval:**

Provincial

**FCA** 

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Mar 31, 2024

#### **Environmental Effects Monitoring:**

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007\*

ERIS Historical Searches:

Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Dec 31, 2023

### **Environmental Issues Inventory System:**

Federal

EIIS

Order No: 24052200254

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001\*

#### Emergency Management Historical Event:

Provincial List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many

of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Apr 30, 2022

#### **Environmental Penalty Annual Report:**

Provincial

**EPAR** 

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2022

#### List of Expired Fuels Safety Facilities:

Provincial

**EXP** 

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Federal Convictions: Federal **FCON** 

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007\*

#### Contaminated Sites on Federal Land:

Federal

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Mar 2024

#### Fisheries & Oceans Fuel Tanks:

Federal

**FOFT** 

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

# Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

**FRST** 

Order No: 24052200254

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: Oct 31, 2021

Fuel Storage Tank: Provincial **FST** 

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information. Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are

not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Fuel Storage Tank - Historic:

Provincial FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010\*

### Ontario Regulation 347 Waste Generators Summary:

Provincial

**GEN** 

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Oct 31, 2022

#### **Greenhouse Gas Emissions from Large Facilities:**

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2021

TSSA Historic Incidents:

Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009\*

#### Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003\*

Fuel Oil Spills and Leaks:

Provincial

NC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: 31 Oct, 2023

### **Landfill Inventory Management Ontario:**

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 31, 2022

Canadian Mine Locations:

Private

MINE

Order No: 24052200254

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009\*

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2024

### National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994\*

Non-Compliance Reports:

Provincial

**NCPL** 

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2022

#### National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001\*

### National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Nov 2023

#### National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007\*

#### National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

### National Energy Board Wells:

Federal

NEBP

Order No: 24052200254

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release

Government Publication Date: 1920-Feb 2003\*

#### National Environmental Emergencies System (NEES):

Federal

JFFS.

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003\*

National PCB Inventory: Federal NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008\*

### National Pollutant Release Inventory 1993-2020:

Federal NPR2

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of pollutant releases (to air, water and land), disposals, and transfers for recycling. The inventory, managed by Environment and Climate Change Canada, tracks over 300 substances. Under the authority of the Canadian Environmental Protection Act (CEPA), owners or operators of facilities that meet published reporting requirements are required to report to the NPRI.

Government Publication Date: Sep 2020

#### National Pollutant Release Inventory - Historic:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. This data holds historic records; current records are found in NPR2.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 29, 2024

Ontario Oil and Gas Wells:

Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Aug 2023

#### **Inventory of PCB Storage Sites:**

Provincial

OPCB

Order No: 24052200254

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Mar 31, 2024

<u>Canadian Pulp and Paper:</u>
Private PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

#### Parks Canada Fuel Storage Tanks:

Federal

**PCFT** 

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005\*

Pesticide Register: Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Mar 31, 2024

#### NPRI Reporters - PFAS Substances:

Federal

PFCH

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per - and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This listing of PFAS substance reporters includes those NPRI facilities that reported substances that are found in either: a) the Comprehensive Global Database of PFASs compiled by the Organisation for Economic Co-operation and Development (OECD), b) the US Environmental Protection Agency (US EPA) Master List of PFAS Substances, c) the US EPA list of PFAS chemicals without explicit structures, or d) the US EPA list of PFAS structures (encompassing the largest set of structures having sufficient levels of fluorination to potentially impart PFAS-type properties).

Government Publication Date: Sep 2020

### Potential PFAS Handlers from NPRI:

Federal

**PFHA** 

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Perand polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This list of potential PFAS handlers includes those NPRI facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used, or released by the facility - these are facilities that potentially handle PFAS based on their industrial profile.

Government Publication Date: Sep 2020

Pipeline Incidents: Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

#### Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996\*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Mar 31, 2024

# Ontario Regulation 347 Waste Receivers Summary:

Provincial

REC

Order No: 24052200254

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2021

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09). The Government of Ontario states that it is not responsible for the accuracy of the information in this Registry.

Government Publication Date: 1997-Sept 2001, Oct 2004-Apr 2024

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Apr 30, 2024

### Scott's Manufacturing Directory:

Private

SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011\*

Ontario Spills:

Provincial SPI

List of spills and incidents made available by the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests. This database includes spill incidents that occurred in Mar 2023-Dec 2023 and Jan 29, 2024-Feb 29, 2024 in addition to those listed in the Government Publication Date.

Government Publication Date: 1988-Jan 2023; see description

#### Wastewater Discharger Registration Database:

Provincial

SRDS

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits (EMEL) and Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries.

Government Publication Date: 1990-Dec 31, 2021

### Anderson's Storage Tanks:

Private

**TANK** 

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953\*

#### Transport Canada Fuel Storage Tanks:

Federal

**TCFT** 

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Apr 2023

### Variances for Abandonment of Underground Storage Tanks:

Provincial

VAR

Order No: 24052200254

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

#### Waste Disposal Sites - MOE CA Inventory:

Provincial

WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Mar 31, 2024

### Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

**WDSH** 

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990\*

#### Water Well Information System:

Provincial

**WWIS** 

Order No: 24052200254

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Dec 31 2023

# **Definitions**

<u>Database Descriptions:</u> This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

<u>Detail Report</u>: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

<u>Distance:</u> The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

<u>Direction</u>: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

<u>Elevation:</u> The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.