

. SEE DRAWING C-010 FOR ADDITIONAL DETAILS AND

2. SITE BENCHMARK TO BE OBTAINED FROM LEGAL SURVEYOR H.A. KEN SHIPMAN SURVEYING LTD.

LEGEND:

LIGHT DUTY SILT FENCE AS PER OPSD-219.110

SNOW FENCE

STRAW BALE CHECK DAM AS PER OPSD-219.180

ROCK CHECK DAM AS PER OPSD-219.210

SILT SACK PLACED UNDER EXISTING CB

COVER TEMPORARY MUD MAT 0.15m THICK 50mm

CLEAR STONE ON NON WOVEN FILTER


ISSUED FOR SPA REVISIONS




IBI GROUP 400 – 333 Preston Street Ottawa ON K1S 5N4 Canada tel 613 225 1311 fax 613 225 9868 ibigroup.com

Project Title

BANK STREET DEVELOPMENT 4836 BANK STREET





FEB. 2019

JIM

Drawing Title

EROSION AND SEDIMENTATION CONTROL PLAN

1:500

Checked DPS Project No. Drawing No. 119351 900

SEL

REFUSED APPROVED

AND BE MAINTAINED UNTIL VEGETATION IS ESTABLISHED.

ARE CONSTRUCTED.

BY SERVICING CONTRACTOR.

. SILT SACK TO BE PLACED AND MAINTAINED UNDER COVER OF ALL CATCHBASINS. GEOTEXTILE SILT SACK
IN STREET CBs TO REMAIN UNTIL ALL CURBS ARE CONSTRUCTED. GEOTEXTILE FABRIC IN RYCBs TO

REMAIN UNTIL VEGETATION IS ESTABLISHED. ALL

CATCHBASINS TO BE REGULARLY INSPECTED AND CLEANED, AS NECESSARY, UNTIL SOD AND CURBS

. WORKS NOTED ABOVE ARE TO BE INSTALLED, INSPECTED, MAINTAINED AND ULTIMATELY REMOVED

5. THIS IS A "LIVING DOCUMENT" AND MAY BE MODIFIED IN THE EVENT THE PROPOSED CONTROL MEASURES ARE INSUFFICIENT

DON HERWEYER, MCIP, RPP MANAGER, DEVELOPMENT REVIEW - SOUTH PLANNING, INFRASTRUCTURE & ECONOMIC DEVELOPMENT DEPARTMENT, CITY OF OTTAWA