





Phase One Environmental Site Assessment

Vacant Property
1098 Ogilvie Road and
1178 Cummings Avenue
Ottawa, Ontario

6770967 Canada Inc.





1. Executive Summary

GHD was retained by 6770967 Canada Inc., represented by Mr. Francois Moffet, to conduct a Phase One Environmental Site Assessment (ESA) of the vacant property municipally known as 1098 Ogilvie Road and 1178 Cummings Avenue in Ottawa, Ontario (Site or Phase One Property).

The Phase One ESA was conducted in general accordance with the requirements of Ontario Regulation 153/04, as amended (O. Reg. 153/04). The purpose of the Phase One ESA was to identify, through a non-intrusive investigation, the existence of any Potentially Contaminating Activities (PCAs) and Areas of Potential Environmental Concern (APECs) associated with the Site. PCAs and APECs are defined in O. Reg. 153/04.

The Site is currently owned by 6770967 Canada Inc. The Site is 1.54 hectares in size and is comprised of two separate parcels of land. The West Parcel (1098 Ogilvie Road) is approximately 0.49 hectares (ha), and was identified with property identification number (PIN) 042640152. The East Parcel (1178 Cummings Avenue) is approximately 1.05 ha, and was identified with a PIN 042640160. The approximate centre of the Site has Latitude and Longitude coordinates of 45°25' 30" N, 75° 37' 55" W (540568 mE/5030362 mN, Zone 18T, NAD 87). The municipal zoning for the Site is currently R3V V (Residential Third Density Zone).

The Site is legally described as Part of Lots 26 and 27, Concession 2; Part 1 on Registered Plan 5R-11857; Parts 1 to 3 on Registered Plan 5R-8415; Part 12 on Registered Plan 5R-2005; Part 1 on Registered Plan 4R-10638, in the City of Ottawa.

The West Parcel was first developed prior to 1958 and was used for agricultural and rural residential land use. The residential dwelling on the West Parcel was demolished in 2017. The East Parcel was first developed prior to 1958 and was also used for agricultural and rural residential land use up until approximately the 1970s. The east parcel was potentially utilized as a gasoline service station in the 1960s. Between the 1970s and 1980s, the East Parcel was reportedly used as a contractor's yard. The buildings on the East Parcel were demolished prior to 1991. The Site is currently vacant and overgrown with brush, grass and trees.

The Site is planned to be redeveloped for residential land use. The Phase One ESA was undertaken in support of a local municipal planning department requirement associated with the proposed redevelopment of the Site. A Record of Site Condition (RSC) is intended to be filed for the Site in accordance with the requirements of O. Reg. 153/04, to support a change in land use to a more sensitive use (i.e., residential use).

Based on the results of the Phase One ESA, including the Site inspection, information provided by Site representatives and regulatory agencies, documents reviewed, and the review of Site history, the following APECs were identified to be associated with the Site.

- i. **Surrounding Land Use (Service Stations/USTs/Releases):** Based on the findings of the informative review and GHD's site observations, service stations (with USTs) are operated on properties located north and northeast of the Site at 111 Ogilvie Road and 1134 Ogilvie Road. Based on the findings of the ERIS database search, releases have occurred in the past at 1134 Ogilvie Road and at the intersection of Ogilvie Road and Cummings Avenue. In 2011,



elevated concentrations of benzene were also detected in the groundwater in the northeastern portion of the Site. The operation of service stations (including USTs) and releases were identified as off-Site PCAs (28. Gasoline and Associated Products Storage in Fixed Tanks and 10. Commercial Autobody Shops). Based on the proximity of these PCAs to the Site, they were identified as having the potential to contribute to an APEC on the Site in the event that releases have occurred and migrated onto the Site. The northern boundary of the Site was identified as **APEC #1**.

- ii. **Surrounding Land Use (Drycleaner):** Based on the findings of the information review, a drycleaner is located approximately 65 m southwest of the Site at 1097 (1099) Cryville Road. One Stop Laundromat & Dry Cleaning/Sketchley Cleaning Services, located at 1097/1099 Cyrville Road (approximately 65 m southwest of the Site) were identified as generators of halogenated solvents from 1986 to 2004. The operation of a drycleaner on a surrounding property in close proximity to the Site was identified as a PCA (37. Operation of Dry Cleaning Equipment) in accordance with O. Reg. 153/04, and was identified as having the potential to contribute to an APEC on the Site in the event that releases have occurred and migrated onto the Site. On this basis the southwestern Property boundary was identified as **APEC #2**.
- iii. **Potential on-Site Gas Bar:** Based on a review of the 2011 Phase I-II ESA, the Shamrock Gas Bar was listed as being located on the East Parcel of the Site (1178 Cummings Avenue) in 1965. At the time of the Phase One ESA, no additional information was obtained pertaining to the potential operation of a gas bar on Site. The potential operation of a gas bar on Site was identified as a PCA (28. Gasoline and Associated Products Storage in Fixed Tanks) in accordance with O. Reg. 153/04 and the central portion of the East Parcel was identified as **APEC #3**.
- iv. **Surrounding Land Use (Autobody Shops):** Based on the historical information reviewed, various Autobody shops were located at 1125-1133 Cyrville Road, located adjacent to the south of the western portion of the Site. At the time of the GHD's site inspection, this property was vacant overgrown land. The operation of Autobody shops on the adjacent property to the south of the Site was identified as an off-Site PCA (10. Commercial Autobody Shops) and identified as having the potential to contribute to an APEC on Site. The southwestern boundary of the Site was identified as **APEC #4**.
- v. **Former Fuel Oil AST:** The residential dwelling formerly located on the southwestern portion of the West Parcel was historically heated with fuel oil. A fuel oil AST was located in the basement of the residential dwelling. The residential dwelling was demolished on Site in 2017. The past operation of a fuel oil AST on Site was identified as an on-Site PCA (28. Gasoline and Associated Products Storage in Fixed Tanks) in accordance with O. Reg. 153/04 and the southwestern portion of the West Parcel was identified as **APEC #5**.
- vi. **Former UST:** Based on a review of the 2011 Phase I-II ESA, a UST was historically located in the central portion of the West Parcel. The UST and 240 tonnes of soil were reportedly removed in 2003. Based on the findings of the 2011 Phase I-II ESA, elevated concentrations of benzene were detected in the groundwater in the vicinity of the former UST. The historical operation of a UST on Site was identified as an on-Site PCA (28. Gasoline and Associated



Products Storage in Fixed Tanks) in accordance with O. Reg. 153/04 and the central portion of the East Parcel was identified as **APEC #6**.

- vii. **Fill Quality:** Based on a review of historical aerial photographs and the findings of the 2011 Phase I-II ESA, fill material of unknown quality is present throughout the Site. The presence of fill of unknown quality was identified as an on-Site PCA (30. Fill of Unknown Quality) in accordance with O. Reg. 153/04 and the entire Site was identified as **APEC #7**.

Based on the information obtained in completing this Phase One ESA, a Phase Two ESA is required before a RSC can be filed with the MECP. The Phase Two ESA should evaluate the presence or absence of soil or groundwater impact to the Site from all identified APECs.



Table of Contents

1.	Executive Summary	i
2.	Introduction.....	1
2.1	Phase One ESA Property Information	1
3.	Scope of Investigation	2
4.	Records Review	3
4.1	General	3
4.1.1	Phase One Study Area Determination	3
4.1.2	First Developed Use Determination.....	4
4.1.3	Fire Insurance Plans.....	4
4.1.4	Chain of Title.....	4
4.1.5	Historical City Directories	6
4.1.6	Environmental Reports	8
4.2	Environmental Source Information	10
4.2.1	Regulatory Review.....	10
4.2.2	Environmental Database Search.....	10
4.2.3	Mapping and Assessment of Former Industrial Sites, City of Ottawa	11
4.3	Physical Setting	11
4.3.1	Aerial Photographs	12
4.3.2	Topography, Hydrology, Geology.....	14
4.3.3	Fill Materials.....	15
4.3.4	Water Bodies and Areas of Natural Significance	15
4.3.5	Well Records	15
4.3.6	Site Operating Records	15
5.	Interviews	15
6.	Site Reconnaissance.....	16
6.1	General Requirements.....	16
6.2	Specific Observations at Phase One Property	16
6.2.1	Building and Property	16
6.2.2	Current Site Operations	16
6.2.3	Historical Site Operations	17
6.2.4	Utility Services	17
6.2.5	Underground Storage Tanks (USTs).....	17
6.2.6	Above Ground Storage Tanks (ASTs).....	17
6.2.7	Floor Drains, Pits, and Sumps	17
6.2.8	Wastewater/Sewers.....	18
6.2.9	Enhanced Investigation Property.....	18
6.2.10	Asbestos-Containing Materials (ACM)	18
6.2.11	Polychlorinated Biphenyls (PCBs).....	18
6.2.12	Solid Waste/Recyclable Materials	18
6.2.13	Chemical and Raw Material use and Storage	18
6.2.14	Subject Waste/Hazardous Waste.....	18
6.2.15	Chemical Spills/Releases	18
6.2.16	Lead-Based Paint	19



6.2.17	Chlorofluorocarbons	19
6.2.18	Air Emissions	19
6.2.19	Ionizing Radiation	19
6.3	Written Description of Investigation	19
7.	Review and Evaluation of Information.....	19
7.1	Current and Past Uses (Site).....	19
7.2	Potentially Contaminating Activities	54
7.2.1	Summary of On-Site Potential Contaminating Activities	54
7.3	Areas of Potential Environmental Concern.....	54
7.4	Phase One Conceptual Site Model.....	29
8.	Conclusions	30
8.1	Requirement for Phase Two ESA Before RSC Can Be Submitted	31
9.	References	29

Figure Index

Figure 1	Site Location Map
Figure 2	Site Plan
Figure 3	Surrounding Land Use Plan

Appendix Index

Appendix A	Topographical Survey
Appendix B	Chain of Title Search
Appendix C	2011 Phase I-II ESA Site Plan
Appendix D	Environmental Regulatory Correspondence
Appendix E	ERIS Database Summary
Appendix F	Aerial Photographs
Appendix G	Site Photographs



2. Introduction

2.1 Phase One ESA Property Information

GHD was retained by 6770967 Canada Inc., represented by Mr. Francois Moffet, to conduct a Phase One Environmental Site Assessment (ESA) of the vacant property municipally known as 1098 Ogilvie Road and 1178 Cummings Avenue in Ottawa, Ontario (Site or Phase One Property). A Site Location Map and a Site Plan are provided in **Figure 1** and **Figure 2**, respectively.

The Site is currently owned by 6770967 Canada Inc. The Site is 1.54 hectares in size and is comprised of two separate parcels of land. The West Parcel (1098 Ogilvie Road) is approximately 0.49 hectares (ha), and was identified with property identification number (PIN) 042640152. The East Parcel (1178 Cummings Avenue) is approximately 1.05 ha, and was identified with PIN 042640160. The approximate centre of the Site has Latitude and Longitude coordinates of 45°25' 30" N, 75° 37' 55" W (540568 mE/5030362 mN, Zone 18T, NAD 87). The municipal zoning for the Site is currently R3V V (Residential Third Density Zone).

The Site is legally described as Part of Lots 26 and 27, Concession 2; Part 1 on Registered Plan 5R-11857; Parts 1 to 3 on Registered Plan 5R-8415; Part 12 on Registered Plan 5R-2005; Part 1 on Registered Plan 4R-10638, in the City of Ottawa.

The West Parcel was first developed prior to 1958 and was used for agricultural and rural residential land use. The residential dwelling on the West Parcel was demolished in 2017. The East Parcel was first developed prior to 1958 and was also used for agricultural and rural residential land use up until approximately the 1970s. The east parcel was potentially utilized as a gas bar in the 1960s. Between the 1970s and 1980s, the East Parcel was reportedly used as a contractor's yard. The buildings on the East Parcel were demolished prior to 1991. The Site is currently vacant and overgrown with brush, grass and trees.

The Site is planned to be redeveloped for residential land use. The proposed development concept currently includes a series of town homes, single family dwellings, and a new municipal roadway. The Phase One ESA was undertaken in support of the local municipal planning department requirement associated with the proposed redevelopment of the Site.

The Phase One ESA was conducted in general accordance with the requirements of Ontario Regulation 153/04, as amended (O. Reg. 153/04). The purpose of the Phase One ESA was to identify, through a non-intrusive investigation, the existence of any Potentially Contaminating Activities (PCAs) and Areas of Potential Environmental Concern (APECs) associated with the Site. PCAs and APECs are defined in O. Reg. 153/04.

Contact information for the Property owner's representatives are listed below:

6770967 Canada Inc.
Mr. Francois Moffet
1465 Forest Valley Drive
Ottawa, Ontario, K1C 5P4.



A topographical survey is included in **Appendix A**.

A Record of Site Condition (RSC) is intended to be filed for the Site in accordance with the requirements of O. Reg. 153/04 at a later date to support a change in land use to a more sensitive use (i.e., residential use).

3. Scope of Investigation

The scope of GHD's investigation was detailed in GHD's proposal dated August 8, 2019 (Ref: 11198725Moffet-1). The project was approved by Mr. Francois Moffet.

The Phase One ESA was conducted in general accordance with the requirements of O. Reg. 153/04. The Phase One ESA was conducted by Mr. Scott Wallis and Mr. Luke Lopers and was reviewed by Ms. Julia Serink, all of GHD. Mr. Lopers and Ms. Julia Serink are both Qualified Persons as defined with O. Reg. 153/04. The following tasks were conducted as part of the Phase One ESA:

- Review of an electronic environmental database search of federal, provincial, and private source databases.
- Review of Property title records.
- Review of available historical records including fire insurance plans, aerial photographs of the Site and surrounding area, regional geological information and previous environmental reports.
- Review of past and current Property usage and adjacent property occupancy.
- Inspection of the facilities, equipment, utility services, operations, and associated records for the Site.
- Observations of any conditions that represented potential environmental concerns.
- Review of chemical use and storage and spill/release incidents.
- Review of aboveground and underground storage tank records.
- Review of waste handling, accumulation, storage, and disposal practices.
- Review of air emissions and wastewater discharges.
- Review of equipment that potentially contains chlorofluorocarbons.
- Review of equipment that potentially contains polychlorinated biphenyls.
- Observations of potential lead-based paint.
- Observations of potential asbestos-containing materials.
- Inquiries with regulatory agencies and interviews with persons knowledgeable of the Site and Site operations.

In completing the Phase One ESA, GHD relied on information received from all parties as being accurate unless contradicted by written documentation or field observations.



The following report summarizes the information gathered by GHD during the Phase One ESA and identifies any PCAs and APECs associated with the Site. PCAs and APECs are defined in O. Reg. 153/04. As required by O. Reg. 153/04, this Phase One ESA also identifies any potential contamination migration pathways and receptors associated with the Property, to the extent that the data compiled allows.

This Phase One ESA report has been prepared for the use of 6770967 Canada Inc. and may not be relied upon by others without the written consent of GHD and 6770967 Canada Inc.

4. Records Review

4.1 General

4.1.1 Phase One Study Area Determination

The Phase One ESA study area included all properties located wholly or partially within 250 m of the boundary of the Site, as required by O. Reg. 153/04. This area has been determined by GHD to be a sufficient study area since PCAs and/or APECs located beyond 250 m from the Site will not likely adversely impact the Property.

The properties adjacent to the Site were visually inspected, without accessing the properties, for evidence of existing or potential environmental concerns related to the Phase One ESA. GHD also visually inspected all of the Properties within the Phase One Study area that were visible from the Site or surrounding streets. The following buildings or features were located on the properties surrounding the Site:

- North:** The Site is bound to the north by Ogilvie Road and a hydro transmission corridor and commercial property utilized as a food stand fronting onto Ogilvie Road and Cummings Avenue. A service station is located further north of the Site, on the northwest corner of the intersection of Ogilvie Road and Cummings Avenue (1111 Ogilvie Road). Residential properties are located beyond.
- West:** The Site is bound to the west by a commercial development occupied by various businesses including a laundromat and dry cleaners.
- South:** The Site is bound to the south by overgrown lands to the southwest and a commercial business (bank) to the southeast. Cyrville Road is located further south of the Site.
- East:** The Site is bound to the east by Cummings Avenue. A commercial office building is located on the east side of Cummings Avenue. A gasoline service station is located further northeast of the Site, on the southeast corner of the intersection of Ogilvie Road and Cummings Avenue (1134 Ogilvie Road).

Based on a review of topographic and elevation mapping and the location of the Rideau River, regional groundwater flow in the Phase One Study Area is anticipated to be in a west to southwest direction.



The operation of tanks and service centres (with USTs) at 1111 Ogilvie Road and 1134 Ogilvie Road are defined in O. Reg. 153/04 as PCAs (10. Commercial Autobody Shops and 28. Gasoline and Associated Products Storage in Fixed Tanks) and may contribute to an APEC on the Site. On this basis, the area along the northern Property boundary of the Site was identified as **APEC #1**.

The operation of a dry cleaner on a surrounding property in close proximity to the Site was identified as an off-Site PCA (37. Operation of Dry Cleaning Equipment) in accordance with O. Reg. 153/04, and was identified as having the potential to contribute to an APEC on the Site, in the event that releases have occurred and migrated onto the Site. On this basis the southwestern Property boundary was identified as **APEC #2**.

Persons familiar with the Site were not aware of any environmental impacts to the Site attributable to operations conducted on adjacent lands. No visual evidence of any environmental impact to the Property from surrounding land uses was observed by GHD at the time of the Site inspection.

4.1.2 First Developed Use Determination

Based on GHD's review of historical documents and chain of title search (see below), the Site was owned by various individuals since before 1879. Based on a review of historical aerial photographs, the Site was developed prior to 1958. At this time, the western portion of the Site was utilized for rural residential use and the eastern portion of the Site was improved with various buildings (suspected to be a farmstead). Portions of the Site were being utilized for agricultural purposes at this time.

4.1.3 Fire Insurance Plans

Fire insurance plans (FIP) assist in the identification of historical land use and commonly indicate building layouts, detached structures, Site improvements, facility operations, names of tenants, the existence and location of boiler rooms, aboveground and underground storage tanks and adjoining property uses. GHD conducted a search for publicly available historical fire insurance plans for the Site and adjacent lands from the National Archives Library in Ottawa, Ontario. The 1963 City of Ottawa Fire Insurance Plans (FIPs) were reviewed; however the FIPs did not provide coverage of the Site.

4.1.4 Chain of Title

GHD retained Read Abstract Limited to complete a chain of title search for the Property.

The Site is legally described as Part of Lots 26 and 27, Concession 2; Part 1 on Registered Plan 5R-11857; Parts 1 to 3 on Registered Plan 5R-8415; Part 12 on Registered Plan 5R-2005; Part 1 on Registered Plan 4R-10638, in the City of Ottawa.

The following entities were reported to be associated with the ownership of the Site:



Table 4.1 Chain of Title

Year	Property Ownership
West Parcel - PIN 042640152 (1098 Ogilvie Road)	
Pre-1879	C. Guillaume
1879-1885	Michael Cyre
1885-1942	Joachim St. Georges
1942-1948	Hector St. Georges
1948-1948	Lumina Groulx
1948-1948	Hector St. Georges
1948-1967	Leo Major
1967-1994	Roger Boivin
1994-2003	Roger Boivin and Francois Boivin
2003-2007	Marcel Chartrand 1451063 Ontario Inc. and Societe En Commandite Tri
2007-present	6770967 Canada Inc.
East Parcel - PIN 042640160 (1178 Cummings Avenue)	
Lot 26	
Pre-1841	Elliott Johnston
1841-1844	George Johnston
1844-1888	William Ogilvie
1888-1889	John H. Ogilvie
1889-1899	Adeline Lavigne
1899-1899	Joseph Beaudoin
1899-1905	Adeline Lavigne
1905-1906	Alphonse Renaud
1906-1908	Ignace Verhelot
1908-1910	Camille Verhelot
1910-1950	Delima Tremblay
1950-1953	Raymond Tremblay
1953-1972	Ian Smith
Unknown-1981	Leon Tremblay
1981-1981	Jacques and Judith Boisvert
1981-1984	229615 Enterprises Limited
1984-1988	Ian Smith
Lot 27	
Pre-1859	Michael Cyre
1859-1873	Michael Cyre Jr.
1873-1911	Joseph Cyre
1911-1916	Hermeline Labelle
1916-1947	Nelson Labelle and Dorsina Lajoie
1947-1947	Edward Lajoie
1947-1950	Dorsina Lajoie
1950-1984	Rene and Emilia Lajoie



Table 4.1 Chain of Title

Year	Property Ownership
1984-1988	Ian Smith
All	
1988-2004	Edifice Beaufort Building Inc.
2004-2007	Marcel Chartrand 1451063 Ontario Inc. and Societe En Commandite Tri
2007-present	6770967 Canada Ltd.

A summary of the results of the chain of title search for the West Parcel is presented in **Appendix B**.

4.1.5 Historical City Directories

The West Parcel is municipally known as 1098 Ogilvie Road and the East Parcel is known as 1178 Cummings Avenue. Historical city directories generally document the occupants of municipal addresses on a yearly basis. A historical City directory search was conducted as part of the 2011 Phases I-II (see below). GHD also reviewed historical city directories for the Site and surrounding areas at the National Archives Canada located in Ottawa for the years 1910, 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, and 2010.

According to the information obtained from the historical city directories, the Site addresses were first listed in 1970 to various individuals. No commercial/industrial businesses were listed as being associated with the Site for the years reviewed with the exception of the following. The Shamrock Gas Bar was identified in the 2011 Phases I-II ESA to be associated with the eastern portion of the Site (1178 Cummings Avenue) in the 1965 city directories; however the business was not listed in the 1960 or 1970 city directories. At the time of the Phase One ESA, no additional information was available to GHD pertaining to the operation of a potential gas bar on the Property. The potential operation a gas bar on Site is defined in O. Reg. 153/04 as a PCA (28. Gasoline and Associated Products Storage in Fixed Tanks) and the central portion of the East Parcel was identified as **APEC #3**.

Through a broader search of the city directories for areas surrounding the Site, GHD identified the following relevant records, which were considered to be PCAs (refer to **Figure 3**).



Table 4.2 Summary of Off-Site PCAs Identified in City Directory Research

Listing	Location	Years Listed	APEC (Y/N)
Northwest of the Site			
Saab Gas Centre/SK Auto Repair, U-Haul Co. Ltd., Sunoco Inc.	1057 Cyrville Road	1990, 2000, 2010	N
North of the Site			
Calex Service Station, Global Fuels Inc., Calex Coin Op Car Wash	1111 Ogilvie Road (80 m north of the Site)	1970-2010	Y
Northeast of the Site			
Keneco Gas Mart	1110 Ogilvie Road (now part of 1134 Ogilvie Road)	1970	Y
Pioneer Petroleum, Top Value Gas Mart	1134 Ogilvie Road (65 m northeast of the Site)	1990, 2000, 2010	Y
Latremouille Fuels	1151 Ogilvie Road	1980	N
Roger Giroux	1152 Ogilvie Road	1990	N
Top Stop Gas Station	1154 Ogilvie Road	1990	N
Civil Motors Honda	1171 / 1163 St. Laurent Boulevard	1980-2010	N
Southwest of the Site			
Elite Automobiles Ltd	1040 Ogilvie Road	2000, 2010	N
Cyrville Cleaners and Shirts Laundry	1094 Cyrville Road	1980	N
Specification Coating Ltd	1072 Cyrville Road	2000, 2010	N
Cyrville Cleaners Ltd.	1157 Joseph Cyr Street	1980	N
PRM Construction Excavation	1192 Joseph Cyr Street	1980	N
Texaco Service Station	1163 St. Laurent Boulevard	1980	N
Civil Motors Honda	1171 / 1163 St. Laurent Boulevard	1980-2010	N
South of the Site			
AutoChoice 417 Inc.	1129 Cyrville Road (adjacent property to the south)	2010	Y
Cyrville Radiator	1133 Cyrville Road (adjacent property to the south)	1990, 2000	Y
Ultramar Cyrville, Golden Eagle Service Station	1150 Cyrville Road (85 m south of the Site)	1970, 1990, 2000, 2010	N

As presented above, five of the off-Site PCAs identified were identified as having the potential to contribute to an APEC on the Site in the event that releases have occurred and migrated onto the Site as follows.

- The operation of service stations (including USTs) on properties located north and northeast of the Site (1111 Ogilvie Road and 1134 (1110) Ogilvie Road) were previously identified as



having the potential to contribute to an APEC along the northern boundary of the Site (**APEC #1**).

- The operation of autobody businesses on the adjacent properties to the south of the Site (1129 and 1133 Cyrville Road) is defined in O. Reg. 153/04 as an off-Site PCA (10. Commercial Autobody Shops). Based on the proximity of the Autobody business to the Site, it has been identified as having the potential to contribute to an APEC on the Site, in the event that releases have occurred and migrated onto the Site. The southern boundary of the Site was identified as **APEC #4**.

4.1.6 Environmental Reports

6770967 Canada Inc. provided GHD with a previous environmental report entitled, "*Phases I-II – Environmental Site Assessment 1098 Ogilvie Road and 1178 Cummings Avenue, Ottawa, Ontario*" prepared by Paterson Group Inc. (Paterson), dated September 20, 2011 (Ref. PE2419-1), hereafter referred to as the 2011 Phases I-II ESA. A copy of the Site plan from the 2011 Phases I-II ESA is included as **Appendix C**.

The salient findings of this report are summarized below:

- The 2011 Phases I-II ESA property was occupied by an abandoned residential building on the western portion of the Site. The building reportedly had a concrete foundation, was wood framed with an exterior stucco finish, and was heated with fuel oil. A 905-Litre aboveground storage tank (AST), used for heating oil, was present in the southwest corner of the basement of the dwelling. Fill and vent pipes were visible on the building exterior. The AST was described by Paterson as "*in good condition with no visible rust or perforations*".
- The eastern portion of the Site was vacant and overgrown with vegetation.
- A former underground storage tank (UST) was reportedly located on the eastern portion of the Site. The 2011 Phases I-II ESA reported that the UST (along with 240 metric tonnes of soil) was removed in 2003 under the supervision of Paterson Group Inc. Confirmatory samples were collected from the excavation in 2003. The 2011 Phases I-II ESA indicates that although low levels of petroleum concentrations were reported in the soils remaining in place; the concentrations were below the then current Ministry of the Environment (MOE) Table B site standards presented in the Guideline for Use at Contaminated Sites in Ontario (revised 1997). No additional information pertaining the UST (including a closure report) was available to GHD at the time of the Phase One ESA.
- The surrounding land uses were noted by Paterson to be as follows:
 - North | Hydro corridor and Ogilvie Road followed by a gasoline service station (northeast)
 - West | Commercial properties
 - South | Automotive service garage (southwest)
 - East | Cummings Avenue followed by a gasoline service station (northeast)
- A Phase II ESA was undertaken by Paterson to investigate soil and/or groundwater conditions in the vicinity of the former on-Site UST and off-Site service stations.



- The Phase II ESA included the advancement of five (5) boreholes (BH1 to BH5) and was conducted in conjunction with a geotechnical investigation on Site. BH1 was advanced in the vicinity of the former UST, and was completed as a monitoring well. BH5 was advanced along the northern portion of the Property and was also completed as a monitoring well. The remaining boreholes were advanced throughout the Site for geotechnical purposes. The locations of the previously boreholes are presented on **Figure 2**.
 - The soil profile was found to consist of topsoil or gravel over fill followed by shale bedrock. The fill generally consists of brown sandy silt, with gravel, cobbles, brick, and wood chips in all five of the boreholes advanced in 2011.
 - Groundwater was encountered at depths ranging from 2.4 mBGS at BH1 to 5.1 mBGS at BH5 on September 13, 2011.
 - One soil samples was submitted for laboratory analysis of PHCs and BTEX form BH5. Groundwater samples were collected from BH1 and BH5 and were submitted for laboratory analysis of PHCs and BTEX. The analytical results were assessed to the 2009 interim Table 7 standards for a non-potable groundwater condition for shallow soils.
 - Elevated concentrations of benzene were detected in the groundwater at BH1 and BH5 at concentrations ranging from 8.3 µg/L to 18.5 µg/L and reported to be above the 2009 Table 7 standard of 0.5 µg/L.

No other previous environmental studies for the Property were reported to have been undertaken.

Based on GHD's review of the previous environmental report, the following PCAs that were considered to represent APECs to the Site were identified by GHD:

- A fuel oil AST was historically located in the basement of the residential dwelling located on the southwestern portion of the Site. The past operation of a fuel oil AST on Site was identified as an on-Site PCA (28. Gasoline and Associated Products Storage in Fixed Tanks) in accordance with O. Reg. 153/04 and the southwestern portion of the West Parcel was identified as **APEC #5**.
- A UST was historically located on the East Parcel and was removed in 2003. The historical operation of a UST on the East Parcel of the Site is defined in O. Reg. 153/04 as a PCA (28. Gasoline and Associated Products Storage in Fixed Tanks) and the area in vicinity of the UST and the central portion of the East Parcel was identified as **APEC #6**.
- Fill, of unknown quality, was identified on the Site. The presence of fill of unknown quality on Site is defined in O. Reg. 153/04 as a PCA (30. Fill of Unknown Quality) and the entire Site was identified as APEC (**APEC #7**).
- The operation of service stations, a drycleaner, and Autobody shops on the surrounding properties to the north, northeast, southwest and south of the Site were previously identified as APECs #1, 2, and #4, respectively.



4.2 Environmental Source Information

4.2.1 Regulatory Review

No concerns, complaints, notices of violation, or directives of an environmental nature issued against the Site by federal, provincial, or municipal environmental regulatory agencies have been disclosed to GHD.

A request was submitted to the Ministry of Environment, Conservation and Parks (MECP) under the Freedom of Information (FOI) and Protection of Privacy Act relating to the Site. The requested information included environmental approvals, certificates and instruments maintained by the Ministry for the Site or for properties that may directly influence the environmental condition of the Site. The MECP response dated August 27, 2019 to the inquiries indicated that no records were located responsive to the request. A copy of the MECP response is included in **Appendix D**.

A request was submitted by GHD to the Technical Standards and Safety Authority (TSSA) to search their databases for any records of storage tanks at the Site. An email response was received from the TSSA on August 14, 2019, indicating that there were no records in their database indicating underground storage tanks are at the Site or immediately adjacent properties. A copy of the TSSA response is included in **Appendix D**.

4.2.2 Environmental Database Search

GHD contracted EcoLog Environmental Risk Information Services Ltd. (ERIS) to conduct a search of available federal, provincial, and private environmental databases. Based on the location of the Site, the database searches were completed to assist in the identification of environmental conditions at the Site and on adjacent properties.

A summary of the pertinent findings from the database search is provided below. The complete database search report, which also identifies limitations associated with this information, is included in **Appendix E**.

- One record was identified for the Site. Edifice Beaufort Building Inc. was identified in the GEN database as a generator (N^o. ON7246315) for the years 2003 and 2004. No additional details were provided in the record.
- Two-hundred and two (202) records were identified for properties located within 250 m of the Site. Based on a review of the records, the following were identified as having the potential to contribute to an APEC on the Site:
 - ***Intersection of Ogilvie Road and Cummings Avenue (Northeast of the Site):*** One record was identified in the SPL database for the intersection of Ogilvie Road and Cummings Avenue. The record indicates that approximately 100 L of hydraulic oil from an unknown source was released to the ground surface in 1992, and environmental impacts were confirmed. The release was identified as having the potential to contribute to an APEC at the Site. The northern boundary of the Site was previously identified as **APEC #1**.



- **1134 Ogilvie Road (Northeast of the Site):** A service station is located approximately 65 metres northeast of the Site. In 1995, this property (Pioneer Energy) was listed as an expired facility with single wall gasoline and diesel underground storage tanks (UST) of 45,460 L, 22,730 L and 13,630 L in capacity, respectively. This property was later issued a license as a gasoline service station in 2002, with the aforementioned USTs noted to be active at that time. Pioneer Energy LP was also registered as a generator of waste oil skimming's and sludge's and light fuels in 2014. Two records were identified in the SPL database for 1134 Ogilvie Road. In 2001, approximately 50 L of gasoline was released to the ground, environmental impacts were deemed possible. In 2014, approximately 40 L of diesel was released to the ground, environmental impacts were deemed possible. The northern boundary of the Site was previously identified as **APEC #1**.
- **1111 Ogilvie Road (North of the Site):** A service station is located approximately 65 metres north of the Site, on the north side of Ogilvie Road. From 1992 to 1995, this property (OLCO Petroleum/1633981 Ontario Inc.) was identified as operating private and retail storage tanks with a total capacity of 136,380 L. In 2003 and 2004, OLCO Petroleum/1633981 Ontario Inc. was registered as a generator of petroleum distillates, light fuels, waste oils and lubricants from 2009 to 2019 and other unspecified wastes in 2003 and 2004. The northern boundary of the Site was previously identified as **APEC #1**.
- **1097/1099 Cyrville Road (Southwest of the Site):** One Stop Laundromat & Dry Cleaning/Sketchley Cleaning Services, located at 1097/1099 Cyrville Road (approximately 65 m southwest of the Site) were identified as a generator of halogenated solvents from 1986 to 2004. The operation of a drycleaner on a surrounding property in close proximity to the Site was identified as an off-Site PCA (37. Operation of Dry Cleaning Equipment) in accordance with O. Reg. 153/04, and was identified as having the potential to contribute to an APEC on the Site. On this basis the southwestern Property boundary was identified as **APEC #2**.

4.2.3 Mapping and Assessment of Former Industrial Sites, City of Ottawa

The report titled Mapping and Assessment of Former Industrial Sites, City of Ottawa, July 1988 provides the results of an inventory and preliminary assessment of one hundred seventy seven (177) known former industrial sites in the City of Ottawa, as of July 1988. Based on GHD's review, the Site is not listed in the Mapping and Assessment of Former Industrial Sites, City of Ottawa, July 1988.

4.3 Physical Setting

The Site is currently vacant land that was historically used for agricultural, rural residential and commercial/industrial use (Edifice Beaufort Building Inc.). The Site is located in a mixed commercial and residential area of Ottawa. The Site is approximately 1.54 hectares in size and is located south of Ogilvie Road and west of Cummings Avenue.



4.3.1 Aerial Photographs

Aerial photographs were reviewed to generally document the development of the Site and properties in the vicinity of the Site, and to identify the existence of any significant areas of actual or potential environmental concern at the Site. Aerial photographs of the Site and surrounding area were reviewed for the years between 1958, 1965, 1976, 1991, 2002, 2011, and 2017 at the National Air Photograph Library located in Ottawa, Ontario or on the City of Ottawa geoOttawa website.

Based on the history of the Site and the quantity and quality of the aerial imagery available for review, the selected time period between aerial photographs was determined to be suitable for the purposes of this Phase One ESA. The earliest available aerial photograph identified for the Site was dated 1958.



Table 4.3 Historical Aerial Photographs

Year	Site	Neighbouring Properties
1958	<p>The Site is developed. The West Parcel appears to be improved with a residential dwelling and two outbuildings on the southwestern portion of the Site.</p> <p>The west and south portions of the Site appear to be used for agricultural purposes, while the northeast portion appears to be undeveloped. The central portion of the East Parcel is improved with a farmstead, including various outbuildings. Evidence of fill piles is visible in the northeastern portion of the Site.</p>	<p>Neighboring properties appear to either be used for agricultural purposes or occupied by residential dwellings. Cyrville Road is located to the south of the Site. Ogilvie Road is present further to the north of the Site, with adjacent land use being agricultural.</p>
1965	<p>No significant changes in land use had occurred since 1958 with the exception that portions of the East Parcel appeared disturbed.</p>	<p>No significant changes had occurred on the surrounding adjacent properties since 1958.</p>
1976	<p>Additional portions of the West and East Parcels of land had been cleared. Due to the scale of the aerial photograph, additional details could not be discerned.</p>	<p>Commercial development had occurred on the surrounding lands to the north and northeast of the Site. A residential apartment had also been constructed to the east of the Site, on the east side of Cummings Avenue.</p>
1991	<p>The West Parcel was improved with a building in the southwestern portion of the Site. The other buildings previously located on Site were no longer visible. A parking area (associated with the adjacent property to the north) appears to be encroaching onto the northern boundary of the East Parcel.</p>	<p>Further commercial and residential development had occurred on the adjacent and surrounding properties. The lands located directly to the west of the Site appear to have been developed with several commercial buildings.</p>
2002	<p>The majority of the Site is covered with trees and grass. A building is still visible in the southwestern portion of the Site.</p>	<p>No significant change in land use had occurred on the surrounding or adjacent properties since 1991.</p>
2011	<p>The Site appeared to be vacant grass and tree covered lands. The building</p>	<p>No significant change in land use had occurred on the surrounding or adjacent properties since 2002.</p>



Table 4.3 Historical Aerial Photographs

Year	Site	Neighbouring Properties
	previously located in the southwestern portion of the Site was no longer present.	
2017	No significant changes had occurred on Site since 2011.	No significant change in land use had occurred on the surrounding or adjacent properties since 2011.

Copies of the aerial photographs are provided in **Appendix F**.

4.3.2 Topography, Hydrology, Geology

A Topographic map was reviewed from the Ontario Ministry of Natural Resources and Forestry. The mapping shows the topography in the Phase One Study Area sloping down to the west, towards the Rideau River located approximately 2.4 km from the Site limits.

According to the Geological Survey of Canada Map 1506a titled 'Surficial Geology of Ottawa, Ontario-Quebec (1982)', the Site is described as Till Plains, with local relief of less than 5 m. Approximately 100 m southeast of the Site (near the intersection of Cummings Avenue and Cyrville Road) is described as Bedrock (limestone, dolomite, sandstone, and locally shale, relatively flat, often with areas of unconsolidated Quaternary sediments up to 1m thick). Approximately 100 m northwest of the Site (on the north side of Ogilvie Road) is described as Post Champlain Sea Alluvial Deposits (medium grained stratified sands with some silt in the form of alluvial terraces and channels cut in marine clays, and in bars and spits within abandoned channels).

The online Ontario Geological Survey Map describes the Site as being Fine Textured Glaciomarine Deposits (silt and clay, minor sand and gravel, massive to well laminate), with a meltwater channel that bisects the site from the northwest to the southeast. South of the Site is described as Paleozoic Bedrock, while north of Ogilvie road to the northwest is described as older alluvial deposits (clay, silt, sand, gravel, and may contain organic remnants).

The Ontario Geologic Survey Map P2716 titled 'Paleozoic Geology Ottawa Area Southern Ontario (1984)' was reviewed. The Site is described as the Upper Ordovician Billings Formation (dark brown to black shales, with laminations of calcareous siltstone). A fault approximately parallels Cyrville Road south of the Site. The south side of Cyrville Road is the down thrust (slightly younger) Upper Ordovician Carlsbad Formation (interbedded dark grey shale, fossiliferous calcareous siltstone, and silty bioclastic limestone).

This information is in general agreement with the borehole logs in the 2011 Paterson Phases I-II ESA discussed previously in Section 4.1.6, which encountered fill material, over either thin layers of silty sand with trace gravel and clay, or thin layers of clayey silt with trace gravel, with the overburden resting on bedrock.



4.3.3 Fill Materials

Based on the findings of GHD's Site reconnaissance visit (see Section 6 below), the Site is generally on grade with the adjacent properties, with a gentle slope towards the north and eastern boundary.

The 2011 Phases I-II ESA identified fill materials (brown sandy silt, with gravel, cobbles, brick, and wood chips at select locations 2011. Evidence of fill placement was also noted in the historical aerial photographs. The presence of fill of unknown quality on Site was previously identified as a PCA and the entire Site was identified as **APEC #7**.

4.3.4 Water Bodies and Areas of Natural Significance

There are no water bodies or water courses located on the Site. The nearest surface water bodies indicated on the mapping are an unassessed wetland located approximately 180 m to the northeast of the Site limits, and a drainage swale that exits the wetland approximately 350 m east of the Site limits. The closest significant surface water body is the Rideau River, located approximately 2.4 km west-southwest of the Site.

Publically available MNRF mapping does not identify any ANSI or PSW within the Study Area.

Publically available zoning maps of Ottawa do not identify any areas designated as 'Environmentally Protected' in the Study Area.

4.3.5 Well Records

A search of the MOECC (now known as the MECP) Water Well Information System database was conducted as a component of the EcoLog ERIS database search outlined in Section 4.2.2.

Thirty-four water wells were registered with the MOECC (now MECP) for properties approximately within 250 m of the Site, respectively. Seven of the registered wells were associated with monitoring and observation wells. Several of the records were identified as domestic water wells; which were installed in the 1940s/1960s.

At the time of the Site visit in October 2019, observation wells (associated with a geotechnical/subsurface investigation being undertaken concurrently with the Phase One ESA) were identified.

The Phase One Property is located in an area municipally serviced with potable water. The water is obtained from public water mains along Ogilvie Road and Cummings Avenue.

4.3.6 Site Operating Records

The Site is currently vacant. No Site Operating Records currently exist for the Property.

5. Interviews

Mr. Denis Archambault (representing 6770967 Canada Inc., the current Property owner) was interviewed by GHD on November 9, 2019. At the time of the interview, Mr. Archambault had been



familiar with the Phase One Property since approximately 1999. Mr. Archambault stated 6770967 Canada Inc. has owned the property since 2007, prior to which they had been a mortgagee. Mr. Archambault stated that there had been an abandoned residential dwelling on the west portion of the Site, which was demolished in 2017 and that the property has been vacant since this time. Mr. Archambault was not aware of any historical fuel storage tanks, chemical storage or spills associated with the Site.

The interviews completed with Site personnel were focused on the historical and current use of the Property. Relevant information provided to GHD by those interviewed has been summarized in the following sections.

6. Site Reconnaissance

6.1 General Requirements

On September 20, 2019, GHD conducted a preliminary Site visit of the property on between 9:30 a.m. and 11:30 a.m. GHD conducted a follow up site visit on October 28, 2019 between 8:00 a.m. and 11:00 a.m.

Weather conditions were sunny with an approximate temperature of 20°C. The Site ground surfaces were overgrown with vegetation or were gravel surfaced at the time of Site visit which prevented direct observation of the ground surface in some areas.

The Site reconnaissance visits included a walk-through of the Property to confirm the current Site conditions and identify any current land uses, which may have caused actual and/or potential environmental impacts to the Site. Adjoining and neighbouring properties were observed from the Site and public access ways. GHD was unaccompanied during the Site inspections.

Photographs of the Site are included in **Appendix G**.

6.2 Specific Observations at Phase One Property

6.2.1 Building and Property

The Site is currently owned by 6770967 Canada Inc. The Site is 1.54 hectares in size and is comprised of two separate parcels of land. The West Parcel (1098 Ogilvie Road) is approximately 0.49 ha. The East Parcel (1178 Cummings Avenue) is approximately 1.05 ha.

At the time of the Site visit, the Site was comprised of vacant tree, brush, and grass-covered lands. The Site could be accessed via a paved driveway off of Ogilvie Road. A portion of the East Parcel, along the northern boundary, was being used as a parking area for the commercial chip truck business located north of the Site.

6.2.2 Current Site Operations

The Site is currently vacant.



6.2.3 Historical Site Operations

Based on a review of the historical records for the Site, the Site was historically utilized for agricultural and rural residential use. The West Parcel of the Site was improved with a residential dwelling located in the southwestern portion of the Site, which was demolished in approximately 2017. Various outbuildings were also historically located on the southwestern portion of the West Parcel. The East Parcel was historically improved with a farmstead, including various out buildings. This portion of the property was reportedly also used as a construction yard between the 1970s up until the 1980s. A gas bar may have also operation on this portion of the Site in the 1960s.

6.2.4 Utility Services

The Site is currently not serviced. Fuel oil was historically used to heat the on-Site residential buildings. Given the age of first development (prior to 1958), the on-Site buildings were likely serviced with on-Site septic systems and water well(s). At the time of the Phase One ESA, no information was available pertaining to the historical utility services. GHD did not observe any evidence of active or abandoned water supply wells, or septic systems, on the Site.

6.2.5 Underground Storage Tanks (USTs)

As discussed in Section 4.1.6, a UST was historically located on the central portion of the East Parcel (in the area of the former buildings) and was reportedly removed in 2003. No additional details concerning the use and size of the UST, or closure report, were available for review at the time of the Phase One ESA. The historical operation of a UST on the East Parcel of the Site was previously identified as a PCA and the area in vicinity of the UST is considered to represent an APEC at the Site (**APEC #6**).

According to facility personnel, no USTs are presently owned or operated at the Site, to their knowledge. No physical evidence suggesting the presence of other USTs (e.g., vent pipes, fill pipes, etc.) was observed by GHD at the time of the Site inspection.

6.2.6 Above Ground Storage Tanks (ASTs)

As discussed in Section 4.1.6, a fuel oil AST was historically located in the basement of the residential dwelling located on the southwestern portion of the West Parcel. Facility personnel were not aware of any spills or releases from the former AST. The historical operation of a fuel oil AST on the West Parcel of the Site was previously identified as a PCA and the area in vicinity of the AST is considered to represent an APEC at the Site (**APEC #5**).

According to facility personnel, no ASTs are presently owned or operated at the Site, to their knowledge. No physical evidence suggesting the presence of ASTs was observed by GHD at the time of the Site inspection.

6.2.7 Floor Drains, Pits, and Sumps

No buildings are currently located on the Site. At the time of the Site inspection, GHD did not observe any evidence of floor drains, pits or sumps on the Site.



6.2.8 Wastewater/Sewers

The Site is currently vacant. Based on GHD's observations, no wastewaters are currently being generated on Site.

6.2.9 Enhanced Investigation Property

Based on Ontario Regulation 153/04 Schedule D 32(1) b, the Site is not considered an 'Enhanced Property'.

6.2.10 Asbestos-Containing Materials (ACM)

At the time of the Site inspection, no buildings were present on the Site and no ACM were observed by GHD to be present.

6.2.11 Polychlorinated Biphenyls (PCBs)

No evidence of on-Site PCBs or on-Site PCB waste storage was observed by GHD at the time of the Site inspection.

6.2.12 Solid Waste/Recyclable Materials

Based on GHD observations, no solid wastes or recyclables are currently generated at the Site. At the time of the Site inspection, no visual evidence of on-Site waste disposal was observed by GHD. As previously discussed, fill material containing wood, brick, and cobbles was encountered during the 2011 Phase II ESA at select locations advanced on the Site. The presence of fill material containing debris has been identified as **APEC #7**.

6.2.13 Chemical and Raw Material use and Storage

No chemicals are currently used or stored at the Site. At the time of the Site inspection, no visual evidence of significant spills or releases was observed by GHD.

6.2.14 Subject Waste/Hazardous Waste

Based on the findings of the EcoLog ERIS database search outlined in Section 4.2.2, one record was identified in the GEN database for the Site. Edifice Beaufort Building Inc. was identified in the GEN database as a generator (N^o. ON7246315) for the years 2003 and 2004. No additional details were provided in the record.

Based on GHD observations, no Subject Wastes were being generated or stored at the Site at the time of the Site inspection.

6.2.15 Chemical Spills/Releases

At the time of the Site inspection, GHD did not observe any visual evidence of chemical spills or releases at the Site. A review of the Ontario Spills database included in the Ecolog ERIS report did not identify any spills associated with the Site. Site personnel were not aware of any chemical spills/releases in the past on Site.



6.2.16 Lead-Based Paint

The amount of lead in interior paint has been regulated since 1976 through Health Canada's Hazardous Products Act. There are no buildings currently located on the Site.

6.2.17 Chlorofluorocarbons

Based on observations made by GHD during the Site inspection, no equipment containing chlorofluorocarbons (CFCs) is currently operated or stored at the Site.

6.2.18 Air Emissions

Based on GHD observations, no active air emission sources are currently present at the Site.

6.2.19 Ionizing Radiation

At the time of the Site inspection, no sources of ionizing radiation were observed by GHD at the Site.

6.3 Written Description of Investigation

The Phase One ESA included a records review, interviews with facility personnel, a Site reconnaissance, and a review and evaluation of the information obtained during the Phase One ESA. The Site reconnaissance included a walk-through of the Property to confirm the current Site conditions and identify any current land uses, which may have or may cause actual and/or potential environmental impacts to the Site. Adjoining and neighbouring properties were observed from the Site and public access ways.

The findings from the assessment carried out pursuant to Sections 13 and 14 of Schedule D of O. Reg. 153/04, as amended, were previously discussed in Section 6.0

7. Review and Evaluation of Information

7.1 Current and Past Uses (Site)

A summary of the current and past uses of the Site is provided below.



Table of Current and Past Uses of the Phase One Property
Phase One Environmental Site Assessment
1098 Ogilvie Road and 1178 Cummings Avenue Ottawa, Ontario
(Refer to Clause 16(2)(b), Schedule D, O.Reg. 153/04)

Year	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, etc.
West Parcel - PIN 042640152 (1098 Ogilvie Road)				
Pre – 1879	C. Guillaume Michael Cyre Joachim St. Georges Hector St. Georges Lumina Groulx Hector St. Georges	Agricultural	Agricultural & Residential	No reported use or occupancy of the Site. Suspected to have been undeveloped and used for agricultural purposes.
1948-1967	Leo Major	Agricultural & Rural Residential	Agricultural & Residential	Based on a review of the 1958 aerial photograph, the Site was developed and improved with a residential dwelling and associated outbuildings. Portions of the Site appeared to be utilized for agricultural purposes.
1967-1994	Roger Boivin	Residential	Residential	Based on a review of the 1976 aerial photograph, a residential dwelling was located on the southwestern portion of the Site. The remaining portions of the West Parcel appeared to be cleared lands or vegetated.
1994-2003	Roger Boivin and Francois Boivin	Residential	Residential	Review of the 2002 aerial photograph indicates that the Site was improved with a building located in the southwestern portion of the Site. The remaining portions of the West Parcel were landscaped with grass and tree coverage.
2003-2007	Marcel Chartrand 1451063 Ontario Inc. and Societe En Commandite Tri	Residential	Residential	Review of 2005 and 2007 aerial photographs on geoOttawa indicates the residential dwelling located in the southwestern portion of the Site remains. The remaining portions of the West Parcel remain landscaped.
2007-present	6770967 Canada Inc.	Residential	Residential	The residential dwelling located on the southwestern portion of the West Parcel was demolished in 2017. The Site is currently vacant with overgrown grassed and tree covered lands.



Table of Current and Past Uses of the Phase One Property
Phase One Environmental Site Assessment
1098 Ogilvie Road and 1178 Cummings Avenue Ottawa, Ontario
(Refer to Clause 16(2)(b), Schedule D, O.Reg. 153/04)

Year	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, etc.
East Parcel - PIN 042640160 (1178 Cummings Avenue) *Chain of title is pending				
Prior to 1958	Elliott Johnston Geroge Johnston William Ogilvie John H. Ogilvie Adeline Lavigne Joseph Beaudoin Alphonse Renaud Ignace Verhelot Camille Verhelot Delima Tremblay Raymond Tremblay Leon Tremblay Michael Cyre Michael Cyre Jr. Joseph Cyre Hermeline Labelle Dorsina Lajoie Edward Lajoie Rene and Emilia Lajoie	Agricultural	Agricultural & Residential	No reported use or occupancy of the Site. Suspected to have been used for agricultural purposes and farmstead.
Prior to 1958 to 1960s	Leon Tremblay Raymond Tremblay Rene and Emilia Lajoie	Agricultural	Agricultural, Residential, and Commercial	Based on a review of the 1958 aerial photograph, the East Parcel was improved with a farmstead (including various out buildings). The historical records indicated that a gas bar (The Shamrock Gas Bar) was located on Site in 1965.
1970s to 1980s	Rene and Emilia Lajoie Raymond Tremblay Ian Smith Leon Tremblay Jacques and Judith Boisvert 229615 Enterprises Limited	Contractor's Yard	Industrial/Commercial	Based on a review of the 1976 aerial photograph and review of historical information, the Site was being used as a contractor's yard.



Table of Current and Past Uses of the Phase One Property
Phase One Environmental Site Assessment
1098 Ogilvie Road and 1178 Cummings Avenue Ottawa, Ontario
(Refer to Clause 16(2)(b), Schedule D, O.Reg. 153/04)

Year	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, etc.
	Edifice Beaufort Building Inc.			
1990s to 2007	Edifice Beaufort Building Inc. Marcel Chartrand 1451063 Ontario Inc. and Societe En Commandite Tri	Vacant land	Industrial/Commercial	Based on a review of the 1991 aerial photograph, the East Parcel was comprised of grass and tree covered lands. The buildings were no longer present.
2007-present	6770967 Canada Inc.	Vacant land	Industrial/Commercial	Based on a review of the 2011 and 2017 aerial photographs, no significant changes in land use had occurred since 1991. The northern portion of the East Parcel was being used as a parking area associated with the commercial food truck shop located on the north adjacent property.



7.2 Potentially Contaminating Activities

7.2.1 Summary of On-Site Potential Contaminating Activities

The MECP provides a list of PCAs in Schedule D of O. Reg. 153/04 under the Environmental Protection Act. The following PCAs have been identified to be on, in, or under the Phase One Property, or located within the Phase One Study Area *and* having the potential to contribute to an APEC.

Location and Description	Potentially Contaminating Activity
Entire Site – Fill Quality	30. Fill of Unknown Quality
West Parcel (Southwest Corner) – Former Fuel Oil AST	28. Gasoline and Associated Products Storage in Fixed Tanks
East Parcel (Central Portion) – Shamrock Gas Bar	28. Gasoline and Associated Products Storage in Fixed Tanks
East Parcel (Central Portion) – Former UST	28. Gasoline and Associated Products Storage in Fixed Tanks
Northern Boundary – Surrounding Land Uses (Service Stations/USTs/Releases) <i>1111 Ogilvie Road</i> <i>1134 Ogilvie Road</i> <i>Intersection of Ogilvie Road & Cummings Avenue</i>	28. Gasoline and Associated Products Storage in Fixed Tanks 10. Commercial Autobody Shops
Southwestern Boundary of the Site – Surrounding Land Uses (Drycleaner) <i>1097/1099 Cyrville Road</i>	37. Operation of Dry Cleaning Equipment (where chemicals are used)
Southern Boundary of the Site – Adjacent Land Use (Autobody Shops) <i>1125-1133 Cyrville Road</i>	10. Commercial Autobody Shops

Several PCAs were also identified off Site on properties within the Phase One ESA study area. However, based on the findings of the Phase One ESA, only the PCAs associated with properties identified above and shown on **Figure 3** were identified as having the potential to contribute to an APEC on Site as presented below in Section 7.3. The locations of the off-Site PCAs that are not considered to contribute to an APEC on Site have also been presented on **Figure 3**.

7.3 Areas of Potential Environmental Concern

The following areas of actual or potential environmental concern have been identified by the Phase One ESA site reconnaissance and records review and are summarized in the table below. This table is used to list and describe each potentially contaminating activity at the Property and each potentially contaminating activity in the Phase One study area that may be contributing to an APEC at the Property.



Table of Areas of Potential Environmental Concern
Phase One Conceptual Site Model
1098 Ogilvie Road and 1178 Cummings Avenue Ottawa, Ontario
(Refer to clause 16(2)(a), Schedule D, O. Reg. 153/04)

Area of Potential Environmental Concern ¹	Location of Area of Potential Environmental Concern on Phase One Property	Potentially Contaminating Activity ²	Location of PCA (on-site or off-site)	Contaminants of Potential Concern ³	Media Potentially Impacted (Ground Water, Soil and/or Sediment)
APEC #1: Surrounding Land Use (Service Stations/USTs/Releases) <i>1111 Ogilvie Road</i> <i>1134 Ogilvie Road</i> <i>Intersection of Ogilvie Road & Cummings Avenue</i>	Northern Boundary of the Site	28. Gasoline and Associated Products Storage in Fixed Tanks 10. Commercial Autobody Shops	Off-Site	PHC, BTEX	Groundwater
APEC #2: Surrounding Land Use (Drycleaner) <i>1097/1099 Cyrville Road</i>	Southwestern Boundary of the Site	37. Operation of Dry Cleaning Equipment (where chemicals are used)	Off-Site	VOCs	Groundwater
APEC #3: Service Station (Shamrock Gas Bar)	Central portion of the East Parcel	28. Gasoline and Associated Products Storage in Fixed Tanks	On-Site	PHC, BTEX	Soil and Groundwater
APEC #4: Surrounding Land Use (Autobody Shops) <i>1125-1133 Cyrville Road</i>	Southern boundary of the Site	10. Commercial Autobody Shops	Off-Site	PHC, Metals, VOCs	Groundwater
APEC #5 – Former Fuel Oil AST	West Parcel (basement of residential dwelling)	28. Gasoline and Associated Products Storage in Fixed Tanks	On-Site	PHCs, BTEXs	Soil
APEC #6 – Former UST	Central portion of the East Parcel	28. Gasoline and Associated Products Storage in Fixed Tanks	On-Site	PHCs, BTEX	Soil and Groundwater
APEC #7 – Fill Quality	Entire Site	30. Fill of Unknown Quality	On-Site	Metals, PHC, PAHs, VOCs	Soil



Table of Areas of Potential Environmental Concern
Phase One Conceptual Site Model
1098 Ogilvie Road and 1178 Cummings Avenue Ottawa, Ontario
(Refer to clause 16(2)(a), Schedule D, O. Reg. 153/04)

Notes:

- 1 Area of Potential Environmental Concern means the area on, in or under a phase one property where one or more contaminants are potentially present, as determined through the phase one environmental site assessment, including through:
 - (a) Identification of past or present uses on, in or under the phase one property.
 - (b) Identification of potentially contaminating activity.
- 2 Potentially Contaminating Activity means a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a phase one study area.
- 3 When completing this column, identify all contaminants of potential concern using the Method Groups as identified in the "Protocol for Analytical Methods in the Assessment of Properties under Part XV.1 of the Environmental Protection Act, March 9, 2004, amended as of July 1, 2011, as specified below:

ABNs	PCBs	Metals	Electrical Conductivity	SAR	Cl	OCs
CPs	PAHs	As, Sb, Se	Cr (VI)	High pH	CN ⁻	PHCs
1,4-Dioxane	THMs	Na	Hg	Low pH	BTEX	
Dioxins/Furans, PCDDs/PCDFs	VOCs	B-HWS	Methyl Mercury		Ca, Mg	



Where GHD identified significant uncertainty, or a lack of information regarding the potential for a PCA to contribute to an APEC at the Site, GHD conservatively assumed that an APEC may be present, and included the APEC in this report.

7.4 Phase One Conceptual Site Model

The Site is located at 1098 Ogilvie Road and 1178 Cummings Avenue in Ottawa, Ontario (Site or Phase One Property). A Site Location Map and a Site Plan are provided on **Figure 1** and **Figure 2**, respectively.

The Site is currently owned by 6770967 Canada Inc. The Site is 1.54 hectares in size and is comprised of two separate parcels of land. The West Parcel (1098 Ogilvie Road) is approximately 0.49 hectares (ha), and was identified with property identification number (PIN) 042640152. The East Parcel (1178 Cummings Avenue) is approximately 1.05 ha, and was identified with PIN 042640160. The approximate centre of the Site has Latitude and Longitude coordinates of 45°25' 30" N, 75° 37' 55" W (540568 mE/5030362 mN, Zone 18T, NAD 87). The municipal zoning for the Site is currently R3V V (Residential Third Density Zone).

The Site is legally described as Part of Lots 26 and 27, Concession 2; Part 1 on Registered Plan 5R-11857; Parts 1 to 3 on Registered Plan 5R-8415; Part 12 on Registered Plan 5R-2005; Part 1 on Registered Plan 4R-10638, in City of Ottawa.

The Site is located in an area of Ottawa primarily developed for mixed residential and commercial land use. Based on GHD's review of the historical documents, the Site was developed prior to 1958 for rural residential land use and was used in the past for agricultural purposes. The Site is currently vacant and comprised of overgrown grassed and tree covered lands. All former buildings have been demolished.

The Site topography is generally on grade with the adjacent properties with a gentle slope towards the north and east. The elevation on the Site ranges between 68.31 and 70.58 m above sea level (mAMSL). Regionally, the topography in the Phase One Study Area slopes down towards the Rideau River to the west; however the Site gently slopes to the north and east.

There are no water bodies located on or adjacent to the Site. The closest significant surface water body is the Rideau River, located approximately 2.4 km west-southwest of the Site. Based on topography and the location of the Rideau River, groundwater flow direction is inferred to be to the west or southwest.

Based on the information reviewed and the definition of area of natural significance provided in O. Reg. 153/04, the Site is not considered an area of natural significance.

To the best of GHD's knowledge, no underground utilities are present beneath the Property with the exception of potential abandoned utilities. The Site is not currently serviced.

Based on the historical information reviewed, the following subsurface structures and utilities that may affect contaminant distribution and transport on Site included the following dating back to the early development of the Site: utility corridors, abandoned utility conduits, and the presence of several former building foundations.



Based on GHD's review of the previous environmental report, the soil conditions on Site consist of fill over a thin layer of glaciolacustrine sands, overlying bedrock found between 1.5 to 3.0 m below grade mBGS.

Based on the results of the Phase One ESA, PCAs were identified to be associated with historical operations on the Site and off Site on the surrounding properties to the north, southwest and south. A summary of the PCAs, APECs, and the associated potentially contaminated media and contaminants of concern (COCs) are presented in the Table of Areas of Potential Environmental Concern. In summary the potential contaminants of concern were identified as metals, PHCs, BTEX, VOCs, and PAHs.

The Phase One ESA CSM was based on the findings of the Phase One ESA. Limited information was available at the time of the Phase One ESA regarding specific details relating to the historical operations conducted on Site since its development. The findings presented herein are based on the Site inspection, information provided by Site representatives and regulatory agencies, documents reviewed, and the review of Site history.

The Phase One ESA Conceptual Site Model is depicted on **Figures 1** through **3**.

8. Conclusions

Based on the results of the Phase One ESA, including the Site inspection, information provided by Site representatives and regulatory agencies, documents reviewed, and the review of Site history, the following APECs were identified to be associated with the Site.

- i. **Surrounding Land Use (Service Stations/USTs/Releases):** Based on the findings of the information review and GHD's site observations, service stations (with USTs) are operated on properties located north and northeast of the Site at 111 Ogilvie Road and 1134 Ogilvie Road. Based on the findings of the ERIS database search, releases have occurred in the past at 1134 Ogilvie Road and at the intersection of Ogilvie Road and Cummings Avenue. In 2011, elevated concentrations of benzene were also detected in the groundwater in the northeastern portion of the Site. The operation of service stations (including USTs) and releases were identified as off-Site PCAs (28. Gasoline and Associated Products Storage in Fixed Tanks and 10. Commercial Autobody Shops). Based on the proximity of these PCAs to the Site, they were identified as having the potential to contribute to an APEC on the Site in the event that releases have occurred and migrated onto the Site. The northern boundary of the Site was identified as **APEC #1**.
- ii. **Surrounding Land Use (Drycleaner):** Based on the findings of the information review, a drycleaner is located approximately 65 m southwest of the Site at 1097 (1099) Cryville Road. One Stop Laundromat & Dry Cleaning/Sketchley Cleaning Services, located at 1097/1099 Cryville Road (approximately 65 m southwest of the Site) were identified as generators of halogenated solvents from 1986 to 2004. The operation of a drycleaner on a surrounding property in close proximity to the Site was identified as a PCA (37. Operation of Dry Cleaning Equipment) in accordance with O. Reg. 153/04, and was identified as having the potential to contribute to an APEC on the Site in the event that releases have occurred and



migrated onto the Site. On this basis the southwestern Property boundary was identified as **APEC #2**.

- iii. **Potential on-Site Gas Bar:** Based on a review of the 2011 Phases I-II ESA, the Shamrock Gas Bar was listed as being located on the East Parcel of the Site (1178 Cummings Avenue) in 1965. At the time of the Phase One ESA, no additional information was obtained pertaining to the potential operation of a gas bar on Site. The potential operation of a gas bar on Site was identified as a PCA (28. Gasoline and Associated Products Storage in Fixed Tanks) in accordance with O. Reg. 153/04 and the central portion of the East Parcel was identified as **APEC #3**.
- iv. **Surrounding Land Use (Autobody Shops):** Based on the historical information reviewed, various Autobody shops were located at 1125-1133 Cyrville Roads, located adjacent to the south of the western portion of the Site. At the time of the GHD's site inspection, this property was vacant overgrown land. The operation of Autobody shops on the adjacent property to the south of the Site was identified as an off-Site PCA (10. Commercial Autobody Shops) and identified as having the potential to contribute to an APEC on Site. The southwestern boundary of the Site was identified as **APEC #4**.
- v. **Former Fuel Oil AST:** The residential dwelling formerly located on the southwestern portion of the West Parcel was historically heated with fuel oil. A fuel oil AST was located in the basement of the residential dwelling. The residential dwelling was demolished on Site in 2017. The past operation of a fuel oil AST on Site was identified as an on-Site PCA (28. Gasoline and Associated Products Storage in Fixed Tanks) in accordance with O. Reg. 153/04 and the southwestern portion of the West Parcel was identified as **APEC #5**.
- vi. **Former UST:** Based on a review of the 2011 Phases I-II ESA, a UST was historically located in the central portion of the West Parcel. The UST and 240 tonnes of soil were reportedly removed in 2003. Based on the findings of the 2011 Phases I-II ESA, elevated concentrations of benzene were detected in the groundwater in the vicinity of the former UST. The historical operation of a UST on Site was identified as an on-Site PCA (28. Gasoline and Associated Products Storage in Fixed Tanks) in accordance with O. Reg. 153/04 and the central portion of the East Parcel was identified as **APEC #6**.
- vii. **Fill Quality:** Based on a review of historical aerial photographs and the findings of the 2011 Phases I-II ESA, fill material of unknown quality is present throughout the Site. The presence of fill of unknown quality was identified as an on-Site PCA (30. Fill of Unknown Quality) in accordance with O. Reg. 153/04 and the entire Site was identified as **APEC #7**.

8.1 Requirement for Phase Two ESA Before RSC Can Be Submitted

Based on the information obtained in completing this Phase One ESA, a Phase Two ESA is required before a Record of Site Condition (RSC) can be filed with the MECP. The Phase Two ESA should evaluate the presence or absence of soil or groundwater impact to the Site from all identified APECs.



All of Which is Respectfully Submitted,

GHD

A handwritten signature in black ink that reads "S Wallis". The signature is fluid and cursive.

Scott Wallis, B.Sc.

A handwritten signature in blue ink that reads "Luke Lopers". To the right of the signature is a circular professional seal. The seal contains the text "PROFESSIONAL ENGINEER" at the top, "L. LOPERS" in the center, and "P.E. No. 12345" at the bottom. The seal is surrounded by a decorative border.

Luke Lopers, P. Eng., Q.P. ^{ESA}



9. References

Canadian Standards Authority. Z768-01 (R2006) - Phase I Environmental Site Assessment. 2006.

Ministry of Environment. Environmental Protection Act, Ontario Regulation 153/04, Records of Site Condition, Part XV.I of the Act.

Ministry of Environment and Energy. Ontario Inventory of PCB Storage Sites, January 1993. Queen's Printer for Ontario, 1993.

Ministry of Environment. Waste Disposal Site Inventory, June 1991. Queen's Printer for Ontario, 1994.

Intera Technologies Ltd. Inventory of Coal Gasification Plant Waste Sites in Ontario, Volume 1, April 1987. Queen's Printer for Ontario, 1989.


Intera Technologies Ltd. Inventory of Coal Gasification Plant Waste Sites in Ontario, Volume 11, April 1987. Queen's Printer for Ontario, 1989.

Intera Technologies Ltd. Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario, Volume 1, November 1988.


Intera Technologies Ltd. Mapping and Assessment of Former Industrial Sites, City of Ottawa, July 1988.

"Phase I-II- Environmental Site Assessment, 1098 Ogilvie Road and 1178 Cummings Avenue, Ottawa, Ontario" Prepared by Paterson Group Inc., dated September 20, 2011.

Figures



Paper Size ANSI A
 0 140 280 420 560
 Meters




6770967 CANADA INC.
 1098 OGILVIE ROAD AND 1178 CUMMINGS AVENUE
 OTTAWA, ON
 PHASE ONE ENVIRONMENTAL SITE ASSESSMENT

Project No. 11201061
 Revision No. -
 Date Dec 3, 2019

SITE LOCATION MAP

FIGURE 1

Data source: MNRF NRVIS, 2017. Produced by GHD under licence from Ontario Ministry of Natural Resources and Forestry, © Queen's Printer 2019.




Legend

- Off-Site PCA That May Contribute to On-Site APEC
- Off-Site Potentially Contaminating Activity (PCA)
- East Parcel
- Site Boundary
- West Parcel
- Phase One Study Area (250 m Radius)

Land Use

- Residential
- Commercial
- Institutional
- Open Space
- Road



Map Reference	Civic Address	PCA Description	PCA Item #
Potentially Contaminating Activities with the potential to contribute to Areas of Potential Environmental Concern			
1	1134 Ogilvie Road	Gasoline service station, two historical reported spills of gasoline	PCA Item 28
2	Cummings Ave, South of Ogilvie Road	Two historical reported spills of hydraulic oil and diesel	PCA Item Not Applicable
3	1125-1133 Cyrville Road	Former automotive service garage and Dealership	PCA Item 10
4	1111 Ogilvie Road	Gasoline service station	PCA Item 28
5	1097 / 1099 Cyrville Road	Dry cleaner	PCA Item 37
Other Potentially Contaminating Activities			
6	1152 / 1154 Ogilvie Road	Former gasoline service station and automotive service garage	PCA Item 10 & 28
7	1151 Ogilvie Road	Suspected former fuel storage in fixed tanks	PCA Item 28
8	1150 Cyrville Road	Former gasoline service station	PCA Item 28
9	1072 Cyrville Road	Former suspected autobody shop	PCA Item 10
10	1040 Ogilvie Road / 1171 St. Laurent Boulevard	Car dealership with automotive service garage	PCA Item 10
11	1094 Cyrville Road / 1157 Joseph Cyr Street	Former Dry cleaner	PCA Item 37
12	1057 Cyrville Road	Gasoline service station with garage	PCA Item 10 & 28

Paper Size ANSI B

0 20 40 60 80

Meters

Map Projection: Transverse Mercator
Horizontal Datum: North American 1983
Grid: NAD 1983 UTM Zone 18N

6770967 CANADA INC.
1098 OGILVIE ROAD AND 1178 CUMMINGS AVENUE
OTTAWA, ON
PHASE ONE ENVIRONMENTAL SITE ASSESSMENT

Project No. 11201061
Revision No. -
Date Dec 3, 2019

SURROUNDING LAND USE PLAN

FIGURE 3

Appendices

Appendix A

Topographic Survey

TOPOGRAPHICAL PLAN OF
PART OF LOTS 26 AND 27
CONCESSION 2 (OTTAWA FRONT)
Geographic Township of Gloucester
Formerly City of Gloucester
NOW CITY OF OTTAWA
Surveyed by
ANNIS, O'SULLIVAN, VOLLEBEKK LTD.

Scale 1 : 250
10 5 0 5 10 Metres

Metric
DISTANCES SHOWN ON THIS PLAN ARE IN METRES AND
CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048

Notes & Legend

- | | | |
|--|---------|-----------------------------------|
| | Denotes | Survey Monument Planted. |
| | | Standard Iron Bar. |
| | | Short Standard Iron Bar. |
| | | Iron Bar. |
| | | Cut Cross. |
| | | Concrete Pin. |
| | | Witness. |
| | | Annis, O'Sullivan, Vollebekk Ltd. |
| | | Plan 5R-11857. |
| | | Plan 4R-7707. |
| | | Plan 4R-10638. |
| | | Registered Plan 445. |
| | | Plan 5R-8415. |
| | | Plan 5R-2005. |
| | | Plan 5R-1414. |
| | Denotes | GUY WIRE / ANCHOR. |
| | | UTILITY POLE. |
| | | DECIDUOUS TREE. |
| | | MAINTENANCE HOLE. |
| | | SANITARY MAINTENANCE HOLE. |
| | | STORM MAINTENANCE HOLE. |
| | | TRAFFIC MAINTENANCE HOLE. |
| | | BELL MAINTENANCE HOLE. |
| | | DITCH INLET. |
| | | CULVERT. |
| | | CATCH BASIN. |
| | | FIRE HYDRANT. |
| | | TRAFFIC SIGNAL LIGHT. |
| | | TRAFFIC SIGN. |
| | | BORE HOLE. |
| | | LOCATION OF ELEVATIONS. |
| | | PROPERTY LINE. |
| | | CENTRELINE. |
| | | DIAMETER. |
| | | TOP OF GRATE / LID. |
| | | CHAIN LINK FENCE. |
| | | OVERHEAD WIRES. |

FIELD WORK COMPLETED MARCH 30, 2004.

SITE AREA = 1.5425 hectares

BEARINGS ARE GRID BEARINGS, DERIVED FROM THE WESTERLY LIMIT
OF CUMMINGS AVENUE SHOWN TO BE N 22°17'20" W ON PLAN 5R-2005.

ELEVATIONS NOTES

- ELEVATIONS SHOWN HEREON ARE REFERRED TO GEODETIC DATUM
- IT IS THE RESPONSIBILITY OF THE USER OF THIS INFORMATION TO
VERIFY THAT THE JOB BENCHMARK HAS NOT BEEN ALTERED OR
DISTURBED AND THAT ITS RELATIVE ELEVATION AND DESCRIPTION
AGREES WITH THE INFORMATION SHOWN ON THIS DRAWING.

UTILITY NOTES

- THIS DRAWING CANNOT BE ACCEPTED AS ACKNOWLEDGING ALL OF
THE UTILITIES AND IT WILL BE THE RESPONSIBILITY OF THE
USER TO CONTACT THE RESPECTIVE UTILITY AUTHORITIES FOR
CONFIRMATION.
- A FIELD LOCATION OF UNDERGROUND PLANT BY THE PERTINENT
UTILITY AUTHORITY IS MANDATORY BEFORE ANY WORK INVOLVING
PROBING, EXCAVATING ETC.

Appendix B

Chain of Title Search



READ Abstracts Limited

331 Cooper Street, Suite 300, Ottawa, Ontario K2P 0A4

Email: search@readsearch.com

Tel.: 613-236-0664

Fax: 613-236-3677

ENVIRONMENTAL SEARCH

GHD

Attn: Zoe

BRIEF DESCRIPTION OF LAND:

1098 Ogilvie Rd., Ottawa

Part of Lot 27, Concession 2 OF Gloucester, being Part 1 on 4R10638

PIN: 04264-0152

LAST REGISTERED OWNER: 6770967 Canada Ltd.

CHAIN OF TITLE:

Deed GL4503 registered Jan 13, 1879

From C. Guillaume to Michael Cyre

Deed GL7046 registered Mar 5, 1885

From Michael Cyre to Joachim St. Georges

Deed GL39622 registered Aug 14, 1942

From Joachim St. Georges to Hector St. Georges

Foreclosure GL44483 registered Feb 18, 1948

From Hector St. Georges to Lumina Groulx

Deed 44716 registered Apr 23, 1948

From Lumina Groulx to Hector St. Georges

Deed GL45425 registered Oct 15, 1948

From Hector St. Georges to Leo Major

Deed GL82107 registered Nov 30, 1967

From Leo Major to Roger Boivin

Deed N705339 registered Sep 29, 1994
From Roger Boivin to Roger Boivin and Francois Boivin

Deed OC255752 registered Oct 6, 2003
From Roger Boivin and Francois Boivin to Marcel Chartrand

Power of Sale OC725666 registered Jun 1, 2007
From 1451063 Ontario Inc. and Societe En Commandite Tri to 6770967 Canada Ltd.



READ Abstracts Limited

331 Cooper Street, Suite 300, Ottawa, Ontario K2P 0A4

Email: search@readsearch.com

Tel.: 613-236-0664

Fax: 613-236-3677

ENVIRONMENTAL SEARCH

GHD

Attn: Luke

BRIEF DESCRIPTION OF LAND:

1178 Cummings Ave., Ottawa

Part of Lots 26 and 27, Concession 2 OF. Gloucester

PIN: 04264-0160

LAST REGISTERED OWNER: 6770967 Canada Ltd.

CHAIN OF TITLE:

Lot 27

Deed RO14578 registered Sep 2, 1859
From Michael Cyre to Michael Cyre Jr.

Deed GL1686 registered Nov 27, 1873
From Michael Cyre Jr. to Joseph Cyre

Deed GL23463 registered Mar 28, 1911
From estate of Joseph Cyr (Cyre) to Hermeline Labelle

Deed GL28370 registered Jun 12, 1916
From Hermeline Labelle to Nelson Labelle and Dorsina Lajoie

Deed GL43554 registered Jun 26, 1947
From Dorsina Lajoie to Edward Lajoie

Deed GL43676 registered Jul 30, 1947
From Edward Lajoie to Dorsina Lajoie

Deed GL47851 registered May 20, 1950
From Dorcina Lajoie to Rene and Emilia Lajoie

Deed NS260901 registered Oct 10, 1984
From Rene and Emilia Lajoie to Ian Smith

Lot 26

Deed RO3273 registered Nov 4, 1841
From Elliott Johnston to Geroge Johnston

Deed RO3383 registered Jun 11, 1844
From George Johnston to William Ogilvie

Deed GL8745 registered Dec 27, 1888
From Robert C. Ogilvie (estate of William Ogilvie) to John H. Ogilvie

Deed GL8882 registered Apr 2, 1889
From John Ogilvie to Adeline Lavigne

Deed GL13647 registered Feb 10, 1899
From Adeline Lavigne to Joseph Beaudoin

Deed GL18341 registered May 9, 1905
From Joseph Beaudoin to Adeline Lavigne

Deed GL18709 registered Feb 6, 1906
From Adeline Lavigne to Alphonce Renaud

Deed GL20579 registered oct 8, 1908
From Alphonce Renaud to Ignace Verhelot

Will GL22325 registered Feb 26, 1910
From Ignace Verhelot to Camille Verhelot

Deed GL48295 registered Dec 28, 1950
From Camille Verhelot to Delima Tremblay

Deed GL51328 registered Dec 30, 1953
From Delima Tremblay to Raymond Tremblay

Deed GL51329 registered Dec 30, 1953
From Delima Tremblay to Leon Tremblay

Deed CT155034 registered Jun 20, 1972
From Raymond Tremblay to Ian Smith

Deed NS114730 registered Apr 24, 1981
From Leon Tremblay to Jacques and Judith Boisvert

Deed NS129454 registered Sep 1, 1981
From Jacques and Judith Boisvert to 229615 Enterprises Limited

Deed NS262020 registered Oct 19, 1984
From 229615 Enterprises Limited to Ian Smith

All


Deed N440754 registered Jun 3, 1988
From Ian Smith to Edifice Beaufort Building Inc.

Deed OC357403 registered Jul 16, 2004
From Edifice Beaufort Building Inc. to marcel Chartrand

Power of Sale OC725666 registered Jun 1, 2007
From 1451063 Ontario Inc. and Societe En Commandite Tri to 6770967 Canada Ltd.

Appendix C

2011 Phase I-II ESA Site Plan



- LEGEND:
- BOREHOLE LOCATION
 - BOREHOLE LOCATION, MONITORING WELL INSTALLED
 - BOREHOLE LOCATION, PREVIOUS INVESTIGATION PATERSON GROUP REPORT E2593, MARCH 2003
 - BOREHOLE WITH MONITORING WELL INSTALLED, PREVIOUS INVESTIGATION, PATERSON GROUP REPORT E2593, MARCH 2003
 - 68.75 GROUND SURFACE ELEVATION (m)
 - [66.54] INFERRED BEDROCK SURFACE ELEVATION (m)
 - TBM - TOP OF GRATE OF SANITARY MANHOLE ELEVATION = 69.47 m

patersongroup
consulting engineers
28 Concourse Gate, Unit 1, Ottawa, Ontario K2E 7T7

Scale: 1:1000
Des.: LAL
Dwn: MPG
Chkd: MSD

6770967 CANADA INC.
PHASE I-II ENVIRONMENTAL SITE ASSESSMENT
1098 OGILVIE ROAD & 1178 CUMMINGS AVENUE
OTTAWA, ONTARIO

TEST HOLE LOCATION PLAN

Dwg. No. PE2419-1
Report No.: PE2419-1
Date: 09/2011

Appendix D

Environmental Regulatory Correspondence

Ministry of the Environment,
Conservation and Parks

Ministère de l'Environnement, de
la Protection de la nature et des
Parcs

Access and Privacy Office

12th Floor
40 St. Clair Avenue West
Toronto ON M4V 1M2
Tel: (416) 314-4075
Fax: (416) 314-4285

Bureau de l'accès à l'information et
de la protection de la vie privée

12^e étage
40, avenue St. Clair ouest
Toronto ON M4V 1M2
Tél. : (416) 314-4075



August 27, 2019

Luke Lopers
GHD
179 Colonnade Drive, Suite 400
Ottawa, ON K2E 7J4

Dear Luke Lopers:

RE: ***Freedom of Information and Protection of Privacy Act Request***
Our File # A-2019-05536, Your Reference 11201061-E1

This letter is in response to your request made pursuant to the *Freedom of Information and Protection of Privacy Act* relating to 1098 Ogilvie Road, Ottawa.

After a thorough search through the files of the Ministry's Ottawa District Office, Investigations and Enforcement Branch, Environmental Monitoring and Reporting Branch, Sector Compliance Branch and Safe Drinking Water Branch, no records were located responsive to your request. To provide you with this response and in accordance with Section 57 of the *Freedom of Information and Protection of Privacy Act*, the fee owed is \$30.00 for 1 hour of search time @ \$30.00 per hour. **We have applied the \$30.00 for this request from your initial payment.**

To conduct a search through the files of the Environmental Assessment and Permissions Branch requires an additional 8 hours. If you would like us to search for Environmental Compliance Approvals/Certificates of Approval at the Environmental Assessment and Permissions Branch (EAPB), please forward to me at the above address payment by money order or cheque (made payable to the "Minister of Finance (FOI)") or by credit card in the amount of \$240.00. Please note that there is no guarantee any records will be located responsive to your request. Credit card forms are available on the Ministry's website <http://www.ontario.ca/environment-and-energy/freedom-information-request-form>. Please note, a request for records must usually be answered within 30 calendar days, however Section 27 allows for time extensions under certain circumstances. If you choose to have the search conducted at the Environmental Assessment and Permissions Branch, the time for answering your request will be extended for an additional 30 days.


When remitting payment please quote our file number or attach a copy of this letter.

You may request a review of my decision by contacting the Information and Privacy Commissioner/Ontario, 2 Bloor Street East, Suite 1400, Toronto, ON M4W 1A8 (800-387-0073 or 416-326-3333). Please note that there is a \$25.00 fee and you only have 30 days from receipt of this letter to request a review.

If you have any questions regarding this matter, please contact Sasha Naidu at 416-314-4075.

Yours truly,

ORIGINAL SIGNED BY



Janet Dadufalza
Manager, Access and Privacy

Zoe Jeurond

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: Wednesday, August 14, 2019 7:52 AM
To: Zoe Jeurond
Subject: RE: Environmental Assessment - TSSA Records Search Request

NO RECORD FOUND

Hello. Thank you for your request for confirmation of public information.

We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationsservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Gaya

From: Zoe.Jeurond@ghd.com <Zoe.Jeurond@ghd.com>
Sent: August 13, 2019 4:06 PM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: Environmental Assessment - TSSA Records Search Request

Good afternoon,

Could you please search the TSSA database for records of fuel storage tanks, spills, incidents or infractions for the following address located in the **City of Ottawa** (formerly Gloucester), ON:

- 1098 Ogilvie Road, Ottawa, Ontario, K1J 7P8

Thank you for your time,

Zoé Jeurond
Environmental Assistant

GHD

T: 613 691-4181 | E: zoe.jeurond@ghd.com
179 Colonnade Road South Suite 400 Ottawa ON K2E 7J4 Canada | www.ghd.com

CONFIDENTIALITY NOTICE: This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person. GHD and its affiliates reserve the right to monitor and modify all email communications through their networks.

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

This e-mail has been scanned for viruses

Appendix E

ERIS Database Summary



DATABASE REPORT

Project Property: 11201061 - 6770967 Canada, Ogilvie Rd.
Ottawa
1098 Ogilvie Road
Gloucester ON K1J 7P8

Project No: 11201064

Report Type: Standard Report

Order No: 20190813196

Requested by: GHD Limited

Date Completed: August 20, 2019

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	23
Map.....	44
Aerial.....	45
Topographic Map.....	46
Detail Report.....	47
Unplottable Summary.....	188
Unplottable Report.....	192
Appendix: Database Descriptions.....	261
Definitions.....	270

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 11201061 - 6770967 Canada, Ogilvie Rd. Ottawa
1098 Ogilvie Road Gloucester ON K1J 7P8

Project No: 11201064

Coordinates:

Latitude: 45.425193
Longitude: -75.63245
UTM Northing: 5,030,380.23
UTM Easting: 450,523.32
UTM Zone: UTM Zone 18T

Elevation: 239 FT
72.83 M

Order Information:

Order No: 20190813196
Date Requested: August 13, 2019
Requested by: GHD Limited
Report Type: Standard Report

Historical/Products:

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Within 0.25 km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	0	0
BORE	Borehole	Y	0	4	4
CA	Certificates of Approval	Y	0	5	5
CDRY	Dry Cleaning Facilities	Y	0	2	2
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
EASR	Environmental Activity and Sector Registry	Y	0	0	0
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Y	0	5	5
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	11	11
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of TSSA Expired Facilities	Y	0	31	31
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FST	Fuel Storage Tank	Y	0	12	12
FSTH	Fuel Storage Tank - Historic	Y	0	6	6
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	50	50
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	TSSA Incidents	Y	0	3	3
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	3	3
PINC	TSSA Pipeline Incidents	Y	0	1	1
PRT	Private and Retail Fuel Storage Tanks	Y	0	10	10
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	15	15
SCT	Scott's Manufacturing Directory	Y	0	2	2
SPL	Ontario Spills	Y	0	9	9
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	TSSA Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	0	34	34
Total:			0	203	203

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
--------------------	-----------	--------------------------	----------------	---------------------	--------------------------	------------------------

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>1</u>	GEN	FAIRVIEW FUNERAL & CREMATION SERVICES INC	1092 OGILVIE ROAD GLOUCESTER ON K1J 7P8	WNW/39.4	-0.95	<u>47</u>
<u>1</u>	GEN	FAIRVIEW FUNERAL AND CREMATION	1092 OGILVIE ROAD GLOUCESTER ON K1J 7P8	WNW/39.4	-0.95	<u>47</u>
<u>1</u>	SCT	AFSC Future Security Controls	1088 Ogilvie Rd Gloucester ON K1J 7P8	WNW/39.4	-0.95	<u>47</u>
<u>2</u>	GEN	EDIFICE BEAUFORT BUILDING INC.	1178 CUMMINGS OTTAWA ON K1J 7R8	ESE/71.4	-0.16	<u>48</u>
<u>3</u>	WWIS		OTTAWA ON Well ID: 7305741	SW/109.1	-0.95	<u>48</u>
<u>4</u>	WWIS		lot 25 con 1 ON Well ID: 1510842	NNW/114.6	0.05	<u>50</u>
<u>5</u>	EHS		1060 Ogilvie Road Ottawa ON	WSW/116.1	-0.95	<u>54</u>
<u>6</u>	WWIS		lot 27 con 2 ON Well ID: 1501373	SSW/118.2	-0.95	<u>54</u>
<u>7</u>	WWIS		lot 27 con 2 ON Well ID: 1501387	S/118.3	-0.95	<u>56</u>
<u>8</u>	WWIS		OTTAWA ON Well ID: 7305740	WSW/119.4	-0.95	<u>59</u>
<u>9</u>	WWIS		lot 27 con 2 ON Well ID: 1501386	SSW/122.6	-0.95	<u>61</u>
<u>10</u>	WWIS		lot 27 con 2 ON	S/123.5	-0.95	<u>64</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 1501371			
11	CA	1633981 Ontario Inc.	1111 Ogilvie Rd Ottawa ON	N/123.7	0.05	67
11	ECA	1633981 Ontario Inc.	1111 Ogilvie Rd Ottawa ON K1J 7P7	N/123.7	0.05	67
11	EXP	MOT MARWAN ENTERPRISES LTD	1111 OGILVIE RD OTTAWA ON	N/123.7	0.05	67
11	EXP	LES PETROLES CALEX LTEE	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N/123.7	0.05	67
11	EXP	SMS PETROLEUMS DIVISION OF SUNOCO NANCY NG	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N/123.7	0.05	68
11	EXP	MO & MARWAN ENTERPRISES LTD	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N/123.7	0.05	68
11	EXP	1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON	N/123.7	0.05	68
11	EXP	1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON	N/123.7	0.05	68
11	EXP	1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON	N/123.7	0.05	69
11	FST	1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N/123.7	0.05	69
11	FST	1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N/123.7	0.05	69
11	FST	1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N/123.7	0.05	69
11	FST	1633981 ONTARIO INC	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N/123.7	0.05	70

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>11</u>	FST	1633981 ONTARIO INC	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N/123.7	0.05	<u>70</u>
<u>11</u>	FST	1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N/123.7	0.05	<u>70</u>
<u>11</u>	FSTH	1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER OTTAWA ON K1J 7P7	N/123.7	0.05	<u>71</u>
<u>11</u>	FSTH	1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N/123.7	0.05	<u>71</u>
<u>11</u>	GEN	OLCO Petrolleum	1111 Ogilvie Ottawa ON K1J 7P7	N/123.7	0.05	<u>72</u>
<u>11</u>	GEN	1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON	N/123.7	0.05	<u>72</u>
<u>11</u>	GEN	1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON	N/123.7	0.05	<u>72</u>
<u>11</u>	GEN	1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON	N/123.7	0.05	<u>73</u>
<u>11</u>	GEN	1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON	N/123.7	0.05	<u>73</u>
<u>11</u>	GEN	1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON	N/123.7	0.05	<u>73</u>
<u>11</u>	GEN	1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON K1J 7P7	N/123.7	0.05	<u>74</u>
<u>11</u>	GEN	1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON K1J 7P7	N/123.7	0.05	<u>74</u>
<u>11</u>	GEN	1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON K1J 7P7	N/123.7	0.05	<u>74</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>11</u>	GEN	1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON K1J 7P7	N/123.7	0.05	<u>75</u>
<u>11</u>	GEN	1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON K1J 7P7	N/123.7	0.05	<u>75</u>
<u>11</u>	PRT	CALEX DIVISION OF SUNOCO ATTN ROBERTA WALSH	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N/123.7	0.05	<u>76</u>
<u>11</u>	PRT	CALEX DIVISION OF SUNOCO ATTN ROBERTA WALSH	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N/123.7	0.05	<u>76</u>
<u>11</u>	PRT	LES PETROLES CALEX LTEE	1111 OGILVIE OTTAWA ON K1J7P7	N/123.7	0.05	<u>76</u>
<u>11</u>	PRT	CALEX DIVISION OF SUNOCO ATTN MARY MISANGYI	1111 OGILVIE OTTAWA ON K1J7P7	N/123.7	0.05	<u>76</u>
<u>11</u>	PRT	CALEX DIVISION OF SUNOCO ATTN MARY MISANGYI	1111 OGILVIE OTTAWA ON K1J7P7	N/123.7	0.05	<u>76</u>
<u>11</u>	RST	CALEX SERVICE STATION	1111 OGILVIE RD GLOUCESTER ON K1J7P7	N/123.7	0.05	<u>76</u>
<u>11</u>	RST	FAS GAS PLUS	1111 OGILVIE RD UNIT 1 GLOUCESTER ON K1J7P7	N/123.7	0.05	<u>77</u>
<u>11</u>	SPL		1111 Ogilvie Rd Ottawa ON	N/123.7	0.05	<u>77</u>
<u>12</u>	SPL	UNKNOWN	CUMMINGS AVE JUST SOUTH OF OLGILVIE GLOUCESTER CITY ON	NNE/124.0	1.05	<u>77</u>
<u>12</u>	SPL	Labrador Spring Water<UNOFFICIAL>	OGILVIE STREET / CUMMING STREET<UNOFFICIAL> Ottawa ON	NNE/124.0	1.05	<u>78</u>
<u>13</u>	WWIS		ON	NE/135.8	0.05	<u>78</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7224189			
14	WWIS		lot 25 con 1 ON Well ID: 1501115	NNE/143.7	1.05	81
15	WWIS		lot 27 con 2 ON Well ID: 7318282	SSW/150.6	-1.91	84
16	GEN	SKETCHLEY CLEANING SERVICES	1099 CYRVILLE ROAD C/O 875 DON MILLS RD., DON MILLS M2C1V9 GLOUCESTER ON K1J 7S6	SW/153.1	-1.95	84
16	GEN	SKETCHLEY (SEE & USE ON1533003) 35-202	1099 CYRVILLE ROAD, GLOUESTER C/O 875 DON MILLS RD. DON MILLS ON K1J 7S6	SW/153.1	-1.95	85
16	GEN	SKETCHLEY CLEANERS (SEE & USE ON1533003)	1099 CYRVILLE ROAD GLOUESTER ON K1J 7S6	SW/153.1	-1.95	85
16	GEN	108295 ONT(OUT OF BUSINESS) 35-202	1099 CYRVILLE ROAD GLOUCESTER ON K1J 7S6	SW/153.1	-1.95	85
16	GEN	108295 ONTARIO LIMITED 35-202	1099 CYRVILLE ROAD GLOUCESTER ON K1J 7S6	SW/153.1	-1.95	85
16	GEN	ONE STOP LAUNDROMAT & DRY CLEANERS	1099 CYRVILLE ROAD GLOUCESTER ON K1J 7S6	SW/153.1	-1.95	86
17	WWIS		ON Well ID: 7224187	NE/154.2	-0.01	86
18	WWIS		Ottawa ON Well ID: 7224359	NE/155.9	0.74	89
19	WWIS		lot 27 con 2 ON Well ID: 7318281	SW/158.0	-1.95	91
20	EHS		1077 & 1085 Cyrville Road Ottawa ON K1J 7P8	WSW/158.7	-1.95	92
21	CDRY	One Stop Laundromat & Dry Cleaner	1097 Cyrville Rd Gloucester ON K1J7S6	SW/160.1	-1.95	92

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>21</u>	CDRY	One Stop Laundromat & Dry Cleaner	1097 Cyrville Rd Gloucester ON K1J7S6	SW/160.1	-1.95	<u>93</u>
<u>21</u>	GEN	one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW/160.1	-1.95	<u>93</u>
<u>21</u>	GEN	one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW/160.1	-1.95	<u>94</u>
<u>21</u>	GEN	one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW/160.1	-1.95	<u>94</u>
<u>21</u>	GEN	one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW/160.1	-1.95	<u>94</u>
<u>21</u>	GEN	one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW/160.1	-1.95	<u>95</u>
<u>21</u>	GEN	one stop laundromat & dry cleaning	1097 cyrville road gloucester ON	SW/160.1	-1.95	<u>95</u>
<u>21</u>	GEN	one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW/160.1	-1.95	<u>95</u>
<u>21</u>	GEN	one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW/160.1	-1.95	<u>95</u>
<u>21</u>	GEN	one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW/160.1	-1.95	<u>96</u>
<u>21</u>	GEN	one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW/160.1	-1.95	<u>96</u>
<u>21</u>	GEN	one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW/160.1	-1.95	<u>96</u>
<u>22</u>	EXP	PIONEER ENERGY MANAGEMENT INC.	1134 OGILVIE RD OTTAWA ON K1J 8V1	NE/160.4	0.74	<u>97</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>22</u>	EXP	PIONEER ENERGY MANAGEMENT INC.	1134 OGILVIE RD OTTAWA ON	NE/160.4	0.74	<u>97</u>
<u>22</u>	EXP	PIONEER ENERGY MANAGEMENT INC.	1134 OGILVIE RD OTTAWA ON	NE/160.4	0.74	<u>97</u>
<u>22</u>	EXP	PIONEER ENERGY MANAGEMENT INC.	1134 OGILVIE RD OTTAWA ON	NE/160.4	0.74	<u>97</u>
<u>22</u>	FST	PARKLAND FUEL CORPORATION	1134 OGILVIE RD OTTAWA ON K1J 8V1	NE/160.4	0.74	<u>98</u>
<u>22</u>	FST	PARKLAND FUEL CORPORATION	1134 OGILVIE RD OTTAWA ON K1J 8V1	NE/160.4	0.74	<u>98</u>
<u>22</u>	FST	PARKLAND FUEL CORPORATION	1134 OGILVIE RD OTTAWA ON K1J 8V1	NE/160.4	0.74	<u>98</u>
<u>22</u>	FSTH	PIONEER PETROLEUMS MANAGEMENT INC**	1134 OGILVIE RD OTTAWA ON K1J 8V1	NE/160.4	0.74	<u>98</u>
<u>22</u>	FSTH	PIONEER PETROLEUMS MANAGEMENT INC**	1134 OGILVIE RD OTTAWA ON	NE/160.4	0.74	<u>99</u>
<u>22</u>	GEN	Pioneer Energy LP	1134 Ogilvie Road Gloucester ON K1J 8V1	NE/160.4	0.74	<u>99</u>
<u>22</u>	PRT	C CORP (ONTARIO) INC ATTN ACCOUNTS PAYABLE	1134 OGILVIE RD OTTAWA ON K1J8V1	NE/160.4	0.74	<u>100</u>
<u>22</u>	RST	PIONEER PETROLEUMS	1134 OGILVIE RD OTTAWA ON K1J 8V1	NE/160.4	0.74	<u>100</u>
<u>22</u>	RST	PIONEER PETROLEUMS	1134 OGILVIE RD GLOUCESTER ON K1J 8V1	NE/160.4	0.74	<u>100</u>
<u>22</u>	RST	PIONEER PETROLEUMS	1134 OGILVIE RD GLOUCESTER ON K1J8V1	NE/160.4	0.74	<u>100</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>22</u>	SPL	PIONEER PETROLEUMS LTD.	1134 OGILVIE RD GLOUCESTER SERVICE STATION OTTAWA CITY ON K1J 8V1	NE/160.4	0.74	<u>100</u>
<u>22</u>	SPL	Triangle Pump Service Limited	1134 Ogilvie Road Ottawa ON K1J 8V1	NE/160.4	0.74	<u>101</u>
<u>23</u>	WWIS		ON Well ID: 7224188	NE/164.6	0.74	<u>101</u>
<u>24</u>	WWIS		lot 27 con 2 ON Well ID: 1501379	WSW/164.8	-1.95	<u>104</u>
<u>25</u>	WWIS		Ottawa ON Well ID: 7224358	NE/166.4	0.02	<u>107</u>
<u>26</u>	INC		1161 Cyrville Road, Ottawa ON	SE/168.5	-1.98	<u>109</u>
<u>27</u>	EHS		1106 Cyrville Ottawa ON	SSW/170.1	-1.95	<u>110</u>
<u>27</u>	EHS		1106 Cyrville Road Gloucester ON K1J 7S7	SSW/170.1	-1.95	<u>111</u>
<u>28</u>	WWIS		lot 27 con 2 ON Well ID: 1501397	SW/177.4	-1.95	<u>111</u>
<u>29</u>	WWIS		lot 27 con 2 ON Well ID: 7318286	SSW/181.1	-1.95	<u>114</u>
<u>30</u>	BORE		ON	NE/191.2	0.02	<u>114</u>
<u>30</u>	WWIS		lot 26 con 2 ON Well ID: 1501363	NE/191.2	0.02	<u>115</u>
<u>31</u>	BORE		ON	SE/192.2	-1.95	<u>118</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
31	WWIS		lot 26 con 2 ON Well ID: 1501353	SE/192.2	-1.95	119
32	CA	MANDARIN-OGILVIE RESTAURANT	1137 OGILVIE ROAD GLOUCESTER CITY ON K1J 7P6	NNE/193.0	1.05	122
32	GEN	FRESH AIR EXPERIENCE INC.	1137 AGILVIE ROAD GLOUCESTER ON K1J 7P6	NNE/193.0	1.05	123
32	GEN	FRESH AIR EXPERIENCE INC. 15-313	1137 AGILVIE ROAD GLOUCESTER ON K1J 7P6	NNE/193.0	1.05	123
33	BORE		ON	W/194.6	-1.70	123
33	WWIS		lot 26 con 1 ON Well ID: 1501136	W/194.6	-1.70	125
34	WWIS		lot 27 con 2 ON Well ID: 1501368	SW/195.2	-1.95	128
35	WWIS		lot 26 con 2 ON Well ID: 1501350	SE/195.4	-1.95	130
36	EHS		1150 Cyrville Road Ottawa ON K1J 7S9	SSE/198.0	-1.93	133
37	WWIS		lot 27 con 2 ON Well ID: 7318287	SSW/198.3	-1.95	133
38	WWIS		lot 26 con 2 ON Well ID: 1501355	NE/199.0	0.05	133
39	EHS		1150 Chemin Ogilvie Ottawa ON K1J 8V1	NE/200.0	0.05	136
39	GEN	6037682 CANADA INC.	1150 OGILVIE ROAD OTTAWA ON K1J 8V1	NE/200.0	0.05	136

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>39</u>	GEN	6037682 CANADA INC.	1150 OGILVIE RD OTTAWA ON K1J 8V1	NE/200.0	0.05	<u>136</u>
<u>39</u>	GEN	6037682 Canada Inc.	1150 OGILVIE ROAD OTTAWA ON K1J 8V1	NE/200.0	0.05	<u>136</u>
<u>40</u>	EXP	TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON K1J 8V1	NE/202.1	1.13	<u>137</u>
<u>40</u>	EXP	TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE/202.1	1.13	<u>137</u>
<u>40</u>	EXP	TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE/202.1	1.13	<u>137</u>
<u>40</u>	EXP	TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE/202.1	1.13	<u>137</u>
<u>40</u>	EXP	TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE/202.1	1.13	<u>137</u>
<u>40</u>	EXP	TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE/202.1	1.13	<u>138</u>
<u>40</u>	EXP	TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE/202.1	1.13	<u>138</u>
<u>40</u>	EXP	TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE/202.1	1.13	<u>138</u>
<u>40</u>	EXP	TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON K1J 8V1	NE/202.1	1.13	<u>138</u>
<u>40</u>	EXP	TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON K1J 8V1	NE/202.1	1.13	<u>138</u>
<u>40</u>	EXP	TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON K1J 8V1	NE/202.1	1.13	<u>139</u>
<u>40</u>	PRT	1085091 ONTARIO LTD	1154 OGLIVIE RD GLOUCESTER ON K1J 8V1	NE/202.1	1.13	<u>139</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
40	RST	TROPIC SQUARE	1154 OGILVIE RD GLOUCESTER ON K1J8V1	NE/202.1	1.13	139
40	RST	FENELON'S GAZ	1154 OGILVIE RD GLOUCESTER ON K1J 8V1	NE/202.1	1.13	139
41	GEN	PAUL LEMAY	1155 JOSEPH CYR OTTAWA ON K1J 7T4	SW/205.2	-1.95	139
42	WWIS		OTTAWA ON <i>Well ID:</i> 7038978	SSE/207.2	-1.92	140
42	WWIS		ON <i>Well ID:</i> 7052171	SSE/207.2	-1.92	143
43	EHS		1199 Joseph Cyr Street and 1188-1196 Michael Street Gloucester ON K1J 7T1	SSW/209.4	-1.95	144
44	INC		4297 WELDON DR, OTTAWA ON	NW/210.0	0.05	144
45	WWIS		lot 27 con 2 ON <i>Well ID:</i> 1501367	WSW/214.9	-1.95	145
46	EHS		1150 Cyrville Road Ottawa ON K1J 7S9	SSE/219.0	-1.92	148
46	EXP	SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE/219.0	-1.92	148
46	EXP	SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE/219.0	-1.92	148
46	EXP	SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE/219.0	-1.92	148
46	EXP	SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE/219.0	-1.92	149

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
46	EXP	SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON	SSE/219.0	-1.92	149
46	EXP	SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON	SSE/219.0	-1.92	149
46	EXP	SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON	SSE/219.0	-1.92	149
46	EXP	SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE/219.0	-1.92	150
46	EXP	SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE/219.0	-1.92	150
46	EXP	SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE/219.0	-1.92	150
46	GEN	Ultramar Ltd.	1150 Cyrville Road Ottawa ON	SSE/219.0	-1.92	150
46	PRT	2896893 CANADA INC ULTRAMAR CYRVILLE	1150 CYRVILLE RD GLOUCESTER ON	SSE/219.0	-1.92	151
46	RST	ULTRAMAR CYRVILLE	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE/219.0	-1.92	151
46	RST	ULTRAMAR CYRVILLE	1150 CYRVILLE RD OTTAWA ON K1J 7S9	SSE/219.0	-1.92	151
46	RST	ULTRAMAR CYRVILLE	1150 CYRVILLE RD GLOUCESTER ON K1J7S9	SSE/219.0	-1.92	151
46	SCT	Accreditation Canada	1150 Cyrville Rd Gloucester ON K1J 7S9	SSE/219.0	-1.92	151
47	WWIS		Ottawa ON	ENE/221.6	1.05	152

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7157667			
48	WWIS		Ottawa ON Well ID: 7157668	NE/223.4	1.03	154
49	WWIS		lot 27 con 2 ON Well ID: 1501388	SW/228.3	-1.95	157
50	WWIS		lot 25 con 1 ON Well ID: 1501129	NNE/230.4	1.05	160
51	EHS		1162 Ogilvie Road Ottawa ON	NE/238.6	0.99	162
52	FST	1427229 ONTARIO INC ATTN JOSEPH T SAAB	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W/240.3	-1.26	162
52	FST	1427229 ONTARIO INC ATTN JOSEPH T SAAB	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W/240.3	-1.26	163
52	FST	1427229 ONTARIO INC ATTN JOSEPH T SAAB	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W/240.3	-1.26	163
52	FSTH	1427229 ONTARIO INC ATTN JOSEPH T SAAB	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W/240.3	-1.26	163
52	FSTH	1427229 ONTARIO INC ATTN JOSEPH T SAAB	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W/240.3	-1.26	164
52	PRT	JOSEPH T SAAB	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W/240.3	-1.26	164
52	PRT	JOE T SAAB 135247 CANADA INC	1057 CYRVILLE RD GLOUCESTER ON	W/240.3	-1.26	164
52	RST	SAAB GAS CENTRE	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W/240.3	-1.26	164
52	RST	SAAB GAS CENTRE	1057 CYRVILLE RD OTTAWA ON K1J 7S3	W/240.3	-1.26	165

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>52</u>	RST	SAAB GAS CENTRE	1057 CYRVILLE RD GLOUCESTER ON K1J7S3	W/240.3	-1.26	<u>165</u>
<u>52</u>	RST	SAAB GAS CENTRE	1057 CYRVILLE RD GLOUCESTER ON K1J7S3	W/240.3	-1.26	<u>165</u>
<u>52</u>	RST	SAAB GAS CENTRE	1057 CYRVILLE RD GLOUCESTER ON K1J7S3	W/240.3	-1.26	<u>165</u>
<u>53</u>	EHS		1221 Cyrville Rd Ottawa ON	ESE/246.1	0.05	<u>165</u>
<u>53</u>	EHS		1221 Cyrville Rd 500m Well search Ottawa ON	ESE/246.1	0.05	<u>166</u>
<u>53</u>	GEN	Value Village Stores, Inc.	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE/246.1	0.05	<u>166</u>
<u>53</u>	GEN	Value Village Stores, Inc.	1221 Cryville Road Store #2039 Ottawa ON	ESE/246.1	0.05	<u>166</u>
<u>53</u>	GEN	Value Village Stores, Inc.	1221 Cryville Road Store #2039 Ottawa ON	ESE/246.1	0.05	<u>167</u>
<u>53</u>	GEN	Value Village Stores, Inc.	1221 Cryville Road Store #2039 Ottawa ON	ESE/246.1	0.05	<u>168</u>
<u>53</u>	GEN	Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE/246.1	0.05	<u>168</u>
<u>53</u>	GEN	Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON	ESE/246.1	0.05	<u>169</u>
<u>53</u>	GEN	Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE/246.1	0.05	<u>170</u>
<u>53</u>	GEN	Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE/246.1	0.05	<u>171</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>53</u>	GEN	Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE/246.1	0.05	<u>171</u>
<u>53</u>	GEN	Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE/246.1	0.05	<u>172</u>
<u>53</u>	GEN	Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE/246.1	0.05	<u>173</u>
<u>54</u>	CA	Queensway Corporate Campus, Phase 2	1160 Cyrville Road Ottawa ON K1J 7S9	SE/247.1	-1.95	<u>175</u>
<u>54</u>	ECA	Ottawa Community Care Access Centre	1160 Cyrville Rd Ottawa ON K1J 7S9	SE/247.1	-1.95	<u>175</u>
<u>55</u>	INC		1195 MICHAEL STREET, OTTAWA ON	S/247.1	-1.95	<u>175</u>
<u>56</u>	BORE		ON	E/248.1	1.16	<u>176</u>
<u>56</u>	WWIS		lot 26 con 2 ON Well ID: 1501344	E/248.1	1.16	<u>177</u>
<u>57</u>	PINC		1040 OGILVIE RD, OTTAWA ON	WSW/249.3	-1.95	<u>180</u>
<u>57</u>	SPL		1040 Ogilvie Rd Ottawa ON	WSW/249.3	-1.95	<u>180</u>
<u>58</u>	CA	RioKim Holdings (Ontario) Inc.	1021 Cyrville Road Ottawa ON	W/249.4	-0.95	<u>181</u>
<u>58</u>	CA	RioKim Holdings (Ontario) Inc.	1021 Cyrville Road Ottawa ON	W/249.4	-0.95	<u>181</u>
<u>58</u>	ECA	RioKim Holdings (Ontario) Inc.	1021 Cyrville Road Ottawa ON	W/249.4	-0.95	<u>181</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>58</u>	ECA	RioKim Holdings (Ontario) Inc.	1021 Cyrville Road Ottawa ON	W/249.4	-0.95	<u>182</u>
<u>58</u>	ECA	RioKim Holdings (Ontario) Inc.	1021 Cyrville Road Ottawa ON	W/249.4	-0.95	<u>182</u>
<u>58</u>	PES	METRO ONTARIO INC O/A METRO/FOOD BASICS # 896	1021 CYRVILLE ROAD, UNIT 1 OTTAWA ON K1J7S3	W/249.4	-0.95	<u>182</u>
<u>58</u>	PES	METRO ONTARIO INC O/A METRO/FOOD BASICS # 896	1021 Cyrville Road, Unit 1 Ottawa ON K1J 7S3	W/249.4	-0.95	<u>182</u>
<u>58</u>	PES	METRO ONTARIO INC O/A METRO/FOOD BASICS # 896	1021 CYRVILLE ROAD, UNIT 1 OTTAWA ON K1J7S3	W/249.4	-0.95	<u>183</u>
<u>58</u>	SPL	Waste Care Services<UNOFFICIAL>	1021 Cyrville Rd. RIO CAN PROPERTIES<UNOFFICIAL> Ottawa ON	W/249.4	-0.95	<u>183</u>
<u>58</u>	SPL	Metro Ontario Incorporated	1021 Cyrville Road Ottawa ON K1J 7S3	W/249.4	-0.95	<u>184</u>
<u>58</u>	SPL	Metro Ontario Incorporated	1021 Cyrville Road Ottawa ON K1J 7S3	W/249.4	-0.95	<u>184</u>
<u>59</u>	WWIS		lot 26 con 1 ON Well ID: 1501138	WSW/249.5	-1.95	<u>185</u>

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 4 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	NE	191.22	<u>30</u>
	ON	E	248.05	<u>56</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	SE	192.15	<u>31</u>
	ON	W	194.65	<u>33</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 5 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
1633981 Ontario Inc.	1111 Ogilvie Rd Ottawa ON	N	123.65	<u>11</u>
MANDARIN-OGILVIE RESTAURANT	1137 OGILVIE ROAD GLOUCESTER CITY ON K1J 7P6	NNE	192.96	<u>32</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------------------------	-----------------------	-------------------------	----------------------------	-----------------------

Queensway Corporate Campus, Phase 2	1160 Cyrville Road Ottawa ON K1J 7S9	SE	247.10	54
RioKim Holdings (Ontario) Inc.	1021 Cyrville Road Ottawa ON	W	249.36	58
RioKim Holdings (Ontario) Inc.	1021 Cyrville Road Ottawa ON	W	249.36	58

CDRY - Dry Cleaning Facilities

A search of the CDRY database, dated Jan 2004-Dec 2017 has found that there are 2 CDRY site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
One Stop Laundromat & Dry Cleaner	1097 Cyrville Rd Gloucester ON K1J7S6	SW	160.09	21
One Stop Laundromat & Dry Cleaner	1097 Cyrville Rd Gloucester ON K1J7S6	SW	160.09	21

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Jul 30, 2019 has found that there are 5 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
1633981 Ontario Inc.	1111 Ogilvie Rd Ottawa ON K1J 7P7	N	123.65	11

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Ottawa Community Care Access Centre	1160 Cyrville Rd Ottawa ON K1J 7S9	SE	247.10	54
RioKim Holdings (Ontario) Inc.	1021 Cyrville Road Ottawa ON	W	249.36	58

RioKim Holdings (Ontario) Inc.	1021 Cyrville Road Ottawa ON	W	249.36	58
RioKim Holdings (Ontario) Inc.	1021 Cyrville Road Ottawa ON	W	249.36	58

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Apr 30, 2019 has found that there are 11 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1150 Chemin Ogilvie Ottawa ON K1J 8V1	NE	200.05	39
	1162 Ogilvie Road Ottawa ON	NE	238.60	51
	1221 Cyrville Rd Ottawa ON	ESE	246.08	53
	1221 Cyrville Rd 500m Well search Ottawa ON	ESE	246.08	53

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1060 Ogilvie Road Ottawa ON	WSW	116.14	5
	1077 & 1085 Cyrville Road Ottawa ON K1J 7P8	WSW	158.72	20
	1106 Cyrville Road Gloucester ON K1J 7S7	SSW	170.09	27
	1106 Cyrville Ottawa ON	SSW	170.09	27

1150 Cyrville Road Ottawa ON K1J 7S9	SSE	198.01	36
1199 Joseph Cyr Street and 1188-1196 Michael Street Gloucester ON K1J 7T1	SSW	209.36	43
1150 Cyrville Road Ottawa ON K1J 7S9	SSE	218.99	46

EXP - List of TSSA Expired Facilities

A search of the EXP database, dated Feb 28, 2017 has found that there are 31 EXP site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON	N	123.65	11
1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON	N	123.65	11
1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON	N	123.65	11
MO & MARWAN ENTERPRISES LTD	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N	123.65	11
LES PETROLES CALEX LTEE	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N	123.65	11
MOT MARWAN ENTERPRISES LTD	1111 OGILVIE RD OTTAWA ON	N	123.65	11
SMS PETROLEUMS DIVISION OF SUNOCO NANCY NG	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N	123.65	11

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
PIONEER ENERGY MANAGEMENT INC.	1134 OGILVIE RD OTTAWA ON K1J 8V1	NE	160.39	<u>22</u>
PIONEER ENERGY MANAGEMENT INC.	1134 OGILVIE RD OTTAWA ON	NE	160.39	<u>22</u>
PIONEER ENERGY MANAGEMENT INC.	1134 OGILVIE RD OTTAWA ON	NE	160.39	<u>22</u>
PIONEER ENERGY MANAGEMENT INC.	1134 OGILVIE RD OTTAWA ON	NE	160.39	<u>22</u>
TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON K1J 8V1	NE	202.10	<u>40</u>
TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE	202.10	<u>40</u>
TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE	202.10	<u>40</u>
TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE	202.10	<u>40</u>
TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE	202.10	<u>40</u>
TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE	202.10	<u>40</u>
TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE	202.10	<u>40</u>
TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE	202.10	<u>40</u>
TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON	NE	202.10	<u>40</u>
TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON K1J 8V1	NE	202.10	<u>40</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON K1J 8V1	NE	202.10	40
TROPIC SQUARE LTD	1154 OGILVIE RD GLOUCESTER ON K1J 8V1	NE	202.10	40
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE	218.99	46
SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE	218.99	46
SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE	218.99	46
SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON	SSE	218.99	46
SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON	SSE	218.99	46
SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON	SSE	218.99	46
SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE	218.99	46
SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE	218.99	46
SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE	218.99	46

SINH LAM ULTRAMAR	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE	218.99	46
-------------------	---	-----	--------	--------------------

FST - Fuel Storage Tank

A search of the FST database, dated Feb 28, 2017 has found that there are 12 FST site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N	123.65	11
1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N	123.65	11
1633981 ONTARIO INC	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N	123.65	11
1633981 ONTARIO INC	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N	123.65	11
1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N	123.65	11
1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N	123.65	11
PARKLAND FUEL CORPORATION	1134 OGILVIE RD OTTAWA ON K1J 8V1	NE	160.39	22
PARKLAND FUEL CORPORATION	1134 OGILVIE RD OTTAWA ON K1J 8V1	NE	160.39	22
PARKLAND FUEL CORPORATION	1134 OGILVIE RD OTTAWA ON K1J 8V1	NE	160.39	22

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
1427229 ONTARIO INC ATTN JOSEPH T SAAB	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W	240.32	52
1427229 ONTARIO INC ATTN JOSEPH T SAAB	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W	240.32	52
1427229 ONTARIO INC ATTN JOSEPH T SAAB	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W	240.32	52

FSTH - Fuel Storage Tank - Historic

A search of the FSTH database, dated Pre-Jan 2010* has found that there are 6 FSTH site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N	123.65	11
1633981 ONTARIO INC O/ A OLCO GAS BAR	1111 OGILVIE RD GLOUCESTER OTTAWA ON K1J 7P7	N	123.65	11
PIONEER PETROLEUMS MANAGEMENT INC**	1134 OGILVIE RD OTTAWA ON K1J 8V1	NE	160.39	22
PIONEER PETROLEUMS MANAGEMENT INC**	1134 OGILVIE RD OTTAWA ON	NE	160.39	22

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
1427229 ONTARIO INC ATTN JOSEPH T SAAB	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W	240.32	52
1427229 ONTARIO INC ATTN JOSEPH T SAAB	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W	240.32	52

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Jul 31, 2019 has found that there are 50 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
OLCO Petroleum	1111 Ogilvie Ottawa ON K1J 7P7	N	123.65	<u>11</u>
1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON	N	123.65	<u>11</u>
1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON	N	123.65	<u>11</u>
1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON	N	123.65	<u>11</u>
1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON	N	123.65	<u>11</u>
1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON	N	123.65	<u>11</u>
1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON K1J 7P7	N	123.65	<u>11</u>
1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON K1J 7P7	N	123.65	<u>11</u>
1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON K1J 7P7	N	123.65	<u>11</u>
1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON K1J 7P7	N	123.65	<u>11</u>
1633981 Ontario Inc	1111 Ogilvie Road Ottawa ON K1J 7P7	N	123.65	<u>11</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Pioneer Energy LP	1134 Ogilvie Road Gloucester ON K1J 8V1	NE	160.39	<u>22</u>
FRESH AIR EXPERIENCE INC.	1137 AGILVIE ROAD GLOUCESTER ON K1J 7P6	NNE	192.96	<u>32</u>
FRESH AIR EXPERIENCE INC. 15-313	1137 AGILVIE ROAD GLOUCESTER ON K1J 7P6	NNE	192.96	<u>32</u>
6037682 CANADA INC.	1150 OGILVIE ROAD OTTAWA ON K1J 8V1	NE	200.05	<u>39</u>
6037682 CANADA INC.	1150 OGILVIE RD OTTAWA ON K1J 8V1	NE	200.05	<u>39</u>
6037682 Canada Inc.	1150 OGILVIE ROAD OTTAWA ON K1J 8V1	NE	200.05	<u>39</u>
Value Village Stores, Inc.	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE	246.08	<u>53</u>
Value Village Stores, Inc.	1221 Cryville Road Store #2039 Ottawa ON	ESE	246.08	<u>53</u>
Value Village Stores, Inc.	1221 Cryville Road Store #2039 Ottawa ON	ESE	246.08	<u>53</u>
Value Village Stores, Inc.	1221 Cryville Road Store #2039 Ottawa ON	ESE	246.08	<u>53</u>
Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE	246.08	<u>53</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON	ESE	246.08	<u>53</u>
Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE	246.08	<u>53</u>
Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE	246.08	<u>53</u>
Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE	246.08	<u>53</u>
Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE	246.08	<u>53</u>
Value Village Stores	1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	ESE	246.08	<u>53</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
FAIRVIEW FUNERAL & CREMATION SERVICES INC	1092 OGILVIE ROAD GLOUCESTER ON K1J 7P8	WNW	39.40	<u>1</u>
FAIRVIEW FUNERAL AND CREMATION	1092 OGILVIE ROAD GLOUCESTER ON K1J 7P8	WNW	39.40	<u>1</u>
EDIFICE BEAUFORT BUILDING INC.	1178 CUMMINGS OTTAWA ON K1J 7R8	ESE	71.45	<u>2</u>
SKETCHLEY CLEANING SERVICES	1099 CYRVILLE ROAD C/O 875 DON MILLS RD., DON MILLS M2C1V9 GLOUCESTER ON K1J 7S6	SW	153.10	<u>16</u>
SKETCHLEY (SEE & USE ON1533003) 35-202	1099 CYRVILLE ROAD, GLOUCESTER C/O 875 DON MILLS RD. DON MILLS ON K1J 7S6	SW	153.10	<u>16</u>

SKETCHLEY CLEANERS (SEE & USE ON1533003)	1099 CYRVILLE ROAD GLOUCESTER ON K1J 7S6	SW	153.10	16
108295 ONT(OUT OF BUSINESS) 35-202	1099 CYRVILLE ROAD GLOUCESTER ON K1J 7S6	SW	153.10	16
108295 ONTARIO LIMITED 35-202	1099 CYRVILLE ROAD GLOUCESTER ON K1J 7S6	SW	153.10	16
ONE STOP LAUNDROMAT & DRY CLEANERS	1099 CYRVILLE ROAD GLOUCESTER ON K1J 7S6	SW	153.10	16
one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW	160.09	21
one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW	160.09	21
one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW	160.09	21
one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW	160.09	21
one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW	160.09	21
one stop laundromat & dry cleaning	1097 cyrville road gloucester ON	SW	160.09	21
one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW	160.09	21
one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW	160.09	21
one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW	160.09	21

one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW	160.09	21
one stop laundromat & dry cleaning	1097 cyrville road gloucester ON K1J 7S6	SW	160.09	21
PAUL LEMAY	1155 JOSEPH CYR OTTAWA ON K1J 7T4	SW	205.20	41
Ultramar Ltd.	1150 Cyrville Road Ottawa ON	SSE	218.99	46

INC - TSSA Incidents

A search of the INC database, dated Feb 28, 2017 has found that there are 3 INC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	4297 WELDON DR, OTTAWA ON	NW	210.03	44

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1161 Cyrville Road, Ottawa ON	SE	168.53	26
	1195 MICHAEL STREET, OTTAWA ON	S	247.14	55

PES - Pesticide Register

A search of the PES database, dated 1988-Mar 2019 has found that there are 3 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
METRO ONTARIO INC O/A METRO/FOOD BASICS # 896	1021 CYRVILLE ROAD, UNIT 1 OTTAWA ON K1J7S3	W	249.36	58

METRO ONTARIO INC O/A METRO/FOOD BASICS # 896	1021 Cyrville Road, Unit 1 Ottawa ON K1J 7S3	W	249.36	58
METRO ONTARIO INC O/A METRO/FOOD BASICS # 896	1021 CYRVILLE ROAD, UNIT 1 OTTAWA ON K1J7S3	W	249.36	58

PINC - TSSA Pipeline Incidents

A search of the PINC database, dated Feb 28, 2017 has found that there are 1 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1040 OGILVIE RD, OTTAWA ON	WSW	249.32	57

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 10 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
CALEX DIVISION OF SUNOCO ATTN ROBERTA WALSH	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N	123.65	11
LES PETROLES CALEX LTEE	1111 OGILVIE OTTAWA ON K1J7P7	N	123.65	11
CALEX DIVISION OF SUNOCO ATTN MARY MISANGYI	1111 OGILVIE OTTAWA ON K1J7P7	N	123.65	11
CALEX DIVISION OF SUNOCO ATTN MARY MISANGYI	1111 OGILVIE OTTAWA ON K1J7P7	N	123.65	11
CALEX DIVISION OF SUNOCO ATTN ROBERTA WALSH	1111 OGILVIE RD GLOUCESTER ON K1J 7P7	N	123.65	11
C CORP (ONTARIO) INC ATTN ACCOUNTS PAYABLE	1134 OGILVIE RD OTTAWA ON K1J8V1	NE	160.39	22

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
1085091 ONTARIO LTD	1154 OGLIVIE RD GLOUCESTER ON K1J 8V1	NE	202.10	40

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
2896893 CANADA INC ULTRAMAR CYRVILLE	1150 CYRVILLE RD GLOUCESTER ON	SSE	218.99	46
JOE T SAAB 135247 CANADA INC	1057 CYRVILLE RD GLOUCESTER ON	W	240.32	52
JOSEPH T SAAB	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W	240.32	52

RST - Retail Fuel Storage Tanks

A search of the RST database, dated 1999-Jan 31, 2019 has found that there are 15 RST site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
CALEX SERVICE STATION	1111 OGILVIE RD GLOUCESTER ON K1J7P7	N	123.65	11
FAS GAS PLUS	1111 OGILVIE RD UNIT 1 GLOUCESTER ON K1J7P7	N	123.65	11
PIONEER PETROLEUMS	1134 OGILVIE RD OTTAWA ON K1J 8V1	NE	160.39	22
PIONEER PETROLEUMS	1134 OGILVIE RD GLOUCESTER ON K1J 8V1	NE	160.39	22
PIONEER PETROLEUMS	1134 OGILVIE RD GLOUCESTER ON K1J8V1	NE	160.39	22

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
FENELON'S GAZ	1154 OGILVIE RD GLOUCESTER ON K1J 8V1	NE	202.10	<u>40</u>
TROPIC SQUARE	1154 OGILVIE RD GLOUCESTER ON K1J8V1	NE	202.10	<u>40</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ULTRAMAR CYRVILLE	1150 CYRVILLE RD OTTAWA ON K1J 7S9	SSE	218.99	<u>46</u>
ULTRAMAR CYRVILLE	1150 CYRVILLE RD GLOUCESTER ON K1J7S9	SSE	218.99	<u>46</u>
ULTRAMAR CYRVILLE	1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	SSE	218.99	<u>46</u>
SAAB GAS CENTRE	1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	W	240.32	<u>52</u>
SAAB GAS CENTRE	1057 CYRVILLE RD OTTAWA ON K1J 7S3	W	240.32	<u>52</u>
SAAB GAS CENTRE	1057 CYRVILLE RD GLOUCESTER ON K1J7S3	W	240.32	<u>52</u>
SAAB GAS CENTRE	1057 CYRVILLE RD GLOUCESTER ON K1J7S3	W	240.32	<u>52</u>
SAAB GAS CENTRE	1057 CYRVILLE RD GLOUCESTER ON K1J7S3	W	240.32	<u>52</u>

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 2 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
AFSC Future Security Controls	1088 Ogilvie Rd Gloucester ON K1J 7P8	WNW	39.40	1
Accreditation Canada	1150 Cyrville Rd Gloucester ON K1J 7S9	SSE	218.99	46

SPL - Ontario Spills

A search of the SPL database, dated 1988-Feb 2019 has found that there are 9 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1111 Ogilvie Rd Ottawa ON	N	123.65	11
UNKNOWN	CUMMINGS AVE JUST SOUTH OF OLGILVIE GLOUCESTER CITY ON	NNE	124.05	12
Labrador Spring Water<UNOFFICIAL>	OGILVIE STREET / CUMMING STREET<UNOFFICIAL> Ottawa ON	NNE	124.05	12
Triangle Pump Service Limited	1134 Ogilvie Road Ottawa ON K1J 8V1	NE	160.39	22
PIONEER PETROLEUMS LTD.	1134 OGILVIE RD GLOUCESTER SERVICE STATION OTTAWA CITY ON K1J 8V1	NE	160.39	22

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1040 Ogilvie Rd Ottawa ON	WSW	249.32	57
Waste Care Services<UNOFFICIAL>	1021 Cyrville Rd. RIO CAN PROPERTIES<UNOFFICIAL> Ottawa ON	W	249.36	58
Metro Ontario Incorporated	1021 Cyrville Road Ottawa ON K1J 7S3	W	249.36	58

Metro Ontario Incorporated	1021 Cyrville Road Ottawa ON K1J 7S3	W	249.36	58
----------------------------	---	---	--------	--------------------

WWIS - Water Well Information System

A search of the WWIS database, dated Feb 28, 2019 has found that there are 34 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 25 con 1 ON <i>Well ID:</i> 1510842	NNW	114.57	4
	ON <i>Well ID:</i> 7224189	NE	135.84	13
	lot 25 con 1 ON <i>Well ID:</i> 1501115	NNE	143.72	14
	Ottawa ON <i>Well ID:</i> 7224359	NE	155.90	18
	ON <i>Well ID:</i> 7224188	NE	164.62	23
	Ottawa ON <i>Well ID:</i> 7224358	NE	166.42	25
	lot 26 con 2 ON <i>Well ID:</i> 1501363	NE	191.22	30
	lot 26 con 2 ON <i>Well ID:</i> 1501355	NE	198.99	38
	Ottawa ON <i>Well ID:</i> 7157667	ENE	221.56	47

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Ottawa ON <i>Well ID:</i> 7157668	NE	223.41	<u>48</u>
	lot 25 con 1 ON <i>Well ID:</i> 1501129	NNE	230.38	<u>50</u>
	lot 26 con 2 ON <i>Well ID:</i> 1501344	E	248.05	<u>56</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	OTTAWA ON <i>Well ID:</i> 7305741	SW	109.12	<u>3</u>
	lot 27 con 2 ON <i>Well ID:</i> 1501373	SSW	118.24	<u>6</u>
	lot 27 con 2 ON <i>Well ID:</i> 1501387	S	118.26	<u>7</u>
	OTTAWA ON <i>Well ID:</i> 7305740	WSW	119.38	<u>8</u>
	lot 27 con 2 ON <i>Well ID:</i> 1501386	SSW	122.65	<u>9</u>
	lot 27 con 2 ON <i>Well ID:</i> 1501371	S	123.45	<u>10</u>
	lot 27 con 2 ON <i>Well ID:</i> 7318282	SSW	150.65	<u>15</u>
	ON <i>Well ID:</i> 7224187	NE	154.22	<u>17</u>

lot 27 con 2 ON Well ID: 7318281	SW	158.01	<u>19</u>
lot 27 con 2 ON Well ID: 1501379	WSW	164.79	<u>24</u>
lot 27 con 2 ON Well ID: 1501397	SW	177.42	<u>28</u>
lot 27 con 2 ON Well ID: 7318286	SSW	181.12	<u>29</u>
lot 26 con 2 ON Well ID: 1501353	SE	192.15	<u>31</u>
lot 26 con 1 ON Well ID: 1501136	W	194.65	<u>33</u>
lot 27 con 2 ON Well ID: 1501368	SW	195.17	<u>34</u>
lot 26 con 2 ON Well ID: 1501350	SE	195.44	<u>35</u>
lot 27 con 2 ON Well ID: 7318287	SSW	198.28	<u>37</u>
OTTAWA ON Well ID: 7038978	SSE	207.17	<u>42</u>
ON Well ID: 7052171	SSE	207.17	<u>42</u>
lot 27 con 2 ON Well ID: 1501367	WSW	214.87	<u>45</u>
lot 27 con 2 ON	SW	228.27	<u>49</u>

Well ID: 1501388


lot 26 con 1
ON

WSW

249.51

[59](#)

Well ID: 1501138




Map : 0.25 Kilometer Radius

Order No: 20190813196

Address: 1098 Ogilvie Road, Gloucester, ON, K1J 7P8



Expressway	Industrial and Resource - Regions	National Park
Principal Highway	Main Line	Provincial or Territorial Park
Secondary Highway	Sidetrack	Other Park
Major Road	Transit Line	Golf Course or Driving Range
Local road	Abandoned Line	Park or Sports Field
Trail		Other Recreation Area
Proposed Road		
Ferry Route/Ice Road		



Aerial (2017)

Address: 1098 Ogilvie Road, Gloucester, ON, K1J 7P8

Source: ESRI World Imagery

Order No: 20190813196




© ERIS Information Limited Partnership

75°39'W

75°37'30"W

45°25'30"N

45°25'30"N



Topographic Map

Address: 1098 Ogilvie Road, Gloucester, ON, K1J 7P8

Source: ESRI World Topographic Map

Order No: 20190813196



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 3	WNW/39.4	71.9 / -0.95	FAIRVIEW FUNERAL & CREMATION SERVICES INC 1092 OGILVIE ROAD GLOUCESTER ON K1J 7P8	GEN
Generator No: ONF055900 Status: Approval Years: 95,96,97,98,99 Contam. Facility: MHSW Facility: SIC Code: 9731 SIC Description: FUNERAL HOMES					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
1	2 of 3	WNW/39.4	71.9 / -0.95	FAIRVIEW FUNERAL AND CREMATION 1092 OGILVIE ROAD GLOUCESTER ON K1J 7P8	GEN
Generator No: ONF055900 Status: Approval Years: 00,01 Contam. Facility: MHSW Facility: SIC Code: 9731 SIC Description: FUNERAL HOMES					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES					
1	3 of 3	WNW/39.4	71.9 / -0.95	AFSC Future Security Controls 1088 Ogilvie Rd Gloucester ON K1J 7P8	SCT
Established: 01-SEP-82 Plant Size (ft²): 8000 Employment:					
<u>--Details--</u>					
Description: Electronic Components, Navigational and Communications Equipment and Supplies Wholesaler-Distributors SIC/NAICS Code: 417320					
Description: Security Systems Services (except Locksmiths) SIC/NAICS Code: 561621					
Description: Industrial Design Services SIC/NAICS Code: 541420					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description:		Electrical Wiring and Construction Supplies Wholesaler-Distributors			
SIC/NAICS Code:		416110			
2	1 of 1	ESE/71.4	72.7 / -0.16	EDIFICE BEAUFORT BUILDING INC. 1178 CUMMINGS OTTAWA ON K1J 7R8	GEN
Generator No:		ON7246315		PO Box No:	
Status:				Country:	
Approval Years:		03,04		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
3	1 of 1	SW/109.1	71.9 / -0.95	OTTAWA ON	WWIS
Well ID:		7305741		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Test Hole		Date Received:	
Sec. Water Use:		Monitoring		Selected Flag:	
Final Well Status:		Observation Wells		Abandonment Rec:	
Water Type:				Contractor:	
Casing Material:				Form Version:	
Audit No:		Z277524		Owner:	
Tag:		A182708		Street Name:	
Construction Method:				County:	
Elevation (m):				Municipality:	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		1006986591		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		1/8/2018		UTMRC Desc:	
Remarks:				Location Method:	
Elevrc Desc:		margin of error : 30 m - 100 m			
Location Source Date:		wwr			
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007151231			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Color:		8			
General Color:		BLACK			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:		92			
Other Materials:		WEATHERED			
Formation Top Depth:		2.44			
Formation End Depth:		4.57			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007151230			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Other Materials:					
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:		0			
Formation End Depth:		2.44			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007151240			
Layer:		2			
Plug From:		0.31			
Plug To:		0.91			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007151241			
Layer:		3			
Plug From:		0.91			
Plug To:		4.27			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007151239			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Rotary (Convent.)			
Other Method Construction:		T			
<u>Pipe Information</u>					
Pipe ID:		1007151229			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007151234			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.22			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1007151235			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.22			
Screen End Depth:		4.27			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Hole Diameter</u>					
Hole ID:		1007151232			
Diameter:		8.25			
Depth From:		0			
Depth To:		4.27			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>4</u>	1 of 1	NNW/114.6	72.9 / 0.05	lot 25 con 1 ON	WWIS
Well ID:		1510842		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Commerical		Date Received:	9/28/1970
Sec. Water Use:		0		Selected Flag:	Yes
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor:	1558
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	025
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	10032845			Elevation:	70.423599
DP2BR:	4			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	450470.7
Code OB Desc:	Bedrock			North83:	5030482
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	7/22/1970			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	931015951				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	17				
Most Common Material:	SHALE				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	30				
Formation End Depth:	55				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	931015952				
Layer:	4				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	55				
Formation End Depth:	200				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	931015949				
Layer:	1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		12			
Other Materials:		STONES			
Mat3:		01			
Other Materials:		FILL			
Formation Top Depth:		0			
Formation End Depth:		4			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931015950			
Layer:		2			
Color:		8			
General Color:		BLACK			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		4			
Formation End Depth:		30			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10581415			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930058244			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		200			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930058243			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		10			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991510842			
Pump Set At:					
Static Level:		4			
Final Level After Pumping:		125			
Recommended Pump Depth:		150			
Pumping Rate:		1			
Flowing Rate:					
Recommended Pump Rate:		1			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		30			
Flowing:		N			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934899053			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		125			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934641711			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		125			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934380135			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		125			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934097400			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		125			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933465871			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:		3			
Kind:		SULPHUR			
Water Found Depth:		130			
Water Found Depth UOM:		ft			
5	1 of 1	WSW/116.1	71.9 / -0.95	1060 Ogilvie Road Ottawa ON	EHS
Order No:		20171122116		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State:	ON
Report Date:		28-NOV-17		Search Radius (km):	.25
Date Received:		22-NOV-17		X:	-75.633742
Previous Site Name:				Y:	45.424678
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans			
6	1 of 1	SSW/118.2	71.9 / -0.95	lot 27 con 2 ON	WWIS
Well ID:		1501373		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Domestic		Date Received:	1/21/1952
Sec. Water Use:		0		Selected Flag:	Yes
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor:	1107
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	027
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		10023416		Elevation:	70.290397
DP2BR:		20		Elevrc:	
Spatial Status:				Zone:	18
Code OB:		r		East83:	450475.7
Code OB Desc:		Bedrock		North83:	5030272
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		8/28/1951		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Formation ID:		930991673			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		20			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991674			
Layer:		2			
Color:					
General Color:					
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		20			
Formation End Depth:		40			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10571986			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930039716			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		20			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930039717			
Layer:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:					
Open Hole or Material:		4			
Depth From:		OPEN HOLE			
Depth To:		40			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501373			
Pump Set At:					
Static Level:		7			
Final Level After Pumping:		7			
Recommended Pump Depth:					
Pumping Rate:		8			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933454071			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:					
Water Found Depth UOM:		ft			
7	1 of 1	S/118.3	71.9 / -0.95	lot 27 con 2 ON	WWIS
Well ID: 1501387					
Construction Date:					
Primary Water Use:		Domestic		Data Entry Status:	
Sec. Water Use:		0		Data Src:	1
Final Well Status:		Water Supply		Date Received:	10/28/1954
Water Type:				Selected Flag:	Yes
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1107
Tag:				Form Version:	1
Construction Method:				Owner:	
Elevation (m):				Street Name:	
Elevation Reliability:				County:	OTTAWA-CARLETON
Depth to Bedrock:				Municipality:	GLOUCESTER TOWNSHIP
Well Depth:				Site Info:	
Overburden/Bedrock:				Lot:	027
Pump Rate:				Concession:	02
Static Water Level:				Concession Name:	OF
Flowing (Y/N):				Easting NAD83:	
Flow Rate:				Northing NAD83:	
Clear/Cloudy:				Zone:	
				UTM Reliability:	
<u>Bore Hole Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10023430			Elevation:	69.720581
DP2BR:	12			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	450520.7
Code OB Desc:	Bedrock			North83:	5030262
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	10/9/1954			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 930991717
 Layer: 1
 Color:
 General Color:
 Mat1: 23
 Most Common Material: PREVIOUSLY DUG
 Mat2:
 Other Materials:
 Mat3:
 Other Materials:
 Formation Top Depth: 0
 Formation End Depth: 12
 Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 930991719
 Layer: 3
 Color: 2
 General Color: GREY
 Mat1: 17
 Most Common Material: SHALE
 Mat2:
 Other Materials:
 Mat3:
 Other Materials:
 Formation Top Depth: 35
 Formation End Depth: 81
 Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 930991718
 Layer: 2
 Color: 8
 General Color: BLACK
 Mat1: 17
 Most Common Material: SHALE
 Mat2:
 Other Materials:
 Mat3:
 Other Materials:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:	12				
Formation End Depth:	35				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10572000				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930039745				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	81				
Casing Diameter:	4				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	930039744				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	16				
Casing Diameter:	4				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	991501387				
Pump Set At:					
Static Level:	6				
Final Level After Pumping:	25				
Recommended Pump Depth:					
Pumping Rate:	8				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	2				
Water State After Test:	CLOUDY				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	N				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933454085			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		81			
Water Found Depth UOM:		ft			
<u>8</u>	1 of 1	WSW/119.4	71.9 / -0.95	OTTAWA ON	WWIS
Well ID:	7305740			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	2/13/2018
Sec. Water Use:	Monitoring			Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z277523			Owner:	
Tag:	A182707			Street Name:	1060 OGIORE
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006986588			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	450424
Code OB Desc:				North83:	5030314
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	1/8/2018			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007151217				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:		85			
Other Materials:		SOFT			
Formation Top Depth:		0			
Formation End Depth:		2.44			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007151218			
Layer:		2			
Color:		8			
General Color:		BLACK			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:		92			
Other Materials:		WEATHERED			
Formation Top Depth:		2.44			
Formation End Depth:		4.57			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007151226			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007151227			
Layer:		2			
Plug From:		0.31			
Plug To:		1.22			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007151228			
Layer:		3			
Plug From:		1.22			
Plug To:		4.57			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007151216			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007151221			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.5			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1007151222			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.57			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Hole Diameter</u>					
Hole ID:		1007151219			
Diameter:		8.25			
Depth From:		0			
Depth To:		4.57			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
9	1 of 1	SSW/122.6	71.9 / -0.95	lot 27 con 2 ON	WWIS
Well ID:	1501386			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	10/28/1954
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1107
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	027
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10023429			Elevation:	70.257858
DP2BR:	15			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	450490.7
Code OB Desc:	Bedrock			North83:	5030262
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	9/27/1954			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Overburden and Bedrock
Materials Interval**

Formation ID: 930991714
Layer: 2
Color: 3
General Color: BLUE
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 4
Formation End Depth: 15
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 930991713
Layer: 1
Color:
General Color:
Mat1: 05
Most Common Material: CLAY
Mat2: 02
Other Materials: TOPSOIL
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 4
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 930991716
Layer: 4
Color: 2
General Color: GREY
Mat1: 17
Most Common Material: SHALE
Mat2:
Other Materials:
Mat3:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Materials:					
Formation Top Depth:		35			
Formation End Depth:		61			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991715			
Layer:		3			
Color:		8			
General Color:		BLACK			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		15			
Formation End Depth:		35			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571999			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930039743			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		35			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039742			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		17			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501386			
Pump Set At:					
Static Level:	9				
Final Level After Pumping:	45				
Recommended Pump Depth:					
Pumping Rate:	8				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	2				
Water State After Test:	CLOUDY				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	N				
<u>Water Details</u>					
Water ID:	933454084				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	61				
Water Found Depth UOM:	ft				
10	1 of 1	S/123.5	71.9 / -0.95	lot 27 con 2 ON	WWIS
Well ID:	1501371			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	1/23/1952
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1107
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	027
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10023414			Elevation:	69.881805
DP2BR:	12			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	450530.7
Code OB Desc:	Bedrock			North83:	5030257
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	7/18/1951			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991666			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		4			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991667			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		4			
Formation End Depth:		12			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991668			
Layer:		3			
Color:		8			
General Color:		BLACK			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		12			
Formation End Depth:		74			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:	10571984				
Casing No:	1				
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:	930039712				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	12				
Casing Diameter:	4				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
 <u>Construction Record - Casing</u>					
Casing ID:	930039713				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	74				
Casing Diameter:	4				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
 <u>Results of Well Yield Testing</u>					
Pump Test ID:	991501371				
Pump Set At:					
Static Level:	15				
Final Level After Pumping:	25				
Recommended Pump Depth:					
Pumping Rate:	8				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	N				
 <u>Water Details</u>					
Water ID:	933454069				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	74				
Water Found Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
11	1 of 36	N/123.7	72.9 / 0.05	1633981 Ontario Inc. 1111 Ogilvie Rd Ottawa ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		9556-7BLQAG 2008 2/8/2008 Industrial Sewage Works Approved			
11	2 of 36	N/123.7	72.9 / 0.05	1633981 Ontario Inc. 1111 Ogilvie Rd Ottawa ON K1J 7P7	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:		9556-7BLQAG 2008-02-08 Approved ECA IDS Rideau Valley ECA-INDUSTRIAL SEWAGE WORKS INDUSTRIAL SEWAGE WORKS 1111 Ogilvie Rd	MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Ottawa -75.63237 45.426285	
11	3 of 36	N/123.7	72.9 / 0.05	MOT MARWAN ENTERPRISES LTD 1111 OGILVIE RD OTTAWA ON	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		26279500 282503 FS Facility FS Cylinder Exchange EXPIRED			
11	4 of 36	N/123.7	72.9 / 0.05	LES PETROLES CALEX LTEE 1111 OGILVIE RD GLOUCESTER ON K1J 7P7	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank:		10083411 FS Facility EXPIRED			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Facility Type: Expired Date: 5/20/2009					
11	5 of 36	N/123.7	72.9 / 0.05	SMS PETROLEUMS DIVISION OF SUNOCO NANCY NG 1111 OGILVIE RD GLOUCESTER ON K1J 7P7	EXP
Instance No: 10105915 Instance ID: Instance Type: FS Facility Description: Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 12/20/1991					
11	6 of 36	N/123.7	72.9 / 0.05	MO & MARWAN ENTERPRISES LTD 1111 OGILVIE RD GLOUCESTER ON K1J 7P7	EXP
Instance No: 10105948 Instance ID: Instance Type: FS Facility Description: Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 12/7/2009 9:28					
11	7 of 36	N/123.7	72.9 / 0.05	1633981 ONTARIO INC O/ A OLCO GAS BAR 1111 OGILVIE RD GLOUCESTER ON	EXP
Instance No: 63282847 Instance ID: 348109 Instance Type: FS Piping Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
11	8 of 36	N/123.7	72.9 / 0.05	1633981 ONTARIO INC O/ A OLCO GAS BAR 1111 OGILVIE RD GLOUCESTER ON	EXP
Instance No: 11572668 Instance ID: 91197 Instance Type: FS Piping Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
11	9 of 36	N/123.7	72.9 / 0.05	1633981 ONTARIO INC O/ A OLCO GAS BAR 1111 OGILVIE RD GLOUCESTER ON	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11572649 91528 FS Piping FS Piping EXPIRED 			
11	10 of 36	N/123.7	72.9 / 0.05	1633981 ONTARIO INC O/ A OLCO GAS BAR 1111 OGILVIE RD GLOUCESTER ON K1J 7P7	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		11287923 FS Liquid Fuel Tank Gasoline Active 36365 Fiberglass (FRP) Fiberglass Single Wall UST 1986 FS GASOLINE STATION - SELF SERVE			
11	11 of 36	N/123.7	72.9 / 0.05	1633981 ONTARIO INC O/ A OLCO GAS BAR 1111 OGILVIE RD GLOUCESTER ON K1J 7P7	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		11287886 FS Liquid Fuel Tank Gasoline Active 45400 Fiberglass (FRP) Fiberglass Single Wall UST 1976 FS GASOLINE STATION - SELF SERVE			
11	12 of 36	N/123.7	72.9 / 0.05	1633981 ONTARIO INC O/ A OLCO GAS BAR 1111 OGILVIE RD GLOUCESTER ON K1J 7P7	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity:		11287944 FS Liquid Fuel Tank Diesel Active 27274			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		Fiberglass (FRP) Fiberglass Single Wall UST 1986 FS GASOLINE STATION - SELF SERVE			
11	13 of 36	N/123.7	72.9 / 0.05	1633981 ONTARIO INC 1111 OGILVIE RD GLOUCESTER ON K1J 7P7	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		64508685 FS Liquid Fuel Tank Gasoline Active 50000 Fiberglass (FRP) Fiberglass Double Wall UST 2011 FS Gasoline Station - Self Serve FS Liquid Fuel Tank			
11	14 of 36	N/123.7	72.9 / 0.05	1633981 ONTARIO INC 1111 OGILVIE RD GLOUCESTER ON K1J 7P7	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		64508686 FS Liquid Fuel Tank Gasoline Active 50000 Fiberglass (FRP) Fiberglass Double Wall UST 2011 FS Gasoline Station - Self Serve FS Liquid Fuel Tank			
11	15 of 36	N/123.7	72.9 / 0.05	1633981 ONTARIO INC O/ A OLCO GAS BAR 1111 OGILVIE RD GLOUCESTER ON K1J 7P7	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		11287906 FS Liquid Fuel Tank Gasoline Active 27274 Fiberglass (FRP) Fiberglass Single Wall UST 1986 FS GASOLINE STATION - SELF SERVE			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
11	16 of 36	N/123.7	72.9 / 0.05	1633981 ONTARIO INC O/ A OLCO GAS BAR 1111 OGILVIE RD GLOUCESTER OTTAWA ON K1J 7P7	FSTH
License Issue Date: 7/25/2005 Tank Status: Licensed Tank Status As Of: August 2007 Operation Type: Retail Fuel Outlet Facility Type: Gasoline Station - Self Serve					
--Details--					
Status:		Active			
Year of Installation:		1989			
Corrosion Protection:					
Capacity:		27274			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1977			
Corrosion Protection:					
Capacity:		36365			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1989			
Corrosion Protection:					
Capacity:		27274			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
Status:		Active			
Year of Installation:		1989			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
11	17 of 36	N/123.7	72.9 / 0.05	1633981 ONTARIO INC O/ A OLCO GAS BAR 1111 OGILVIE RD GLOUCESTER ON K1J 7P7	FSTH
License Issue Date: 7/25/2005 3:04:00 PM Tank Status: Licensed Tank Status As Of: December 2008 Operation Type: Retail Fuel Outlet Facility Type: Gasoline Station - Self Serve					
--Details--					
Status:		Active			
Year of Installation:		1989			
Corrosion Protection:					
Capacity:		27274			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
Status:		Active			
Year of Installation:		1989			
Corrosion Protection:					
Capacity:		27274			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1977			
Corrosion Protection:					
Capacity:		36365			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1989			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
11	18 of 36	N/123.7	72.9 / 0.05	OLCO Petrolleum 1111 Ogilvie Ottawa ON K1J 7P7	GEN
Generator No:		ON7373036		PO Box No:	
Status:				Country:	
Approval Years:		03,04		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
11	19 of 36	N/123.7	72.9 / 0.05	1633981 Ontario Inc 1111 Ogilvie Road Ottawa ON	GEN
Generator No:		ON7051938		PO Box No:	
Status:				Country:	
Approval Years:		2009		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		447110, 811192			
SIC Description:		Gasoline Stations with Convenience Stores, Car Washes			
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
11	20 of 36	N/123.7	72.9 / 0.05	1633981 Ontario Inc 1111 Ogilvie Road Ottawa ON	GEN
Generator No:		ON7051938		PO Box No:	
Status:				Country:	
Approval Years:		2010		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		447110, 811192			
SIC Description:		Gasoline Stations with Convenience Stores, Car Washes			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		213			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
11	21 of 36	N/123.7	72.9 / 0.05	1633981 Ontario Inc 1111 Ogilvie Road Ottawa ON	GEN
Generator No:		ON7051938		PO Box No:	
Status:				Country:	
Approval Years:		2011		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		447110, 811192			
SIC Description:		Gasoline Stations with Convenience Stores, Car Washes			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
11	22 of 36	N/123.7	72.9 / 0.05	1633981 Ontario Inc 1111 Ogilvie Road Ottawa ON	GEN
Generator No:		ON7051938		PO Box No:	
Status:				Country:	
Approval Years:		2012		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		447110, 811192			
SIC Description:		Gasoline Stations with Convenience Stores, Car Washes			
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
11	23 of 36	N/123.7	72.9 / 0.05	1633981 Ontario Inc 1111 Ogilvie Road Ottawa ON	GEN
Generator No:		ON7051938		PO Box No:	
Status:				Country:	
Approval Years:		2013		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		447110, 811192			
SIC Description:		CAR WASHES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
<u>11</u>	24 of 36	N/123.7	72.9 / 0.05	1633981 Ontario Inc 1111 Ogilvie Road Ottawa ON K1J 7P7	GEN
Generator No:	ON7051938			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	447110, 811192				
SIC Description:	447110, CAR WASHES				
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
<u>11</u>	25 of 36	N/123.7	72.9 / 0.05	1633981 Ontario Inc 1111 Ogilvie Road Ottawa ON K1J 7P7	GEN
Generator No:	ON7051938			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	447110, 811192				
SIC Description:	447110, CAR WASHES				
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		213			
Waste Class Desc:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
<u>11</u>	26 of 36	N/123.7	72.9 / 0.05	1633981 Ontario Inc 1111 Ogilvie Road Ottawa ON K1J 7P7	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON7051938 Status: Approval Years: 2014 Contam. Facility: No MHSW Facility: No SIC Code: 447110, 811192 SIC Description: 447110, CAR WASHES PO Box No: Country: Canada Choice of Contact: CO_OFFICIAL Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 221 Waste Class Desc: LIGHT FUELS Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES					
11	27 of 36	N/123.7	72.9 / 0.05	1633981 Ontario Inc 1111 Ogilvie Road Ottawa ON K1J 7P7	GEN
Generator No: ON7051938 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description: PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 221 I Waste Class Desc: Light fuels Waste Class: 252 L Waste Class Desc: Waste crankcase oils and lubricants					
11	28 of 36	N/123.7	72.9 / 0.05	1633981 Ontario Inc 1111 Ogilvie Road Ottawa ON K1J 7P7	GEN
Generator No: ON7051938 Status: Registered Approval Years: As of Jul 2019 Contam. Facility: MHSW Facility: SIC Code: SIC Description: PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:					
<u>Detail(s)</u>					
Waste Class: 221 I Waste Class Desc: Light fuels Waste Class: 252 L Waste Class Desc: Waste crankcase oils and lubricants					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
11	29 of 36	N/123.7	72.9 / 0.05	CALEX DIVISION OF SUNOCO ATTN ROBERTA WALSH 1111 OGILVIE RD GLOUCESTER ON K1J 7P7	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		19079 retail 1992-12-31 136380 0076343748			
11	30 of 36	N/123.7	72.9 / 0.05	CALEX DIVISION OF SUNOCO ATTN ROBERTA WALSH 1111 OGILVIE RD GLOUCESTER ON K1J 7P7	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		19079 retail 1994-12-31 136380 0076389428			
11	31 of 36	N/123.7	72.9 / 0.05	LES PETROLES CALEX LTEE 1111 OGILVIE OTTAWA ON K1J7P7	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		28325 retail 1995-08-31 136313 0076421999			
11	32 of 36	N/123.7	72.9 / 0.05	CALEX DIVISION OF SUNOCO ATTN MARY MISANGYI 1111 OGILVIE OTTAWA ON K1J7P7	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		28325 retail 1992-12-31 136380 0076343748			
11	33 of 36	N/123.7	72.9 / 0.05	CALEX DIVISION OF SUNOCO ATTN MARY MISANGYI 1111 OGILVIE OTTAWA ON K1J7P7	PRT
Location ID: Type: Expiry Date: Capacity (L): Licence #:		28325 retail 1994-12-31 136380 0076389428			
11	34 of 36	N/123.7	72.9 / 0.05	CALEX SERVICE STATION 1111 OGILVIE RD GLOUCESTER ON K1J7P7	RST

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Headcode: 1186800 Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas Phone: 6137420528 List Name: Description:					
11	35 of 36	N/123.7	72.9 / 0.05	FAS GAS PLUS 1111 OGILVIE RD UNIT 1 GLOUCESTER ON K1J7P7	RST
Headcode: 01186800 Headcode Desc: SERVICE STATIONS GASOLINE OIL & NATURAL GAS Phone: 6137420528 List Name: Info-direct(TM) BUSINESS FILE Description:					
11	36 of 36	N/123.7	72.9 / 0.05	1111 Ogilvie Rd Ottawa ON	SPL
Ref No: 2234-ACHT7Y Site No: NA Incident Dt: 2016/08/04 Year: Incident Cause: Incident Event: Unknown / N/A Contaminant Code: 27 Contaminant Name: COOLANT N.O.S. Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: Land MOE Response: No Dt MOE Arvl on Scn: MOE Reported Dt: 2016/08/04 Dt Document Closed: Incident Reason: Unknown / N/A Site Name: catch basin<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Ottawa - 0.5L coolant to CB, cleaning Contaminant Qty: 0.5 L					
Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Unknown / N/A Agency Involved: Nearest Watercourse: Site Address: 1111 Ogilvie Rd Site District Office: Site Postal Code: Site Region: Site Municipality: Ottawa Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Primary Assessment of Spills Source Type:					
12	1 of 2	NNE/124.0	73.9 / 1.05	UNKNOWN CUMMINGS AVE JUST SOUTH OF OLGILVIE GLOUCESTER CITY ON	SPL
Ref No: 71782 Site No: Incident Dt: // Year: Incident Cause: UNKNOWN Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:					
Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region:					

78 erisinfo.com | Environmental Risk Information Services Order No: 20190813196

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:			Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:		
<u>Bore Hole Information</u>					
Bore Hole ID:	1004950464			Elevation:	71.625526
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	450627
Code OB Desc:				North83:	5030468
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	6/10/2014			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006697684				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	05				
Other Materials:	CLAY				
Mat3:	66				
Other Materials:	DENSE				
Formation Top Depth:	0.61				
Formation End Depth:	1.5				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006697685				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	05				
Other Materials:	CLAY				
Mat3:	66				
Other Materials:	DENSE				
Formation Top Depth:	1.5				
Formation End Depth:	4.57				
Formation End Depth UOM:	m				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1006697683			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		77			
Other Materials:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		0.61			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006697690			
Layer:		3			
Plug From:		1.22			
Plug To:		4.57			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006697689			
Layer:		2			
Plug From:		0.3			
Plug To:		1.22			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006697688			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005235021			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005235025			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.5			
Casing Diameter:		5.2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005235026			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.57			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03			
<u>Hole Diameter</u>					
Hole ID:		1005235023			
Diameter:		15.24			
Depth From:		0			
Depth To:		4.57			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
14	1 of 1	NNE/143.7	73.9 / 1.05	lot 25 con 1 ON	WWIS
Well ID:		1501115		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Domestic		Date Received:	6/23/1948
Sec. Water Use:		0		Selected Flag:	Yes
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor:	2311
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	025
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		10023158		Elevation:	71.159088
DP2BR:		22		Elevrc:	
Spatial Status:				Zone:	18
Code OB:		r		East83:	450580.7
Code OB Desc:		Bedrock		North83:	5030512
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:		4/30/1948		UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930991012			
Layer:		2			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		22			
Formation End Depth:		140			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930991011			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		09			
Other Materials:		MEDIUM SAND			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		22			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571728			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930039222			
Layer:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		22			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039221			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		20			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039223			
Layer:		3			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		140			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501115			
Pump Set At:					
Static Level:					
Final Level After Pumping:		45			
Recommended Pump Depth:					
Pumping Rate:		2			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		N			
<u>Water Details</u>					
Water ID:		933453798			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		135			
Water Found Depth UOM:		ft			
<u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID: 933453797 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 120 Water Found Depth UOM: ft					
15	1 of 1	SSW/150.6	70.9 / -1.91	lot 27 con 2 ON	WWIS
Well ID: 7318282 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Z290666 Tag: A154210 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Yes Data Src: Date Received: 8/31/2018 Selected Flag: Yes Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: County: OTTAWA-CARLETON Municipality: GLOUCESTER TOWNSHIP Site Info: Lot: 027 Concession: 02 Concession Name: OF Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1007283367 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 7/10/2018 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: Elevrc: Zone: 18 East83: 450453 North83: 5030247 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
16	1 of 6	SW/153.1	70.9 / -1.95	SKETCHLEY CLEANING SERVICES 1099 CYRVILLE ROAD C/O 875 DON MILLS RD.,DON MILLS M2C1V9 GLOUCESTER ON K1J 7S6	GEN
Generator No: ON0240422 Status: Approval Years: 86,87,88,89,90 Contam. Facility: MHSW Facility: SIC Code: 9721 SIC Description: POWER LAUND./CLEANERS					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					

Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		241 HALOGENATED SOLVENTS			
16	2 of 6	SW/153.1	70.9 / -1.95	SKETCHLEY (SEE & USE ON1533003) 35-202 1099 CYRVILLE ROAD, GLOUESTER C/O 875 DON MILLS RD. DON MILLS ON K1J 7S6	GEN
Generator No:		ON0240422		PO Box No:	
Status:				Country:	
Approval Years:		92,93,94,95,96,97		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		9721			
SIC Description:		POWER LAUND./CLEANER			
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
16	3 of 6	SW/153.1	70.9 / -1.95	SKETCHLEY CLEANERS (SEE & USE ON1533003) 1099 CYRVILLE ROAD GLOUESTER ON K1J 7S6	GEN
Generator No:		ON0240422		PO Box No:	
Status:				Country:	
Approval Years:		98		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		9721			
SIC Description:		POWER LAUND./CLEANERS			
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
16	4 of 6	SW/153.1	70.9 / -1.95	108295 ONT(OUT OF BUSINESS) 35-202 1099 CYRVILLE ROAD GLOUCESTER ON K1J 7S6	GEN
Generator No:		ON1533003		PO Box No:	
Status:				Country:	
Approval Years:		92,93,95,96,97,98		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		9721			
SIC Description:		POWER LAUND./CLEANER			
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
16	5 of 6	SW/153.1	70.9 / -1.95	108295 ONTARIO LIMITED 35-202 1099 CYRVILLE ROAD GLOUCESTER ON K1J 7S6	GEN

86 erisinfo.com | Environmental Risk Information Services Order No: 20190813196

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	6/10/2014			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006697630			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		1.5			
Formation End Depth:		3.1			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006697629			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0.61			
Formation End Depth:		1.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006697628			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		77			
Other Materials:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		0.61			
Formation End Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006697635			
Layer:		3			
Plug From:		1.22			
Plug To:		3.1			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006697634			
Layer:		2			
Plug From:		0.3			
Plug To:		1.22			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006697633			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005235004			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005235008			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.5			
Casing Diameter:		5.2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005235009			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		3.1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03			
<u>Hole Diameter</u>					
Hole ID:		1005235006			
Diameter:		15.24			
Depth From:		0			
Depth To:		3.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
18	1 of 1	NE/155.9	73.6 / 0.74	Ottawa ON	WWIS
Well ID:		7224359		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received:	
Sec. Water Use:		0		7/21/2014	
Final Well Status:		Monitoring and Test Hole		Selected Flag:	
Water Type:				Yes	
Casing Material:				Abandonment Rec:	
Audit No:		Z189005		Contractor:	
Tag:		A164777		7241	
Construction Method:				Form Version:	
Elevation (m):				7	
Elevation Reliability:				Owner:	
Depth to Bedrock:				Street Name:	
Well Depth:				1134 OGILVIE RD.	
Overburden/Bedrock:				County:	
Pump Rate:				OTTAWA-CARLETON	
Static Water Level:				Municipality:	
Flowing (Y/N):				GLOUCESTER TOWNSHIP	
Flow Rate:				Site Info:	
Clear/Cloudy:				Lot:	
				Concession:	
				Concession Name:	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:		1004957479		Elevation:	
DP2BR:				72.291938	
Spatial Status:				Elevrc:	
Code OB:				Zone:	
Code OB Desc:				18	
Open Hole:				East83:	
Cluster Kind:				450635	
Date Completed:		6/10/2014		North83:	
Remarks:				5030489	
Elevrc Desc:				Org CS:	
Location Source Date:				UTM83	
Improvement Location Source:				UTMRC:	
Improvement Location Method:				4	
Source Revision Comment:				UTMRC Desc:	
Supplier Comment:				margin of error : 30 m - 100 m	
				Location Method:	
				wwr	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1005233185			
Layer:		3			
Color:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Other Materials:		SAND			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		1.5			
Formation End Depth:		3.1			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005233184			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0.61			
Formation End Depth:		1.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005233183			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:		28			
Other Materials:		SAND			
Mat3:		77			
Other Materials:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		0.61			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005233194			
Layer:		2			
Plug From:		0.3			
Plug To:		1.22			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005233193			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005233195			
Layer:		3			
Plug From:		1.22			
Plug To:		3.1			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005233182			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005233188			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.5			
Casing Diameter:		5.2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005233189			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		3.1			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03			
<u>Hole Diameter</u>					
Hole ID:		1005233186			
Diameter:		15.24			
Depth From:		0			
Depth To:		3.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
19	1 of 1	SW/158.0	70.9 / -1.95	lot 27 con 2 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Well ID: 7318281 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Z290665 Tag: A152808 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: </div> <div> Data Entry Status: Yes Data Src: Date Received: 8/31/2018 Selected Flag: Yes Abandonment Rec: Contractor: 7241 Form Version: 7 Owner: Street Name: County: OTTAWA-CARLETON Municipality: GLOUCESTER TOWNSHIP Site Info: Lot: 027 Concession: 02 Concession Name: OF Easting NAD83: Northing NAD83: Zone: UTM Reliability: </div> </div>					
<u>Bore Hole Information</u>					
<div> <div> Bore Hole ID: 1007283364 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 7/10/2018 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: </div> <div> Elevation: Elevrc: Zone: 18 East83: 450431 North83: 5030252 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr </div> </div>					
20	1 of 1	WSW/158.7	70.9 / -1.95	1077 & 1085 Cyrville Road Ottawa ON K1J 7P8	EHS
<div> <div> Order No: 20160302170 Status: C Report Type: Custom Report Report Date: 09-MAR-16 Date Received: 02-MAR-16 Previous Site Name: Lot/Building Size: Additional Info Ordered: City Directory </div> <div> Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.634364 Y: 45.424719 </div> </div>					
21	1 of 13	SW/160.1	70.9 / -1.95	One Stop Laundromat & Dry Cleaner 1097 Cyrville Rd Gloucester ON K1J7S6	CDRY
Legal Name of Company:					
<u>Waste Quantity by Year</u>					
<div> Reporting Year: 2015 Quantity of PERC (kg): - </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Total Waste Water (kg): - Total Waste Water (L): - Total Residue (kg): - Total Residue (L): - Total Mix (kg): - Total Mix (L): - Request for Confidentiality: No Reason for Confidentiality: Reporting Year: 2012 Quantity of PERC (kg): 90 Total Waste Water (kg): 0 Total Waste Water (L): - Total Residue (kg): 0 Total Residue (L): - Total Mix (kg): - Total Mix (L): 115 Request for Confidentiality: No Reason for Confidentiality: Reporting Year: 2009 Quantity of PERC (kg): 139 Total Waste Water (kg): 0 Total Waste Water (L): - Total Residue (kg): - Total Residue (L): 0 Total Mix (kg): 218 Total Mix (L): - Request for Confidentiality: No Reason for Confidentiality: Reporting Year: 2005 Quantity of PERC (kg): 270 Total Waste Water (kg): 0 Total Waste Water (L): - Total Residue (kg): 0 Total Residue (L): - Total Mix (kg): 186.3 Total Mix (L): - Request for Confidentiality: No Reason for Confidentiality: N/A					
21	2 of 13	SW/160.1	70.9 / -1.95	One Stop Laundromat & Dry Cleaner 1097 Cyrville Rd Gloucester ON K1J7S6	CDRY
Legal Name of Company:					
<u>Waste Quantity by Year</u>					
Reporting Year: 2017 Quantity of PERC (kg): 0 Total Waste Water (kg): 0 Total Waste Water (L): 0 Total Residue (kg): 0 Total Residue (L): 0 Total Mix (kg): 0 Total Mix (L): 0 Request for Confidentiality: No Reason for Confidentiality:					
21	3 of 13	SW/160.1	70.9 / -1.95	one stop laundromat & dry cleaning 1097 cyrville road	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
gloucester ON K1J 7S6					
Generator No:	ON6138604			PO Box No:	
Status:				Country:	
Approval Years:	04,05,06,07,08			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812320				
SIC Description:	Dry Cleaning and Laundry Services (except Coin-Operated)				
Detail(s)					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
21	4 of 13	SW/160.1	70.9 / -1.95	one stop laundromat & dry cleaning 1097 cyrville road gloucester ON K1J 7S6	GEN
Generator No:	ON6138604			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812320				
SIC Description:	Dry Cleaning and Laundry Services (except Coin-Operated)				
Detail(s)					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
21	5 of 13	SW/160.1	70.9 / -1.95	one stop laundromat & dry cleaning 1097 cyrville road gloucester ON K1J 7S6	GEN
Generator No:	ON6138604			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812320				
SIC Description:	Dry Cleaning and Laundry Services (except Coin-Operated)				
Detail(s)					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
21	6 of 13	SW/160.1	70.9 / -1.95	one stop laundromat & dry cleaning 1097 cyrville road gloucester ON K1J 7S6	GEN
Generator No:	ON6138604			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812320				
SIC Description:	Dry Cleaning and Laundry Services (except Coin-Operated)				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
21	7 of 13	SW/160.1	70.9 / -1.95	one stop laundromat & dry cleaning 1097 cyrville road gloucester ON K1J 7S6	GEN
Generator No:		ON6138604		PO Box No:	
Status:				Country:	
Approval Years:		2012		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		812320			
SIC Description:		Dry Cleaning and Laundry Services (except Coin-Operated)			
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
21	8 of 13	SW/160.1	70.9 / -1.95	one stop laundromat & dry cleaning 1097 cyrville road gloucester ON	GEN
Generator No:		ON6138604		PO Box No:	
Status:				Country:	
Approval Years:		2013		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:		812320			
SIC Description:		DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)			
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
21	9 of 13	SW/160.1	70.9 / -1.95	one stop laundromat & dry cleaning 1097 cyrville road gloucester ON K1J 7S6	GEN
Generator No:		ON6138604		PO Box No:	
Status:				Country:	Canada
Approval Years:		2016		Choice of Contact:	CO_ADMIN
Contam. Facility:		No		Co Admin:	tam huynh
MHSW Facility:		No		Phone No Admin:	613 741 1709 Ext.
SIC Code:		812320			
SIC Description:		DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)			
<u>Detail(s)</u>					
Waste Class:		241			
Waste Class Desc:		HALOGENATED SOLVENTS			
21	10 of 13	SW/160.1	70.9 / -1.95	one stop laundromat & dry cleaning 1097 cyrville road	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
gloucester ON K1J 7S6					
Generator No:	ON6138604			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	tam huynh
MHSW Facility:	No			Phone No Admin:	613 741 1709 Ext.
SIC Code:	812320				
SIC Description:	DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)				
Detail(s)					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
21	11 of 13	SW/160.1	70.9 / -1.95	one stop laundromat & dry cleaning 1097 cyrville road gloucester ON K1J 7S6	GEN
Generator No:	ON6138604			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	tam huynh
MHSW Facility:	No			Phone No Admin:	613 741 1709 Ext.
SIC Code:	812320				
SIC Description:	DRY CLEANING AND LAUNDRY SERVICES (EXCEPT COIN-OPERATED)				
Detail(s)					
Waste Class:	241				
Waste Class Desc:	HALOGENATED SOLVENTS				
21	12 of 13	SW/160.1	70.9 / -1.95	one stop laundromat & dry cleaning 1097 cyrville road gloucester ON K1J 7S6	GEN
Generator No:	ON6138604			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:	241 H				
Waste Class Desc:	Halogenated solvents and residues				
21	13 of 13	SW/160.1	70.9 / -1.95	one stop laundromat & dry cleaning 1097 cyrville road gloucester ON K1J 7S6	GEN
Generator No:	ON6138604			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2019			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		241 H			
Waste Class Desc:		Halogenated solvents and residues			
<u>22</u>	1 of 16	NE/160.4	73.6 / 0.74	PIONEER ENERGY MANAGEMENT INC. 1134 OGILVIE RD OTTAWA ON K1J 8V1	EXP
Instance No:		9836528			
Instance ID:					
Instance Type:		FS Facility			
Description:					
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:		9/1/1995			
<u>22</u>	2 of 16	NE/160.4	73.6 / 0.74	PIONEER ENERGY MANAGEMENT INC. 1134 OGILVIE RD OTTAWA ON	EXP
Instance No:		10905133			
Instance ID:		50628			
Instance Type:		FS Piping			
Description:		FS Piping			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
<u>22</u>	3 of 16	NE/160.4	73.6 / 0.74	PIONEER ENERGY MANAGEMENT INC. 1134 OGILVIE RD OTTAWA ON	EXP
Instance No:		10905155			
Instance ID:		51355			
Instance Type:		FS Piping			
Description:		FS Piping			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:					
<u>22</u>	4 of 16	NE/160.4	73.6 / 0.74	PIONEER ENERGY MANAGEMENT INC. 1134 OGILVIE RD OTTAWA ON	EXP
Instance No:		10905118			
Instance ID:		52544			
Instance Type:		FS Piping			
Description:		FS Piping			
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Facility Type: Expired Date:					
22	5 of 16	NE/160.4	73.6 / 0.74	PARKLAND FUEL CORPORATION 1134 OGILVIE RD OTTAWA ON K1J 8V1	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		10905127 FS Liquid Fuel Tank Gasoline Active 22730 Fiberglass (FRP) Fiberglass Single Wall UST 1991 FS Gasoline Station - Self Serve FS Liquid Fuel Tank			
22	6 of 16	NE/160.4	73.6 / 0.74	PARKLAND FUEL CORPORATION 1134 OGILVIE RD OTTAWA ON K1J 8V1	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		10905142 FS Liquid Fuel Tank Diesel Active 13630 Fiberglass (FRP) Fiberglass Single Wall UST 1991 FS Gasoline Station - Self Serve FS Liquid Fuel Tank			
22	7 of 16	NE/160.4	73.6 / 0.74	PARKLAND FUEL CORPORATION 1134 OGILVIE RD OTTAWA ON K1J 8V1	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		10905109 FS Liquid Fuel Tank Gasoline Active 45460 Fiberglass (FRP) Fiberglass Single Wall UST 1991 FS Gasoline Station - Self Serve FS Liquid Fuel Tank			
22	8 of 16	NE/160.4	73.6 / 0.74	PIONEER PETROLEUMS MANAGEMENT INC** 1134 OGILVIE RD OTTAWA ON K1J 8V1	FSTH
License Issue Date:		9/27/2002			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tank Status: Licensed Tank Status As Of: August 2007 Operation Type: Retail Fuel Outlet Facility Type: Gasoline Station - Self Serve					
--Details--					
Status:		Active			
Year of Installation:		1991			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1991			
Corrosion Protection:					
Capacity:		22700			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1991			
Corrosion Protection:					
Capacity:		13600			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
22	9 of 16	NE/160.4	73.6 / 0.74	PIONEER PETROLEUMS MANAGEMENT INC** 1134 OGILVIE RD OTTAWA ON	FSTH
License Issue Date: 9/27/2002 Tank Status: Licensed Tank Status As Of: December 2008 Operation Type: Retail Fuel Outlet Facility Type: Gasoline Station - Self Serve					
--Details--					
Status:		Active			
Year of Installation:		1991			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1991			
Corrosion Protection:					
Capacity:		22700			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1991			
Corrosion Protection:					
Capacity:		13600			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
22	10 of 16	NE/160.4	73.6 / 0.74	Pioneer Energy LP 1134 Ogilvie Road Gloucester ON K1J 8V1	GEN
Generator No:		ON5440275		PO Box No:	
Status:				Country:	
Approval Years:		2014		Choice of Contact:	
Contam. Facility:		No		Co Admin:	
				Canada	
				CO_ADMIN	
				Alyssa Santiago	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility: No SIC Code: 447110 SIC Description: 447110 Phone No Admin: 905-567-4444 Ext.1494					
Detail(s)					
Waste Class: 251 Waste Class Desc: OIL SKIMMINGS & SLUDGES Waste Class: 221 Waste Class Desc: LIGHT FUELS					
<u>22</u>	11 of 16	NE/160.4	73.6 / 0.74	C CORP (ONTARIO) INC ATTN ACCOUNTS PAYABLE 1134 OGILVIE RD OTTAWA ON K1J8V1	PRT
Location ID: 11027 Type: retail Expiry Date: 1996-02-28 Capacity (L): 81700 Licence #: 0056442001					
<u>22</u>	12 of 16	NE/160.4	73.6 / 0.74	PIONEER PETROLEUMS 1134 OGILVIE RD OTTAWA ON K1J 8V1	RST
Headcode: 1186800 Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas Phone: 6137418911 List Name: Description:					
<u>22</u>	13 of 16	NE/160.4	73.6 / 0.74	PIONEER PETROLEUMS 1134 OGILVIE RD GLOUCESTER ON K1J 8V1	RST
Headcode: 01186800 Headcode Desc: SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS Phone: List Name: Description:					
<u>22</u>	14 of 16	NE/160.4	73.6 / 0.74	PIONEER PETROLEUMS 1134 OGILVIE RD GLOUCESTER ON K1J8V1	RST
Headcode: 01186800 Headcode Desc: SERVICE STATIONS GASOLINE OIL & NATURAL Phone: 6137418911 List Name: Description:					
<u>22</u>	15 of 16	NE/160.4	73.6 / 0.74	PIONEER PETROLEUMS LTD. 1134 OGILVIE RD GLOUCESTER SERVICE STATION OTTAWA CITY ON K1J 8V1	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ref No:	197240			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	3/28/2001			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	PIPE/HOSE LEAK			Sector Type:	
Incident Event:				Agency Involved:	FD
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Possible			Site Municipality:	20107
Nature of Impact:	Soil contamination			Site Lot:	
Receiving Medium:	Land			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	3/28/2001			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	ERROR			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	PIONEER SERVICE STN: 50 LGASOLINE TO GRND, ERROR, FD CONTAINED, WILL CLEAN.				
Contaminant Qty:					

22	16 of 16	NE/160.4	73.6 / 0.74	Triangle Pump Service Limited 1134 Ogilvie Road Ottawa ON K1J 8V1	SPL
Ref No:	7201-9KX2M7	Discharger Report:			
Site No:	NA	Material Group:			
Incident Dt:	2014/06/09	Health/Env Conseq:			
Year:		Client Type:			
Incident Cause:	Operator/Human error	Sector Type:	Service Station		
Incident Event:		Agency Involved:			
Contaminant Code:	13	Nearest Watercourse:			
Contaminant Name:	DIESEL FUEL	Site Address:	1134 Ogilvie Road		
Contaminant Limit 1:		Site District Office:			
Contam Limit Freq 1:		Site Postal Code:	K1J 8V1		
Contaminant UN No 1:		Site Region:			
Environment Impact:	Possible	Site Municipality:	Ottawa		
Nature of Impact:	Soil Contamination	Site Lot:			
Receiving Medium:		Site Conc:			
Receiving Env:		Northing:			
MOE Response:	No Field Response	Easting:			
Dt MOE Arvl on Scn:		Site Geo Ref Accu:			
MOE Reported Dt:	2014/06/09	Site Map Datum:			
Dt Document Closed:	2014/10/22	SAC Action Class:	Land Spills		
Incident Reason:	Operator/Human Error	Source Type:			
Site Name:	Pioneer Gas STn <UNOFFICIAL>				
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	Pioneer Gas Stn 40L Diesel Cln				
Contaminant Qty:	40 L				

[23](#) 1 of 1 NE/164.6 73.6 / 0.74 ON [WWIS](#)

Well ID: 7224188 **Data Entry Status:**
Construction Date: **Data Src:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		05			
Other Materials:		CLAY			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0.61			
Formation End Depth:		1.22			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006697677			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		1.22			
Formation End Depth:		2.79			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006697682			
Layer:		3			
Plug From:		0.91			
Plug To:		2.79			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006697681			
Layer:		2			
Plug From:		0.3			
Plug To:		0.91			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006697680			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:					
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Pipe ID:		1005235014			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005235018			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.22			
Casing Diameter:		5.2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005235019			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.22			
Screen End Depth:		2.7			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03			
<u>Hole Diameter</u>					
Hole ID:		1005235016			
Diameter:		20.32			
Depth From:		0			
Depth To:		2.79			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
24	1 of 1	WSW/164.8	70.9 / -1.95	lot 27 con 2 ON	WWIS
Well ID:	1501379			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	6/30/1953
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1107
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	027
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10023422			Elevation:	70.191772
DP2BR:	6			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	h			East83:	450375.7
Code OB Desc:	Mixed in a Layer			North83:	5030307
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	5/9/1953			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930991688				
Layer:	2				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	11				
Other Materials:	GRAVEL				
Mat3:	26				
Other Materials:	ROCK				
Formation Top Depth:	6				
Formation End Depth:	12				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930991687				
Layer:	1				
Color:					
General Color:					
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:	05				
Other Materials:	CLAY				
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	6				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930991689				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	15				
Most Common Material:	LIMESTONE				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		12			
Formation End Depth:		69			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571992			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930039728			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		12			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039729			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		69			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501379			
Pump Set At:					
Static Level:		6			
Final Level After Pumping:		20			
Recommended Pump Depth:					
Pumping Rate:		2			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:		CLEAR			
Pumping Test Method:					
		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	N				
<u>Water Details</u>					
Water ID:	933454077				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	69				
Water Found Depth UOM:	ft				
25	1 of 1	NE/166.4	72.8 / 0.02	Ottawa ON	WWIS
Well ID:	7224358			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	7/21/2014
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z189004			Owner:	
Tag:	A164778			Street Name:	1134 OGILVIE RD.
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1004957476			Elevation:	72.374801
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	450655
Code OB Desc:				North83:	5030482
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	6/10/2014			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1005233156				
Layer:	2				
Color:	6				
General Color:	BROWN				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		0.61			
Formation End Depth:		1.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005233157			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Other Materials:		CLAY			
Mat3:		66			
Other Materials:		DENSE			
Formation Top Depth:		1.5			
Formation End Depth:		3.1			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1005233155			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:		77			
Other Materials:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		0.61			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005233166			
Layer:		2			
Plug From:		0.3			
Plug To:		1.22			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005233165			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1005233167			
Layer:		3			
Plug From:		1.22			
Plug To:		3.1			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1005233154			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1005233160			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.5			
Casing Diameter:		5.2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1005233161			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		3.1			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.03			
<u>Hole Diameter</u>					
Hole ID:		1005233158			
Diameter:		15.24			
Depth From:		0			
Depth To:		3.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
26	1 of 1	SE/168.5	70.8 / -1.98	1161 Cyrville Road, Ottawa ON	INC
Incident No:		508558			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident ID:		2664908			
Attribute Category:		FS-Perform L1 Incident Insp			
Status Code:		Causal Analysis Complete			
Incident Location:		1161 Cyrville Road, Ottawa - CO Release			
Drainage System:					
Sub Surface Contam.:					
Aff. Prop. Use Water:					
Contam. Migrated:					
Contact Natural Env.:					
Near Body of Water:					
Approx. Quant. Rel.:					
Equipment Model:		JVS100ND1S			
Serial No:		C01JB0483			
Residential App. Type:		Boiler			
Commercial App. Type:		Not applicable			
Industrial App. Type:		Not applicable			
Institutional App. Type:		Not applicable			
Venting Type:		Natural Draft			
Vent Connector Mater:		C Vent (e.g., Single Wall Vent)			
Vent Chimney Mater:		Liner - Aluminum			
Pipeline Type:					
Pipeline Involved:					
Pipe Material:					
Depth Ground Cover:					
Regulator Location:					
Regulator Type:					
Operation Pressure:					
Liquid Prop Make:					
Liquid Prop Model:					
Liquid Prop Serial No:					
Equipment Type:					
Cylinder Capacity:					
Cylinder Capac. Units:					
Cylinder Material Type:					
Tank Capacity:					
Fuels Occurrence Type:		CO Release			
Fuel Type Involved:		Natural Gas			
Date of Occurrence:		2010/12/31 00:00:00			
Time of Occurrence:		11:52:00			
Occur Insp Start Date:		2011/01/04 00:00:00			
Any Health Impact:		No			
Any Environmental Impact:		No			
Was Service Interrupted:		Yes			
Was Property Damaged:		No			
Operation Type Involved:		Commercial (e.g. restaurant, business unit, etc)			
Enforcement Policy:		NULL			
Prc Escalation Required:		NULL			
Task No:		3184539			
Notes:					
Occurrence Narrative:		Boiler exhaust into building due to torn and blocked chimney liner.			
Tank Material Type:					
Tank Storage Type:					
Tank Location Type:					
Pump Flow Rate Capac:					
Liquid Prop Notes:					

27	1 of 2	SSW/170.1	70.9 / -1.95	1106 Cyrville Ottawa ON	EHS
Order No:		20080815009	Nearest Intersection: Cyrville & Michael Street		
Status:		C	Municipality:		
Report Type:		Complete Report	Client Prov/State: ON		
Report Date:		8/20/2008	Search Radius (km): 0.25		
Date Received:		8/15/2008	X: -75.633756		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Previous Site Name: Lot/Building Size: Additional Info Ordered:				Y: 45.42401 Fire Insur. Maps And /or Site Plans	
27	2 of 2	SSW/170.1	70.9 / -1.95	1106 Cyrville Road Gloucester ON K1J 7S7	EHS
Order No: 20180605148 Status: C Report Type: Standard Report Report Date: 12-JUN-18 Date Received: 05-JUN-18 Previous Site Name: Lot/Building Size: Additional Info Ordered: City Directory				Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -75.633371 Y: 45.423806	
28	1 of 1	SW/177.4	70.9 / -1.95	lot 27 con 2 ON	WWIS
Well ID: 1501397 Construction Date: Primary Water Use: Commerical Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Data Entry Status: Data Src: 1 Date Received: 8/27/1963 Selected Flag: Yes Abandonment Rec: Contractor: 1802 Form Version: 1 Owner: Street Name: County: OTTAWA-CARLETON Municipality: GLOUCESTER TOWNSHIP Site Info: Lot: 027 Concession: 02 Concession Name: OF Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: 10023440 DP2BR: 15 Spatial Status: Code OB: r Code OB Desc: Bedrock Open Hole: Cluster Kind: Date Completed: 7/30/1963 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Elevation: 71.250755 Elevrc: Zone: 18 East83: 450400.7 North83: 5030252 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: p5	
<u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Formation ID:		930991743			
Layer:		3			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		15			
Formation End Depth:		50			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991742			
Layer:		2			
Color:					
General Color:					
Mat1:		14			
Most Common Material:		HARDPAN			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		8			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991741			
Layer:		1			
Color:					
General Color:					
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		8			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		7			
Method Construction:		Diamond			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10572010			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930039765			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		50			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039764			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		24			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501397			
Pump Set At:					
Static Level:		10			
Final Level After Pumping:		50			
Recommended Pump Depth:		45			
Pumping Rate:		4			
Flowing Rate:					
Recommended Pump Rate:		4			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933454099			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		45			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933454098			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		30			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
29	1 of 1	SSW/181.1	70.9 / -1.95	lot 27 con 2 ON	WWIS
Well ID: 7318286				Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	8/31/2018
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No: Z290667				Owner:	
Tag: A154213				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	027
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1007283379				Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	450437
Code OB Desc:				North83:	5030221
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed: 7/10/2018				UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
30	1 of 2	NE/191.2	72.8 / 0.02	ON	BORE
Borehole ID: 615076				Inclin FLG:	No
OGF ID: 215516018				SP Status:	Initial Entry
Status:				Surv Elev:	No
Type: Borehole				Piezometer:	No
Use:				Primary Name:	
Completion Date: AUG-1960				Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.426301
Total Depth m: 24.4				Longitude DD:	-75.630579
Depth Ref: Ground Surface				UTM Zone:	18
Depth Elev:				Easting:	450671
Drill Method:				Northing:	5030502
Orig Ground Elev m: 70.1				Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m: 72.6					
Concession:					
Location D:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Survey D: Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218400344			Mat Consistency:	
Top Depth:	1.5			Material Moisture:	
Bottom Depth:	24.4			Material Texture:	
Material Color:	Red			Non Geo Mat Type:	
Material 1:	Shale			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SHALE. 00046. BEDROCK. 00035 010 WEATHERED. 000100140008910030RED. 000050040 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218400343			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.5			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Soil			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SOIL. BROWN.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 07584 NTS_Sheet:				
Confiden 1:					
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
30	2 of 2	NE/191.2	72.8 / 0.02	lot 26 con 2 ON	WWIS
Well ID:	1501363			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	9/7/1960
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	2311
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	026
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:				Elevation:	72.603462
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	450670.7
Code OB Desc:				North83:	5030502
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:				UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:					930991645
Layer:					2
Color:					
General Color:					
Mat1:					17
Most Common Material:					SHALE
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:					5
Formation End Depth:					80
Formation End Depth UOM:					ft
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:					930991644
Layer:					1
Color:					6
General Color:					BROWN
Mat1:					02
Most Common Material:					TOPSOIL
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:					0
Formation End Depth:					5
Formation End Depth UOM:					ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10571976				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930039695				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	12				
Casing Diameter:	4				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	930039696				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	80				
Casing Diameter:	4				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	991501363				
Pump Set At:					
Static Level:	10				
Final Level After Pumping:	65				
Recommended Pump Depth:	65				
Pumping Rate:	1				
Flowing Rate:					
Recommended Pump Rate:	1				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	N				
<u>Water Details</u>					
Water ID:	933454062				
Layer:	1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		46			
Water Found Depth UOM:		ft			
31	1 of 2	SE/192.2	70.9 / -1.95	ON	BORE
Borehole ID:		615060		Inclin FLG:	No
OGF ID:		215516002		SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:		Borehole		Piezometer:	No
Use:				Primary Name:	
Completion Date:		APR-1955		Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.423869
Total Depth m:		26.2		Longitude DD:	-75.630871
Depth Ref:		Ground Surface		UTM Zone:	18
Depth Elev:				Easting:	450646
Drill Method:				Northing:	5030232
Orig Ground Elev m:		70.1		Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:		70.9			
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:		218400294		Mat Consistency:	
Top Depth:		5.2		Material Moisture:	
Bottom Depth:		6.1		Material Texture:	
Material Color:		Black		Non Geo Mat Type:	
Material 1:		Sand		Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND. BLACK.			
Geology Stratum ID:		218400296		Mat Consistency:	
Top Depth:		16.8		Material Moisture:	
Bottom Depth:		26.2		Material Texture:	
Material Color:		Grey		Non Geo Mat Type:	
Material 1:		Shale		Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SHALE. GREY. 00086CK. 45030RED. 00005004000300540190100 020 00065 022 00115 **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Geology Stratum ID:		218400295		Mat Consistency:	
Top Depth:		6.1		Material Moisture:	
Bottom Depth:		16.8		Material Texture:	
Material Color:		Black		Non Geo Mat Type:	
Material 1:		Shale		Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SHALE. BLACK.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Geology Stratum ID:	218400292			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.9			Material Texture:	
Material Color:	Black			Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		SAND. BLACK.			
Geology Stratum ID:	218400293			Mat Consistency:	
Top Depth:	.9			Material Moisture:	
Bottom Depth:	5.2			Material Texture:	
Material Color:	Grey			Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:		CLAY. GREY.			
 Source					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Ident:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 07568 NTS_Sheet:				
Confiden 1:					
 Source List					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
<hr/>					
31	2 of 2	SE/192.2	70.9 / -1.95	lot 26 con 2 ON	WWIS
Well ID:	1501353			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	5/17/1955
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1107
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	026
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing (Y/N): Flow Rate: Clear/Cloudy:				Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	10023396			Elevation:	70.892524
DP2BR:	20			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	450645.7
Code OB Desc:	Bedrock			North83:	5030232
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	4/13/1955			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930991624				
Layer:	4				
Color:	8				
General Color:	BLACK				
Mat1:	17				
Most Common Material:	SHALE				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	20				
Formation End Depth:	55				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930991625				
Layer:	5				
Color:	2				
General Color:	GREY				
Mat1:	17				
Most Common Material:	SHALE				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	55				
Formation End Depth:	86				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930991622				
Layer:	2				
Color:	2				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		3			
Formation End Depth:		17			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991623			
Layer:		3			
Color:		8			
General Color:		BLACK			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		17			
Formation End Depth:		20			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991621			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		3			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10571966			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing ID:		930039676			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		86			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930039675			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		21			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		991501353			
Pump Set At:					
Static Level:		6			
Final Level After Pumping:		14			
Recommended Pump Depth:					
Pumping Rate:		8			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		N			
 <u>Water Details</u>					
Water ID:		933454052			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		86			
Water Found Depth UOM:		ft			
<hr/>					
32	1 of 3	NNE/193.0	73.9 / 1.05	MANDARIN-OGILVIE RESTAURANT 1137 OGILVIE ROAD GLOUCESTER CITY ON K1J 7P6	CA
Certificate #:		8-4099-93-			
Application Year:		93			
Issue Date:		9/29/1993			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Client City: Client Postal Code: Project Description: RESTAURANT KITCHEN EXHAUST FAN Contaminants: Odour/Fumes Emission Control: Panel Filter					
32	2 of 3	NNE/193.0	73.9 / 1.05	FRESH AIR EXPERIENCE INC. 1137 AGILVIE ROAD GLOUCESTER ON K1J 7P6	GEN
Generator No: ON0960500 Status: Approval Years: 86,87,88,89,90,92,93,97,98 Contam. Facility: MHSW Facility: SIC Code: 0000 SIC Description: *** NOT DEFINED ***					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES					
32	3 of 3	NNE/193.0	73.9 / 1.05	FRESH AIR EXPERIENCE INC. 15-313 1137 AGILVIE ROAD GLOUCESTER ON K1J 7P6	GEN
Generator No: ON0960500 Status: Approval Years: 94,95,96 Contam. Facility: MHSW Facility: SIC Code: 6541 SIC Description: SPORTING GOODS STORE					
PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: 213 Waste Class Desc: PETROLEUM DISTILLATES					
33	1 of 2	W/194.6	71.1 / -1.70	ON	BORE
Borehole ID: 615066 OGF ID: 215516008 Status: Type: Borehole Use: Completion Date: FEB-1957 Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: 27.1 Depth Ref: Ground Surface Depth Elev: Drill Method: Orig Ground Elev m: 70.1 Elev Reliabil Note: DEM Ground Elev m: 69.7 Concession: Location D:					
Inclin FLG: No SP Status: Initial Entry Surv Elev: No Piezometer: No Primary Name: Municipality: Lot: Township: Latitude DD: 45.424927 Longitude DD: -75.634909 UTM Zone: 18 Easting: 450331 Northing: 5030352 Location Accuracy: Accuracy: Not Applicable					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Survey D: Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218400314			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	3			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SILT.				
Geology Stratum ID:	218400317			Mat Consistency:	
Top Depth:	6.7			Material Moisture:	
Bottom Depth:	27.1			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Shale			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SHALE. BROWN. 000894.0 FEET.BEDROCK. 00086CK. 45030RED. 00005004000300540190				**Note: Many records provided by the department have a truncated [Stratum Description] field.
Geology Stratum ID:	218400315			Mat Consistency:	
Top Depth:	3			Material Moisture:	
Bottom Depth:	5.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Sand			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SAND.				
Geology Stratum ID:	218400316			Mat Consistency:	
Top Depth:	5.2			Material Moisture:	
Bottom Depth:	6.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Boulders			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	BOULDERS.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 07574 NTS_Sheet:				
Confiden 1:					
<u>Source List</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				

33	2 of 2	W/194.6	71.1 / -1.70	lot 26 con 1 ON	WWIS
Well ID:	1501136			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	4/8/1957
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3701
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	026
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10023179	Elevation:	69.724128
DP2BR:	22	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	450330.7
Code OB Desc:	Bedrock	North83:	5030352
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	2/12/1957	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	930991066
Layer:	3
Color:	
General Color:	
Mat1:	13
Most Common Material:	BOULDERS
Mat2:	11
Other Materials:	GRAVEL
Mat3:	
Other Materials:	
Formation Top Depth:	17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		22			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991067			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		22			
Formation End Depth:		89			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991064			
Layer:		1			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		10			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991065			
Layer:		2			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		10			
Formation End Depth:		17			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		10571749			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930039265			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		89			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039264			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		32			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501136			
Pump Set At:					
Static Level:		15			
Final Level After Pumping:		30			
Recommended Pump Depth:					
Pumping Rate:		4			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933453824			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		89			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933453823			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	70				
Water Found Depth UOM:	ft				
34	1 of 1	SW/195.2	70.9 / -1.95	lot 27 con 2 ON	WWIS
Well ID:	1501368			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	2/15/1950
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1107
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	027
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10023411			Elevation:	71.341209
DP2BR:	14			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	450380.7
Code OB Desc:	Bedrock			North83:	5030247
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	9/22/1949			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	930991655				
Layer:	1				
Color:	8				
General Color:	BLACK				
Mat1:	02				
Most Common Material:	TOPSOIL				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	6				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991657			
Layer:		3			
Color:		8			
General Color:		BLACK			
Mat1:		19			
Most Common Material:		SLATE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		14			
Formation End Depth:		72			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991656			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		6			
Formation End Depth:		14			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571981			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930039707			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		72			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930039706			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		16			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501368			
Pump Set At:					
Static Level:		12			
Final Level After Pumping:		57			
Recommended Pump Depth:					
Pumping Rate:		8			
Flowing Rate:					
Recommended Pump Rate:		8			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933454066			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		72			
Water Found Depth UOM:		ft			
<u>35</u>	1 of 1	SE/195.4	70.9 / -1.95	lot 26 con 2 ON	WWIS
Well ID:	1501350			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	6/18/1954
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1107
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	026
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate: Clear/Cloudy:				UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	10023393			Elevation:	70.839729
DP2BR:	8			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	450650.7
Code OB Desc:	Bedrock			North83:	5030232
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	3/17/1954			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	930991614				
Layer:	2				
Color:					
General Color:					
Mat1:	19				
Most Common Material:	SLATE				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	8				
Formation End Depth:	60				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	930991613				
Layer:	1				
Color:	8				
General Color:	BLACK				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	11				
Other Materials:	GRAVEL				
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	8				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		10571963			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930039670			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		60			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039669			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		12			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501350			
Pump Set At:					
Static Level:		8			
Final Level After Pumping:		30			
Recommended Pump Depth:					
Pumping Rate:		7			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933454049			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		60			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
36	1 of 1	SSE/198.0	70.9 / -1.93	1150 Cyrville Road Ottawa ON K1J 7S9	EHS
Order No: 20150626087				Nearest Intersection:	
Status: C				Municipality:	
Report Type: Standard Report				Client Prov/State:	ON
Report Date: 06-JUL-15				Search Radius (km):	.25
Date Received: 26-JUN-15				X:	-75.631426
Previous Site Name:				Y:	45.423563
Lot/Building Size:					
Additional Info Ordered:		Title Searches; Topographic Maps; City Directory			
37	1 of 1	SSW/198.3	70.9 / -1.95	lot 27 con 2 ON	WWIS
Well ID: 7318287				Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	8/31/2018
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No: Z290510				Owner:	
Tag: A155757				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	027
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID: 1007283382				Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	450420
Code OB Desc:				North83:	5030211
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed: 7/10/2018				UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
38	1 of 1	NE/199.0	72.9 / 0.05	lot 26 con 2 ON	WWIS
Well ID: 1501355				Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use: Domestic				Date Received:	5/16/1956
Sec. Water Use: 0				Selected Flag:	Yes
Final Well Status: Water Supply				Abandonment Rec:	
Water Type:				Contractor:	2311

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	026
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		10023398		Elevation:	72.792579
DP2BR:		12		Elevrc:	
Spatial Status:				Zone:	18
Code OB:		r		East83:	450680.7
Code OB Desc:		Bedrock		North83:	5030502
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:		5/8/1956		UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930991629			
Layer:		2			
Color:					
General Color:					
Mat1:		26			
Most Common Material:		ROCK			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		12			
Formation End Depth:		75			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930991628			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:		12			
Other Materials:		STONES			
Mat3:					
Other Materials:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:	0				
Formation End Depth:	12				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10571968				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930039680				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	75				
Casing Diameter:	4				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	930039679				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	16				
Casing Diameter:	4				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	991501355				
Pump Set At:					
Static Level:	7				
Final Level After Pumping:	15				
Recommended Pump Depth:					
Pumping Rate:	7				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	N				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933454054			
Layer:		1			
Kind Code:		3			
Kind:		SULPHUR			
Water Found Depth:		70			
Water Found Depth UOM:		ft			
39	1 of 4	NE/200.0	72.9 / 0.05	1150 Chemin Ogilvie Ottawa ON K1J 8V1	EHS
Order No:	20051229028			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State:	ON
Report Date:	1/2/2006			Search Radius (km):	0.25
Date Received:	12/29/2005			X:	-75.630738
Previous Site Name:				Y:	45.426276
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans, City Directory Search				
39	2 of 4	NE/200.0	72.9 / 0.05	6037682 CANADA INC. 1150 OGILVIE ROAD OTTAWA ON K1J 8V1	GEN
Generator No:	ON2090726			PO Box No:	
Status:				Country:	
Approval Years:	03,04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
39	3 of 4	NE/200.0	72.9 / 0.05	6037682 CANADA INC. 1150 OGILVIE RD OTTAWA ON K1J 8V1	GEN
Generator No:	ON1001810			PO Box No:	
Status:				Country:	
Approval Years:	04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
39	4 of 4	NE/200.0	72.9 / 0.05	6037682 Canada Inc. 1150 OGILVIE ROAD OTTAWA ON K1J 8V1	GEN
Generator No:	ON8677710			PO Box No:	
Status:				Country:	
Approval Years:	05			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
<u>Detail(s)</u>					
Waste Class:	252				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		WASTE OILS & LUBRICANTS			
40	1 of 13	NE/202.1	74.0 / 1.13	TROPIC SQUARE LTD 1154 OGILVIE RD GLOUCESTER ON K1J 8V1	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		9841329 FS Facility EXPIRED 3/23/2010 9:23			
40	2 of 13	NE/202.1	74.0 / 1.13	TROPIC SQUARE LTD 1154 OGILVIE RD GLOUCESTER ON	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11292765 76661 FS Liquid Fuel Tank FS Liquid Fuel Tank EXPIRED 			
40	3 of 13	NE/202.1	74.0 / 1.13	TROPIC SQUARE LTD 1154 OGILVIE RD GLOUCESTER ON	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		10762955 37299 FS Liquid Fuel Tank FS Liquid Fuel Tank EXPIRED 			
40	4 of 13	NE/202.1	74.0 / 1.13	TROPIC SQUARE LTD 1154 OGILVIE RD GLOUCESTER ON	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11292792 77532 FS Liquid Fuel Tank FS Liquid Fuel Tank EXPIRED 			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
40	5 of 13	NE/202.1	74.0 / 1.13	TROPIC SQUARE LTD 1154 OGILVIE RD GLOUCESTER ON	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11422193 83287 FS Piping FS Piping EXPIRED			
40	6 of 13	NE/202.1	74.0 / 1.13	TROPIC SQUARE LTD 1154 OGILVIE RD GLOUCESTER ON	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11422176 84055 FS Piping FS Piping EXPIRED			
40	7 of 13	NE/202.1	74.0 / 1.13	TROPIC SQUARE LTD 1154 OGILVIE RD GLOUCESTER ON	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11422150 84057 FS Piping FS Piping EXPIRED			
40	8 of 13	NE/202.1	74.0 / 1.13	TROPIC SQUARE LTD 1154 OGILVIE RD GLOUCESTER ON K1J 8V1	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		10762955 FS Liquid Fuel Tank FS Gasoline Station - Full Serve EXPIRED FS Liquid Fuel Tank 3/18/2010 3:40:24 PM			
40	9 of 13	NE/202.1	74.0 / 1.13	TROPIC SQUARE LTD 1154 OGILVIE RD GLOUCESTER ON K1J 8V1	EXP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Instance No: 11292765 Instance ID: Instance Type: FS Liquid Fuel Tank Description: FS Gasoline Station - Full Serve Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: FS Liquid Fuel Tank Expired Date: 3/18/2010 3:41:18 PM					
40	10 of 13	NE/202.1	74.0 / 1.13	TROPIC SQUARE LTD 1154 OGILVIE RD GLOUCESTER ON K1J 8V1	EXP
Instance No: 11292792 Instance ID: Instance Type: FS Liquid Fuel Tank Description: FS Gasoline Station - Full Serve Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: FS Liquid Fuel Tank Expired Date: 3/18/2010 3:40:51 PM					
40	11 of 13	NE/202.1	74.0 / 1.13	1085091 ONTARIO LTD 1154 OGLIVIE RD GLOUCESTER ON K1J 8V1	PRT
Location ID: 5309 Type: retail Expiry Date: 1995-08-31 Capacity (L): 23097 Licence #: 0076428457					
40	12 of 13	NE/202.1	74.0 / 1.13	TROPIC SQUARE 1154 OGILVIE RD GLOUCESTER ON K1J8V1	RST
Headcode: 1186800 Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas Phone: 6137425552 List Name: Description:					
40	13 of 13	NE/202.1	74.0 / 1.13	FENELON'S GAZ 1154 OGILVIE RD GLOUCESTER ON K1J 8V1	RST
Headcode: 1186800 Headcode Desc: Service Stations-Gasoline, Oil & Natural Gas Phone: 6138429864 List Name: Description:					
41	1 of 1	SW/205.2	70.9 / -1.95	PAUL LEMAY 1155 JOSEPH CYR	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
OTTAWA ON K1J 7T4					
Generator No:	ON2496001			PO Box No:	
Status:				Country:	
Approval Years:	04			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	812990				
SIC Description:	All Other Personal Services				
42	1 of 2	SSE/207.2	70.9 / -1.92	OTTAWA ON	WWIS
Well ID:	7038978			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	1/5/2007
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	1844
Casing Material:				Form Version:	3
Audit No:	Z50526			Owner:	
Tag:	A045173			Street Name:	1150 LURVILLE RD
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:	11761521			Elevation:	71.751884
DP2BR:	7			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	450620
Code OB Desc:	Bedrock			North83:	5030197
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	11/2/2006			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	933086373				
Layer:	4				
Color:	6				
General Color:	BROWN				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	11				
Other Materials:	GRAVEL				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Other Materials:					
Formation Top Depth:		1.2			
Formation End Depth:		2.1			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933086370			
Layer:		1			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		0.1			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933086371			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		84			
Other Materials:		SILTY			
Mat3:					
Other Materials:					
Formation Top Depth:		0.1			
Formation End Depth:		0.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933086374			
Layer:		5			
Color:		8			
General Color:		BLACK			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		71			
Other Materials:		FRACTURED			
Mat3:					
Other Materials:					
Formation Top Depth:		2.1			
Formation End Depth:		6			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933086372			
Layer:		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		11			
Other Materials:		GRAVEL			
Mat3:					
Other Materials:					
Formation Top Depth:		0.5			
Formation End Depth:		1.2			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933310990			
Layer:		1			
Plug From:		0			
Plug To:		0.5			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11769211			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930893715			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		0.5			
Casing Diameter:		51			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		933422412			
Layer:		1			
Slot:		10			
Screen Top Depth:		0.5			
Screen End Depth:		6			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		58			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Hole ID:		11847404			
Diameter:		20			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
42	2 of 2	SSE/207.2	70.9 / -1.92	ON	WWIS
Well ID:	7052171			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	11/9/2007
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Quality			Abandonment Rec:	Yes
Water Type:				Contractor:	6964
Casing Material:				Form Version:	3
Audit No:	Z34877			Owner:	
Tag:	A045173			Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	OTTAWA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	23052171			Elevation:	71.751884
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	450620
Code OB Desc:				North83:	5030197
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	10/10/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	44007342				
Layer:	1				
Plug From:	0				
Plug To:	0.05				
Plug Depth UOM:	m				
 <u>Annular Space/Abandonment Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Plug ID:		44007340			
Layer:		2			
Plug From:		0.05			
Plug To:		0.8			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		44007341			
Layer:		3			
Plug From:		0.8			
Plug To:		6			
Plug Depth UOM:		m			
 <u>Pipe Information</u>					
Pipe ID:		29052171			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Hole Diameter</u>					
Hole ID:		46005722			
Diameter:		5			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
43	1 of 1	SSW/209.4	70.9 / -1.95	1199 Joseph Cyr Street and 1188-1196 Michael Street Gloucester ON K1J 7T1	EHS
Order No:	20181009095			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	15-OCT-18			Search Radius (km):	.25
Date Received:	09-OCT-18			X:	-75.633725
Previous Site Name:				Y:	45.423536
Lot/Building Size:					
Additional Info Ordered:					
<hr/>					
44	1 of 1	NW/210.0	72.9 / 0.05	4297 WELDON DR, OTTAWA ON	INC
Incident No:	1576702				
Incident ID:					
Attribute Category:	FS-Perform L1 Incident Insp				
Status Code:					
Incident Location:	4297 WELDON DR, OTTAWA - CO RELEASE				
Drainage System:					
Sub Surface Contam.:					
Aff. Prop. Use Water:					
Contam. Migrated:					
Contact Natural Env.:					
Near Body of Water:					
Approx. Quant. Rel.:					
Equipment Model:					
Serial No:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Residential App. Type: Commercial App. Type: Industrial App. Type: Institutional App. Type: Venting Type: Vent Connector Mater: Vent Chimney Mater: Pipeline Type: Pipeline Involved: Pipe Material: Depth Ground Cover: Regulator Location: Regulator Type: Operation Pressure: Liquid Prop Make: Liquid Prop Model: Liquid Prop Serial No: Equipment Type: Cylinder Capacity: Cylinder Capac. Units: Cylinder Material Type: Tank Capacity: Fuels Occurrence Type: CO Release Fuel Type Involved: Natural Gas Date of Occurrence: 2015/02/16 00:00:00 Time of Occurrence: 18:21:00 Occur Insp Start Date: 2015/02/18 00:00:00 Any Health Impact: No Any Environmental Impact: No Was Service Interrupted: Yes Was Property Damaged: No Operation Type Involved: Multi-unit Residential Enforcement Policy: NULL Prc Escalation Required: NULL Task No: 5367418 Notes: Occurrence Narrative: CO Release coming from NG fired furnace Tank Material Type: Tank Storage Type: Tank Location Type: Pump Flow Rate Capac: Liquid Prop Notes:					
45	1 of 1	WSW/214.9	70.9 / -1.95	lot 27 con 2 ON	WWIS
Well ID: 1501367 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):					
Data Entry Status: Data Src: 1 Date Received: 2/15/1950 Selected Flag: Yes Abandonment Rec: Contractor: 1107 Form Version: 1 Owner: Street Name: County: OTTAWA-CARLETON Municipality: GLOUCESTER TOWNSHIP Site Info: Lot: 027 Concession: 02 Concession Name: OF Easting NAD83: Northing NAD83: Zone:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate: Clear/Cloudy:				UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID:	10023410			Elevation:	71.021911
DP2BR:	16			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	450340.7
Code OB Desc:	Bedrock			North83:	5030267
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	6/25/1949			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930991652				
Layer:	1				
Color:	8				
General Color:	BLACK				
Mat1:	02				
Most Common Material:	TOPSOIL				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	4				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930991654				
Layer:	3				
Color:	8				
General Color:	BLACK				
Mat1:	19				
Most Common Material:	SLATE				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	16				
Formation End Depth:	117				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	930991653				
Layer:	2				
Color:	3				
General Color:	BLUE				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	4				
Formation End Depth:	16				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10571980				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930039705				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	117				
Casing Diameter:	4				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	930039704				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	18				
Casing Diameter:	4				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	991501367				
Pump Set At:					
Static Level:	16				
Final Level After Pumping:	61				
Recommended Pump Depth:					
Pumping Rate:	8				
Flowing Rate:					
Recommended Pump Rate:	8				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	2				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:		CLOUDY 2 2 0 N			
Water Details					
Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:		933454065 1 1 FRESH 117 ft			
46	1 of 17	SSE/219.0	70.9 / -1.92	1150 Cyrville Road Ottawa ON K1J 7S9	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		20060913026 C Basic Report 9/22/2006 9/13/2006 		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	Cummings Avenue Gloucester ON 0.25 -75.63114 45.423365
46	2 of 17	SSE/219.0	70.9 / -1.92	SINH LAM ULTRAMAR 1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		9989792 FS Facility EXPIRED 4/13/2001			
46	3 of 17	SSE/219.0	70.9 / -1.92	SINH LAM ULTRAMAR 1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11132089 FS Liquid Fuel Tank EXPIRED 4/13/2001			
46	4 of 17	SSE/219.0	70.9 / -1.92	SINH LAM ULTRAMAR 1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	EXP

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Instance No: 11134412 Instance ID: Instance Type: FS Liquid Fuel Tank Description: Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 4/13/2001					
46	5 of 17	SSE/219.0	70.9 / -1.92	SINH LAM ULTRAMAR 1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	EXP
Instance No: 11134435 Instance ID: Instance Type: FS Liquid Fuel Tank Description: Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: 4/13/2001					
46	6 of 17	SSE/219.0	70.9 / -1.92	SINH LAM ULTRAMAR 1150 CYRVILLE RD GLOUCESTER ON	EXP
Instance No: 11134497 Instance ID: 70552 Instance Type: FS Piping Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
46	7 of 17	SSE/219.0	70.9 / -1.92	SINH LAM ULTRAMAR 1150 CYRVILLE RD GLOUCESTER ON	EXP
Instance No: 11134456 Instance ID: 70494 Instance Type: FS Piping Description: FS Piping Status: EXPIRED TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:					
46	8 of 17	SSE/219.0	70.9 / -1.92	SINH LAM ULTRAMAR 1150 CYRVILLE RD GLOUCESTER ON	EXP
Instance No: 11134473 Instance ID: 71251 Instance Type: FS Piping					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		FS Piping EXPIRED			
46	9 of 17	SSE/219.0	70.9 / -1.92	SINH LAM ULTRAMAR 1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11132089 FS Liquid Fuel Tank FS Gasoline Station - Full Serve EXPIRED FS Liquid Fuel Tank 4/13/2001			
46	10 of 17	SSE/219.0	70.9 / -1.92	SINH LAM ULTRAMAR 1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11134435 FS Liquid Fuel Tank FS Gasoline Station - Full Serve EXPIRED FS Liquid Fuel Tank 4/13/2001			
46	11 of 17	SSE/219.0	70.9 / -1.92	SINH LAM ULTRAMAR 1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	EXP
Instance No: Instance ID: Instance Type: Description: Status: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date:		11134412 FS Liquid Fuel Tank FS Gasoline Station - Full Serve EXPIRED FS Liquid Fuel Tank 4/13/2001			
46	12 of 17	SSE/219.0	70.9 / -1.92	Ultramar Ltd. 1150 Cyrville Road Ottawa ON	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code:		ON9345012 06,07,08 447110		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		Gasoline Stations with Convenience Stores			
Detail(s)					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
46	13 of 17	SSE/219.0	70.9 / -1.92	2896893 CANADA INC ULTRAMAR CYRVILLE 1150 CYRVILLE RD GLOUCESTER ON	PRT
Location ID:		20829			
Type:		retail			
Expiry Date:		1996-04-30			
Capacity (L):		95000			
Licence #:		0076385657			
46	14 of 17	SSE/219.0	70.9 / -1.92	ULTRAMAR CYRVILLE 1150 CYRVILLE RD GLOUCESTER ON K1J 7S9	RST
Headcode:		01186800			
Headcode Desc:		SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS			
Phone:					
List Name:					
Description:					
46	15 of 17	SSE/219.0	70.9 / -1.92	ULTRAMAR CYRVILLE 1150 CYRVILLE RD OTTAWA ON K1J 7S9	RST
Headcode:		1186800			
Headcode Desc:		Service Stations-Gasoline, Oil & Natural Gas			
Phone:		6137479325			
List Name:					
Description:					
46	16 of 17	SSE/219.0	70.9 / -1.92	ULTRAMAR CYRVILLE 1150 CYRVILLE RD GLOUCESTER ON K1J7S9	RST
Headcode:		01186800			
Headcode Desc:		SERVICE STATIONS GASOLINE OIL & NATURAL			
Phone:		6137479325			
List Name:					
Description:					
46	17 of 17	SSE/219.0	70.9 / -1.92	Accreditation Canada 1150 Cyrville Rd Gloucester ON K1J 7S9	SCT
Established:		01-JUN-58			
Plant Size (ft²):					
Employment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
--Details--					
Description:		Educational Support Services			
SIC/NAICS Code:		611710			
Description:		Periodical Publishers			
SIC/NAICS Code:		511120			
<hr/>					
47	1 of 1	ENE/221.6	73.9 / 1.05	Ottawa ON	WWIS
Well ID:		7157667		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring and Test Hole		Date Received: 1/14/2011	
Sec. Water Use:		0		Selected Flag: Yes	
Final Well Status:		Monitoring and Test Hole		Abandonment Rec:	
Water Type:				Contractor: 7241	
Casing Material:				Form Version: 7	
Audit No:		Z120906		Owner:	
Tag:		A097242		Street Name: 1162 OGILIVE ROAD	
Construction Method:				County: OTTAWA-CARLETON	
Elevation (m):				Municipality: GLOUCESTER TOWNSHIP	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		1003455872		Elevation: 72.862846	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 18	
Code OB:				East83: 450718	
Code OB Desc:				North83: 5030486	
Open Hole:				Org CS: UTM83	
Cluster Kind:				UTMRC: 3	
Date Completed:		12/8/2010		UTMRC Desc: margin of error : 10 - 30 m	
Remarks:				Location Method: wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003768435			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		28			
Other Materials:		SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:		05			
Other Materials:		CLAY			
Formation Top Depth:		0			
Formation End Depth:		2.44			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1003768436			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		85			
Other Materials:		SOFT			
Mat3:		91			
Other Materials:		WATER-BEARING			
Formation Top Depth:		2.44			
Formation End Depth:		4.27			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003768445			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003768446			
Layer:		2			
Plug From:		0.31			
Plug To:		0.91			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003768447			
Layer:		3			
Plug From:		0.91			
Plug To:		4.27			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1003768434			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003768439			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.22			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003768440			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.22			
Screen End Depth:		4.27			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
<u>Hole Diameter</u>					
Hole ID:		1003768437			
Diameter:		8.25			
Depth From:		0			
Depth To:		4.27			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
48	1 of 1	NE/223.4	73.9 / 1.03	Ottawa ON	WWIS
Well ID:	7157668			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	1/14/2011
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z120905			Owner:	
Tag:	A097240			Street Name:	1182 OGILIVE ROAD
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Bore Hole ID:	1003455874			Elevation:	72.846488
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	450703
Code OB Desc:				North83:	5030513
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	12/8/2010			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003772802				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	11				
Other Materials:	GRAVEL				
Mat3:	05				
Other Materials:	CLAY				
Formation Top Depth:	0				
Formation End Depth:	2.44				
Formation End Depth UOM:	m				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003772803				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	85				
Other Materials:	SOFT				
Mat3:	91				
Other Materials:	WATER-BEARING				
Formation Top Depth:	2.44				
Formation End Depth:	3.1				
Formation End Depth UOM:	m				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1003772804				
Layer:	3				
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Other Materials:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Materials:					
Formation Top Depth:		3.1			
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003772814			
Layer:		2			
Plug From:		0.31			
Plug To:		1.22			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003772815			
Layer:		3			
Plug From:		1.22			
Plug To:		3.1			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003772813			
Layer:		1			
Plug From:		0			
Plug To:		0.31			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1003772801			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003772807			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.5			
Casing Diameter:		4.03			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Screen ID:		1003772808			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		3.1			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.82			
 <u>Hole Diameter</u>					
Hole ID:		1003772805			
Diameter:		8.25			
Depth From:		0			
Depth To:		3.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<hr/>					
49	1 of 1	SW/228.3	70.9 / -1.95	lot 27 con 2 ON	WWIS
Well ID:	1501388			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	7/5/1955
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3701
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	027
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	10023431			Elevation:	71.642883
DP2BR:	17			Elevrc:	
Spatial Status:				Zone:	18
Code OB:	r			East83:	450380.7
Code OB Desc:	Bedrock			North83:	5030202
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	4/7/1955			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991720			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		8			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991722			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		17			
Formation End Depth:		108			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		930991721			
Layer:		2			
Color:					
General Color:					
Mat1:		14			
Most Common Material:		HARDPAN			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		8			
Formation End Depth:		17			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10572001			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No: Comment: Alt Name:	1				
<u>Construction Record - Casing</u>					
Casing ID:	930039747				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	108				
Casing Diameter:	5				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	930039746				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	26				
Casing Diameter:	5				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Results of Well Yield Testing</u>					
Pump Test ID:	991501388				
Pump Set At:					
Static Level:	8				
Final Level After Pumping:	25				
Recommended Pump Depth:					
Pumping Rate:	5				
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	30				
Flowing:	N				
<u>Water Details</u>					
Water ID:	933454087				
Layer:	2				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	100				
Water Found Depth UOM:	ft				
<u>Water Details</u>					
Water ID:	933454088				
Layer:	3				
Kind Code:	1				
Kind:	FRESH				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Found Depth:		108			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933454086			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		75			
Water Found Depth UOM:		ft			
50	1 of 1	NNE/230.4	73.9 / 1.05	lot 25 con 1 ON	WWIS
Well ID:		1501129		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Domestic		Date Received:	12/7/1962
Sec. Water Use:		0		Selected Flag:	Yes
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor:	1504
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	025
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
<u>Bore Hole Information</u>					
Bore Hole ID:		10023172		Elevation:	71.948509
DP2BR:		0		Elevrc:	
Spatial Status:				Zone:	18
Code OB:		r		East83:	450585.7
Code OB Desc:		Bedrock		North83:	5030602
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		10/15/1962		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		930991047			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		19			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Most Common Material:		SLATE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	8				
Formation End Depth:	92				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	930991046				
Layer:	1				
Color:					
General Color:					
Mat1:	17				
Most Common Material:	SHALE				
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:	0				
Formation End Depth:	8				
Formation End Depth UOM:	ft				
 <u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:	10571742				
Casing No:	1				
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:	930039251				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	92				
Casing Diameter:	5				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
 <u>Construction Record - Casing</u>					
Casing ID:	930039250				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	16				
Casing Diameter:	5				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501129			
Pump Set At:					
Static Level:		12			
Final Level After Pumping:		30			
Recommended Pump Depth:		30			
Pumping Rate:		12			
Flowing Rate:					
Recommended Pump Rate:		12			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933453816			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		92			
Water Found Depth UOM:		ft			
51	1 of 1	NE/238.6	73.8 / 0.99	1162 Ogilvie Road Ottawa ON	EHS
Order No:		20101102009		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State:	ON
Report Date:		11/8/2010		Search Radius (km):	0.25
Date Received:		11/2/2010 11:09:01 AM		X:	-75.62996
Previous Site Name:				Y:	45.426433
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans; City Directory			
52	1 of 12	W/240.3	71.6 / -1.26	1427229 ONTARIO INC ATTN JOSEPH T SAAB 1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	FST
Instance No:		11322787			
Cont Name:					
Instance Type:		FS Liquid Fuel Tank			
Fuel Type:		Diesel			
Status:		Active			
Capacity:		22600			
Tank Material:		Fiberglass (FRP)			
Corrosion Protection:		Fiberglass			
Tank Type:		Single Wall UST			
Install Year:		1984			
Parent Facility Type:		FS Gasoline Station - Full Serve			
Facility Type:		FS Liquid Fuel Tank			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
52	2 of 12	W/240.3	71.6 / -1.26	1427229 ONTARIO INC ATTN JOSEPH T SAAB 1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		10762233 FS Liquid Fuel Tank Gasoline Active 22600 Fiberglass (FRP) Fiberglass Single Wall UST 1984 FS Gasoline Station - Full Serve FS Liquid Fuel Tank			
52	3 of 12	W/240.3	71.6 / -1.26	1427229 ONTARIO INC ATTN JOSEPH T SAAB 1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	FST
Instance No: Cont Name: Instance Type: Fuel Type: Status: Capacity: Tank Material: Corrosion Protection: Tank Type: Install Year: Parent Facility Type: Facility Type:		11322762 FS Liquid Fuel Tank Gasoline Active 22600 Fiberglass (FRP) Fiberglass Single Wall UST 1984 FS Gasoline Station - Full Serve FS Liquid Fuel Tank			
52	4 of 12	W/240.3	71.6 / -1.26	1427229 ONTARIO INC ATTN JOSEPH T SAAB 1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	FSTH
License Issue Date: Tank Status: Tank Status As Of: Operation Type: Facility Type:		3/22/2002 Licensed August 2007 Retail Fuel Outlet Gasoline Station - Full Serve			
--Details--					
Status: Year of Installation: Corrosion Protection: Capacity: Tank Fuel Type:		Active 1984 22600 Liquid Fuel Single Wall UST - Gasoline			
Status: Year of Installation: Corrosion Protection: Capacity: Tank Fuel Type:		Active 1984 22600 Liquid Fuel Single Wall UST - Gasoline			
Status: Year of Installation: Corrosion Protection: Capacity: Tank Fuel Type:		Active 1984 22600 Liquid Fuel Single Wall UST - Diesel			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
52	5 of 12	W/240.3	71.6 / -1.26	1427229 ONTARIO INC ATTN JOSEPH T SAAB 1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	FSTH
License Issue Date:		3/22/2002			
Tank Status:		Licensed			
Tank Status As Of:		December 2008			
Operation Type:		Retail Fuel Outlet			
Facility Type:		Gasoline Station - Full Serve			
--Details--					
Status:		Active			
Year of Installation:		1984			
Corrosion Protection:					
Capacity:		22600			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1984			
Corrosion Protection:					
Capacity:		22600			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1984			
Corrosion Protection:					
Capacity:		22600			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Diesel			
52	6 of 12	W/240.3	71.6 / -1.26	JOSEPH T SAAB 1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	PRT
Location ID:		5280			
Type:		retail			
Expiry Date:		1995-04-30			
Capacity (L):		0			
Licence #:		0051652001			
52	7 of 12	W/240.3	71.6 / -1.26	JOE T SAAB 135247 CANADA INC 1057 CYRVILLE RD GLOUCESTER ON	PRT
Location ID:		5280			
Type:		retail			
Expiry Date:		1995-03-31			
Capacity (L):		5000			
Licence #:		0034419001			
52	8 of 12	W/240.3	71.6 / -1.26	SAAB GAS CENTRE 1057 CYRVILLE RD GLOUCESTER ON K1J 7S3	RST
Headcode:		00426100			
Headcode Desc:		DIESEL FUEL			
Phone:					
List Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Description:</i>					
52	9 of 12	W/240.3	71.6 / -1.26	SAAB GAS CENTRE 1057 CYRVILLE RD OTTAWA ON K1J 7S3	RST
<i>Headcode:</i>		1186800			
<i>Headcode Desc:</i>		Service Stations-Gasoline, Oil & Natural Gas			
<i>Phone:</i>		6137451886			
<i>List Name:</i>					
<i>Description:</i>					
52	10 of 12	W/240.3	71.6 / -1.26	SAAB GAS CENTRE 1057 CYRVILLE RD GLOUCESTER ON K1J7S3	RST
<i>Headcode:</i>		00426100			
<i>Headcode Desc:</i>		DIESEL FUEL			
<i>Phone:</i>		6137451886			
<i>List Name:</i>					
<i>Description:</i>					
52	11 of 12	W/240.3	71.6 / -1.26	SAAB GAS CENTRE 1057 CYRVILLE RD GLOUCESTER ON K1J7S3	RST
<i>Headcode:</i>		01070540			
<i>Headcode Desc:</i>		PROPANE GAS TANKS & REFILLING			
<i>Phone:</i>		6137451886			
<i>List Name:</i>		INFO-DIRECT(TM) BUSINESS FILE			
<i>Description:</i>					
52	12 of 12	W/240.3	71.6 / -1.26	SAAB GAS CENTRE 1057 CYRVILLE RD GLOUCESTER ON K1J7S3	RST
<i>Headcode:</i>		00426100			
<i>Headcode Desc:</i>		DIESEL FUEL			
<i>Phone:</i>		6137451886			
<i>List Name:</i>		INFO-DIRECT(TM) BUSINESS FILE			
<i>Description:</i>					
53	1 of 13	ESE/246.1	72.9 / 0.05	1221 Cyrville Rd Ottawa ON	EHS
<i>Order No:</i>		20090227019		<i>Nearest Intersection:</i>	
<i>Status:</i>		C		<i>Municipality:</i>	
<i>Report Type:</i>		Standard Report		<i>Client Prov/State:</i>	
<i>Report Date:</i>		3/6/2009		<i>Search Radius (km):</i>	
<i>Date Received:</i>		2/27/2009		<i>X:</i>	
<i>Previous Site Name:</i>				<i>Y:</i>	
<i>Lot/Building Size:</i>				0.25	
<i>Additional Info Ordered:</i>		Fire Insur. Maps and/or Site Plans		-75.629509	
				45.423917	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
53	2 of 13	ESE/246.1	72.9 / 0.05	1221 Cyrville Rd 500m Well search Ottawa ON	EHS
Order No: 20090227024		Nearest Intersection:			
Status: C		Municipality:			
Report Type: Custom Report		Client Prov/State: ON			
Report Date: 3/6/2009		Search Radius (km): 0.5			
Date Received: 2/27/2009		X: -75.629855			
Previous Site Name:		Y: 45.423445			
Lot/Building Size:					
Additional Info Ordered:					
53	3 of 13	ESE/246.1	72.9 / 0.05	Value Village Stores, Inc. 1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	GEN
Generator No: ON9984876		PO Box No:			
Status:		Country:			
Approval Years: 07,08		Choice of Contact:			
Contam. Facility:		Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code: 448199					
SIC Description: All Other Clothing Stores					
<u>Detail(s)</u>					
Waste Class: 112					
Waste Class Desc: ACID WASTE - HEAVY METALS					
Waste Class: 122					
Waste Class Desc: ALKALINE WASTES - OTHER METALS					
Waste Class: 145					
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES					
Waste Class: 148					
Waste Class Desc: INORGANIC LABORATORY CHEMICALS					
Waste Class: 242					
Waste Class Desc: HALOGENATED PESTICIDES					
Waste Class: 262					
Waste Class Desc: DETERGENTS/SOAPS					
Waste Class: 263					
Waste Class Desc: ORGANIC LABORATORY CHEMICALS					
Waste Class: 331					
Waste Class Desc: WASTE COMPRESSED GASES					
Waste Class: 312					
Waste Class Desc: PATHOLOGICAL WASTES					
53	4 of 13	ESE/246.1	72.9 / 0.05	Value Village Stores, Inc. 1221 Cryville Road Store #2039 Ottawa ON	GEN
Generator No: ON9984876		PO Box No:			
Status:		Country:			
Approval Years: 2009		Choice of Contact:			
Contam. Facility:		Co Admin:			
MHSW Facility:		Phone No Admin:			
SIC Code: 448199					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		All Other Clothing Stores			
<u>Detail(s)</u>					
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			

53	5 of 13	ESE/246.1	72.9 / 0.05	Value Village Stores, Inc. 1221 Cryville Road Store #2039 Ottawa ON	GEN
Generator No:	ON9984876			PO Box No:	
Status:				Country:	
Approval Years:	2010			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	448199				
SIC Description:	All Other Clothing Stores				

<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			

53	6 of 13	ESE/246.1	72.9 / 0.05	Value Village Stores, Inc. 1221 Cryville Road Store #2039 Ottawa ON	GEN
Generator No:	ON9984876			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	448199				
SIC Description:	All Other Clothing Stores				

Detail(s)

Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	331
Waste Class Desc:	WASTE COMPRESSED GASES
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES
Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	262
Waste Class Desc:	DETERGENTS/SOAPS
Waste Class:	122
Waste Class Desc:	ALKALINE WASTES - OTHER METALS
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	242
Waste Class Desc:	HALOGENATED PESTICIDES

53	7 of 13	ESE/246.1	72.9 / 0.05	Value Village Stores 1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	GEN
Generator No:	ON9984876			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	448199				
SIC Description:	All Other Clothing Stores				

Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			

53	8 of 13	ESE/246.1	72.9 / 0.05	Value Village Stores 1221 Cryville Road Store #2039 Ottawa ON	GEN
Generator No:	ON9984876			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	448199				
SIC Description:	ALL OTHER CLOTHING STORES				

Detail(s)

Waste Class:	148
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS
Waste Class:	145
Waste Class Desc:	PAINT/PIGMENT/COATING RESIDUES
Waste Class:	261
Waste Class Desc:	PHARMACEUTICALS
Waste Class:	262
Waste Class Desc:	DETERGENTS/SOAPS
Waste Class:	263
Waste Class Desc:	ORGANIC LABORATORY CHEMICALS
Waste Class:	112
Waste Class Desc:	ACID WASTE - HEAVY METALS
Waste Class:	312
Waste Class Desc:	PATHOLOGICAL WASTES
Waste Class:	331

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
53	9 of 13	ESE/246.1	72.9 / 0.05	Value Village Stores 1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	GEN
Generator No:		ON9984876		PO Box No:	
Status:				Country: Canada	
Approval Years:		2016		Choice of Contact: CO_OFFICIAL	
Contam. Facility:		No		Co Admin:	
MHSW Facility:		No		Phone No Admin:	
SIC Code:		448199			
SIC Description:		ALL OTHER CLOTHING STORES			
<u>Detail(s)</u>					
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		269			
Waste Class Desc:		NON-HALOGENATED PESTICIDES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		146			
Waste Class Desc:		OTHER SPECIFIED INORGANICS			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
53	10 of 13	ESE/246.1	72.9 / 0.05	Value Village Stores 1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	GEN
Generator No:		ON9984876		PO Box No:	
Status:				Country: Canada	
Approval Years:		2015		Choice of Contact: CO_OFFICIAL	
Contam. Facility:		No		Co Admin:	
MHSW Facility:		No		Phone No Admin:	
SIC Code:		448199			
SIC Description:		ALL OTHER CLOTHING STORES			
<u>Detail(s)</u>					
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
Waste Class:		331			
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			

53	11 of 13	ESE/246.1	72.9 / 0.05	Value Village Stores 1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	GEN
<hr/>					
Generator No:		ON9984876	PO Box No:		
Status:			Country:		Canada
Approval Years:		2014	Choice of Contact:		CO_OFFICIAL
Contam. Facility:		No	Co Admin:		
MHSW Facility:		No	Phone No Admin:		
SIC Code:		448199			
SIC Description:		ALL OTHER CLOTHING STORES			
<hr/>					
<u>Detail(s)</u>					
Waste Class:		263			
Waste Class Desc:		ORGANIC LABORATORY CHEMICALS			
Waste Class:		331			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		WASTE COMPRESSED GASES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			
Waste Class:		262			
Waste Class Desc:		DETERGENTS/SOAPS			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		242			
Waste Class Desc:		HALOGENATED PESTICIDES			
Waste Class:		122			
Waste Class Desc:		ALKALINE WASTES - OTHER METALS			
Waste Class:		112			
Waste Class Desc:		ACID WASTE - HEAVY METALS			
53	12 of 13	ESE/246.1	72.9 / 0.05	Value Village Stores 1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	GEN
Generator No:		ON9984876		PO Box No:	
Status:		Registered		Country: Canada	
Approval Years:		As of Dec 2018		Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:		112 C			
Waste Class Desc:		Acid solutions - containing heavy metals			
Waste Class:		122 C			
Waste Class Desc:		Alkaline slutions - containing other metals and non-metals (not cyanide)			
Waste Class:		145 I			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		145 L			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		146 T			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
Waste Class:		148 A			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		148 C			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		148 I			
Waste Class Desc:		Misc. wastes and inorganic chemicals			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Desc:		212 I Aliphatic solvents and residues			
Waste Class: Waste Class Desc:		212 L Aliphatic solvents and residues			
Waste Class: Waste Class Desc:		242 L Halogenated pesticides and herbicides			
Waste Class: Waste Class Desc:		242 T Halogenated pesticides and herbicides			
Waste Class: Waste Class Desc:		252 L Waste crankcase oils and lubricants			
Waste Class: Waste Class Desc:		261 A Pharmaceuticals			
Waste Class: Waste Class Desc:		261 I Pharmaceuticals			
Waste Class: Waste Class Desc:		261 L Pharmaceuticals			
Waste Class: Waste Class Desc:		262 C Detergents and soaps			
Waste Class: Waste Class Desc:		262 L Detergents and soaps			
Waste Class: Waste Class Desc:		263 A Misc. waste organic chemicals			
Waste Class: Waste Class Desc:		263 I Misc. waste organic chemicals			
Waste Class: Waste Class Desc:		263 L Misc. waste organic chemicals			
Waste Class: Waste Class Desc:		269 L Organic non-halogenated pesticide and herbicide wastes			
Waste Class: Waste Class Desc:		269 T Organic non-halogenated pesticide and herbicide wastes			
Waste Class: Waste Class Desc:		312 P Pathological wastes			
Waste Class: Waste Class Desc:		331 I Waste compressed gases including cylinders			
Waste Class: Waste Class Desc:		331 L Waste compressed gases including cylinders			
53	13 of 13	ESE/246.1	72.9 / 0.05	Value Village Stores 1221 Cryville Road Store #2039 Ottawa ON K1J 7S8	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON9984876 Registered As of Jul 2019			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		212 I			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		242 L			
Waste Class Desc:		Halogenated pesticides and herbicides			
Waste Class:		122 C			
Waste Class Desc:		Alkaline slutions - containing other metals and non-metals (not cyanide)			
Waste Class:		261 L			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		331 L			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		252 L			
Waste Class Desc:		Waste crankcase oils and lubricants			
Waste Class:		269 L			
Waste Class Desc:		Organic non-halogenated pesticide and herbicide wastes			
Waste Class:		145 L			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
Waste Class:		148 I			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		242 T			
Waste Class Desc:		Halogenated pesticides and herbicides			
Waste Class:		263 L			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		112 C			
Waste Class Desc:		Acid solutions - containing heavy metals			
Waste Class:		145 I			
Waste Class Desc:		Wastes from the use of pigments, coatings and paints			
Waste Class:		269 T			
Waste Class Desc:		Organic non-halogenated pesticide and herbicide wastes			
Waste Class:		263 A			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		263 I			
Waste Class Desc:		Misc. waste organic chemicals			
Waste Class:		331 I			
Waste Class Desc:		Waste compressed gases including cylinders			
Waste Class:		262 C			
Waste Class Desc:		Detergents and soaps			
Waste Class:		261 A			
Waste Class Desc:		Pharmaceuticals			
Waste Class:		148 A			
Waste Class Desc:		Misc. wastes and inorganic chemicals			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Class:		146 T			
Waste Class Desc:		Other specified inorganic sludges, slurries or solids			
Waste Class:		148 C			
Waste Class Desc:		Misc. wastes and inorganic chemicals			
Waste Class:		262 L			
Waste Class Desc:		Detergents and soaps			
Waste Class:		212 L			
Waste Class Desc:		Aliphatic solvents and residues			
Waste Class:		261 I			
Waste Class Desc:		Pharmaceuticals			
<hr/>					
54	1 of 2	SE/247.1	70.9 / -1.95	Queensway Corporate Campus, Phase 2 1160 Cyrville Road Ottawa ON K1J 7S9	CA
Certificate #:		7096-5B5PWK			
Application Year:		02			
Issue Date:		6/15/02			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:		New Certificate of Approval			
Client Name:		Ottawa Community Care Access Centre			
Client Address:		100-1160 Cyrville Road			
Client City:		Ottawa			
Client Postal Code:		K1J 7S9			
Project Description:		Install 60kW gas fired emergency generator			
Contaminants:					
Emission Control:					
<hr/>					
54	2 of 2	SE/247.1	70.9 / -1.95	Ottawa Community Care Access Centre 1160 Cyrville Rd Ottawa ON K1J 7S9	ECA
Approval No:		7096-5B5PWK		MOE District:	
Approval Date:		2002-06-15		City:	
Status:		Approved		Longitude:	
Record Type:		ECA		Latitude:	
Link Source:		IDS		Geometry X:	
SWP Area Name:				Geometry Y:	
Approval Type:		ECA-AIR			
Project Type:		AIR			
Address:		1160 Cyrville Rd			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/1324-5ATN3C-14.pdf			
<hr/>					
55	1 of 1	S/247.1	70.9 / -1.95	1195 MICHAEL STREET, OTTAWA ON	INC
Incident No:		2023522			
Incident ID:					
Attribute Category:		FS-Perform L1 Incident Insp			
Status Code:					
Incident Location:		1195 MICHAEL STREET, OTTAWA - CO RELEASE			
Drainage System:					
Sub Surface Contam.:					
Aff. Prop. Use Water:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Migrated: Contact Natural Env.: Near Body of Water: Approx. Quant. Rel.: Equipment Model: Serial No: Residential App. Type: Commercial App. Type: Industrial App. Type: Institutional App. Type: Venting Type: Vent Connector Mater: Vent Chimney Mater: Pipeline Type: Pipeline Involved: Pipe Material: Depth Ground Cover: Regulator Location: Regulator Type: Operation Pressure: Liquid Prop Make: Liquid Prop Model: Liquid Prop Serial No: Equipment Type: Cylinder Capacity: Cylinder Capac. Units: Cylinder Material Type: Tank Capacity: Fuels Occurrence Type: Fuel Type Involved: Date of Occurrence: Time of Occurrence: Occur Insp Start Date: Any Health Impact: Any Environmental Impact: Was Service Interrupted: Was Property Damaged: Operation Type Involved: Enforcement Policy: Prc Escalation Required: Task No: Notes: Occurrence Narrative: Tank Material Type: Tank Storage Type: Tank Location Type: Pump Flow Rate Capac: Liquid Prop Notes:					
		CO Release			
		Natural Gas			
		2017/02/09 00:00:00			
		11:00:00			
		2017/02/09 00:00:00			
		No			
		No			
		Yes			
		No			
		Commercial (e.g. restaurant, business unit, etc)			
		NULL			
		NULL			
		6628234			
		Carbon Monoxide entering building from roof top gas furnace.			

56	1 of 2	E/248.1	74.0 / 1.16	ON	BORE
Borehole ID:	615068			Inclin FLG:	No
OGF ID:	215516010			SP Status:	Initial Entry
Status:				Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:				Primary Name:	
Completion Date:	SEP-1951			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	45.425048
Total Depth m:	41.1			Longitude DD:	-75.629286
Depth Ref:	Ground Surface			UTM Zone:	18
Depth Elev:				Easting:	450771

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Drill Method:				Northing:	5030362
Orig Ground Elev m:	70.1			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	70.8				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218400321			Mat Consistency:	
Top Depth:	4			Material Moisture:	
Bottom Depth:	41.1			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Shale			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	SHALE. N. SHALE. BROWN. 000894.0 FEET.BEDROCK. 00086CK. 45030RED. 00 **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	218400320			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Clay			Geologic Formation:	
Material 2:				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	CLAY.				
<u>Source</u>					
Source Type:	Data Survey			Source Appl:	Spatial/Tabular
Source Orig:	Geological Survey of Canada			Source Iden:	1
Source Date:	1956-1972			Scale or Res:	Varies
Confidence:				Horizontal:	NAD27
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Details:	File: OTTAWA2.txt RecordID: 07576 NTS_Sheet:				
Confiden 1:					
<u>Source List</u>					
Source Identifier:	1			Horizontal Datum:	NAD27
Source Type:	Data Survey			Vertical Datum:	Mean Average Sea Level
Source Date:	1956-1972			Projection Name:	Universal Transverse Mercator
Scale or Resolution:	Varies				
Source Name:	Urban Geology Automated Information System (UGAIS)				
Source Originators:	Geological Survey of Canada				
56	2 of 2	E/248.1	74.0 / 1.16	lot 26 con 2 ON	WWIS
Well ID:	1501344			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Commerical			Date Received:	3/31/1952
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:				Contractor:	5448
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	OTTAWA-CARLETON
Elevation (m):				Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	026
Well Depth:				Concession:	02
Overburden/Bedrock:				Concession Name:	OF
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Bore Hole Information

Bore Hole ID:	10023387	Elevation:	70.813758
DP2BR:	13	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	450770.7
Code OB Desc:	Bedrock	North83:	5030362
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	9/4/1951	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	930991597
Layer:	2
Color:	
General Color:	
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	13
Formation End Depth:	135
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	930991596
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Other Materials:	
Mat3:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		13			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10571957			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930039658			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		135			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930039657			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		25			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501344			
Pump Set At:					
Static Level:		20			
Final Level After Pumping:		50			
Recommended Pump Depth:					
Pumping Rate:		3			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		N			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Details					
Water ID:	933454043				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	135				
Water Found Depth UOM:	ft				
57	1 of 2	WSW/249.3	70.9 / -1.95	1040 OGILVIE RD, OTTAWA ON	PINC
Incident ID:				Health Impact:	
Incident No:	1933230			Environment Impact:	
Type:	FS-Pipeline Incident			Property Damage:	Yes
Status Code:	Pipeline Damage Reason Est			Service Interrupt:	
Fuel Occurrence Tp:				Enforce Policy:	Yes
Fuel Type:				Public Relation:	
Tank Status:	RC Established			Pipeline System:	
Task No:	6307930			Depth:	
Spills Action Centre:				Pipe Material:	
Method Details:	E-mail			PSIG:	
Fuel Category:	Natural Gas			Attribute Category:	FS-Perform P-line Inc Invest
Date of Occurrence:				Regulator Location:	
Occurrence Start Date:	2016/09/14				
Operation Type:					
Pipeline Type:					
Regulator Type:					
Summary:	1040 OGILVIE RD, OTTAWA - PIPELINE HIT - 1 ¼"				
Reported By:	Bernie Monette - ENBRIDGE				
Affiliation:					
Occurrence Desc:					
Damage Reason:	Excavation practices not sufficient				
Notes:					
57	2 of 2	WSW/249.3	70.9 / -1.95	1040 Ogilvie Rd Ottawa ON	SPL
Ref No:	7018-ADCNS8			Discharger Report:	
Site No:	NA			Material Group:	
Incident Dt:	8/31/2016			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:				Sector Type:	Miscellaneous Communal
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	35			Nearest Watercourse:	
Contaminant Name:	METHANE GAS, COMPRESSED (NATURAL GAS)			Site Address:	1040 Ogilvie Rd
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality:	Ottawa
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Air			Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	8/31/2016			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill
Incident Reason:	Operator/Human Error			Source Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:		tssa<UNOFFICIAL> TSSA 1040 Ogilvie Rd line strike made safe 1 number (count)			
58	1 of 11	W/249.4	71.9 / -0.95	RioKim Holdings (Ontario) Inc. 1021 Cyrville Road Ottawa ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		0488-6C5MLJ 2005 5/10/2005 Municipal and Private Sewage Works Approved			
58	2 of 11	W/249.4	71.9 / -0.95	RioKim Holdings (Ontario) Inc. 1021 Cyrville Road Ottawa ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		7080-6DTNEZ 2005 6/29/2005 Municipal and Private Sewage Works Approved			
58	3 of 11	W/249.4	71.9 / -0.95	RioKim Holdings (Ontario) Inc. 1021 Cyrville Road Ottawa ON	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Address: Full Address: Full PDF Link:		6180-6C5MSY 2005-05-10 Approved ECA IDS Rideau Valley ECA-Municipal Drinking Water Systems Municipal Drinking Water Systems 1021 Cyrville Road		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	Ottawa -75.63683999999999 45.426204999999996

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
58	4 of 11	W/249.4	71.9 / -0.95	RioKim Holdings (Ontario) Inc. 1021 Cyrville Road Ottawa ON	ECA
<div> <div> Approval No: 0488-6C5MLJ Approval Date: 2005-05-10 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Address: 1021 Cyrville Road Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3434-6C3QRA-14.pdf </div> <div> MOE District: Ottawa City: Longitude: -75.63683999999999 Latitude: 45.426204999999996 Geometry X: Geometry Y: </div> </div>					
58	5 of 11	W/249.4	71.9 / -0.95	RioKim Holdings (Ontario) Inc. 1021 Cyrville Road Ottawa ON	ECA
<div> <div> Approval No: 7080-6DTNEZ Approval Date: 2005-06-29 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Rideau Valley Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Address: 1021 Cyrville Road Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/9368-6B8LUL-14.pdf </div> <div> MOE District: Ottawa City: Longitude: -75.63683999999999 Latitude: 45.426204999999996 Geometry X: Geometry Y: </div> </div>					
58	6 of 11	W/249.4	71.9 / -0.95	METRO ONTARIO INC O/A METRO/FOOD BASICS # 896 1021 CYRVILLE ROAD, UNIT 1 OTTAWA ON K1J7S3	PES
<div> <div> Detail Licence No: Licence No: Status: Approval Date: Report Source: Licence Type: Vendor Licence Type Code: Licence Class: Licence Control: Latitude: Longitude: Lot: Concession: Region: District: County: Trade Name: PDF Link: </div> <div> Operator Box: Operator Class: Operator No: Operator Type: Oper Area Code: Oper Phone No: Operator Ext: Operator Lot: Oper Concession: Operator Region: Operator District: Operator County: Op Municipality: Post Office Box: MOE District: SWP Area Name: </div> </div>					
58	7 of 11	W/249.4	71.9 / -0.95	METRO ONTARIO INC O/A METRO/FOOD BASICS # 896 1021 Cyrville Road, Unit 1 Ottawa ON K1J 7S3	PES

183 erisinfo.com | Environmental Risk Information Services Order No: 20190813196

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	 6/9/2006 Other - Reason not otherwise defined 1021 CYRVILLE RD. Oil spill on gnd: 1021 Cyrville Rd, Ottawa 754 L			Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	

58	10 of 11	W/249.4	71.9 / -0.95	Metro Ontario Incorporated 1021 Cyrville Road Ottawa ON K1J 7S3	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	 1354-8B2RX7 Unknown 13 DIESEL FUEL Not Anticipated No Field Response 11/9/2010 11/12/2010 Other - Reason not otherwise defined Food Basics 1021 Cyrville Road<UNOFFICIAL> Food basics, truck spilled diesel 9 L			Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	Land Spills

58	11 of 11	W/249.4	71.9 / -0.95	Metro Ontario Incorporated 1021 Cyrville Road Ottawa ON K1J 7S3	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response:	 8/23/2015 38 REFRIGERANT GAS, N.O.S. No			Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting:	Miscellaneous Industrial 1021 Cyrville Road K1J 7S3 Ottawa

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Dt MOE Arvl on Scn: MOE Reported Dt: 8/23/2015 Dt Document Closed: 11/24/2015 Incident Reason: Equipment Failure Site Name: Food Basics<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Food Basics 250 pounds of R404A to atm Contaminant Qty: 250 lb					
Site Geo Ref Accu: Site Map Datum: SAC Action Class: Air Spills - Gases and Vapours Source Type:					
59	1 of 1	WSW/249.5	70.9 / -1.95	lot 26 con 1 ON	WWIS
Well ID: 1501138 Construction Date: Primary Water Use: Domestic Sec. Water Use: 0 Final Well Status: Water Supply Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: 1 Date Received: 11/26/1952 Selected Flag: Yes Abandonment Rec: Contractor: 3725 Form Version: 1 Owner: Street Name: County: OTTAWA-CARLETON Municipality: GLOUCESTER TOWNSHIP Site Info: Lot: 026 Concession: 01 Concession Name: OF Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
<u>Bore Hole Information</u>					
Bore Hole ID: 10023181 DP2BR: 12 Spatial Status: Code OB: r Code OB Desc: Bedrock Open Hole: Cluster Kind: Date Completed: 7/2/1952 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: 69.484146 Elevrc: Zone: 18 East83: 450280.7 North83: 5030322 Org CS: UTMRC: 9 UTMRC Desc: unknown UTM Location Method: p9					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 930991071 Layer: 1 Color: General Color: Mat1: 05 Most Common Material: CLAY Mat2: 13					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Other Materials:		BOULDERS			
Mat3:					
Other Materials:					
Formation Top Depth:		0			
Formation End Depth:		12			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		930991072			
Layer:		2			
Color:		8			
General Color:		BLACK			
Mat1:		15			
Most Common Material:		LIMESTONE			
Mat2:					
Other Materials:					
Mat3:					
Other Materials:					
Formation Top Depth:		12			
Formation End Depth:		65			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:					
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		10571751			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930039269			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		65			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930039268			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		42			
Casing Diameter:		4			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Results of Well Yield Testing</u>					
Pump Test ID:		991501138			
Pump Set At:					
Static Level:		8			
Final Level After Pumping:		12			
Recommended Pump Depth:					
Pumping Rate:		3			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		N			
<u>Water Details</u>					
Water ID:		933453826			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40			
Water Found Depth UOM:		ft			

Unplottable Summary

Total: 72 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	CARL W. MADIGAN	CUMMINGS AVE.	GLOUCESTER CITY ON	
CA	CARL W. MADIGAN	CUMMINGS AVE.	GLOUCESTER CITY ON	
CA	CITY	CUMMINGS AVE.	GLOUCESTER CITY ON	
CA	CARL W. MADIGAN	CUMMINGS AVE.	GLOUCESTER CITY ON	
CA	670669 ONTARIO LTD.	CUMMINGS AVE. NON PROFIT HOUS	GLOUCESTER CITY ON	
CA	670669 ONTARIO LTD.	CUMMINGS AVE. NON PROFIT HOUSI	GLOUCESTER CITY ON	
CA	CANADA MORTGAGE & HOUSING CORP.	CYRVILLE DRAIN/OGILVIE RD.	GLOUCESTER CITY ON	
CA	RIOTRIN PROPERTIES (GLOUCESTER) INC.	CYRVILLE RD.,TRINITY PLAZA,SWM	GLOUCESTER CITY ON	
CA		Cyrville Area, Michael Street	Gloucester ON	
CA	City of Ottawa	Cyrville Road	Ottawa ON	
CA	BEAUFORT BUILDING INC.	E. S. OF CUMMINGS AVE.	GLOUCESTER CITY ON	
CA	Triangle Pump Service Limited	Mobile Unit	Ottawa ON	
CA	EASTERN ONTARIO LAND TRUST INC.	OGILVIE RD.	GLOUCESTER CITY ON	
CA	EASTERN ONTARIO LAND TRUST INC.	OGILVIE RD.	GLOUCESTER CITY ON	
CA		Ogilvie Rd., Part of Rd. Allowance	Gloucester ON	
CA	MORRIS MELAMED - PRIVATE LOT	PONDING AREA ON CYRVILLE ROAD	GLOUCESTER CITY ON	
CA	CARL W. MADIGAN	CUMMINGS AVE.	GLOUCESTER CITY ON	
CA	GLOUCESTER CITY	CUMMINGS AVE	GLOUCESTER CITY ON	

EBR	Triangle Pump Service Limited	Mobile Unit Ottawa CITY OF OTTAWA	ON	
ECA	Ultramar Ltd.	Part 1, Reference Plan 4R-23561	Ottawa ON	H3A 3L3
ECA	Corporation of the City of Gloucester	Cyrville Area, Michael Street	Gloucester ON	K1G 3V5
ECA	Triangle Pump Service Limited	Mobile Unit	Ottawa ON	K1T 3V6
EXP	DESCHENES CONSTRUCTION (ONTARIO) LTD	DOMTAR R BOYCEQUARRY LOT 25	GLOUCESTER TWP ON	P0G 1K0
EXP	DESCHENES CONSTRUCTION (ONTARIO) LTD	DOMTAR R BOYCEQUARRY LOT 25	GLOUCESTER TWP ON	P0G 1K0
EXP	DESCHENES CONSTRUCTION (ONTARIO) LTD	DOMTAR R BOYCEQUARRY LOT 25	GLOUCESTER TWP ON	P0G 1K0
EXP	DESCHENES CONSTRUCTION (ONTARIO) LTD	DOMTAR R BOYCE QUARRY LOT 25	GLOUCESTER TWP ON	
EXP	DESCHENES CONSTRUCTION (ONTARIO) LTD	DOMTAR R BOYCE QUARRY LOT 25	GLOUCESTER TWP ON	
EXP	DESCHENES CONSTRUCTION (ONTARIO) LTD	DOMTAR R BOYCE QUARRY LOT 25	GLOUCESTER TWP ON	P0G 1K0
EXP	DESCHENES CONSTRUCTION (ONTARIO) LTD	DOMTAR R BOYCE QUARRY LOT 25	GLOUCESTER TWP ON	P0G 1K0
EXP	DESCHENES CONSTRUCTION (ONTARIO) LTD	DOMTAR R BOYCE QUARRY LOT 25	GLOUCESTER TWP ON	
EXP	DESCHENES CONSTRUCTION (ONTARIO) LTD	DOMTAR R BOYCE QUARRY LOT 25	GLOUCESTER TWP ON	P0G 1K0
EXP	DESCHENES CONSTRUCTION (ONTARIO) LTD	DOMTAR R BOYCE QUARRY LOT 25	GLOUCESTER TWP ON	
EXP	DESCHENES CONSTRUCTION (ONTARIO) LTD	DOMTAR R BOYCE QUARRY LOT 25	GLOUCESTER TWP ON	P0G 1K0
EXP	DESCHENES CONSTRUCTION (ONTARIO) LTD	DOMTAR R BOYCE QUARRY LOT 25	GLOUCESTER TWP ON	P0G 1K0
GEN	NATIONAL CAPITAL COMMISSION	LOT 25,26,27	OTTAWA ON	K1P 1C7
GEN	FirstCanada ULC	CYRVILLE RD RIGHT OF WAY 185 METERS SOUTH OF INNES ROAD	OTTAWA ON	
GEN	FirstCanada ULC	CYRVILLE RD RIGHT OF WAY 185 METERS SOUTH OF INNES ROAD	OTTAWA ON	
GEN	FirstCanada ULC	CYRVILLE RD RIGHT OF WAY 185 METERS SOUTH OF INNES ROAD	OTTAWA ON	
GEN	FirstCanada ULC	CYRVILLE RD RIGHT OF WAY 185 METERS SOUTH OF INNES ROAD	OTTAWA ON	K1B 1A9
RST	ULTRAMAR LTÉE	OTTAWA	OTTAWA ON	
SPL	OLRT Constructors	West of Michael St. and East of St. Laurent	Ottawa ON	
SPL	ST. LAURENT FRUIT AND VEGETABL	MICHAEL STREET AT RAILWAY TRACKS OTTAWA PLANT	OTTAWA CITY ON	

SPL	City of Ottawa	Ogilvie rd @ Elmlea	Ottawa ON
SPL	BUS	OGILVIE RD. & OTHERS MOTOR VEHICLE (OPERATING FLUID)	GLOUCESTER CITY ON
SPL	OTTAWA-CARLETON, R.M. OF	OGILVIE RD NEAR JASMINE SCHOOL MOTOR VEHICLE (OPERATING FLUID)	OTTAWA CITY ON
SPL	UNKNOWN	MICHAEL STREEN NORTH, NORTH OF RAILROAD TRACKS AT CREEK	OTTAWA CITY ON
SPL	OTTAWA-CARLETON, R.M. OF	MICHAEL ST, BEHIND MICHAEL ST SNOW DUMP SANITARY SEWER SYSTEM	OTTAWA CITY ON
SPL	SUNY'S GAS STATION	MICHAEL ST CREEK, AT SUNY'S SERVICE STATION, 1515 ST LAURENT (AT BELFAST)	OTTAWA CITY ON
SPL	UNKNOWN	MICHAEL CREEK (SEWER OUTFALL AT ST LAURENT BLVD)	OTTAWA CITY ON
SPL	UNKNOWN	DITCH RUNNING OFF MICHAEL ST AT ST. LAURENT BLVD.	OTTAWA CITY ON
SPL	O.C. TRANSPOR	CYRVILLE RD. ACROSS FROM HOME DEPOT OTTAWA SITE 1500 ST. LAURENT BOULEVARD	OTTAWA CITY ON
SPL	CAR DEALERSHIP	CYRVILLE RD, PARKING LOT FOR USED CARS. MOTOR VEHICLE (OPERATING FLUID)	GLOUCESTER CITY ON
SPL	Triangle Pump Service Limited		Ottawa ON
SPL	UNKNOWN	CREEK/OUTFALL ON MICHAEL STREET	GLOUCESTER CITY ON
SPL	Eric Olmsted<UNOFFICIAL>	At Cummings Ave	Ottawa ON
WWIS		con 1	ON
WWIS		lot 27	ON
WWIS		lot 27	ON
WWIS		lot 27	ON
WWIS		lot 27	ON
WWIS		lot 27	ON
WWIS		lot 27	ON
WWIS		lot 26	ON
WWIS		lot 26	ON

WWIS	lot 26	ON
WWIS	lot 26	ON
WWIS	lot 257	ON
WWIS	lot 25	ON
WWIS	lot 25	ON
WWIS	lot 25	ON
WWIS	lot 25	ON
WWIS	con 1	ON
WWIS	con 1	ON
WWIS	con 1	ON

Unplottable Report

Site: CARL W. MADIGAN
CUMMINGS AVE. GLOUCESTER CITY ON

Database:
CA

Certificate #: 3-0090-88-
Application Year: 88
Issue Date: 2/9/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: CARL W. MADIGAN
CUMMINGS AVE. GLOUCESTER CITY ON

Database:
CA

Certificate #: 7-0081-88-
Application Year: 88
Issue Date: 2/9/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: CITY
CUMMINGS AVE. GLOUCESTER CITY ON

Database:
CA

Certificate #: 3-0371-85-006
Application Year: 85
Issue Date: 5/2/85
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: CARL W. MADIGAN
CUMMINGS AVE. GLOUCESTER CITY ON

Database:
CA

Certificate #: 3-1114-88-
Application Year: 88

Issue Date: 7/5/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: 670669 ONTARIO LTD.
CUMMINGS AVE. NON PROFIT HOUS GLOUCESTER CITY ON

Database:
CA

Certificate #: 7-1300-87-
Application Year: 87
Issue Date: 9/4/1987
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: 670669 ONTARIO LTD.
CUMMINGS AVE. NON PROFIT HOUSI GLOUCESTER CITY ON

Database:
CA

Certificate #: 3-1553-87-
Application Year: 87
Issue Date: 9/4/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: CANADA MORTGAGE & HOUSING CORP.
CYRVILLE DRAIN/OGILVIE RD. GLOUCESTER CITY ON

Database:
CA

Certificate #: 3-0422-93-
Application Year: 93
Issue Date: 5/10/1993
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: RIOTRIN PROPERTIES (GLOUCESTER) INC.
CYRVILLE RD., TRINITY PLAZA, SWM GLOUCESTER CITY ON

Database:
CA

Certificate #: 3-1338-97-
Application Year: 97
Issue Date: 9/22/1997
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Cyrville Area, Michael Street Gloucester ON

Database:
CA

Certificate #: 7573-4KSJ9C
Application Year: 00
Issue Date: 6/23/00
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the City of Gloucester
Client Address: 1595, Telesat Court
Client City: Gloucester
Client Postal Code: K1G 3V5
Project Description: Construction of sanitary sewers, storm sewers and stormwater management facilities in the city of Gloucester and the City of Ottawa
Contaminants:
Emission Control:

Site: City of Ottawa
Cyrville Road Ottawa ON

Database:
CA

Certificate #: 4022-52WSQY
Application Year: 01
Issue Date: 9/27/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: The Corporation of the City of Ottawa
Client Address: 110 Laurier Avenue West
Client City: Ottawa
Client Postal Code: K1P 1J1
Project Description: storm sewer to be constructed on Cyrville Road.
Contaminants:
Emission Control:

Site: BEAUFORT BUILDING INC.
E. S. OF CUMMINGS AVE. GLOUCESTER CITY ON

Database:
CA

Certificate #: 3-1989-88-
Application Year: 88
Issue Date: 4/6/1989
Approval Type: Municipal sewage
Status: Approved in 1989
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:

Project Description:
Contaminants:
Emission Control:

Site: **Triangle Pump Service Limited**
Mobile Unit Ottawa ON

Database:
CA

Certificate #: 7640-7H4H53
Application Year: 2008
Issue Date: 9/26/2008
Approval Type: Industrial Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **EASTERN ONTARIO LAND TRUST INC.**
OGILVIE RD. GLOUCESTER CITY ON

Database:
CA

Certificate #: 3-1727-88-
Application Year: 88
Issue Date: 9/13/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **EASTERN ONTARIO LAND TRUST INC.**
OGILVIE RD. GLOUCESTER CITY ON

Database:
CA

Certificate #: 7-1485-88-
Application Year: 88
Issue Date: 9/13/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Ogilvie Rd., Part of Rd. Allowance Gloucester ON**

Database:
CA

Certificate #: 7032-4H8TJA
Application Year: 00
Issue Date: 3/11/00
Approval Type: Municipal & Private sewage
Status: Approved

Application Type: New Certificate of Approval
Client Name: Anglican Church Of The Epiphany
Client Address: 24 Steel St.
Client City: Gloucester
Client Postal Code:
Project Description: Construction of sanitary sewers along Ogilvie Rd..
Contaminants:
Emission Control:

Site: **MORRIS MELAMED - PRIVATE LOT**
PONDING AREA ON CYRVILLE ROAD GLOUCESTER CITY ON

Database:
CA

Certificate #: 3-1732-90-
Application Year: 90
Issue Date: 2/24/1992
Approval Type: Municipal sewage
Status: Cancelled
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **CARL W. MADIGAN**
CUMMINGS AVE. GLOUCESTER CITY ON

Database:
CA

Certificate #: 7-0958-88-
Application Year: 88
Issue Date: 7/5/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **GLOUCESTER CITY**
CUMMINGS AVE GLOUCESTER CITY ON

Database:
CA

Certificate #: 3-1611-86-
Application Year: 86
Issue Date: 10/23/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Triangle Pump Service Limited**
Mobile Unit Ottawa CITY OF OTTAWA ON

Database:
EBR

EBR Registry No:	010-3624	Year:	2008
Ministry Ref No:	0746-7EFKGT	Act 1:	
Notice Type:	Instrument Decision	Act 2:	
Notice Stage:		Comment Period:	
Notice Date:	October 20, 2008	Section:	
Proposal Date:	May 21, 2008	Site Location Map:	
Decision Posted:			
Posted By:			
Company Name:	Triangle Pump Service Limited		
Off Instrument Name:			
Instrument Type:	(OWRA s. 53(1)) - Approval for sewage works		
Proponent Name:			
Proponent Address:	2565 Delzotto Avenue, Gloucester Ontario, Canada K1T 3V6		
Site Address:			
Location Other:			
URL:			

Site Location Details:

Mobile Unit Ottawa CITY OF OTTAWA

Site:	Ultramar Ltd. Part 1, Reference Plan 4R-23561 Ottawa ON H3A 3L3	Database: ECA
--------------	--	--------------------------------

Approval No:	1928-8W2Q6W	MOE District:
Approval Date:	2012-07-10	City:
Status:	Approved	Longitude:
Record Type:	ECA	Latitude:
Link Source:	IDS	Geometry X:
SWP Area Name:		Geometry Y:
Approval Type:	ECA-INDUSTRIAL SEWAGE WORKS	
Project Type:	INDUSTRIAL SEWAGE WORKS	
Address:	Part 1, Reference Plan 4R-23561	
Full Address:		
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/2244-8RJQ9S-14.pdf	

Site:	Corporation of the City of Gloucester Cyrville Area, Michael Street Gloucester ON K1G 3V5	Database: ECA
--------------	--	--------------------------------

Approval No:	7573-4KSJ9C	MOE District:
Approval Date:	2000-06-23	City:
Status:	Approved	Longitude:
Record Type:	ECA	Latitude:
Link Source:	IDS	Geometry X:
SWP Area Name:		Geometry Y:
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS	
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS	
Address:	Cyrville Area, Michael Street	
Full Address:		
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/2580-4KMMKM-14.pdf	

Site:	Triangle Pump Service Limited Mobile Unit Ottawa ON K1T 3V6	Database: ECA
--------------	--	--------------------------------

Approval No:	7640-7H4H53	MOE District:
Approval Date:	2008-09-26	City:
Status:	Approved	Longitude:
Record Type:	ECA	Latitude:
Link Source:	IDS	Geometry X:
SWP Area Name:		Geometry Y:
Approval Type:	ECA-INDUSTRIAL SEWAGE WORKS	
Project Type:	INDUSTRIAL SEWAGE WORKS	
Address:	Mobile Unit	
Full Address:		

Site: **DESCHENES CONSTRUCTION (ONTARIO) LTD**
DOMTAR R BOYCEQUARRY LOT 25 GLOUCESTER TWP ON P0G 1K0

Database:
EXP

Instance No: 10763253
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Full Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 10/3/1989

Site: **DESCHENES CONSTRUCTION (ONTARIO) LTD**
DOMTAR R BOYCEQUARRY LOT 25 GLOUCESTER TWP ON P0G 1K0

Database:
EXP

Instance No: 10763220
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Full Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/26/1992

Site: **DESCHENES CONSTRUCTION (ONTARIO) LTD**
DOMTAR R BOYCEQUARRY LOT 25 GLOUCESTER TWP ON P0G 1K0

Database:
EXP

Instance No: 10763238
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description: FS Gasoline Station - Full Serve
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type: FS Liquid Fuel Tank
Expired Date: 5/26/1992

Site: **DESCHENES CONSTRUCTION (ONTARIO) LTD**
DOMTAR R BOYCE QUARRY LOT 25 GLOUCESTER TWP ON

Database:
EXP

Instance No: 10763229
Instance ID: 37817
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: **DESCHENES CONSTRUCTION (ONTARIO) LTD**
DOMTAR R BOYCE QUARRY LOT 25 GLOUCESTER TWP ON

Database:
EXP

Instance No: 10763262
Instance ID: 37258
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED

TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: **DESCHENES CONSTRUCTION (ONTARIO) LTD**
 DOMTAR R BOYCE QUARRY LOT 25 GLOUCESTER TWP ON P0G 1K0

Database:
EXP

Instance No: 10763253
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 10/3/1989

Site: **DESCHENES CONSTRUCTION (ONTARIO) LTD**
 DOMTAR R BOYCE QUARRY LOT 25 GLOUCESTER TWP ON P0G 1K0

Database:
EXP

Instance No: 10763238
Instance ID:
Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/26/1992

Site: **DESCHENES CONSTRUCTION (ONTARIO) LTD**
 DOMTAR R BOYCE QUARRY LOT 25 GLOUCESTER TWP ON

Database:
EXP

Instance No: 10763247
Instance ID: 37355
Instance Type: FS Piping
Description: FS Piping
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:

Site: **DESCHENES CONSTRUCTION (ONTARIO) LTD**
 DOMTAR R BOYCE QUARRY LOT 25 GLOUCESTER TWP ON P0G 1K0

Database:
EXP

Instance No: 9480416
Instance ID:
Instance Type: FS Facility
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/26/1992

Site: **DESCHENES CONSTRUCTION (ONTARIO) LTD**
 DOMTAR R BOYCE QUARRY LOT 25 GLOUCESTER TWP ON P0G 1K0

Database:
EXP

Instance No: 10763220
Instance ID:

Instance Type: FS Liquid Fuel Tank
Description:
Status: EXPIRED
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date: 5/26/1992

Site: NATIONAL CAPITAL COMMISSION
LOT 25,26,27 OTTAWA ON K1P 1C7

Database:
GEN

Generator No: ON9920165
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 712190
SIC Description: Other Heritage Institutions

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Site: FirstCanada ULC
CYRVILLE RD RIGHT OF WAY 185 METERS SOUTH OF INNES ROAD OTTAWA ON

Database:
GEN

Generator No: ON3227797
Status:
Approval Years: 2011
Contam. Facility:
MHSW Facility:
SIC Code: 485410
SIC Description: School and Employee Bus Transportation

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Site: FirstCanada ULC
CYRVILLE RD RIGHT OF WAY 185 METERS SOUTH OF INNES ROAD OTTAWA ON

Database:
GEN

Generator No: ON3227797
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 485410
SIC Description: School and Employee Bus Transportation

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Site: FirstCanada ULC
CYRVILLE RD RIGHT OF WAY 185 METERS SOUTH OF INNES ROAD OTTAWA ON

Database:
GEN

Generator No: ON3227797
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

SIC Code: 485410
SIC Description: School and Employee Bus Transportation

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Site: **FirstCanada ULC**
CYRVILLE RD RIGHT OF WAY 185 METERS SOUTH OF INNES ROAD OTTAWA ON K1B 1A9

Database:
GEN

Generator No: ON3227797
Status:
Approval Years: 2012
Contam. Facility:
MHSW Facility:
SIC Code: 485410
SIC Description: School and Employee Bus Transportation
PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Site: **ULTRAMAR LTÉE**
OTTAWA OTTAWA ON

Database:
RST

Headcode: 924800
Headcode Desc: Oils-Fuel
Phone: 6137275200
List Name:
Description:

Site: **OLRT Constructors**
West of Michael St. and East of St. Laurent Ottawa ON

Database:
SPL

Ref No: 6542-A3HQPD
Site No: NA
Incident Dt: 10/21/2015
Year:
Incident Cause:
Incident Event:
Contaminant Code: 13
Contaminant Name: DIESEL FUEL
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact:
Nature of Impact:
Receiving Medium:
Receiving Env:
MOE Response: No
Dt MOE Arvl on Scn:
MOE Reported Dt: 10/21/2015
Dt Document Closed:
Incident Reason: Unknown / N/A
Site Name: on transitway<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: OLRT - 2L diesel to ground, contained
Contaminant Qty: 2 L
Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type: Unknown / N/A
Agency Involved:
Nearest Watercourse:
Site Address: West of Michael St. and East of St. Laurent
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Ottawa
Site Lot:
Site Conc:
Northing: 4849314
Easting: 622692
Site Geo Ref Accu:
Site Map Datum: NAD83
SAC Action Class: Land Spills
Source Type:

Site: **ST. LAURENT FRUIT AND VEGETABL**
MICHAEL STREET AT RAILWAY TRACKS OTTAWA PLANT OTTAWA CITY ON

Database:
SPL

Ref No:	52548	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	6/18/1991	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	20101
Nature of Impact:	Water course or lake	Site Lot:	
Receiving Medium:	LAND / WATER	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	WORKS M.O.E.
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	6/18/1991	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	ST. LAURENT FRUIT AND VEG-ORGANIC MATTER IN CULVERT.		
Contaminant Qty:			

Site: City of Ottawa
Ogilvie rd @ Elmlea Ottawa ON

Database:
SPL

Ref No:	2615-7HZQ3Q	Discharger Report:	
Site No:		Material Group:	
Incident Dt:		Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Pipe Or Hose Leak	Sector Type:	Other Motor Vehicle
Incident Event:		Agency Involved:	
Contaminant Code:	13	Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL	Site Address:	
Contaminant Limit 1:		Site District Office:	Ottawa
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Confirmed	Site Municipality:	Ottawa
Nature of Impact:	Surface Water Pollution	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:	No Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	8/30/2008	Site Map Datum:	
Dt Document Closed:	9/4/2008	SAC Action Class:	Watercourse Spills
Incident Reason:	Equipment Failure - Malfunction of system components	Source Type:	
Site Name:	Intersection West bound<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	OC Transpo, 30L Diesel to CB		
Contaminant Qty:	30 L		

Site: BUS
OGILVIE RD. & OTHERS MOTOR VEHICLE (OPERATING FLUID) GLOUCESTER CITY ON

Database:
SPL

Ref No:	75056	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	8/20/1992	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	UNKNOWN	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	

Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	20105
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	WORKS
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	8/21/1992	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	OTTAWA/CARLETON TRANSPORTATION - DIESEL FUEL TO ROADS FROM BUS.		
Contaminant Qty:			

Site: OTTAWA-CARLETON, R.M. OF
OGILVIE RD NEAR JASMINE SCHOOL MOTOR VEHICLE (OPERATING FLUID) OTTAWA CITY ON

Database:
SPL

Ref No:	154328	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	4/7/1998	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	UNKNOWN	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	NOT ANTICIPATED	Site Municipality:	20101
Nature of Impact:		Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	4/7/1998	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	O.C.TRANSPORT: 2L MOTOR OIL LEAKED TO ROAD.		
Contaminant Qty:			

Site: UNKNOWN
MICHAEL STREEN NORTH, NORTH OF RAILROAD TRACKS AT CREEK OTTAWA CITY ON

Database:
SPL

Ref No:	79428	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	11/30/1992	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	20101
Nature of Impact:	Water course or lake	Site Lot:	
Receiving Medium:	LAND / WATER	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	OTTAWA WORKS

Dt MOE Arvl on Scn:
MOE Reported Dt: 11/30/1992
Dt Document Closed:
Incident Reason: VANDALISM
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: UNKNOWN SOURCE - 200L FURNACE OIL TO CREEK FROM ABANDONED TANKS.
Contaminant Qty:

Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: OTTAWA-CARLETON, R.M. OF
 MICHAEL ST, BEHIND MICHAEL ST SNOW DUMP SANITARY SEWER SYSTEM OTTAWA CITY ON

Database:
 SPL

Ref No: 151886
Site No:
Incident Dt: 1/27/1998
Year:
Incident Cause: WASTEWATER DISCHARGE TO WATERCOURSE

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:

Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: CONFIRMED
Nature of Impact: Soil contamination
Receiving Medium: LAND / WATER
Receiving Env:

Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting: WORKS

MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 1/27/1998
Dt Document Closed:
Incident Reason: EQUIPMENT FAILURE

Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: OTTAWA-CARLTON REG-UNK VOL OF RAW SEWAGE TO OPENDITCH. CLEANING.
Contaminant Qty:

Site: SUNY'S GAS STATION
 MICHAEL ST CREEK, AT SUNY'S SERVICE STATION, 1515 ST LAURENT (AT BELFAST) OTTAWA CITY ON

Database:
 SPL

Ref No: 121057
Site No:
Incident Dt: 11/20/1995
Year:
Incident Cause: VALVE/FITTING LEAK OR FAILURE

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:

Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: CONFIRMED
Nature of Impact: Water course or lake
Receiving Medium: LAND / WATER
Receiving Env:

Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 20101
Site Lot:
Site Conc:
Northing:
Easting: OTTAWA WORKS

MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 11/21/1995
Dt Document Closed:
Incident Reason: OTHER

Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: SUNY'S SERV STN-2.7 L DIESEL TO GND, SEWERS TO CREEK. BOOMED. WORKS.
Contaminant Qty:

Contaminant Qty:

Site:	UNKNOWN	Database:	SPL
MICHAEL CREEK (SEWER OUTFALL AT ST LAURENT BLVD) OTTAWA CITY ON			
Ref No:	120511	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	11/7/1995	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	UNKNOWN	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	CONFIRMED	Site Municipality:	20101
Nature of Impact:	Water course or lake	Site Lot:	
Receiving Medium:	WATER	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	CITY OF OTTAWA WORKS
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	11/7/1995	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	UNK SRCE-UNK QTY DIESEL TO MICHAEL CREEK FROM OUT-FALL. OTTAWA W/D BOOMED.		
Contaminant Qty:			

Site:	UNKNOWN	Database:	SPL
DITCH RUNNING OFF MICHAEL ST AT ST. LAURENT BLVD. OTTAWA CITY ON			
Ref No:	41515	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	9/30/1990	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	UNKNOWN	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	20101
Nature of Impact:	Soil contamination	Site Lot:	
Receiving Medium:	LAND	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	WORKS DEPT
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	9/30/1990	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	OIL SHEEN IN DITCH POSSIBLY FROM SNELLING PAPER LTD.		
Contaminant Qty:			

Site:	O.C. TRANSP	Database:	SPL
CYRVILLE RD. ACROSS FROM HOME DEPOT OTTAWA SITE 1500 ST. LAURENT BOULEVARD OTTAWA CITY ON			
Ref No:	236271	Discharger Report:	
Site No:		Material Group:	

Incident Dt:	8/18/2002	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	OTHER CONTAINER LEAK	Sector Type:	
Incident Event:		Agency Involved:	CITY OF OTTAWA
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	20107
Nature of Impact:	Multi Media Pollution	Site Lot:	
Receiving Medium:	LAND, WATER	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	8/18/2002	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	OC TRANSP:COOLANT LEAK TO ROADWAY AND SEWERS SEWERMATIC CLEANING.		
Contaminant Qty:			

Site:	CAR DEALERSHIP	Database:
	CYRVILLE RD, PARKING LOT FOR USED CARS. MOTOR VEHICLE (OPERATING FLUID) GLOUCESTER CITY ON	SPL
Ref No:	103353	Discharger Report:
Site No:		Material Group:
Incident Dt:	7/28/1994	Health/Env Conseq:
Year:		Client Type:
Incident Cause:	ABOVE-GROUND TANK LEAK	Sector Type:
Incident Event:		Agency Involved:
Contaminant Code:		Nearest Watercourse:
Contaminant Name:		Site Address:
Contaminant Limit 1:		Site District Office:
Contam Limit Freq 1:		Site Postal Code:
Contaminant UN No 1:		Site Region:
Environment Impact:	CONFIRMED	Site Municipality:
Nature of Impact:	Soil contamination	Site Lot:
Receiving Medium:	LAND / WATER	Site Conc:
Receiving Env:		Northing:
MOE Response:		Easting:
Dt MOE Arvl on Scn:		Site Geo Ref Accu:
MOE Reported Dt:	7/29/1994	Site Map Datum:
Dt Document Closed:		SAC Action Class:
Incident Reason:	CORROSION	Source Type:
Site Name:		
Site County/District:		
Site Geo Ref Meth:		
Incident Summary:	OGILVIE MOTORS LTD- 500L FURNACE OIL TO BASEMENT, TILES, ASPHALT & STORM.	
Contaminant Qty:		

Site:	Triangle Pump Service Limited	Database:
	Ottawa ON	SPL
Ref No:	0255-9VJS4B	Discharger Report:
Site No:	NA	Material Group:
Incident Dt:	4/13/2015	Health/Env Conseq:
Year:		Client Type:
Incident Cause:	Leak/Break	Sector Type:
Incident Event:		Agency Involved:
Contaminant Code:	13	Nearest Watercourse:
Contaminant Name:	DIESEL FUEL	Site Address:
Contaminant Limit 1:		Site District Office:
Contam Limit Freq 1:		Site Postal Code:
Contaminant UN No 1:		Site Region:

Environment Impact:		Site Municipality:	Ottawa
Nature of Impact:	Land	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:	N	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	4/13/2015	Site Map Datum:	
Dt Document Closed:	5/25/2015	SAC Action Class:	Land Spills
Incident Reason:	Unknown / N/A	Source Type:	
Site Name:	114 Preston Street<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	DUPLICATE REPORT - SEE 0738-9VJPN6		
Contaminant Qty:	0 other - see incident description		

Site: UNKNOWN
CREEK/OUTFALL ON MICHAEL STREET GLOUCESTER CITY ON

Database:
SPL

Ref No:	110991	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	3/15/1995	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	UNKNOWN	Sector Type:	
Incident Event:		Agency Involved:	
Contaminant Code:		Nearest Watercourse:	
Contaminant Name:		Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	POSSIBLE	Site Municipality:	20105
Nature of Impact:	Water course or lake	Site Lot:	
Receiving Medium:	WATER	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	CITY
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	3/16/1995	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	
Incident Reason:	UNKNOWN	Source Type:	
Site Name:			
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	SOURCE UKN-UNKNOWN QTY DIESEL FUEL TO CREEK,CITYINSTALLED BOOM.		
Contaminant Qty:			

Site: Eric Olmsted<UNOFFICIAL>
At Cummings Ave Ottawa ON

Database:
SPL

Ref No:	3407-65HSEE	Discharger Report:	
Site No:		Material Group:	Oil
Incident Dt:	10/6/2004	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:		Sector Type:	Other
Incident Event:		Agency Involved:	
Contaminant Code:	15	Nearest Watercourse:	
Contaminant Name:	ENGINE OIL	Site Address:	
Contaminant Limit 1:		Site District Office:	Ottawa
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	Eastern
Environment Impact:	Not Anticipated	Site Municipality:	Ottawa
Nature of Impact:		Site Lot:	
Receiving Medium:	Land	Site Conc:	
Receiving Env:		Northing:	
MOE Response:		Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	10/6/2004	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	Spill to Land
Incident Reason:		Source Type:	

Site Name: 1152-1160 OGILVIE RD<UNOFFICIAL>
Site County/District:
Site Geo Ref Meth:
Incident Summary: Unknown Source: Dumping to Vacant Plaza
Contaminant Qty: 75 L

Site: con 1 ON **Database:** WWIS

Well ID:	1501587	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	1/6/1947
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3566
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA-CARLETON
Elevation (m):		Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	OF
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	10023630	Elevation:	
DP2BR:	90	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	
Code OB Desc:	Bedrock	North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	11/15/1946	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	930992252
Layer:	2
Color:	
General Color:	
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	90
Formation End Depth:	167
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID: 930992251
Layer: 1
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 90
Formation End Depth UOM: ft

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10572200
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930040107
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 167
Casing Diameter: 5
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930040106
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 92
Casing Diameter: 5
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991501587
Pump Set At:
Static Level: 10
Final Level After Pumping: 30
Recommended Pump Depth:
Pumping Rate: 30
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft

Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 2
Pumping Duration MIN: 0
Flowing: N

Water Details

Water ID: 933454305
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth:
Water Found Depth UOM: ft

Site:

lot 27 ON

Database:
WWIS

Well ID: 1518033
Construction Date:
Primary Water Use: Cooling And A/C
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No:
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 12/13/1982
Selected Flag: Yes
Abandonment Rec:
Contractor: 1558
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: OTTAWA CITY
Site Info:
Lot: 027
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10039904
DP2BR: 15
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 1/29/1982
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock Materials Interval

Formation ID: 931037131
Layer: 4
Color: 2
General Color: GREY
Mat1: 15

Most Common Material: LIMESTONE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 27
Formation End Depth: 100
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931037128
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 10
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931037130
Layer: 3
Color: 8
General Color: BLACK
Mat1: 17
Most Common Material: SHALE
Mat2: 85
Other Materials: SOFT
Mat3:
Other Materials:
Formation Top Depth: 15
Formation End Depth: 27
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931037129
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 10
Formation End Depth: 15
Formation End Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 5
Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 10588474
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930069713
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 100
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930069712
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 23
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991518033
Pump Set At:
Static Level: 15
Final Level After Pumping: 50
Recommended Pump Depth: 60
Pumping Rate: 10
Flowing Rate:
Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934377689
Test Type: Draw Down
Test Duration: 30
Test Level: 50
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934103360
Test Type: Draw Down
Test Duration: 15

Test Level: 50
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934647523
Test Type: Draw Down
Test Duration: 45
Test Level: 50
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934896797
Test Type: Draw Down
Test Duration: 60
Test Level: 50
Test Level UOM: ft

Water Details

Water ID: 933474659
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 97
Water Found Depth UOM: ft

Site:
lot 27 ON

Database:
WWIS

Well ID: 1520415
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No:
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 1/9/1986
Selected Flag: Yes
Abandonment Rec:
Contractor: 3323
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:
Lot: 027
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10042258
DP2BR: 18
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 10/4/1984
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 931044690
Layer: 2
Color: 2
General Color: GREY
Mat1: 18
Most Common Material: SANDSTONE
Mat2: 73
Other Materials: HARD
Mat3:
Other Materials:
Formation Top Depth: 18
Formation End Depth: 68
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931044689
Layer: 1
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 77
Other Materials: LOOSE
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 18
Formation End Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 10590828
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930073767
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 21
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991520415
Pump Set At:
Static Level: 27
Final Level After Pumping: 60
Recommended Pump Depth: 50
Pumping Rate: 25
Flowing Rate:
Recommended Pump Rate: 10
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934648930
Test Type: Recovery
Test Duration: 45
Test Level: 27
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934386772
Test Type: Recovery
Test Duration: 30
Test Level: 27
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934111908
Test Type: Recovery
Test Duration: 15
Test Level: 27
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934905590
Test Type: Recovery
Test Duration: 60
Test Level: 27
Test Level UOM: ft

Water Details

Water ID: 933477657
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 60
Water Found Depth UOM: ft

Site:
lot 27 ON

Database:
WWIS

Well ID: 1524742
Construction Date:

Data Entry Status:
Data Src: 1

Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 80312
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Date Received: 9/17/1990
Selected Flag: Yes
Abandonment Rec:
Contractor: 1558
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:
Lot: 027
Concession:
Concession Name: BF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10046490
DP2BR: 31
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 7/19/1990
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock **Materials Interval**

Formation ID: 931058931
Layer: 1
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 1
Formation End Depth UOM: ft

Overburden and Bedrock **Materials Interval**

Formation ID: 931058935
Layer: 5
Color: 2
General Color: GREY
Mat1: 18
Most Common Material: SANDSTONE
Mat2:
Other Materials:
Mat3:
Other Materials:

Formation Top Depth: 31
Formation End Depth: 75
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931058934
Layer: 4
Color: 2
General Color: GREY
Mat1: 11
Most Common Material: GRAVEL
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 29
Formation End Depth: 31
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931058932
Layer: 2
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 1
Formation End Depth: 11
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931058933
Layer: 3
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 13
Other Materials: BOULDERS
Mat3:
Other Materials:
Formation Top Depth: 11
Formation End Depth: 29
Formation End Depth UOM: ft

Method of Construction & Well

Use

Method Construction ID:
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 10595060

Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930081384
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 32
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930081385
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 75
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991524742
Pump Set At:
Static Level: 10
Final Level After Pumping: 20
Recommended Pump Depth: 30
Pumping Rate: 50
Flowing Rate:
Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934385338
Test Type: Draw Down
Test Duration: 30
Test Level: 20
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934109929
Test Type: Draw Down
Test Duration: 15
Test Level: 20
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934903074
Test Type: Draw Down
Test Duration: 60
Test Level: 20
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934654699
Test Type: Draw Down
Test Duration: 45
Test Level: 20
Test Level UOM: ft

Water Details

Water ID: 933483472
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 45
Water Found Depth UOM: ft

Water Details

Water ID: 933483473
Layer: 2
Kind Code: 5
Kind: Not stated
Water Found Depth: 70
Water Found Depth UOM: ft

Site:
lot 27 ON

Database:
WWIS

Well ID: 1525793
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 100112
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 11/22/1991
Selected Flag: Yes
Abandonment Rec:
Contractor: 1558
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:
Lot: 027
Concession:
Concession Name: BF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10047528
DP2BR:
Spatial Status:
Code OB: o
Code OB Desc: Overburden
Open Hole:
Cluster Kind:
Date Completed: 8/20/1991

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM

Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 931062303
Layer: 3
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 40
Formation End Depth: 73
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931062304
Layer: 4
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 11
Other Materials: GRAVEL
Mat3: 79
Other Materials: PACKED
Formation Top Depth: 73
Formation End Depth: 77
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931062302
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 12
Formation End Depth: 40
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931062301
Layer: 1
Color: 6
General Color: BROWN

Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 12
Formation End Depth UOM: ft

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 10596098
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930083198
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 77
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930083197
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 75
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991525793
Pump Set At:
Static Level: 6
Final Level After Pumping: 10
Recommended Pump Depth: 20
Pumping Rate: 50
Flowing Rate:
Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0

Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934906944
Test Type: Draw Down
Test Duration: 60
Test Level: 10
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934389236
Test Type: Draw Down
Test Duration: 30
Test Level: 10
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934105160
Test Type: Draw Down
Test Duration: 15
Test Level: 10
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934649766
Test Type: Draw Down
Test Duration: 45
Test Level: 10
Test Level UOM: ft

Water Details

Water ID: 933484901
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 76
Water Found Depth UOM: ft

Site:
lot 27 ON

Database:
[WWIS](#)

Well ID: 1532390
Construction Date:
Primary Water Use:
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 230289
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:

Data Entry Status:
Data Src: 1
Date Received: 11/28/2001
Selected Flag: Yes
Abandonment Rec:
Contractor: 1558
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:
Lot: 027
Concession:
Concession Name: BF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10516840
DP2BR:
Spatial Status:
Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 10/17/2001
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933219833
Layer: 1
Plug From: 61
Plug To: 7
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: B
Method Construction: Other Method
Other Method Construction:

Pipe Information

Pipe ID: 11065410
Casing No: 1
Comment:
Alt Name:

Site:
lot 27 ON

Database:
WWIS

Well ID: 1533744
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 255805
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:

Data Entry Status:
Data Src: 1
Date Received: 5/21/2003
Selected Flag: Yes
Abandonment Rec:
Contractor: 6565
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:
Lot: 027
Concession:
Concession Name: BF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10537578
DP2BR: 54
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 2/22/2003
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 932905631
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 54
Formation End Depth: 61
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932905632
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 61
Formation End Depth: 105
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 932905630
Layer: 1
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 14
Other Materials: HARDPAN
Mat3:

Other Materials:
Formation Top Depth: 0
Formation End Depth: 54
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933236271
Layer: 1
Plug From: 0
Plug To: 61
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 4
Method Construction: Rotary (Air)
Other Method Construction:

Pipe Information

Pipe ID: 11086148
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930097537
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 61
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991533744
Pump Set At:
Static Level: 14
Final Level After Pumping: 20
Recommended Pump Depth: 80
Pumping Rate: 35
Flowing Rate:
Recommended Pump Rate: 6
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934121258
Test Type: Recovery
Test Duration: 15

Test Level: 14
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934913518
Test Type: Recovery
Test Duration: 60
Test Level: 14
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934396111
Test Type: Recovery
Test Duration: 30
Test Level: 14
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934665391
Test Type: Recovery
Test Duration: 45
Test Level: 14
Test Level UOM: ft

Water Details

Water ID: 934031084
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 90
Water Found Depth UOM: ft

Site: lot 26 ON **Database:** WWIS

Well ID:	1530328	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Livestock	Date Received:	12/8/1998
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Quality	Abandonment Rec:	
Water Type:		Contractor:	1558
Casing Material:		Form Version:	1
Audit No:	194762	Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA-CARLETON
Elevation (m):		Municipality:	GLOUCESTER TOWNSHIP
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	026
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	BF
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	10051863	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	18

Code OB: —
Code OB Desc: No formation data
Open Hole:
Cluster Kind:
Date Completed: 10/19/1998
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933115462
Layer: 1
Plug From: 36
Plug To: 0
Plug Depth UOM: ft

Pipe Information

Pipe ID: 10600433
Casing No: 1
Comment:
Alt Name:

Site:
lot 26 ON

Database:
WWIS

Well ID: 1529709
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 182706
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 12/22/1997
Selected Flag: Yes
Abandonment Rec:
Contractor: 1558
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:
Lot: 026
Concession:
Concession Name: LI
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10051244
DP2BR: 16
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 11/11/1997
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 931073580
Layer: 3
Color: 2
General Color: GREY
Mat1: 14
Most Common Material: HARDPAN
Mat2: 11
Other Materials: GRAVEL
Mat3: 79
Other Materials: PACKED
Formation Top Depth: 13
Formation End Depth: 16
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931073582
Layer: 5
Color: 1
General Color: WHITE
Mat1: 18
Most Common Material: SANDSTONE
Mat2: 73
Other Materials: HARD
Mat3:
Other Materials:
Formation Top Depth: 35
Formation End Depth: 75
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931073579
Layer: 2
Color: 6
General Color: BROWN
Mat1: 14
Most Common Material: HARDPAN
Mat2: 13
Other Materials: BOULDERS
Mat3: 79
Other Materials: PACKED
Formation Top Depth: 4
Formation End Depth: 13
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931073581
Layer: 4
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 73
Other Materials: HARD

Mat3:
Other Materials:
Formation Top Depth: 16
Formation End Depth: 35
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931073578
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 79
Other Materials: PACKED
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 4
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933114772
Layer: 1
Plug From: 22
Plug To: 0
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 10599814
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930089441
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 75
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930089440
Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:
Depth To: 27
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991529709
Pump Set At:
Static Level: 12
Final Level After Pumping: 35
Recommended Pump Depth: 35
Pumping Rate: 30
Flowing Rate:
Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code:
Water State After Test:
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934909333
Test Type:
Test Duration: 60
Test Level: 12
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934391634
Test Type:
Test Duration: 30
Test Level: 12
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934660796
Test Type:
Test Duration: 45
Test Level: 12
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934116660
Test Type:
Test Duration: 15
Test Level: 12
Test Level UOM: ft

Water Details

Water ID: 933489740
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth:
Water Found Depth UOM: ft

Site:

lot 26 ON

Database:

WWIS

Well ID: 1519599
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No:
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 5/28/1985
Selected Flag: Yes
Abandonment Rec:
Contractor: 1558
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:
Lot: 026
Concession:
Concession Name: BF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10041469
DP2BR: 49
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 5/14/1985
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock**Materials Interval**

Formation ID: 931042174
Layer: 3
Color: 6
General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Other Materials: GRAVEL
Mat3: 13
Other Materials: BOULDERS
Formation Top Depth: 40
Formation End Depth: 49
Formation End Depth UOM: ft

Overburden and Bedrock**Materials Interval**

Formation ID: 931042173
Layer: 2
Color: 2
General Color: GREY

Mat1: 14
Most Common Material: HARDPAN
Mat2: 13
Other Materials: BOULDERS
Mat3:
Other Materials:
Formation Top Depth: 17
Formation End Depth: 40
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931042172
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 17
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931042175
Layer: 4
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 49
Formation End Depth: 65
Formation End Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 10590039
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930072411
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:

Depth To: 51
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930072412
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 65
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991519599
Pump Set At:
Static Level: 14
Final Level After Pumping: 20
Recommended Pump Depth: 30
Pumping Rate: 20
Flowing Rate:
Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934383821
Test Type: Draw Down
Test Duration: 30
Test Level: 20
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934894144
Test Type: Draw Down
Test Duration: 60
Test Level: 20
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934653801
Test Type: Draw Down
Test Duration: 45
Test Level: 20
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934108530
Test Type: Draw Down
Test Duration: 15

Test Level: 20
Test Level UOM: ft

Water Details

Water ID: 933476639
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 55
Water Found Depth UOM: ft

Site:
lot 26 ON

Database:
WWIS

Well ID: 1530327
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 194764
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 12/8/1998
Selected Flag: Yes
Abandonment Rec:
Contractor: 1558
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:
Lot: 026
Concession:
Concession Name: BF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10051862
DP2BR: 57
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 10/16/1998
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 931075168
Layer: 5
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 73
Other Materials: HARD
Mat3:
Other Materials:

Formation Top Depth: 57
Formation End Depth: 71
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931075167
Layer: 4
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 11
Other Materials: GRAVEL
Mat3: 77
Other Materials: LOOSE
Formation Top Depth: 53
Formation End Depth: 57
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931075169
Layer: 6
Color: 2
General Color: GREY
Mat1: 18
Most Common Material: SANDSTONE
Mat2: 73
Other Materials: HARD
Mat3:
Other Materials:
Formation Top Depth: 71
Formation End Depth: 223
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931075166
Layer: 3
Color: 2
General Color: GREY
Mat1: 14
Most Common Material: HARDPAN
Mat2: 13
Other Materials: BOULDERS
Mat3: 79
Other Materials: PACKED
Formation Top Depth: 32
Formation End Depth: 53
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931075164
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 79
Other Materials: PACKED

Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 11
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931075165
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 86
Other Materials: STICKY
Mat3:
Other Materials:
Formation Top Depth: 11
Formation End Depth: 32
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933115461
Layer: 1
Plug From: 53
Plug To: 45
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 10600432
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930090407
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 125
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930090408
Layer: 3
Material: 4
Open Hole or Material: OPEN HOLE

Depth From:
Depth To: 175
Casing Diameter: 5
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930090406
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 59
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991530327
Pump Set At:
Static Level: 21
Final Level After Pumping: 55
Recommended Pump Depth: 90
Pumping Rate: 6
Flowing Rate:
Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934393315
Test Type: Recovery
Test Duration: 30
Test Level: 24
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934662465
Test Type: Recovery
Test Duration: 45
Test Level: 22
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934911009
Test Type: Recovery
Test Duration: 60
Test Level: 21
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934118327
Test Type: Recovery

Test Duration: 15
Test Level: 26
Test Level UOM: ft

Water Details

Water ID: 933490420
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 148
Water Found Depth UOM: ft

Water Details

Water ID: 933490419
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 115
Water Found Depth UOM: ft

Water Details

Water ID: 933490421
Layer: 3
Kind Code: 1
Kind: FRESH
Water Found Depth: 211
Water Found Depth UOM: ft

Site:

lot 257 ON

Database:
WWIS

Well ID: 1526415
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Abandoned-Supply
Water Type:
Casing Material:
Audit No: 120633
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 8/18/1992
Selected Flag: Yes
Abandonment Rec:
Contractor: 1558
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: OTTAWA CITY
Site Info:
Lot: 257
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10048128
DP2BR: 55
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 7/22/1992
Remarks:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 931064136
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 8
Formation End Depth: 49
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931064138
Layer: 4
Color: 2
General Color: GREY
Mat1: 17
Most Common Material: SHALE
Mat2: 85
Other Materials: SOFT
Mat3:
Other Materials:
Formation Top Depth: 55
Formation End Depth: 300
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931064135
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 79
Other Materials: PACKED
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 8
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931064137
Layer: 3
Color: 2
General Color: GREY
Mat1: 05

Most Common Material: CLAY
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 49
Formation End Depth: 55
Formation End Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933111697
Layer: 1
Plug From: 5
Plug To: 65
Plug Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 10596698
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930084267
Layer: 1
Material:
Open Hole or Material:
Depth From:
Depth To:
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930084268
Layer: 2
Material:
Open Hole or Material:
Depth From:
Depth To:
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991526415
Pump Set At:
Static Level: 100
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate: 1

Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code:
Water State After Test:
Pumping Test Method: 1
Pumping Duration HR:
Pumping Duration MIN: 30
Flowing: N

Site:
 lot 25 ON

Database:
 WWIS

Well ID:	1523747	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Industrial	Date Received:	8/4/1989
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	3644
Casing Material:		Form Version:	1
Audit No:	49862	Owner:	
Tag:		Street Name:	
Construction Method:		County:	OTTAWA-CARLETON
Elevation (m):		Municipality:	OTTAWA CITY
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	025
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

Bore Hole Information

Bore Hole ID:	10045521	Elevation:	
DP2BR:	32	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	
Code OB Desc:	Bedrock	North83:	
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	6/12/1989	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	na
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 931055593
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 82
Other Materials: SHALY
Mat3:
Other Materials:
Formation Top Depth: 32
Formation End Depth: 250

Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 931055592
Layer: 1
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 32
Formation End Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 10594091
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930079667
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 36
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930079668
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 250
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991523747
Pump Set At:
Static Level: 19
Final Level After Pumping: 100
Recommended Pump Depth: 100

Pumping Rate: 14
Flowing Rate:
Recommended Pump Rate: 14
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934106105
Test Type:
Test Duration: 15
Test Level: 100
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934908516
Test Type:
Test Duration: 60
Test Level: 100
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934390332
Test Type:
Test Duration: 30
Test Level: 100
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934651310
Test Type:
Test Duration: 45
Test Level: 100
Test Level UOM: ft

Water Details

Water ID: 933482122
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 60
Water Found Depth UOM: ft

Water Details

Water ID: 933482123
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 225
Water Found Depth UOM: ft

Site:
lot 25 ON

Database:
WWIS

Well ID: 1528229
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 144848
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 10/21/1994
Selected Flag: Yes
Abandonment Rec:
Contractor: 1414
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:
Lot: 025
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10049768
DP2BR: 13
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 9/22/1994
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock Materials Interval

Formation ID: 931069009
Layer: 2
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 17
Other Materials: SHALE
Mat3: 74
Other Materials: LAYERED
Formation Top Depth: 13
Formation End Depth: 100
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 931069008
Layer: 1
Color: 6
General Color: BROWN
Mat1: 14
Most Common Material: HARDPAN
Mat2: 13

Other Materials: BOULDERS
Mat3: 73
Other Materials: HARD
Formation Top Depth: 0
Formation End Depth: 13
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933113096
Layer: 1
Plug From: 0
Plug To: 20
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: 4
Method Construction: Rotary (Air)
Other Method Construction:

Pipe Information

Pipe ID: 10598338
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930086988
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 20
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930086989
Layer: 2
Material:
Open Hole or Material:
Depth From:
Depth To: 100
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991528229
Pump Set At:
Static Level: 14
Final Level After Pumping: 100
Recommended Pump Depth: 90
Pumping Rate: 6
Flowing Rate:
Recommended Pump Rate: 4

Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 2
Pumping Duration HR: 1
Pumping Duration MIN:
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934905393
Test Type: Draw Down
Test Duration: 60
Test Level: 14
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934648209
Test Type: Draw Down
Test Duration: 45
Test Level: 20
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934387694
Test Type: Draw Down
Test Duration: 30
Test Level: 40
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934104069
Test Type: Draw Down
Test Duration: 15
Test Level: 50
Test Level UOM: ft

Water Details

Water ID: 933487838
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 30
Water Found Depth UOM: ft

Site:
lot 25 ON

Database:
[WWIS](#)

Well ID: 1528230
Construction Date:
Primary Water Use: Industrial
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 149882
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:

Data Entry Status:
Data Src: 1
Date Received: 10/21/1994
Selected Flag: Yes
Abandonment Rec:
Contractor: 1414
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:

Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Lot: 025
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10049769
DP2BR: 8
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 9/13/1994
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 931069012
Layer: 3
Color: 2
General Color: GREY
Mat1: 17
Most Common Material: SHALE
Mat2: 74
Other Materials: LAYERED
Mat3: 80
Other Materials: POROUS
Formation Top Depth: 8
Formation End Depth: 11
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931069013
Layer: 4
Color: 2
General Color: GREY
Mat1: 17
Most Common Material: SHALE
Mat2: 85
Other Materials: SOFT
Mat3:
Other Materials:
Formation Top Depth: 11
Formation End Depth: 103
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931069010
Layer: 1

Color: 2
General Color: GREY
Mat1: 12
Most Common Material: STONES
Mat2: 79
Other Materials: PACKED
Mat3: 73
Other Materials: HARD
Formation Top Depth: 0
Formation End Depth: 2
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931069011
Layer: 2
Color: 2
General Color: GREY
Mat1: 14
Most Common Material: HARDPAN
Mat2: 13
Other Materials: BOULDERS
Mat3: 79
Other Materials: PACKED
Formation Top Depth: 2
Formation End Depth: 8
Formation End Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933113097
Layer: 1
Plug From: 0
Plug To: 20
Plug Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 4
Method Construction: Rotary (Air)
Other Method Construction:

Pipe Information

Pipe ID: 10598339
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930086991
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 103
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930086990
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 20
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991528230
Pump Set At:
Static Level: 14
Final Level After Pumping: 103
Recommended Pump Depth: 95
Pumping Rate: 5
Flowing Rate:
Recommended Pump Rate: 4
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN:
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934648210
Test Type: Recovery
Test Duration: 45
Test Level: 20
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934905394
Test Type: Recovery
Test Duration: 60
Test Level: 14
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934104070
Test Type: Recovery
Test Duration: 15
Test Level: 60
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934387695
Test Type: Recovery
Test Duration: 30
Test Level: 40
Test Level UOM: ft

Water Details

Water ID: 933487839
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 25
Water Found Depth UOM: ft

Site:
lot 25 ON

Database:
[WWIS](#)

Well ID: 1522184
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 25073
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 2/1/1988
Selected Flag: Yes
Abandonment Rec:
Contractor: 1558
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:
Lot: 025
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10043997
DP2BR: 23
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 12/8/1987
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 931050500
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 13
Other Materials: BOULDERS
Mat3:
Other Materials:
Formation Top Depth: 14
Formation End Depth: 23
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931050499
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 79
Other Materials: PACKED
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 14
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931050501
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2: 78
Other Materials: MEDIUM-GRAINED
Mat3:
Other Materials:
Formation Top Depth: 23
Formation End Depth: 60
Formation End Depth UOM: ft

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 10592567
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930076927
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 30
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930076928
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE

Depth From:
Depth To: 60
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991522184
Pump Set At:
Static Level: 15
Final Level After Pumping: 30
Recommended Pump Depth: 40
Pumping Rate: 20
Flowing Rate:
Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934109298
Test Type: Draw Down
Test Duration: 15
Test Level: 30
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934903366
Test Type: Draw Down
Test Duration: 60
Test Level: 30
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934654534
Test Type: Draw Down
Test Duration: 45
Test Level: 30
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934392983
Test Type: Draw Down
Test Duration: 30
Test Level: 30
Test Level UOM: ft

Water Details

Water ID: 933479978
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 55
Water Found Depth UOM: ft

Site:
con 1 ON

Database:
WWIS

Well ID: 1529330
Construction Date:
Primary Water Use: Commerical
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:
Casing Material:
Audit No: 169507
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 2/14/1997
Selected Flag: Yes
Abandonment Rec:
Contractor: 6844
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:
Lot:
Concession: 01
Concession Name: OF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10050866
DP2BR:
Spatial Status:
Code OB: o
Code OB Desc: Overburden
Open Hole:
Cluster Kind:
Date Completed: 12/6/1996
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 931072413
Layer: 1
Color:
General Color:
Mat1: 23
Most Common Material: PREVIOUSLY DUG
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 17
Formation End Depth UOM: ft

Annular Space/Abandonment
Sealing Record

Plug ID: 933114302
Layer: 1
Plug From: 0
Plug To: 2

Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933114303
Layer: 2
Plug From: 2
Plug To: 17
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID:
Method Construction Code: A
Method Construction: Digging
Other Method Construction:

Pipe Information

Pipe ID: 10599436
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930088795
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 17
Casing Diameter: 36
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933326678
Layer: 1
Slot:
Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 36

Water Details

Water ID: 933489269
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 6
Water Found Depth UOM: ft

Site:
con 1 ON

Database:
WWIS

Well ID: 1525673
Construction Date:

Data Entry Status:
Data Src: 1

Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No: 68558
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Date Received: 10/21/1991
Selected Flag: Yes
Abandonment Rec:
Contractor: 3644
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:
Lot:
Concession: 01
Concession Name: RF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10047408
DP2BR: 45
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 2/27/1991
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock **Materials Interval**

Formation ID: 931061986
Layer: 3
Color: 2
General Color: GREY
Mat1: 15
Most Common Material: LIMESTONE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 45
Formation End Depth: 103
Formation End Depth UOM: ft

Overburden and Bedrock **Materials Interval**

Formation ID: 931061984
Layer: 1
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:

Formation Top Depth: 0
Formation End Depth: 32
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931061985
Layer: 2
Color: 2
General Color: GREY
Mat1: 14
Most Common Material: HARDPAN
Mat2: 12
Other Materials: STONES
Mat3:
Other Materials:
Formation Top Depth: 32
Formation End Depth: 45
Formation End Depth UOM: ft

Method of Construction & Well Use

Method Construction ID:
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 10595978
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930082984
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 103
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930082983
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 49
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991525673
Pump Set At:
Static Level: 35

Final Level After Pumping: 55
Recommended Pump Depth: 55
Pumping Rate: 10
Flowing Rate:
Recommended Pump Rate: 8
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934388707
Test Type:
Test Duration: 30
Test Level: 55
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934105048
Test Type:
Test Duration: 15
Test Level: 55
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934906425
Test Type:
Test Duration: 60
Test Level: 55
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934649245
Test Type:
Test Duration: 45
Test Level: 55
Test Level UOM: ft

Water Details

Water ID: 933484724
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 70
Water Found Depth UOM: ft

Water Details

Water ID: 933484725
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 98
Water Found Depth UOM: ft

Site:
con 1 ON

Database:
WWIS

Well ID: 1519865
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No:
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 9/16/1985
Selected Flag: Yes
Abandonment Rec:
Contractor: 1558
Form Version: 1
Owner:
Street Name:
County: OTTAWA-CARLETON
Municipality: GLOUCESTER TOWNSHIP
Site Info:
Lot:
Concession: 01
Concession Name: RF
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 10041718
DP2BR: 60
Spatial Status:
Code OB: r
Code OB Desc: Bedrock
Open Hole:
Cluster Kind:
Date Completed: 8/1/1985
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 18
East83:
North83:
Org CS:
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: na

Overburden and Bedrock
Materials Interval

Formation ID: 931042997
Layer: 2
Color: 2
General Color: GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 81
Other Materials: SANDY
Mat3: 11
Other Materials: GRAVEL
Formation Top Depth: 5
Formation End Depth: 60
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931042998
Layer: 3
Color: 2
General Color: GREY
Mat1: 15

Most Common Material: LIMESTONE
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 60
Formation End Depth: 75
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931042996
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2:
Other Materials:
Mat3:
Other Materials:
Formation Top Depth: 0
Formation End Depth: 5
Formation End Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID:
Method Construction Code: 5
Method Construction: Air Percussion
Other Method Construction:

Pipe Information

Pipe ID: 10590288
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930072831
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 75
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930072830
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 62
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991519865
Pump Set At:
Static Level: 25
Final Level After Pumping: 30
Recommended Pump Depth: 50
Pumping Rate: 10
Flowing Rate:
Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934384474
Test Type: Draw Down
Test Duration: 30
Test Level: 30
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934109742
Test Type: Draw Down
Test Duration: 15
Test Level: 30
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934655014
Test Type: Draw Down
Test Duration: 45
Test Level: 30
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934895214
Test Type: Draw Down
Test Duration: 60
Test Level: 30
Test Level UOM: ft

Water Details

Water ID: 933476954
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 70
Water Found Depth UOM: ft

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial

AGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2018

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Automobile Wrecking & Supplies:

Private

AUWR

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jan 31, 2019

Borehole:

Provincial

BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial

CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal

CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:

Provincial

CFOT

List of commercial underground fuel oil tanks made available by the Fuels Safety Program of the Technical Standards & Safety Authority (TSSA). Ontario Regulation 213/01 of the Technical Standards and Safety Act (2000) requires that all underground tanks be registered with the TSSA. Note: the Fuels Safety Division does not register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of commercial fuel tanks in the province. The TSSA updates information in its system on an ongoing basis; this listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Chemical Register:

Private

CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2019

Compressed Natural Gas Stations:

Private

CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Mar 2019

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial

COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial

CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Jul 2019

Certificates of Property Use:

Provincial

CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Jul 31, 2019

Drill Hole Database:

Provincial

DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Oct 2018

Environmental Activity and Sector Registry:

Provincial

EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Jul 30, 2019

Environmental Registry:

Provincial

[EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Jul 31, 2019

Environmental Compliance Approval:

Provincial

[ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Jul 30, 2019

Environmental Effects Monitoring:

Federal

[EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private

[EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Apr 30, 2019

Environmental Issues Inventory System:

Federal

[EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

[EMHE](#)

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial

[EPAR](#)

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2018

List of TSSA Expired Facilities:

Provincial

[EXP](#)

List of facilities and tanks - for which there was once a registration - no longer registered with the Fuels Safety Program of the Technical Standards and Safety Authority (TSSA). Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. Tanks which have been removed from the ground are included in the expired facilities inventory held by the TSSA. Notes: the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990, or furnace oil tanks prior to May 1, 2002; nor does the Division register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Federal Convictions:

Federal

FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

Government Publication Date: Jun 2000-May 2019

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2018

Fuel Storage Tank:

Provincial

FST

List of registered private and retail fuel storage tanks made available by the Fuels Safety Program of the Technical Standards & Safety Authority (TSSA). Ontario Regulation 213/01 of the Technical Standards and Safety Act (2000) requires that all underground tanks be registered with the TSSA. Notes: the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990, or furnace oil tanks prior to May 1, 2002; nor does the Division register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of fuel storage tanks/tank facilities in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jul 31, 2019

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

TSSA Incidents:

Provincial

INC

List of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC) and made available by the Technical Standards and Safety Authority (TSSA). Under the Technical Standards & Safety Act (2000), the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors, and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2019

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2017

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Dec 31, 2018

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-May 31, 2019

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSRLibrary has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2019

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Jul 31, 2019

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: 1988-Mar 2019

TSSA Pipeline Incidents:

Provincial

PINC

List of pipeline incidents (strikes, leaks, spills) made available by the Technical Standards and Safety Authority (TSSA). Under the Technical Standards & Safety Act (2000), the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors, and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of pipeline incidents in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial

PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Jul 31, 2019

Ontario Regulation 347 Waste Receivers Summary:

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial

RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Jul 2019

Retail Fuel Storage Tanks:

Private

RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jan 31, 2019

Scott's Manufacturing Directory:

Private

SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial

SPL

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Feb 2019

Wastewater Discharger Registration Database:

Provincial

SRDS

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

TSSA Variances for Abandonment of Underground Storage Tanks:

Provincial

VAR

List of variances granted for abandoned tanks. Under the Technical Standards and Safety Authority (TSSA) Liquid Fuels Handling Code and Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of tank variances in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory:

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Jul 30, 2019

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Feb 28, 2019

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

Appendix F

Aerial Photographs



Year 1958




Aerial Photographs



Year 1965



Aerial Photographs



Year 1976



Aerial Photographs



Year 1991




Aerial Photographs



Year 2002



Aerial Photographs



Year 2011



Aerial Photographs



Year 2017



Aerial Photographs

Appendix G

Site Photographs



Photo 1 - Northwest corner of 1098 Ogilvie Road property facing southeast.



Photo 2 - 1098 Ogilvie Road property at BH1 facing south.



Site Photographs



Photo 3 - Outside of fence on the south side of 1098 Ogilvie Road property facing north.



Photo 4 - Southwest corner of 1098 Ogilvie Road property at BH3 facing east.



Site Photographs



Photo 5 - 1098 Ogilvie Road property at BH4 facing east.



Photo 6 - Path between BH4 and BH2/2A facing east.



Site Photographs



Photo 7 - 1178 Cummings Avenue property at BH2/2A facing east.



Photo 8 - Northeast corner of 1178 Cummings Avenue property at BH2/2A facing south.



Site Photographs



Photo 9 - 1178 Cummings Avenue property at BH6 facing west.



Photo 10 - 1178 Cummings Avenue property at BH6 facing east.



Site Photographs



Photo 11 - Ditch along Cummings Avenue facing north.



Photo 12 - Southeast corner of 1178 Cummings Avenue property facing northwest.



Site Photographs



Photo 13 - South side of 1178 Cummings Avenue property at BH5 facing north.



Photo 15 - South side of 1178 Cummings Avenue property at BH5 facing south.



Site Photographs



Photo 15 - One Stop Laundromat and Dry Cleaners located at 1099 Cyrville Road.



Photo 16 - Elite BMW Sales and Service located at 1040 Ogilvie Road.



Site Photographs



Photo 17 - Saab gas station and Carlsbad Auto Service garage located at 1057 Ogilvie Road.



Photo 18 - Econo gas station and car wash located north of the Site at 1111 Ogilvie Road.



Photo 19 - Pioneer gas station located northeast of the Site at 1134 Ogilvie Road.



about GHD

GHD is one of the world's leading professional services companies operating in the global markets of water, energy and resources, environment, property and buildings, and transportation. We provide engineering, environmental, and construction services to private and public sector clients.

Scott Wallis

Scott.Wallis@ghd.com
343.290.0515

Luke Lopers

Luke.Lopers@ghd.com
613.288.1723

www.ghd.com