Geotechnical Engineering

Environmental Engineering

Hydrogeology

Geological Engineering

Materials Testing

Building Science

Archaeological Services

patersongroup

Phase I-Environmental Site Assessment

3432 Greenbank Road Ottawa, Ontario

Prepared For

Minto Communities

Paterson Group Inc.

Consulting Engineers 154 Colonnade Road South Ottawa (Nepean), Ontario Canada K2E 7J5

Tel: (613) 226-7381 Fax: (613) 226-6344 www.patersongroup.ca May 25, 2020

Report: PE4940-1



TABLE OF CONTENTS

EXEC	CUTIV	'E SUMMARY	i		
1.0	INTR	RODUCTION	1		
2.0	PHA	SE I PROPERTY INFORMATION	2		
3.0	SCOPE OF INVESTIGATION				
4.0	RECORDS REVIEW				
	4.1	General	4		
	4.2	Environmental Source Information	5		
	4.3	Physical Setting Sources	6		
5.0		RVIEWS			
6.0	SITE RECONNAISSANCE				
	6.1	General Requirements	g		
	6.2	Specific Observations at the Phase I Property	g		
7.0	REVIEW AND EVALUATION OF INFORMATION				
	7.1	Land Use History	11		
	7.2	Conceptual Site Model	12		
8.0	CONCLUSIONS		14		
9.0	STATEMENT OF LIMITATIONS				
10.0	REFERENCES1				

List of Figures

Figure 1 - Key Plan

Figure 2 - Topographic Map

Drawing PE4940-1 - Site Plan

Drawing PE4940-2 - Surrounding Land Use Plan

List of Appendices

Appendix 1 Aerial Photographs

Site Photographs

Appendix 2 MECP Well Records

HLUI Response TSSA Response ERIS Report

Appendix 3 Qualifications of Assessors



EXECUTIVE SUMMARY

Assessment

Paterson Group was retained by Minto Communities to conduct a Phase I-Environmental Site Assessment (ESA) for 3432 Greenbank Road, in the City of Ottawa, Ontario. The purpose of this Phase I-ESA was to research the past and current use of the subject site and the Phase I Study Area and to identify any environmental concerns with the potential to have impacted the Phase I Property.

According to the historical research, the eastern portion of the Phase I Property was occupied by farm structures prior to 1960, while the remaining lands existed as agricultural fields. No potentially contaminating activities (PCAs) were identified during the historical review of the Phase I Property.

Historical land use of the neighbouring properties included farmsteads and agricultural land with no PCAs being identified within the Phase I Study Area.

Following the historical research, a site visit was conducted. The Phase I Property is occupied by two (2) barns and three (3) out-buildings. Cattle are housed in the western buildings (barns), while the remaining three (3) buildings are used to store farm equipment. An exterior 760-L above ground storage tank (AST) was noted on the exterior wall of the eastern-most building. The AST is equipped with a private fuel dispenser to refuel the on-site farm equipment. Storage of diesel fuel on-site is a potentially contaminating activity (PCA) that is considered to represent an area of potential environmental concern (APEC) on the Phase I Property. While there was no evidence of environmental impact, further environmental work would be required to confirm this.

The neighbouring properties to the north, east, and west are occupied by farmsteads, residences and/or agricultural lands. No PCAs were noted with the current use of the Phase I Property or the lands within the Phase I Study Area.

Conclusion

Based on the results of the assessment, it is **our opinion that a Phase II- Environmental**Site Assessment is required for the subject property.



1.0 INTRODUCTION

At the request of Minto Communities, Paterson Group (Paterson) conducted a Phase I-Environmental Site Assessment (Phase I-ESA) for 3432 Greenbank Road, in the City of Ottawa, Ontario. The purpose of this Phase I-ESA was to research the past and current use of the site and study area and to identify any environmental concerns with the potential to have impacted the subject properties.

Paterson was engaged to conduct this Phase I-ESA by Mr. Curtiss Scarlett from Minto Communities. The head office of Minto Communities is located at Suite #200, 180 Kent Street, Ottawa, Ontario. Mr. Scarlett can be reached by telephone at (613) 230-7051.

This report has been prepared specifically and solely for the above noted project which is described herein. It contains all our findings and results of the environmental conditions at this site.

This Phase I-ESA report has been prepared in general accordance with the requirements of Ontario Regulation (O.Reg.) 153/04, as amended, under the Environmental Protection Act, and complies with the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I-ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.



2.0 PHASE I PROPERTY INFORMATION

Address: 3432 Greenbank Road, Ottawa, Ontario

Legal Description: Lot 12, Concession 3, Geographic Township of

Nepean, City of Ottawa.

Location: The Phase I Property is located on the west side of

Greenbank Road, south of the Jock River, in the City of Ottawa, Ontario. The subject site is shown on Figure 1 – Key Plan, following the body of this report (Figures

section).

Latitude and Longitude: 45° 15' 29.44" N, 75° 44' 27.89" W

Site Description:

Configuration: Irregular

Area: 23. 128 hectares (approximately)

Zoning: DR – Development Reserved Zoning with the northern

and eastern sides of the site designated as a flood

plain.

Current Use: The majority of the site is agricultural land occupied by

five (5) out-buildings used for housing cattle and farm

equipment.

Services: The Phase I Property is situated in an area where

private wells and septic systems are relied upon, although new development in the area is municipally serviced. It is expected that the Phase I Property will be provided with municipal services upon

development.



3.0 SCOPE OF INVESTIGATION

e scope of work for this Phase I – Environmental Site Assessment was as lows:
Determine the historical activities on the subject site and study area by conducting a review of readily available records, reports, photographs, plans, mapping, databases, and regulatory agencies;
Investigate the existing conditions present at the subject site and study area by conducting site reconnaissance;
Conduct interviews with persons knowledgeable of current and historic operations on the subject properties, and if warranted, neighbouring properties;
Present the results of our findings in a comprehensive report in general accordance with the requirements of O.Reg. 269/11 amending O.Reg. 153/04 made under the Environmental Protection Act and in compliance with the requirements of CSA Z768-01;
Provide a preliminary environmental site evaluation based on our findings;
Provide preliminary remediation recommendations and further investigative work if contamination is suspected or encountered.



4.0 RECORDS REVIEW

4.1 General

Phase I-ESA Study Area Determination

A radius of approximately 250 m was determined to be appropriate as a Phase I Study Area for this assignment. Properties outside the 250 m radius are not considered to have impacted the subject land, based on their significant distance from the site.

First Developed Use Determination

Based on the historical review, the 1960 to 1976 aerial photographs, the subject site has never been formally developed, however, several small barns have been present on-site as far back as 1960.

Fire Insurance Plans

Fire Insurance Plans (FIPs) are not available for the subject site and surrounding lands.

City of Ottawa Street Directories

City directories were reviewed in approximately ten (10) year intervals back to 2000 as no directories were available prior to the City's amalgamation. The subject site was not listed in the directories.

Neighbouring properties were listed as residential. There were no listings associated with potentially contaminating activities.

Chain of Title

Paterson did not request a Chain of Title for the subject site as it was determined that sufficient information was gathered from other sources, such as personal interviews, aerial photographs and the site assessment.

Plan of Survey

A survey plan was not provided for review as part of this assessment.



4.2 Environmental Source Information

Environment Canada

A search of the National Pollutant Release Inventory (NPRI) was conducted electronically on May 11, 2020. No listings for the subject site or properties within the study area were identified in the NPRI database.

PCB Inventory

A search of national PCB waste storage sites was conducted. No PCB waste storage sites are located within the Phase I Study Area.

Ministry of the Environment, Conservation and Parks (MECP) Submissions

An ERIS search was requested in lieu of a MECP Freedom of Information (FOI) request pertaining to all environmental conditions, permits, certificates of approval, compliance reports, fuel oil storage tanks, spills and waste generators regarding the subject site and neighbouring lands.

MECP Brownfields Environmental Site Registry

A search of the MECP Brownfields Environmental Site Registry (ESR) was conducted as part of this assessment for the site, neighbouring properties and the general area of the site. No Records of Site Condition (RSCs) were filed for the Phase I Property or properties within the study area.

MECP Waste Disposal Site Inventory

The Ontario Ministry of Environment document titled "Waste Disposal Site Inventory in Ontario, 1991" was reviewed as part of the historical research. This document includes all recorded active and closed waste disposal sites, industrial manufactured gas plants and coal tar distillation plants in the Province of Ontario. There are no former waste disposal sites located within 250 m of the Phase I Study Area.

MECP Coal Gasification Plant Inventory

The Ontario Ministry of Environment document titled "Municipal Coal Gasification Plant Site Inventory, 1991" was reviewed to reference the locations of former plants with respect to the site. No Municipal Coal Gasification Plant Sites are located within the Phase I Study Area.



Areas of Natural Significance

A search for areas of natural significance and features within the Phase I Study Area was conducted on the website of the Ontario Ministry of Natural Resources (MNR) on May 11, 2020. The search did not reveal any areas of natural significance within the Phase I Study Area.

Technical Standards and Safety Authority (TSSA)

The TSSA, Fuels Safety Branch in Toronto was contacted electronically on May 15, 2020, to inquire about current and former underground storage tanks, spills and incidents for the site and neighbouring properties. No records are listed in the TSSA registry for the subject site or the adjacent properties. A copy of the TSSA correspondence is included in Appendix 2.

City of Ottawa Historical Land Use Inventory (HLUI)

A search request for the City of Ottawa's Historical Land Use Inventory (HLUI 2005) database was requested as part of this assessment. A response had not been received prior to issuing this report. A copy of the response will be forwarded to the client once it is received.

Environmental Risk Information Services (ERIS) Report

An ERIS (Environmental Risk Information Service) Report was obtained for the Phase I Property and properties within a 250 m search radius.

According to the ERIS report, no pertinent records were identified for the Phase I Property or the Study Area, which is expected, as the Phase I Property is situated in a rural area consisting of farmland that has been partially developed, primarily with new residential developments. A copy of the ERIS report is included in Appendix 2.

4.3 Physical Setting Sources

Aerial Photographs

Historical air photos from the National Air Photo Library were reviewed in approximate ten (10) year intervals. Based on the review, the following observations have been made:

The subject site is predominately agricultural fields with several farm buildings situated in the northeast corner of the lot. Neighbouring



	lands are occupied by farmsteads and agricultural fields. Greenbank Road is present at this time.
1966	No significant changes are apparent on the subject site or the surrounding lands.
1973	The subject site and neighbouring lands appear unchanged from the previous photograph.
1987	No significant changes are apparent on the subject site or the surrounding lands.
1999	The subject site and neighbouring lands appear unchanged from the previous photograph.
2011	The subject site remains unchanged from the previous photograph. Surrounding lands further north, east and south are being developed with residential subdivisions.
2017	No significant changes are apparent on the subject site or the surrounding lands.

Laser copies of selected aerial photographs reviewed are included in Appendix 1.

Topographic Maps

Topographic maps were obtained from Natural Resources Canada – The Atlas of Canada website and from the City of Ottawa website. The topographic maps indicate that the regional topography in the general area of the site slopes down in a north and easterly direction towards the Jock River. An illustration of the referenced topographic map is presented on Figure 2 – Topographic Map, appended to this report.

Physiographic Maps

The Ontario Geological Survey publication 'The Physiography of Southern Ontario, Third Edition' was reviewed as a part of this assessment. According to the publication, the site is situated within the Ottawa Clay Plain physiographic region.



Geological Maps

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on the information from NRCAN, bedrock in the area of the site consists of limestone and dolomite of the Gull River Formation and Dolomite of the Oxford Formation. Based on the maps, the thickness of overburden ranges from 5 to 25 m and consists of till and marine deposits.

Water Well Records

A well record search was conducted on May 11, 2020 for all drilled wells within 250 m of the subject site. The search returned thirty-seven (37) well records, of which 21 were domestic wells drilled between 1954 to 2017; 5 abandoned wells from 2007 to 2017; and 11 monitoring wells drilled in 2010 and 2017.

One domestic well was identified on the Phase I Property, drilled in 1987. Based on the well record, the stratigraphy consisted of clay and overworked soil (hardpan) with some stones, underlain by limestone. The well was drilled to a depth of approximately 189.8 m below the ground surface, with bedrock encountered at approximately 7.3 m below grade.

The domestic wells located within the Phase I Study Area were drilled between 1954 to 2010 to depths ranging from 12 to 67 m below the ground surface. All wells were drilled to fresh water.

The abandoned well records were identified for properties further northeast and south of the Phase I Property. It is expected that these decommissioned well records were associated with the new residential developments in the area.

Eleven (11) monitoring wells were identified further northeast on Jockvale Road, approximately 220 m away from the subject land. These wells were identified as part of a Phase II ESA conducted by AMEC. No other pertinent information or concerns were noted during the review of these well records. A copy of the well records has been included in Appendix 2.

Areas of Natural Significance and Water Bodies

The Jock River boarders the eastern and northern property boundaries running in a north-south direction and east-west direction, respectively, and overlain by a designated flood plain. No areas of natural significance are known to exist within the 250 m search radius.



5.0 INTERVIEWS

Property Owner Representative

Mr. Curtiss Scarlett of Minto Communities was interviewed as part of this assessment via email on May 12, 2020. According to Mr. Scarlett, the subject land has always been used for agricultural purposes and is occupied by five (5) outbuildings used to store farm equipment and cattle during the winter season. The site has never been formally developed for residential purposes. Mr. Scarlett is unaware of any potential environmental concerns with respect to the subject property.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

The site visit was conducted on May 13, 2020. Weather conditions were sunny with a temperature of approximately 14°C. Ms. Mandy Witteman from the Environmental Department of Paterson conducted the site assessment. In addition to the site, the uses of neighbouring properties within the Phase I Study Area were also assessed at the time of the site visit.

6.2 Specific Observations at the Phase I Property

Buildings and Structures

Two (2) barns and three (3) out-buildings occupy the site. Cattle are housed in the farthest buildings to the west, while the remaining three (3) buildings are used to store farm equipment and bales of hay. The out-buildings are constructed with either a rock floor foundation or poured concrete. The barns are finished in wood, while the out-buildings are finished in metal cladding. No other buildings are present on the Phase I Property.

Site Features

The northern and eastern property boundaries of the Phase I Property is situated in a designated floodplain associated with the Jock River.



The majority of the site is vacant agricultural land with the Jock River bordering the eastern property boundary. The site is below the grade of Greenbank Road with the eastern portion of the land somewhat undulating, while the remaining land is relatively flat. Site drainage occurs primarily through infiltration.

The topography of the site slopes gently down in an easterly and northerly direction towards the Jock River.

One domestic groundwater well was observed on the western side of the easternmost building. The well was used for livestock purposes.

A pole mounted transformer was noted on the southeastern property boundary. No signs of staining or stressed vegetation was observed in the immediate area. An exterior 200 Gal (or 760 -L) above ground storage tank (AST) containing diesel fuel was observed on the west wall of the eastern-most building. The AST is presently leased from Petro Canada and is used for refuelling on-site farm equipment. No odour, signs of stained or stressed vegetation were noted at the time of the visit. No hazardous materials, chemicals or waste were noted on-site.

No evidence of current or former railway or spur lines was observed on the subject property at the time of the site visit.

Subsurface Structures and Utilities

Above ground electricity is provided on-site. It is not expected that there are subsurface structures present on the Phase I Property.

Neighbouring Properties

An inspection of the neighbouring properties was conducted from publicly accessible roadways at the time of the site visit.

Land use adjacent to the subject site is as follows:

North -	- Agricultural land, followed by Jock River;					
South -	Vacant lands under construction, followed by a new residentia development;					
East -	Jock River followed by residential dwellings; and					
West -	Culvert and land under construction, followed by vacant lands.					



Land use within the Phase I Study Area (250 m radius) is primarily used for residential and agricultural purposes. No existing off-site PCAs were identified at the time of the site visit. Surrounding land use is shown on Drawing PE4940-2 – Surrounding Land Use Plan.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Land Use History

Based on the available historical records, the Phase I Property was occupied by out-buildings/barns prior to 1960 and has always been used for agricultural purposes.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

Based on the site visit, the diesel AST was identifed as an on-site potentially contaminating activity (PCA) that results in an area of potential environmental concern (APEC) on the Phase I Property, as defined by Table 2 of O.Reg. 153/04, Column A:

APEC 1 – Resulting in "Gasoline and Associated Products Storage in Fixed Tanks," associated with the diesel fuel tank on the eastern side of the Phase I Property (PCA 28).

Contaminants of Potential Concern

Based on the APEC identified on the Phase I Property, the contaminants of potential concern (CPCs) are:

Benzene,	ethylbenzene,	toluene	and xylenes	(BTEX); and

☐ Petroleum hydrocarbons (PHCs, Fractions F₁-F₄).



7.2 Conceptual Site Model

Geological and Hydrogeological Setting

Based on the information from the Geological Survey of Canada, the overburden in the area consists of plain till and marine deposits with a drift thickness ranging from 5 to 25 m. Bedrock in the area consists of limestone and dolomite of the Gull River Formation and Dolomite of the Oxford Formation.

Based on the domestic well record for the Phase I Property, the stratigraphy consists of clay and overworked soil with some stones, underlain by limestone. Bedrock was reached at approximate 7.3 m below the ground surface.

Groundwater flow is interpreted to be in a northerly and/or easterly direction towards Jock River.

Existing Buildings and Structures

The eastern portion of the Phase I Property is occupied by two (2) barns and three (3) out-buildings. Cattle are housed in the western buildings (barns), while the remaining three (3) buildings are used to store farm equipment and bales of hay. No other structures are present on the Phase I Property.

Subsurface Structures and Utilities

The Phase I Property is situated in an area where private wells and septic systems are relied upon, although new development in the area is municipally serviced. It is expected upon development, the site will be municipally serviced. There are no underground utilities with the exception of the domestic well used for livestock purposes. Above ground electricity entering from Greenbank Road services the Phase I Property.

Water Bodies and Areas of Natural Significance

The Jock River boarders the eastern and northern property boundaries running in a north-south direction and east-west direction, respectively, and overlain by a designated flood plain. No areas of natural significance are known to exist within the 250 m search radius.

Drinking Water Wells

The Phase I Property is situated in an area where domestic wells are relied upon. One domestic well was located on-site, although new development in the area is



municipally serviced and it is expected upon development the site will be municipally serviced as well.

Neighbouring Land Use

Neighbouring land use in the Phase I Study Area consists primarily of residential and agricultural fields.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

As per Section 7.1 of this report, one PCA was considered to result in an APEC on the Phase I Property:

☐ APEC 1 – Resulting in "Gasoline and Associated Products Storage in Fixed Tanks," associated with the diesel fuel tank on the eastern side of the Phase I Property (PCA 28).

Contaminants of Potential Concern

As per Section 7.1, the CPCs identified on the Phase I Property are:

- ☐ Benzene, ethylbenzene, toluene and xylenes (BTEX); and
- ☐ Petroleum hydrocarbons (PHCs, Fractions F₁-F₄).

Assessment of Uncertainty and/or Absence of Information

The information available for review as part of the preparation of this Phase I- ESA is considered to be sufficient to conclude that there is one on-site PCA that has resulted in an APEC on the Phase I Property.

A variety of independent sources were consulted as part of this assessment, and as such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.



8.0 CONCLUSIONS

Assessment

Paterson Group was retained by Minto Communities to conduct a Phase I-Environmental Site Assessment (ESA) for 3432 Greenbank Road, in the City of Ottawa, Ontario. The purpose of this Phase I-ESA was to research the past and current use of the subject site and the Phase I Study Area and to identify any environmental concerns with the potential to have impacted the Phase I Property.

According to the historical research, the eastern portion of the Phase I Property was occupied by farm structures prior to 1960, while the remaining lands existed as agricultural fields. No potentially contaminating activities (PCAs) were identified during the historical review of the Phase I Property.

Historical land use of the neighbouring properties included farmsteads and agricultural land with no PCAs being identified within the Phase I Study Area.

Following the historical research, a site visit was conducted. The Phase I Property is occupied by two (2) barns and three (3) out-buildings. Cattle are housed in the western buildings (barns), while the remaining three (3) buildings are used to store farm equipment. An exterior 760-L above ground storage tank (AST) was noted on the exterior wall of the eastern-most building. The AST is equipped with a private fuel dispenser to refuel the on-site farm equipment. Storage of diesel fuel on-site is a potentially contaminating activity (PCA) that is considered to represent an area of potential environmental concern (APEC) on the Phase I Property. While there was no evidence of environmental impact, further environmental work would be required to confirm this.

The neighbouring properties to the north, east, and west are occupied by farmsteads, residences and/or agricultural lands. No PCAs were noted with the current use of the Phase I Property or the lands within the Phase I Study Area.

Conclusion

Based on the results of the assessment, it is our opinion that a Phase II-Environmental Site Assessment is required for the subject property

PROFESSIONAL CHARLES

90377839

POVINCE OF ON



9.0 STATEMENT OF LIMITATIONS

This Phase I - Environmental Site Assessment report has been prepared in general accordance with O.Reg. 153/04, as amended, and meets the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I - ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

Should any conditions be encountered at the subject site and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

Permission and notification from Minto Communities and Paterson will be required to release this report to any other party.

Paterson Group Inc.

Mandy Witteman, B.Eng., M.A.Sc.

Mark S. D'Arcy, P.Eng. QPESA

Report Distribution:

Minto Communities

Paterson Group



10.0 REFERENCES

Federal Records

Air photos at the Energy Mines and Resources Air Photo Library.

National Archives.

Maps and photographs (Geological Survey of Canada surficial and subsurface mapping).

Natural Resources Canada – The Atlas of Canada.

Environment Canada, National Pollutant Release Inventory.

PCB Waste Storage Site Inventory.

Provincial Records

MECP Freedom of Information and Privacy Office.

MECP Municipal Coal Gasification Plant Site Inventory, 1991.

MECP document titled "Waste Disposal Site Inventory in Ontario".

MECP Brownfields Environmental Site Registry.

Office of Technical Standards and Safety Authority, Fuels Safety Branch.

MNR Areas of Natural Significance.

MECP Water Well Record Inventory.

Chapman, L.J., and Putnam, D.F., 1984: 'The Physiography of Southern Ontario, Third Edition', Ontario Geological Survey Special Volume 2.

Municipal Records

City of Ottawa Document "Old Landfill Management Strategy, Phase I -

Identification of Sites.", prepared by Golder Associates, 2004.

Intera Technologies Limited Report "Mapping and Assessment of Former Industrial Sites, City of Ottawa", 1988.

geoOttawa: City of Ottawa electronic mapping website.

City of Ottawa Historical Land Use Inventory (HLUI) Database

Local Information Sources

Personal Interviews.

Public Information Sources

Google Earth.

Google Maps/Street View.

Private Information Source

ERIS Report

FIGURES

FIGURE 1 – KEY PLAN

FIGURE 2 – TOPOGRAPHIC MAP

DRAWING PE4940-1 - SITE PLAN

DRAWING PE4940-2 - SURROUNDING LAND USE PLAN




FIGURE 1 KEY PLAN

patersongroup






FIGURE 2 TOPOGRAPHIC MAP


patersongroup






APPENDIX 1


AERIAL PHOTOGRAPHS
SITE PHOTOGRAPHS




patersongroup ____



patersongroup _____




patersongroup _____



patersongroup ____



patersongroup ____



patersongroup -



patersongroup -



Photograph 1: View of the eastern portion of the Phase I Property, taken from the southcentral side of the Phase I Property, looking towards Greenbank Road.



Photograph 2: View of the southern west side of the Phase I Property, looking west.



Photograph 2: View of the outbuildings (eastern and northern buildings), exterior diesel AST, domestic well and farm equipment, looking north.



Photograph 3: View of the two (2) barns (western buildings) on the Phase I Property, looking north.

APPENDIX 2

MECP WELL RECORDS

HLUI RESPONSE

TSSA RESPONSE

ERIS REPORT



15 No 6041

Basin $ 2 5$			nission Act, 1957 RECORI		A CONTRACTOR OF THE PARTY OF TH		
County or District		Township,	, Village, Town or	City			
		dress	pleted (day	month	year)		
Casing and Screen Record			Pun	nping Test			
		Statio	Static level				
Inside diameter of casing Total length of casing			mping rate				
Type of screen			ng level				
Length of screen			on of test pumping				
Depth to top of screen		l	clear or cloudy at	•			
Diameter of finished hole		Recom	mended pumping_	rate	G.P.M.		
A second of the		with	n pumping	f 2			
Well Log			Wa	ter Record			
Overburden and Bedrock Record	From ft.	To ft.	Depth(s) at which water(s) found	No. of feet water rises	Kind of water (fresh, salty, sulphur)		
	<u> </u>		-				
FRIT			×				
0 11 1		/					
	_				_		
				_			
	1	1					
For what purpose(s) is the water to be used?				tion of Well	, , , , , , , , , , , , , , , , , , ,		
	ien House		In diagram below				
Is well on upland, in valley, or on hillside?			road and lot line	e, indicate noru	n by allow.		
Drilling Firm BLAIR PHILLIPS DRILLING	G CO. LTD.						
Address							
Licence Number			•	**			
Name of Driller			,	,			
Address			* ; *		<i>č</i> •		
Date			× .				
		1	The state of the s				

Form 5 15M-58-4149

(Signature of Licensed Drilling Contractor)

JOENABLE

115120 The Ontario Water Resources Commission Act ATER WELL RECORD Township, Village, Town or City MEPC Lot 12 Date completed year) Address 163 0 7 (1) (4) Owner.. **Pumping Test** Casing and Screen Record Static level Inside diameter of casing..... Test-pumping rate /5 Total length of casing..... Type of screen Duration of test pumping..... Water clear or cloudy at end of test Length of screen..... Depth to top of screen..... Recommended pumping rate 5 G.P.M. Diameter of finished hole with pump setting of _______feet below ground surface Water Record Well Log Kind of water Depth(s) at To ft. (fresh, salty, From which water(s) Overburden and Bedrock Record sulphur) ft. found BOULD 518 15000000 40 TORNUBLE Location of Well For what purpose(s) is the water to be used? In diagram below show distances of well from FAM road and lot line. Indicate north by arrow. Is well on upland, in valley, or on hillside? Drilling or Boring Firm.... menoster Licence Number 2157 Name of Driller or Borer Address Date

(Signature of Licensed Drilling of Boring Contractor) Form 7 15M-60-4138 OWRC COPY




31456

JUN 3 0 1954

6043

Elev. $\frac{ 4 R 0 3 0 5}{}$		ONTARIO		AFOLOGIO	al branch	
Basin 215 Den	The W	ell Driller	s Act		NIW III	
Dcb	artment of M	lines, Prov	ince of Ont	ario		ئــــــــــــــــــــــــــــــــــــ
Wat	er W	Ve11	Rec	ord	•	
County or Territorial District Con3 I I at 13 Owner Date Completed	urybersisin V	ownship, Village, Town Address Well (exclus	illage, Town or City) ding pump).	or City. M.	green	
Pipe and Casing Record				Pumping Test		
Casing diameter(s). 5" Length(s) of casing(s). 23 Type of screen.		Date/	15 feet	2.54		
Length(s) of casing(s)		Static level.	10-12			• • • • • • • • •
Type of screen. Length of screen. Distances from top of	I	Pumping lev	rel. 1.4. f.	£	• • • • • • • • • • • • •	• • • • • • • • •
Length of screen	F	oumping rate	te5.6.4	JAN.	• • • • • • • • • • • • • • • • • • • •	
bistain je from top of screen to ground level.	I	Duration of	test.	men		
Is we'll a gravel-wall type?	· · · · · · · I	Distance fro	m cylinder o	r bowls to groun	d level	• • • • • • • • •
		er Record				
Kind (fresh or mineral)	c.) . siand	, , , , , , , , , , , , , , , , , , ,		Depth(s) to Water Horizon(s)	Kind of Water	No. of Feet Water Rises
Appearance (clear, cloudy, coloured) For what purpose(s) is the water to be used?	stock,	lonse	• • • • • • • • • • • • • • • • • • • •	52-65	fresh	To 10-12
•••••••••••••		· · · · · · · · · · · · · · · · · · ·	• • • • • • • • •		· · · · · · · · · · · · · · · · · · ·	·
How far is well from possible source of contain	mination?	5011				
What is the source of contamination?	Bara go	end		•		
Enclose a copy of any mineral analysis that h	as been made	of water	• • • • • • • • •	,		
Well Log						
Overburden and Bedrock Record		From	To	Loca	ation of Well	1
hard pan & from	lders	0 ft.	1.9.ft.	In diagram b	elow show dist	ances of
- hard pan & for	<u>u</u>	19	68	well from ro	ad and lot lin	e. In-
				dicate north	by arrow.	
					į.	



Situation:	Is	well	on	upland,	in	valley,	or	on	hillside?	vall	Lef.
Orilling Fig										/	

Licence Number. 420
Signature of Licensee

17M 18 441960 Con IRF		1509	167111	WATER RESOURCE DIVISION	5 3
ilev. 51/2 10131016	STILL STATES	3	9	JUN 1 3 196	3
The Ontario Water Reso WATER WEL			Ĺ	JANARIO WATEI	RSION .
County or District Carloton T				7	<i>C</i> . <i>A</i> . <i>I</i>
Con. 2 R.F. Lot 12				may	1968
		s 1155	(day	month d	year)
		ss. / . · · · ·	· · · · · · · · · · · · · · · · · · ·		Ottawa
Casing and Screen Record			21 7	oing Test	
Inside diameter of casing 201	1	atic level			G D L F
Total length of casing 38'	ł		7 ~		G.P.M.
Type of screen		mping level		1 hr	
Length of screen	i .	ration of test p		0	
Depth to top of screen Diameter of finished hole 5"				of test	-
Diameter of finished hole	I	-		te 5 10 feet beld	
Wall ben	Wit	th pump settin	ig of	····	er Record
Well Log		Evan	To	Depth(s) at	Kind of water
Overburden and Bedrock Record		From ft.	To ft.	which water(s) found	(fresh, salty, sulphur)
clay with boulders		0 '	/2'	145	fresh
sand		12'	26	/ /6/	
		2//	0.0	,	-
hardpan		26	33		
hardpan & boulders		331	35		
limestone		35	169		
For what purpose(s) is the water to be used?			Locatio	n of Well	
new house			n below sho	ow distances of we	
Is well on upland, in valley of on hillside?		road and	lot line. I	Indicate north by	arrow.
Drilling or Boring Firm (apital Hater)	(Con 3	< 41	Con	2/
Supply Ltd.			\-	+	
Address 14 ashforda r.					
attain ont.					
Licence Number 2857			入		
Name of Driller or Borer /8 main					
Address					
Date may 16 1968				- Howe L.	
(Signature of Licensed Drilling or Boring Contractor)					
Form 7 15M-60-4138			4	5i 1	`
O W R C COPY			, 1	∞ ′	
		-			

The Ontario Water Resources Commission Act DIVISION OF
WATER RESOUTO Waship, Village, Town or City...... County or District Date completed Owner. Casing and Screen Record RESOURCES COMMISSION **Pumping Test** Static levei Inside diameter of casing..... Test-pumping rate Total length of casing..... Pumping level..... Type of screen Length of screen..... Water clear or cloudy at end of test......................... 4 Depth to top of screen Recommended pumping rate G.P.M. Diameter of finished hole with pump setting of 25 feet below ground surface **Water Record** Well Log Kind of water Depth(s) at To ft. From (fresh, salty, which water(s) Overburden and Bedrock Record ft. sulphur) found 0/ True Sand With Bolder 03 Timestone Location of Well For what purpose(s) is the water to be used?... In diagram below show distances of well from Is well on upland, in valley, or on hillside? Upland

Drilling or Paris To road and lot line. Indicate north by arrow. BASE LINE Rd Drilling or Boring Firm. FR. COSSETTE Address 1510 BASELINE R.d. UTTAWA ONT Licence Number 3182 JOCKVALE Name of Driller or Borer (Signature of Licensed Drilling or Boring Contractor) Form 7 15M-60-4138 OWRC COPY

118 1444 118 1101/11 118 11 2021

The Ontario Water Resources Commission Act

lev. JA WATE	ER WEL	L R	ECC	DRD		
County or District Carleton	II MARKET OF TOO	41D/3FC 8	_	own or City	Reflan	1969
Con. $3 / 1$ Lot. PT		Date comple	ed	2.5(day	month	year)
Owner	A JUL	Address	160	ATHL	ONE OI	//AWA
Casing and Screen Record	ONTARIO V RESOURCES CO	WATER MMISSION		Pumping	Test	
Inside diameter of casing.		Static lev	vel		<u> </u>	.,,
Total length of casing		Test-pun	_		<u>、</u> シ	G.P.M.
Type of screen		Pumping	g level		20 10 l	······································
Length of screen		Duration	of test p	oumping	10 h	ear
Depth to top of screen		Water cl	ear or clo	oudy at end of	-	G.P.M.
Diameter of finished hole		Recomn	nended p mp_settir	oumping rate: \mathcal{L}	b feet belo	w ground surface
		with pur	mp secur.			r Record
Well Log Overburden and Bedrock Reco	ord	• • • • • • • • • • • • • • • • • • •	rom ft.	To ft.	Depth(s) at which water(s) found	Kind of water (fresh, salty, sulphur)
Sandy Clay with	Bolders)	9	105	Firesh
Sand & Boladers			7	22		
Line Sand		2	2_	28		
Coarse Gravel & B	olders	2	8	33		
Soft Limesto	ne		33	107		
For what purpose(s) is the water to be used?				Location		
t	Touse] 	In diagra	m below show l lot line. In	distances of wedicate north by	arrow.
Is well on upland, in valley, or on hillside?				BASE		
Drilling or Boring Firm FR. COSSETTE			\prod	<u> </u>	LINE	2d.
ISIN BACE! IN	E Rd.					
Address 077 AWA 01V7			`	₹ X		
Licence Number 3182				6	JOGK V.	•
Name of Driller or Borer		. 6	1 han			41 E
Address	/ 	<i>[</i> -/		150 FT		
Date May 23-1969	· · · · · · · · · · · · · · · · · · ·					
(Signature of Licensed Drilling or Boring	Contractor)					

OWRC COPY

Form 7 15M-60-4138

Ministry The Ontario Water Resources Act of the WATER WELL RECORD Environment Ontario CARLETON DOTTAWA- CARLETON 1522107 1. PRINT ONLY IN SPACES PROVIDED 2. CHECK X CORRECT BOX WHERE APPLICABLE COUNTY OR TISTRICT TOWNSHIP, SOROUGH, CITY, TOWN, VILLAGE CON._BLOCK, TRACT, SURVEY, ETC. DATE COMPLETED LOG OF OVERBURDEN AND BEDROCK MATERIALS (SEE INSTRUCTIONS) DEPTH - FEET MOST GENERAL COLOUR OTHER MATERIALS GENERAL DESCRIPTION COMMON MATERIAL FROM 65 31 32 DIAMETER SIZE(S) OF OPENING LENGTH **WATER RECORD** 51 **CASING & OPEN HOLE RECORD** EEN (SLOT NO) DEPTH - FEET WATER FOUND WALL INSIDE KIND OF WATER INCHES FEET AT - FEET MATERIAL THICKNESS CR DIAM. MATERIAL AND TYPE DEPTH TO TOP FROM 10 INCHES INCHES OF SCREEN É FRESH 3 □ SULPHUR STEEL E SALTY & MINERAL FEET ☐ GALVANIZED CONCRETE 1 🗗 FRESH 2 🗀 SULPHUR 61 **PLUGGING & SEALING RECORD** OPEN HOLE 2 SALTY 4 MINERAL DEPTH SET AT - FEET 20-23 STEEL (CEMENT GROUT. MATERIAL AND TYPE 😗 🔲 FRESH 3 🗀 SULPHUR 👫 LEAD PACKER, ETC.) FROM TO GALVANIZED Z SALTY 4 MINERAL CONCRETE 14-17 10-13 🗗 OPEN HOLE 25-28 1 SULPHUR 25 STEEL 27-30 z SALTY & MINERAL 22-25 18-21 ☐ GALVANIZED 30-33 ☐ FRESH 2 ☐ SULPHUR 34 CONCRETE 30-33 | 80 26.29 Z SALTY 4 MINERAL 4 DOPEN HOLE 12 PUMPING RATE 15 14 DURATION OF PUMPING PUMPING TEST METHOD LOCATION OF WELL PUMP 2 BAILER 15-16 17-18 MINS IN DIAGRAM BELOW SHOW DISTANCES OF WELL FROM ROAD AND WATER LEVEL T D PUMPING STATIC WATER LEVELS DURING END OF INDICATE NORTH BY ARROW. LOT LINE. LEVEL ? [] RECOVERY PUMPING 45 MINUTES 19-21 15 MINUTES 30 MINUTES 22-24 60 MINUTES 26-28) 4 32-34 FEET FEET FEET FEET FEET PUMPING IF FLOWING, PUMP INTAKE SET AT WATER AT END OF TEST 38-4! GIVE RATE 1 CLEAR 2 CLOUDY GPM. FÉET RECOMMENDED PUMP TYPE RECOMMENDED RECOMMENDED 43-45 45-49 PUMP PUMPING SHALLOW. | DEEP FEET RATE SETTING GPM 50-53 WATER SUPPLY # ABANDONED, INSUFFICIENT SUPPLY **FINAL** 2 DOBSERVATION WELL 5 ABANDONED, POOR QUALITY **STATUS** 3 TEST HOLE , UNFINISHED OF WELL 4 | RECHARGE WELL 55-56 1 DOMESTIC S COMMERCIAL z STOCK 6 MUNICIPAL **WATER** 7 DUBLIC SUPPLY 3 | IRRIGATION USE 4 INDUSTRIAL s ☐ COOLING OR AIR CONDITIONING OTHER 9 🔲 NOT USED CABLE TOOL € BORING **METHOD** ☐ ROTARY (CONVENTIONAL) 🔻 🔲 DIAMOND OF 1 D JETTING ☐ ROTARY (REVERSE) ☐ ROTARY (AIR) 🤰 🔲 DRIVING **DRILLING** 08656 AIR PERCUSSION DRILLERS REMARKS: NAME OF WELL/COMPRACTOR CORTRACTOR - 5 ₹ € D. |OARE RECEIVED 1988 CONTRACTOR ADDRESS DATE OF WASPET TO INSPECTOR SE

LICENCE NUMBER

SUBMISSION DATE

用色碱基胺 6点

OFFICE

MINISTRY OF THE ENVIRONMENT COPY

NAME OF DRILLER OR BORER

SIGNATURE OF CONTRACTOR

FORM NO. 0506-4-77 FORM 7



The Ontario Water Resources Act

WATER WELL RECORD

• %	1. PRINT ONLY IN : 2. CHECK 🗵 CORR	SPACES PROVIDED ECT BOX WHERE APPLICABLE 1 1 2	524374	15008 RF	
COUNTY OR DISTRICT	_	TOWNSHIP, BOROUGH, CITY, TOWN, VILLAGE	CON BLOC	K. TRACT, SURVEY ETC	LOT 25-2
		Nepean		DATE COMPLE	
		ING RC.	te Unit #40 Nepe	an Ontario 9	мо <u>О1</u> vr <u></u>
1 2	M 10 12	K2E_7V7	26 30 31		
	LC	OG OF OVERBURDEN AND BEDROC			DEPTH - FEET
GENERAL COLOUR	COMMON MATERIAL	OTHER MATERIALS	GENERAL DE	SCRIPTION	FROM TO
Brown	Sandy Clay	Boulders			
Gray	Sand	Gravel & Boulders	L		5 23
Gray	Limestone				23 75
				· .	
31					
32 10 WA	TER RECORD	51 CASING & OPEN HOLE RE	SIZE SI OF	55 DPENING 31-33 DIAMETER	R 34-38 LENGTH 39-4
WATER FOUND AT - FEET	KIND OF WATER	INSIDE WALL DET	PTH · FEET	AND TABLE	INCHES FE
10-13	FRESH 3 SULPHUR SALTY 4 MINERALS	INCHES INCHES FROM	13-16		PEPTH TO TOP 41-44 F SCREEN FEET
70	6 □GAS FRESH 3 □SULPHUR 19 MINERALS	6 1/4 1 STEEL	0 26 61	PLUGGING & SEALII	NG RECORD
20-23 1 FRESH 3 DSULPHUR 24 1 DSTEEL		17-18 1 □STEEL 19 2 □ GALYANIZED	20-23 DEPTH SET AT	TO MATERIAL AND T	YPE (CEMENT GROUT LEAD PACKER, ETC.)
L	SALTY 6 GAS FRESH 3 SULPHUR 29	3.C 5 UPLASTIC	26 75 10-13	14-17	
2 (SALTY 6 GAS	1 USTEEL 2 □ GALVANIZED 3 □ CONCRETE	27-30 18-21	30-33 80	
	SALTY 6 GAS	4 □ OPEN HOLE 5 □ PLASTIC		3033	
71 PUMPING TEST ME	2 BAILER	11-14 DURATION OF PUMPING 15-16 17-18 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	LOC	ATION OF WELL	
STATIC LEVEL	WATER LEVEL 25	EVELS DURING 2 RECOVERY		HOW DISTANCES OF WELL FR E NORTH BY ARROW.	ROM ROAD AND
TEST		30 MINUTES 45 MINUTES 60 MINUTES 32-34 35-37	T		
	25 FEET 25FEE 38-41 PUMP INTAKE			\	
IF FLOWING. GIVE RATE RECOMMENDED PL				$\langle \cdot \rangle$	
SHALLON	W DEEP SETTING	50 FEET RATE 5	8	1	
	54 1	5 ABANDONED, INSUFFICIENT SUPPLY	(F)	14	
FINAL STATUS	2 OBSERVATION WELL 3 TEST HOLE	L 6 ABANDONED POOR QUALITY 7 UNFINISHED	刻	1A Y	
OF WELL	4 RECHARGE WELL 55-56 1 DOMESTIC	DEWATERING 5 COMMERCIAL	ě	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	35"
WATER	2 STOCK 3 IRRIGATION	6 MUNICIPAL 7 PUBLIC SUPPLY	66	13 2 1	•
USE	4 INDUSTRIAL OTHER	Cooling or air conditioning Not used	Greenban	13	_
METHOD	57 CABLE TOOL 2 ROTARY (CONVEN	6 ☐ BORING FIONAL) 7 ☐ DIAMOND		$ \mathcal{V} $	
OF CONSTRUCTI		9 DRIVING			66566
NAME OF WELL	S AIR PERCUSSION	☐ DIGGING ☐ OTHER	DRILLERS REMARKS DATA 58 CONTRA	CTOR 59-62 DATE RECEIVED	63-68
1 !	al Water Supply	LICENCE NUMBER	SOURCE 1	558 APR (0 2 1990
ADDRESS BOX 40		, Ontario K2S 1A6	m t	INSPECTOR	
151	Her	WELL TECHNICIAN'S LICENCE NUMBER TOO97	→ REMARKS		
S. Mi	TACHNICIAN/CONTRACTOR	SUBMISSION DATE	OFFICE		
	OF THE ENVIRONM	10 DAT - 10 37 TR 73	-	FORM	M NO. 0506 (11/86) FORM

Print only in spaces provided.

Mark correct box with a checkmark, where applicable.

2 - MINISTRY OF THE ENVIRONMENT COPY

1532290

Municipa 1150	^	Con.	.1	1	 		0	3
10	14	15				22	23	24

0506 (07/00) Front Form 9

County or District		Township/Borough/City/Borough/City/Borough/City/Borough/City/Borough/City/Borough/City/Borough/City/Borough/City/Borough/City/Borough/City/Borough/City/Borough/City/Borough/Cit	wn/Village		Con block	k tract survey	, etc.	Lot 25-27 13
		Address 3390 Greenbank	Rd., Nepean	On K2	J 4H7	Date completed	09 day	08 01 month year
21	U I I I	Northing	RC Elevati	on RC	Basin Code		iii	iv
1 2	LOG OF	OVERBURDEN AND BEDRO	CK MATERIALS (se	e instructio	ns)	· · · · · · · · · · · · · · · · · · ·		epth - feet
General colour	Most common material	Other materials		General c	lescription		From	<u>. </u>
Brown	sandy soil	stones		1.00			0	12
Grey	sandy clay	boulders					12	
Grey	limestone						40	
Grey	limestone		bad	ly bro	ken	· · · · · · · · · · · · · · · · · · ·	16	5 175
							-	
						<u> </u>		
							-	
				-				
31 , , ,	<u> </u>	1,11,111,111						
32								1 1 1
	ER RECORD 51	CASING & OPEN HOLE RE	CORD Depth - feet	Sizes of o	pening	31-33 Diameter		Length 39-44
at - feet	Kind of water diam inches	Material thickness inches	From To	Material a	nd type		nches Depth at	top of screen
2	□ Salty 6 □ Gas	1 🕱 Steel 12 2 🗀 Galvanized 3 🗆 Concrete	0 43-16	Š				feet
	☐ Fresh 3 ☐ Sulphur 19 ☐ Home 4 ☐ Minerals ☐ Salty 6 ☐ Gas ☐ 17-18	4 ☐ Open hole 5 ☐ Plastic	20-23		PLUGGING Annular space	3 & SEALING	RECO	
	□ Fresh 3 □ Sulphur 24 □ Minerals □ Salty 6 □ Gas 6	2 Galvanized 3 Concrete	43 175	Depth set at	- feet	terial and type (Ce		
	☐ Fresh 3 ☐ Sulphur 29 ☐ Colt. 4 ☐ Minerals 24-25	4 (♣ Open hole 5 ☐ Plastic 1 ☐ Steel 26	27-30	430-13	0 ¹⁷ G	routed-b	entor	nite(6)
20.22	Gas	2 Galvanized 3 Concrete 4 Open hole		18-21	22-25 30-33 80			
2	☐ Salty 6 ☐ Gas	5 Plastic					<u>-</u>	
71 Pumping test		17.10	112		ATION OF			
	end of pumping i	Pumping 2 ☐ Recovery	In diagram Indicate no	below show orth by arrow	distances	of well from r	oad and	d lot line.
19-21 5 32 4 7	22-24 15 minutes 30 minutes 29-385 173 173	45 minutes 32-34 60 minutes 35-37 85				_1		
32 4 feet If flowing give	feet teet te	et feet feet Water at end of test	, H	505e	#339C)!		
Recommended	GPM fe	15 Becommended 46-49			•	1		
Shallow 50-53	pump type pump setting pump setting pump setting	et pump rate 5 GPM	1			1		
FINAL STATU			' '	نا		i		
1 X Water su 2 ☐ Observa 3 ☐ Test hole	tion well 6 Abandoned, poor qualit		27/		. 3	1		
4 ☐ Recharg				421		۱ _		
WATER USE	c 5 Commercial	9 ☐ Not use						a
2 ☐ Stock 3 ☐ Irrigation 4 ☐ Industria		10 Other	100	reenbo	NK B	8		ভূ
METHOD OF	CONSTRUCTION 57	· · · · · · · · · · · · · · · · · · ·						SKA 20
1 ☐ Cable to 2 ☐ Rotary (ool 5 🛣 Air percussion conventional) 6 🗌 Boring	9 ☐ Driving 10 ☐ Digging	/				_	h
3 ☐ Rotary (a		11 Other					23	0197
Name of Well Con	ntractor	Well Contractor's Licence No.	> Data 5	8 Contractor		59-62 Date rece		63-68
Capital Address	Water Supply Ltd.	1558	Data source Date of inspection	\perp 15	58 Inspector	SEP	17	2001
B ox 490	O, Stittsvålle On. K2		USE		•			
Name of Well Tec		Well Technician's Licence No.	Remarks				יפת	3.E 9 1
Signature of Tech		Submission date	Įž				UM	J, LO [

Vell	Tag Number	(Place sticker and print number below)
	A041927	7

	Wel		Re	CO	ro
Regulation 903 Ontario	Water	Re	soul	rces	Ac

n.	903	Ontario	Water	Re	so	uı	ce	5	Ac	Ċ

page ___ of ___

		_
Instructions for Completing Form	A 04192T	
and the second s		
A F		

D	For use in the Province of Ontario only.	This document is a permanent legal document. Please retain for future reference

Please	print clearl	y in blu	ie or black	e reported to 1/1 ink only.	u" of a metr	'e		Ministry U	se Only	·		
										- parameter		
Address of W	en Location (wa CArl		/District/ivit	inicipality)	T	ownship Non	007	Lot		Conce		1
RR#/Street N		Э				Nep City/Town/	Village	Site/Comp	11 partment	/Block/Ti	3 ract e	tc.
GPS Reading	NAD	Zor	ie Eastir	ng Noi	thing $1_{1}1331_{1}$	Unit Make		ode of Operation: 🔲 Un	ndifferentia	ited 5	Ave	raged
Log of Ove	8 3 rburden a	$rac{18}{2}$		$741_{ m j}$ 50	011331 structions)	Garm	in	-	fferentiated	les les	7,40	aged
General Colour	1		material	Other M			Ger	eral Description		Der		Metres
Brown	hai	rdpar	1	bou	lders		packed		, , , , , , , , , , , , , , , , , , , ,	- Fro	om	3.65
grey	"	rdpar					packed			3.6	5	12.19
grey	sand				5,					12.	19	13.7
_grey	l lime	estor	e	dark 1a	yers		mud			13	.71	52.72
									47			
Lala	Diameter											
		meter	Inside	Cons	struction Rec	T		Pumping test method	st of We	ell Yield v Down		
From		metres	diam	Material	Wall thickness	Depth	Metres	Submersible	Time W	ater Level	Time	ecovery Water Leve
0 16	5.45 22	2.75	centimetres		centimetres	From	То	Pump intake set at - (metres) 30.47	Ctotic	Metres	min	Metres
16.45 52	2.72 15	.23		Steel Fibreglass				Pumping rate -		5.57 7.37	1	10.34
Wate	r Record			Plastic Concrete Galvanized	.48	+.60	16.45	(litres/min) 54.6 Duration of pumping	2 8	3.52		8.98
Water found at Metres /	/ Kind of W	ater		Steel Fibreglass				$\frac{2}{\text{hrs}} + \frac{30}{\text{min}}$			2	
51.50 Gas		ulphur inerals		Plastic Concrete Galvanized				Final water level end of pumping 12.98	3 9	9.21	3	8.27
				Steel Fibreglass				Becommended nump	1 0	9.46	4	8.04
Gas		ulphur inerals		Plastic Concrete				type. Shallow Deep Recommended pump	5 9	9.86	5	7.75
Other:	Fresh Su	ilphur		Galvanized	Screen			depth. 22.8 metres				
		nerals	Outside diam	Steel Fibreglass	Slot No.			Recommended pump rate. 45.5 (litres/min)	15 1	1.22	10 15	7.08 6.90
After test of well		was		Plastic Concrete				If flowing give rate - (litres/min)		1.50 1.83	20 25	6.74 6.65
Clear and se				Galvanized	asing or Scr			If pumping discontinued, give reason.	30 I	2.06	30	6.51
Chlorinated 🔣	-			∭Open hole	asing or Scr			-		2.29	40 50	6.45 6.43
						16.45	52.72			2.56	60	6.42
Depth set at - Me				rd 🔀 Annula urry, neat cement slurry	vetc Volum	pandonment ne Placed	In diagram bel	Location of the Location of th		lot line a	nd buil	dina
From To 16.45	J			onite Slurry	(Cubic	metres)	Indicate north	by arrow.	Jiii roau,	iot iiie, a	na ban	ung.
			3 3 3 3 3 3	onico brairy	• 72		1180					
							174		-	5- 200m ay		
				-700				3 Throughousemake	(0		
		Me	thod of C	onstruction				1 %	1	1		
☐ Cable Tool ☐ Rotary (conver		Rotary (ei	#MUD	☐ Diamond☐ Jetting		Digging			Kan	1		
Rotary (reverse	,	oring		☐ Driving		Other		1	8	1		
Domestic	[] Ir	ndustrial	Water	Use Public Suppl	v 🗇	Other		preenbank Ri	7	Personal Company of the Personal Property of t	A CONTRACTOR OF THE PARTY OF TH	
Stock		ommerc Iunicipal	ial	☐ Not used ☐ Cooling & air	, <u> </u>	- Curier						
			Final Statu	s of Well			Audit No.	58658 Date	e Well Co	mpleted 200	7 5	MM 200
Water Supply Observation we ■	Recha ell Aband		sufficient sup	Unfinished Dewatering	Abando	ned, (Other)	Was the well of package deliver		Delivered		γ	MM DD
Test Hole	Aband	oned, po	or quality	Replacement				Ministry Use	Only	200	01 -	
Name of Well Con				We	Il Contractor's Li	cence No.	Data Source		tractor		<i>P</i>	
Business Address	(street name,	number	, city etc.)		1558		Date Received	YYYY MM DD Date	of Inspec	ction yy	8 .	do MM
Name of Well Tech	nnician (last na	ame, firs	<u>e Ontar</u> tname)	rio K2S 1A6	l Technician's Li	icence No.	Remarks	JUL 2 3 2007	Record N			
Miller Signature/of Works	Stephe	en			T0097			vveil	necora N	งนเเมษา		

Ministry's Copy

Cette formule est disponible en français

8	Ontario	1
---	---------	---

1	Well	Tag	No.	(Place	Sticker	and/or	Print	Below)	
1		·ug		() 1400	Otrontor	arraror	· ·	20,011)	

Well Record

				Ao	4192	7				Reg	ulatioi	1 903 C				ources Act
Well Owner's I	Information	Last Nam	ne			E-mail A	Addres	s							/ell Co	nstructed
Mattamy Hon Mailing Address (S	mes Street Number/Nan	ne, RR)		Municipalit	tv			Provin	ce	Posta	al Code		Telepho	_ t	y Well	Owner area code)
123 HUntman Part A Constru	r Road ction and/or Ma	jor Altera			Otta	ıwa		(Ontar	io K 2	\$ 1					4 1 1
Half Moon I	ocation (Street Nur Bav	nber/Name	, RR)	То	ownship N	lepean	n			Lot	11		Conces	sion	3	3
County/District/Mu	unicipality			Cit	ty/Town/							Onta			Postal	Code
Ottawa Carl UTM Coordinates NAD 8 3			orthing	3 41 GPS	Unit Ma	ake M	lodel Garm			Operation entiated, s		Undiffe	rentiate	d	Ave	eraged
Overburden and General Colour		ls (see inst					Jarm		General I	Description	n			T		(Metres)
			Med r	Yay 20					301101011	y coorput					From	То
														+		
														+		
Depth Set at (Matri	· · ·	Type of Se	alant Used	ling Record	Vo	lume Plac		Check box water was:		Result st of well y		Dr	aw Dow	m		ecovery
51.5 6.0	09 Grouted	(Material ar		ole Plug		baes)		☐ Clear	and sand	free p to sand	free	(Min) Static	Water (Metr		Time (Min) Static	(Metres)
6.09 0	Casing r							state If pumping	discontin	ued, give	reason:	Level 1			Level 1	
								Pumping t	test meth	od		2			2	
Method of	Construction			Water Us	e			Pump inta	ike set at	(Metres)		3			3	
Cable Tool Rotary (Conventi			úblic omestic	Commerci		Not us Dewat	tering	Pumping	rate (Litre	s/min)		5			5	
Rotary (Reverse)	Digging	☐ Irri	vestock igation	☐ Test Hole ☐ Cooling &		☐ Monitoditioning	oring	Duration of	of pumpin	g		. 10			10	
Air percussion Other, specify	Boring		dustrial her, specify					Final water	s + r level end	min d of pumpi	ng	15			15	
☐ Water Supply ☐ Replacement We	Dewateri	ng Well		Observation			g Hole	(Metres)				20			20	
Test Hole Recharge Well	☐ Abandon	ed, Poor Wa	iter Quality	Other, sp				Recomme		Deep mp depth		30			30	
Please provide a ma	ap below showing:	Location						Recomme (Litres/min	Metre			40			40	
- an arrow indicating	aries, and measuren g the North direction can be provided as a						1	If flowing	give rate			50			50	
	finside of well can al			ir rogai dalo (o.]	,	,	Libesymin			Water	60 r Detai	le		60	
					2	į		Water for	und at D		Kind o	of Wate	r	□ Su	lphur	Minerals
					/>	*		Water for		epth	Kind o	of Wate	r			Minerals
			+		\	Greenbounk		Water for			Kind	of Wate	r			Minerals
				0)		15	\neg	Casing	g Used		n Used	1	Casi	ng an	d Well	Details
		Cas	mbrian	RE				Galvani		Galva Steel			pth of th			entimetres)
Date Well Comple (yyyy/mm/dd)	ted Was the well of			ate the Well R				Fibregla		Fibreg	С		all Thickr			
(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Well Contracto	Yes	X No	2008/6/6		0,,,,		No C		Conce		1000				asing (Metres)
Business Name of	Well Contractor				Contracto	or's Licence		Oper Disinfected					epth of th	og e		
Capital Wa Business Address	ter Supply (Street No./Name,	Ltd. number, RR	3)	Municipali	,		8	Yes						0 000	ing (wie	000)
Box 490 Province	Postal Code		s E-mail Ad	dress	itts			Audit No.	77	375	Ministr	_	ontracto	r No.		
Ontario Bus.Telephone No.	K 2S 1 A (inc. area code) Nam	6 of e of Well T	fice@d echnician(L	capitalw ast Name, Fir	ater rst Name	.ca		Date Rece	ived (yyy)	/mm/dd)		Date of	Inspect	ion (y	yyy/mm	(dd)
6 1 3 8 3 Well Technician's Lic	6 17 66 sence No. Signature	Miller	Stepl			ed (yyyy/m	nm/dd)	Remarks	- 10							
0506E (11/2006)	7 J	your	1	de	08/6/ Mini	/	Сору						© Q	ueen's	Printer f	or Ontario, 200

	tario Ministry of the Environ		No. (Place S	ticker and	d/or Print Below)	Regulation	n 903 C		er Res	Record cources Act
Well Owner's First Name				7. 4.1.						
Mattamy Ho	Last Na	me	E-m	ail Addres	iS					nstructed Owner
Mailing Address ((Street Number/Name, RR)	Municipalit	*		Province	Postal Code		Telephone N		
123 Huntma Part A Constru	r Road uction and/or Major Alter	Ott	awa		Ontario	K 2 S 1	B9 6	0 1 3 8	3 1	4 1 1 5
	ocation (Street Number/Name		wnship			Lot		Concession		
Half Moon County/District/M	Bay funicipality	Ci	Nepe ty/Town/Villag	ean		11	Provin	ice	3 Posta	Code
Ottawa Car	leton		Barr	haven			Ont	ario		
UTM Coordinates NAD 8 3			Unit Make	Model	□ n//	Operation:	Undiffe	rentiated	AV	eraged
	1 8 44 1 6 6 0 5 d Bedrock Materials (see ins		form)	Garm	1n	ormates, openny				
General Colour	Most Common Material	Other Materi	als		General	Description			Depth From	(Metres)
										1
				-						-
				-						-
				-						-
										1
	Appular Space/Aband	onment Sealing Record		TO SHARE THE PARTY OF THE PARTY		Beaulto of W	all Vial	d Teeting	_	
Depth Set at (Met	res) Type of S	ealant Used	Volume		Check box if after to water was:	Results of West of well yield,	Dr	aw Down	_	ecovery
From To	(Material a		(Cubic I		Clear and san	d free	Time (Min)	Water Level (Metres)	Time (Min)	(Metres)
18.28 0		onite Hole Plug	3/4 inc	ch	Cannot develo	op to sand-free	Static Level		Static Level	
	(12)	bags)			If pumping disconting	nued, give reason:	1		1	
			-		Pumping test met	nod	2		2	1.75
							3		3	
Method o	f Construction	Water Use		ot used	Pump intake set a	t (Metres)	4		4	
Rotary (Conven	tional) Jetting	Domestic Municipal	□ De	ewatering	Pumping rate (Litre	es/min)	5		5	
Rotary (Reverse		ivestock Test Hole	Air Conditioni	onitoring ng	Duration of pumpi	ng	10		10	
☐ Air percussion ☐ Other, specify		ndustrial Other, specify			hrs +	min	15		15	
		of Well			Final water level en (Metres)	d of pumping	20		20	
☐ Water Supply ☐ Replacement W	☐ Dewatering Well /ell ☐ Abandoned, Insuffic		on and/or Monit (Construction)	- 1	Recommended pu		25		25	
Test Hole	Abandoned, Poor W	ater Quality Other, sp			Shallow Recommended pu	Deep mp death	-		-	
Recharge Well	Abandoned, other, s	on of Well			Metr	es	30		30	
	nap below showing: daries, and measurements suffic		tion to fixed poi	nte •	Recommended pu (Litres/min)	imp rate	40		40	
 an arrow indicatin 	ng the North direction can be provided as attachment			7	If flowing give rate		50		50	
	of inside of well can also be provi		.5 by [4]	*	(Litres/min)		60	1345	60	1.74
			一 人。		Water found at D		r Detai			
			/3					Salty S	ulphur	Minerals
	4	alk wood	\3		Water found at D		of Wate		ulohur	Minerals
	4	(O)×	\2	82	Water found at D	epth Kind	of Wate	er		
		0)	$\overline{}$	25	Metres				_	Minerals
	Cambria	O RC	1	Ĭ	Casing Used Galvanized	Screen Used		Casing a		
				\	Steel	Steel	Do	epth of the Hol	o /Moto	no.
Date Well Comple	eted Was the well owner's info	nmation Date the Well R	ecord and Pac	kage	Fibreglass Plastic	Fibreglass Plastic	De	pin of the mo	e (metre	is)
(yyyy/mm/dd)	package delivered?	No Delivered to We 2008/6/5	ll Owner (yyyy/		Concrete	Concrete	Wa	all Thickness	(Metres)	
	Well Contractor and We	2006/0/2				nd Screen Used	Ins	side Diameter	of the C	asing (Metres)
Business Name of		Well	Contractor's Lic	ence No.	Open Hole Disinfected?		De	anth of the Co	nine (A.f.	deset
Capital Wa Business Address	ater Supply Ltd. (Street No./Name, number, R	R) Municipali	5 5 ity	8	Yes No		De	epth of the Ca	sirig (Me	rures)
Box 490	10.415	Stitt	sville			Ministr				
Ontario		ss E-mail Address ffice & capitalw	ater.ca			374		Ontractor No.		vaid
1 1 1 1 1	. (inc. area code) Name of Well 1 7 6 6 Mi 116 cence No. Signature of Technic		st Name) Submitted (yy	yy/mm/ddl	Date Received (yyy		Date of	f Inspection ()	yyy/mm	ruuj
0 0 9		/	2008/6/1							
0506E (11/2006)	7.30	4	Ministry	's Copy				@ Queen's	Printer f	or Ontario, 2006




A 096525

'or Print Below)

Master Well Record for Cluster Well Construction

Regulation 903 Ontario Water Resources Act
Page _____ of ______

		et Number/Name, RR)		Township N c p ~	0 h				Lot 12	Conce 2	ssion
33 9 2 County/Dis	strict/Municipality	1c Road		City/Town/V					1	Province	Postal Code
				Ottar						Ontario	
	finates Zone Eas	Northing Northing		GPS Unit Mak		1104	2015	Mode of C	tiated, specify	Undifferentiat	ed 🕢 Averaged
-		ck Materials (see inst			is form)					Details	
General Colour	Most Common Material	Other Materials	Gener Descrip	and the same of th	epth (Metres om To	(s) De		Metres) To			meter imetres)
Brown	5444		Topsoi	1 0	0 (0		6.4	20		
Grey	silty same	clumps	danp	٥,	61 1.2.	2					
	The state of the s	gravel	danp		22 3.6						
	silty san	gravel	sect we		664,2	-					
Grey	Jana	silt	very w		27 5,4	-				ter Use	C Other annuit
Grey	5; (+		very we	5.	49 6.	Pu Do	nesti	ic C	ommercial [Not used Dewatering Monitoring	Other, specify
						_ Irri				Cooling & Air	Conditioning
										Construction	
						☐ Ca		'ool (Conventio	Air Pe	ond [Digging Boring
						☐ Ro		(Reverse) (Air)	☐ Jettin		YOther, specify HSA
										s of Well	11371
						Tes				doned, Insufficie	
						-		ement Well ring Well		doned, Poor Wa , specify	iter Quality
						☐ Alt	eratio	on (Constru	ction) Aban	doned, other, sp	pecify
						No (ng and S	creen Used	Static	Water Level Test
		Construction De	etails			Open		Yes 🗸			Metres
Inside Dia		Material c, fibreglass, concrete, g			epth (Metres	The same of the same of	ivania	zed 🗔	Steel Fibr	eglass C	oncrete Plastic
5.1	PVC	s, noregiase, concrete, j	50	ched 1	0 3.	Outsid	e Dia	ameter (Co	entimetres)	Slot No.	
				40			5.	0		10	
						Water	four	nd at Dep	th Kind	etails of Water	
								Metres			Sulphur Minerals
	Appul	ar Space/Abandonme	ent Sealing Re	cord		Water		nd at Dep Metres		of Water esh Salty	Sulphur Minerals
	at (Metres)	ar Space/Abandonme Type of Sealant	Used	Vo	olume Used		four	nd at Dep	th Kind	of Water	□Outstan □ Minarala
From	0.3 Box	(Material and Ty	rpe)		ubic Metres			Metres	Guo		Sulphur Minerals
	o. 5 Der	itonite			. 01	-			ZINO II no, pro	0	ate Master Well Completed yyy/mm/dd) 010 / 08 / 13
										fill out the ad	ditional Cluster Well
								on for We		Please indic	rcel of land and cluster.) ate Number of Cluster Wel
						Total	Well	ls on this F	Property	Information	Log Sheets Submitted
								0 W A			
						Detail	ed M	Map must b	-	of Well Cluste an attachment	no larger than legal size
	201 (200 (200 (200 ((8.5")	14"). Sketche	s are not allow	ed.	as per Section 11.1 (3)
											erning the cluster to
	Well Cor	tractor and Well Tec	chnician Infor	mation							
	lame of Well Contra	ctor 4 Estate Di		Well Contractor	's Licence N						
	ddress (Street No./I	lame, number, RR)	Muni								
Business A			cile to	14 R	0499				Ministr	y Use Only	
Business A		de Business Em	nail Address		1	Asyrlis 5	lp.			Well Contract	or No.
Province	Postal Co	1 BO downis	ngahaw	k. 190. 1	net	Audit 1	N		774	Well Contract	or No.
Business A 4 1 0 Province Q C Bus. Teleph	Postal Co J O V one No. (inc. area coc	Name of Well Technic	cian (Last Name	k. 190. 1	net		N				or No. ction (yyyy/mm/ad)
Province Q C Bus Teleph 8 9	Postal Ci J 0 V one No. (inc. area coc 2 4 2 6 4 6	1 BO downis	ng @haw ciah (Last Name Biyee	e, First Name)	net d (www/mm/	Date F	N Recei		774 8 2010		
Business A 4 0 Province Q C Bus.Teleph 8 i j Well Technic	Postal Co J C V one No. (inc. area coo 2 4 2 6 4 6 cian's Licence No. Signal S	Name of Well Technic	ng @haw ciah (Last Name Biyee	k, j g > . e, First Name)	net d (www/mm/	Date F	N Recei			Date of Inspec	



Wel A 096525 t Well Tag No.)

Cluster Well Information for Cluster Well Construction

Regulation 903 Ontario Water Resources Act

Page 1 of 1

Address of Well Location (Street Number/N	lame, RR	?)	Lot		Concession	Township			C	ounty/D	District/Mun	icipality	upon request	
3392 Vockvale Road													Signature of Technician/Contractor	Date (yyyy/mm/dd)
City/Town/Village	Provi	nce Po	stal Code		ACTOR STATE IN CONTRACT AND ADDRESS OF THE STATE AND	Model	Unit Mod	de of Oper	ation [] Undiffe	erentiated	Averaged		2010/09/2
OHRWA	Onta	ario			Garnin	Etrex	☐ Differ	entiated,	specify:				12me Our	
Well # UTM Coordinates on Sketch Zone Easting Northing		Full Depth of Hole (metres)		Method of Constructio		Casing Length (metres)	Screen Int	erval (metres	Annular S Sealant U		Static Water evel (metres)	Abandonment Sealant Used	Comments	Date of Completion (yyyy/mm/dd)
Q 1 8 4 4 2 4 0 3 5 0 1 2	3 4 4	4.8	20	HSA	PVC	1.8	1.8	4.8	Benton	ite				2010/08/1
3 184423165012	0 8 3	6.7				3,1	3.1	6.1						2010/08/1
1 8 4 4 2 3 4 3 5 0 1 2	085	5.4				2,4	2.4	5,4						2010/08/1
5 184423415012	052	6.7				3. 1	3.1	6.1						2010/08/11
7 184423305012	300	5.4				1, 83	1,83	5.49						2010/08/1
8 184422765012	274	5.7				2.6	2.6	5.6						2010/08/1
9 184422565012	279	5.4	1	1	1	3	3	5.4	1					2010/0811
Well Contractor and Well Technic	cian In	formation											Date 1st Well in Cluster Constructed Date Last We (yyyy/mm/dd) 2010/08/12 (yyyy/mm/dd)	ll in Cluster Constructed
Business Name of Well Contractor		The second			s (Street Number/N		. 10	Municipa	S. 1796g I. Nuk			Province Q C	Ministry Use Only	
George Downing Estat				Well Contrac	Principale ctor's Licence No. Bu	Isingee F-mail	Address	but	4 1.00	10		a c		cted (yyyy/mm/dd)
J 0 V 1 B 0 8 1 9	2 4	4 2 6	4 6 9	1 8		lowning 1		k. 19 5	. net				OCT 0.9 2010	olog (yyyymmrdd)
Name of Well Technician (First Name, Last			1 1 10	Well Technic	cian's Licence No. Da	ate Submitted (vyyy/mm/dd			cian)			Audit No. 2000 Remarks	10011
Pince Powning				2 1	7 3 2	0101091	21	13	ruse	Le	in	1	c 08023	2017
1991 (11/2006)	1111111						Ministry's	Comm	38° 21 - 70				© Queen's P	rinter for Ontario, 2006

LANG TYST

0 8 2010

DCT

Well Tag No. (I A 093663] Regulation 903 Onta

Well Record

Regulation 903 Ontario Water Resources A

Measureme	ents reco	orded in: DA	vironineni Metric 🛣	(imperial		A09366	53		Regulation	1 903 C	ntario wa Page	ter Res	of
Well Loca	8591111174111255 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			100 100 100 100 100 100 100 100 100 100						100			
		ation (Street Nur enbank Rd			T	ownship Nepe a	an		Lot P/L 1		Concession 3RF		
County/Dist	trict/Muni	icipality				ity/Town/Vill	age			Provin Ont:	ce		l Code
Offic UTM Coord	IWA-C	arieton one Easting	l No	orthing	N	Nepe: Iunicipal Pla	n and Sublo	nt Number		Other	4110	<u> </u>	
NAD Overburde		18 AA18 Bedrock Materi	07	501195	ina Reco	rd (see instru	ctions on the	back of this form					
General Co			non Material	1		er Materials	,		General Description	A CONTRACTOR OF THE CONTRACTOR	910419102	Dep From	oth (neft) To
			Sand	*		and		Boulder	:S			0 ′	33 (
-(0 4.6)	٦ , ٢	Drike.	Frime	store								33	
Oren	29 M	Jkite.	Jand	store				***************************************				300	J ac
			,					***************************************				*****	
		10/136	_ 1					**************************************					
	<u> </u>	<u>vecta</u>	Annular	Space					Results of We	ell Yiel	d Testina		
Depth Se	etat(<i>m/ft)</i> To	EXX STATE OF THE PARTY OF THE P	Type of Sea	alant Used	505 1100 015 1 0 1 0 1 1 1 1 1 1 1 1 1 1	1	Placed	After test of we	l yield, water was:		aw Down Water Leve	***************************************	lecovery Water Level
0	28	Bentoni	ite slurry	· • • • • • • • • • • • • • • • • • •		12.0		Other, spe	cify Not teste r	(min) Static	(m/it)	(min)	(m/ft)
28	38	Neat ce	ment			9.30	3	If pumping disc	ontinued give reason:	Level	18.4	1	44.9
								Pump intake s		1 2	26.5	1 2	28.4
								200 ⁽ Pumping rate	(Imit GOM)	3	30.6 33.4	3	23 20.4
Meth ☐ Cable To	eservicion metro, convenio	onstruction	Пе	blic	Well Us	PT. CONTROL OF STREET AND STREET	Not used		20	4	35.4	4	18.9
Rotary (C	Convention		Do Do		☐ Municipa	al 🔲	Dewatering Monitoring	Duration of pu		5	36.5	5	18.4
Boring Air percu	,	Digging	☐ Irri		=	& Air Condition	~	Final water leve	el end of pumping (m/fi)	10	39.9	10	18.4
Other, sp	ecify		_ 🗆 🗆	ner, <i>specify</i> _				If flowing give	rate (I/min / GPM)	15	41.1	15	18.4
Inside	Open I-	onstruction R lole OR Material	Wall		(rk[ft))	Status Water S	of Well Supply	Recommende	d pump depth (n(ft)	20	42.3	20	18.4
Diameter (cnvip)		nized, Fibreglass, te, Plastic, Steel)	Thickness (cm/in)	From	То	Replace	ement Well le	100		25	43.5	25	18.4
6 "	Steel		.188	+2′	38	Recharg	- 1	Recont nde	pump rate	30	44	30	18.4
6 ⁽⁽	Орег	n Hole		38 ′	220 ′	Observa Monitori	ition and/or	Well production	n (I/min /@PM)	40	44.3	40	18.4
						Alteration (Constru		Disinfected?		50 60	44.7	50 60	18.4
		Construction R	ecord Ser	en		K t	ent Supply	Yes	No Map of W	<u> </u>	44.9	100	18.4
Outside Diameter		Material Galvanized, Steel)	Slot No.	Depth	(m/ft)	☐ Abando Water 0 ☐ Abando	Quality	Please provide	a map below following			back.	
(cm/in)	(Plasuc,	Galvanized, Steel)		From	То	specify	ned, daler,		1	_	Tock	Jal	e
			>			Other, s	specify				F	2004	J
		Water De	tails		Н	ole Diamet	er		9	~			
		th Kind of Wate as ☐ Other, <i>spe</i>		Untested	Dept From	th (<i>m/ft)</i> To	Diameter (cm/in)		IKM JO			/	\
Water foun	d at Dep	th Kind of Wate	r: Fresh	Untested		220	,,			2/	126 C		
		as Other, spe th Kind of Wate		Untested	•		*	44444A	A	2	Poor	d	`
(m		as Other, spe						The state of the s	[G	-ee	Poor	, -	
Business N	64045018501835401545641	Well Contractor Vell Contractor	ır and Well	(ecnnicia)	***************************************	tion il Contractor's	Licence No.						
Business A	ddress (S	ing Co. Ltd. Street Number/Na	 ame)		Mu	1119 Inicipality		Comments:					
6659 F	rankto	wn Road, Ri	7# 1	s E-mail Add		Richmond	3						
ON		KOA 2ZD		air-rock	@sympa			Well owner's information	Date Package Delivere				e Only
Bus.Telepho	ne No. (ir	nc. area code) Na	me of Well	Technician (L	ast Name,	First Name)		package	LI M NEWEY LY	Oa	Audit No.	10	QN9

X Yes

Ministry's Copy

A. 182


Ministry of the Environment

Well Tag No. A 093662 A093362

Well Record

Regulation 903 Ontario Water Resources Act

Well Location Township **Nepean** Address of Well Location (Street Number/Name) 3426 Greenbank Rd P/L 12 County/District/Municipality City/Town/Village Postal Code Ottawa-Carleton Nepean Ontario VTM Coordinates Zone Easting
NAD | 8 | 3 | 18 | 44 Northing Municipal Plan and Sublot Number Other 441909 5011981 Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form) Depth (m/ft) General Colour Most Common Material Other Materials General Description From Sand 0 33 Boulders Limestone 205 Sandstone 220 205 reydwhile Wel Results of Well Yield Testing Annular Space After test of well yield, water was Draw Down Depth Set at (m/ft, Type of Sealant Used Volume Placed Recovery From (Material and Type) (m³/ft³) Clear and sand free Time 32.6 28 Bentonite slumv Other, specify Not tested (min) (m/it)(min) (m/\hbar) Static 16 16.9 If pumping discontinued, give reason: 28 38 Neat cement 9.36 Leve 16.7 16 1 1 Pump intake set at (m/tt) 16.7 16 2 2 200 16.7 16 3 Pumping rate (I/min / GPM) Well Use Method of Construction 20 16.7 16 4 4 Cable Tool Diamond ☐ Public Commercial Not used Duration of pumping Domestic Rotary (Conventional) Jetting Municipal Dewatering 5 16.B 18 1 hrs+ 🚺 min 5 ☐ Rotary (Reverse) Livestock Test Hole ☐ Monitoring Driving Final water level end of pumping (m/fi) Boring Digging Irrigation Cooling & Air Conditioning 16.8 10 16 Air percussion 🔲 Industrial 16.9 Other, specify Other, specify 16.8 16 15 15 If flowing give rate (I/min / GPM) Construction Record - Casing Status of Well 16.8 16 20 20 Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel) Depth (m@) Recommended pump depth (m/t) Inside Wall Water Supply Diamete (cm/in) Thickness Replacement Well 16.8 16 25 From То (cm/in) Recommended pump rate (I/min / GFA4) Test Hole 16.9 16 30 30 Recharge Well 38 Steel ナユ Dewatering Well 16.9 16 40 OPEN HOLE Observation and/or Well production (I/min / PM) 220 Monitoring Hole 20 16.9 16 50 50 ☐ Alteration Risinfected? (Construction) 16.9 16 60 Abandoned, Insufficient Supply ☐ No Map of Well Location Construction Record - Screen Abandoned, Poor Please provide a map below following instructions on the back Outside Depth (m/ft) Water Quality Slot No Abandoned, other. From To specify Other, specify Water Details Hole Diameter Depth (m/ft) Water found at Depth Kind of Water: Fresh 🖫 Untested Diameter From (cm/in) 140 (m/ft) Gas Other, specify Water found at Depth Kind of Water: Fresh Muntested Greenbank Greenbank 38 8 (m/ft) Gas Other, specify 38 220 638 Water found at Depth Kind of Water: ☐ Fresh ☐ Untested (m/ft) Gas Other, specify Well Contractor and Well Technician Information Business Name of Well Contracto Air Rock Drilling Co. Ltd. 11/19 Business Address (Street Number(Name) Comments Municipality Richmond Province ON Business E-mail Address air-rock@sympatico.ca KOA 2ZO Well owner's information Ministry Use Only Date Package Delivered Name of Well Technician (Last Name, First Name) Bus.Telephone No. (inc. area code) package delivered z110804 6138382170 | Hogan, Dan Date Work Completed Signature of Technician and/or Contractor Date Septement of Market Marke X Yes DEC 2 9 2010 2010 L1 63 No 0506E (2007/12) Queen's P Ministry's Conv



Measurements recorded in: Metric Imperial

Well Tag No. (Place Sticker and/or Dirth Relow)

A116134

Well Record

Regulation 903 Ontario Water Resources Act

Page 1 of I

Address of Well Location (Street Number/Name)	Township	Lot	Co	oncession	
3380 Greenbank rd County/District/Municipality					
County/District/Municipality	City/Town/Village		Province		al Code
	Nepean Municipal Plan and Sublo		Ontar	rio ka	34H7
UTM Coordinates Zone Easting Northing		ot Number	Other		
NAD 8 3 1 8 4 4 1 9 (4 5 6 1 2)					
Overburden and Bedrock Materials/Abandonment Sea	ling Record (see instructions on the	back of this form)		Day Control	pth (m/ft)
General Colour Most Common Material	Other Materials	General Description		From	pth (m/n)
Annular Space		Results of We	1	the same of the sa	
Depth Set at (m/ft) Type of Sealant Used From To (Material and Type)	Volume Placed (m³/ft²)	After test of well yield, water was: Clear and sand free		V Down f Water Level Time	Recovery Water Level
		Other, specify	(min)	(m/ft) (min)	(m/ft)
.05 1.3m Bentonite	.25 m3	If pumping discontinued, give reason:	Static		
		puriping discontinued, give reason.	Level		
			1	1	
		Pump intake set at (m/ft)	2	2	
Method of Construction	Well Use	Pumping rate (I/min / GPM)	3	3	
	☐ Commercial ☐ Not used		4	4	
	☐ Municipal ☐ Dewatering	Duration of pumping	-	-	
	☐ Test Hole ☐ Monitoring	hrs + min	5	5	
	Cooling & Air Conditioning	Final water level end of pumping (m/ft)	10	10	
Air percussion Industrial Other, specify Other, specify		W. 0	15	15	
Construction Record - Casing	Status of Well	If flowing give rate (I/min / GPM)	10	10	
Inside Open Hole OR Material Wall Depth		Recommended pump depth (m/ft)	20	20	
Diameter (Galvanized, Fibreglass, Thickness	To Replacement Well	Trecommended pump depart (1777)	25	25	
(cm/in) Concrete, Plastic, Steel) (cm/in) From	☐ Test Hole	Recommended pump rate			
15.86 steel ,48 t,5m	7,3 Recharge Well	(l/min / GPM)	30	30	
	Dewatering Well Observation and/or	144 11 11 11 11 11 11 11 11 11 11 11 11	40	40	
10.0 Steel .48 1.3m	Observation and/or Monitoring Hole	Well production (I/min / GPM)	50	50	
	Alteration (Construction)	Disinfected?	30	30	
	(Construction) Abandoned.	Yes No	60	60	
Construction Record - Screen	Insufficient Supply	Map of W	ell i ocal	tion	
Outside	(m/ft) Abandoned, Poor Water Quality	Please provide a map below following			0.4
Diameter (Plactic Galvanized Steel) Slot No.	To Abandoned, other,				-1
(cm/in) (From	specify		7		10
	Other, specify	garage garage		/	
	Curer, specify	3		K	
Water Details	Hole Diameter	4	T		
Water found at Depth Kind of Water: Fresh Untested	Depth (m/ft) Diameter	N			
(m/ft) Gas Other, specify	From To (cm/in)	1151		,	
Water found at Depth Kind of Water: Fresh Untested			000	5	
(m/ft) Gas Other, specify		15.3m - 100	20	10°	
Water found at Depth Kind of Water: Fresh Untested		15 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TX.	4	
(m/ft) Gas Other, specify			19	1.1 m	
Well Contractor and Well Technician	Information				
Business Name of Well Contractor	Well Contractor's Licence No.		4		
H.O. Winds & Sond 141	6131517	Greenba	ak 1	rd	
H. U. Wright + Sons Ltel Business Address (Street Number/Name)	Municipality			to ab	0.12=
Box 129 2383 church st No.	-th Gowe	Well exten			
Province Postal Code Business E-mail Add	ress		90	ound	
Ontario KOP270		Well owner's Date Package Delivere		Ministry Us	se Only
Bus.Telephone No. (inc. area code) Name of Well Technician (L		information package YYYYMMM	DIDIA	Audit No.	200
Well Technician's Licence No. Signature of Technician and/or Co	ott	Date Work Completed		z 131	STATE OF THE RESIDENCE
		Yes		JUL 13	2011
1 4 4 4 Scott Wilson		No 201106	28 R	Received	
0506E (2007/12) © Queen's Printer for Ontario, 2007	Ministry's Conv	1			

Ministry's Copy



Well Tag No. (Place Sticker and/or Print Below)

Well Record

A123394 Tag#: A123394 ion 903 Ontario Water Resources Act

weasuren	nents reco	rded in: 🕍	Metric L	imperial								ı ayı	·	
Well Ow	/ner's Inf	ormation	100											
First Name	е			/ Organizat				E-mai	Address					Constructed ell Owner
3.4 :11	1-1 (04	- t Ni h /Ni .		ny Home	S	Municipality		Provin		Postal Code		Telephone		. area code)
-	untmar	et Number/Na	ime)			Carp			ario	KOA 1LO	1		140. (#10	
	Alexandra de la companya del companya de la companya del companya de la companya	Roau				Carp		OIIL	.ai 10	KAN IFO				
Well Loc		tion (Street Nu	ımber/Nam	<u>)</u>	100	Township				Lot		Concessi	on	
	bank R		mbeman			Nepean				11/12	-	3		
	strict/Munic					City/Town/Vi					Provir		Posta	I Code
•	a Carl				-	Barrha	ven				Ont	ario		
		ne Easting	I	Northing		Municipal Pl		ot Number			Other			h
NAD	8 3 1	8 4418	54	50117	22									
Overburg	len and Be	edrock Mater	ials/Aban	donment S	ealing Rec	ord (see insti	ructions on the	e back of this	form)					11 / (51)
General C	Colour	Most Com	mon Mater	ial	Of	ther Material	S		Gene	ral Description			From	pth (<i>m/ft)</i> To
Brown		Soil			Ston	00			Poo	ked			0	3.65
					SLOII	ES								
Grey		Till							Pac	ked			3.65	
Grey		Sand	& Grav	zel					Pac	ked			7.63	1 10.66
Grey		Limes	stone										10.66	48.76
-	9 T.Th : + .				***************************************				Har	. d			48.76	
Grey	& White	e sanus	scone						пал				40.70	03.20

					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
										Results of We	JI Vial	d Tastin	•	
Denth S	Set at (m/ft)			ar Space ealant Usec		Volum	e Placed	After test o	f well yield,		20 E145 E35 E44 C0 E3	u resum aw Down		Recovery
From	То			and Type)			n³/ft³)	∏ Clear	and sand f			Water Lev		Water Level
11.88	0	Grouted	l Rento	onite S	lurry	.45m	3	☐ Other			(min) Static	(m/ft)	(min)	(m/ft)
11.00		oroacco	1 Delite)III		• 1311		If pumping	discontinue	ed, give reason:	Level	4.20)	
											1	6.30) 1	10.13
								Pump inta	ke set at (n	n/ft)	2			
								•	30.47	,	2	7.15	5 2	8.46
	L 4 - 60				\A/_I/ II			Pumping r	ate (I/min /	GPM)	3	8.00) 3	6.66
Cable T	SCHOOL SHOW SHOW SHOW SHOW	onstruction Diamon	d [V] 0	Public	Well U		Not used		54.6		4	8.50	4	5.50
	ooi Co Murd iona		1	Domestic	Munici		Dewatering	Duration of					-	
Rotary (☐ Driving		ivestock	Test H		Monitoring	1 hrs		nin	5	9.30) 5	4.60
Boring		Digging	l	rrigation ndustrial	Cooling	g & Air Conditi	oning			f pumping (m/ft)	10		10	4.24
X Air percu ☐ Other, s				ndustrial Other, <i>specif</i> y	· ·			If flowing o	12.82	nin / CDM)	15		15	
	Co	nstruction R	ecord - C	asing		Status	of Well	i nowing g	ive rate (i/i	mii / Grivi)				
Inside	T	le OR Material	Wall		oth (<i>m/ft</i>)	▼ Water	000	Recomme	nded pump	depth (m/ft)	20	12.20	20	
Diameter (cm/in)	(Galvaniz	ed, Fibreglass, , Plastic, Steel)	Thickness (cm/in)	From	То		ement Well		30.47	. , .	25	12.44	25	
	00.10.010	, , , , , , , , , , , , , , , , , , , ,	<u> </u>			☐ Test He		Recomme	nded pump	rate ·	30		20	
15.86	Ste	el	.48	+.45	11.88	B Dewate	•	(I/min / GPI	м) 45 . 5	***************************************		12.48	1	
							ation and/or	Well produ		/ GPM)	40	12.60	40	
						─ Monitor ☐ Alterati	ing Hole				50	12.73	50	
						(Consti	ruction)	Disinfected			60			
		·	-			☐ Abando	oned, ient Supply	X Yes	∐ NO			12.82		
	C	onstruction R	ecord - Sc			Abando	oned, Poor	Discourse		Map of We			L1	
Outside Diameter		laterial alvanized, Steel)	Slot No.		th (<i>m/ft)</i>	Water (Quality oned, other,	11	•	below following		ons on the	back.	opensor it
(cm/in)	(i lastic, Ce	aivariized, Oleer)		From	То	specify		IFN		OCK ZIU	E.R.	The state of the s	and the second second second	Activities and the second
									J	OCK NO	Market Street,			
						Other,	specify							
Water four	d at Dooth	Water De		W I Intente		Hole Diame oth (<i>m/ft)</i>	ter Diameter					4		
		Other, spe		[X] Officeste	From	To	(cm/in)			Seewso	NK	Rs.		-
		Kind of Wate		Unteste	d 0	11.88	15.86		1	4.25/1 /	ME5/			and MV
	•	Other, spe							! L	Mono-			MA	MES
		Kind of Wate		Unteste	11.88	83.20	15.23		1				170.	1700
		Other, spe			_				1			1 1		i
		ell Contracto		II Technici	an Informa	tion			1	•	i			i
Business N		I Contractor			Anna Anna Anna Anna Anna Anna Anna Anna	ell Contractor's	Licence No.		1		,			1
Capita	al Wate	r Supply	Ltd.		-	L 5	5 8		į.					,
Business A	ddress (Stre	eet Number/Na	ıme)		М	unicipality		Comments:						
Box 49						Stittsvi	.11e							
Province	1	ostal Code		ss E-mail Ad	ldress							dineralizaci e i con e i con	ongalomatic street	90.0022 Sp (0.210.01 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Ontari		2S 1A6			pitalwa			Well owner information	s Date Pa	ackage Delivered	- 11	Alsono-Mindigard Chicagos	stry Use	Only
	one No. <i>(inc.</i> 36 13766	area code) Na				First Name)		package delivered	2 0	1 2 0 9		Audit No.	100	1022
Well Technic	ian's Licence	No. Signature	ATECHNIA (INT.)	r, Step	notractor D	ita Suhmittad		X Yes	Date W	ork Completed		L.	エンジ	3833
0 0	9	7 July		yan anu/Of C	Da D	$ 0\rangle 1 / 2 M$		□ No	20	1 2 0 9	$\ _{\Theta}\ _{d}$	Receiveds		
0506E (2007/	1 1	en's Printer for Onl	ario 2007	<u> </u>			y's Copy	L	- 14 10	- N N N		CONTRACTOR	7. 0	2013
	.,		//			lJCliiivi	y a copy							

Onta	ITIO and Climat	Ü	Well T	ag No. (Place Sticker a	nd/or Print Below)	Regulation	903 Ontario	Water Res	1
Measurements r	/ Y »	ric 🗌 Imperial					Pa	ge/_	of
Well Owner's	<u> Charles de la companya de la comp</u>	Name / Organizati	on		E-mail Address			T	
		<u> MINKL</u>				•			Constructed all Owner
Mailing Address	(Street Number/Name)	7.41		Municipality	Province	Postal Code	Telepho	ne No (inc.	area code)
	//LD/LXS =	internal Land		CAMBON		<u> </u>	XXXX		<u>44C).</u>
Well Location Address of Well I	Location (Street Number	er/Name)- 🕜	- X	Township	\	Lot ,,,,,,,	Conces	sion	
SHEI	GUINN	NECO	<i>12)</i>	SHUM	·(K)	, 3		hamasan	,
County/District/N	funicipality /	ADIED	And an artist of the second	City/Town/Village	1/27/4		Province Ontario	Postal	Code
UTM Coordinates	Zone : Easting	Northing	and and a second	Municipal Plan and Subl	ot Number	<i>y</i>	Other		
NAD 8 3		635012	461						
	- Sec. 1987	/Abandonment S	ealing Rec	ord (see instructions on the	back of this form)				VIII VII VII VII VII
General Colour	Most Common	Material	0	ther Materials	Ger	neral Description		From	th (<i>m/ft)</i>
***************************************	572 /	UL_	/	<i>j</i>				COL	1600
CCET	774		BU	LDERKIN-	DENSE	3		lell	XUD
SOLT	JUTYS	62)						7/11	25
H	540.	214262			COROS	agest .		95	1100.
**************************************					Appropriate & Continue of the				
									
								2000	
								1 /	
Depth Set at (n		Annular Space per of Sealant Used		Volume Placed	After test of well yiel	Results of We	II Yield Testi Draw Dow		ecovery /
		naterial and Type)		(m³/ft³)	Clear and sand	d free	Time Water L	evel Time	Water Level
USD Ca	n Hier	UG-BAZ	WITE	04.	Oper, specify		(min) (m/f	t) (min)	<u>(m/ft)</u>
	G	POTT			If pumping discontin	iueo, give reason:	Level 15	()·	
	- God						1	1/	
**************************************			***		Pump intake set at	(m/ft)	2	2	
					Pumping rate (I/mir	/GPM0	3 /	3	
Method of Cable Tool	of Construction	Public	Well L		,,,,,,,, .		4	4	
Rotary (Conve		Domestic	☐ Comn	=	Duration of pumpir	_			
Rotary (Revers		Livestock	Test H		hrs + Final water level end	_ min	5	5	
☐ Boring ☐ Air percussion	Digging	☐ Irrigation☐ Industrial	Coolir	ng & Air Conditioning	Final water level ent	a or pomping (<i>mit)</i>	10	10	
Other, specify		Other, specify	<u>/</u>	<u> </u>	If flowing give rate	(I/min / GPN)	15	15	
(000000) 15000000000	Construction Reco		oth (<i>m/ft</i>)	Status of Well			20	20	
Diameter (Ga		hickness	To	☐ Water Supply ☐ Replacement Well	Recommended pu	mp α ε ρτη (<i>m/π)</i>	25	25	
(cm/in) Cor	ncrete, Plastic, Steel)	(cm/in)		Test Hole Recharge Well	Recommended get	mp rate	30	80	
	William U.	1000	DEG	Dewatering Well	(I/min / GPM)				
	11389			Observation and/or Monitoring Hole	Well production (I/r	min / GPM)	40	40	
				☐ Alteration	Disipliected?		50	50	
				(Construction) Abandoned,	Yes No		60	60	
	Construction Reco	ord - Screen		Insufficient Supply Abandoned, Poor			ell Location		Wassers (
Outside Diameter	Material	Slot No.	oth (<i>m/ft</i>)	Water Quality	Please provide a m		instructions on t	he back.	1
(cm/in) (Plas	stic, Galvanized, Steel)	From	То	Abandoned, other, specify	OVEEN!	<u> 34)/(</u> /10.	- >_	I/V_{\perp}	
57/	WESS #	10 614	14.4		100	/			
	HELLE).			Other, specify			**************************************	7	7 11
	Water Detail	ls /s /s/	ilia varyasasaa	Hole Diameter		- /	The state of the s	Scompt librated	"CM.
	Depth Kind of Water: [ed De	epth (m/ft) Diameter To (cm/in)					RIKI
	Gas Other, specify Depth Kind of Water:		- (-) 100	1.10 27 61		131		S401	UTUW
	Gas Other, specific		10 Maria Car	100 55			TO THE PARTY OF TH	CIII)	
	Depth Kind of Water:		d					L	V
(m/ft)	Gas ☐ Other, specif	y	- OLH	Tolle last		tanamintani manani manafa	ans f		
Dunings N	Well Contractor a	and Well Technic		<u> 18 julijan (j. 1919), karani artera terra terra talifara aliptaa tilijali ja tilij</u>	Approximate the second	W / W	,		
ousiness ivame of	of Well Contractor	I WE		Well Contractor's Licence No.					
Business Addres	s (Street Number/Name			Municipality	Comments	\longrightarrow	Annahari s	1 commence	
BYFU	5/INCHES 2	XILE	<i>J.</i>	THENITIN		all the second s	140-	1 100	9010.
Province	Postal Code	Business E-mail A	ddress	chelleret	Well owner's Date	a Dankono Dellini	d I		<u> </u>
Bus Telephone No	(inc. area code) Name	e of Well Technician			information	e Package Delivere	Audit N	inistry Use	2011y 1010/1
Z/8)//Z	(SOCIAL)	7772000	PER	R	package delivered	Y Y Y M M		Ma C. L.	ULJ4
Well Teannician's I	cence No. Signatura di	Technician and/or	Contractor	Date Submitted	∐ Yes		2 1/	NIC	2017
0506E (2014/11)	DE LIM	HURCH		ACVICEDICATO	A No	WALLANGE	Receive	:d	or Ontario, 2014
0000⊏ (2014/11)				Ministry's Cop	V	/	હ વા	oor or mile R	Gricano, 2014

Measurements recorded in: Metric Imp	Well Tag No. (Place Sticker a	·		Vell Record Vater Resources Act
Well Owner's Information				
First Name Last Name / Org	anization	E-mail Address		Well Constructed by Well Owner
Claridge Homes Mailing Address (Street Number/Name)	Municipality	Province Postal Co	ode Telephone	No. (inc. area code)
c/o P.O. Box 296 Well Location	- Osgoode	Ontario K O A	2 W 0 613 8	3 2 2 2 5 9
Address of Well Location (Street Number/Name)	Township	Lot	Concession	on
3370 Greenbank Road County/District/Municipality	City/Town/Village	ean		
Ottawa Carleton UTM Coordinates Zone Easting North	Nepe	ลก	Province Ontario	Postal Code
Namiola	ing Municipal Plan and Subl		Other	, , , , , , , , , , , , , , , , , , ,
NAD 8 3 1 8 4 4 1 7 07 5 0 Overburden and Bedrock Materials/Abandonn		hack of this form		::::::::::::::::::::::::::::::::::::::
General Colour Most Common Material	Other Materials	General Descripti	ion	Depth (<i>m/ft)</i> From i To
				⊬rom i To
:				
		}		
Annular Sp Depth Set at (m/ft) Type of Sealan			Well Yield Testing	
Depth Set at (m/ft) Type of Sealan From To (Material and T		After test of well yield, water was: ☐ Clear and sand free	Draw Down Time Water Lev	Recovery el Time Water Level
13.71 0 Grouted 3/4 Bent	onite Hole Plug (7 bags)	☐ Other, specify	(min) (m/ft)	(min) (m/ft)
		If pumping discontinued, give reaso	n: Level	
			Yes .	1
		Pump intake set at (m/ft)	2	2
Method of Construction	Well Use	Pumping rate (I/min / GPM)	3	3
Cable Tool Diamond Public	Commercial Not used	Duration of pumping	4	4
☐ Rotary (Conventional) ☐ Jetting ☐ Domes ☐ Rotary (Reverse) ☐ Driving ☐ Livesto		hrs + min	5	5
☐ Boring ☐ Digging ☐ Irrigatic ☐ Air percussion ☐ Industr		Final water level end of pumping (m)	^{ft)} 10	10
Other, specify Other,		If flowing give rate (Vmin / GPM)	15	15
Construction Record - Casing			20	20
Diameter (Galvanized, Fibreglass, Thickness	Depth (<i>m/ft</i>) ☐ Water Supply From ☐ To ☐ Replacement Well	Recommended pump depth (m/ft)	25	25
(cm/in) Concrete, Plastic, Steel) (cm/in)	Test Hole	Recommended pump rate	30	30
	Dewatering Well	(I/min / GPM)		
	Observation and/or Monitoring Hole	Well production (Vmin / GPM)	40	40
	Alteration (Construction)	Disinfected?	50	50
	Abandoned, Insufficient Supply	Yes No	60	60
Outside Material Occurrent	Depth (m/fi) Abandoned, Poor Water Quality	Map of \ Please provide a map below following	Nell Location or instructions on the	hack
Diameter /Bicotic Cobaminad Start Slot No.	From To Abandoned, other, specify	•		
	Other, specify	Grenbank		
Water Details	Hole Diameter	1 User	i	
Water found at Depth Kind of Water: Fresh U	ntested Depth (m/ft) Diameter From To (cm/in)	1	(
(m/ft) ☐ Gas ☐ Other, specify		* 3370	***************************************	
(m/ft) Gas Other, specify		- Company	1	
Water found at Depth Kind of Water: Fresh U	ntested		A	
(m/ft)	hnician Information	*	1	
Business Name of Well Contractor	Well Contractor's Licence No.	*	800	*
Capital Water Supply Ltd. Business Address (Street Number/Name)	1 5 5 8 Municipality	Comments		
P.O. Box 490	Stittsville	Comments:		
Province Postal Code Business E-n	nail Address			
Ontario K 2 STA 6 office Bus. Telephone No. (inc. area code) Name of Well Tech	Capitalwater.ca	Weil owner's Date Package Deliver information	300000000000000000000000000000000000000	try Use Only
	· · · · · · · · · · · · · · · · · · ·	package	 10-45 (1900) (1900) 	4 226860
513 836 1 76 6 Miller; Well Technician's Licence No. Signature of Technician ar		Yes	YAM II I	2 5 2017
0 0 9 7 Hoffynn		No 201612	20D Received	

Ministry of the Environment Well Tag N	o. (Place Sticker and/or	Print Below)	M	/ell Reco	rd
Weasurements recorded in: ☐ Metric ☐ Imperial		Regulation	n 903 Ontario W		; Act
Well Owner's Information			Page	e of	
First Name Last Name / Organization		E-mail Address	1	☐ Well Construc	
Mailing Address (Street Number/Name) Muni		Province Postal Code	Telephone	by Well Owne No. (inc. area cod	
50 Heinz Road, Suite 100 K	Canata	on kidikidi	M5 II		S.V.6550
Address of Well Location (Street Number/Name) Town		Lot	Concession	ın	<u>p. 0300</u>
3454 Greenbank Road 10 City County/District/Municipality	<u>Vepean</u> Town/Village	114	Province 3	Postal Code	
Ottawa Carleton T.	Barrhan	en)Nenean	Ontario		
NAD 8 3 18 44 185 H 501 1 FAD	cipal Plan and Sublot Nu	mber /	Other		
Overburden and Bedrock Materials/Abandonment Sealing Record (of this form)		D-4 (-6)	
General Colour Most Common Material Other M	Materials	General Description		Depth (<i>m/ft</i>) From To	
About	1 / Oc. 5	- 1 1 10 E.M.	-l : \ -!		
Houndanement Audit No Z	139833	owig prile	a we	· · · · · · · · · · · · · · · · · · ·	
Tag # A 123	394				
100					

		·			
Annular Space Depth Set at (m/ft) Type of Sealant Used	Volume Placed Afte	Results of We r test of well yield, water was:	Il Yield Testing Draw Down	Recovery	
From To (Material and Type)		Clear and sand free Objer, specify	Time Water Lev		evel
de 1 4 bentonité Chips 2	- \ \ \ - \	umping discontinued, give reason:	Static Level		
			1	1	
	Pun	np intake set at (m/ft)	2	2	
Method of Construction Well Use	Pun	nping rate (I/min / GPM)	3	3	
Cable Tool Diamond Public Commercial	Not used	ration of pumping	4	4	
Rotary (Conventional) Jetting Domestic Municipal Rotary (Reverse) Driving Livestock Test Hole	Dewatering Dur Monitoring	hrs +min	5	5	
☐ Boring ☐ Digging ☐ Irrigation ☐ Cooling & Air ☐ Air percussion ☐ Industrial	Conditioning Fina	al water level end of pumping (m/ft)	NO	10	
Other, specify Other, specify		owing give rate (I/min / GPM)	15	15	
Inside Open Hole OR Material Wall Depth (m/ft)	Status of Well Water Supply Rec	commended pump depth (m/ft)	20	20	
(Cityles: Concrete Plastic Steel) (cm/in) [1011 1011 1011	Replacement Well		25	25	
		commended pump rate in / GPM)	30	36	
		I production (I/min / GPM)	40	40	
	Alteration	nfected?	50	50	/
	Abandoned, Insufficient Supply	Yes No	60	60	<u> </u>
Outside Material Depth (m/ft)	Abandoned Poor	Map of We ase provide a map below following	Il Location instructions on the	back.	
Diameter : Clot No.	Abandoned, other, specify	Ì			V
	Other, specify	- Fock	River		
	ronglocation)		river		
Water Details Hole Water found at Depth Kind of Water: ☐ Fresh ☐ Untested Depth (m	Diameter /ft) Diameter	6,	reenban	KRoad	
* (m/ft) Gas Other, specify From	To (cm/in)	15	230		
Water found at Depth Kind of Water. Fresh Untested (m/ft) Gas Other, specify		10 km	- }		
Water found at Depth Kind of Water: Fresh Untested		1 25 40	O¹		
(m/ft) Gas Other, specify Well Contractor and Well Technician Information		[] []			
Business Name of Well Contractor "Well Contractor"	ntractor's Licence No.	المح	•		
Business Address (Street Number/Name) 4	ality Com	ments:			
40B0X1083 Pre	25COTT				
Province Postal Code Business E-mail Address		owner's Date Package Delivered	ı I Rainin	try Use Only	3993300°
Bus.Telephone No. (inc. area code) Name of Well Technician (Last Name, First	Name) information packs	nation age DIOLILOIGI	Audit No.		n
Well Technician's Licence No. Signature of Technician and/or Contractor Date Sul	bmitted B	Date Work Completed	■ 1 Page 1999 Page 1990 Page 199	 N 0 7 2017	
20519 200	170615 <u>-</u>		Received		
0506E (2014/11)	Ainistry's Copy		© Queen's	Printer for Ontario, 2	2014

Ministry of the Environment Well Tag No. (Place Sticker and/or Print Below) . Ontario Well Record and Climate Change Regulation 903 Ontario Water Resources Act Tag#:A 218025 Measurements recorded in: Metric | Imperial Page Well Owner's Information Last Name / Organization E-mail Address First Name ▼ Well Constructed Mailing Address (Street by Well Owner رمعم Postal Code Telephone No. (inc. area code) 50 Heinz Kanata 14a14am5 OW Suite 100 Well Location Address of Well Location (Street Number/Name) Township Concession 154 Green bank 11419 County/District/Munic Postal Code OH Coordinates Z Ontario 1814418605011728 NAD | 8 | 3 Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form) Depth (m/ft) General Colour Most Common Material Other Materials General Description 10, Rrown Parted 100001 (جرحن Packed 70 neston Annular Space Results of Well Yield Testing Depth Set at (m/ft) Type of Sealant Used After test of well yield, water was: Recovery Volume Placed Draw Down Τo (Material and Type) (m³/ft³) Clear and sand free Time Water Level Time Water Level 386" 286" Other, specify (min) (m/ft) (m/ft) Cement Pressure Grouted 6,77 Static If pumping discontinued, give reason: 10814 *19'*0 Level Bentonite Pressure Grouted 18,0B 26.8 1 Pump intake set at (m/ft) *35.*9 130 98,9 Pumping rate (I/min / GPM) Method of Construction Well Use Duration of pumping) 31.6 Cable Tool Diamond ☐ Public Commercial Not used \square Jetting Rotary (Conventional) □ Domestic Municipal Dewatering 33,9 5 5 ☐ Driving ☐ Test Hole 9.6F Rotary (Reverse) ☐ Livestock ☐ Monitoring Boring ☐ Digging Irrigation ☐ Cooling & Air Conditioning Final water level end of pumping (m/ft) 10 425 Air percussion Other, specify Industrial 108,4 Other, specify 15 15 If flowing give rate (Vmin / GPM) 48.8 Construction Record - Casing Status of Well 20 20 Depth (m/ft) Inside Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel) Wali Water Supply Recommended pump depth (m/ft) Thickness (cm/in) Diameter Replacement Well 130 From (cm/in) Тο Test Hole Recommended pump rate (Vmin / GPM) 30 Recharge Well OpenHole Φ Well production (I/mic) GPM) Dewatering Well 40 14, 881e Ø Observation and/or Monitorina Hole ☐ Alteration <u> 38,6,,</u> <u>Open Hole</u> Disinfected? (Construction) 108% Yes No Abandoned, Insufficient Supply Construction Record - Screen Map of Well Location Abandoned, Poor Outside Water Quality Please provide a map below following instructions on the back Depth (m/ft) Material Abandoned, other, specify TOCK RIVER Other, specify Water Details Hole Diameter 2 reenbank Road Diameter (cm/in) Depth (m/ft) Water found at Depth Kind of Water: Fresh Luntested From 38ⁱ6" Ø 976 Water found at Depth Kind of Water: Fresh Untested وَارِ (m/ft) Gas Other, specify <u> 38'6"</u> # 406° Water found at Depth Kind of Water: Fresh Untested (m/ft) Gas Other, specify 1.81 Well Contractor and Well Technician Information Business Name of Well Contractor
1425486 Contactor
016501000 Well Orilling
Business Address (Street Number/Name) 4877 Municipality 145 Chlorine after Drilling & Chlorine after field test nce Postal Code Prescott Business E-mail Address Well owner's Ministry Use Only Date Package Delivere KOEITO information Audit No. 2242975 Telephone No. (inc. area code) Name of Well Technician (Last Name, First Name) 2017/05/25 package delivered Well Technician's Licence No. Signature of Technician and/or Contractor Date Submitted Date Work Completed 🔀 Yes JUN 0 7 2017 204HOD __ No Reneived 0506E (2014/11) @ Queen's Printer for Ontario, 2014 Ministry's Copy

Ministry of the Environment Well Tag No. (Place Sticker and/or Print Below) Well Record and Climate Change 66516 Regulation 903 Ontario Water Resources Act Measurements recorded in: Metric Imperial Page of Well Owner's Information E-mail Address First Name Well Constructed CENTRUS by Well Owner Municipality Postal Code Mailing Address (Street Number/Name Province Telephone No. (inc. area code) 3BEALDKI 111 Well Location Address of Well Location (Street Number/Name) ownship Postal Code City/Town/Village County/District/Municipality Province Ontario Other UTM Coordinates Zon Municipal Plan and Sublot Number NAD | 8 | 3 Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form) Depth (m/ft) General Description Most Common Material Other Materials Results of Well Yield Testing Annular Space Draw Down Volume Placed After test of well yield, water was: Depth Set at (m/ft)
From | To Type of Sealant Used (m³/ft³) (Material and Type) Clear and sand free Time | Water Level Time Water Level (m/ft) (min) (m/ft) Other, specify (mín) Static If pumping discontinued, give reason: Level 1 1 Pump intake set at (m/ft) 2 3 3 Pumping rate (I/min / GPM) Method of Construction Well Use 4 4 Cable Tool Diamond Public Commercia Not used Duration of pumping Rotary (Conventional) ___ Jetting Domestic Municipal ___ Dewatering έ 5 min Test Hole Rotary (Reverse) ☐ Driving Livestock ■ Monitoring ☐ Boring Digging Irrigation Cooling & Air Conditioning Final water level end of pumping (m/ft) 10 10 Air percussion Industrial Cther, specify Other, specify 15 15 If flowing give rate (I/min / GPM) Construction Record - Casing Status of Well 20 20 Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel) Inside Wall Depth (m/ft) ☐ Water Supply Recommended pump depth (m/ft) Diamete Thickness Replacement Well 25 25 To (cm/in) (cm/in) Test Hole Recommended pump rate (I/min / GPM) 30 ้าสถ Recharge Well Dewatering Well 40 40 Observation and/or Well production (Vmin / GPM) Monitoring Hole 50 50 ☐ Alteration Disinfected? (Construction) 60 60 Abandoneu, Insufficient Supply √Yes 🗌 No Construction Record - Screen Map of Well Location Abandoned, Poor Water Quality Outside Please provide a map below following instructions on the back. Depth (m/ft) Diameter Slot No Abandoned, other, (Plastic, Galvanized, Steel) From To (cm/in) specify Other, specify Water Details Hole Diameter Water found at Depth Kind of Water: Fresh Untested Depth (m/ft) Diameter From (cm/in) (m/ft) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (m/ft) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (m/ft) [] Gas Other, specify Well Contractor and Well Technician Information Business Name of Well Contractor Well Contractor's Licence No) Lill Business Address (Street Number/Name) Municipality Comments: FILE IRCH MULE The state of Province Postal Code Business, E-mail Address Ministry Use Only Date Package Delivered information (inc. area ecole) Name of Well Technician (Last Name, First Name) package delivered Y Y Y M M ASTABION ! Date Work Com No. Signature of Technician and/or Contractor Date Submitted Yes

☑ No

OCT 3 1 2017

	Office Use C	Only	
Application Number:	Ward Number:	Application Received: (dd/mm/yyyy):	
Client Service Centre Staff:		Fee Received: \$	



Historic Land Use Inventory

Application Form

Notice of Public Record

All information and materials required in support of your application shall be made available to the public, as indicated by Section 1.0.1 of *The Planning Act*, R.S.O. 1990, C.P.13.

Municipal Freedom of Information and Protection Act

Personal information on this form is collected under the authority the *Planning Act*, RSO 1990, c. P. 13 and will be used to process this application. Questions about this collection may be directed by mail to Manager, Business Support Services, Planning Infrastructure and Economic Development Department, 110 Laurier Avenue West, Ottawa, K1P 1J1, or by phone at (613) 580-2424, ext. 24075

PE4940

		Background is	Marmatian	
		beckgi odira ii	HOIMATON	
*Site Address or Location:	3432 Greenbank Road, Ottawa C)N		
	* Mandatory Field			
Applicant/Agent	information:			
Name:	Mandy Witteman			
Mailing Address:	154 Colonnade Road S, Ottawa ON			
Telephone:	613-226-7381	Email Address:	mwitteman@patersongroup.ca	
Registered Property Owner Information: Same as above				
Name:	Minto Communities (Curtis Scarlett)		
Mailing Address:	180 Kent Ste, suite 200, Ottawa ON			
Telephone:	613-230-7051	Email Address:	cscarlett@minto.com	

Page 1 of 3 January 1, 2020

	Site Details
Legal Description and PIN:	Lot 12, Concession 3 Nepean, Ottawa, ON
What is the land currently used for?	Agricultural
	e: m Lot depth: m Lot area: m² area: (irregular lot) 2,328,000 m² e have Full Municipal Services: Yes No
	Required Fees
	te to visit <u>the Historic Land Use Inventory</u> website Fees must be paid in full at the time of application submission.
Planning Fee	\$125.00
	Submittal Requirements

The following are required to be submitted with this application:

- 1. Consent to Disclose Information: Consultants and other third parties may make requests for information on behalf of an individual or corporation. However, if the requester is not the owner of the property, the requester must provide the City of Ottawa with a 'consent to disclose information' letter, signed by the property owner. This will authorize the City of Ottawa to release any relevant information about the property or its owner(s) to the requester. Consent for disclosure is required in the event that personal information or proprietary company information is found concerning the property and its owner. All consents must clearly indicate the name of the property owner as well as the name of the requester, and must be signed and dated.
- 2. Disclaimer: Requesters must read and understand the conditions included in the attached disclaimer and submit a signed disclaimer to the City of Ottawa's Planning, Infrastructure and Economic Development Department. This disclaimer is related to the Historic Land Use Inventory and must be received by the City of Ottawa, signed and dated by the requestor, before the process can begin.
- 3. A site plan or key plan of the property, its location and particular features.
- 4. Any significant dates or time frames that you would like researched.

Disclaimer For use with HLUI Database

CITY OF OTTAWA ("the City") is the owner of the Historical Land Use Inventory ("HLUI"), a database of information on the type and location of land uses within the geographic area of Ottawa, which had or have the potential to cause contamination in soil, groundwater or surface water.

The City, in providing information from the HLUI, to Paterson Group	("the Requester") does so only under the following
conditions and understanding:	•

- The HLUI may contain erroneous information given that such records and sources of information may be flawed. Changes in
 municipal addresses over time may have introduced error in such records and sources of information. The City is not responsible
 for any errors or omissions in the HLUI and reserves the right to change and update the HLUI without further notice. The City
 does not, however, make any commitment to update the HLUI. Accordingly, all information from the HLUI is provided on an "as
 is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in
 responding to the request.
- 2. City staff will perform a search of the HLUI based on the information given by the Requester. City staff will make every effort to be accurate, however, the City does not provide an assurance, guarantee, warranty, representation (express or implied), as to the availability, accuracy, completeness or currency of information which will be provided to the Requester. The HLUI in no way confirms the presence or absence of contamination or pollution of any kind. The information provided by the City to the Requester is provided on the assumption that it will not be relied upon by any person whatsoever. The City denies all liability to any such persons attempting to rely on any information provided from the HLUI database.
- 3. The City, its employees, servants, agents, boards, officials or contractors take no responsibility for any actions, claims, losses, liability, judgments, demands, expenses, costs, damages or harm suffered by any person whatsoever including negligence in compiling or disseminating information in the HLUI.
- 4. Copyright is reserved to the City.
- 5. Any use of the information provided from the HLUI which a third party makes, or any reliance on or decisions to be based on it, are the responsibilities of such third parties. The City, its employees, servants, agents, boards, officials or contractors accept no responsibility for any damages, if any, suffered by a third party as a result of decisions made as a result of an information search of the HLUI.
- 6. Any use of this service by the Requestor indicates an acknowledgement, acceptance and limits of this disclaimer.
- 7. All information collected under this request and all records provided in response to this request are subject to the provisions of the Municipal Freedom of Information and Protection of Privacy Act, R.S.O. 1990, c. M.56, as amended.

Signed:	
Dated (dd/mm/yyyy): 5/11/2020	
Per: Mandy Witteman	
(Please print name)	
Title: Consultant	
Company: Paterson Group	

.1

patersongroup

Consulting Engineers

154 Colonnade Road South Ottawa, Ontario Canada, K2E 7J5 Tel: (613) 226-7381 Fax: (613) 226-6344

> Geotechnical Engineering Environmental Engineering Hydrogeology Geological Engineering Materials Testing Building Science Archaeological Services

www.patersongroup.ca

May 11, 2020 File: PE4940-HLUI

City of Ottawa 110 Laurier Avenue W Ottawa, Ontario K1P 1J1

Subject:

Authorization Letter, HLUI Search

Phase I-Environmental Site Assessment

3432 Greenbank Road, Ottawa ON

Dear Sir,

Please consider this letter as confirmation that Paterson Group has been retained to conduct a Phase I-Environmental Site Assessment at the aforementioned property.

With this letter, the property owner authorizes the City of Ottawa and other regulatory bodies to release, to Paterson Group, information requested for the purpose of completing an environmental assessment of the property.

Name of Company/Property Owner:	Minto Communities Inc.			
Name of Representative	Curtiss Scarlett			
Signature of Representative	Curtiss Scarlett			
Date	2020.05.12			



Project Property: PE49XX - 3432 Greenbank Road

3432 Greenbank Road

Nepean ON K2J 0R5

Project No: 30077

Report Type: Standard Report
Order No: 20200511043

Requested by: Paterson Group Inc.

Date Completed: May 14, 2020

Table of Contents

Table of Contents	2
Executive Summary	
Executive Summary: Report Summary	
Executive Summary: Site Report Summary - Project Property	
Executive Summary: Site Report Summary - Surrounding Properties	7
Executive Summary: Summary By Data Source	g
Map	12
Aerial	13
Topographic Map	14
Detail Report	
Unplottable Summary	89
Unplottable Report	92
Appendix: Database Descriptions	143
Definitions	152

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

_			
$\nu r \cap$	norti	, Int∩	rmation:
	DCI L	, ,,,,	iiiiauoii.

Project Property: PE49XX - 3432 Greenbank Road

3432 Greenbank Road Nepean ON K2J 0R5

Order No: 20200511043

Project No: 30077

Coordinates:

 Latitude:
 45.2581319

 Longitude:
 -75.741105

 UTM Northing:
 5,011,893.35

 UTM Easting:
 441,852.47

UTM Zone: 18T

Elevation: 276 FT

84.19 M

Order Information:

Order No: 20200511043

Date Requested: May 11, 2020

Requested by: Paterson Group Inc.

Report Type: Standard Report

Historical/Products:

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Within 0.25 km	Total
AAGR	Abandoned Aggregate Inventory	Υ	0	0	0
AGR	Aggregate Inventory	Υ	0	0	0
AMIS	Abandoned Mine Information System	Υ	0	0	0
ANDR	Anderson's Waste Disposal Sites	Υ	0	0	0
AST	Aboveground Storage Tanks	Υ	0	0	0
AUWR	Automobile Wrecking & Supplies	Υ	0	0	0
BORE	Borehole	Υ	0	5	5
CA	Certificates of Approval	Υ	0	0	0
CDRY	Dry Cleaning Facilities	Υ	0	0	0
CFOT	Commercial Fuel Oil Tanks	Υ	0	0	0
CHEM	Chemical Register	Υ	0	0	0
CNG	Compressed Natural Gas Stations	Υ	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Υ	0	0	0
CONV	Compliance and Convictions	Υ	0	0	0
CPU	Certificates of Property Use	Υ	0	0	0
DRL	Drill Hole Database	Υ	0	0	0
EASR	Environmental Activity and Sector Registry	Υ	0	0	0
EBR	Environmental Registry	Y	0	0	0
ECA	Environmental Compliance Approval	Y	0	0	0
EEM	Environmental Effects Monitoring	Υ	0	0	0
EHS	ERIS Historical Searches	Y	0	0	0
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Υ	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Υ	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Υ	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	0	0
GHG	Greenhouse Gas Emissions from Large Facilities	Υ	0	0	0
HINC	TSSA Historic Incidents	Υ	0	0	0
IAFT	Indian & Northern Affairs Fuel Tanks	Υ	0	0	0
INC	Fuel Oil Spills and Leaks	Υ	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
LIMO	Landfill Inventory Management Ontario	Υ	0	0	0
MINE	Canadian Mine Locations	Υ	0	0	0
MNR	Mineral Occurrences	Υ	0	0	0
NATE	National Analysis of Trends in Emergencies System	Υ	0	0	0
NCPL	(NATES) Non-Compliance Reports	Υ	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Υ	0	0	0
NDSP	National Defense & Canadian Forces Spills	Υ	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal	Υ	0	0	0
NEBI	Sites National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Υ	0	0	0
NPCB	National PCB Inventory	Υ	0	0	0
NPRI	National Pollutant Release Inventory	Υ	0	0	0
OGWE	Oil and Gas Wells	Υ	0	0	0
OOGW	Ontario Oil and Gas Wells	Υ	0	0	0
OPCB	Inventory of PCB Storage Sites	Υ	0	0	0
ORD	Orders	Υ	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Υ	0	0	0
PINC	Pipeline Incidents	Υ	0	0	0
PRT	Private and Retail Fuel Storage Tanks	Υ	0	0	0
PTTW	Permit to Take Water	Υ	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Υ	0	0	0
RSC	Record of Site Condition	Υ	0	0	0
RST	Retail Fuel Storage Tanks	Υ	0	0	0
SCT	Scott's Manufacturing Directory	Υ	0	0	0
SPL	Ontario Spills	Υ	0	0	0
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Υ	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval	Υ	0	0	0
WWIS	Inventory Water Well Information System	Υ	0	15	15
		Total:	0	20	20

Executive Summary: Site Report Summary - Project Property

MapDBCompany/Site NameAddressDir/Dist (m)Elev diffPageKey(m)Number

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
1	WWIS		lot 12 con 3 ON <i>Well ID:</i> 1522107	WNW/53.8	2.49	<u>15</u>
<u>2</u>	WWIS		lot 12 con 3 NEPEAN ON <i>Well ID:</i> 7156857	NE/74.4	4.99	<u>18</u>
<u>3</u>	WWIS		lot 12 con 3 NEPEAN ON <i>Well ID:</i> 7156858	NE/104.3	5.20	<u>25</u>
<u>4</u>	WWIS		lot 12 con 3 ON <i>Well ID:</i> 1506041	E/129.6	5.35	<u>32</u>
<u>5</u>	BORE		ON	E/129.6	5.35	<u>34</u>
<u>6</u>	WWIS		lot 12 con 3 ON <i>Well ID:</i> 1510110	ENE/132.3	6.77	<u>35</u>
7	WWIS		lot 12 con 3 ON Well ID: 1510111	NE/140.0	6.77	<u>38</u>
<u>8</u>	BORE		ON ON	NE/140.0	6.77	<u>41</u>
9	WWIS		lot 12 con 3 ON <i>Well ID:</i> 1506042	S/152.9	4.70	<u>43</u>
<u>10</u>	WWIS		lot 12 con 3 BARRHAVEN ON Well ID: 7287891	S/165.5	4.72	<u>45</u>
<u>11</u>	BORE		ON	SE/170.0	-1.31	<u>52</u>
<u>12</u>	WWIS		lot 12 con 3 BARRHAVEN ON	S/171.4	4.72	<u>53</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7199593			
<u>12</u>	WWIS		lot 12 con 3 BARRHAVEN ON	S/171.4	4.72	<u>59</u>
			Well ID: 7287890			
<u>13</u>	BORE		ON	S/191.3	4.72	<u>61</u>
<u>14</u>	WWIS		lot 12 con 2 OTTAWA ON	ENE/205.6	6.65	<u>62</u>
			Well ID: 7152714			
<u>15</u>	WWIS		lot 13 con 2 NEPEAN ON	NE/212.5	7.77	<u>76</u>
			Well ID: 7278704			
<u>15</u>	WWIS		lot 12 con 2 Ottawa ON	NE/212.5	7.77	<u>80</u>
			Well ID: 7298092			
<u>16</u>	BORE		ON	NNE/231.9	7.38	<u>82</u>
<u>17</u>	wwis		lot 12 con 2 ON	NE/233.9	7.76	<u>83</u>
			Well ID: 1509671			
40.)A/\A/IC			NNE/233.9	6.51	96
<u>18</u>	WWIS		NEPEAN ON	ININE/233.9	0.51	<u>86</u>
			Well ID: 7165137			

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 5 BORE site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
	ON	E	129.59	<u>5</u>
	ON	NE	140.00	<u>8</u>
	ON	S	191.30	<u>13</u>
	ON	NNE	231.92	<u>16</u>
Lower Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
	ON	SE	170.04	<u>11</u>

WWIS - Water Well Information System


A search of the WWIS database, dated Feb 28, 2019 has found that there are 15 WWIS site(s) within approximately 0.25 kilometers of the project property.

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	Map Key
	lot 12 con 3 ON	WNW	53.77	1
	Well ID: 1522107			
	lot 12 con 3 NEPEAN ON	NE	74.44	<u>2</u>
	Well ID: 7156857			

Equal/Higher Elevation	Address Iot 12 con 3 NEPEAN ON Well ID: 7156858	<u>Direction</u> NE	<u>Distance (m)</u> 104.30	Map Key 3
	lot 12 con 3 ON Well ID: 1506041	Е	129.58	<u>4</u>
	lot 12 con 3 ON <i>Well ID:</i> 1510110	ENE	132.32	<u>6</u>
	lot 12 con 3 ON Well ID: 1510111	NE	139.96	7
	lot 12 con 3 ON <i>Well ID:</i> 1506042	S	152.91	9
	lot 12 con 3 BARRHAVEN ON Well ID: 7287891	S	165.52	<u>10</u>
	lot 12 con 3 BARRHAVEN ON Well ID: 7199593	S	171.36	12
	lot 12 con 3 BARRHAVEN ON Well ID: 7287890	S	171.36	<u>12</u>
	lot 12 con 2 OTTAWA ON <i>Well ID:</i> 7152714	ENE	205.59	<u>14</u>
	lot 13 con 2 NEPEAN ON <i>Well ID:</i> 7278704	NE	212.47	<u>15</u>
	lot 12 con 2 Ottawa ON <i>Well ID:</i> 7298092	NE	212.47	<u>15</u>
	lot 12 con 2 ON	NE	233.87	<u>17</u>

Order No: 20200511043

Equal/Higher Elevation	<u>Address</u>	<u>Direction</u>	Distance (m)	<u>Map Key</u>
	Well ID: 1509671			
	NEPEAN ON	NNE	233.89	<u>18</u>
	Well ID: 7165137			



Aerial Year: 2019

Address: 3432 Greenbank Road, Nepean, ON

Source: ESRI World Imagery

Order Number: 20200511043



Topographic Map

Address: 3432 Greenbank Road, ON

Source: ESRI World Topographic Map

Order Number: 20200511043



© ERIS Information Limited Partnership

Detail Report

Мар Кеу	Number Record		Direction/ Distance (m)	Elev/Diff (m)	Site		DB
1	1 of 1		WNW/53.8	86.7/2.49	lot 12 con 3 ON		wwis
Well ID: Constructio Primary Wa Sec. Water Final Well S Water Type. Casing Mate Audit No: Tag: Constructio Elevation (n Elevation (n Depth to Be Well Depth: Overburden Pump Rate: Static Wate Flowing (Y/I Flow Rate: Clear/Cloud	ter Use: Use: Status: Serial: In Method: In): Seliability: Sedrock: In Level: N):	1522107 Livestock Water Su 08656			Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	1 1/13/1988 Yes 3644 1 OTTAWA-CARLETON NEPEAN TOWNSHIP 012 03 CON	
Bore Hole II	nformation						
Bore Hole II DP2BR: Spatial State Code OB: Code OB De Open Hole: Cluster Kind Date Compl Remarks: Elevrc Desc Location So Improvement Improvement Source Rev Supplier Co	us: esc: d: leted: c: ource Date: nt Location I ision Comm	Method:			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	91.561157 18 441803.7 5011916 5 margin of error : 100 m - 300 m gis	
Materials In Formation I. Layer: Color: General Col Mat1:	D: lor: oon Material:		931050276 1 2 GREY 05 CLAY 14 HARDPAN				

Order No: 20200511043

12

Mat3:

Other Materials: STONES
Formation Top Depth: 0
Formation End Depth: 24
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931050277

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2:

Other Materials: Mat3: Other Materials:

Formation Top Depth: 24
Formation End Depth: 65
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code:

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

 Pipe ID:
 10592490

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930076769

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To:65Casing Diameter:6Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Casing

Casing ID: 930076768

Layer: 1
Material: 1

Open Hole or Material:
Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM:

STEEL

27

6

6

Casing Diameter UoM:
ft

Results of Well Yield Testing

Pump Test ID: 991522107

Pump Set At:
Static Level: 8
Final Level After Pumping: 20
Percommended Pump Depth: 25

Recommended Pump Depth: 25
Pumping Rate: 15
Flowing Rate:

Recommended Pump Rate: 10
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 2

Water State After Test: CLOUDY
Pumping Test Method: 1

Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934654457

Test Type:

Test Duration: 45
Test Level: 20
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934108802

Test Type:

Test Duration: 15
Test Level: 20
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934392906

Test Type:

 Test Duration:
 30

 Test Level:
 20

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934902312

 Test Type:

 Test Duration:
 60

 Test Level:
 20

 Test Level UOM:
 ft

Water Details

Water ID: 933479872

 Layer:
 2

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 60

 Water Found Depth UOM:
 ft

Water Details

Water ID: 933479871

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 45

 Water Found Depth UOM:
 ft

2 1 of 1 NE/74.4 89.2 / 4.99 lot 12 con 3 NEPEAN ON WWIS

Well ID: 7156857

Construction Date:

Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material:

 Audit No:
 Z110802

 Tag:
 A093663

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate:

Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 1003444402

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind:

Date Completed: 11/2/2010

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1003739993

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 18

Most Common Material: SANDSTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Data Entry Status:

Data Src:

Date Received: 12/29/2010
Selected Flag: Yes

Abandonment Rec:

Contractor: 1119 **Form Version:** 7

Owner: Street N

Street Name:3426 GREENBANK RDCounty:OTTAWA-CARLETONMunicipality:NEPEAN TOWNSHIP

Site Info:

 Lot:
 012

 Concession:
 03

 Concession Name:
 RF

Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Elevation: 90.020133

Elevrc:
Zone: 18
East83: 441897
North83: 5011953
Org CS: UTM83
UTMRC: 3

UTMRC Desc: margin of error : 10 - 30 m

Order No: 20200511043

Location Method: www

Formation Top Depth: 200
Formation End Depth: 220
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1003739992

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2:

Other Materials: Mat3: Other Materials:

Formation Top Depth: 33
Formation End Depth: 200
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1003739991

Layer: 1

Color:

General Color:

Mat1:28Most Common Material:SANDMat2:13

Other Materials: BOULDERS

Mat3:

Other Materials:

Formation Top Depth: 0
Formation End Depth: 33
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003740030

 Layer:
 2

 Plug From:
 28

 Plug To:
 38

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003740029

 Layer:
 1

 Plug From:
 0

 Plug To:
 28

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1003739989

Casing No: Comment:

Alt Name:

Construction Record - Casing

Casing ID: 1003739997 Layer: Material: Open Hole or Material: **STEEL** Depth From: -2 38 Depth To: Casing Diameter: 6 Casing Diameter UOM: inch Casing Depth UOM:

Construction Record - Casing

1003739998 Casing ID:

Layer: 2 Material:

Open Hole or Material: **OPEN HOLE**

Depth From: 38 220 Depth To: Casing Diameter: 6 Casing Diameter UOM: inch Casing Depth UOM:

Construction Record - Screen

1003739999 Screen ID:

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

ft Screen Diameter UOM: inch

Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003739990 Pump Set At: 200 Static Level: 18.4 Final Level After Pumping: 44.9 100 Recommended Pump Depth: Pumping Rate: 20 Flowing Rate: Recommended Pump Rate: 20 Levels UOM: Rate UOM: **GPM** Water State After Test Code: 3 **OTHER** Water State After Test: Pumping Test Method: 0 **Pumping Duration HR:** Pumping Duration MIN: 0

Flowing:

Draw Down & Recovery

Pump Test Detail ID:1003740013Test Type:RecoveryTest Duration:15Test Level:18.4Test Level UOM:ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740000

 Test Type:
 Draw Down

 Test Duration:
 1

 Test Level:
 26.5

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740001

 Test Type:
 Recovery

 Test Duration:
 1

 Test Level:
 28.4

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740008

 Test Type:
 Draw Down

 Test Duration:
 5

 Test Level:
 36.5

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740016

 Test Type:
 Draw Down

 Test Duration:
 25

 Test Level:
 43.5

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740022

 Test Type:
 Draw Down

 Test Duration:
 50

 Test Level:
 44.7

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740012

 Test Type:
 Draw Down

 Test Duration:
 15

 Test Level:
 41.1

 Test Level UOM:
 ft

Draw Down & Recovery

Order No: 20200511043

 Pump Test Detail ID:
 1003740023

 Test Type:
 Recovery

 Test Duration:
 50

 Test Level:
 18.4

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740003

 Test Type:
 Recovery

 Test Duration:
 2

 Test Level:
 23

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740004

 Test Type:
 Draw Down

 Test Duration:
 3

 Test Level:
 33.4

ft

Draw Down & Recovery

Test Level UOM:

 Pump Test Detail ID:
 1003740009

 Test Type:
 Recovery

 Test Duration:
 5

 Test Level:
 18.4

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740015

 Test Type:
 Recovery

 Test Duration:
 20

 Test Level:
 18.4

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740020

 Test Type:
 Draw Down

 Test Duration:
 40

 Test Level:
 44.3

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740024

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 44.9

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1003740018Test Type:Draw DownTest Duration:30

Test Level: 44
Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740021

 Test Type:
 Recovery

 Test Duration:
 40

 Test Level:
 18.4

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740025

 Test Type:
 Recovery

 Test Duration:
 60

 Test Level:
 18.4

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740002

 Test Type:
 Draw Down

 Test Duration:
 2

 Test Level:
 30.6

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740010

 Test Type:
 Draw Down

 Test Duration:
 10

 Test Level:
 39.9

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740011

 Test Type:
 Recovery

 Test Duration:
 10

 Test Level:
 18.4

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740017

 Test Type:
 Recovery

 Test Duration:
 25

 Test Level:
 18.4

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740006

 Test Type:
 Draw Down

 Test Duration:
 4

 Test Level:
 35.1

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740007

 Test Type:
 Recovery

 Test Duration:
 4

 Test Level:
 18.9

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740005

 Test Type:
 Recovery

 Test Duration:
 3

 Test Level:
 20.4

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740014

 Test Type:
 Draw Down

 Test Duration:
 20

 Test Level:
 42.3

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740019

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 18.4

 Test Level UOM:
 ft

Water Details

Water ID: 1003739996

 Layer:
 2

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 210

 Water Found Depth UOM:
 ft

Water Details

Water ID: 1003739995

 Layer:
 1

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 135

 Water Found Depth UOM:
 ft

Hole Diameter

Hole ID: 1003739994

 Diameter:
 6

 Depth From:
 0

 Depth To:
 220

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

3 1 of 1 NE/104.3 89.4 / 5.20 lot 12 con 3 NEPEAN ON WWIS

Well ID: 7156858

Construction Date:
Primary Water Use: Don

Primary Water Use: Domestic Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material:

 Audit No:
 Z110804

 Tag:
 A093662

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Overburden/Bedrock Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src:

Date Received: 12/29/2010 Selected Flag: Yes

Abandonment Rec: Contractor:

Contractor: 1119
Form Version: 7

Owner:

Street Name:3426 GREENBANK RDCounty:OTTAWA-CARLETONMunicipality:NEPEAN TOWNSHIP

Site Info:

 Lot:
 012

 Concession:
 03

 Concession Name:
 RF

Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Bore Hole Information

Bore Hole ID: 1003444404

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 11/2/2010

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1003740118

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 18

Most Common Material: SANDSTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 205
Formation End Depth: 220
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1003740116

Elevation: 92.048446

Elevrc:

Zone: 18
East83: 441909
North83: 5011981
Org CS: UTM83
UTMRC: 3

UTMRC Desc: margin of error: 10 - 30 m

Order No: 20200511043

Location Method: wwr

Layer:

Color:

General Color:

Mat1:28Most Common Material:SANDMat2:13

Other Materials: BOULDERS

Mat3:

Other Materials:

Formation Top Depth: 0
Formation End Depth: 33
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1003740117

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 33
Formation End Depth: 205
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003740157

 Layer:
 2

 Plug From:
 28

 Plug To:
 38

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003740156

 Layer:
 1

 Plug From:
 0

 Plug To:
 28

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 1003740114

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

 Casing ID:
 1003740124

 Layer:
 1

 Material:
 1

 Open Hole or Material:
 STEEL

 Poorth From:
 -2

Depth From: -2
Depth To: 38
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

 Casing ID:
 1003740125

 Layer:
 2

Layer: Material:

Open Hole or Material: OPEN HOLE

Depth From: 38
Depth To: 220
Casing Diameter: 6.375
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1003740126

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: It inch

Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003740115

Pump Set At: 200 Static Level: 16 Final Level After Pumping: 16.9 100 Recommended Pump Depth: Pumping Rate: 20 Flowing Rate: Recommended Pump Rate: 20 Levels UOM: ft GPM Rate UOM: Water State After Test Code: 3 OTHER Water State After Test: Pumping Test Method: 0 **Pumping Duration HR:** 1 **Pumping Duration MIN:** 0 Flowing:

Draw Down & Recovery

Pump Test Detail ID:1003740135Test Type:Draw DownTest Duration:5

Test Duration: 5
Test Level: 16.8

Test Level UOM:

Draw Down & Recovery

 Pump Test Detail ID:
 1003740137

 Test Type:
 Draw Down

 Test Duration:
 10

 Test Level:
 16.8

 Test Level UOM:
 ft

ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740130

 Test Type:
 Recovery

 Test Duration:
 2

 Test Level:
 16

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740145

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 16.9

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740150

 Test Type:
 Recovery

 Test Duration:
 50

 Test Level:
 16

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740144

 Test Type:
 Recovery

 Test Duration:
 25

 Test Level:
 16

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740148

 Test Type:
 Recovery

 Test Duration:
 40

 Test Level:
 16

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1003740152Test Type:RecoveryTest Duration:60Test Level:16Test Level UOM:ft

Draw Down & Recovery

Order No: 20200511043

Pump Test Detail ID:1003740127Test Type:Draw Down

 Test Duration:
 1

 Test Level:
 16.7

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1003740136Test Type:RecoveryTest Duration:5Test Level:16Test Level UOM:ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740147

 Test Type:
 Draw Down

 Test Duration:
 40

 Test Level:
 16.9

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 1003740131
Test Type: Draw Down
Test Duration: 3
Test Level: 16.7

Test Level: 16.7
Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740134

 Test Type:
 Recovery

 Test Duration:
 4

 Test Level:
 16

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1003740138Test Type:RecoveryTest Duration:10Test Level:16Test Level UOM:ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740139

 Test Type:
 Draw Down

 Test Duration:
 15

 Test Level:
 16.8

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1003740142Test Type:RecoveryTest Duration:20

Test Level: 16
Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740146

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 16

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740129

 Test Type:
 Draw Down

 Test Duration:
 2

 Test Level:
 16.7

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740143

 Test Type:
 Draw Down

 Test Duration:
 25

 Test Level:
 16.8

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740151

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 16.9

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740128

 Test Type:
 Recovery

 Test Duration:
 1

 Test Level:
 16

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1003740140Test Type:RecoveryTest Duration:15Test Level:16Test Level UOM:ft

Draw Down & Recovery

Pump Test Detail ID:1003740132Test Type:RecoveryTest Duration:3Test Level:16Test Level UOM:ft

Order No: 20200511043

Draw Down & Recovery

Pump Test Detail ID:1003740133Test Type:Draw Down

 Test Duration:
 4

 Test Level:
 16.7

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740141

 Test Type:
 Draw Down

 Test Duration:
 20

 Test Level:
 16.8

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1003740149

 Test Type:
 Draw Down

 Test Duration:
 50

 Test Level:
 16.9

 Test Level UOM:
 ft

Water Details

Water ID: 1003740123

 Layer:
 3

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 210

 Water Found Depth UOM:
 ft

Water Details

Water ID: 1003740122

 Layer:
 2

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 185

 Water Found Depth UOM:
 ft

Water Details

Water ID: 1003740121

 Layer:
 1

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 140

 Water Found Depth UOM:
 ft

Hole Diameter

Hole ID: 1003740119

 Diameter:
 6

 Depth From:
 0

 Depth To:
 38

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Order No: 20200511043

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Hole Diameter

1003740120 Hole ID: 0.638 Diameter: Depth From: 38 220 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

E/129.6 4 1 of 1 89.5 / 5.35 lot 12 con 3 **WWIS** ON

Well ID: 1506041

Construction Date:

Domestic Primary Water Use: Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material: Audit No: Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status:

Data Src:

11/1/1960 Date Received: Selected Flag: Yes Abandonment Rec: 1301 Contractor:

Form Version: Owner: Street Name:

County: OTTAWA-CARLETON NEPEAN TOWNSHIP Municipality:

1

Site Info:

012 Lot: Concession: 03 Concession Name: RF

Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Bore Hole Information

10028084 Bore Hole ID: 32

DP2BR:

Spatial Status: Code OB:

Code OB Desc: **Bedrock**

Open Hole:

Cluster Kind:

10/22/1960 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931003633

Layer:

Color:

General Color:

05 Mat1: Most Common Material: CLAY 13 Mat2:

BOULDERS Other Materials:

Mat3:

92.979988 Elevation:

Elevrc:

Zone: 18 441980.7 East83: North83: 5011912

Org CS:

UTMRC:

margin of error: 100 m - 300 m UTMRC Desc:

Order No: 20200511043

Location Method:

Other Materials:

Formation Top Depth: 0
Formation End Depth: 32
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931003634

Layer:

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 32
Formation End Depth: 175
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10576654

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930048916

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To:175Casing Diameter:4Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Casing

Casing ID: 930048915

Layer: 1
Material: 1

Open Hole or Material: STEEL
Depth From:
Depth To: 34
Casing Diameter: 4
Casing Diameter UOM: inch

Order No: 20200511043

ft

Casing Depth UOM:

DB Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Results of Well Yield Testing

991506041 Pump Test ID:

Pump Set At:

Static Level: 5 7 Final Level After Pumping: Recommended Pump Depth: 27 Pumping Rate: 10 Flowing Rate: Recommended Pump Rate: 10 Levels UOM:

Rate UOM: **GPM** Water State After Test Code: Water State After Test: **CLEAR** Pumping Test Method: **Pumping Duration HR:** 1 **Pumping Duration MIN:** 0 Flowing: Ν

Water Details

933460105 Water ID:

Layer: Kind Code: Kind: **FRESH** Water Found Depth: 175 Water Found Depth UOM: ft

5 1 of 1 E/129.6 89.5 / 5.35 **BORE**

Borehole ID: 612004 215513314

OGF ID: Status:

Type: Borehole Use:

Completion Date: OCT-1960

Static Water Level: Primary Water Use:

Sec. Water Use:

Total Depth m: 53.3 Depth Ref: **Ground Surface**

Depth Elev: Drill Method:

Orig Ground Elev m: 91.4

Elev Reliabil Note: DEM Ground Elev m:

Concession: Location D: Survey D: Comments:

ON

Order No: 20200511043

Inclin FLG: No SP Status: Initial Entry

Surv Elev: No Piezometer: No

Primary Name: Municipality: Lot:

Township: Latitude DD:

45.258311 Longitude DD: -75.739473 UTM Zone: 18 441981 Easting: Northing: 5011912

Location Accuracy:

Not Applicable Accuracy:

Borehole Geology Stratum

Geology Stratum ID: 218389789 Top Depth: 0 Bottom Depth: 9.8

Material Color:

Material 1: Clay Material 2: Boulders Material 3:

Material 4: Gsc Material Description: Mat Consistency: Material Moisture: Material Texture: Non Geo Mat Type: Geologic Formation: Geologic Group: Geologic Period: Depositional Gen:

Stratum Description: CLAY,BOULDERS.

218389790 Geology Stratum ID: Mat Consistency: Top Depth: 9.8 Material Moisture: **Bottom Depth:** 53.3 Material Texture: White Material Color: Non Geo Mat Type: Material 1: Limestone Geologic Formation: Material 2: Geologic Group: Material 3: Geologic Period:

Material 4: Gsc Material Description:

Stratum Description: LIMESTONE. 00175NDSTONE. 00082STONE, SAND. WHITE. SANDSTONE. WHITE. 00086 = 19500.

Depositional Gen:

Source

Source Type: Data Survey Source Appl: Spatial/Tabular

Source Orig:Geological Survey of CanadaSource Iden:1Source Date:1956-1972Scale or Res:VariesConfidence:Horizontal:NAD27

Observatio: Verticalda: Mean Average Sea Level

Source Name: Urban Geology Automated Information System (UGAIS)
Source Details: File: OTTAWA1.txt RecordID: 04512 NTS Sheet:

Source Details: File: OTTAWA1.txt RecordID: 04512 NTS_Sheet: Confiden 1:

Source List

Source Identifier: 1 Horizontal Datum: NAD27

Source Type:Data SurveyVertical Datum:Mean Average Sea LevelSource Date:1956-1972Projection Name:Universal Transverse Mercator

Scale or Resolution: Varies

Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

6 1 of 1 ENE/132.3 91.0 / 6.77 lot 12 con 3 WWIS

Order No: 20200511043

Well ID: Data Entry Status:

Construction Date: Data Src: 1

Primary Water Use:DomesticDate Received:7/7/1969Sec. Water Use:0Selected Flag:Yes

Final Well Status:Water SupplyAbandonment Rec:Water Type:Contractor:1603

Water Type:Contractor:1603Casing Material:Form Version:1Audit No:Owner:

Tag: Street Name: Construction Method: County:

Construction Method:County:OTTAWA-CARLETONElevation (m):Municipality:NEPEAN TOWNSHIPElevation Reliability:Site Info:

 Depth to Bedrock:
 Lot:
 012

 Well Depth:
 Concession:
 03

 Overburden/Bedrock:
 Concession Name:
 RF

 Overburden/Bedrock:
 Concession Name:
 RF

 Pump Rate:
 Easting NAD83:

 Static Water Level:
 Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10032140 **Elevation:** 94.175636

DP2BR: 37 Elevrc:

Spatial Status: Zone: 18

East83:

North83:

Org CS: UTMRC:

UTMRC Desc:

Location Method:

441950.7

5011982

margin of error: 30 m - 100 m

Order No: 20200511043

Code OB:

Code OB Desc: Bedrock

Open Hole: Cluster Kind:

Date Completed: 5/26/1969

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931013919

Layer: 4

Color:

General Color:

Mat1:11Most Common Material:GRAVELMat2:09

Other Materials: MEDIUM SAND

Mat3: 13

Other Materials: BOULDERS

Formation Top Depth: 26
Formation End Depth: 37
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931013916

Laver: 1

Color:

General Color:

Mat1: 05

Most Common Material: CLAY Mat2: 09

Other Materials: MEDIUM SAND

Mat3: 13

Other Materials: BOULDERS

Formation Top Depth: 0
Formation End Depth: 4
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931013918

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 08

Most Common Material: FINE SAND

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 12
Formation End Depth: 26
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931013917

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 09

Most Common Material: MEDIUM SAND

Mat2: 13

Other Materials: BOULDERS

Mat3:

Other Materials:

Formation Top Depth: 4
Formation End Depth: 12
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931013920

Layer: 5

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 37
Formation End Depth: 103
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code:

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 10580710

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930056895

Layer: 1 Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To: 40
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Order No: 20200511043

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Results of Well Yield Testing

Pump Test ID: 991510110

Pump Set At:

7 Static Level: Final Level After Pumping: 20 Recommended Pump Depth: 25 15 Pumping Rate: Flowing Rate: Recommended Pump Rate: 8 Levels UOM: ft Rate UOM: **GPM**

Water State After Test Code: Water State After Test: **CLEAR Pumping Test Method: Pumping Duration HR:** 4 Pumping Duration MIN: 0 Flowing: Ν

Water Details

Water ID: 933465046

Layer: Kind Code: 1 Kind: **FRESH** Water Found Depth: 101

Water Found Depth UOM:

7 1 of 1 NE/140.0 91.0 / 6.77 lot 12 con 3 **WWIS** ON

Well ID: 1510111 Data Entry Status:

Construction Date:

Primary Water Use: Domestic Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material: Audit No:

Tag: **Construction Method:**

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate:

Clear/Cloudy:

Data Src:

7/7/1969 Date Received: Selected Flag: Yes Abandonment Rec:

1603 Contractor: Form Version: 1

Owner: Street Name:

OTTAWA-CARLETON County: Municipality: **NEPEAN TOWNSHIP**

18

Order No: 20200511043

Site Info:

012 Lot: Concession: 03 Concession Name: RF

Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Bore Hole Information

Bore Hole ID: 10032141 Elevation: 93.857696

DP2BR: 33 Elevrc: Zone:

Spatial Status:

Code OB: East83: 441940.7 5012002 Code OB Desc: Bedrock North83:

Open Hole: Org CS:

Cluster Kind: UTMRC: Date Completed: 5/23/1969 UTMRC Desc:

Remarks: Location Method: p4

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock **Materials Interval**

Formation ID: 931013921

Layer:

Color:

General Color:

05 Mat1: Most Common Material: CLAY Mat2: 09

Other Materials: MEDIUM SAND

Mat3: 13

BOULDERS Other Materials:

Formation Top Depth: 0 Formation End Depth: 9 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931013924

Layer:

Color:

General Color:

Mat1: 11 Most Common Material:

GRAVEL Mat2: 13

BOULDERS Other Materials:

Mat3:

Other Materials:

28 Formation Top Depth: Formation End Depth: 33 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

931013922 Formation ID:

Layer: 2

Color:

General Color:

09 Mat1:

Most Common Material: MEDIUM SAND

Mat2: 13

Other Materials: **BOULDERS**

Mat3:

Other Materials:

9 Formation Top Depth: Formation End Depth: 22 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931013923

Layer: 3

Color: General Color:

Mat1: 08

Most Common Material: FINE SAND

Mat2:

Other Materials: Mat3: Other Materials:

Formation Top Depth: 22
Formation End Depth: 28
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931013925

Layer: 5

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 33
Formation End Depth: 107
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code: 1

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10580711

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930056897

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To:107Casing Diameter:2Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Casing

Casing ID: 930056896

Layer: 1

Map Key Numbe Record		Elev/Diff (m)	Site		DB
Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:	1 STEEL 37 2 inch ft				
Results of Well Yield Te	esting				
Pump Test ID: Pump Set At: Static Level: Final Level After Pumpi Recommended Pump E Pumping Rate: Flowing Rate: Recommended Pump E Levels UOM: Rate UOM: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing: Water Details Water ID: Layer: Kind Code: Kind: Water Found Depth:	Depth: 20 15 Rate: 8 ft GPM Code: 1 CLEAR 1				
Water Found Depth UO					
Borehole ID: OGF ID: Status: Type: Use: Completion Date: Static Water Level: Primary Water Use: Sec. Water Use: Total Depth m: Depth Ref: Depth Elev: Drill Method: Orig Ground Elev m: Elev Reliabil Note: DEM Ground Elev m: Concession: Location D: Survey D: Comments:	ME/140.0 612007 215513317 Borehole MAY-1969 32.6 Ground Surface 92 93.9	91.0 / 6.77	ON Inclin FLG: SP Status: Surv Elev: Piezometer: Primary Name: Municipality: Lot: Township: Latitude DD: Longitude DD: UTM Zone: Easting: Northing: Location Accuracy: Accuracy:	No Initial Entry No No 45.259118 -75.739994 18 441941 5012002 Not Applicable	BORE

Order No: 20200511043

Borehole Geology Stratum

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Mat Consistency:

Material Moisture:

Material Texture:

Geology Stratum ID: 218389799 Top Depth: 8.5 **Bottom Depth:**

10.1

Material Color: Non Geo Mat Type: Material 1: Gravel Geologic Formation: Material 2: **Boulders** Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: GRAVEL, BOULDERS.

Geology Stratum ID: 218389800 Mat Consistency: Top Depth: 10.1 Material Moisture: Bottom Depth: 32.6 Material Texture: Material Color: White Non Geo Mat Type: Material 1: Limestone Geologic Formation: Geologic Group: Material 2: Material 3: Geologic Period: Material 4 Depositional Gen:

Gsc Material Description:

LIMESTONE. 00105. WHITE. 00086 = 19500. BEDROCK. SEISMIC VELOCITY = 17000. 200135 **Note: Many Stratum Description:

records provided by the department have a truncated [Stratum Description] field.

Geology Stratum ID: 218389797 Mat Consistency: Top Depth: 2.7 Material Moisture: Bottom Depth: 6.7 Material Texture: Material Color: Non Geo Mat Type:

Material 1: Sand Geologic Formation: Material 2: **Boulders** Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

SAND, BOULDERS. Stratum Description:

Geology Stratum ID: 218389798 Mat Consistency: Material Moisture: Top Depth: 6.7 Bottom Depth: 8.5 Material Texture: Material Color: Non Geo Mat Type: Material 1: Sand Geologic Formation: Material 2:

Geologic Group: Material 3: Geologic Period: Depositional Gen: Material 4:

Gsc Material Description:

Stratum Description: SAND.

218389796 Geology Stratum ID: Mat Consistency: Material Moisture: Top Depth: 0 **Bottom Depth:** 2.7 Material Texture: Non Geo Mat Type: Material Color: Material 1: Clay Geologic Formation: Material 2: Sand Geologic Group:

Material 3: **Boulders** Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: CLAY, SAND, BOULDERS.

Source

Source Type: Data Survey Source Appl: Spatial/Tabular

Source Orig: Geological Survey of Canada Source Iden: 1 Source Date: 1956-1972 Scale or Res: Varies Confidence: Horizontal: NAD27

Observatio: Verticalda: Mean Average Sea Level

Order No: 20200511043

Urban Geology Automated Information System (UGAIS) Source Name: File: OTTAWA1.txt RecordID: 04515 NTS_Sheet: Source Details:

Confiden 1:

Source List

Source Identifier: 1 Horizontal Datum: NAD27

Source Type:Data SurveyVertical Datum:Mean Average Sea LevelSource Date:1956-1972Projection Name:Universal Transverse Mercator

Scale or Resolution: Varies
Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

9 1 of 1 S/152.9 88.9 / 4.70 lot 12 con 3

Well ID: 1506042 Data Entry Status:

Construction Date: Data Src:

Primary Water Use:LivestockDate Received:12/14/1966Sec. Water Use:DomesticSelected Flag:Yes

Final Well Status:Water SupplyAbandonment Rec:Water Type:Contractor:3601Casing Material:Form Version:1

Audit No: Owner:
Tag: Street Name:

 Tag:
 Street Name:

 Construction Method:
 County:
 OTTAWA-CARLETON

 Elevation (m):
 Municipality:
 NEPEAN TOWNSHIP

Elevation Reliability: Site Info:

Depth to Bedrock: Lot: 012

Well Depth: Concession: 03
Overburden/Bedrock: Concession Name: RF

Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:
Flow Rate: UTM Reliability:
Clear/Cloudy:

Bore Hole Information

 Bore Hole ID:
 10028085
 Elevation:
 91.95137

 DP2BR:
 31
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 r
 East83:
 441830.7

 Code OB:
 r
 East83:
 441830.7

 Code OB Desc:
 Bedrock
 North83:
 5011742

 Open Hole:
 Org CS:

Cluster Kind: UTMRC: 5

Date Completed:9/7/1966UTMRC Desc:margin of error: 100 m - 300 mRemarks:Location Method:p5

Order No: 20200511043

Elevrc Desc:
Location Source Date:

Overburden and Bedrock Materials Interval

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Formation ID: 931003636

Layer: 2

Color:

Mat1: 11

Most Common Material: GRAVEL

General Color:

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 21
Formation End Depth: 31
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931003637

Layer:

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 31
Formation End Depth: 40
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931003635

Layer:

Color: General Color:

Mat1: 13

Most Common Material: BOULDERS

Mat2: 02

Other Materials: TOPSOIL

Mat3:

Other Materials:

Formation Top Depth: 0
Formation End Depth: 21
Formation End Depth UOM: ft

Method of Construction & Well

Use

Method Construction ID:

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10576655

Casing No: 1

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930048917

Layer: 1
Material: 1

Open Hole or Material:

Depth From:

Depth To:31Casing Diameter:5Casing Diameter UOM:inchCasing Depth UOM:ft

STEEL

Construction Record - Casing

Casing ID: 930048918

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To: 40
Casing Diameter: 5
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991506042

Pump Set At:

15 Static Level: Final Level After Pumping: 15 Recommended Pump Depth: 35 Pumping Rate: 15 Flowing Rate: Recommended Pump Rate: 5 Levels UOM: **GPM** Rate UOM: Water State After Test Code: **CLEAR** Water State After Test: Pumping Test Method: **Pumping Duration HR: Pumping Duration MIN:** 0 Ν Flowing:

Water Details

 Water ID:
 933460106

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

Water Found Depth: 40
Water Found Depth UOM: ft

10 1 of 1 S/165.5 88.9 / 4.72 lot 12 con 3 BARRHAVEN ON WWIS

Well ID: 7287891

Construction Date:

Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type:

Casing Material:

 Audit No:
 Z242975

 Tag:
 A218025

Construction Method: Elevation (m): Elevation Reliability: Data Entry Status: Data Src:

lata Src:

Date Received: 6/7/2017 Selected Flag: Yes

Abandonment Rec: Contractor:

Contractor: 4877
Form Version: 7
Owner:

Street Name:454 GREENBANK RDCounty:OTTAWA-CARLETONMunicipality:NEPEAN TOWNSHIP

Site Info:

Lot:

Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Flow Rate: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 1006515961

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 5/17/2017

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006747304

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 02

 Most Common Material:
 TOPSOIL

 Mat2:
 05

 Other Materials:
 CI AY

Mat2:
Other Materials:
Mat3:
Other Materials:
Other Materials:
PACKED
Formation Top Depth:
Formation End Depth:
10
Formation End Depth UOM:
ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006747305

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 34

 Most Common Material:
 TILL

Mat2:

Other Materials:

Mat3:79Other Materials:PACKEDFormation Top Depth:10Formation End Depth:35.5Formation End Depth UOM:ft

Overburden and Bedrock

Elevation: 91.83406

Elevrc:

 Zone:
 18

 East83:
 441860

 North83:
 5011728

 Org CS:
 UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 20200511043

012

03 RF

Location Method: www

Materials Interval

Formation ID: 1006747306

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2:

Other Materials:

Mat3:73Other Materials:HARDFormation Top Depth:35.5Formation End Depth:141Formation End Depth UOM:ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006747343

 Layer:
 2

 Plug From:
 28.5

 Plug To:
 0

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006747342

 Layer:
 1

 Plug From:
 38.5

 Plug To:
 28.5

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code: 2

Method Construction:Rotary (Convent.)Other Method Construction:AIR PERCUSSION

Pipe Information

Pipe ID: 1006747302

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006747312

Layer: 3 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:38.5Depth To:141Casing Diameter:6.125Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Casing

Casing ID: 1006747311

 Layer:
 2

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 0

 Depth To:
 38.5

 Casing Diameter:
 6.25

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

Construction Record - Casing

Casing ID: 1006747310

Layer: 1

Material: 4

Open Hole or Material: OPEN HOLE

Depth From: 0

Depth To: 38.5
Casing Diameter: 9.875
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006747313

Layer:

Slot: Screen Top Depth:

Screen End Depth:
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1006747303

Pump Set At:130Static Level:12.9Final Level After Pumping:108.4Recommended Pump Depth:130Pumping Rate:10

Flowing Rate:

Recommended Pump Rate: 10
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 0
Pumping Duration HR: 1
Pumping Duration MIN:

Flowing: N

Draw Down & Recovery

 Pump Test Detail ID:
 1006747317

 Test Type:
 Recovery

 Test Duration:
 2

 Test Level:
 90.9

 Test Level UOM:
 ft

Order No: 20200511043

Draw Down & Recovery

 Pump Test Detail ID:
 1006747319

 Test Type:
 Recovery

 Test Duration:
 3

 Test Level:
 84.7

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747330

 Test Type:
 Draw Down

 Test Duration:
 25

 Test Level:
 64.3

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747331

 Test Type:
 Recovery

 Test Duration:
 25

 Test Level:
 15.6

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1006747315Test Type:RecoveryTest Duration:1Test Level:97Test Level UOM:ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747320

 Test Type:
 Draw Down

 Test Duration:
 4

 Test Level:
 31.6

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747336

 Test Type:
 Draw Down

 Test Duration:
 50

 Test Level:
 96.7

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747338

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 108.4

 Test Level UOM:
 ft

Draw Down & Recovery

Order No: 20200511043

Pump Test Detail ID: 1006747322
Test Type: Draw Down

 Test Duration:
 5

 Test Level:
 33.9

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747328

 Test Type:
 Draw Down

 Test Duration:
 20

 Test Level:
 56.8

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747333

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 14.8

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747339

 Test Type:
 Recovery

 Test Duration:
 60

 Test Level:
 13.6

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747314

 Test Type:
 Draw Down

 Test Duration:
 1

 Test Level:
 20.8

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747323

 Test Type:
 Recovery

 Test Duration:
 5

 Test Level:
 72.6

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1006747325Test Type:RecoveryTest Duration:10Test Level:42.5Test Level UOM:ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747326

 Test Type:
 Draw Down

 Test Duration:
 15

 Test Level:
 48.8

Test Level UOM:

Draw Down & Recovery

 Pump Test Detail ID:
 1006747332

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 71.1

 Test Level UOM:
 ft

ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747334

 Test Type:
 Draw Down

 Test Duration:
 40

 Test Level:
 84.2

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747335

 Test Type:
 Recovery

 Test Duration:
 40

 Test Level:
 14.1

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747316

 Test Type:
 Draw Down

 Test Duration:
 2

 Test Level:
 25.9

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747321

 Test Type:
 Recovery

 Test Duration:
 4

 Test Level:
 78.5

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747324

 Test Type:
 Draw Down

 Test Duration:
 10

 Test Level:
 41.7

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747327

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 24

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:1006747318Test Type:Draw Down

 Test Duration:
 3

 Test Level:
 28.9

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747329

 Test Type:
 Recovery

 Test Duration:
 20

 Test Level:
 17.7

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 1006747337

 Test Type:
 Recovery

 Test Duration:
 50

 Test Level:
 13.8

 Test Level UOM:
 ft

Water Details

Water ID: 1006747309

 Layer:
 1

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 110

 Water Found Depth UOM:
 ft

Hole Diameter

 Hole ID:
 1006747308

 Diameter:
 6.125

 Depth From:
 38.5

 Depth To:
 141

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Hole Diameter

 Hole ID:
 1006747307

 Diameter:
 9.875

 Depth From:
 0

 Depth To:
 38.5

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

11 1 of 1 SE/170.0 82.9 / -1.31 ON BORE

Order No: 20200511043

Borehole ID: 611995 Inclin FLG: No

 OGF ID:
 215513305
 SP Status:
 Initial Entry

 Status:
 Surv Elev:
 No

Type: Borehole Piezometer: No Use: Primary Name:

Completion Date: Municipality:
Static Water Level: 3.4 Lot:

Static Water Level: 3.4 Lot: Primary Water Use: Township:

Location Accuracy:

 Sec. Water Use:
 Latitude DD:
 45.25696

 Total Depth m:
 -999
 Longitude DD:
 -75.739711

Depth Ref:Ground SurfaceUTM Zone:18Depth Elev:Easting:441961Drill Method:Northing:5011762

Orig Ground Elev m: 89.9

 Elev Reliabil Note:
 Accuracy:
 Not Applicable

 DEM Ground Elev m:
 89.1

Concession: Location D: Survey D: Comments:

Borehole Geology Stratum

Geology Stratum ID: 218389765 Mat Consistency: Material Moisture: Top Depth: 0 **Bottom Depth:** 9.8 Material Texture: Non Geo Mat Type: Material Color: Material 1: Till Geologic Formation: Material 2: Geologic Group:

Material 2:Geologic Group:Material 3:Geologic Period:Material 4:Depositional Gen:

Gsc Material Description:

Stratum Description: TILL.

Geology Stratum ID: 218389766 Mat Consistency: Top Depth: 9.8 Material Moisture: Bottom Depth: Material Texture: Material Color: Non Geo Mat Type: Material 1: **Bedrock** Geologic Formation: Material 2: Limestone Geologic Group:

Material 2:LimestoneGeologic Group:Material 3:Geologic Period:Material 4:Depositional Gen:

Gsc Material Description:

Stratum Description: BEDROCK, LIMESTONE. WATER STABLE AT 284.0 FEET.IC VELOCITY = 5900. BEDROCK. SEISMIC

VELOCITY = **Note: Many records provided by the department have a truncated [Stratum Description] field.

Order No: 20200511043

Source

Source Type: Data Survey Source Appl: Spatial/Tabular

Source Orig:Geological Survey of CanadaSource Iden:1Source Date:1956-1972Scale or Res:VariesConfidence:MHorizontal:NAD27

Observatio: Verticalda: Mean Average Sea Level

Source Name: Urban Geology Automated Information System (UGAIS)
Source Details: File: OTTAWA1.txt RecordID: 045030 NTS_Sheet: 31G05B

Confiden 1: Reliable information but incomplete.

Source List

Source Identifier: 1 Horizontal Datum: NAD27

Source Type:Data SurveyVertical Datum:Mean Average Sea LevelSource Date:1956-1972Projection Name:Universal Transverse Mercator

Scale or Resolution: Varies

Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

12 1 of 2 S/171.4 88.9 / 4.72 lot 12 con 3 BARRHAVEN ON WWIS

Well ID: 7199593 Data Entry Status:

Construction Date:

Primary Water Use: **Domestic** Sec. Water Use: **Public** Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: Z139833 Tag: A123394

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Src:

Date Received: 3/28/2013 Selected Flag: Yes

Abandonment Rec:

Contractor: 1558 7 Form Version: Owner:

Street Name: County: Municipality: Site Info:

GREENBANK ROAD OTTAWA-CARLETON **NEPEAN TOWNSHIP**

Lot: 012 03 Concession: Concession Name: RF Easting NAD83:

Northing NAD83: Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1004269700

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 9/10/2012

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation: 92.146774

Elevrc:

Zone: 18 East83: 441854 5011722 North83: Org CS: UTM83 UTMRC: 4

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 20200511043

Location Method: wwr

Overburden and Bedrock

Materials Interval

Formation ID: 1004974072

Layer: 3 Color: 2 General Color: **GREY** Mat1: 28 Most Common Material: SAND

Mat2:

Other Materials:

Mat3: 79 Other Materials: **PACKED** Formation Top Depth: 7.61 Formation End Depth: 10.66 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004974071

Layer: 2 2 Color: General Color: **GREY** Mat1:

Most Common Material:

Other Materials:

Mat3: 79 Other Materials: **PACKED** Formation Top Depth: 3.65 Formation End Depth: 7.61 Formation End Depth UOM: m

TILL

Overburden and Bedrock Materials Interval

1004974074 Formation ID:

Layer: 5 Color: General Color: **GREY** Mat1: 18

Most Common Material: SANDSTONE

Mat2:

Other Materials:

73 Mat3: Other Materials: HARD Formation Top Depth: 48.76 83.2 Formation End Depth: Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004974073

Layer: Color: 2 General Color: **GREY** Mat1: 15 LIMESTONE

Most Common Material:

Mat2:

Other Materials: Mat3:

Other Materials:

Formation Top Depth: 10.66 Formation End Depth: 48.76 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1004974070

Layer:

6 Color: **BROWN** General Color:

Mat1: 02 **TOPSOIL** Most Common Material: Mat2: 12 Other Materials: **STONES** Mat3: 79 Other Materials: **PACKED** Formation Top Depth: 0 Formation End Depth: 3.65 Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1004974100

Layer: Plug From: 11.88 Plug To: 0 Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code:

Rotary (Convent.) **Method Construction:** AIR PERCUSSION Other Method Construction:

Pipe Information

Pipe ID: 1004974068

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004974078

Layer: Material: Open Hole or Material: **STEEL** 0.45 Depth From: Depth To: 11.88 Casing Diameter: 15.86 Casing Diameter UOM: cm Casing Depth UOM:

Construction Record - Screen

Screen ID: 1004974079

Layer:

Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

m Screen Diameter UOM: cm

Screen Diameter:

Results of Well Yield Testing

1004974069 Pump Test ID: Pump Set At: 30.47 Static Level: 4.2 Final Level After Pumping: 12.82 Recommended Pump Depth: 30.47 Pumping Rate: 54.6 Flowing Rate: Recommended Pump Rate: 45.5 Levels UOM: m Rate UOM: LPM Water State After Test Code: 1 Water State After Test: **CLEAR** Pumping Test Method: Pumping Duration HR:

Pumping Duration MIN:

Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 1004974084
Test Type: Draw Down

 Test Duration:
 3

 Test Level:
 8

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974087

 Test Type:
 Recovery

 Test Duration:
 4

 Test Level:
 5.5

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974082

 Test Type:
 Draw Down

 Test Duration:
 2

 Test Level:
 7.15

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974092

 Test Type:
 Draw Down

 Test Duration:
 25

 Test Level:
 12.44

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974095

 Test Type:
 Draw Down

 Test Duration:
 50

 Test Level:
 12.73

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974080

 Test Type:
 Draw Down

 Test Duration:
 1

 Test Level:
 6.3

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974085

 Test Type:
 Recovery

 Test Duration:
 3

 Test Level:
 6.66

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID:1004974086Test Type:Draw Down

 Test Duration:
 4

 Test Level:
 8.5

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974089

 Test Type:
 Recovery

 Test Duration:
 5

 Test Level:
 4.6

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974091

 Test Type:
 Draw Down

 Test Duration:
 20

 Test Level:
 12.2

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974083

 Test Type:
 Recovery

 Test Duration:
 2

 Test Level:
 8.46

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974096

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 12.82

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974081

 Test Type:
 Recovery

 Test Duration:
 1

 Test Level:
 10.13

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974088

 Test Type:
 Draw Down

 Test Duration:
 5

 Test Level:
 9.3

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID: 1004974090 Test Type: Recovery

Order No: 20200511043

 Test Duration:
 10

 Test Level:
 4.24

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974093

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 12.48

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 1004974094

 Test Type:
 Draw Down

 Test Duration:
 40

 Test Level:
 12.6

 Test Level UOM:
 m

Water Details

Water ID: 1004974077

 Layer:
 1

 Kind Code:
 8

 Kind:
 Untested

 Water Found Depth:
 79.24

 Water Found Depth UOM:
 m

Hole Diameter

 Hole ID:
 1004974075

 Diameter:
 15.86

 Depth From:
 0

 Depth To:
 11.88

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

Hole Diameter

 Hole ID:
 1004974076

 Diameter:
 15.23

 Depth From:
 11.88

 Depth To:
 83.2

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

12 2 of 2 S/171.4 88.9 / 4.72 lot 12 con 3 BARRHAVEN ON WWIS

Order No: 20200511043

Well ID: 7287890 Data Entry Status:

Construction Date: Data Src: 6/7/2017 Primary Water Use: Date Received: Sec. Water Use: Selected Flag: Yes Final Well Status: 0 Abandonment Rec: Yes Water Type: Contractor: 4877 Form Version: Casing Material:

Audit No: Z242980 Owner:

Tag:A123394Street Name:3454 GREENBANK RDConstruction Method:County:OTTAWA-CARLETONElevation (m):Municipality:NEPEAN TOWNSHIP

Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: Site Info:

 Lot:
 012

 Concession:
 03

 Concession Name:
 RF

Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1006515958

DP2BR: Spatial Status: Code OB: Code OB Desc:

Code OB Desc Open Hole: Cluster Kind:

Date Completed: 5/25/2017

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006747301

 Layer:
 1

 Plug From:
 267

 Plug To:
 0

 Plug Depth UOM:
 ft

Pipe Information

Pipe ID: 1006747294

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006747298

Layer: Material:

Open Hole or Material:

Depth From: Depth To: Casing Diameter:

Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006747299

Layer: Slot:

Screen Top Depth:

Elevation: 92.138923

Elevrc:

Zone: 18
East83: 441854
North83: 5011722
Org CS: UTM83

UTMRC: 4
UTMRC Desc: 4
margin of error : 30 m - 100 m

Order No: 20200511043

Location Method: wwr

Number of Direction/ Elev/Diff Site DΒ Map Key

Screen End Depth: Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch

Records

Screen Diameter:

Hole Diameter

Hole ID: 1006747296

Diameter: Depth From: Depth To:

Hole Depth UOM: ft Hole Diameter UOM: inch

> 13 1 of 1 S/191.3 88.9 / 4.72 **BORE** ON

> > 45.25641

Not Applicable

Order No: 20200511043

611990 Borehole ID: Inclin FLG: No

OGF ID: 215513300 Initial Entry SP Status: Status: Surv Elev: Nο

Type: Borehole Piezometer: No

Use: Primary Name: Completion Date: Municipality: Static Water Level: 1.2 Lot:

Distance (m)

(m)

Primary Water Use: Township: Sec. Water Use: Latitude DD:

-999 Total Depth m: Longitude DD: -75.741106 Depth Ref: UTM Zone: **Ground Surface** 18 Depth Elev: Easting: 441851

Drill Method: Northing: 5011702 Location Accuracy:

Orig Ground Elev m: 94.5 Elev Reliabil Note:

Accuracy: **DEM Ground Elev m:** 92.8

Concession: Location D: Survey D:

Comments:

Borehole Geology Stratum

Geology Stratum ID: 218389752 Mat Consistency: Top Depth: Material Moisture: 6.4 Bottom Depth: 9.4 Material Texture: Material Color: Non Geo Mat Type: Geologic Formation: Material 1: Gravel

Geologic Group: Material 2: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

Stratum Description: GRAVEL. WATER STABLE AT 306.0 FEET.

Geology Stratum ID: 218389753 Mat Consistency: Material Moisture: Top Depth: 9.4 **Bottom Depth:** Material Texture: Material Color: Non Geo Mat Type: Material 1: Bedrock Geologic Formation:

Material 2: Limestone Geologic Group: Material 3: Geologic Period: Material 4: Depositional Gen:

Gsc Material Description:

BEDROCK, LIMESTONE, UNSPECIFIED, SEISMIC VELOCITY = 6700, BEDROCK, SEISMIC VELOCITY = 17000 Stratum Description:

**Note: Many records provided by the department have a truncated [Stratum Description] field.

Direction/ Elev/Diff Site DΒ Map Key Number of Records Distance (m) (m)

Depositional Gen:

Geology Stratum ID: 218389751 Mat Consistency: Top Depth: 0 Material Moisture:

Bottom Depth: 6.4 Material Texture: Material Color: Non Geo Mat Type: Silt Geologic Formation: Material 1: Material 2: Boulders Geologic Group: Geologic Period:

Material 3: Material 4:

Gsc Material Description:

SILT, BOULDERS. Stratum Description:

Source

Source Type: Data Survey Spatial/Tabular Source Appl:

Source Orig: Geological Survey of Canada Source Iden: Source Date: Scale or Res: 1956-1972 Varies NAD27 Confidence: M Horizontal:

Observatio: Verticalda: Mean Average Sea Level

Source Name: Urban Geology Automated Information System (UGAIS) File: OTTAWA1.txt RecordID: 044980 NTS_Sheet: 31G05B Source Details:

Confiden 1: Reliable information but incomplete.

Source List

Source Identifier: Horizontal Datum: NAD27

Source Type: Data Survey Vertical Datum: Mean Average Sea Level Source Date: 1956-1972 Projection Name: Universal Transverse Mercator

Scale or Resolution: Varies Source Name: Urban Geology Automated Information System (UGAIS)

Source Originators: Geological Survey of Canada

1 of 1 ENE/205.6 90.8 / 6.65 lot 12 con 2 14 **WWIS** OTTAWA ON

UTM Reliability:

Order No: 20200511043

7152714 Well ID: Data Entry Status:

Data Src: Construction Date: Primary Water Use: Monitoring Date Received: 10/13/2010

Selected Flag: Sec. Water Use: Yes

Final Well Status: Test Hole Abandonment Rec:

Water Type: Contractor: 1844 Casing Material: Form Version: Audit No: M06774 Owner:

A096525 3392 JOCKVALE RD. Street Name: Tag: **Construction Method:** County: OTTAWA-CARLETON Municipality: NEPEAN TOWNSHIP Elevation (m):

Site Info: Elevation Reliability: Depth to Bedrock: Lot: 012

Well Depth: Concession: 02 Overburden/Bedrock: Concession Name: RF Easting NAD83: Pump Rate:

Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

Clear/Cloudy:

Flow Rate:

Bore Hole Information

Bore Hole ID: 1003611471 Elevation: 91.600662

DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: 442341

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

5012052

margin of error : 30 m - 100 m

Order No: 20200511043

UTM83

wwr

Code OB Desc: Open Hole:

Cluster Kind: This is a record from cluster log sheet

Date Completed: 8/13/201

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1003611475

Layer: Plug From: Plug To:

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code: Method Construction:

Other Method Construction: HSA

Pipe Information

Pipe ID: 1003611476

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003611478

Layer:

Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To: 3.1

Casing Diameter:
Casing Diameter UOM:

Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003611477

Layer:

Slot:

Screen Top Depth: 3.1
Screen End Depth: 6.7
Screen Material:
Screen Depth UOM: m

Screen Diameter UOM: Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003611479

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: Rate UOM:

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole Diameter

Hole ID: 1003611473

Diameter: 20

Depth From:

Depth To: 6.7
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID: 1003611462

DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind: This is a record from cluster log sheet

Date Completed: 8/12/2010 Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1003611466

Layer: Plug From: Plug To:

Plug Depth UOM:

Method of Construction & Well

Use

Method Construction ID: Method Construction Code: Method Construction:

Other Method Construction:

Elevation: 91.48561

Elevrc:

Zone: 18
East83: 442343
North83: 5012085
Org CS: UTM83

UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 20200511043

Location Method: wwr

HSA

Pipe Information

Pipe ID: 1003611467

Casing No:
Comment:
Alt Name:

0

Construction Record - Casing

Casing ID: 1003611469

Layer:

Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To: 2.4

Casing Diameter:
Casing Diameter UOM:

Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003611468

Layer: Slot:

Screen Top Depth: 2.4 Screen End Depth: 5.4

Screen Material: Screen Depth UOM:

Screen Depth UOM: m Screen Diameter UOM:

Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003611470

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: Rate UOM:

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole Diameter

Hole ID: 1003611464

Diameter: 20

Depth From:

Depth To: 5.4
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID: 1003611489 **Elevation:** 91.847694

Order No: 20200511043

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

18 442276

5012274

UTM83

margin of error: 30 m - 100 m

Order No: 20200511043

Zone:

DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind: This is a record from cluster log sheet

Date Completed: 8/13/2010

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1003611493

Layer: Plug From: Plug To:

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code: Method Construction:

Other Method Construction: HSA

Pipe Information

Pipe ID: 1003611494

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003611496

Layer:

Material:

Open Hole or Material:PLASTICDepth From:2.6

Casing Diameter: Casing Diameter UOM:

Casing Depth UOM:

Construction Record - Screen

Screen ID: 1003611495

m

Layer:

Slot:

Screen Top Depth: 2.6 Screen End Depth: 5.7

Screen Material:

Screen Depth UOM: m

Screen Diameter UOM: Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003611497

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: Rate UOM:

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: **Pumping Duration MIN:**

Flowing:

Hole Diameter

Hole ID: 1003611491

Diameter: 20

Depth From:

5.7 Depth To: Hole Depth UOM: m Hole Diameter UOM: cm

Bore Hole Information

91.52526 Bore Hole ID: 1003611444 Elevation:

DP2BR: Spatial Status:

Code OB: Code OB Desc: Open Hole:

Cluster Kind: This is a record from cluster log sheet

8/12/2010 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

1003611448 Plug ID:

Layer: Plug From: Plug To:

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code: Method Construction:

Elevrc:

Zone: 18 East83: 442403 North83: 5012344 Org CS: UTM83

UTMRC:

margin of error: 30 m - 100 m UTMRC Desc:

Order No: 20200511043

Location Method: wwr

Other Method Construction: HSA

Pipe Information

Pipe ID: 1003611449

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003611451

Layer:

Material:

Open Hole or Material: PLASTIC

Depth From:

Depth To: 1.8

Casing Diameter:
Casing Diameter UOM:

Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003611450

Layer:

Slot:

Screen Top Depth: 1.8 Screen End Depth: 4.8

Screen Material: Screen Depth UOM: m

Screen Diameter UOM: Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003611452

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: Rate UOM:

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole Diameter

Hole ID: 1003611446

Diameter: 20

Depth From:

Depth To: 4.8
Hole Depth UOM: m
Hole Diameter UOM: cm

Order No: 20200511043

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

90.039787

5012300

UTM83

margin of error: 30 m - 100 m

Order No: 20200511043

18 442330

Bore Hole Information

1003611480 Bore Hole ID:

DP2BR:

Spatial Status: Code OB: Code OB Desc:

Open Hole: Cluster Kind: This is a record from cluster log sheet

Date Completed: 8/13/2010

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: **Supplier Comment:**

Annular Space/Abandonment

Sealing Record

Plug ID: 1003611484

Layer: Plug From: Plug To: Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code: Method Construction:

Other Method Construction: HSA

Pipe Information

Pipe ID: 1003611485

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003611487

Layer:

Material:

Open Hole or Material: **PLASTIC**

Depth From:

1.83 Depth To:

Casing Diameter: Casing Diameter UOM:

Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003611486

Layer: Slot:

Screen Top Depth: 1.83 Screen End Depth: 5.4

Screen Material:

unknown UTM

Order No: 20200511043

Location Method:

Screen Depth UOM:

Screen Diameter UOM: Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003611488

m

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: Rate UOM:

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole Diameter

Hole ID: 1003611482

 Diameter:
 20

 Depth From:
 5.4

 Depth To:
 5.4

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

Bore Hole Information

Bore Hole ID: 1003611507 Elevation:

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:

 Code OB:
 East83:

 Code OB Desc:
 North83:

 Open Hole:
 Org CS:

Cluster Kind: This is a record from cluster log sheet UTMRC:
Date Completed: UTMRC Desc:

Date Completed: Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Hole Diameter

Hole ID: 1003611509

Diameter:
Depth From:
Depth To:
Hole Depth UOM:
Hole Diameter UOM:

Bore Hole Information

Bore Hole ID: 1003348117 **Elevation:** 92.764251

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

18

6

442027

UTM83

margin of error: 300 m - 1 km

Order No: 20200511043

5012002

Zone:

DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: N

Cluster Kind:

Date Completed: 8/13/2010

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1003611512

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 02

 Other Materials:
 TOPSOIL

Mat3:

Other Materials:

Formation Top Depth: 0
Formation End Depth: 0.61
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1003611513

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Other Materials:
 SAND

 Mat3:
 91

Other Materials: WATER-BEARING

Formation Top Depth: 0.61
Formation End Depth: 1.22
Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1003611517 **Layer:** 6

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 06

 Most Common Material:
 SILT

Mat2: Other Materials:

Mat3: 91

Other Materials: WATER-BEARING

Formation Top Depth: 5.49

Formation End Depth: 6.1 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1003611516

5 Layer: Color: 2 General Color: **GREY** 28 Mat1: Most Common Material: SAND Mat2: 06 Other Materials: SILT Mat3:

Other Materials: WATER-BEARING

Formation Top Depth: 4.27 Formation End Depth: 5.49 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

1003611514 Formation ID:

Layer: Color: 6 General Color: **BROWN** Mat1: 28 SAND Most Common Material: Mat2: 11 GRAVEL Other Materials:

Mat3: 91

WATER-BEARING Other Materials:

Formation Top Depth: 1.22 Formation End Depth: 3.66 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

1003611515 Formation ID:

Layer: Color: **BROWN** General Color: Mat1: 06 Most Common Material: SILT Mat2: 28 SAND Other Materials: Mat3: 11 Other Materials: **GRAVEL** Formation Top Depth: 3.66 Formation End Depth: 4.27

Annular Space/Abandonment

Formation End Depth UOM:

Sealing Record

Plug ID: 1003611519

Layer: Plug From: 0 Plug To: 3 Plug Depth UOM: m

m

DΒ Map Key Number of Direction/ Elev/Diff Site

Records

Distance (m)

(m)

Method of Construction & Well

Method Construction ID:

Method Construction Code: В Method Construction:

Other Method

HSA Other Method Construction:

Pipe Information

Pipe ID: 1003611511

Casing No:

Comment: Alt Name:

Construction Record - Casing

1003611520 Casing ID:

Layer: Material: 5

PLASTIC Open Hole or Material: Depth From: 3.1 Depth To: Casing Diameter: 5.1 cm

Casing Diameter UOM: Casing Depth UOM: m

Construction Record - Screen

1003611521 Screen ID:

Layer: 1 Slot: 10

Screen Top Depth:

Screen End Depth: Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter: 5.8

Hole Diameter

Hole ID: 1003611518

Diameter: 20 Depth From: 0 Depth To: 6.1 Hole Depth UOM: m Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID: 1003611453 Elevation: 90.917266

DP2BR: Elevrc:

Spatial Status: Zone: 18 Code OB: East83: 442316 Code OB Desc: North83: 5012083 Open Hole: Org CS: UTM83

Cluster Kind: This is a record from cluster log sheet **UTMRC**:

UTMRC Desc: margin of error: 30 m - 100 m Date Completed: 8/12/2010

Order No: 20200511043

Location Method: Remarks: wwr Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment Sealing Record

Plug ID: 1003611457

Layer: Plug From: Plug To:

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code: Method Construction:

Other Method Construction: HSA

Pipe Information

Pipe ID: 1003611458

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003611460

Layer:

Material:

Open Hole or Material: PLASTIC

Depth From:

Depth To: 3.1

Casing Diameter: Casing Diameter UOM:

Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003611459

Layer: Slot:

Screen Top Depth: 3.1 Screen End Depth: 6.7

Screen Material:

Screen Depth UOM: m

Screen Diameter UOM: Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003611461

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Zone:

East83:

North83: Org CS:

UTMRC:

UTMRC Desc: Location Method: 91.096321

442296

5012279

margin of error: 30 m - 100 m

Order No: 20200511043

UTM83

wwr

18

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: Rate UOM:

Water State After Test Code: Water State After Test: Pumping Test Method: **Pumping Duration HR: Pumping Duration MIN:**

Flowing:

Hole Diameter

1003611455 Hole ID:

Diameter:

Depth From:

6.7 Depth To: Hole Depth UOM: m Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID: 1003611498 Elevation: Elevrc:

DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind: This is a record from cluster log sheet

Date Completed: 8/16/2010

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1003611502

Layer: Plug From: Plug To:

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code: Method Construction:

Other Method Construction: HSA

Pipe Information

1003611503 Pipe ID:

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003611505

3

Layer:

Material:

Open Hole or Material: **PLASTIC**

Depth From: Depth To: Casing Diameter: Casing Diameter UOM:

Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003611504

Layer: Slot:

Screen Top Depth: Screen End Depth: 5.4

Screen Material: Screen Depth UOM: m

Screen Diameter UOM: Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003611506

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM:

Rate UOM:

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole Diameter

1003611500 Hole ID:

Diameter:

Depth From:

5.4 Depth To: Hole Depth UOM: m Hole Diameter UOM: cm

15 1 of 2 NE/212.5 92.0 / 7.77 lot 13 con 2 **WWIS NEPEAN ON**

Data Entry Status:

Abandonment Rec:

1/10/2017

Yes

Yes

Date Received:

Selected Flag:

Data Src:

Well ID: 7278704

Construction Date:

Test Hole Primary Water Use:

Sec. Water Use:

Abandoned-Supply Final Well Status:

Water Type:

Contractor: 4875 Order No: 20200511043

Casing Material:

 Audit No:
 Z220194

 Tag:
 A166318

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Form Version: 7
Owner:

Street Name:3401 GREENBANK RDCounty:OTTAWA-CARLETONMunicipality:NEPEAN TOWNSHIP

Site Info:

Lot: 013
Concession: 02
Concession Name: RF
Easting NAD83:

Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Clear/Cloudy:

Bore Hole ID: 1006330968

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 12/5/2016

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: **Elevation:** 93.691032

Elevrc:

Zone: 18
East83: 441983
North83: 5012061
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 20200511043

Location Method: www

Overburden and Bedrock

Materials Interval

Formation ID: 1006493018

Layer: 1

Color:

General Color:

Mat1:28Most Common Material:SANDMat2:01Other Materials:FILL

Mat3:

Other Materials:

Formation Top Depth: 0
Formation End Depth: 1
Formation End Depth UOM: m

Overburden and Bedrock Materials Interval

Formation ID: 1006493021

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Other Materials:
 GRAVEL

Mat3: 63

Other Materials: COARSE-GRAINED

Formation Top Depth: 9.5 Formation End Depth: 11 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

1006493019 Formation ID:

Layer: 2 Color: General Color: **GREY** 34 Mat1: TILL Most Common Material: Mat2: 13

BOULDERS Other Materials:

Mat3: 05 Other Materials: CLAY Formation Top Depth: 1 Formation End Depth: 7 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006493020

3 Layer: Color: 2 **GREY** General Color: Mat1: 28 Most Common Material: SAND 84 Mat2: SILTY Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 9.5 Formation End Depth: Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

1006493030 Plug ID:

Layer: 0 Plug From: 6 Plug To: Plug Depth UOM: m

Method of Construction & Well

Method Construction ID:

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 1006493016

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006493026

Layer: 1
Material: 1
Open Hole or Material: ST

Open Hole or Material:STEELDepth From:-0.81Depth To:8.04Casing Diameter:cmCasing Depth UOM:m

Construction Record - Screen

Screen ID: 1006493027

 Layer:
 1

 Slot:
 25

 Screen Top Depth:
 8.04

 Screen End Depth:
 9.26

 Screen Material:
 8

 Screen Depth UOM:
 m

 Screen Diameter UOM:
 cm

 Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1006493017

Pump Set At:

Static Level: 4.8

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 0
Water State After Test:
Pumping Test Method: 0

Pumping Duration HR: Pumping Duration MIN:

Flowing: N

Hole Diameter

 Hole ID:
 1006493022

 Diameter:
 22.86

 Depth From:
 0

 Depth To:
 6

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

Hole Diameter

 Hole ID:
 1006493023

 Diameter:
 15.58

 Depth From:
 6

 Depth To:
 8.04

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

Order No: 20200511043

Hole Diameter

 Hole ID:
 1006493024

 Diameter:
 12.7

 Depth From:
 8.04

 Depth To:
 9.26

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

15 2 of 2 NE/212.5 92.0 / 7.77 lot 12 con 2 WWIS

Well ID: 7298092

Construction Date:

Primary Water Use: Not Used

Sec. Water Use:

Final Well Status: Abandoned-Supply

Water Type:

Casing Material:

 Audit No:
 Z252098

 Tag:
 A166318

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src:

Date Received:10/31/2017Selected Flag:YesAbandonment Rec:YesContractor:4875Form Version:7

Owner:
Street Name: 3401 GREENBANK
County: OTTAWA-CARLETON
Municipality: NEPEAN TOWNSHIP

93.693984

441983

5012061 UTM83

margin of error: 30 m - 100 m

Order No: 20200511043

18

Site Info:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

Lot: 012 Concession: 02 Concession Name: RF

Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Bore Hole Information

Bore Hole ID: 1006785069

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 6/30/2017

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1006956039

 Layer:
 1

 Plug From:
 0

 Plug To:
 9.26

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

80

Plug ID: 1006956040

 Layer:
 1

 Plug From:
 0

 Plug To:
 9.26

 Plug Depth UOM:
 m

Pipe Information

Pipe ID: 1006956030

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006956035

 Layer:
 1

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 0

 Depth To:
 8.04

 Casing Diameter:
 15.88

 Casing Diameter UOM:
 cm

 Casing Depth UOM:
 m

Construction Record - Screen

Screen ID: 1006956036

 Layer:
 1

 Slot:
 25

 Screen Top Depth:
 8.04

 Screen End Depth:
 9.26

 Screen Material:
 1

 Screen Depth UOM:
 m

 Screen Diameter UOM:
 cm

 Screen Diameter:
 13.47

Results of Well Yield Testing

Pump Test ID: 1006956031

Pump Set At:

Static Level: 4.95

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 0
Water State After Test:
Pumping Test Method: 0

Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole Diameter

 Hole ID:
 1006956033

 Diameter:
 15.24

 Depth From:
 0

Order No: 20200511043

Map Key Number of Direction/ Elev/Diff Site DB

Depth To: 9.26
Hole Depth UOM: m
Hole Diameter UOM: cm

Records

16 1 of 1 NNE/231.9 91.6 / 7.38 ON BORE

Borehole ID: 612013 Inclin FLG: No

OGF ID: 215513323 SP Status: Initial Entry

(m)

Status:Surv Elev:NoType:BoreholePiezometer:No

Use: Primary Name:
Completion Date: Municipality:
Static Water Level: 0.3 Lot:

Distance (m)

Primary Water Use: Township:
Sec. Water Use: Latitude DD:

 Sec. Water Use:
 Latitude DD:
 45.260194

 Total Depth m:
 -999
 Longitude DD:
 -75.740645

 Depth Ref:
 Ground Surface
 UTM Zone:
 18

Depth Elev: Easting: 441891
Drill Method: Northing: 5012122

 Orig Ground Elev m:
 93
 Location Accuracy:

 Elev Reliabil Note:
 Accuracy:
 Not Applicable

DEM Ground Elev m: 94.1 **Concession:**

Concession: Location D: Survey D: Comments:

Borehole Geology Stratum

Geology Stratum ID:218389813Mat Consistency:Top Depth:0Material Moisture:

Bottom Depth: 5.8 Material Texture:
Material Color: Non Geo Mat Type:
Material 1: Till Geologic Formation

Material 1:TillGeologic Formation:Material 2:Geologic Group:Material 3:Geologic Period:Material 4:Depositional Gen:

Gsc Material Description:

Stratum Description: TILL.

Geology Stratum ID:218389814Mat Consistency:Top Depth:5.8Material Moisture:

Bottom Depth: Material Texture:

Material Color: Black Non Geo Mat Type:

 Material 1:
 Bedrock
 Geologic Formation:

 Material 2:
 Limestone
 Geologic Group:

 Material 3:
 Geologic Period:

 Material 4:
 Depositional Gen:

Gsc Material Description:

Stratum Description: BEDROCK,LIMESTONE. WATER STABLE AT 304.0 FEET.TE,SAND. BLACK. 00080CK. SEISMIC VELOCITY =

**Note: Many records provided by the department have a truncated [Stratum Description] field.

Order No: 20200511043

Source

Source Type: Data Survey Source Appl: Spatial/Tabular

Source Orig:Geological Survey of CanadaSource Iden:1Source Date:1956-1972Scale or Res:VariesConfidence:MHorizontal:NAD27

Observatio: Verticalda: Mean Average Sea Level

Source Name: Urban Geology Automated Information System (UGAIS)
Source Details: File: OTTAWA1.txt RecordID: 045210 NTS_Sheet: 31G05B

Confiden 1: Reliable information but incomplete.

Number of Direction/ Elev/Diff Site Map Key (m)

Records

Distance (m)

DΒ

Order No: 20200511043

Source List

Source Identifier: Horizontal Datum: NAD27

Source Type: Data Survey Vertical Datum: Mean Average Sea Level Source Date: 1956-1972 Universal Transverse Mercator Projection Name:

Scale or Resolution: Varies

Urban Geology Automated Information System (UGAIS) Source Name:

Source Originators: Geological Survey of Canada

1 of 1 NE/233.9 91.9 / 7.76 lot 12 con 2 17 **WWIS** ON

1509671 Well ID: Data Entry Status:

Construction Date: Data Src:

6/13/1968 Primary Water Use: Domestic Date Received: Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply Abandonment Rec: Water Type: Contractor: 1503 Casing Material: Form Version: 1

Audit No: Owner: Street Name: Tag:

OTTAWA-CARLETON Construction Method: County: **NEPEAN TOWNSHIP** Elevation (m): Municipality:

Elevation Reliability: Site Info: Depth to Bedrock: 012 Lot: Well Depth: Concession: 02

Overburden/Bedrock: RF Concession Name: Pump Rate: Easting NAD83:

Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

UTM Reliability: Flow Rate: Clear/Cloudy:

Bore Hole Information

10031703 93.737586 Bore Hole ID: Elevation:

DP2BR: 35 Elevrc: Spatial Status: Zone: 18

Code OB: East83: 441990.7 Code OB Desc: North83: 5012082 Bedrock

Open Hole: Org CS: Cluster Kind: UTMRC:

Date Completed: 5/15/1968 UTMRC Desc: margin of error: 30 m - 100 m

Remarks: Location Method: Elevrc Desc:

Location Source Date:

Overburden and Bedrock

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Materials Interval

Formation ID: 931012744

Layer:

General Color:

Color:

Mat1: 09

MEDIUM SAND Most Common Material:

Mat2:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 12
Formation End Depth: 26
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931012747

Layer: 5

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 35
Formation End Depth: 169
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931012746

Layer: 4

Color:

General Color:

Mat1: 14

Most Common Material: HARDPAN

Mat2: 13

Other Materials: BOULDERS

Mat3:

Other Materials:

Formation Top Depth: 33
Formation End Depth: 35
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931012745

Layer: 3

Color:

General Color:

Mat1: 14

Most Common Material: HARDPAN

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 26
Formation End Depth: 33
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931012743

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Layer: Color:

General Color:

Mat1: 05 Most Common Material: CLAY 13 Mat2:

Other Materials: **BOULDERS**

Mat3:

Other Materials:

0 Formation Top Depth: Formation End Depth: 12 Formation End Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

10580273 Pipe ID: Casing No:

Comment: Alt Name:

Construction Record - Casing

930056043 Casing ID:

Layer: Material:

STEEL Open Hole or Material:

Depth From:

Depth To: 38 Casing Diameter: 5 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930056044

2 Layer: Material:

OPEN HOLE Open Hole or Material:

Depth From: Depth To: 169 Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991509671

Pump Set At: Static Level: 11 Final Level After Pumping: 75 Recommended Pump Depth: 100 Pumping Rate: 7

Flowing Rate:

5 Recommended Pump Rate:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: 2 CLOUDY Water State After Test: Pumping Test Method: **Pumping Duration HR:** 1 **Pumping Duration MIN:** 0 Flowing: Ν Water Details 933464561 Water ID: Layer: 2 Kind Code: **FRESH** Kind: Water Found Depth: 167 Water Found Depth UOM: ft Water Details Water ID: 933464560 Layer: Kind Code: **FRESH** Kind: Water Found Depth: 145 Water Found Depth UOM: ft NNE/233.9 18 1 of 1 90.7 / 6.51 **WWIS NEPEAN ON** Well ID: 7165137 Data Entry Status: Construction Date: Data Src: Primary Water Use: Date Received: 7/13/2011 Domestic Sec. Water Use: Selected Flag: Yes Final Well Status: Alteration Abandonment Rec: 6357 Water Type: Contractor: Casing Material: Form Version: Audit No: Z131380 Owner: 3380 GREENBANK RD A116134 Street Name: Tag: Construction Method: County: **OTTAWA-CARLETON** Municipality: NEPEAN TOWNSHIP Elevation (m): Elevation Reliability: Site Info: Depth to Bedrock: Lot: Well Depth: Concession: Overburden/Bedrock: Concession Name: Easting NAD83: Pump Rate: Northing NAD83: Static Water Level: Flowing (Y/N): Zone: Flow Rate: UTM Reliability: Clear/Cloudy: **Bore Hole Information** 1003532660 94.552093 Bore Hole ID: Elevation: DP2BR: Elevrc: Spatial Status: Zone: 18

 Spatial Status:
 Zone:
 18

 Code OB:
 East83:
 441914

 Code OB Desc:
 North83:
 5012119

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 3

Date Completed: 6/28/2011 **UTMRC Desc:** margin of error : 10 - 30 m

Order No: 20200511043

Remarks: Location Method: wwn

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

 Plug ID:
 1003865542

 Layer:
 1

 Plug From:
 0.05

 Plug To:
 1.3

 Plug Depth UOM:
 m

Pipe Information

Pipe ID: 1003865533

Casing No: (Comment:

Alt Name:

Construction Record - Casing

Casing ID: 1003865537

 Layer:
 1

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 0.5

 Depth To:
 1.3

 Casing Diameter:
 15.86

 Casing Diameter UOM:
 cm

 Casing Depth UOM:
 m

Construction Record - Casing

Casing ID: 1003865538

Layer:2Material:1Open Hole or Material:STEELDepth From:1.3

Depth To:

Casing Diameter: 10
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003865539

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM:

Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Hole Diameter

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Hole ID: 1003865535

Diameter: Depth From:
Depth To:
Hole Depth UOM:
Hole Diameter UOM:

m cm

Unplottable Summary

Total: 56 Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Mattamy (Half Moon Bay) Limited		Ottawa ON	
CA	Mattamy (Half Moon Bay) Limited		Ottawa ON	
CA	Mattamy (Half Moon Bay 3) Limited		Ottawa ON	
CA	Mattamy (Half Moon Bay) Limited		Ottawa ON	
CA	NEPEAN CITY	GREENBANK RD.	NEPEAN CITY ON	
CA	ROCKY PANTALONE - WEST END STATION RESTA	PT. LOT 13 & 14 CONC. 2	NEPEAN CITY ON	
CA	Mattamy (Half Moon Bay) Limited		Ottawa ON	
CA	Mattamy (Half Moon Bay 3) Limited	Ref. Plan 5R-1 3009, 5R-1 6254	Ottawa ON	
CA	City of Ottawa	Lot 13	Ottawa ON	
CA	Mattamy (Half Moon Bay) Limited	Geo. Twp. of Nepean	Ottawa ON	
CA	Kinross Court	Part of Lot 13, Concession	Ottawa ON	
CA	CITY	GREENBANK RD./EASEMENT	NEPEAN CITY ON	
CA	CITY	GREENBANK RD./EASEMENT	NEPEAN CITY ON	
CA	South Nepean High School	Part of Lot 13, Concession 2 Rideau Front	Ottawa ON	
CA	South Nepean High School	Part of Lot 13, Concession 2 Rideau Front	Ottawa ON	
CA	Mattamy (Half Moon Bay) Limited	Geo. Twp. of Nepean	Ottawa ON	
CA	Hugh Robert Sparks	Lot 12, Conc. 3, March Tp	Ottawa ON	
CA	Mattamy (Half Moon Bay) Limited		Ottawa ON	

CONV	Mattamy (Half Moon Bay) Limited		Ottawa ON	
ECA	Mattamy (Half Moon Bay) Limited		Ottawa ON	K2K 2M5
ECA	Mattamy (Half Moon Bay) Limited	Part of Lot 11 and 12, Concession 3 (Rideau Front)	Ottawa ON	K2K 2M5
ECA	Mattamy (Half Moon Bay) Limited		Ottawa ON	K2S 1B9
ECA	Mattamy (Half Moon Bay) Limited	Rideau Front, Geographic Township of Nepean	Ottawa ON	K2S 1B9
ECA	Mattamy (Half Moon Bay) Limited		Ottawa ON	K2K 2M5
ECA	Mattamy (Half Moon Bay) Limited	Rideau Front, Geographic Township of Nepean	Ottawa ON	K2S 1B9
ECA	Mattamy (Half Moon Bay 3) Limited		Ottawa ON	K2S 1B9
ECA	Mattamy (Half Moon Bay) Limited		Ottawa ON	K2S 1B9
FST	HYLANDS GOLF CLUB	LOT 13 14 & 15 CON 3	OTTAWA ON	NULL
FST	HYLANDS GOLF CLUB	LOT 13 14 & 15 CON 3	OTTAWA ON	NULL
GEN	NEPEAN HYDRO	BARRHAVEN D.S., GREENBANK ROAD C/O 1970 MERIVALE ROAD	NEPEAN ON	K2C 3G2
GEN	NEPEAN HYDRO 28-588	BARRHAVEN D.S., GREENBANK ROAD C/O 1970 MERIVALE ROAD	NEPEAN ON	K2C 3G2
GEN	IMPERIAL OIL 37-320	LESLIE PARK EAST-GREENBANK RD PL 551284 LT.C NEPEAN C/O 605 INDUSTRIAL AVE.	OTTAWA ON	K1G 3K4
GEN	IMPERIAL OIL	LESLIE PARK EAST-GREENBANK ROAD PLAN 551284, LOT C	NEPEAN ON	
LIMO	The Corporation of the Township of West Carleton Torbolton Township	Lot 12. Concession 2 Ottawa	ON	
PTTW	Mattamy (Half Moon Bay) Limited	Lot: 10-12, Concession: 3, Original Geographic Township of Nepean, City of Ottawa Lot 8-9 and Concession 3, Original Geographic Township of Nepean, City	of Ottawa CITY OF OTTAWA Nepean ON	
PTTW	Mattamy (Half Moon Bay) Limited	Lots 8,9,10,11,12, Concession 3 Ottawa, Ontario CITY OF OTTAWA Nepean	ON	
PTTW	Taggart Construction Limited	Cambrian Road Lot: 11 & 12, Concession: 2, near Greenbank Road (Half Moon Bay (Tamarack)), Ottawa, City + + + + Strandherd Drive Lot: 14 & 15, Concession: 3,	at Fraser-Clark Drain, Ottawa, City CITY OF OTTAWA Nepean ON	
PTTW	Minto Communities Canada Inc.	Lot 12 and 13, Concession 2, Geographic Township: NEPEAN City of Ottawa, Ontario UTM Easting: 442170, UTM Northing: 5012363 NEPEAN	ON	

PTTW	Mattamy (Half Moon Bay) Limited	Lot 11, 12, Concession 3, Ottawa, City CITY OF OTTAWA	ON
SPL	City of Ottawa	Greenbank Rd northbound at Belman Rd (N of Hunt Club)	Ottawa ON
SPL	Clean Water Works Inc.; City of Ottawa	Greenbank Rd	Ottawa ON
SPL	PRIVATE OWNER	JOCK RIVER AT GREENBANK RD. MOTOR VEHICLE (OPERATING FLUID)	NEPEAN CITY ON
wwis		lot 12 con 2	ON
wwis		lot 12 con 3	GREELY ON
wwis		lot 12 con 2	ON
wwis		con 2	ON
wwis		lot 12	ON
wwis		con 2	ON
wwis		lot 13	ON
wwis		lot 12	ON
wwis		lot 13	ON
wwis		lot 12	ON
wwis		con 2	ON
wwis		con 2	ON
wwis		con 2	ON
WWIS		con 2	ON

Unplottable Report

Site: Mattamy (Half Moon Bay) Limited

Ottawa ON

Database: CA

0804-89QHMU Certificate #: Application Year: 2010 10/4/2010 Issue Date:

Approval Type: Municipal and Private Sewage Works

Approved

Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

Mattamy (Half Moon Bay) Limited Site:

Ottawa ON

Database:

2758-7X2KYB Certificate #: Application Year: 2009 10/22/2009 Issue Date:

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Project Description: Contaminants: **Emission Control:**

Site: Mattamy (Half Moon Bay 3) Limited Ottawa ON

Database:

Certificate #: 2539-8KRPBJ Application Year: 2011 Issue Date: 8/18/2011

Approval Type: Municipal and Private Sewage Works

Approved Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

Site: Mattamy (Half Moon Bay) Limited

Ottawa ON

Database:

Order No: 20200511043

Certificate #: 9696-8ASHGQ

Application Year: 2010 **Issue Date:** 11/12/2010

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: NEPEAN CITY

GREENBANK RD. NEPEAN CITY ON

Database:

Database:

Certificate #:3-1646-88-Application Year:88Issue Date:9/15/1988Approval Type:Municipal sewageStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: ROCKY PANTALONE - WEST END STATION RESTA

PT. LOT 13 & 14 CONC. 2 NEPEAN CITY ON

8-4088-96-96 4/10/1996 Industrial air Approved

Status: Application Type: Client Name: Client Address: Client City: Client Postal Code:

Certificate #:

Issue Date: Approval Type:

Application Year:

Project Description:

Contaminants: Emission Control: KITCHEN EXHAUST FOR RESTAURANT

<u>Site:</u> Mattamy (Half Moon Bay) Limited Ottawa ON

Database: CA

Order No: 20200511043

 Certificate #:
 4308-7GZQPE

 Application Year:
 2008

 Issue Date:
 8/21/2008

Approval Type: Municipal and Private Sewage Works

Status: Revoked and/or Replaced

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Mattamy (Half Moon Bay 3) Limited Site:

Ref. Plan 5R-1 3009, 5R-1 6254 Ottawa ON

Certificate #: 0173-8GBHW6

Application Year: 2011 Issue Date: 4/29/2011

Approval Type: Municipal and Private Sewage Works

Approved

Status:

Application Type: Client Name: Client Address: Client City:

Client Postal Code: Project Description: Contaminants: **Emission Control:**

Site: City of Ottawa Lot 13 Ottawa ON

3399-6BVHAA Certificate #:

Application Year: 2005 Issue Date: 6/10/2005 Air Approval Type: Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Project Description: Contaminants: **Emission Control:**

Mattamy (Half Moon Bay) Limited Site: Geo. Twp. of Nepean Ottawa ON

Certificate #: 8279-7XBM9P 2009

Application Year: Issue Date: 11/9/2009

Municipal and Private Sewage Works Approval Type:

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: **Project Description:** Contaminants:

Emission Control:

Kinross Court Site:

Part of Lot 13, Concession Ottawa ON

0660-53CRDY Certificate #:

Application Year: 01 Issue Date: 10/11/01

Municipal & Private sewage Approval Type: Status: Approved

New Certificate of Approval Application Type:

Client Name: Tenth Line Development Inc. Client Address: 210 Gladstone Avenue, Suite 2001

Ottawa Client City: K2P 0Y6 Client Postal Code:

Project Description: Storm sewer construction. Database:

Database: CA

Database: CA

Database:

Contaminants: Emission Control:

Site: CITY

GREENBANK RD./EASEMENT NEPEAN CITY ON

Database:

Certificate #: 3-0235-85-006

Application Year:85Issue Date:4/2/85

Approval Type: Municipal sewage Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code

Client Postal Code: Project Description: Contaminants: Emission Control:

Site: CITY

GREENBANK RD./EASEMENT NEPEAN CITY ON

Database: CA

Certificate #: 3-0207-85-006

Application Year:85Issue Date:3/21/85

Approval Type: Municipal sewage Status: Approved

Application Type: Client Name: Client Address: Client City:

Client Postal Code: Project Description: Contaminants: Emission Control:

Site: South Nepean High School

Part of Lot 13, Concession 2 Rideau Front Ottawa ON

Database: CA

Certificate #: 2054-57GJUQ

 Application Year:
 02

 Issue Date:
 2/20/02

Approval Type: Municipal & Private sewage

Status: Approved

Application Type: New Certificate of Approval

Client Name: Ottawa carleton Catholic School Board

Client Address:1224 Main St.Client City:StittsvilleClient Postal Code:K2S 1B2

Project Description: On-site storm drainage system with an off-site drainage swale forming a stormwater management system.

Contaminants: Emission Control:

Site: South Nepean High School

Part of Lot 13, Concession 2 Rideau Front Ottawa ON

Database:

Order No: 20200511043

Certificate #: 5530-56PKWF

Application Year:02Issue Date:3/8/02

Approval Type: Municipal & Private sewage

Status: Approved

Application Type: New Certificate of Approval

Client Name: Ottawa carleton Catholic School Board

Client Address: 1224 Main St.
Client City: Stittsville
Client Postal Code: K2S 1B2

Project Description: Contaminants: Emission Control: Sanitary sewer collection system, sewage pumping station, sanitary forcemain and sanitary sewer construction

<u>Site:</u> Mattamy (Half Moon Bay) Limited Geo. Twp. of Nepean Ottawa ON Database: CA

 Certificate #:
 7789-7T4L5U

 Application Year:
 2009

 Issue Date:
 6/17/2009

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: Hugh Robert Sparks

Lot 12, Conc. 3, March Tp Ottawa ON

Database: CA

 Certificate #:
 7694-6AHJ4J

 Application Year:
 2005

 Issue Date:
 3/17/2005

Approval Type: Waste Management Systems

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: Mattamy (Half Moon Bay) Limited

Ottawa ON

Database:

 Certificate #:
 9531-7EZK5S

 Application Year:
 2008

 Issue Date:
 6/5/2008

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

Site: Mattamy (Half Moon Bay) Limited

Ottawa ON

Database: CONV

Order No: 20200511043

File No: 073001

Location:

Crown Brief No: Region:

Court Location: Ministry District:

Publication City: Publication Title:

Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:

Description:On June 24, 2010, Mattamy (Half Moon Bay) Limited was convicted of two violations for operating a waste disposal site without a Certificate of Approval and failing to conduct a waste audit covering the waste. The Court heard that

the company is developing a residential housing subdivision known as Half Moon Bay in the City of Ottawa. On March 21, 2009, ministry staff conducted an inspection of the housing development and observed an employee burning wood waste in an open fire pit. The employee indicated it was the company's practice to burn leftover wood materials at the construction site. No approval had been issued by the ministry. In April 2009, ministry staff followed up with the company and inquired whether it had completed a waste audit and learned that it had not. The company completed and provided a final waste audit to the ministry on May 7, 2009. The company was charged following an investigation by the ministry's Investigations and Enforcement Branch. The company was fined

\$24,000 plus a victim fine surcharge and given 60 days to pay the fine.

Background:

URL:

Additional Details

Publication Date:

Count:

Act: Regulation:

Section:

Act/Regulation/Section: Date of Offence: Date of Conviction:

Date Charged: June 24, 2010

Charge Disposition: fine, victim fine surcharge

2

Fine: \$24,000

Synopsis:

Site: Mattamy (Half Moon Bay) Limited
Ottawa ON K2K 2M5
Database:
ECA

 Approval No:
 3263-BKWJW9
 MOE District:

 Approval Date:
 2020-01-28
 City:

 Status:
 Approved
 Longitude:

 Record Type:
 ECA
 Latitude:

 Link Source:
 IDS
 Geometry X:
 -8432476.3632

 SWP Area Name:
 Geometry Y:
 5661347.138499998

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7762-BKGSBE-14.pdf

Site: Mattamy (Half Moon Bay) Limited

Part of Lot 11 and 12, Concession 3 (Rideau Front) Ottawa ON K2K 2M5

8294-AWMJGE Approval No: **MOE District:** Approval Date: 2018-03-09 City: Revoked and/or Replaced Longitude: Status: Record Type: **ECA** Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Part of Lot 11 and 12, Concession 3 (Rideau Front)

Full Address:

erisinfo.com | Environmental Risk Information Services Order No: 20200511043

Database:

ECA

Site: Mattamy (Half Moon Bay) Limited

Ottawa ON K2S 1B9

Database: ECA

Approval No: 6310-7EVLSJ **MOE District:** Approval Date: 2008-05-23 City: Revoked and/or Replaced Status: Longitude: Record Type: Latitude: **ECA** Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-Municipal Drinking Water Systems
Project Type: Municipal Drinking Water Systems
Address:

Address: Full Address: Full PDF Link:

Site: Mattamy (Half Moon Bay) Limited

Rideau Front, Geographic Township of Nepean Ottawa ON K2S 1B9

Database: ECA

Approval No: 4522-7FBRPC **MOE District:** 2008-06-13 Approval Date: City: Status: Revoked and/or Replaced Longitude: Record Type: **ECA** Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKSAddress:Rideau Front, Geographic Township of Nepean

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0088-7F4LRQ-14.pdf

Site: Mattamy (Half Moon Bay) Limited

Ottawa ON K2K 2M5

Database: ECA

 Approval No:
 3997-BF2GWX
 MOE District:

 Approval Date:
 2019-08-16
 City:

 Status:
 Approved
 Longitude:

 Record Type:
 ECA
 Latitude:

 Link Source:
 IDS
 Geometry X:

 Link Source:
 IDS
 Geometry X:
 -8432475.9179

 SWP Area Name:
 Geometry Y:
 5661347.138499998

 Approval Type:
 ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKSAddress:MUNICIPAL AND PRIVATE SEWAGE WORKS

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7167-BEKRBP-14.pdf

Site: Mattamy (Half Moon Bay) Limited

Rideau Front, Geographic Township of Nepean Ottawa ON K2S 1B9

Database: ECA

Order No: 20200511043

Approval No: 6638-7FQSS8 **MOE District:** Approval Date: 2008-07-11 City: Status: Revoked and/or Replaced Longitude: **ECA** Latitude: Record Type: Link Source: **IDS** Geometry X: Geometry Y: SWP Area Name:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Rideau Front, Geographic Township of Nepean

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0913-7FQQC5-14.pdf

Mattamy (Half Moon Bay 3) Limited Site:

Database: **ECA** Ottawa ON K2S 1B9

2539-8KRPBJ Approval No: **MOE District:** 2011-08-18 Approval Date: City: Status: Approved Longitude: Record Type: **ECA** Latitude: IDS Link Source: Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2386-8KKHNH-14.pdf

Site: Mattamy (Half Moon Bay) Limited Database: Ottawa ON K2S 1B9 **ECA**

9531-7EZK5S Approval No: MOE District: Approval Date: 2008-06-05 City: Status: Approved Longitude: Record Type: **ECA** Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/9564-7EPREX-14.pdf

HYLANDS GOLF CLUB Database: Site: **FST** LOT 13 14 & 15 CON 3 OTTAWA ON NULL

Instance No: 10904209

Cont Name:

FS Liquid Fuel Tank Instance Type:

Fuel Type: Diesel Status: Active Capacity: 4540 Tank Material: Steel

Corrosion Protection: Impressed Current Single Wall UST Tank Type:

Install Year: 1990

Parent Facility Type: Fuels Safety Private Fuel Outlet - Self Serve

Facility Type: FS Liquid Fuel Tank

HYLANDS GOLF CLUB Database: Site: LOT 13 14 & 15 CON 3 OTTAWA ON NULL **FST**

10904186 Instance No:

Cont Name:

Instance Type: FS Liquid Fuel Tank

Fuel Type: Gasoline Status: Active Capacity: 10000 Tank Material: Steel

Corrosion Protection: Impressed Current Single Wall UST Tank Type:

Install Year:

Fuels Safety Private Fuel Outlet - Self Serve Parent Facility Type:

Facility Type: FS Liquid Fuel Tank

Site: NEPEAN HYDRO Database: **GEN**

BARRHAVEN D.S., GREENBANK ROAD C/O 1970 MERIVALE ROAD NEPEAN ON K2C 3G2

Generator No: ON0453105 PO Box No: Status: Country:

Approval Years: 89,90 Choice of Contact:
Contam. Facility: Co Admin:
MHSW Facility: Phone No Admin:

SIC Code: 4911

SIC Description: ELECT. POWER SYS.

Detail(s)

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 25°

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Site: NEPEAN HYDRO 28-588

BARRHAVEN D.S., GREENBANK ROAD C/O 1970 MERIVALE ROAD NEPEAN ON K2C 3G2

Database:
GEN

Generator No: ON0453105 PO Box No: Status: Country:

Approval Years:92,93,94,95,96,97,98Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:

SIC Code: 4911

SIC Description: ELECT. POWER SYS.

Detail(s)

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Site: IMPERIAL OIL 37-320 Database: LESLIE PARK EAST-GREENBANK RD PL 551284 LT.C NEPEAN C/O 605 INDUSTRIAL AVE. OTTAWA ON K1G 3K4 GEN

Generator No: ON1315711 PO Box No: Status: Country:

Approval Years: 94,95,96 Choice of Contact:
Contam. Facility: Co Admin:
MHSW Facility: Phone No Admin:

SIC Code: 5111

SIC Description: PETROLEUM PROD., WH.

Detail(s)

Waste Class: 221

Waste Class Desc: LIGHT FUELS

<u>Site:</u> IMPERIAL OIL Database: LESLIE PARK EAST-GREENBANK ROAD PLAN 551284, LOT C NEPEAN ON GEN

Order No: 20200511043

Generator No: ON1315711 PO Box No: Status: Country:

Approval Years: 92,93,97,98,99,00,01 Choice of Contact:
Contam. Facility: Co Admin:
MHSW Facility: Phone No Admin:

SIC Code: 5111

SIC Description: PETROLEUM PROD., WH.

Detail(s)

Waste Class: 221

LIGHT FUELS Waste Class Desc:

Site: The Corporation of the Township of West Carleton Torbolton Township

Lot 12. Concession 2 Ottawa ON

ECA/Instrument No: A461006 Natural Attenuation: Database: **LIMO**

Database: **PTTW**

Order No: 20200511043

Oper Status 2016: Closed Liners:

C of A Issue Date: Cover Material: C of A Issued to: Leachate Off-Site: Lndfl Gas Mgmt (P): Leachate On Site: Lndfl Gas Mgmt (F): Req Coll Lndfll Gas: Lndfll Gas Coll: Lndfl Gas Mgmt (E): Lndfl Gas Mgmt Sys: Total Waste Rec: Landfill Gas Mntr: TWR Methodology: Leachate Coll Sys: TWR Unit: ERC Est Vol (m3): Tot Aprv Cap Unit:

ERC Volume Unit: Financial Assurance: ERC Dt Last Det: Last Report Year: Landfill Type: MOE Region: Source File Type: MOE District: Fill Rate: Site County:

Fill Rate Unit: Lot:

Tot Fill Area (ha): Concession: Tot Site Area (ha): Latitude: Longitude: Footprint: Tot Apprv Cap (m3): Easting: Northing: Contam Atten Zone: **Grndwtr Mntr:** UTM Zone:

Surf Wtr Mntr: Air Emis Monitor: Approved Waste Type: Client Site Name: ERC Methodology:

Site Name: The Corporation of the Township of West Carleton

Torbolton Township

Site Location Details:

Service Area: Page URL:

Site: Mattamy (Half Moon Bay) Limited

Lot: 10-12, Concession: 3, Original Geographic Township of Nepean, City of Ottawa Lot 8-9 and Concession 3,

Data Source:

Original Geographic Township of Nepean, City of Ottawa CITY OF OTTAWA Nepean ON

012-5618 EBR Registry No: Decision Posted: Ministry Ref No: 6071-A3PQPJ Exception Posted: Section:

Notice Type: Instrument Decision Notice Stage:

Act 1: Notice Date: February 01, 2016 Act 2: November 03, 2015 Site Location Map:

Proposal Date: Year: 2015

(OWRA s. 34) - Permit to Take Water Instrument Type:

Off Instrument Name:

Posted By:

Company Name: Mattamy (Half Moon Bay) Limited

Site Address: Location Other: **Proponent Name:**

Proponent Address: 2360 Bristol Circle, Oakville Ontario, Canada L6H 6M5

Comment Period:

URI ·

Site Location Details:

Lot: 10-12, Concession: 3, Original Geographic Township of Nepean, City of Ottawa Lot 8-9 and Concession 3, Original Geographic Township of Nepean, City of Ottawa CITY OF OTTAWA Nepean

Site: Mattamy (Half Moon Bay) Limited

Lots 8,9,10,11,12, Concession 3 Ottawa, Ontario CITY OF OTTAWA Nepean

Database:

Database: **PTTW**

Database: **PTTW**

Order No: 20200511043

010-4784 EBR Registry No: Decision Posted: Ministry Ref No: 6623-7JUKMA Exception Posted:

Notice Type: Instrument Decision Section: Notice Stage: Act 1: Notice Date: April 29, 2009 Act 2:

Proposal Date: October 08, 2008 Site Location Map:

2008 Year:

Instrument Type: (OWRA s. 34) - Permit to Take Water

Off Instrument Name:

Posted By:

Company Name: Mattamy (Half Moon Bay) Limited

Site Address: **Location Other:** Proponent Name: Proponent Address:

123 Huntmar Drive, Ottawa Ontario, Canada K2S 1B9

Comment Period:

URI ·

Site Location Details:

Lots 8,9,10,11,12, Concession 3 Ottawa, Ontario CITY OF OTTAWA Nepean

Site: **Taggart Construction Limited**

Cambrian Road Lot: 11 & 12, Concession: 2, near Greenbank Road (Half Moon Bay (Tamarack)), Ottawa, City + + + + Strandherd Drive Lot: 14 & 15, Concession: 3, at Fraser-Clark Drain, Ottawa, City CITY OF OTTAWA Nepean ON

010-3795 Decision Posted: EBR Registry No: 1231-7FFJA4 Ministry Ref No: Exception Posted:

Notice Type: Instrument Decision Section: Notice Stage: Act 1: Notice Date: April 28, 2009 Act 2:

Proposal Date: June 20, 2008 Site Location Map:

2008 Year:

(OWRA s. 34) - Permit to Take Water Instrument Type:

Off Instrument Name:

Posted By:

Company Name: **Taggart Construction Limited**

Site Address: Location Other: Proponent Name:

Proponent Address: 3187 Albion Rd S, Ottawa Ontario, K1V 8Y3

Comment Period:

URL:

Site Location Details:

Cambrian Road Lot: 11 & 12, Concession: 2, near Greenbank Road (Half Moon Bay (Tamarack)), Ottawa, City + + + + Strandherd Drive Lot: 14 & 15, Concession: 3, at Fraser-Clark Drain, Ottawa, City CITY OF OTTAWA Nepean

Site: Minto Communities Canada Inc.

Lot 12 and 13, Concession 2, Geographic Township: NEPEAN City of Ottawa, Ontario UTM Easting: 442170, UTM

Northing: 5012363 NEPEAN ON

EBR Registry No: 013-2921 Decision Posted: 442170

3551-AY8R3T Ministry Ref No: **Exception Posted:**

Instrument Decision Section: Notice Type:

Notice Stage: Act 1: 5012363

September 19, 2018 Act 2: Notice Date:

Proposal Date: May 02, 2018 Site Location Map:

erisinfo.com | Environmental Risk Information Services

2018 Year:

Permit to Take Water - OWRA s. 34 Instrument Type:

Off Instrument Name:

Posted By:

Company Name: Minto Communities Canada Inc.(OWRA s. 34) - Permit to Take Water

Site Address: Location Other:

Proponent Name: Minto Communities Canada Inc.

180 Kent Street Proponent Address: Ottawa Ontario

Canada K1P 0B6

Comment Period:

URL: http://www.ebr.gov.on.ca/ERS-WEB-External/displaynoticecontent.do?

noticeId=MTM1MjUx&statusId=MjA3Mzg1&language=en

Site Location Details:

Lot 12 and 13, Concession 2, Geographic Township: NEPEAN

City of Ottawa, Ontario

UTM Easting: 442170, UTM Northing: 5012363

NEPEAN

Site: Mattamy (Half Moon Bay) Limited

Lot 11, 12, Concession 3, Ottawa, City CITY OF OTTAWA ON

010-5959 Decision Posted: Database:

Database:

Order No: 20200511043

EBR Registry No: 8783-7PCUC4 Ministry Ref No: **Exception Posted:** Notice Type: Instrument Decision Section: Act 1:

Notice Stage:

June 26, 2009 Notice Date:

Act 2: Proposal Date: February 20, 2009 Site Location Map:

Year: 2009

(OWRA s. 34) - Permit to Take Water Instrument Type:

Off Instrument Name:

Posted By:

Company Name: Mattamy (Half Moon Bay) Limited

Site Address: Location Other: Proponent Name:

Proponent Address: 123 Huntmar Drive, Ottawa Ontario, Canada K2S 1B9

Comment Period:

URL:

Site:

Site Location Details:

City of Ottawa

Lot 11, 12, Concession 3, Ottawa, City CITY OF OTTAWA

Greenbank Rd northbound at Belman Rd (N of Hunt Club) Ottawa ON

8317-8PB698 Ref No: Discharger Report: Site No: Material Group:

12/6/2011 Incident Dt: Health/Env Conseq: Client Type: Year:

Incident Cause: Sector Type: Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse:

Contaminant Name: COOLANT (N.O.S.) Site Address: Greenbank Rd northbound at Belman Rd (N of Hunt Club)

Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Environment Impact: Not Anticipated Site Municipality: Ottawa Nature of Impact:

Sewage - Municipal/Private and Commercial Receiving Medium:

Receiving Env:

MOE Response:

No Field Response

Dt MOE Arvl on Scn:

MOE Reported Dt: 12/6/2011

Dt Document Closed:

Incident Reason:

Site Name:

Site County/District: Site Geo Ref Meth:

Incident Summary:

Contaminant Qty:

OC Transpo- coolant to CB

6/2/2015

Unknown / N/A

2000 L

Gas line <UNOFFICIAL>

2000L oily substance in excavated pit

JOCK RIVER AT GREENBANK RD. MOTOR VEHICLE (OPERATING FLUID) NEPEAN CITY ON

40 L

Site Lot: Site Conc:

Northing: Easting:

Site Geo Ref Accu: Site Map Datum:

SAC Action Class: Land Spills

Source Type:

Site: Clean Water Works Inc.; City of Ottawa

Greenbank Rd Ottawa ON

8678-9X4KTF Ref No: Site No: NA 6/2/2015 Incident Dt:

Year.

Incident Cause: Unknown / N/A

Incident Event:

Contaminant Code:

Contaminant Name: OIL ADDITIVES

Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:

Environment Impact:

Nature of Impact: Land Receiving Medium: Receiving Env: Ν

MOE Response: Dt MOE Arvl on Scn:

MOE Reported Dt:

Dt Document Closed: Incident Reason:

Site Name:

Site County/District: Site Geo Ref Meth:

Incident Summary: Contaminant Qty:

PRIVATE OWNER

Ref No: 25410

Incident Dt: 9/16/1989

Year:

Site No:

Site:

Incident Cause: OTHER TRANSPORTATION ACCIDENT

Incident Event: Contaminant Code:

Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:

Environment Impact: Nature of Impact:

Receiving Medium: Receiving Env:

MOE Response: Dt MOE Arvl on Scn:

MOE Reported Dt: **Dt Document Closed:**

Incident Reason: Site Name:

ERROR

WATER

9/16/1989

Storm CB<UNOFFICIAL>

Discharger Report: Material Group: Health/Env Conseq:

Client Type: Sector Type: Agency Involved: Nearest Watercourse:

Site Address: Greenbank Rd

Site District Office: Site Postal Code: Site Region:

Site Municipality: Site Lot:

Site Conc: Northing: Easting:

Site Geo Ref Accu: Site Map Datum: SAC Action Class:

Source Type:

Land Spills

Ottawa

Database:

Order No: 20200511043

SPL

Database:

SPL

Material Group: Health/Env Conseq: Client Type:

Sector Type: Agency Involved: Nearest Watercourse: Site Address:

Discharger Report:

Site District Office: Site Postal Code: Site Region:

Site Municipality: 20104 Site Lot:

Site Conc: Northing: Easting:

Site Geo Ref Accu: Site Map Datum: SAC Action Class:

Source Type:

Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:

MOTORIST DROVE CAR INTO JOCK RIVER - 10 L GAS & MOTOR OIL TO RIVER.

 Site:
 Database:

 lot 12 con 2 ON
 WWIS

Well ID: 1531209 Construction Date:

Primary Water Use: Domestic

Sec. Water Use:

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No: 208600

Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src:

Date Received: 7/17/2000 Selected Flag: Yes

Abandonment Rec:

Contractor: 1558 Form Version: 1

Owner: Street Name: County:

County: OTTAWA-CARLETON Municipality: NEPEAN TOWNSHIP

18

unknown UTM

Order No: 20200511043

Site Info:

 Lot:
 012

 Concession:
 02

 Concession Name:
 CON

Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10052743

DP2BR: Spatial Status:

Code OB:
Code OB Desc:
No formation data

Open Hole:

Cluster Kind:

Date Completed: 6/8/2000

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Method Construction: Rotary (Air)

Other Method Construction:

Pipe Information

Pipe ID: 10601313

Casing No:

Comment: Alt Name:

Results of Well Yield Testing

Pump Test ID: 991531209

Pump Set At:

Static Level: 23 75 Final Level After Pumping: 100 Recommended Pump Depth: Pumping Rate: 10

Flowing Rate:

Recommended Pump Rate: 5 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code:

Water State After Test: **CLOUDY** Pumping Test Method: **Pumping Duration HR:** 1 **Pumping Duration MIN:** Flowing: Ν

Draw Down & Recovery

Pump Test Detail ID: 934396582 Draw Down Test Type:

Test Duration: 30 Test Level: 125 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934665308 Test Type: Draw Down Test Duration: 45 Test Level: 125 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934121171 Test Type: Draw Down Test Duration: 15 125 Test Level: Test Level UOM: ft

Draw Down & Recovery

934913853 Pump Test Detail ID: Test Type: Draw Down Test Duration: 60 Test Level: 125 Test Level UOM: ft

Site: lot 12 con 3 GREELY ON

Well ID: 7045740 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Domestic Date Received: 6/28/2007 Sec. Water Use: Selected Flag: Yes

Final Well Status: Test Hole

Water Type:

Casing Material:

Audit No: Z64742

A052502 1934 STAGECOACH Street Name: Tag: **Construction Method:** OTTAWA-CARLETON County: Municipality: OSGOODE TOWNSHIP

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Lot: 012 Concession: 03

1119

3

Database:

Order No: 20200511043

WWIS

Concession Name:

Abandonment Rec:

Contractor:

Owner:

Site Info:

Form Version:

erisinfo.com | Environmental Risk Information Services

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Elevation:

Elevrc:

Bore Hole Information

Bore Hole ID: 11768260 DP2BR: 19

Spatial Status:

Code OB:

Code OB Desc: Bedrock

Open Hole: Cluster Kind:

2/9/2007 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** Supplier Comment:

Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:

Order No: 20200511043

Overburden and Bedrock

Materials Interval

Formation ID: 933106528

Layer:

Color:

General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 22.86 Formation End Depth: 24.38 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 933106526

Layer:

Color:

General Color:

Mat1: 15

LIMESTONE Most Common Material:

Mat2: Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 5.79 Formation End Depth: 15.24 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 933106527

Layer:

Color:

General Color:

Mat1: 18 Most Common Material: SANDSTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 15.24
Formation End Depth: 22.86
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 933106525

Layer:

Color:

General Color:

Mat1:28Most Common Material:SANDMat2:11Other Materials:GRAVEL

Mat3:

Other Materials:

Formation Top Depth: 0
Formation End Depth: 5.79
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 933106530

Layer: 6

Color: General Color:

Mat1: 15

Most Common Material: LIMESTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 42.67
Formation End Depth: 48.77
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 933106529

Layer: 5

Color:

General Color:

Mat1: 18

Most Common Material: SANDSTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 24.38
Formation End Depth: 42.67
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933322350

 Layer:
 1

 Plug From:
 7.92

Plug To: 4.88
Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933322351

 Layer:
 2

 Plug From:
 4.88

 Plug To:
 0

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code:

Method Construction: Air Percussion

5

Other Method Construction:

Pipe Information

Pipe ID: 11775950
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930901845

Layer: 2 Material: 4

Open Hole or Material:OPEN HOLEDepth From:7.92Depth To:48.77

Casing Diameter:

Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Casing

Casing ID: 930901844 Layer: 1 Material: Open Hole or Material: STEEL Depth From: 8.53 Depth To: Casing Diameter: 15.88 Casing Diameter UOM: cm Casing Depth UOM: m

Results of Well Yield Testing

 Pump Test ID:
 11779669

 Pump Set At:
 45.72

 Static Level:
 3.99

 Final Level After Pumping:
 9.71

 Recommended Pump Depth:
 45.72

 Pumping Rate:
 22.71

 Flowing Rate:
 22.71

Recommended Pump Rate: 22.71
Levels UOM: m
Rate UOM: LPM
Water State After Test Code: 2

Water State After Test: CLOUDY

Pumping Test Method: 1
Pumping Duration HR: 1

Pumping Duration MIN:

Flowing:

Draw Down & Recovery

Pump Test Detail ID:11836350Test Type:Draw Down

 Test Duration:
 1

 Test Level:
 5.18

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11836359

 Test Type:
 Recovery

 Test Duration:
 5

 Test Level:
 5.49

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11836360

 Test Type:
 Draw Down

 Test Duration:
 10

 Test Level:
 7.63

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11836365

 Test Type:
 Recovery

 Test Duration:
 20

 Test Level:
 4.19

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11836367

 Test Type:
 Recovery

 Test Duration:
 25

 Test Level:
 4.04

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID:11836358Test Type:Draw Down

 Test Duration:
 5

 Test Level:
 6.67

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11836361

 Test Type:
 Recovery

 Test Duration:
 10

 Test Level:
 4.73

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID:11836362Test Type:Draw Down

 Test Duration:
 15

 Test Level:
 8.04

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID:11836370Test Type:Draw Down

 Test Duration:
 40

 Test Level:
 9.07

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID: 11836372
Test Type: Draw Down

 Test Duration:
 60

 Test Level:
 9.71

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID:11836351Test Type:RecoveryTest Duration:1

 Test Duration:
 1

 Test Level:
 7

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID:11836355Test Type:Recovery

 Test Duration:
 3

 Test Level:
 6

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11836363

 Test Type:
 Recovery

 Test Duration:
 15

 Test Level:
 4.48

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11836368

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 8.76

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11836356

 Test Type:
 Draw Down

 Test Duration:
 4

 Test Level:
 6.38

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID: 11836371
Test Type: Draw Down

 Test Duration:
 50

 Test Level:
 9.38

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11836364

 Test Type:
 Draw Down

 Test Duration:
 20

 Test Level:
 8.45

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID: 11836366
Test Type: Draw Down

 Test Duration:
 25

 Test Level:
 8.6

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11836353

 Test Type:
 Recovery

 Test Duration:
 2

 Test Level:
 6.4

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID:11836352Test Type:Draw Down

 Test Duration:
 2

 Test Level:
 5.58

 Test Level UOM:
 m

Draw Down & Recovery

Pump Test Detail ID:11836354Test Type:Draw DownTest Duration:3

 Test Duration:
 3

 Test Level:
 6.03

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11836357

 Test Type:
 Recovery

 Test Duration:
 4

 Test Level:
 5.75

 Test Level UOM:
 m

Draw Down & Recovery

 Pump Test Detail ID:
 11836369

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 3.99

 Test Level UOM:
 m

Water Details

934087510 Water ID:

Layer:

Kind Code: Kind:

Water Found Depth:

41.15 Water Found Depth UOM: m

Hole Diameter

Hole ID: 11854905 Diameter: 14.91 0 Depth From: Depth To: 48.77 Hole Depth UOM: m Hole Diameter UOM: cm

Database: Site: lot 12 con 2 ON

Well ID: 1531208

Construction Date: Domestic

Primary Water Use:

Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material:

208601 Audit No:

Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth: Overburden/Bedrock:

Pump Rate:

Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src:

Date Received: 7/17/2000 Selected Flag: Yes

Abandonment Rec:

1558 Contractor: Form Version:

Owner:

Street Name:

OTTAWA-CARLETON County: Municipality: **NEPEAN TOWNSHIP**

Site Info:

012 Lot: Concession: 02 CON Concession Name:

Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10052742

DP2BR:

Spatial Status:

Code OB:

Code OB Desc: Unknown type above a bedrock layer

Open Hole:

Cluster Kind: 6/8/2000

Date Completed: Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 20200511043

Location Method: na

Overburden and Bedrock

Materials Interval

Formation ID: 931077834 Layer: 2 Color:

General Color: **GREY** *Mat1:* 15

Most Common Material: LIMESTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 60
Formation End Depth: 130
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931077833

Layer:

Color:

General Color:

Mat1: 00

Most Common Material: UNKNOWN TYPE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 0
Formation End Depth: 60
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Method Construction: Rotary (Air)

Other Method Construction:

Pipe Information

Pipe ID: 10601312

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930092211

Layer: 1

Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To:

Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991531208

Pump Set At:
Static Level: 20
Final Level After Pumping: 60
Recommended Pump Depth: 100
Pumping Rate: 10

Flowing Rate:

Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM

Water State After Test Code: 2
Water State After Test: CLOUDY
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN:

Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934665307
Test Type: Draw Down

Test Duration: 45
Test Level: 110
Test Level UOM: ft

Draw Down & Recovery

 Pump Test Detail ID:
 934396581

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 125

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934913852Test Type:Draw Down

Test Duration: 60
Test Level: 60
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:934121170Test Type:Draw DownTest Duration:15

Test Level: 15
Test Level UOM: 15

Water Details

Water ID: 933491572

Layer: 1 Kind Code: 5

Kind: Not stated
Water Found Depth: 121
Water Found Depth UOM: ft

Site:

con 2 ON

Database:

WWIS

Contractor:

Owner: Street Name:

Form Version:

6844

Order No: 20200511043

1

Well ID: Data Entry Status:

Construction Date: Data Src:

Primary Water Use:CommericalDate Received:8/12/1997Sec. Water Use:MunicipalSelected Flag:YesFinal Well Status:Observation WellsAbandonment Rec:

Water Type:

Casing Material:

Audit No: 169526

Tag:

 Construction Method:
 County:
 OTTAWA-CARLETON

 Elevation (m):
 Municipality:
 NEPEAN TOWNSHIP

Elevation Reliability: Site Info:
Depth to Bedrock: Lot:

Concession: 02

Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Concession Name:

OF

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10051096

DP2BR: Spatial Status:

Code OB:

Code OB Desc: Overburden

Open Hole:

Cluster Kind:

Date Completed: 2/5/1997

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931073140

Layer: 1

Color: 6

BROWN General Color: Mat1: 05 CLAY Most Common Material: Mat2: 81 Other Materials: SANDY Mat3: 01 Other Materials: **FILL** Formation Top Depth: 0

Overburden and Bedrock

Formation End Depth UOM:

Formation End Depth:

Materials Interval

Formation ID: 931073141

5

ft

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

 Other Materials:
 STONES

Mat3:

Other Materials:

Formation Top Depth: 5
Formation End Depth: 15
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114577

 Layer:
 3

 Plug From:
 4

 Plug To:
 15

Elevation:

Elevrc:

Zone: 18

East83:

North83: Org CS:

UTMRC:

UTMRC Desc: unknown UTM

Order No: 20200511043

Location Method: na

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 933114576

ft

 Layer:
 2

 Plug From:
 2

 Plug To:
 4

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114575

 Layer:
 1

 Plug From:
 0

 Plug To:
 2

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code: 6

Method Construction: Boring Other Method Construction:

Pipe Information

Pipe ID: 10599666

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930089191

 Layer:
 1

 Material:
 5

Open Hole or Material: PLASTIC

Depth From:

Depth To:15Casing Diameter:2Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 933326720

 Layer:
 1

 Slot:
 010

 Screen Top Depth:
 5

 Screen End Depth:
 15

 Screen Material:
 tt

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 2

Water Details

 Water ID:
 933489563

 Layer:
 1

Kind Code: 5

Kind: Not stated

Water Found Depth: ft Water Found Depth UOM:

Site: Database: lot 12 ON

Well ID: 1535508 Data Entry Status:

Construction Date: Data Src: Primary Water Use: Date Received: 5/28/2005 Sec. Water Use: Selected Flag: Yes

Final Well Status: Abandonment Rec: Water Type: Contractor: 6907

Casing Material: Form Version: 3 Audit No: Z17642 Owner:

Tag: Street Name:

Construction Method: OTTAWA-CARLETON County: Elevation (m): Municipality: **OTTAWA CITY** Elevation Reliability: Site Info:

Depth to Bedrock: Lot: 012 Well Depth: Concession:

Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: Flow Rate: UTM Reliability:

Clear/Cloudy:

Bore Hole Information

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Bore Hole ID: 11316047 Elevation: DP2BR: Elevrc:

Spatial Status: Zone: Code OB: East83: Code OB Desc: No formation data North83:

Open Hole: Org CS: Cluster Kind: UTMRC:

Date Completed: 5/10/2005 UTMRC Desc: Remarks: Location Method:

na Elevrc Desc:

Method of Construction & Well

Method Construction ID:

Method Construction Code:

Method Construction: Other Method

Other Method Construction:

Pipe Information

<u>Use</u>

Pipe ID: 11330902

Casing No:

Comment: Alt Name:

Site: Database: con 2 ON

Order No: 20200511043

Well ID: 1529562 Data Entry Status:

Construction Date: Data Src: 1 Primary Water Use: Commerical

Sec. Water Use: Final Well Status: **Observation Wells**

Water Type: Casing Material:

Audit No: 169530

Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate:

Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

8/12/1997 Date Received:

Selected Flag: Yes

Abandonment Rec: Contractor: 6844 Form Version:

Owner: Street Name:

OTTAWA-CARLETON County: Municipality: **NEPEAN TOWNSHIP**

Site Info: Lot:

Concession: 02 OF Concession Name:

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10051097

DP2BR:

Spatial Status:

Code OB:

Code OB Desc: Overburden

Open Hole: Cluster Kind:

2/4/1997 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:** Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931073142

Layer: Color:

General Color: **BROWN** Mat1: 34 Most Common Material: TILL Mat2: 81 Other Materials: SANDY

Mat3: 11 **GRAVEL** Other Materials: Formation Top Depth: 0 Formation End Depth: 5 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931073143

Layer: Color: 2 General Color: **GREY** 05 Mat1: Most Common Material: CLAY Mat2: 12

Mat3:

Other Materials: Other Materials: Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 20200511043

Location Method: na

STONES

Formation Top Depth: 5
Formation End Depth: 10
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114578

 Layer:
 1

 Plug From:
 0

 Plug To:
 1

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114579

 Layer:
 2

 Plug From:
 1

 Plug To:
 3

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114580

 Layer:
 3

 Plug From:
 3

 Plug To:
 10

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:
Method Construction Code:
Method Construction:
Boring

Other Method Construction:

Pipe Information

Pipe ID: 10599667

Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930089192

Layer: 1
Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To:10Casing Diameter:1Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

 Screen ID:
 933326721

 Layer:
 1

 Slot:
 010

 Screen Top Depth:
 5

Screen End Depth: 10
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 1

Water Details

Water ID: 933489564

Layer: 1

Kind Code: 5

Kind: Not stated

Water Found Depth: 8
Water Found Depth UOM: ft

Site:

lot 13 ON

Database:

WWIS

Well ID: 1520666 Data Entry Status:

Construction Date:Data Src:1Primary Water Use:DomesticDate Received:8/8/1986

Sec. Water Use: Selected Flag: Yes

Final Well Status: Water Supply

Water Type:

Water Supply

Abandonment Rec:
Contractor: 1517

Casing Material: Form Version: 1
Audit No: NA Owner:

Tag: Owner:
Construction Method: County: OTTAWA-C

Construction Method:County:OTTAWA-CARLETONElevation (m):Municipality:OTTAWA CITYElevation Reliability:Site Info:

Depth to Bedrock: Lot: 013

Well Depth: Concession:
Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10042508 Elevation:

 DP2BR:
 0
 Elevrc:

 Spatial Status:
 Zone:
 18

 Code OB:
 r
 East83:

 Code OB Desc:
 Bedrock
 North83:

Open Hole: Org CS: Cluster Kind: UTMRC: 9

 Date Completed:
 7/17/1986
 UTMRC Desc:
 unknown UTM

 Remarks:
 Location Method:
 na

Remarks: Location Method: na
Elevro Desc:

Order No: 20200511043

Location Source Date:
Improvement Location Source:
Improvement Location Method:

Overburden and Bedrock Materials Interval

Source Revision Comment: Supplier Comment:

Formation ID: 931045467

Layer: 1
Color: 2
General Color: GREY
Mat1: 15

Most Common Material: LIMESTONE

Mat2:

erisinfo.com | Environmental Risk Information Services

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 0
Formation End Depth: 75
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933109179

 Layer:
 1

 Plug From:
 0

 Plug To:
 30

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10591078

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930074202

 Layer:
 1

 Material:
 1

 Open Hole or Material:
 STEEL

 Depth From:
 30

Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991520666

Pump Set At:
Static Level: 1
Final Level After Pumping: 40
Recommended Pump Depth: 60
Pumping Rate: 20
Flowing Rate:

Recommended Pump Rate: 70
Levels UOM: ft
Rate UOM: GPM

Water State After Test Code: Water State After Test:

Pumping Test Method: 2
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934112552

Test Type:

Test Duration: 15
Test Level: 20
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934387835

Test Type:

 Test Duration:
 30

 Test Level:
 30

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934648438

Test Type:

 Test Duration:
 45

 Test Level:
 35

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934907199

Test Type:

Test Duration: 60
Test Level: 40
Test Level UOM: ft

Water Details

Water ID: 933477982

Layer: 1
Kind Code: 1

Kind: FRESH
Water Found Depth: 72
Water Found Depth UOM: ft

Site:

lot 12 ON

Database:

WWIS

Order No: 20200511043

Well ID: 1520054 Data Entry Status:

Construction Date: Data Src:

Primary Water Use:DomesticDate Received:10/2/1985Sec. Water Use:Selected Flag:Yes

Final Well Status: Water Supply Abandonment Rec:

Water Type: Contractor: 1505

Water Type:Contractor:1505Casing Material:Form Version:1Audit No:Owner:

Tag: Street Name:

Construction Method:County:OTTAWA-CARLETONElevation (m):Municipality:NEPEAN TOWNSHIPElevation Reliability:Site Info:

Depth to Bedrock: Lot: 012

Well Depth: Concession:
Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N):

Flow Rate:

Clear/Cloudy:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10041904 Elevation:

DP2BR: 60 Spatial Status:

Code OB: Bedrock

Code OB Desc:

Open Hole:

Cluster Kind:

7/8/1985 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931043590

Layer: Color: 6

BROWN General Color: Mat1: 06 SILT Most Common Material: 28 Mat2: Other Materials: SAND 79 Mat3: Other Materials: **PACKED** Formation Top Depth: Formation End Depth: 2 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

931043589 Formation ID:

Layer: Color:

BROWN General Color: Mat1: 01 Most Common Material: **FILL** 77 Mat2: Other Materials: LOOSE

Mat3: 79 Other Materials: **PACKED** Formation Top Depth: 0 Formation End Depth: Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 931043591

Layer: 3 Color: 6 General Color: **BROWN** 05 Mat1: Most Common Material: CLAY Mat2: 79 Other Materials: **PACKED**

Mat3:

Other Materials:

2 Formation Top Depth: Formation End Depth: 14 Formation End Depth UOM: ft

Elevrc:

18 Zone:

East83: North83: Org CS:

UTMRC:

UTMRC Desc: unknown UTM

Order No: 20200511043

Location Method: na

Overburden and Bedrock

Materials Interval

Formation ID: 931043594

 Layer:
 6

 Color:
 2

 General Color:
 GREY

 Mat1:
 15

Most Common Material: LIMESTONE

Mat2:26Other Materials:ROCKMat3:73Other Materials:HARDFormation Top Depth:68Formation End Depth:75Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 931043593

 Layer:
 5

 Color:
 2

 General Color:
 GREY

 Mat1:
 26

 Most Common Material:
 ROCK

 Mat2:
 11

 Other Materials:
 GRAVEL

 Mat3:
 71

Other Materials: FRACTURED

Formation Top Depth: 60
Formation End Depth: 68
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931043592

 Layer:
 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 13

Other Materials: BOULDERS

Mat3: 60

Other Materials: CEMENTED

Formation Top Depth: 14
Formation End Depth: 60
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code: 4

Method Construction: Rotary (Air)

Other Method Construction:

Pipe Information

Pipe ID: 10590474

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930073157

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 73
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991520054

Pump Set At:

0 Static Level: Final Level After Pumping: 30 Recommended Pump Depth: 35 Pumping Rate: Flowing Rate: Recommended Pump Rate: 50 Levels UOM: ft Rate UOM: GPM Water State After Test Code: Water State After Test: **CLEAR**

Water State After Test: CI
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

Pump Test Detail ID: 934376714

Test Type:

 Test Duration:
 30

 Test Level:
 30

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934110332

Test Type:

Test Duration: 15
Test Level: 30
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934904434

Test Type:

 Test Duration:
 60

 Test Level:
 30

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934655465

Test Type:

 Test Duration:
 45

 Test Level:
 30

 Test Level UOM:
 ft

Water Details

Water ID: 933477202

Layer: 1
Kind Code: 1

Kind: FRESH
Water Found Depth: 65
Water Found Depth UOM: ft

Site:

| Iot 13 ON | Database: WWIS | WWIS | Database: | Database:

Well ID: 1517753 Data Entry Status:

Construction Date:Data Src:1Primary Water Use:DomesticDate Received:3/18/1982

Primary Water Use:DomesticDate Received:3/18/1982Sec. Water Use:Selected Flag:Yes

Final Well Status: Water Supply

Abandonment Rec:

Water Type: Contractor: 1558

Casing Material: Form Version: 1
Audit No: Owner:

Tag: Street Name: Construction Method: County:

Elevation (m):Municipality:NEPEAN TOWNSHIPElevation Reliability:Site Info:

Depth to Bedrock: Lot: 013

Well Depth: Concession:
Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:
Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

 Bore Hole ID:
 10039625
 Elevation:

 DP2BR:
 75
 Elevrc:

Spatial Status:Zone:18Code OB:rEast83:

Code OB Desc: Bedrock North83:
Open Hole: Org CS:
Cluster Kind: UTIMRC:

Date Completed: 2/23/1982 UTMRC Desc: unknown UTM

Remarks: Location Method: na Elevro Desc:

Location Source Date:
Improvement Location Source:

Overburden and Bedrock

Improvement Location Method: Source Revision Comment: Supplier Comment:

Materials Interval

Formation ID: 931036220

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

Most Common Material: SAND

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 55
Formation End Depth: 75
Formation End Depth UOM: ft

Overburden and Bedrock

OTTAWA-CARLETON

Materials Interval

Formation ID: 931036219

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

Mat2:

Other Materials: Mat3: Other Materials:

Formation Top Depth: 5 Formation End Depth: 55 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

 Formation ID:
 931036221

 Layer:
 4

 Color:
 2

 General Color:
 GREY

Mat1: 18
Most Common Material: SANDSTONE

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 75
Formation End Depth: 175
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931036218

 Layer:
 1

 Color:
 7

 General Color:
 RED

 Mat1:
 28

 Most Common Material:
 SAND

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 0
Formation End Depth: 5
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code:

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 10588195

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930069265

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To: 76
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930069266

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:

Depth To: 175
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991517753

Pump Set At:

Static Level: 50
Final Level After Pumping: 100
Recommended Pump Depth: 165
Pumping Rate: 25
Flowing Rate:
Recommended Pump Rate: 5
Levels UOM: ft
Rate UOM: GPM

Rate UOM:
Water State After Test Code:
Water State After Test:
CLEAR
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:

Flowing:

GPM

CLEAR

1

CLEAR

0

N

Draw Down & Recovery

 Pump Test Detail ID:
 934895696

 Test Type:
 Draw Down

 Test Duration:
 60

 Test Level:
 100

ft

Draw Down & Recovery

Test Level UOM:

 Pump Test Detail ID:
 934376585

 Test Type:
 Draw Down

 Test Duration:
 30

 Test Level:
 100

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 934646421

 Test Type:
 Draw Down

 Test Duration:
 45

 Test Level:
 100

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934102965Test Type:Draw DownTest Duration:15

Test Level: 100
Test Level UOM: ft

Water Details

Water ID: 933474291

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 85

 Water Found Depth UOM:
 ft

Site:

lot 12 ON

Database:

WWIS

Zone:

East83:

18

Order No: 20200511043

 Well ID:
 1523196
 Data Entry Status:

 Construction Date:
 Data Src:
 1

 Primary Water Use:
 Date Received:
 1/9/1989

 Sec. Water Use:
 Selected Flag:
 Yes

Final Well Status:

Water Type:
Casing Material:
Abandonment Rec:
5222
Casing Material:
Form Version:
1

Casing Material: Form Version: 1
Audit No: 39047 Owner:
Tag: Street Name:

Construction Method:County:OTTAWA-CARLETONElevation (m):Municipality:NEPEAN TOWNSHIP

Elevation Reliability:

Depth to Bedrock:

Lot:

012

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Flowing (Y/N):

Lot:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

 Bore Hole ID:
 10044999
 Elevation:

 DP2BR:
 8
 Elevro:

Spatial Status: Code OB:

Code OB Desc:BedrockNorth83:Open Hole:Org CS:

Cluster Kind: UTMRC: 9

Date Completed:7/15/1988UTMRC Desc:unknown UTMRemarks:Location Method:na

Elevrc Desc:
Location Source Date:

_

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 931053866

 Layer:
 2

 Color:
 2

 General Color:
 GREY

Mat1: 15

Most Common Material: LIMESTONE

Mat2: 18

Other Materials: SANDSTONE

Mat3:73Other Materials:HARDFormation Top Depth:8Formation End Depth:78Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 931053865

Layer: 1 **Color:** 6

Color: 6
| General Color: BROWN | Mat1: 05
| Most Common Material: CLAY | Mat2: 01
| Other Materials: FILL | Mat3: 79
| Other Materials: PACKED | Other Materials: PACKED | Other Materials: PACKED | Other Materials: 05 | Other Materials: 05

Formation Top Depth: 0 Formation End Depth: 8 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933110155

 Layer:
 1

 Plug From:
 0

 Plug To:
 21

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code: 5

Method Construction: Air Percussion

Other Method Construction:

Pipe Information

Pipe ID: 10593569

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930078707

Layer: 2 Material: 4

Open Hole or Material: OPEN HOLE

Depth From:
Depth To: 78
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930078706

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To: 22
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 991523196

Pump Set At:

 Static Level:
 8

 Final Level After Pumping:
 50

 Recommended Pump Depth:
 50

 Pumping Rate:
 20

Flowing Rate:

Recommended Pump Rate: 20 Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: **CLEAR** Water State After Test: Pumping Test Method: 1 **Pumping Duration HR:** 2 Pumping Duration MIN: 0 Flowing: Ν

Draw Down & Recovery

Pump Test Detail ID:934649580Test Type:Draw Down

 Test Duration:
 45

 Test Level:
 50

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934388597Test Type:Draw Down

 Test Duration:
 30

 Test Level:
 50

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934906781Test Type:Draw Down

 Test Duration:
 60

 Test Level:
 50

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID:934104365Test Type:Draw Down

 Test Duration:
 15

 Test Level:
 50

 Test Level UOM:
 ft

Water Details

 Water ID:
 933481372

 Layer:
 2

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 56

 Water Found Depth UOM:
 ft

Water Details

Water ID: 933481373

Layer: 3 Kind Code: 1

Kind: FRESH
Water Found Depth: 72
Water Found Depth UOM: ft

Water Details

Water ID: 933481371

Layer: 1
Kind Code: 1

Kind: FRESH
Water Found Depth: 40
Water Found Depth UOM: ft

Site: con 2 ON

55.72 5.1

Well ID: 1529331 Data Entry Status: Construction Date: Data Src:

Primary Water Use: Commerical Date Received: 2/14/1997

Sec. Water Use: Selected Flag: Yes

Final Well Status:Observation WellsAbandonment Rec:Water Type:Contractor:6844

Casing Material: Form Version: 1

Audit No: 169510 Owner:

Tag: Street Name:
Construction Method: County: OTTAWA-CARLETON

Database:

Order No: 20200511043

WWIS

Elevation (m):Municipality:NEPEAN TOWNSHIPElevation Reliability:Site Info:Depth to Bedrock:Lot:

Well Depth:Concession:02Overburden/Bedrock:Concession Name:OF

Pump Rate: Easting NAD83:
Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:
Flow Rate: UTM Reliability:
Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10050867 Elevation:

DP2BR: Elevrc:
Spatial Status: Zone: 18

Code OB: 0 East83:

Code OB Desc:OverburdenNorth83:Open Hole:Org CS:Cluster Kind:UTMRC:

Date Completed: 12/18/1996 UTMRC Desc: unknown UTM

Remarks: Location Method: na

Elevrc Desc:

Source Revision Comment: Supplier Comment:

Location Source Date: Improvement Location Source: Improvement Location Method:

Overburden and Bedrock

Materials Interval

Formation ID: 931072414

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 02

 Other Materials:
 TOPSOIL

 Mat3:
 01

Mat3: 01
Other Materials: FILL
Formation Top Depth: 0
Formation End Depth: 2
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931072415

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 91

Other Materials: WATER-BEARING

Mat3:

Other Materials:

Formation Top Depth: 2
Formation End Depth: 19
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114304

 Layer:
 1

 Plug From:
 0

 Plug To:
 5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114305

 Layer:
 2

 Plug From:
 5

 Plug To:
 19

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:6Method Construction:Boring

Other Method Construction:

Pipe Information

Pipe ID: 10599437

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930088796

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To: 19
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

 Screen ID:
 933326679

 Layer:
 1

 Slot:
 010

 Screen Top Depth:
 9

 Screen End Depth:
 19

 Screen Material:
 5creen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 2

Water Details

Water ID: 933489270

Layer: 1 Kind Code: 5

Kind: Not stated

Water Found Depth: 9
Water Found Depth UOM: ft

Site:

con 2 ON

Database:

WWIS

9

Order No: 20200511043

Well ID: 1529332 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Commerical Date Received: 2/14/1997

Sec. Water Use: Selected Flag: Yes

Final Well Status: Observation Wells Abandonment Rec:

Water Type: Contractor: 6844
Casing Material: Form Version: 1

Tag: Street Name:

Construction Method:County:OTTAWA-CARLETONElevation (m):Municipality:NEPEAN TOWNSHIP

Elevation Reliability: Site Info:
Depth to Bedrock: Lot:

Well Depth:Concession:02Overburden/Bedrock:Concession Name:OF

Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability:

Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10050868 Elevation:

DP2BR: Elevrc:

Spatial Status: Zone: 18

Code OB:0East83:Code OB Desc:OverburdenNorth83:Open Hole:Org CS:

Cluster Kind: UTMRC:

Date Completed:12/18/1996UTMRC Desc:Remarks:Location Method:

unknown UTM

Order No: 20200511043

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 931072417

 Layer:
 2

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 91

Other Materials: WATER-BEARING

Mat3:

Other Materials:

Formation Top Depth: 2
Formation End Depth: 15
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 931072416

 Layer:
 1

 Color:
 6

General Color: **BROWN** Mat1: 05 CLAY Most Common Material: Mat2: 02 TOPSOIL Other Materials: Mat3: 01 **FILL** Other Materials: Formation Top Depth: 0 Formation End Depth: 2 ft Formation End Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 933114307

 Layer:
 2

 Plug From:
 3

 Plug To:
 15

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114306

 Layer:
 1

 Plug From:
 0

 Plug To:
 3

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Method Construction: Boring

Other Method Construction:

Pipe Information

Pipe ID: 10599438

Casing No: Comment: Alt Name:

Construction Record - Casing

930088797 Casing ID:

Layer: Material:

PLASTIC Open Hole or Material:

Depth From:

Depth To: 15 2 Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

933326680 Screen ID:

Layer: 010 Slot: Screen Top Depth: 15 Screen End Depth: Screen Material: Screen Depth UOM: ft

Screen Diameter UOM: inch Screen Diameter:

Water Details

Water ID: 933489271

Layer: Kind Code: 5

Not stated Kind. Water Found Depth: 10 ft Water Found Depth UOM:

Site: Database: **WWIS** con 2 ON

Abandonment Rec:

Order No: 20200511043

Well ID: 1529333 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Commerical Date Received: 2/14/1997 Sec. Water Use: Yes Selected Flag:

Final Well Status: **Observation Wells**

Water Type: 6844 Contractor:

Casing Material: Form Version: 1 169508 Audit No: Owner:

Street Name: Tag:

Construction Method: County: OTTAWA-CARLETON Municipality: **NEPEAN TOWNSHIP** Elevation (m): Elevation Reliability: Site Info:

Depth to Bedrock: Lot: 02 Well Depth: Concession: Overburden/Bedrock: Concession Name: OF

Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

UTM Reliability: Flow Rate:

Clear/Cloudy:

Bore Hole Information

10050869 Bore Hole ID:

DP2BR:

Spatial Status:

Code OB:

Code OB Desc: Overburden

Open Hole:

Cluster Kind:

Date Completed: 12/18/1996

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Overburden and Bedrock

Materials Interval

931072419 Formation ID:

Layer: 2 Color: 2 **GREY** General Color: 05 Mat1: Most Common Material: CLAY Mat2: 91

Other Materials: WATER-BEARING

Mat3:

Other Materials:

Formation Top Depth: 5 Formation End Depth: 18 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

931072418 Formation ID:

Layer: Color: 6 General Color: **BROWN** 28 Mat1: Most Common Material: SAND Mat2: Other Materials: GRAVEL Mat3: 01 **FILL** Other Materials: Formation Top Depth: 0 Formation End Depth: 5 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114310

Layer: 3 Plug From: 7 18 Plug To: Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 933114308

Zone: 18

East83: North83: Org CS:

UTMRC:

UTMRC Desc: unknown UTM

9

Location Method: na

 Layer:
 1

 Plug From:
 0

 Plug To:
 5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114309

 Layer:
 2

 Plug From:
 5

 Plug To:
 7

 Plug Depth UOM:
 ft

Method of Construction & Well

Use

Method Construction ID:6Method Construction:6Method Construction:Boring

Other Method Construction:

Pipe Information

 Pipe ID:
 10599439

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930088798

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To: 18
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933326681

 Layer:
 1

 Slot:
 010

 Screen Top Depth:
 8

 Screen End Depth:
 18

Screen Material:
Screen Depth UOM:
Screen Diameter UOM:
inch
screen Diameter:
2

Water Details

 Water ID:
 933489272

 Layer:
 1

Kind Code: 5

Kind: Not stated
Water Found Depth: 15
Water Found Depth UOM: ft

Site:

con 2 ON Database: WWIS

1529560 Well ID:

Construction Date:

Primary Water Use: Commerical

Sec. Water Use:

Final Well Status: **Observation Wells**

Water Type:

Casing Material:

Audit No: 169523

Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status:

Data Src:

8/12/1997 Date Received: Selected Flag: Yes

Abandonment Rec:

Contractor: 6844 Form Version:

Owner: Street Name:

OTTAWA-CARLETON County: Municipality: **NEPEAN TOWNSHIP**

Site Info:

Lot:

02 Concession: Concession Name: OF

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

10051095 Bore Hole ID:

DP2BR:

Spatial Status:

Code OB:

Code OB Desc:

Overburden Open Hole:

Cluster Kind:

Date Completed: 3/6/1997

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation: Elevrc:

Zone: 18

East83: North83: Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Order No: 20200511043

Location Method: na

Overburden and Bedrock

Materials Interval

Formation ID: 931073139

Layer: Color: 2 General Color: **GREY** Mat1: 05 CLAY Most Common Material: Mat2: 12 Other Materials: **STONES**

Mat3:

Other Materials:

Formation Top Depth: 5 12 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

931073138 Formation ID:

Layer: Color: 6

General Color: **BROWN** 05 Most Common Material: CLAY Mat2:

Other Materials:SANDYMat3:01Other Materials:FILLFormation Top Depth:0Formation End Depth:5Formation End Depth UOM:ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114574

 Layer:
 3

 Plug From:
 5

 Plug To:
 12

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114572

 Layer:
 1

 Plug From:
 0

 Plug To:
 3

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933114573

 Layer:
 2

 Plug From:
 3

 Plug To:
 5

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:6Method Construction:Boring

Other Method Construction:

Pipe Information

Pipe ID: 10599665

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930089190

Layer: 1

Material: 5

Open Hole or Material: PLASTIC

Depth From:
Depth To: 12
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933326719

Layer: 1
Slot: 010
Screen Top Depth: 8
Screen End Depth: 13
Screen Material:
Screen Depth HOM: ft

Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2

Water Details

Water ID: 933489562

Layer: 1 Kind Code: 5

Kind: Not stated

Water Found Depth: 8
Water Found Depth UOM: ft

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

AGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2019

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

AUWR

Order No: 20200511043

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jan 31, 2020

Borehole: Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial

CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities: Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

<u>Chemical Register:</u> Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Feb 2020

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

Order No: 20200511043

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2019

Certificates of Property Use: Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Mar 31, 2020

<u>Drill Hole Database:</u> Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2019

Environmental Activity and Sector Registry:

Provincial **EASR**

Provincial

Provincial

Order No: 20200511043

FCA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Apr 30, 2020

Provincial **Environmental Registry: EBR**

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Mar 31, 2020

Environmental Compliance Approval:

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Apr 30, 2020

Environmental Effects Monitoring:

Federal **EEM**

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

Private ERIS Historical Searches: **EHS**

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jan 31, 2020

Environmental Issues Inventory System:

Federal FIIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Provincial **Environmental Penalty Annual Report: EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2019

List of Expired Fuels Safety Facilities:

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Federal Convictions: Federal FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007

Contaminated Sites on Federal Land:

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Nov 2019

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

FRST

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Order No: 20200511043

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jan 31, 2020

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents:

Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

<u>Canadian Mine Locations:</u> Private MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2020

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

Order No: 20200511043

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports: Provincial NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2018

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Dec 31, 2019

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets 'or Trends 'which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Order No: 20200511043

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 29, 2020

Ontario Oil and Gas Wells:

Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2019

Inventory of PCB Storage Sites:

Provincial OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Mar 31, 2020

<u>Canadian Pulp and Paper:</u> Private PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register: Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: 1988 - Apr 2020

Provincial PINC Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial

PRT

Order No: 20200511043

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water: Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Mar 31, 2020

Ontario Regulation 347 Waste Receivers Summary:

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system

Provincial

or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Provincial Record of Site Condition: **RSC**

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Mar 2020

Private Retail Fuel Storage Tanks: **RST**

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jan 31, 2020

Scott's Manufacturing Directory:

Private

SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills: Provincial SPL

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Aug 2019

Wastewater Discharger Registration Database:

Provincial SRDS

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Anderson's Storage Tanks: Private TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

Order No: 20200511043

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

Variances for Abandonment of Underground Storage Tanks:

Provincial

VAR

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory:

Provincial

WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Apr 30, 2020

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

WWIS

Order No: 20200511043

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Feb 28, 2019

Definitions

<u>Database Descriptions:</u> This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

<u>Detail Report</u>: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

<u>Distance:</u> The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

<u>Direction</u>: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

<u>Elevation:</u> The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX 3

QUALIFICATIONS OF ASSESSORS

Mandy Witteman, B.Eng., M.A.Sc.



POSITION

Intermediate Environmental Engineer

EDUCATION

Carleton University
M.A.Sc., Environmental Engineering, 2013
B.Eng., Environmental Engineering, 2008

MEMBERSHIPS & AWARDS

Ontario Professional Engineers Association (EIT) NSERC Industry R&D Scholarship

EXPERIENCE

2018 - Present

Paterson Group Inc.

Consulting Engineers
Geotechnical and Environmental Division
Environmental Engineer

2014 - 2015

Thurber Engineering Limited

Oil Sand Tailings Group Tailings Engineer

2009 - 2014

Carleton University

Department of Civil & Environmental Engineering Research Engineer, Research Assistant & Teaching Assistant

2008 - 2009

SLR Consulting Limited

Contaminated Sites
Junior Environmental Engineer

SELECTED LIST OF PROJECTS

Phase I & II Environmental Site Assessments – NRC, Kingston Remediation – National Capital Region, Saskatchewan Multi-lift and dry-stacking pilot programs – Northern Alberta Polymer amended oil sand tailings – Northern Alberta Hydraulic cut-off wall – Allen, Saskatchewan Cemented paste backfill systems – Northern Ontario

Mark S. D'Arcy, P. Eng.

patersongroup

Geotechnical Engineering

Environmental Engineering

Hydrogeology

Geological Engineering

Materials Testing

Building Science

Archaeological Services

POSITION

Associate and Supervisor of the Environmental Division Senior Environmental/Geotechnical Engineer

EDUCATION

Queen's University, B.A.Sc.Eng, 1991 Geotechnical / Geological Engineering

MEMBERSHIPS

Ottawa Geotechnical Group Professional Engineers of Ontario

EXPERIENCE

1991 to Present

Paterson Group Inc.

Associate and Senior Environmental/Geotechnical Engineer Environmental and Geotechnical Division Supervisor of the Environmental Division

SELECT LIST OF PROJECTS

Mary River Exploration Mine Site - Northern Baffin Island

Agricultural Supply Facilities - Eastern Ontario

Laboratory Facility – Edmonton (Alberta)

Ottawa International Airport - Contaminant Migration Study - Ottawa

Richmond Road Reconstruction - Ottawa

Billings Hurdman Interconnect - Ottawa

Bank Street Reconstruction - Ottawa

Environmental Review - Various Laboratories across Canada - CFIA

Dwyer Hill Training Centre - Ottawa

Nortel Networks Environmental Monitoring - Carling Campus - Ottawa

Remediation Program - Block D Lands - Kingston

Investigation of former landfill sites - City of Ottawa

Record of Site Condition for Railway Lands - North Bay

Commercial Properties - Guelph and Brampton

Brownfields Remediation - Alcan Site - Kingston

Montreal Road Reconstruction - Ottawa

Appleford Street Residential Development - Ottawa

Remediation Program - Ottawa Train Yards

Remediation Program - Bayshore and Heron Gate

Gladstone Avenue Reconstruction – Ottawa

Somerset Avenue West Reconstruction - Ottawa