

TREES TO BE PRESERVED (35 TOTAL)

GENERAL INFORMATION		SIZE		HEALTH & CONDITION			RECOMMENDATIONS					
ID #	BOTANICAL NAME COMMON NAME	LOCATION/ OWNERSHIP	DBH (cm)	CMPTY RADIIUS (m)	DOWNY CONDITION	STRUCTURAL FORM	COMMENTS	EXPECTED CONSTRUCTION IMPACT (CRZ = critical root zone)	PRESERVE OR REMOVE	NOTES IMPACT MITIGATION CONSENT REQUIREMENTS		
TREES WITHIN PRIVATE PROPERTY ADJACENT TO SUBJECT SITE (10)												
204	Ulmus spp	Elm	171 Old Montreal Rd	25	3	5	good	low crown	none	preserve	none	
202	Quercus macrocarpa	Bar Oak	171 Old Montreal Rd	14	2	5	good	low branched	none	preserve	none	
205	Quercus macrocarpa	Bar Oak	171 Old Montreal Rd	12	2	5	fair	low branched	none	preserve	none	
21	Quercus macrocarpa	Bar Oak	888 LaTouche St	8-20	5	5	fair	Multistem 5, dense crown	approx. 20% of critical root zone expected to be removed	preserve	tree protection barrier	
59	Quercus macrocarpa	Bar Oak	895 Old Montreal Rd	21	3	4	fair	good	low branched	preserve	tree protection barrier	
84	Quercus macrocarpa	Bar Oak	171 Old Montreal Rd	42	5	5	fair	epicormic growth	approx. 5% of critical root zone expected to be removed	preserve	tree protection barrier	
85	Quercus macrocarpa	Bar Oak	171 Old Montreal Rd	48	7	5	poor	codominant leaders, trunk cavity at line leader	less than 5% of critical root zone expected to be removed	preserve	tree protection barrier	
86	Quercus macrocarpa	Bar Oak	171 Old Montreal Rd	8	3	5	fair	good	none	preserve	tree protection barrier	
89	Quercus macrocarpa	Bar Oak	171 Old Montreal Rd	28	6	5	fair	good	unbranched crown	approx. 5% of critical root zone expected to be removed	preserve	tree protection barrier
92	Quercus macrocarpa	Bar Oak	171 Old Montreal Rd	22	4	5	good	suppressed	approx. 5% of critical root zone expected to be removed	preserve	tree protection barrier	

MUNICIPAL TREES (25)

204	Acer rubrum	Red Maple	City ROW - Familie Lacoste Ave	5	1	2	poor	blvd. significant trunk damage and decay	none	preserve	none	
205	Acer rubrum	Red Maple	City ROW - Familie Lacoste Ave	8	1.5	5	good	good	blvd. suckering from base, low crown	none	preserve	none
206	Quercus rubra	Red Oak	City ROW - Familie Lacoste Ave	5	1.25	5	good	good	blvd. low crown	none	preserve	none
207	Celtis occidentalis	Hackberry	City ROW - Familie Lacoste Ave	5	1.25	5	good	good	blvd. full form	none	preserve	tree protection fence
21	Acer rubrum	Red Maple	City ROW - Familie Lacoste Ave	7	1	3	poor	blvd. dead leader, entire 'crown' is epicormic growth	none	preserve	none	
202	Quercus rubra	Red Oak	City ROW - Familie Lacoste Ave	6	1	4	fair	fair	blvd. basal damage, dead wood	none	preserve	none
203	Celtis occidentalis	Hackberry	City ROW - Familie Lacoste Ave	8	1	5	good	good	blvd. basal damage	none	preserve	none
204	Acer saccharum	Sugar Maple	City ROW - Familie Lacoste Ave	3	0.5	5	fair	fair	blvd. basal damage, early leaf damage	none	preserve	none
205	Quercus rubra	Red Oak	City ROW - Familie Lacoste Ave	7	1.25	5	good	good	blvd. unbranched crown	none	preserve	none
206	Acer saccharum	Sugar Maple	City ROW - Familie Lacoste Ave	4	0.75	5	fair	fair	blvd. narrow form	none	preserve	none
207	Acer rubrum	Red Maple	City ROW - Familie Lacoste Ave	9	1.25	5	fair	fair	blvd. suckering from base, sealing vertical trunk wound	none	preserve	none
208	Acer rubrum	Red Maple	City ROW - Familie Lacoste Ave	4	0.5	5	fair	fair	blvd. trunk wounds	none	preserve	none
209	Acer rubrum	Red Maple	City ROW - Familie Lacoste Ave	9	1.5	5	fair	fair	blvd. significant suckering from base	none	preserve	none
210	Quercus rubra	Red Oak	City ROW - Familie Lacoste Ave	8	2	5	fair	fair	blvd. minor basal damage, 3 leaders	none	preserve	none
211	Acer rubrum	Red Maple	City ROW - Familie Lacoste Ave	8	2.25	5	fair	fair	blvd. suckering from base, basal wound, diminished leader	none	preserve	none
212	Acer saccharum	Sugar Maple	City ROW - Familie Lacoste Ave	6	1.5	5	good	good	blvd. basal wound	none	preserve	none
213	Quercus rubra	Red Oak	City ROW - Familie Lacoste Ave	6	1.25	5	good	good	blvd. full form	none	preserve	none
215	Quercus rubra	Red Oak	City ROW - Familie Lacoste Ave	7	1	1	poor	poor	blvd. central leader dead and gone, all remaining living stems are suckers from base	none	preserve	none
216	Acer saccharum	Sugar Maple	City ROW - Familie Lacoste Ave	7	1.25	5	good	good	blvd. full form	none	preserve	none
217	Acer rubrum	Red Maple	City ROW - Familie Lacoste Ave	9	1.5	5	good	good	blvd. basal wound, sealed vertical wounds	none	preserve	none
218	Quercus rubra	Red Oak	City ROW - Familie Lacoste Ave	7	1.5	5	fair	good	blvd. minor basal wound	none	preserve	none
219	Celtis occidentalis	Hackberry	City ROW - Familie Lacoste Ave	10	1.5	5	fair	good	blvd. full form	none	preserve	none
210	Acer rubrum	Red Maple	City ROW - Familie Lacoste Ave	10	2	5	fair	good	blvd. minor suckering from base, diminished leader	none	preserve	none
211	Quercus rubra	Red Oak	City ROW - Familie Lacoste Ave	7	2	5	fair	good	blvd. curved leader	none	preserve	none
212	Acer saccharum	Sugar Maple	City ROW - Familie Lacoste Ave	7	1.5	5	good	good	blvd. minor trunk wounds	none	preserve	none

REFER TO TREE CONSERVATION REPORT FOR ADDITIONAL INFORMATION AND DETAIL ABOUT THE INVENTORY AND ASSESSMENT PROCESS

TREES TO BE REMOVED (100 TOTAL)

GENERAL INFORMATION		SIZE		HEALTH & CONDITION			RECOMMENDATIONS						
ID #	BOTANICAL NAME COMMON NAME	LOCATION/ OWNERSHIP	DBH (cm)	CMPTY RADIIUS (m)	DOWNY CONDITION	STRUCTURAL FORM	COMMENTS	EXPECTED CONSTRUCTION IMPACT (CRZ = critical root zone)	PRESERVE OR REMOVE	NOTES IMPACT MITIGATION CONSENT REQUIREMENTS			
TREES WITHIN SUBJECT SITE (90)													
1	Quercus macrocarpa	Bar Oak	Subject site	10	2	5	fair	good	conflict with proposed site plan and grading	remove	none		
2	Quercus macrocarpa	Bar Oak	Subject site	20	4	5	fair	fair	Multistem 2, primary union at above grade	conflict with proposed site plan and grading	remove	none	
3	Quercus macrocarpa	Bar Oak	Subject site	15	4	5	fair	good	good	conflict with proposed site plan and grading	remove	none	
4/5/6	Quercus macrocarpa	Bar Oak	Subject site	25, 20, 15	5	5	fair	good	Multistem 4, primary union at grade	conflict with proposed site plan and grading	remove	none	
7	Quercus macrocarpa	Bar Oak	Subject site	23	4	5	fair	good	Multistem 2, primary union at above grade	conflict with proposed site plan and grading	remove	none	
8	Quercus macrocarpa	Bar Oak	Subject site	15	2	5	fair	good	good	conflict with proposed site plan and grading	remove	none	
9	Quercus macrocarpa	Bar Oak	Subject site	28, 20, 14	6	5	fair	fair	Multistem 3, included bank at primary union	conflict with proposed site plan and grading	remove	none	
10	Quercus macrocarpa	Bar Oak	Subject site	20, 20	4	5	fair	fair	Multistem 2, included bank at primary union	conflict with proposed site plan and grading	remove	none	
11	Quercus macrocarpa	Bar Oak	Subject site	29	4	5	fair	fair	codominant leaders with included bank, primary union at 1.5m from grade	conflict with proposed site plan and grading	remove	none	
12	Quercus macrocarpa	Bar Oak	Subject site	29	4	5	fair	fair	codominant leaders with included bank, primary union at 1.5m from grade	conflict with proposed site plan and grading	remove	none	
13	Quercus macrocarpa	Bar Oak	Subject site	25, 21	6	5	fair	fair	Multistem 2, included bank at primary union, low branched	conflict with proposed site plan and grading	remove	none	
14	Ulmus spp	Elm	Subject site	22	3	5	fair	good	good	conflict with proposed site plan and grading	remove	none	
15	Quercus macrocarpa	Bar Oak	Subject site	12, 18	3	4	poor	Multistem 2, basal rot	conflict with proposed site plan and grading	remove	none		
16	Quercus macrocarpa	Bar Oak	Subject site	19	6	5	fair	good	unbranched crown	conflict with proposed site plan and grading	remove	none	
17	Quercus macrocarpa	Bar Oak	Subject site	25, 12, 9	5	5	fair	fair	Multistem 5, included bank at primary union	conflict with proposed site plan and grading	remove	none	
18	Quercus macrocarpa	Bar Oak	Subject site	25, 19	5	5	fair	fair	Multistem 5	conflict with proposed site plan and grading	remove	none	
19	Quercus macrocarpa	Bar Oak	Subject site	25, 9	3	5	fair	fair	Multistem 2, low branched	conflict with proposed site plan and grading	remove	none	
20	Quercus macrocarpa	Bar Oak	Subject site	15	2	4	fair	fair	low branched, dead wood	conflict with proposed site plan and grading	remove	none	
22	Quercus macrocarpa	Bar Oak	Subject site	16	3	5	fair	good	unbranched crown, suppressed	conflict with proposed site plan and grading	remove	none	
23	Quercus macrocarpa	Bar Oak	Subject site	7	1.5	5	fair	good	unbranched crown, suppressed	conflict with proposed site plan and grading	remove	none	
24	Quercus macrocarpa	Bar Oak	Subject site	14	2	5	fair	fair	codominant leaders	conflict with proposed site plan and grading	remove	none	
25	Quercus macrocarpa	Bar Oak	Subject site	8	4	5	fair	good	unbranched crown	conflict with proposed site plan and grading	remove	none	
26	Quercus macrocarpa	Bar Oak	Subject site	10	4	5	fair	fair	unbranched crown, bent leader	conflict with proposed site plan and grading	remove	none	
27	Quercus macrocarpa	Bar Oak	Subject site	8	2	5	fair	good	suppressed	conflict with proposed site plan and grading	remove	none	
28	Quercus macrocarpa	Bar Oak	Subject site	9	3	5	fair	good	brush-piled against trunk	conflict with proposed site plan and grading	remove	none	
29	Quercus macrocarpa	Bar Oak	Subject site	21	18	6	5	fair	fair	Multistem 2, included bank at primary union	conflict with proposed site plan and grading	remove	none
30	Quercus macrocarpa	Bar Oak	Subject site	14	3	5	fair	good	unbranched crown	conflict with proposed site plan and grading	remove	none	
31	Quercus macrocarpa	Bar Oak	Subject site	8	3	5	fair	good	curved leader	conflict with proposed site plan and grading	remove	none	
32	Quercus macrocarpa	Bar Oak	Subject site	9	2	5	fair	good	suppressed	conflict with proposed site plan and grading	remove	none	
33	Quercus macrocarpa	Bar Oak	Subject site	10	2	5	fair	good	fixed at base with tree #14	conflict with proposed site plan and grading	remove	none	
34	Quercus macrocarpa	Bar Oak	Subject site	14	2.5	5	fair	good	fixed at base with tree #15	conflict with proposed site plan and grading	remove	none	
35	Quercus macrocarpa	Bar Oak	Subject site	16	3	5	fair	good	unbranched crown	conflict with proposed site plan and grading	remove	none	
36/37	Quercus macrocarpa	Bar Oak	Subject site	25, 25	5	5	fair	fair	Multistem 2, primary union at above grade	conflict with proposed site plan and grading	remove	none	
38	Quercus macrocarpa	Bar Oak	Subject site	17, 6	4	5	fair	fair	Multistem 2, unbranched crown	conflict with proposed site plan and grading	remove	none	
39	Quercus macrocarpa	Bar Oak	Subject site	8	4	5	fair	fair	low large scaffold branch	conflict with proposed site plan and grading	remove	none	
40	Quercus macrocarpa	Bar Oak	Subject site	10	4	5	fair	fair	diminished leader	conflict with proposed site plan and grading	remove	none	
41	Quercus macrocarpa	Bar Oak	Subject site	21, 9	5	5	fair	fair	Multistem 2, suppressed	conflict with proposed site plan and grading	remove	none	

GENERAL INFORMATION		SIZE		HEALTH & CONDITION			RECOMMENDATIONS					
ID #	BOTANICAL NAME COMMON NAME	LOCATION/ OWNERSHIP	DBH (cm)	CMPTY RADIIUS (m)	DOWNY CONDITION	STRUCTURAL FORM	COMMENTS	EXPECTED CONSTRUCTION IMPACT (CRZ = critical root zone)	PRESERVE OR REMOVE	NOTES IMPACT MITIGATION CONSENT REQUIREMENTS		
42	Ulmus spp	Elm	Subject site	20	2.5	5	fair	good	good	conflict with proposed site plan and grading	remove	none
43	Quercus macrocarpa	Bar Oak	Subject site	10	3	5	fair	good	suppressed	conflict with proposed site plan and grading	remove	none
44/45	Quercus macrocarpa	Bar Oak	Subject site	12, 12	3	5	fair	good	Multistem 2, primary union at grade	conflict with proposed site plan and grading	remove	none
46	Tilia americana	Basswood	Subject site	21, 12, 9, 5, 4	5	4	fair	fair	Multistem 4, primary union at grade, minor sap sucker trunk damage	conflict with proposed site plan and grading	remove	none
47	Quercus macrocarpa	Bar Oak	Subject site	10	2	5	fair	good	suppressed	conflict with proposed site plan and grading	remove	none
48	Quercus macrocarpa	Bar Oak	Subject site	10	2	5	fair	good	suppressed	conflict with proposed site plan and grading	remove	none
49	Quercus macrocarpa	Bar Oak	Subject site	18, 18, 18, 17, 17, 18, 8	6	5	fair	fair	Multistem 7, primary union at and just above grade	conflict with proposed site plan and grading	remove	none
50/51	Quercus macrocarpa	Bar Oak	Subject site	24, 21, 17	5	4	fair	fair	Multistem 3, 100% stem is dead with grading chain around it at 1.5m from grade, primary union below grade	conflict with proposed site plan and grading	remove	none
52	Quercus macrocarpa	Bar Oak	Subject site	17	3	4	poor	hazard	significant trunk cavity (damage through trunk) and trunk bulge	conflict with proposed site plan and grading	remove	none
53	Quercus macrocarpa	Bar Oak	Subject site	15	3	4	fair	good	Trunk fused to tree #52	conflict with proposed site plan and grading	remove	none
54/55	Quercus macrocarpa	Bar Oak	Subject site	16, 6	3	5	fair	fair	Multistem 2, primary union at grade	conflict with proposed site plan and grading	remove	none
56/57	Quercus macrocarpa	Bar Oak	Subject site	12, 12	3	5	fair	fair	Multistem 2, primary union at grade	conflict with proposed site plan and grading	remove	none
60	Quercus macrocarpa	Bar Oak	Subject site	19	2	4	fair	good	codominant leaders	conflict with proposed site plan and grading	remove	none
61/62	Quercus macrocarpa	Bar Oak	Subject site	18, 15	3	5	fair	fair	Multistem 2, primary union at above grade	conflict with proposed site plan and grading	remove	none
63	Quercus macrocarpa	Bar Oak	Subject site	18	2	5	fair	good	good	conflict with proposed site plan and grading	remove	none
64	Fraxinus spp	Ash	Subject site	11	3	4	poor	poor	Visible EAB galleries, bark splitting	conflict with proposed site plan and grading	remove	none
65	Quercus macrocarpa	Bar Oak	Subject site	15	1.5	5	fair	good	Adjacent to large compost pile	conflict with proposed site plan and grading	remove	none
66	Quercus macrocarpa	Bar Oak	Subject site	18	1.5	5	fair	good	Adjacent to large compost pile	conflict with proposed site plan and grading	remove	none
67	Quercus macrocarpa	Bar Oak	Subject site	17	4	5	fair	good	Adjacent to large compost pile	conflict with proposed site plan and grading	remove	none
68	Quercus macrocarpa	Bar Oak	Subject site	18	4	5	fair	good	Adjacent to large compost pile, progressive crown	conflict with proposed site plan and grading	remove	none
69/71	Quercus macrocarpa	Bar Oak	Subject site	12, 12	3	5	fair	good	Multistem 2, primary union below grade	conflict with proposed site plan and grading	remove	none
70	Quercus macrocarpa	Bar Oak	Subject site	18	2	5	fair	good	Adjacent to large compost pile	conflict with proposed site plan and grading	remove	none</