Geotechnical Engineering

Environmental Engineering

Hydrogeology

Geological Engineering

Materials Testing

Building Science

Archaeological Services

Paterson Group Inc.

Consulting Engineers 154 Colonnade Road South Ottawa (Nepean), Ontario Canada K2E 7J5

Tel: (613) 226-7381 Fax: (613) 226-6344 www.patersongroup.ca

patersongroup

Phase I - Environmental Site Assessment

201 Friel Street Ottawa, Ontario

Prepared For

Ottawa Community Housing Corporation

June 29, 2017

Report: PE4033-1



TABLE OF CONTENTS

EXE	CUTIV	'E SUMMARY	i
1.0	INTR	RODUCTION	1
2.0	PHAS	SE I PROPERTY INFORMATION	2
3.0	SCO	PE OF INVESTIGATION	3
4.0	RECORDS REVIEW		
	4.1	General	4
	4.2	Environmental Source Information	6
	4.3	Physical Setting Sources	10
5.0	INTE	RVIEWS	13
6.0	SITE	RECONNAISSANCE	14
	6.1	General Requirements	14
	6.2	Specific Observations at Phase I Property	14
7.0	REVIEW AND EVALUATION OF INFORMATION		
	7.1	Land Use History	16
	7.2	Conceptual Site Model	19
8.0	CON	CLUSIONS	21
9.0	STAT	TEMENT OF LIMITATIONS	22
10.0	REF	ERENCES	23

List of Figures

Figure 1 - Key Plan

Figure 2 - Topographic Map

Drawing PE4033-1 - Site Plan

Drawing PE4033-2 - Surrounding Land Use Plan

List of Appendices

Appendix 1 Topographic Plan

Aerial Photographs Site Photographs

Appendix 2 MOECC Freedom of Information Response

City of Ottawa HLUI Response

TSSA Report FS 61829 MOECC Well Records

Appendix 3 Qualifications of Assessors



EXECUTIVE SUMMARY

Assessment

A Phase I – Environmental Site Assessment was carried out for part of the property addressed 201 Friel Street, in the City of Ottawa, Ontario. The purpose of this environmental assessment was to research the past and current use of the subject site and neighbouring properties and identify any environmental concerns with the potential to have impacted the subject property.

Based on a review of historical sources, the subject property was first developed prior to 1891 with a residential dwelling. At that time the property was addressed 134 Chapel Street. The residential dwelling was removed circa 1965 and the present-day parking structure was completed by 1976. No environmental concerns were identified with respect to the historical use of the subject site.

The area of the subject site has been developed since before 1900. Many properties in the area have undergone redevelopment with new residential or commercial buildings since that time. A total of seventeen potentially contaminating activities were identified for properties within the Phase I-ESA study area. None of these potentially contaminating activities were considered to represent an area of potential environmental concern for the subject site.

Following the historical review a site visit was conducted. The site is currently occupied by a two level concrete parking structure, with one underground level and one aboveground level, for the residential apartment building at 201 Friel Street. Neighbouring property use is generally commercial, institutional and residential. No additional potentially contaminating activities were identified during the site visit.

Conclusion

Based on the results of this Phase I - Environmental Site Assessment, it is our opinion that a Phase II - Environmental Site Assessment is not required for the property.



1.0 INTRODUCTION

At the request of Ottawa Community Housing Corporation, Paterson Group (Paterson) conducted a Phase I Environmental Site Assessment (Phase I ESA) for the eastern portion of 201 Friel Street, in the City of Ottawa, Ontario. The purpose of this Phase I ESA was to research the past and current use of the site and Phase I-ESA study area and to identify any environmental concerns with the potential to have impacted the subject property.

Paterson was engaged to conduct this Phase I ESA by Mr. Barron Meyerhoffer of Ottawa Community Housing Corporation. Mr. Meyerhoffer can be reached by mail at 731 Chapel Street, Ottawa, Ontario.

This report has been prepared specifically and solely for the above noted project which is described herein. It contains all of our findings and results of the environmental conditions at this site.

This Phase I-ESA report has been prepared in general accordance with Ontario Regulation 153/04 as amended by O.Reg. 269/11 (Environmental Protection Act), and also complies with the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I - ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.





2.0 PHASE I PROPERTY INFORMATION

Address: 201 Friel Street, Ottawa, Ontario.

Legal Description: Part 1 and Part of Parts 2 and 4, Registered Plan 4R-

826, City of Ottawa.

Property Identification

Number: 04213-0179.

Location: The subject site is located to the south of Beausoleil

Drive and to the west of Chapel Street, in the City of Ottawa, Ontario. For the purpose of this report, Friel Street is considered to run in a north-south direction. The subject site is shown on Figure 1 - Key Plan

following the body of this report.

Latitude and Longitude: 45° 25' 53" N, 75° 40' 55" W.

Site Description:

Configuration: Rectangular.

Site Area: Approximately 1,100 m².

Zoning: R5B – Residential Fifth Density Zone.

Current Use: The subject site is currently occupied by a

condemned two level parking garage (one above and one below ground), which formerly serviced the

residential apartment building at 201 Friel Street.

Services: The subject site is located in a municipally serviced

area.



3.0 SCOPE OF INVESTIGATION

The scope of work for this Phase I – Environmental Site Assessment was as follows:

- Determine the historical activities on the subject site and Phase I-ESA study area by conducting a review of readily available records, reports, photographs, plans, mapping, databases and regulatory agencies;
- Investigate the existing conditions present at the subject site and Phase I-ESA study area by conducting site reconnaissance;
- Conduct interviews with persons knowledgeable of current and historic operations on the subject property, and if warranted, neighbouring properties;
- Present the results of our findings in a comprehensive report in general accordance with the requirements of Ontario Regulation 269/11 amending O.Reg. 153/04 made under the Environmental Protection Act and in compliance with the requirements of CSA Z768-01;
- Provide a preliminary environmental site evaluation based on our findings;
- Provide preliminary remediation recommendations and further investigative work if contamination is suspected or encountered.



4.0 RECORDS REVIEW

4.1 General

Phase I-ESA Study Area Determination

A radius of approximately 250 m (beyond the property boundary) was determined to be appropriate as a Phase I-ESA study area for this assignment. Properties outside the 250 m radius are not considered to have impacted the subject land, based on their significant distance from the site.

First Developed Use Determination

The subject property was observed in the 1922 aerial photographs as utilized for residential purposes, with a single residential dwelling. Based on the directories, the previous site address (134 Chapel Street) was listed as early as 1891 as a residential dwelling. No earlier data is available for the subject site. The use of the subject site as a residential dwelling is considered to be the first developed use of the subject property.

Fire Insurance Plans

Fire insurance plans (FIPs) from 1956 were reviewed for the area of the subject property. The property now addressed 201 Friel Street was occupied by four duplex or triplex dwellings and two single family dwellings in the 1956 FIPs. The subject site (the eastern portion of 201 Friel Street) was occupied by a single family dwelling (addressed 134 Chapel Street at that time) and a detached private garage. Neighbouring properties were all residential with the exception of the synagogue to the east of the subject site, across Chapel Street. Beausoleil Drive (to the north of the site) was not constructed at this time.

Retail fuel outlets with underground storage tanks (USTs) were observed at 481 Rideau Street, approximately 140 m to the southeast, and at 490 Rideau Street, approximately 200 m to the southeast. A OTC bus garage was identified at 110-116 Cobourg Street, approximately 170 m to the east of the subject site and an automotive service garage at 402-404 Rideau Street, approximately 115 m to the southwest of the subject site.

Based on the separation distances from the subject site, none of the properties associated with the potentially contaminating activities listed above are considered to represent areas of potential environmental concern for the subject site.



City of Ottawa Street Directories

City directories at the National Archives were reviewed in approximate 10 year intervals from 1865 to 2011 as part of the Phase I ESA. The subject property was listed as early as 1891 as a residential dwelling (Lapierre, E.) as 134 Chapel Street. The subject property was listed as residential until 1947 when the listing was Ottawa benevolent Hebrew society (and a family name residence). The address 134 Chapel Street was not listed by 1965. The address 201 Friel Street has always been listed as residential since 1907. Apartments were listed at 201 Friel Street since 1987. No concerns were noted regarding the city directories reviewed regarding the subject site.

Several Potentially Contaminating Activities (PCA) were identified at properties within the Phase I-ESA. These PCAs are summarized in Table 1 below.

Table 1: City Directories Summary – PCAs in Phase I-ESA Study Area					
Address	Listed Activity (years listed)	Distance / Orientation from site	Potential Environmental Concern (Y / N)		
106, 110-116 Cobourg Street	OTC Streetcar Barn (1920s-1940s)	170 m east	N		
329/333 Rideau Street	Retail fuel outlet (1900s-1980s)	230 m southwest	N		
351-357 Rideau Street	Retail fuel outlet and automotive service garage (1900s-1950s)	170 m southwest	N		
375 Rideau Street	Dry Cleaner (1970s-2000s)	160 m southwest	N		
391 Rideau Street	Vail's Fabric Care, dry cleaners (1957-1976)	100 m southwest	N		
400-402 Rideau Street	Autobody shop (1920s-1967)	115 m southwest	N		
430-432 Rideau Street	Commercial Printers Ltd. (1967)	105 m south	N		
450 Rideau Street	Retail fuel outlet (1961-1980)	110 m south	N		
478½ Rideau Street	Parker Cleaners, dry cleaners (1940s-1960s)	160 m southeast	N		
481 Rideau Street	Retail fuel outlet and automotive service garage (1950s-2000s)	140 m southeast	N		
497 Rideau Street	Craig Cleaners, dry cleaners (1960s-1990s)	190 m southeast	N		

Based on the separation distances from the subject site, none of the properties associated with the potentially contaminating activities listed above are considered to represent areas of potential environmental concern for the subject site.



Environmental Reports

Paterson has conducted various environmental assessments in the area of the subject site. A review of these reports identified a number of off-site potentially contaminating activities along Rideau Street, none of which were considered to be a concern for the subject site. No previous environmental reports were available for the subject site.

Plan of Survey

Paterson was provided with a Topographic Plan of the subject site, prepared by Farley, Smith and Denis Surveying Ltd., dated April 10, 2017. The plan includes the properties addressed 200 and 201 Friel Street in their entirety. The subject site consists of the eastern portion of 201 Friel Street, which is depicted as underground parking garage with an entrance lane on the east side from Chapel Street. A copy of the plan is included in Appendix 1 of this report.

4.2 Environmental Source Information

Environment Canada

A search of the National Pollutant Release Inventory (NPRI) was conducted electronically on May 2, 2017. The subject site is not listed in the NPRI database. There are no properties registered in the NPRI database within the Phase I-ESA study area.

PCB Inventory

A search of national PCB waste storage sites was conducted. No PCB waste storage sites were identified within the Phase I-ESA study area.

Ontario Ministry of Environment and Climate Change (MOECC) Instruments

A request was submitted to the MOECC Freedom of Information office for information with respect to certificates of approval, permits to take water, certificates of property use or any other similar MOECC issued instruments for the site. The response from the MOECC identified one record for a certificate of approval of a standby diesel generator, dated February 2004. No other records were identified responsive to the request.



MOECC Coal Gasification Plant Inventory

The Ontario Ministry of Environment document titled "Municipal Coal Gasification Plant Site Inventory, 1991" was reviewed to reference the locations of former plants with respect to the site. No coal gasification plants were identified within the Phase I-ESA study area.

MOECC Incident Reports

A request was submitted to the MOECC Freedom of Information office for information with respect to records concerning environmental incidents, orders, offences, spills, discharges of contaminants or inspections maintained by the MOECC for the site or adjacent properties. The response from the MOECC indicates that no incident records were identified responsive to the request.

MOECC Waste Management Records

A request was submitted to the MOECC Freedom of Information office for information with respect to waste management records. Applicable information of current and historical waste storage locations, waste generators and waste receivers pursuant to Ontario Regulation 347 was considered in this review. The response from the MOECC indicates that no waste management records were identified responsive to the request.

MOECC Submissions

A request was submitted to the MOECC Freedom of Information office for information with respect to reports related to environmental conditions that have been submitted to the MOECC. The response from the MOECC indicates that no other records were identified responsive to the request.

MOECC Brownfields Environmental Site Registry

A search of the MOECC Brownfields Environmental Site Registry was conducted as part of this assessment for the site, neighbouring properties and the general area of the site. One RSC was listed for 481 Rideau Street, located approximately 140 m to the southeast. Based on the RSC, no remedial action was required for soil or groundwater at the property. Based on the distance and the details of the listing, no concerns were identified with respect to the RSC listing. No other RSC listings were identified within the Phase I-ESA study area



MOECC Waste Disposal Site Inventory

The Ontario Ministry of Environment document titled "Waste Disposal Site Inventory in Ontario, 1991" was reviewed as part of the historical research. This document includes all recorded active and closed waste disposal sites, industrial manufactured gas plants and coal tar distillation plants in the Province of Ontario. No former waste disposal sites were identified within the Phase I-ESA study area.

Areas of Natural Significance

A search for areas of natural significance and features within the Phase I-ESA study area was conducted on the web site of the Ontario Ministry of Natural Resources (MNR). The search did not reveal any natural features or areas of natural significance within the Phase I-ESA study area.

Technical Standards and Safety Authority (TSSA)

The TSSA, Fuels Safety Branch in Toronto was contacted electronically on May 11, 2017 to inquire about current and former underground storage tanks, spills and incidents for the site and neighbouring properties. The response from the TSSA indicated that there were no records for the subject site. The TSSA response indicated that there are records for three active underground storage tanks at the Bell Canada property, located at 393 Rideau Street. A copy of the records was requested and the records were issued on June 22, 2017.

The report indicated that the three tanks are fibreglass construction, their location is not included in the report. The first tank is a double walled fibreglass fuel oil underground storage tank installed in 2005 with a capacity of 15,000 L. The second tank is a double walled fibreglass fuel oil underground storage tank installed in 2006 with a capacity of 15,000 L. The third tank is a single walled fibreglass fuel oil underground storage tank installed in 1992 with a capacity of 22,640 L. The presence of these tanks is considered to represent a potentially contaminating activity on the Bell Canada property, addressed 393 Rideau Street. Based on the cross-gradient location of this property, these tanks are not considered to represent an area of potential environmental concern for the subject site. A copy of the TSSA report is included in Appendix 2.

City of Ottawa Landfill Document

The document entitled "Old Landfill Management Strategy, Phase I – Identification of Sites, City of Ottawa", was reviewed. No former waste disposal sites were located within the Phase I-ESA study area.



City of Ottawa Historical Land Use Inventory (HLUI) Database

A request for information from the City's Historical Land Use Inventory (HLUI 2005) database for the subject property was submitted to the City of Ottawa. The response from the City did not identify any activities associated with the subject site. A total of 13 activities were identified on neighbouring properties in the vicinity of the subject site. One of these listings (the autobody shop at 217 Friel Street) is not considered to be accurate, based on aerial photographs, city directories and fire insurance plans. The activities included an autobody shop, an automotive service garages, a drywall contractor, two schools, a clinic/hospital, a building material store, a printers, a canning plant, an electric sign business, a dry cleaners and Bell Canada.

The automotive service garage located approximately 150 m northwest at 105 Nelson Street (1922-1970), the dry cleaners located 75 m southwest at 391 Rideau Street (1960-1970), the Bell Canada property located 20 m southwest at 393 Rideau Street (2000-2005), and the commercial printers located 50 m south at 425 Rideau Street (circa 1998), are considered to be potentially contaminating activities. None of these properties are considered to represent an area of potential environmental concern for the subject site based on the their crossgradient location, distance from the subject site, and the significant redevelopment of the property to the south of the subject site.

Former Industrial Sites

The report entitled "Mapping and Assessment of Former Industrial Sites, City of Ottawa" was also reviewed. The subject site was not listed in the database of former industrial sites. Two former industrial sites were identified within the Phase I-ESA study area. Site #139 was located at 96 Nelson Street, approximately 235 m west of the subject site, and operated between 1920 and 1950 as Ottawa Iron Works. Site #159 was located at 98 Friel Street, approximately 240 m to the northwest of the subject site, and operated between 1865 and 1880 as City Tannery. Based on the significant distances from the subject site and down or cross-gradient locations, these properties are not considered to represent an area of potential environmental concern to the subject site.



4.3 Physical Setting Sources

Aerial Photographs

Historical air photos from the National Air Photo Library were reviewed in approximate ten (10) year intervals. The review period dates back to the first available air photos for the site. Based on the review, the following observations have been made:

1922

The subject site is occupied by a residential dwelling on the northeast portion of the site, sheds and garages along the northern property boundary and a wood pile along the south and southwestern portion of the subject site. Neighbouring properties appear to be generally residential, with a school further to the north of the subject site. Some of the properties along Rideau Street are expected to be utilized for commercial purposes. Chapel Street is present to the east of the subject site and Friel Street is present further to the west of the subject site.

1951

Based on the scale and resolution of the photograph, no specific details can be determined regarding the subject site. Neighbouring properties in the area of the subject site appear generally consistent with the 1922 photograph, with the exception of the synagogue developed to the east of the subject site, across Chapel Street.

1968

The subject site appears to be occupied by the same residential dwellings, however, tree coverage obstructs the view of the residence and the southern portion of the property. The garages/sheds located on the northwestern portion of the property appear to have been removed and a few vehicles are parking in this area. The synagogue to the east has increased in size and properties along Rideau Street appear to be more commercial than previously noted, particularly to the west of the subject site.

1973

The subject site is vacant and utilized for parking at this time. The land to the northeast, southwest, west and northwest is now vacant and significant redevelopment of the land is underway. Further to the north and northwest new townhouses are present. Beausoleil Drive has been developed to the north of the subject site and the northern extents of Friel and Chapel Streets are now cul-de-sacs.

Ottawa, Ontario



	The neighbouring property to the south has been redeveloped with a residential tower.
1984	The subject site has been developed with the present day parking garage structure. The neighbouring property to the west has been developed with the present day apartment building. The property further to the northeast has been redeveloped with a school. Properties further to the west and northwest are fully redeveloped with apartments and townhouses.
1993	No changes appear to have been made to the subject site. The neighbouring property to the southwest has been redeveloped with a commercial office building. No other significant changes appear to have been made to the neighbouring properties.
2002	(City of Ottawa Website) No significant changes appear to have been made to the subject site. Increased commercial property use is present along Rideau Street.
2014	(City of Ottawa Website) No significant changes have been made to the subject site. The neighbouring property to the southwest, across Friel Street has been redeveloped with a large residential building. The school to the northeast has expanded. No other significant changes appear to have been made to the neighbouring properties.

Laser copies of selected aerial photographs reviewed are included in Appendix 1.

Topographic Maps

Topographic maps were obtained from Natural Resources Canada – The Atlas of Canada website and from the City of Ottawa website. The topographic map depicts the subject site in a residential area with schools present to the north of the subject site. The subject is located in an area with an elevation between 60 and 70 m above sea level, with a slight slope down towards the north, towards the Rideau River. According to the map, the nearest water body is the Rideau River, the closest point of which is located approximately 550 m to the northeast of the subject site. An illustration of the referenced topographic map is presented on Figure 2 – Topographic Map, appended to this report.



Physiographic Maps

A Physiographic Map was reviewed from the Natural Resources Canada – The Atlas of Canada website. According to this physiographic map, the site is located in the St. Lawrence Lowlands. According to the mapping description provided: "The lowlands are plain-like areas that were all affected by the Pleistocene glaciations and are therefore covered by surficial deposits and other features associated with the ice sheets." Mapping shows the subject site as situated in an area of limestone plains.

Geological Maps

The Geological Survey of Canada website on the Urban Geology of the National Capital Area was consulted as part of this assessment. Based on this information, bedrock in the area of the site consists of interbedded limestone and shale of the Verulam Formation. The site is located in an area of alluvial sediment deposits of sand and silt, with a drift thickness of 5 to 15 m.

Water Well Records

A search request was submitted on May 2, 2017, to the MOECC's well records office for all drilled well records within 250 m of the subject site. The search identified 11 records responsive to our request. One of the records was for monitoring wells in the Town of Smiths Falls, which is not in the Phase I-ESA study area. The remaining records are for nine single monitoring wells and one monitoring well cluster. The monitoring wells are located further to the east, south and southwest of the subject site. No drinking water well records were identified within the Phase I-ESA study area.

Based on the availability of municipal water services in the area of the subject site, no domestic drinking water wells are considered to be in use in the Phase I-ESA study area.

Water Bodies and Areas of Natural Significance

The closest body of water is the Rideau River, located approximately 550 m northeast of the subject property. There are no areas of natural significance within the Phase I-ESA study area.



Geotechnical Investigation

A geotechnical investigation was carried out concurrently with the Phase I-ESA. The geotechnical investigation included drilling two boreholes in the lower level of the garage. The boreholes were drilled to a maximum depth of 5.79 m below ground surface. The site soils consist of asphaltic concrete over approximately 1.6 m of crushed stone and sand fill, overlying native silty clay. BH1 was placed adjacent to the former generator room and BH2 was placed in the southeast corner of the garage. No evidence of deleterious fill material or contamination was observed in either borehole.

5.0 INTERVIEWS

Property Owners

Mr. Amin Amin, was on-site at the time of the site visit and provided access to the ground floor of the residential apartment building at 201 Friel Street and access to the garage on the subject site portion of 201 Friel Street. Mr. Amin pointed out the location of the current standby generator room and the former generator room. Mr. Amin indicated there have never been any issues with regard to diesel spills, leaking or other maintenance issues regarding either the former or current system. Mr. Amin was unaware of any environmental concerns associated with the subject site or neighbouring properties.

Mr. Amin also provided access to the current standby generator room, which is in a dedicated structure, located immediately to the west of the subject site. No evidence of spills or leaks was observed on the interior or exterior of the structure.

Mr. Barron Meyerhoffer, with Ottawa Community Housing, was available via email to respond to requests for information regarding the property. Mr. Meyerhoffer indicated that the property addressed 201 Friel Street was purpose built for public housing, and included the single storey underground parking structure. Mr. Meyerhoffer provided a copy of the designated substance survey report prepared for 201 Friel Street. Mr. Meyerhoffer indicated that he is unaware of any environmental concerns associated with the subject site or neighbouring properties.



6.0 SITE RECONNAISSANCE

6.1 General Requirements

A visit to the subject property was conducted by Sean Moggridge from the Environmental Department of Paterson Group, on May 16, 2017 at 1:00 PM. Weather conditions at the time of the site visit were 15 °C and sunny. In addition to the site, the uses of neighbouring properties were also assessed at the time of the site visit.

6.2 Specific Observations at Phase I Property

Buildings and Structures

The subject property is occupied by a two level parking structure with one underground level and one level approximately at grade. The structure is concrete and is separated from the residential apartment tower at 201 Friel Street by a ramp and walkway. The parking structure consisted of a concrete block and poured concrete structure.

At the time of the site visit, the garage was condemned and slated for demolition. Supplemental support of the upper level was provided by an array of jackposts in the lower level. Piles of brick and some building materials were observed in the stored in lower level.

Site Features

The parking structure occupied the entire subject site, with the exception of small grassed and landscaped areas on the east side of the garage and to the north of the northwest corner of the garage. The site is generally flat. The area of the subject site slopes down from Rideau Street towards the north, and the land to the north of the subject site gently slopes down towards the north. A short retaining wall (approximately 1 m in height) is present to the south of the subject site, separating the neighbouring property's drive lane from the subject property. Site drainage is considered to be primarily sheet flow to on-site catch basins. No stressed vegetation or unknown substances were observed at the subject site.

Patched holes (evidence of vent/fill lines) were noted on the western wall of the garage, at the former generator room. No staining was observed around the exterior of the former generator room. The former generator room contained a concrete lip, considered to formerly house an interior aboveground storage tank (AST) and an elevated concrete pad, considered to be the former location of the



diesel generator. The concrete floor in the former generator room appeared to be in good condition with very little staining. No concerns were identified with regard to the former use of the former standby diesel generator system at the subject property.

No concerns were identified with respect to chemical or fuel use at the subject site. No concerns were identified with respect to polychlorinated biphenyls (PCBs). No evidence of current or former railway or spur lines on the subject property was observed at the time of the site inspection. The above-noted site features are shown on Drawing PE4033-1 – Site Plan.

Potentially Hazardous Building Materials

Prior to demolition of the garage structure, the designated substance survey for the subject property should be reviewed and appropriate measures be taken in order to protect workers.

Neighbouring Properties

An inspection of the neighbouring properties was conducted from publicly accessible roadways at the time of the site inspection. Land use adjacent to the subject site was as follows:

- East Chapel Street, followed by a construction site;
- South Residential apartment building;
- West 201 Friel Street Community Housing residential apartment building, followed by Friel Street;
- North Beausoleil Drive, followed by York Street public School.

The current use of the immediately adjacent properties is not considered to pose an environmental concern to the subject site. Property use in the area of the subject site is a mix of commercial, residential and institutional use. No potentially contaminating activities were identified with respect to the use of the properties within the Phase I-ESA study area. Current land use within the Phase I-ESA study area is illustrated on Drawing PE4033-2 – Surrounding Land Use Plan in the Figures section of this report.

Ottawa, Ontario



7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Land Use History

The following table indicates the current and past uses of the site as well as associated potentially contaminating activities dating back to the first developed use of the site.

Year	Name of Owner	Description of Property Use	Property Use	Other Observation from Aerial Photo FIPs, etc.	
Since at least 1891 to 1976	Various	Single family residential dwelling (143 Chapel Street)	Residential	No identified.	concerns
1976 to Current	Ottawa Community Housing	Parking for residential apartments, part of a larger lot addressed 201 Friel Street (Public housing)	Residential	No identified.	concerns

Potentially Contaminating Activities

No Potentially Contaminating Activities were identified at the Phase I property. A total of 17 Potentially Contaminating Activities (PCAs) outside of the subject property but within the Phase I study area are shown on Drawing PE4033-2 - Surrounding Land Use Plan, however, these PCAs do not pose a concern to the subject site based on their distance and down- or cross-gradient location from the Phase I property. The above noted PCAs are presented in Table 3 below.



Table 3 Potentially 0	ontaminati	ing Activities			
Potentially Contaminating Activity (PCA)	Location of PCA with respect to Phase I Property	Nature of Potentially Contaminating Activity	Location of PCA (on-site or off- site)	Contaminants of Potential Concern	Media Potentially Impacted (Groundwater, Soil, and/or Sediment)
106, 110-116 Cobourg Street	170 m east	Bus garage: Item 52, Storage, maintenance, fuelling and repair of equipment, vehicles, and materials used to maintain transportation systems	Off-site	BTEX, PHCs F1-F4	Soil, Groundwater
96 Nelson Street	235 m west	Ottawa Iron Works: Item 34, Metal Fabrication	Off-site	Metals	Soil
105 Nelson Street	150 m northwest	Automotive service garage: Item 52, Storage, maintenance, fuelling and repair of equipment, vehicles, and materials used to maintain transportation systems	Off-site	BTEX, PHCs F1-F4	Soil, Groundwater
98 Friel Street	240 m northwest	City Tannery: Item 53, Tannery	Off-site	VOCs	Soil, Groundwater
329/333 Rideau Street	230 m southwest	Retail fuel outlet: Item 28, Gasoline and Associated Products Storage in Fixed Tanks	Off-site	BTEX, PHCs F1-F4	Soil, Groundwater
351-357 Rideau Street	170 m southwest	Retail fuel outlet and automotive service garage: Item 28, Gasoline and Associated Products Storage in Fixed Tanks; Item 52, Storage, maintenance, fuelling and repair of equipment, vehicles, and materials used to maintain transportation systems.	Off-site	BTEX, PHCs F1-F4	Soil, Groundwater
375 Rideau Street	160 m southwest	Dry Cleaner: Item 37, Operation of Dry Cleaning Equipment	Off-site	VOCs	Soil, Groundwater
391 Rideau Street	100 m southwest	Dry Cleaner: Item 37, Operation of Dry Cleaning Equipment	Off-site	VOCs	Soil, Groundwater
393 Rideau Street	20 m southwest	Bell Canada Facility: Item 28, Gasoline and Associated Products Storage in Fixed Tanks.	Off-site	BTEX, PHCs F1-F4	Soil, Groundwater



Potentially Contaminating Activity (PCA)	Location of PCA with respect to Phase I Property	Nature of Potentially Contaminating Activity	Location of PCA (on-site or off- site)	Contaminants of Potential Concern	Media Potentially Impacted (Groundwater, Soil, and/or Sediment)
400-404 Rideau Street	115 m southwest	Commercial autobody shop and automotive service garage: Item 10, Commercial Autobody Shops; Item 52, Storage, Off-site maintenance, fuelling and repair of equipment, vehicles, and materials used to maintain transportation systems.	Off-site	BTEX, PHCs F1-F4	Soil, Groundwater
425 Rideau Street	50 m south	Commercial printing facility - Other activity	Off-site	VOCs	Soil, Groundwater
430-432 Rideau Street	105 m south	Commercial printing facility - Other activity	Off-site	VOCs	Soil, Groundwater
450 Rideau Street	110 m south	Retail fuel outlet: Item 28, Gasoline and Associated Products Storage in Fixed Tanks	Off-site	BTEX, PHCs F1-F4	Soil, Groundwater
478½ Rideau Street	160 m southeast	Retail fuel outlet: Item 28, Gasoline and Associated Products Storage in Fixed Tanks	Off-site	BTEX, PHCs F1-F4	Soil, Groundwater
481 Rideau Street	140 m southeast	Retail fuel outlet and automotive service garage: Item 28, Gasoline and Associated Products Storage in Fixed Tanks; Item 52, Storage, maintenance, fuelling and repair of equipment, vehicles, and materials used to maintain transportation systems.	Off-site	BTEX, PHCs F1-F4	Soil, Groundwater
490 Rideau Street	200 m southeast	Retail fuel outlet: Item 28, Gasoline and Associated Products Storage in Fixed Tanks	Off-site	BTEX, PHCs F1-F4	Soil, Groundwater
497 Rideau Street	190 m southeast	Dry Cleaner: Item 37, Operation of Dry Cleaning Equipment	Off-site	BTEX, PHCs F1-F4	Soil, Groundwater

As previously noted, the above noted PCAs do not pose a concern to the subject site based on their distance and down/cross gradient location from the Phase I property.

Areas of Potential Environmental Concern (APEC)

As discussed above, there are no PCAs that are considered to have the potential to generate areas of potential environmental concern on the subject site.



Contaminants of Potential Concern

No Contaminants of Potential Concern (CPCs) were identified, since no APECs were on the subject site.

7.2 Conceptual Site Model

Geological and Hydrogeological Setting

Based on information from the geological mapping, overburden thickness at the subject site ranges between 5 to 15 m, consisting of silt and sand. Bedrock at the subject site is considered to be interbedded limestone and shale of the Verulam Formation. Hydrogeological conditions are considered to mimic the topographic setting, as a result, groundwater is expected to flow to the north.

The geotechnical investigation identified the upper stratum of overburden to be stiff silty clay. Bedrock was not encountered in the geotechnical investigation.

Contaminants of Potential Concern

As per Section 7.1 of this report, no CPCs were identified on the subject site.

Existing Buildings and Structures

The subject building is occupied by a condemned two level parking structure that formerly served the residential apartment building at 201 Friel Street. The garage structure building was constructed circa 1976. No other structures or buildings are present on the subject property.

Water Bodies

The closest body of water to the subject site is the Rideau River, located approximately 550 m northeast of the subject site.

Areas of Natural Significance

There are no areas of natural significance within the 250 m Phase I-ESA study area.

Drinking Water Wells

No drinking water wells were identified within the Phase I-ESA study area.



Neighbouring Land Use

Neighbouring land use in the Phase I-ESA study area is commercial, institutional and residential. No remaining properties in the vicinity of the subject site are associated with PCAs, with the exception of the Bell Canada facility with three underground storage tanks. Neighbouring land use is shown on Drawing PE4033-2 - Surrounding Land Use Plan.

Potentially Contaminating Activities and Areas of Potential Environmental Concern

As per Section 7.1 of this report, there were no existing Potentially Contaminating Activities or Areas of Potential Environmental Concern identified at the subject site. Potentially Contaminating Activities identified within the Phase I ESA study area are not considered to represent Areas of Potential Environmental Concern with respect to the subject site.

Assessment of Uncertainty and/or Absence of Information

The information available for review as part of the preparation of this Phase I ESA is considered to be sufficient to conclude that there are no APECs on the subject site, and that the off-site PCAs identified within the Phase I study area do not constitute APECs with respect to the subject site. A variety of independent sources were consulted as part of this assessment, and as such, the conclusions of this report are not affected by uncertainty which may be present with respect to the individual sources.



8.0 CONCLUSIONS

Assessment

A Phase I – Environmental Site Assessment was carried out for part of the property addressed 201 Friel Street, in the City of Ottawa, Ontario. The purpose of this environmental assessment was to research the past and current use of the subject site and neighbouring properties and identify any environmental concerns with the potential to have impacted the subject property.

Based on a review of historical sources, the subject property was first developed prior to 1891 with a residential dwelling. At that time the property was addressed 134 Chapel Street. The residential dwelling was removed circa 1965 and the present-day parking structure was completed by 1976. No environmental concerns were identified with respect to the historical use of the subject site.

The area of the subject site has been developed since before 1900. Many properties in the area have undergone redevelopment with new residential or commercial buildings since that time. A total of seventeen potentially contaminating activities were identified for properties within the Phase I-ESA study area. None of these potentially contaminating activities were considered to represent an area of potential environmental concern for the subject site.

Following the historical review a site visit was conducted. The site is currently occupied by a two level concrete parking structure, with one underground level and one aboveground level, for the residential apartment building at 201 Friel Street. Neighbouring property use is generally commercial, institutional and residential. No additional potentially contaminating activities were identified during the site visit.

Conclusion

Based on the results of this Phase I - Environmental Site Assessment, it is our opinion that a Phase II - Environmental Site Assessment is not required for the property.



9.0 STATEMENT OF LIMITATIONS

This Phase I - Environmental Site Assessment report has been prepared in general accordance with O.Reg. 153/04 as amended by O.Reg. 269/11, and meets the requirements of CSA Z768-01. The conclusions presented herein are based on information gathered from a limited historical review and field inspection program. The findings of the Phase I - ESA are based on a review of readily available geological, historical and regulatory information and a cursory review made at the time of the field assessment. The historical research relies on information supplied by others, such as, local, provincial and federal agencies and was limited within the scope-of-work, time and budget of the project herein.

Should any conditions be encountered at the subject site and/or historical information that differ from our findings, we request that we be notified immediately in order to allow for a reassessment.

This report was prepared for the sole use of Ottawa Community Housing Corporation. Permission and notification from Ottawa Community Housing Corporation and Paterson will be required to release this report to any other party.

Paterson Group Inc.

Sean Moggridge, B.Eng.

Mark S. D'Arcy, P.Eng.

M. S. D'ARCY 90377839

Report Distribution:

- Ottawa Community Housing Corporation
- Paterson Group



10.0 REFERENCES

Federal Records

Air photos at the Energy Mines and Resources Air Photo Library.

National Archives.

Maps and photographs (Geological Survey of Canada surficial and subsurface mapping).

Natural Resources Canada – The Atlas of Canada.

Environment Canada, National Pollutant Release Inventory.

PCB Waste Storage Site Inventory.

Provincial Records

MOE Freedom of Information and Privacy Office.

MOE Municipal Coal Gasification Plant Site Inventory, 1991.

MOE document titled "Waste Disposal Site Inventory in Ontario".

MOE Brownfields Environmental Site Registry.

Office of Technical Standards and Safety Authority, Fuels Safety Branch.

MNR Areas of Natural Significance.

MOE Water Well Inventory.

Municipal Records

City of Ottawa Document "Old Landfill Management Strategy, Phase I - Identification of Sites.", prepared by Golder Associates, 2004. City of Ottawa Historical Land Use Inventory (HLUI) database The City of Ottawa eMap website.

Local Information Sources

Topographic Plan prepared by Farley, Smith & Denis Surveying Ltd.

Personal Interviews.

Previous Engineering Reports

Public Information Sources

Google Earth.

Google Maps/Street View.

FIGURES

FIGURE 1 – KEY PLAN

FIGURE 2 – TOPOGRAPHIC MAP

DRAWING PE4033-1 - SITE PLAN

DRAWING PE4033-2 – SURROUNDING LAND USE PLAN




FIGURE 1
KEY PLAN

patersongroup.






FIGURE 2
TOPOGRAPHIC MAP

patersongroup.






APPENDIX 1

TOPOGRAPHIC PLAN

AERIAL PHOTOGRAPHS

SITE PHOTOGRAPHS






AERIAL PHOTOGRAPH 1922

patersongroup -




AERIAL PHOTOGRAPH 1951

patersongroup ____




AERIAL PHOTOGRAPH 1968

patersongroup _



AERIAL PHOTOGRAPH 1973



AERIAL PHOTOGRAPH 1984



AERIAL PHOTOGRAPH 1993



AERIAL PHOTOGRAPH 2002



AERIAL PHOTOGRAPH 2014



Photograph 1: View of former generator room. The concrete slab and berm are evidence of the former generator and tank locations. Concrete was observed to be in good condition with minimal staining.



Photograph 2: View of interior of lower portion of the parking structure, facing east from the western portion of the structure. Some debris and bricks are present in the foreground.



Photograph 3: View of the interior of the lower level of the parking structure. Facing west fromm the eastern end of the structure.




Photograph 4: View of upper level of the parking structure, facing south from the north side of the property.




Photograph 5: View of neighbouring property to the west, across Chapel Street. The property is undergoing redevelopment.



Photograph 6: View of neighbouring properties to the northeast, occupied by school buildings.



Photograph 7: View of neighbouring properties to the west, from the northwest corner of the property. Neighbouring properties are occupied by residential apartments and townhomes further to the northwest.



Photograph 8: View of neighbouring property to the south, occupied by a residential apartment tower with an underground parking structure.

APPENDIX 2

MOECC FREEDOM OF INFORMATION RESPONSE CITY OF OTTAWA HLUI RESPONSE TSSA REPORT FS 61829 MOECC WELL RECORDS

Ministry of the Environment and Climate Change

Freedom of Information and Protection of Privacy Office

12th Floor 4D St. Clair Avenue West Toronto ON M4V 1M2 Tel: (416) 314-4075 Fax: (416) 314-4285 Ministère de l'Environnement et de l'Action en matière de changement climatique

Bureau de l'accès à l'information et de la protection de la vie privée

12" étage

40, avenue St. C(air ouest Toronto ON M4V 1M2 Tél.: (416) 314-4075 Télég.: (416) 314-4285



June 9, 2017

Sean Moggridge Paterson Group Inc 154 Colonnade Rd Ottawa, ON K2E 7J5

Dear Sean Moggridge:

RE: Freedom of Information and Protection of Privacy Act Request

Our File #: A-2017-03327, Your Reference #: PE4033

This letter is in response to your request made pursuant to the *Freedom of Information and Protection of Privacy Act* relating to 201 Friel St. Ottawa.

After a thorough search of the Ministry's Ottawa District Office, Investigations and Enforcement Branch, Environmental Approvals Branch, Environmental Monitoring and Reporting Branch, Sector Compliance Branch and Safe Drinking Water Branch, records were located in response to your request. It is my decision to provide full access to the attached information.

In accordance with Section 57 of the *Freedom of Information and Protection of Privacy Act*, detailed below are our charges:

•	Search Time 1 hour @ \$30/hour	\$30.00
٠	Copying 4 pages @ \$0.20/page	\$0.80
•	Delivery	3.00
•	Total	\$ 33.80
٠	Deposit Received	- 30.00
•	BALANCE WAIVED (NOT REQUIRED)	\$ 3.80

The Environmental Approvals Branch has advised that there may be inactive records in the Records Centre, Mississauga. To retrieve these files there is a charge of \$60.00 with no guarantee that any records will be located responsive to your request. If you would like us to retrieve these files, please forward to me at the above address payment by money order or cheque (made payable to the "Minister of Finance (FOI)") or by credit card in the amount of \$60.00. Credit card forms are available on the Ministry's website http://www.ontario.ca/environment-and-energy/freedom-information-request-form-credit-card-form. Please note, a request for records must usually be answered within 30 calendar days, however Section 27 allows for time extensions under certain circumstances. If you choose to have the files retrieved from the Records Centre, the time for answering your request will be extended for an additional 30 days.

You may request a review of my decision by contacting the Information and Privacy Commissioner/Ontario, 2 Bloor Street East, Suite 1400, Toronto, ON M4W 1A8 (800-387-0073 or 416-326-3333). Please note that there is a \$25.00 fee and you only have 30 days from receipt of this letter to request a review.

If you have any questions regarding this matter, please contact Michael Kolaric at (416) 327-3036.

Yours truly,

Janet Dadufalza FOI Manager

Attachments



Ministry of the

Ministère Environment l'Environnement CERTIFICATE OF APPROVAL NUMBER 7654-5YMRE2

Ottawa Community Housing Corporation 2197 Riverside Drive Ottawa, Ontario KIH LA9

Site Location:

201 Friel Street Ottawa City,

You have applied in accordance with Section 9 of the Environmental Protection Act for approval of:

one (1) standby diesel generator set, having a rating of 125 kilowatts, to provide power for the apartment building during emergency situations;

all in accordance with the Application for Approval (Air) dated February 16, 2004 and all supporting documentation and information, signed by Barron Meyerhoffer (Director of Technical Services), Ottawa Community Housing Corporation.

For the purpose of this Certificate of Approval and the terms and conditions specified below, the following definitions apply:

- (1)"Act" means the Environmental Protection Act;
- "Certificate" means this Certificate of Approval issued in accordance with Section 9 of the Act; (2)
- "Equipment" means the diesel generator set described in the Owner's application, this Certificate and in the (3) supporting documentation submitted with the application, to the extent approved by this Certificate;
- (4) "Manual" means a document or a set of documents that provide written instructions to staff of the Owner,
- (5) "Ministry" means the Ontario Ministry of the Environment;
- (6) "Owner" means Ottawa Community Housing Corporation, and includes its successors and assignees; and
- "Publication NPC-205" means Ministry Publication NPC-205, Sound Level Limits for Stationary Sources (7)in Class 1 & 2 Areas (Urban), October, 1995.

You are hereby notified that this approval is issued to you subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

GENERAL

- 1. Except as otherwise provided by these Conditions, the Owner shall design, build, install, operate and maintain the Equipment in accordance with the description given in this Certificate, application for approval of the Equipment and the submitted supporting documents and plans and specifications as listed in this Certificate.
- 2. Where there is a conflict between a provision of any submitted document referred to in this Certificate and the Conditions of this Certificate, the Conditions in this Certificate shall take precedence, and where there is a conflict between the listed submitted documents, the document bearing the most recent date shall prevail.

PERFORMANCE

3. The Owner shall ensure that the noise emissions from the Equipment comply with the limits set out in Publication NPC-205.

OPERATION AND MAINTENANCE

- 4. The Owner shall restrict the periodic testing of the Equipment to the daytime hours from 7:00 am to 7:00 pm.
- 5. The Owner shall ensure that the Equipment is properly operated and maintained at all times. The Owner shall:
 - (1) prepare, not later than three (3) months after the date of this Certificate or the date of commissioning of the Equipment, and update, as necessary, a Manual outlining the operating procedures and a maintenance program for the Equipment, including:
 - (a) routine operating and maintenance procedures in accordance with good engineering practices and as recommended by the Equipment suppliers;
 - (b) emergency procedures;
 - (c) procedures for any record keeping activities relating to operation and maintenance of the Equipment;
 - (d) all appropriate measures to minimize noise and odorous emissions from all potential sources;
 - (2) implement the recommendations of the Manual; and
 - (3) retain, for a minimum of two (2) years from the date of their creation, all records on the maintenance, repair and inspection of the Equipment, and make these records available for review by staff of the Ministry upon request.

The reasons for the imposition of these terms and conditions are as follows:

- Condition Nos. 1 and 2 are imposed to ensure that the Equipment is built and operated in the manner in
 which it was described for review and upon which approval was granted. These conditions are also included
 to emphasize the precedence of Conditions in the Certificate and the practice that the Approval is based on
 the most current document, if several conflicting documents are submitted for review.
- 2. Condition No. 3 is included to provide the minimum performance requirement considered necessary to

prevent an adverse effect resulting from the operation of the Equipment.

- Condition No. 4 is included to ensure that the proposed operation, excluding emergency situations, is not
 extended beyond specific daytime hours to prevent an adverse effect resulting from the operation of the
 Equipment.
- 4. Condition No. 5 is included to emphasize that the Equipment must be maintained and operated according to a procedure that will result in compliance with the Act, the regulations and this Certificate. In addition the Owner is required to keep records and provide information to staff of the Ministry so that compliance with the Act, the regulations and this Certificate can be verified.

In accordance with Section 139 of the <u>Environmental Protection Act</u>, R.S.O. 1990, Chapter E-19, as amended, you may by written notice served upon me and the Environmental Review Tribunal within 15 days after receipt of this Notice, require a hearing by the Tribunal. Section 142 of the <u>Environmental Protection Act</u>, provides that the Notice requiring the hearing shall state:

- 1. The portions of the approval or each term or condition in the approval in respect of which the hearing is required, and;
- The grounds on which you intend to rely at the hearing in relation to each portion appealed.

The Notice should also include:

- The name of the appellant;
- The address of the appellant;
- The Certificate of Approval number,
- The date of the Certificate of Approval;
- The name of the Director;
- The municipality within which the works are located;

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

The Secretary*
Environmental Review Tribunal
2300 Yonge St., 12th Floor
P.O. Box 2382
Toronto, Ontario
M4P 1E4

AND

The Director
Section 9, Environmental Protection Act
Ministry of Environment and Energy
2 St. Clair Avenue West, Floor 12A
Toronto, Ontario
M4V 1L5

* Further information on the Environmental Review Tribunal's requirements for an appeal con be obtained directly from the Tribunal at: Tel: (416) 314-4600, Fax: (416) 314-4506 or www.ert.gov.on.cu

The above noted works are approved under Section 9 of the Environmental Protection Act.

DATED AT TORONTO this 6th day of May, 2004

H. Hhmed

Aziz Ahmed, P.Eng.

Director

Section 9, Environmental Protection Act

AA/

c: District Manager, MOE Ottawa Judith Mitchell, Morrison Herschfield Pages 5 to / à 8 are duplicates sont des duplicatas



File Number: D06-03-17-0076

June 20, 2017

Sean Moggridge
Paterson Group Inc.
154 Colonnade Road South
Ottawa, ON
K2E 7J5

Sent via email [smoggridge@patersongroup.ca]

Dear Mr. Moggridge,

Re: Information Request

201 Friel Street, Ottawa, Ontario ("Subject Property")

Internal Department Circulation

The Planning, Infrastructure and Economic Development Department has the following information in response to your request for information regarding the Subject Property:

No information was returned on the Subject Property from Departmental circulation.

Search of Historical Land Use Inventory

This acknowledges receipt of the signed Disclaimer regarding your request for information from the City's Historical Land Use Inventory (HLUI 2005) database for the Subject Property.

A search of the HLUI database revealed the following information:

There are no activities associated with the Subject Property.

The HLUI database was also searched for activity associated with properties located within 50m of the Subject Property. The search revealed the following:

 There are 13 activities associated with properties located within 50m of the Subject Property: Activity Numbers 13787, 3865, 4642, 6425, 10229, 2626, 7442, 13290, 11748, 2665, 1850, 13726, and 11902.

Shaping our future together
Ensemble, formons notre avenir

City of Ottawa Planning, Infrastructure and Economic Development Department

110 Laurier Avenue West, 4th Floor Ottawa, ON K1P 1J1 Tel: (613) 580-2424 ext.14743 Fax. (513) 550-6006 www.ottawa.ca Ville d'Ottawa Services de la planification, de l'infrastructure et du développement économique

110, avenue Laurier Ouest, 4e étage Ottawa (Ontario) K1P 1J1 Tel.: (613) 580-2424 ext. 14743 Téléc: (613) 560-6006 www.ottawa.ca Please note that Activity Numbers 11902, 6425, 4642, and7442 have a PIN Certainty of "2". This identifier acknowledges that there is some uncertainty about the exact location of the land use activity and that the activity may or may not have been located on the Subject Property. All database entries with a PIN Certainty of "2" require independent verification as to their precise location.

A site map has been included to show the location of the Subject Property as well as the location of all the activities noted above, including the HLUI database's location of the Activity Number with a PIN Certainty of "2".

Additional information may be obtained by contacting:

Ontario's Environmental Registry

The Environmental Registry found at http://www.ebr.gov.on.ca/ERS-WEB-External/contains "public notices" about environmental matters being proposed by all government ministries covered by the Environmental Bill of Rights. The public notices may contain information about proposed new laws, regulations, policies and programs or about proposals to change or eliminate existing ones. By using keys words i.e. name of proponent/owner and the address one can ascertain if there is any information on the proponent and address under the following categories: Ministry, keywords, notice types, Notice Status, Acts, Instruments and published date (all years).

The Ontario Land Registry Office

Registration of real property is recorded in the Ontario Land Registry Office through the Land Titles Act or the Registry Act. Documents relating to title and other agreements that may affect your property are available to the public for a fee. It is recommended that a property search at the Land Registry Office be included in any investigation as to the historic use of your property. The City of Ottawa cannot comment on any documents to which it is not a party.

Court House 161 Elgin Street 4th Floor Ottawa ON K2P 2K1 Tel: (613) 239-1230

Tel: (613) 239-1230 Fax: (613) 239-1422

Please note, as per the HLUI Disclaimer, that the information contained in the HLUI database has been compiled from publicly available records and other sources of information. The HLUI may contain erroneous information given that the records used as sources of information may be flawed. For instance, changes in municipal addresses over time may introduce error. Accordingly, all information from the HLUI database is provided on an "as is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in responding to the request.

Furthermore, the HLUI database and the results of this search in no way confirm the presence or absence of contamination or pollution of any kind. This information is provided on the assumption that it will not be relied upon by any person for any purpose whatsoever. The City of Ottawa denies all liability to any persons attempting to rely on any information provided from the HLUI database.

Please note that in responding to your request, the City of Ottawa does not guarantee or comment on the environmental condition of the Subject Property. You may wish to contact the Ontario Ministry of Environment and Climate Change for additional information.

If you have any further questions or comments, please contact Seana Turkington at 613-580-2424 ext. 14743 or HLUI@ottawa.ca

Sincerely,

Seana Turkington

Seandwhington


Per:

Michael Boughton, MCIP, RPP
Senior Planner
Development Review East
Planning Services
Planning, Infrastructure and Economic Development Department

MB/ST

Attach: 17

cc: File no. D06-03-17-0076





HLUIID: __679BVV

Report:

RPTC_OT_DEV0122

Run On:

13 Jun 2017 at: 13:36:59

Study Year

PIN 042130186 Multi-NAIC

Multiple Activities

Activity ID:

13290

Multiple PINS:

AREA (Square Metres): 7558.191

N

PIN Certainty:

1

Previous Activity ID(s):

Related PINS:

042130186

Name: Address: SUBURBAN DRYWALL 151 CHAPEL STREET,

Facility Type:

Exterior Close In Work

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1: HL References 2:

HL References 3:

2005 Select Phone

NAICS

SIC

238310

0

Company Name

Year of Operation

SUBURBAN DRYWALL

c. 2005



HLUI ID: __679G2L

Report:

RPTC_OT_DEV0122

Run On:

13 Jun 2017 at: 13:36:17

Study Year 1998

PIN 042130110

Multi-NAIC

Multiple Activities

Activity ID:

2626

Multiple PINS:

AREA (Square Metres): 10243.411

Ν

PIN Certainty:

1

Previous Activity ID(s):

Related PINS:

042130110

Name:

CECLF - SAINTE-ANNE

Address:

340 YORK STREET, OTTAWA

Facility Type:

Elementary and Secondary Education

Comments 1:

SAINTE-ANNE

Comments 2:

Generator Number: ON1285729

Storage Tanks:

HL References 1:

HL References 2:

HL References 3:

2000 PID

NAICS

SIC

611110

Ō

Company Name

Year of Operation

CECLF - SAINTE-ANNE

c. 2001

CECLF - SAINTE-ANNE

c. 2000

CECLF - SAINTE-ANNE

c. 2005



HLUI ID: __670HEI

Report:

RPTC_OT_DEV0122

Run On:

13 Jun 2017 at: 13:35:26

Study Year

1998

PIN 042130180 Multi-NAIC

Multiple Activities

Activity ID:

2665

1

Multiple PINS:

AREA (Square Metres): 4883.811

Ν

PIN Certainty:

Previous Activity ID(s): 4949

Related PINS:

042130180

Name:

CHRISTINA MARKETING CHRISTINA COPY CENTRES

Address:

425 RIDEAU STREET, OTTAWA

Facility Type:

Commercial Printing Industries

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

SC98

HL References 2:

HL References 3:

NAICS	SIC
323115	281
323116	281
323119	281
323114	281

Company Name

Year of Operation

Christina Marketing Christina Copy Centres

c. 1998

MAP Report Ver: 1



HLUI ID: 67904U

Report:

RPTC_OT_DEV0122

Run On:

13 Jun 2017 at: 13:34:22

AREA (Square Metres): 11589.085

Study Year 2005

PIN 042130111 Multi-NAIC Ν

Multiple Activities

Activity ID:

10229

Multiple PINS:

PIN Certainty:

Previous Activity ID(s):

Related PINS:

042130111

Name:

OTTAWA-CARLETON DISTRICT SCHOOL BOARD - YORK STREET PUBLIC SCHOOL

Address:

310 YORK STREET, OTTAWA

Facility Type:

Elementary and Secondary Education

Comments 1:

York Street PS

Comments 2:

Generator Number: ON2842691

Storage Tanks: HL References 1:

HL References 2:

HL References 3:

2003 PID

NAICS

SIC

611110

0

Company Name

Year of Operation

OTTAWA-CARLETON DISTRICT SCHOOL BOARD - YORK STREET PUBLIC

SCHOOL

c. 2005

OTTAWA-CARLETON DISTRICT SCHOOL BOARD - YORK STREET PUBLIC SCHOOL

c. 2003

MAP Report Ver: 1

Page 1 of 1



HLUIID: __670HEI

Report:

RPTC_OT_DEV0122

Run On:

13 Jun 2017 at: 13:35:26

AREA (Square Metres): 4883.811

Study Year

PIN 042130180

Multi-NAIC

Multiple Activities

Activity ID:

11748

Multiple PINS:

Ν

PIN Certainty:

1

Previous Activity ID(s):

Related PINS:

042130180

Name:

RIDEAU FRIEL CLINIC

Address:

421 RIDEAU STREET, OTTAWA

Facility Type:

Hospitals

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

HL References 2:

HL References 3:

2001 Employment Survey

NAICS

SIC

622111

O

Company Name

Year of Operation

RIDEAU FRIEL CLINIC

c. 2001



HLUI ID: __679G2L

Report:

RPTC_OT_DEV0122

Run On:

13 Jun 2017 at: 13:36:17

AREA (Square Metres): 10243.411

Study Year 1998

PIN 042130110 Multi-NAIC

Multiple Activities

Activity ID:

7442

Multiple PINS:

Ν

PIN Certainty:

2

Previous Activity ID(s): 1812

Related PINS:

042130110

Name:

JOSEPH DOLAN AND SONS LIMITED

Address:

135 CHAPEL STREET, OTTAWA

Facility Type:

Lumber and Building Materials, Wholesale

Comments 1:

Coal and Wood Large Property 3/4 of a block in depth The yard runs behind #137-143 Chapel St. It

also runs behind #134-135 Augusta and 461-473 Rideau St.

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

FIP1901-12-18, Vol2; FIP1912-12-18, Vol1; FIP1922-12-18, Vol1, M.1900, M.1910, M.1920, M.1922, M.1930,

M.1940, M.1950

HL References 2:

HL References 3:

NAICS	SIC
416320	563
483116	453
324121	369
488210	45 3
444120	563
416340	5 6 3
482114	453
416310	5 63
444110	563
482112	453
482113	453
444190	563

Company Name

Year of Operation

Joseph Dolan and Sons Ltd.

c. 1920-1930



HLUIID: __679G3C

Report:

RPTC_OT_DEV0122

Run On:

13 Jun 2017 at: 13:45:07

AREA (Square Metres): 11334.127

Study Year 1998

PIN 042130165 Multi-NAIC

Multiple Activities

Activity ID:

13787

Multiple PINS:

Ν

PIN Certainty:

Previous Activity ID(s): 4308

Related PINS:

042130165

Name:

UNNAMED CANNING PLANT

Address:

103 NELSON STREET, OTTAWA

Facility Type:

Fruit and Vegetable Industries

Comments 1:

FIP1912 - residence FIP1922 - vacant lot M. 1948 - lists as garage for residence

Comments 2:

unit a

Generator Number:

Storage Tanks:

HL References 1:

M.1922, M.1948, M.1956; FIP1901-14-28,vol2; FIP1912-14-28,vol1; FIP1922-14-28,vol1; FIP1948-212-28;

FIP1956-212-3-28

HL References 2:

HL References 3:

NAICS	SIC
311410	103
311211	103
312110	103
311990	103
311420	103

Company Name

Year of Operation

Unnamed Canning Plant

c. 1956



HLUI ID: __679G3C

AREA (Square Metres): 11334.127

PIN 042130165 Multi-NAIC

Report:

Run On:

Multiple Activities

13 Jun 2017 at: 13:45:07

RPTC_OT_DEV0122

Activity ID:

Study Year

1998

3865

Multiple PINS:

N

PIN Certainty:

1

Previous Activity ID(s): 432

Related PINS:

042130165

Name:

DEMERS ELECTRIC CO.

Address:

105 NELSON STREET, OTTAWA

Facility Type:

Sign and Display Industry

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

M.1900, M.1910, M.1920, M.1930, M.1940, M.1950

HL References 2: HL References 3:

NAICS

SIC

339950

397

Company Name

Year of Operation

Demers Electric Co.

c. 1940

MAP Report Ver: 1

Page 2 of 4



HLUI ID: __679G3C

Report:

RPTC_OT_DEV0122

Run On:

13 Jun 2017 at: 13:45:07

AREA (Square Metres): 11334.127

Study Year

PIN 042130165 Multi-NAIC

Multiple Activities

Activity ID:

4642

Multiple PINS:

Ν

PIN Certainty:

2

Previous Activity ID(s): 798, 1804

Related PINS:

042130165

Name:

DUTCH AIRCRAFT METAL WORKS

Address:

105 NELSON STREET, OTTAWA

Facility Type:

Plumbing, Heating and Air Conditioning, Mechanical Work

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

S.1958, S.1961, S.1964-65, M.1900, M.1910, M.1920, M.1921, M.1922, M.1923, M.1930, M.1940, M.1950, M.1958,

M.1960, M.1961, M.1964, M.1970, M.1980; FIP1901-14-28, Vol2; FIP1912-14-28, Vol1; FIP1922-14-28, Vol1

HL References 2:

HL References 3:

NAICS	SIC
238220	424
811112	63 5
336320	321
336410	321
811119	635
811121	635

Company Name

Year of Operation

Unnamed Garage

c. 1922

Dutch Aircraft Metal Works

c. 1960-1961

Samuel Lambert and Company

c. 1950



HLUHD: 679G3C

Report:

RPTC_OT_DEV0122

Run On;

13 Jun 2017 at: 13:45:07

AREA (Square Metres): 11334.127

Study Year 1998

PIN 042130165 Multi-NAIC

Multiple Activities

Activity ID:

6425

Multiple PINS:

Ν

PIN Certainty:

2

Previous Activity ID(s): 211

Related PINS:

042130165

Name:

HUOT'S AUTO BODY SHOP

Address:

105 NELSON STREET, OTTAWA

Facility Type:

Motor Vehicle Repair Shops

Comments 1:

Wood Dealer in 1900 Residential in 1910 M. 1922 - lists residence in front & Huot's Garage at rear

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

M.1900, M.1910, M.1920, M.1922, M.1930, M.1940, M.1948, M.1950, M.1956, M.1960, M.1970, M.1980

HL References 2:

HL References 3:

NAICS	SIC
811119	635
811121	635
811112	635

Company Name

Year of Operation

Huot's Auto Body Shop

c. 1950

Nelson St Garage

c. 1960-1970

Pepin Body Shop

c. 1956

Huot Aime Garage

c. 1922-1948



HLUI ID: __679FP6

Report

RPTC_OT_DEV0122

Run On:

13 Jun 2017 at: 13:40:14

AREA (Square Metres): 1456.936

Study Year

PIN 042130176 Multi-NAIC

Multiple Activities

Activity ID:

11902

Multiple PINS:

Υ

PIN Certainty:

Previous Activity ID(s): 2713

Related PINS:

042130174

Name:

RANGER BODY SHOP

Address:

217 FRIEL STREET, OTTAWA

Facility Type:

Motor Vehicle Repair Shops

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

M.1960, M.1970, M.1980; M.1922, M.1948, M.1956, M.1957; FIP1901-14-28, vol2; FIP1912-14-28, kvol1;

FIP1922-14-28, voi1; FIP1948-212-28; FIP1956-212-3-28

HL References 2:

HL References 3:

NAICS

SIC

811119

635

811121 811112

635

635

Company Name

Year of Operation

Ranger Body Shop

c. 1956-1960



HLU! ID: ___679FP6

Report:

RPTC_OT_DEV0122

Run On:

13 Jun 2017 at: 13:40:14

AREA (Square Metres): 1456.936

Study Year 1998

PIN 042130176 Multi-NAIC

Multiple Activities

Activity ID:

13726

Multiple PINS:

Ν

PIN Certainty:

Previous Activity ID(s): 3218

Related PINS:

042130176

Name:

VAIL-O-MAT

Address:

391 RIDEAU STREET, OTTAWA

Facility Type:

Laundries and Cleaners

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

M.1960, M.1970, M.1980

HL References 2:

HL References 3:

NAICS	SIC
812320	972
812330	972
812310	972
561740	972

Company Name

Year of Operation

Vail's Fabric Care Ltd.

c. 1970

Vail-O-Mat

c. 1960-1970



HLUIID: __679CGC

Report: Run On: RPTC_OT_DEV0122

13 Jun 2017 at: 13:41:31

AREA (Square Metres): 312.634

Study Year 1998

PIN 042130175 Multi-NAIC

Multiple Activities

Activity ID:

11902

Multiple PINS:

PIN Certainty:

2

Previous Activity ID(s): 2713

Related PINS:

042130174

Name:

RANGER BODY SHOP

Address:

217 FRIEL STREET, OTTAWA

Facility Type:

Motor Vehicle Repair Shops

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

M.1960, M.1970, M.1980; M.1922, M.1948, M.1956, M.1957; FIP1901-14-28, vol2; FIP1912-14-28, kvol1;

FIP1922-14-28, vol1; FIP1948-212-28; FIP1956-212-3-28

HL References 2:

HL References 3:

NAICS	SIC
811119	635
811121	635
811112	635

Company Name

Year of Operation

Ranger Body Shop

c. 1956-1960



HLUIID: __679F7H

AREA (Square Metres): 2780.317

Multi-NAIC

Report

Run On:

13 Jun 2017 at: 13:42:26

RPTC_OT_DEV0122

Multiple Activities

Activity ID:

Study Year 1998

11902

Multiple PINS:

PIN Certainty:

2

Previous Activity ID(s): 2713

Related PINS:

042130174

Name:

RANGER BODY SHOP

Address:

217 FRIEL STREET, OTTAWA

PIN

042130174

Facility Type:

Motor Vehicle Repair Shops

Comments 1:

Comments 2:

Generator Number:

Storage Tanks:

HL References 1:

M.1960, M.1970, M.1980; M.1922, M.1948, M.1956, M.1957; FIP1901-14-28, voi2; FIP1912-14-28, kvoi1;

FIP1922-14-28, vol1; FIP1948-212-28; FIP1956-212-3-28

HL References 2:

HL References 3:

NAICS SIC 811119 635 811121 635 635 811112

Company Name

Year of Operation

Ranger Body Shop

c. 1956-1960



HLUI ID: __679A8G

AREA (Square Metres): 2217.836

217.836

Report: Run On: RPTC_OT_DEV0122

13 Jun 2017 at: 13:39:31

Multiple Activities

Activity ID:

1850

Multiple PINS:

Υ

Multi-NAIC

PIN Certainty:

1

Previous Activity ID(s):

Related PINS:

042130181

Name:

BELL CANADA

Address:

393 RIDEAU STREET, OTTAWA

PIN

042130181

Facility Type:

Telecommunication Carriers Industry

Comments 1:

Comments 2:

Generator Number: ON0033970

Storage Tanks: HL References 1: HL References 2:

HL References 3:

2000 PID

NAICS	SIC
517110	0
517210	0
517310	0
517410	0
515120	0
517910	0
515110	0

Company Name

Year of Operation

BELL CANADA

BELL CANADA

c. 2003 c. 2000

BELL CANADA

c. 2005

BELL CANADA

c. 2001



CITY OF OTTAWA

HLUI ID: ___679B6P

Report:

RPTC_OT_DEV0122

Run On:

13 Jun 2017 at: 13:38:49

AREA (Square Metres): 1198.271

Study Year 2005

PIN 042130181 Multi-NAIC

Multiple Activities

Activity ID:

1850

Multiple PINS:

Υ

PIN Certainty:

1

Previous Activity ID(s):

Related PIN5:

042130181

Name:

BELL CANADA

Address:

393 RIDEAU STREET, OTTAWA

Facility Type:

Telecommunication Carriers Industry

Comments 1:

Comments 2:

Generator Number: ON0033970

Storage Tanks:

HL References 1:

HL References 2:

HL References 3:

2000 PID

NAIC5	SIC
517110	0
517210	0
517310	0
517410	0
515120	0
517910	0
515110	0

Company Name

BELL CANADA

BELL CANADA

BELL CANADA BELL CANADA

Year of Operation

c. 2003

c. 2000

c. 2005

c. 2001



345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel 416 734 3300 Fax. 416 231 1626 Toll Free 1 877 682 8772

www.tssa.org

June 22, 2017 File No: FS 61829

Sean Moggridge
PATERSON GROUP
154 Colonnade Road South
OTTAWA ON K2E 7J5

Dear Sir:

RE: 393 Rideau Street, Ottawa, Ontario - Your File No: PE4033

This is with reference to your request and fee of \$50.00 + HST, for information on the above location.

Enclosed please find computer screen prints showing 3 active underground fuel oil tanks at the above property registered with TSSA.

After a search of our files, TSSA has no record of any further outstanding instructions, incident reports, fuel oil spills or contamination records respecting the above-mentioned property.

This is all the information the Fuels Safety Division has on this property at this time.

It should be noted that the Fuels Safety Division did not register private fuel underground/ aboveground storage tanks prior to January of 1990 or furnace oil tanks prior to May 1, 2002. Also, note that the Fuels Safety Division does not register private waste oil tanks in apartments, office buildings, residences etc. or ABOVEGROUND gas or diesel tanks.

TSSA does not make any representations or warranties with respect to the accuracy or completeness of any records released by TSSA, and the user assumes all risk in using or relying on released records.

Yours waly,

Prem Lal

Coordinator, Public Information Services

ORACIE	Installed Base			
	navigator	😭 Favorite	s Home	e Profile Sign Out Help
Item Instances				
General				
	Quick Find Item Instance	☑		Go Advanced Search
Additional Attributes Assets		•		Logged In As PLAL
Party Relationships				
raity Keladoliships	Item Instance Details			
Owner	Item Instance: 43	2540241		
Parties		5 FUEL OIL TA	NK	
Accounts	Item Description: Ft		INIX	
Contacts	rain beschpaon. ()	ici Oii Talik		
Summary	20. sa minament I na Una XV.			
Pricing	General Attributes			
Counters	Organization Name TSSA	Item Master	Instance Name	
Contracts	_		V (-b-l	8-JUN-2006 0:00
Notes	Last Version Label 1		Date ²	9-JUN-2009 0:00
Transactions	Revision		New Version	
Service Requests			Label L	
Repair Orders	System		External Reference	
History	Go			
Operating Units	Item Instance Type 🔄		Accounting Classification	Customer Product 🗐
Configuration	Operational Status Not U	Ised		not lot-controlled
	Status Activ		Condition	
,	Quantity 1		UOM E	Each
	Start Date 28-JU	IN-2006	Start Time 0	:00
	Shipped On Date		Shipped On Time	
	End Date		End Time	
	Return By Date		Return By Time	
	Actual Return Date		Actual Return Time	
	* Indicates required field.			
	Time format is HH24:MM			
	Note: You do not have permission	on to make updates in	n this page.	
	☑ C Comp	creation eleted		
	Owner			
	Party Type Party			
	Party Name: BELL ESTA	CANADA REAL TE	Party Number: 5	9032
	Account Number: 23880)		ELL CANADA REAL STATE
	Current Location			
	* Type Part	y Site 🗷 Go		
	Party Name Go	L CANADA REA	Party Number	59032 Go

W. (V	393 RIDEAU ST		55	531
*Line 1	Go	Site Numbe	Go	
Address	393 RIDEAU ST			
	OTTAWA, K1N 1	H1, CA		
Installed At				
Installed Date	28-JUN-2006	Installed Time	e 0:00	0
Time format is HH24:MM				
T	Change in installed date	-	tract d	ale.
Type	<u>_</u>	Go		
Order		folio D. A. O. I		
Sales Order Number Sales Order Line		Sales Order Oats	е	
Purchase Order				
Number		Agreement Name	е	
Item Flags			-	
	BOM Enabled			
	☑ 18 Trackable			Inventory Trackable
	✓ Sellable			Shippable
Item Vlews				
	☐ Merchant		~	Customer
Descriptive Flexifields				
			0	
Context Value	FS Fuel Oil Tank		4	
	Select Context Value and	dick 'Go' to show rel	levant	helds.
Capacity (L)	15000			
Tank Material	Fiberglass (FRP)	1		
* Tank Type	Double Wall UST	Į.	4	
Corrosion Protection				
Installation Year	2005			
Manfacturer				
Model				
Description				
Serial Number				
ULCStandard				

Item Instances Home Profile Sign Out Help

Copyright 2006, Oracle Corporation. All rights reserved

ORACLE	, Instal	_									
		1 Navi	igator 🛂 F.	avorites	Hon	ne Profile	Sign Out Help				
Item Instances											
General Additional Attributes Assets	Quick Find	Item Inst	ance		α.	Go L	Advanced Searc				
Party Relationships	Item In	stance De	tails	12							
Owner											
Parties			œ: 64640288 								
Accounts	7 to		m; FS FUEL OI								
Contacts Summary		Item Description: Fuel Oil Tank									
Pricing	Genera	l Attribu	ites								
Counters	Organiz	ration Name	TSSA Item Maste	r I	nstance Name						
Contracts Notes	Last V	ersion Label	AS_CREATED		Version Labei Date	21-FEB-201	4 9:42				
Transactions		Revision			New Version Label						
Service Requests Repair Orders					External						
History		System	Go		Reference						
Operating Units	Item In	stance Type			Accounting Classification	Customer	Product 🗷				
Configuration	Operat	tional Status	Not Used		Lot Number	: not lat-cont	rolled				
		Status	Registered		Condition						
		Quantity	1		UÓM	Each					
		Start Date	21-FEB-2014		Start Time	9:42					
	Shipp	ed On Date		Shi,	pped On Time						
		End Date			End Time						
	Ret	um By Date		R	eturn By Time						
	Actual	Return Date			Actual Return Time						
	 Indicates 	required fie	id.								
		is HHZ4:MM	g		ē .						
	Note: You o	a nat nave pe	rmission to make up	outes in thi	s page.						
			Completed								
		Owner				-					
		Party Type	Party								
	ı	Party Name:	BELL CANADA	F	Party Number:	58394					
	Accou	int Number:	23568		Account Name	BELL CANAL	DA .				
	Сигтег	it Location									
		= Туре	Party Site	Go							
		Party Name	BELL CANADA		Party Number	58394 Go					
						-					
			393 RIDEAU S	1		56035					

"Line I	Go	Site Number	Go
Address	393 RIDEAU ST		
	OTTAWA, KIN 1H	11, CA	
Installed At			
	21-FEB-2014	Installed Time	9:42
Time format is HH24:MM	Change in installed date d	ces not change contri	act date.
Туре		lo	
	BELL CANADA		58394
Party Name	Go	Party Number	Ga
	393 RIDEAU ST	i	56035
Une 1	Go	Site Number	Go
Address	393 RIDEAU ST		
T Wall Coo	OTTAWA, KIN 1H	11. CA	
Order	· .	Tay Surf	
Sales Order Number		Sales Order Date	
Sales Order Line)		
Purchase Order Number		Agreement Name	
Item Flags			
rcem i raga	BOM Enabled		
	☑ IB Trackable		☐ Inventory Trackable
	Sellable		_
Item Views			☐ Shippable
aceiri vidved	Merchant		☑ Customer
Descriptive			
Flexifields			
Context Value	FS Fuel Oil Tank		Q,
	Select Context Value and o	dick 'Go' to show rele	vant fields.
Capacity (L)	15000	_	_
Tank Material	Fiberglass (FRP)	ī	
* Tank Type	Double Wall UST	同	
Corrosion Protection			
		<u> </u>	
Installation Year	2006		
Manfacturer			
Model			
Description	Veeder-Root Leak D	etection System	
Serial Number		-	
ULCStandard			
- Carantan India			

Item Instances Home Profile Sign Out Help

		III Navigator	Favo	rites Hor	ne Profile Sign	Out Help
em Instances						
General Additional Attributes	Quick Find	Item Instance				vanced Search
Assets Party Relationships	Item In	stance Oetails				
Owner Parties Accounts Contacts Summary		Item Instance: 617 Item: FS m Description: Fue	FUEL OIL	TANK		
Pricing	Genera	l Attributes				
Counters	Organiz	ation Name TSSA It	em Master	Instance Name		
Contracts Notes	_	ersion Label 1		Version Label Date	02-MAR-2009 0:00	3
Transactions		Revision		New Version		
Service Requests				Label	1	-
Repair Orders History		System		External Reference		
Operating Units	Item Ins	stance Type 💆		Accounting Classification	Customer Prod	uct 🔻
Configuration		ional Status Not Use	ad.		: not lot-controlled	
	Орегас	Status Active		Condition	. Hot of campanes	
	1	Quantity 1	•		Each	
		Start Date 02-MAR	2000	Start Time		
	Shino	ed On Date	-2003	Shipped On Time	0.00	
	зацир	End Date		End Time		
	Dah	um 8y Date		Return By Time		
		Return Date		Actual Return		
	* Indicates	required field.		,,		
		is HH24:MM				
	Note: You d	not have permission	to make update	es in this page.		
		⊡ Cre	sation			
		Comple	ted			
		Owner				
		Party Type Party				
	P	arty Name: BELL C	ANADA	Party Number:	58394	
		nt Number: 23568		Account Name		
	Curren	t Location —				
		* Type Party	Site 🗵	Go		
		Party Name BELL	CANADA	Party Number	58394	

*Line 1	Go	Site Number	r Go	
Address	393 RIDEAU ST	Г		
	OTTAWA, KIN	1H1, CA		
Installed At				
Installed Date	02-MAR-2009	Installed Time	e 0:00	
Time format is HH24:MM				
		e does not change cont	ract date.	
Туре	_ ∑	Ga		
Order				
Sales Order Number		Sales Order Date	•	
Sales Order Line Purchase Order				
Number		Agreement Name	•	
Item Flags				
	BOM Enabled			
	🖾 IB Trackable		☐ Inventory Trac	kable
	🖾 Selfable		☐ Shippable	
Item Views				
	☐ Merchant		Customer	
Descriptive				
Flexfields				
Context Value	FS Fuel Oil Tank		Q	
	Select Context Value ar	nd dick 'Go' to show rek	evant heids.	
Capacity (L)	22640			

Tank Material			7	
* Tank Type	Single Wall UST			
Corrosion Protection	Fiberglass	<u> </u>		
Installation Year	1992			
Manfacturer				j
Model				
Description]
Serial Number				
ULCStandard				

Item Instances Home Profile Sign Out Help

Copyright 2006 Oracle Corporation. All rights reserved.

Ontario Ministry of the Environment

Well Tag No. for Master Well (Place Sticker and/or Print Below)
A 064922


A064922

Master Well Record for **Cluster Well Construction** Regulation 903 Ontario Water Resources Act
Page ______ of

Master W	fell Owner's and I	and Owner's Infor	mation				-			HE HIS		ATTENDED TO
First Name	5	Last	Name					E-mail Add	Iress			
-	< IDEAN	KEGIONAL Name, RR)	- ('€	N TRE								
Mailing Add			-				Provír	nce	Postal Cod			(inc. area code)
K.O.	Box 2			MITHS	STAL	45	a	MARIO	KAAL	HTH	61BR8	40123
		n of the Master We	II in the C	The second second								
Address of		Number/Name, RR)		Towns	,	-		,	Lot		Concession	
County/Die	Q CR **	43		CibyTr	ORTH own/Villag	EL	MSLE) US	/		Prov	inco D	ostal Code
					-	<u> </u>					tario	ostal Code
UTM Coord	AN AR K inates Zone Eastir	ng Northing		GPS Uni	t Make	Model	45	Mode of O	neration:			Averaged
						Wiodei			tiated, specify		nerentiated	Averaged
		6 89 6 5 0 3 Materials (see instr				remail		Dilleren		le Deta	ile	
General	Most Common	Other		neral	_	(Metres)	Depth	(Metres)	110	ie bete	Diameter	
Colour	Material	Materials		ription	From	То	From	То			(Centimetres)	
	1 1	The state of the state of	The same	-1	170	45.36		The second			ALC: A SECOND	all the later
Drown	topsoil		tops	21	0	6,0	0	5.7		7.6		
grey	cobbles				0.7	1.8	2.7	6.3		F 7		
,				G.		100000	4.1	0.7		-		
brown	Sand		Sand	fill	1.8	2.7						
to to home		Sand ston	o hed	max	7.5	6.3						
whitegray		Jana 5101	E me	HOCK	O. I	0.5						
									W	ater Us	ie	
							Public	1	_	Not u		Other, specify
							☐ Domes	-		Dewa Monit		
	mw9	was tagge	ed, N	1W8	has		☐ Irrigatio				ng & Air Condition	ing
	12	was taggi	-17			1-215			Method o	of Cons	struction	CONTRACTOR
	The sai	me 5010	onair	10715	ana		Cable	Tool		ercussio		THE PERSON NAMED IN COLUMN
	install	ation.	Mario Caro Caro				_	(Convention			on Digging Boring	
								(Reverse)	☐ Jettir		Other, s	pecify
							Rotary	(Air)	☐ Drivi	ng		
							,		Stat	us of V	Vell	Manusconisa
							Test H	ole			Insufficient Supply	THE REAL PROPERTY.
								cement Well			Poor Water Qualit	
						100	Dewate			r, specif		
			To be to				Alterat	tion (Construc	ction) Abar	ndoned,	other, specify	
						12.30	N- C				Circle Michael	
							Open Hole		reen Used		Static Water L	evel lest
		C	4-11-					Yes N	lo	13	3.5 Metres	
Inside Diar	notor	Construction De Material	tails	Wall	Denth (Metres)		A STEEL STEEL		creen		
(Centimet	The second secon	fibreglass, concrete, g	alvanized)	Thickness	From	To	Galvan	ized S	teel Fib	reglass	Concrete	Plastic
2 -	1 15						Outside D	iameter (Cer	ntimetres)	Slot N		
3,5	plast	c riser		0.3	0	3.3	-	4.1			10	
3.5	absti	c riser c screen		0.3	3.3	10.3	SHEET SHEET		Water I)etails		
-					-	0.0	Water for	and at Depth		of Wat	er	
			200					Metres	Gas F	resh	Salty Sulph	nur Minerals
					17.00	17 2 2	Water for	and at Depti	h Kind	of Wat	er	
	Annular	Space/Abandonmer	t Sealing F	Record		R/SEE		Metres	Gas F	resh	Salty Sulph	nur Minerals
Depth Set a		Type of Sealant t			Volume	e Used	Water for	and at Depth	h Kind	of Wat	er	
From	То	(Material and Typ			(Cubic	Metres)		Metres	Gas F	resh	Salty Sulph	nur Minerals
b	3.1 ben	- a strant	Mate		1/2 h		Disinfected	d TYes T	No If no pr	ovide rea	ason: Date Maste	er Well Completed
	J. Den	tonite pe	11013		1/2 p			1. 44. 22. 47.			(yyyy/mm/d	
3.1	6.3 tilt	er sand			1/2 100	29					විතාව/	06/05
						,					t the additional	
									100000000000000000000000000000000000000		ach parcel of la	THE RESERVE TO SERVE THE PARTY OF THE PARTY
								lls in Cluster			ase indicate Numb mation Log Shee	ber of Cluster Well ets Submitted
						1	Total We	lls on this Pr	roperty	-	213 01.00	
							2/tot		(nown)		2	
							Clot	W1 (1)	Location	of Wel	Cluster	
							Detailed I	Map must be	-		chment no large	r than legal size
									are not allow			
							Check	box to conf	irm detailed	map is p	provided as per S	Section 11.1 (3)
				1		1				formati	on concerning t	he cluster to
							S Direct	tor upon re	uuest			
							0					
During 1		actor and Well Tech	nnician Inf	The second second			M					
	ame of Well Contracto	Я		well Conti	ractor's Lice	ence No.	S					
OG	5 NC. idress (Street No./Na	me number DD\	18.4	nicipality	7 6	14						
CC C				nicipality	1 -							
Province	Postal Code	Business E-ma	OCI I	Almo	nte		Audit No.	-	MILLIST	Wall		
				-11 -4			Audit No.	M 03	128	Aveil	Contractor No.	
Chtar	no No Gos amo andal	Name of Well Technic	an A set No	Cliret N	· ca		Date Pers	eived (yyyy/m		Date	of Inspection (yyy)	ulmmlet-ft
		Ech live.			arriej		Date Nece	JUL 0.7		Date	от тареспон (ууу)	and a second
Well Technic	1567666 ian's Licence No. Sign	Hwre of Telchnickan	Char		mitted (vvv	v/mm/dd0	Remarks	JOL 0 /	2000	1		
		77 - (1917 - (187	7		, ,		(A)	MAP	(
20	99/6	V. A. W. Willes	,	2008	10010	4						


Ministry's Copy

INTERMAP



M 03128


JUL 0.7 2008 C-6964



JUL 0 7 2008

M03128 C-6964

613 226 5529



M03128 JUL072008 C-6964



First Name

RN

5.20 5.20

Depth Set at (Metres) From To

Ministry of

UTM Coordinates Zone Easting Northing 1130 GPS Unit Make Mo

Other

Materials

SAND

SILT

Overburden and Bedrock Materials (see instructions on the back of this form)

Construction Details Inside Diameter Material Wall Depth (Metres (Centimetres) (steel, plastic, fibreglass, concrete, galvanized) Thickness From To

Annular Space/Abandonment Sealing Record

PLASTIC RISER
PLASTIC SIREEN

Type of Sealant Used (Material and Type)

0.3 CONCRETE

Master Well Owner's and Land Owner's Information

Address of Well Location (Street Number/Name, RR)

48 1 RIDEAU 57.
County/District/Municipality

Most Common Material

FILL

CLAY

Mailing Address (Street Number/Name, RR)

Municipality

154 Colonnade Rd-S

Location and Construction of the Master Well in the Cluster

Well Tag No. for Master Well (Piece Sticker and/or Prin

Disinfected [

M 02546

Date Received (yyyy/mm/dd) JAN () 9 2009

A 067088

OTTANDO

General

Description

LOOSE.

Township

City/Town/Village

Model

0,6

Depth (Metres)

4.57 9,75

Depth (Metres)

Volume Used (Cubic Metres)

390 0 5.18

From

0

DENSE 0.614,57

er and/or	Print Below)	CI	ust	er	W	le!	II ari	С	OI Vat	nsti	u	cti	for ion
	E-mail Add	iress											
	- man / m												
Provin		Postal KZ		-	5					o. (inc			
		Lot	H			Co	no	ess	ion				
	Province Postal Code Ontario Mode of Operation: Undifferentiated Averaged												
4		peration tiated, s			ndiff	eren	ıtia	ited		A	vera	ged	
				e D	eta	ils							
Depth	(Metres)	有种的						ame tim		s)			
0	9.75		10	-	9	2							
0	7												
4							_						
Dublic		ndustrial	Wa	ater	Us ot us					Ot	her	spe	cify
Domes	stic C	ommerci	al [] D	ewa	terin	~				ruli,	apro	only
Livesto	_	funicipal est Hole				oring		Co	ndit	ioning			
		Meth	od c			_				Helitz	I de la		
Cable			Air P			ND .	[Digg				
	(Convention (Reverse)	nai) [Dian Jettir				1		orir	r, spe	cify		
Rotary	(Air)		Drivi	ng	-	20	20	re.	7	R	5%	X	
			Stat	347		-			6				
Replac	ole cement Well		Abar										
Dewat	ering Well		Othe	er, sp	pecit	ý_							
	tion (Constru			_	ed,		_	_	_		_		
No Cas Open Hole	ing and S	creen (sed			Sta	tic	1		r Lev	el T	est	
	Yes	No		200	L_	_]	Meti	res			
Gafvar	nized []	Steel		oregi	-	T	7	Con	cret	e (JP	(aet	-
Outside D		entimetre		_	lot N	lo.		10	9				
0											_		
Water for	und at Dep		Kind			er		1111	116	15,937		411	
		Gas					ılty	E	Sı	ılphur		M	inerals
Water for	und at Dep		Kind				altv	, [9	ulphur		M	inerals
Water for	Metres und at Dep	Gas	Kind							-qoritor		7 244	
	Metres	Gas	F	resh		Sa	lty		S	ulphur] M	inerals
Disinfecte	d Yes [No If	no, pr	ovide	e rea	ason	-			aster \ m/dd)	Vell	Cor	mpleted
i-ja-								977	(98	3/	1	2/
	Informatio												
27777	ells in Clust		1	3111	Plea	ase i	ind	licat	e N	umber	of (Clus	ter Wel
Total We	ells on this I	Property			Info	rma	tioi	n Lo	g S	heets	Sub	mitt	led
- Juli VVC	rio Uni ulia I	торопу	4						_				
Deteiled	Man		ation			_	_		_	FORT M	100	le-	al elec
(8.5" x 14	Map must I 4"). Sketche	es are no	t allo	wed								-	
_	k box to cor			_		_	_		Ė				
	to release tor upon r		nal in	forn	nati	on c	:01	nce	rnii	ng the	clu	ste	rto
Signature	of Technic	cian/Con	tracto	ЭГ				Dat	e /v	vvv/mi	n/dd)	

Well Contractor and Well Technician Information Business Name of Well Contractor Strata Soil Sampling Business Address (Street No./Name, number, RR) Municipality

2-147 West Beaver Crock Or Richmond Hil

Business E-mail Address Postal Code

44BICA Statasoil-com Bus.Telephone No. (inc. area code) Name of Well Technician (Last Name, First Name)

9057649304 Muit, Mike
Well Technician's Licence No. Signature of Technician
3 4 4 8 Mult

Date Submitted (yyyy/mm/dd) Remarks

EP 1756 1992 (11/2006)

Ministry's Copy

Date of Inspection (yyyy/mm/dd)

© Queen's Printer for Ontario, 2006



Ministry of the Environment

Well Ta A 067088

t Well Tag No.)

A067088

Cluster Well Information for Cluster Well Construction

Regulation 903 Ontario Water Resources Act

	71061000	6045 Page 2 of 3
Property Owner's Information	等的 计设计 计自己 的复数法安全的发生的 医克里克斯 医皮肤 医皮肤 医皮肤 医皮肤	Cd
Province ON Postal Code E-mail Address K2 E 7 5 5	Mailing Address (Street No./Name, RR) 154 Colonade 51-5 Telephone No. (inc. area code) 4 1 3 2 2 5 9 9 4	Cc Pro Sig
Cluster Well Information	4 3 2 2 3 7 1	Co
Address of Well Location (Street Number/Name, RR) Lot Con Con	Unit Make Model Unit Mode of Operation Undifferentiated Africaged	Signature of Technician/Contractor Date (yyyy/mm/dd)
Ontario C	Unit Make Model Unit Mode of Operation Undifferentiated Averaged This Etrex Differentiated, specify:	
Well # UTM Coordinates Full Depth of Hole Diameter Method of Construction	Casing Material Casing Length (metres) Screen Interval (metres) Annular Space Static Water Level (metres) Sealant Used	Comments Date of Completion (yyyy/mm/dd)
D 1844 6838 5031 1214 9.75 FU.92 Push	PUC 5.18 5.18 9.75 Benzy	
3 1844683250311129.75 10.92 "	11 5.18 5.18 9.75 Benseal	2008/12/8
4 1844684550311197673 10.92 11	11 1.5 1.5 6.1 Benseal	2008/12/8
		A STATE OF THE STA
Well Contractor and Well Technician Information	建筑。2011年,1921年(1921年),1921年(1921年),1921年(1921年),1921年(1921年),1921年(1921年)	Date 1st Well in Cluster Constructed Date Last Well in Cluster Constructed (yyyy/mm/dd)
Business Name of Well Contractor Stada Soil Sampling 2-147 Wes	et Number/Name, RR) H Beaver Creek Dr Richmond H. 4 ON	Ministry Use Only
Postal Code Business Tellephone No. (inc. area code) Well Contractor's I L 4 B 1 C 6 9 0 5 7 C 4 9 3 0 4 7 Z 4 Wame of Well Technician (First Name, Last Name) Well Technician's I	icence No. Business E-mail Address Strata Scil - com icence No. Date Submitted (yyyy/mm/dd) Signaturg of Technician	Date Received (yyyy/mm/dd) JAN (1 9 7009 Audit No.
Mike, Muit 3 4 2	18 Mile	c 01658

16

6

Well Record

Hicker and/or Print Below) Ministry of 087362 A087362 the Environment Regulation 903 Ontario Water Resources Act Metric ☐ In Page easurements recorded in: Well Owner's Information Last Namey Organization
HILBYO E-mail Address ☐ Well Constructed by Well Owner Mading Address (Street Number/Name) Municipality Province Postal Code Telephone No. (inc. area code) Well Location Address of Well Location (Street Number/Name) Township Lot Concession 240 Friel County/District/Municipality City/Town/Village

OHAUA

Municipal Plan ad Postal Code Province Ontario | | | NAD 8 3 / 8 4 4 6 5 2 8 5 0 3 / 0 0 4 ian and Subjet Number Other Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form) General Colour Most Common Material Other Materials General Description BUL/ 679 hard 183 Results of Well Yield Testing Annular Space After test of wcg yield, water was Dapth Set at (m/ft) Type of Sealant Used Volume Placed Draw Down Recovery (m^2/\hbar^2) ☐ Clear and sand free Time: Water Level Time Waler Level Other, specify (min) (mH)(m/8)(min) 31 Static If pumping discontinued, give reason Level 1.22 1 1 3.1 Pump intake set at (m/ft) 2 2 3 3 Pumping rate (Vmin / GPM) Method of Construction Well Use 4 Diamond
Jetting ☐ Cable Tool Pubbc Commercial ☐ Not used 4 Duration of pumping ☐ Rotary (Conventional) Domesic ■ Munacipal □ Dowatering 5 hrs + 5 min Test Hote S Mon Moniloring Rolary (Reverse) Driving □ Livestock Borng □ Digg=ng ☐ Imigation Final water level end of pumping (mill) 10 10 ☐ Air percussion ☐ Industrial flich COmer, specify (1111) Other, specify 15 15 If flowing give rate (Vmin / GPM) Construction Record - Casing Status of Well 20 20 Open Hole OR Malerial Depih (m/it) Wall ☐ Water Supply Recommended pump death (m/ft) (Gavanized, Floreglass, Concrete, Plastic, Steet) Thickness ☐ Replacement Web 25 25 (cm(n) (ណស់រា) Test hate Recommended pump rate 1.5 30 Recharge Web 30 .338 n / GPM) Dewatoring Well 40 40 ि Caservation and/or Well production (Vmin / GPM) Monitoring Hole Disinfected? 50 50 Alteration (Construction) 60 60 Abandoned, Insufficient Supply Map of Well Location Construction Record - Screen ☐ Abandoned, Poor Outside Depth (m/ft) Water Quality Please provide a map below following instructions on the back Diamete (cm/n) Abandoned, other, Erom To specify 3./ 10 1.5 334 Other, specify Water Details Hole Diameter 246 Water found at Depth Kind of Water: Fresh Untested Depth (m/ll) Diameter (m/ft) Gas Other, specify (cm/n) To Water found at Depth Kind of Water: Fresh (m/li) Gas Cother, specify
Water found at Depth Kind of Water: Fresh Untested Other, specify Well Contractor and Well Technician Information Business Name of Well Contractor Well Contractor's Licence No Strata Soil Sampling Business Address (Street Number/Nat Comments Richmondhill 147-2 creek Beaver Business E-mail Address Wrecords 05 trutasoil. Province Postal Code ON Well owner's intermation Date Package Delivered Ministry Use Only of Well Technician (Last Name, First Name) Seatty Brian package delivered 1,45234 9057649304 Beatty

Date Work Completed

20112015

🗀 Yes

12011 Diobaio

SI2146-

Ministry of the Environment A 087366 A087346

Well Record

		Y Marke	пирет -				<u>`.</u>		Page	275	_ 다 <u>크로</u>	
	mer's information	1										
First Name	•	Last Name / ルル	CP (7)	n,		E-mail Address				Well Constructed by Web Owner		
Mailing Ad	dress (Street Number/		2010	i	Municipality	Province	Postal Code	e e	Toteshone		area code)	
		12-10)			,	1.1.1.1.1.1	: !	i !	TO EDITORIE		1 []	
Well Loc	ation			I		 	· · · · · · · · · · · · · · · · · · ·			1 1 1		
	Well Location (Street)	Number/Name)		Township		Lol	-	Concession	n		
240	1-11x1 -	5 /										
County/Dis	strict/Municipality				City/Town/Village			Provid		Posta	l Code	
UTN Coord	finates Zone , Easting		orthing	;	<i>OFFOWC</i> Municipal Plan and Subl	-			ario		<u>i i I I </u>	
	18 3 18 414 6				Municipal Plan and Sub-	ot womber		Other				
Overburd	en and Bedrock Mat	rials/Abandı	noment Se	eling Becc	ord (see instructions on the	a hack of this from	ni	<u> </u>				
General C		mmon Materia			her Malerials	a the fact that the state	General Description	n		Dep	oth (<i>m/ft)</i>	
					(1 1	/	<u>_</u>		From	T _D	
BIK/GF	7 7-77					dry, the	01 d		-	0	1.83	
6,69	ay			···· · · · · · · · · · · · · · · · · ·		W.E. So.	<u> [: </u>			1.83	3.1	
		. 				<u> </u>						
	!					T					<u> </u>	
	i			,.,						· ·	:	
					·	<u> </u>					· 	
			.			:						
			•			· .			[<u></u>	
			i			1700						
	<u>'</u>	Annula	Space			 	Results of W	ell Yie	ld Testing		 -	
	et at (m/ft)	Type of Se	alani Used		Volume Placed		il yield, water was:	_	aw Down		tecovery	
From	i To	(Material a			(m²/d²)	Clear and		Time (min)			Water Level	
0	.31 Cone	ek/ [-1	ushma	102	<u> </u>	Other, sp		<u> انتال</u>		(min)	(nVII)	
.31	; -	,		•		III bombad oss	continued, give reason:	Level		_ 		
1.22	3.1				i	11		וי		1 1		
1:66	· · · · · · · · · · · · · · · · · · ·				·- !	Pump intake s	set at (m/ft)	2	j	2		
	<u> </u>				<u> </u>	J	· · · · · · · · · · · · · · · · · · ·	- 3	i	3		
Meti	had of Construction			Well Us	e .	Pumping rate	(Vmin / GPM)	ľ	<u> </u>			
Cable To	_			Commo	=	Outation of pu	Imping	4		4		
Rolary (F	Conventional) 🔲 Jettin Réverse) 🔲 Drivin		kmestic restock	☐ Municip ☐4-765i Ho		hrs •	min	5		5		
☐ Bowng	Diggio	eg □trri	galion	_	& Air Conditioning	Final water lev	el end of pumping (m/l)	10		10		
Air parou	ussion pocky <u>dicaet lus</u>	, –	iusinal her, soecily j					45		+		
	Construction				Status of Well] If flowing give	rate (limin / GPM)	15	<u> </u>	15		
Inside	Open Hole OR Maleria			h (<i>m/l</i> t)	Water Supply	Recommends	d pump depth (m/ft)	20		20		
Diameler (cm/n)	(Galvanized, Fibreglass Concrete, Plastic, Stee	Thickness	From	то	Replacement Web		o partip dapar (tress)	25		25		
	Au a				Test Hole	Recommende	d pump rate	30		30		
2.4/	PVC	338	0	1.5	Recharge Web	(Vinia / GPM)		130	ļ	30		
					Observation and/or	Well production	n (Vmin / GPM)	40	<u>!</u>	40		
	T				Monitoring Hote			50		50		
				 	(Construction)	Disinfected?	Na	60		60		
	<u> </u>		<u> </u>	<u> </u>	Abandoned, Insufficient Supply	1 185 1			4.	40		
Outside	T	Record - Scre	1	h (<i>m/fl</i>)	Abandoned, Poov Water Quably	Ptease provide	Map of W a map below following			back.		
Diameter (cavia)	Materiel (Plastic, Galvanized, Sto	Stat No.	From	To	Abandoned, other,		- ···			-	$\hat{\mathbf{A}}$	
	6.1		1.5		specify		-				Λ,	
3.34	PV C	10	1.5	3./	Other, specify			5		1	, 10	
							¥ []		_}		}	
	Water 9	etails		į.	lole Diameter	il	1/4	•	Ì	- E	l	
	d at Depth; Kind of Wa		Untested	Dep From	in (m/ft) Diameter To (cm/n)		\			-	}	
	v/fi) ∐Gas ÜOther, :		***********		31 571	 	240		{	15	ł	
	nd at Depth Kind of Wa n/t) ∐Gas ⊞Other, :	_		<u> </u>	13.7 P. 7/		Preing Con	Sec. (1	'		
	ed at Depth Kind of Wa		Untested	└			P1"	· _	-	1]	
	v/li) [□Gas □ ,Other, s	_		1			(احبيوت	- 1		
		tor and Well	Technicia	n Informa	tion	il _	_			1	<u></u>	
	ame of Well Contractor			W	el Contractor's Licence No		Bidian	12				
		ampling			7 2 4 1		<u> </u>	<u> </u>				
147-2	ddress (Street Number/ W. Beckley				inicipality	Comments:						
Province	Postal Code		E-mail Add		· · · · · ·	II						
DN	L4 6 1				tratasoil con	Well owner's	Oale Package Deliver	ed l	Mini	stry Use	Only	
Bus Telepho	one No. (inc. area code)	Name of Well 1	Fechnician (Last Name,	First Name)	information package		- 1	Auxiit No.	-	<u> </u>	
905	76 4 9 3 04	Beatly	<u>, Bri</u>	40	•	delivered	Date Work Completed		Z	143	5235	
We1 Technio ユーレ	ien's Licence No. Signati	re el Technick	n and/or Co	ontractor Da	te Submitted 0 1 2 0 2 0 7	L Yes	'		I			
) 0	1 1 1		/	<u></u>	017 2012 3017	MO	201201	3:/	EMAÑ:	<u>บ ษ Zl</u>	J1Z	

Measurements recorded in: Metric Imper. A 087373 1657373

SIZHB

Regulation 903 Ontario Water Resources Act Page 🟂 of 🎏

Well Ow	ner's Information	1										<u> </u>	
First Name			se / Organiz	alion			E-mail Address				7 141-41	0	
				C310		Well Construct by Well Change							
Mailing Ad	dress (Street Number	/Name)	[Jv. ' '		Municipality Province			Postal Code Tetephone				e No. (inc. area code)	
-	,	,		ĺ								1 ! !	
Well Loc	ation						i	<u>i I i I.</u>	: :		<u>- : </u>	_ 	
	Well Loc <u>ati</u> on (Street	filment neitin	-mal		PARILLE .			Itat		Canadáir			
Address of		Nomocurva	me)		l'ownship			Eot	ļ	Concession	'		
140	formet.	<i>.</i> 2 <i>.</i>				v							
County/Dis	strict/Municipality			ľ	City/Town/Village				Provid		Posta	Code	
					Offawa					ario	:		
UTM Coord	linates Zone Easting)	Northing	·	Municipal Plan and Sut	olal N	umber		Other				
NAD	831044	6533	50 2	10/2									
					ord (see instructions on t	he bad	k of this form)	· · · · · ·	· · · · ·				
General C		ommon Mat			er Materials	T		ral Description			Der	olo (m/ft)	
		Ominoli Ivat	cilai		PEN INIGHERIANS	<u></u>	/ Gene	rai Description	'		From	To	
BUL (6	fy 711					12	lry hard				0	1.5	
101	n/ i					-		,		i		T	
<u>QF</u>	Clary		i			16	et, Soft	·			1:5	5_/	
	1 ′												
	<u> </u>					 				· · 		 	
						\bot		····					
												1	
	j					+							
						\perp							
						+-			.			+	
												<u> </u>	
]				· · · · · · · · · · · · · · · · · · ·			· · · · · · · [- ·		j	
	ı		·							1		<u> </u>	
			ular Space		1	<u> </u>		Results of W	-1		72		
Depth St	el at (<i>m/i</i> t) I To		Sealant Us A and Type,		Volume Placed		ter test of well yield,			aw Down	H R	ecovery	
	····				(m²/ft³)		☐ Clear and sand fi ☐ Other, specify	ice	(mm)	Water Leve		Water Level (m/fl)	
0	31 60	resolu l	Llust	Monet		11—			Slalic		(min)	1276359	
7/			7 4	AT A		 	pumping discontinue	xd, give reason.	Level				
.3/	1.22 /5	148-201			.	<u> </u>			í				
1.22	3.1 50	- 1				11_			li.		⊥ '-!		
/ <u></u>	19. · · · · - 18.	<i>r</i> ~			·····	- P\	imp intake set at <i>(n</i>	n/t)	2		2		
	i				Ì	H			\vdash	 	+		
Uaf)	nod of Constructio			Well Us		う(風	imping rate (Vinin /	GPM)] 3		3		
Cable To) Public	Comme		-{I			4				
=	ool Dian Converdional) Sattii) Puope) Domestic	☐ Municip			ration of pumping	·····		<u> </u>	1	,	
Rolary (F) Livestock	☐ Murcop			hrs+ n	nia	5		5		
□ Bound	□ Digg	- 1 =) Irrigation		& Ar Conditioning		hal water level end o	Enumaina (sa/8)	\parallel		+}		
☐ Air percu	. — 😘	· • I =) Industrial		a AP Conditioning	Ш.,	tol Water Tevel Elis C	, borrdand (seat)	10		10		
Siner, se	confinet 11		Citter, spec	city		11:5			15		15		
	_ 			,		⊰i"'	lowing give rate (Vi	nin / GPM)	L'3		- !		
	Construction				Status of Well	-li_			20		20		
Inside Diameter	Coen Hole CR Materi (Galvanized, Fibreglas			epin (m/fi)	☐ Water Supply	R	scommended pump	depih (m/#)	 		┤─- }		
(cusin)	Concrete, Plastic, Ster			n To	Replacement Wett	Ш			25		25		
2		<u> </u>			- Krest Hols		commended pump	rate	20		1		
3.45	PUL	.350	6 0	15	☐ Recharge Well Dewatering Well	(60	nin / GPM)		30		30		
	T ** ** ***				Coservation and/or	II.			40	1	1 40		
					Mondoreng Hole	ll w	all production (Umin	(/ GPM)			+		
				1	Alteration	[L			50		50		
					(Construction)		sinfected?		60				
					Abandoned,	ــاز	Yes No		[W		60		
	Constructio	n Record - S	creen		Insufficient Supply Abandoned, Peor			Map of W	ell Loc	ation			
Outside	Material		С	Pepth (<i>m/li</i>)	Water Quality	Pk	easa provide a map	•			13CX	^	
Diameter (cm/in)	(Plastic, Galvanized, St	eel) Slot N	o. From	n l To	Abandoned, other,	Ш						α	
		 	_		specify	Ш						7	
4.21	PUC	10	1.5	- 3./		Ш						4	
					Citer, specity	Ш			37	1	- [1	
	<u> </u>					Ш		1	<u></u>	7 .	1	5	
	Water	Details		T H	lole Diameter	٦١			6	-\$1 24	12	~{	
Water foun	id at Depth Kind of W	ater: [Fre	sh [Unter	sted Dep	th (m/ft) Diameter]		l l		1	- 14		
	v/f) ☐ Gas ☐ Other,	_	_	From	To (cmin)	_		1		1		į	
Water four	d at Depth Kind of W	alor Fra	ch Ellinher	sledi (2)	3.1 5.71	Ш	24	2		f	⟨ ∿	<u>.</u> }	
					···································	-	1800	ting Grong	_	}	J-j~	'i	
	vft)		- F T T = 1	_		Ш	1,50		<u> </u>	1	- 1	ł	
	· I	_	snUnies	siéo	/ \ '	11	1	1		(ì)	
(17)	v/ft) ∐ Gas ∏ Other,	specify		<u> </u>	1	J	-				Į	1	
			fell Techn	ician Informa	tion	71 -		Δ.				ļ.——.	
Business N	ame of Well Contracto		. ·		Il Contractor's Licence No.	71		15.31	. ~	F			
Strut	a 5011	Samo	ins	-	71214:1	Ш		171614	حنم				
Business A	odress (Street Number		' ' ' '	M	inicipality	TI Co	mments			···-			
147-		er Cre	ء بد	170	(ichmondhill	[]							
Province		er ure	(년) 1986 E == 1	Addross	Cedi marind	-11							
	Postal Code	الاستار بر	iess c-mail	Address 2 c	44.	-	. II					-	
DN	- 4.B7	COL	וע כסי	- 02 S	tratasoil.com] VV4 (m)	elf owner's Date Pormation	ackage Dehvere	÷0		try Use	a Only	
	one No. (inc. area code)			an (Last Name, ເປັ່ນ	First Name)	pa	ckage 💹 !	1 10	I	Audit No.			
	7 6 4 9 30 <u> 4</u>		u#2	Brian		_!I .	twered Date W	fork Completed		l Z	145	5283	
					le Submitted	ا ال	J Yes One W	. on competed	- 1	ktāb	ិព្រំផ្ទ	700	
ነ ነ ነ ነ	1 f ik	60	<u> </u>	. la	בות כת מינום	HI I	J No. 2 12 14 1	12/2/2017	215 6	naig	w U	Enter 1 per	

1986 Tag No. (Place Sticker and/or Print Below)

Well Record

Measurements recorded in: Metric Imperial A 086627 A 086627

Regulation 903 Ontario Water Resources Act

	ents recorded in: 🖟	Metric Imp	erial A US	36627	A OSHA	7 5-	1214839	:_ #	_ of _
First Name / Organization				E-mail Address					
Mailing Address (Street Number/Name) Municipality				Province	Postal Code	by Well Owner Telephone No. (inc. area code)			
Well Location Address of Well (Street Number/Name) Township					Lot	Concession	<u> </u>		
County/Dist	trict/Municipality	<i></i>		- City/Town/Village			Province	Coola	il Code .
offaua						Ontario	Posia	i	
	nales Zone Easting	Northi	31006	dunicipal Plan and Sub	lot Number	·· ·- ·-	Other	.3	
	n and Bedrock Mater	کے دیا ہے؛ د ials/Abandonm	ent Sealing Reco	ord (see instructions on th	e back of this form)				
General Colour Most Common Material				Other Materials		General Description		Dep From	p\h (m/fl) To
Bullar Fill		San A.	San A. Stones		Soft, der Soft, wet		_0_	3.35	
BLK/6	RY F-111		Sond	Sond Skore, Clay		<u> </u>		3.35	457
					<u> </u>				
·					·		···································		
	· ··· · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·			·		^ —	<u>[</u>
	·· ··· ·		 	··	<u> </u> 		-		
					1				
			. 	····	 	· · · · · · · · · · · · · · · · · · ·			†····
		Annular Spa	ice		1	Results of We	Il Yield Testing	,	
Depth Se From	t at (m/ii) To	Type of Seatant (Meterial and T)		Volume Placed (m²/tt²)	After test of well y		Draw Down Time Water Lev		Recovery Water Level
0	.31 Concre		shmanl	1	Other, spec	ity	(min) (m/il) State	(min)	(m/fl)
.3/		500 1	· ·	1	If pumping discor	nlinued, give reason:	Level	$\perp \! \! \perp \! \! \! \perp$	- · · ·
1.22	457 Some	1		<u> </u>	Duma estália int		1	1	
				1	Pump intake set	a (mn)	2	2	
Meth	od of Construction		Weil Us	e	Pumping rate (Vi	min / GPM)	3	3	
☐ Cable Too		□ Pvolic □ Domesi	Commer		Duration of pum	p:ng	4	_ 4	
Rotary (Re	everse) 🔲 Oriving	Livestor	k 🖯 Test Hol	e -Wonitoring	hrs +	min	5	5	
☐ Boring ☐ Air percus		☐ Imigatio ☐ Industri	al	8. Air Condilioning	Fingl water (evel (end of pumpang <i>(സ്ട്ര്)</i>	10	10	
_J-OHHET, Sp.	ecityed inell flus	C Other, a		T	If Nowing give rai	te (Umin / GPM)	15	15	
Inside	Construction R Open Hote OR Materia!	Wall	Depth (m/t)	Status of Well Water Supply	Recommended	pump depth (nvit)	20	20	
Diameter (cm/n)	(Gewanized, Fibreglass, Contrele, Plasto, Steet)	Thickness (crash)	From To	Replacement Well			25	25	
345	pvi	35% 0	9 3.1	Recharge Well Dewatering Wc0	Recommended ((Vmin / GPM)	pump rale	30	30	
				-Observation and/or	Well production	(Vmin / GPM)	40	40	
				Moretoring Hole Alteration	Chamfeeled?		50	50	
				(Construction) Abandoned,	∐ Yes ∐ No	1	60	60	
Outside	Construction R	ecord - Screen		Insufficient Supply Abandoned, Poor	Plance amerida o	Map of We map below following	ell Location		
D :	Material (Plastic, Galvarated, Steel)	Stot No.	Depth (<i>m/ll</i>) From To	Water Quality Abandoned, other,	ベンヘス		IIIZIIQIZIO 15 QII QIS	Derex ,	<i>1</i>
4.21	PUC	10 3.	1 457	specify	1 00 TE	·	,		,0
*			, , , , , , , , , , , , , , , , , , ,	Other, specify		240	} ,	۲)	
	Water De			ote Diameter		270	{ }	ė	
Water found at Depth Kind of Water: Fresh Unlested Depth (m/tt) Diameter					,		1		
(m/li) ☐Gas ☐Other, specify					1	\ \			
(m/it) ☐ Gas ☐ Other, specify)	۲		
	ff) ∐Gas ∏Olher, spe		mested ———						
	Well Contractor me of Well Contractor	r and Well Tec	hnician informat		il — - o			! [_	
5 trat		amplica	. 7	Contractor's Ucence No.	— <u> </u>	idean st		7 [
	dress (Street Number/Na	:me) # 0		nicspality	Comments:			+	
Province	. W. Bewer Postal Code	Business Em	nad Address ,	ichmondhill					
D _N				tasoil.com	Well owner's Da	ale Package Detivered		stry Use	Only
ыз. Геlерлоп 9 № 5 7	e No. (inc. area code) Na 16 14 1 9 5 0 H n's Licence No. Signature	Beatte	ikkan (Lasi Name, F Bri a.a	rrsi Name)	package debvered	10 10 10 10	Auda No.	115	(215
Well Technician	n's Licence No. Signature	of Technician an	d/or Contractor Date	Submitted	[Yes	ale Work Completed	- 11	<u>፲</u> ፋጋ 2ኛን)215 . %9
_; 27		1711		マンスかいしょうかきん	u i 1. /	ハスロフエンハイリック	Milallo er a a i	20 K 1 12	: <u>1</u> 016

/クマダイブ

5-12145 Well Record Regulation 903 Ontario Water Resources Act

z145285

MAY 1.7 2012

Date Work Completed

2011201131

☐ Yes

☐ No

2012/02/24

ature of Technician and/or Contractor Date Submitted

Well Location Address of Well Location (Street Number/Name) Township 140 KRKI County/District/Municipality City/Town/Village Province Postal Code Ontario 1 | ! UTM Coordinates Zone Easting NAD | 8 | 3 / |8 | 4 | 4 | 6 | 5 | 2 | 7 Other Municipal Plan and Sublet Number Northing 5031006 Overburden and Bedrock Materials/Abandonment Seating Record (see instructions on the back of this form) Depth (m/t) General Description Most Common Material Other Materials 31 BLK/624 K/687 45 Results of Well Yield Testing Annular Space Type of Sealant Used (Material and Type) After test of well yield, water was: Draw Down Depth Set at (m/ft) Volume Placed Recovery (m^2/t^2) Clear and sand free Time Water Love Time Water Leve! (min) (m/t)Other, specify .31 Concrete / Flushmoun lf pumping discontinued, give reason Leve 1 1 Pump intake set at (m/ff) 2 2 3 3 Pumping rate (Vmin / GPM) Method of Construction Well Use 4 4 Cable Tool □ Diamond Public Commercial ■ Not used Duration of pumping Rotary (Conventional) ☐ Municipal ☐ Dewatering □ Jeiting Domestic 5 5 hrs + m:n ☐ Oriving ☐ Livestock ☐ Test Hore ■ Moralaring Rotary (Reverse) Final water level end of pumping (m/8) Boxing ☐ Irrigation ☐ Cooling & Air Conditionine ☐ Diaging 10 10 Air percussion ☐ Industrial Lush Graher, specify d/cyc/ Other, specify 15 15 If flowing give rate (Vmin / GPM) Construction Record - Casing Status of Well 20 20 Open Hote OR Material (Galvarzod, Fibregiass, Concrete, Plastic, Steel) Depth (m/ft) ☐ Water Supply Wat Recommended pump depth (m/ft) Diameter (cm/n) Thocknes ☐ Reptacement Wett 25 25 To (cm/n) Test Hote
Recharge Well Recommended pump rate 30 30 DVC 356 (Vmin / GPM) 345 Dewatering Web 40 40 Observation and/or Well production (Vmin / GPM) Monitoring Hote SN 50 Alteration (Construction) Disinfected? 60 60] Yes ∐ No Abandoned. Insufficient Supply Map of Well Location Construction Record - Screen ☐ Abandoned, Popr Please provide a map below following instructions on the back. Outside Water Quality Depth (m/ft) Material (Ptastic, Galvanized, Steel) Diamete (cm/in) Slot No. Abandoned, olker, From To specify 10 4.21 4.5 Other, specify Water Details **Hota Diameter** Water found at Depth Kind of Water: Fresh Dend From Other, specify (m/li) ∏Gas 5.71 Water found at Depth Kind of Water: EFresh LiUnlested 437 240 (m/ft) ∏₁Gas ☐ Other, specify Water found at Depth Kind of Water: Fresh __Unlested Other, specify Well Contractor and Well Technician Information Well Contractor's Licence No. .Comments Well owner's asomation Date Package Delivered Ministry Use Only Audit No. of Well Technician (Last Name, First Name) package detwered

Ontario Ministry of	Well Tag No. (Place Sticker a	·	Well Record	
Measurements recorded in: Metric Imperial	A110631	Regulati	on 903 Ontario Water Resources Act Page / of /	
Well Owner's Information			<u> </u>	
First Name Last Name Organization	14.	E-mail Address	. Well Constructed by Well Owner	
Mailing Address (Street Number/Name)	Municipality	Province Postal Cod	de Telephone No. (inc. area code)	
2460 Lancaster Rd, siite	201 Ottawa	ON KIB	155	
Address of Well Location (Street Number/Name)	Township	Lot	Concession	
265 Daly avenue County/District/Muniopality	City/Town/Village		Province Postal Code	
,	Ottawa		Ontario	
VTM Coordinates Zone Easting Northing NAD 8 3 1 8 4 4 6 7 5 0 5 0 3 0 3	Municipal Plan and Sub すらし	lot Number	Other	
Overburden and Bedrock Materials/Abandonment Sea		e back of this form)		
General Colour Most Common Material	Other Materials	General Description	rrom	
Guy Crushed Stone		Jill	0.46	
Brown Silty surol Cle	ey, grantation conc	rete Fell	0.46 2.90	
Brey Concrete state		·	2.90 <u>3.07</u> 3.07 6.70	
brown togray Selty clay			J.U.T. 6.70	
			· · · · · · · · · · · · · · · · · · ·	
:				
,				
		·		
Annular Space		Results of y	Vell Yield Testing	
Depth Set at (m/ft) Type of Seatant Used From To (Material and Type)	Volume Placed (m³/ft³)	After test of well yield, water was	Time Water Level Time Water Level	
0 2.8 bentonit		Other, specify If pumping discontinued/give reason	(min) (mlft) (min) (mlft)	
<u> </u>		in pumpang discontinued; give reasor	Level	
		Pump intake set at (mlft)		
			2 2	
Method of Construction	Well Use	Pumping rate (Ilmin / GPM)	3 3	
	☐ Commercial ☐ Not used ☐ Municipal ☐ Dewatering	Duration of pumping	4	
_ ' ' ' _ '	☐ Test Hole	hrs + min Final water level end of pumping (m/r	5 5	
☐ Air percussion ☐ Industrial ☐ Other, specify ☐ Other,			10	
Construction Record - Casing	Status of Well	If flowing give rate (Ilmin GPM)	15 15	
Inside Open Hole OR Material Wall Depth (Diarneter (Gatvanized, Fibregiass, Thickness	(mift)	Recommended pump depth (mift)	20 20	
(cmlin) Concrete, Plastic, Steel) (cmlin) From	To Replacement Well	Recommended pump rate	25 25	
3. PVC- 900 0	3. / ☐ Recharge Well ☐ Dewatering Well	(Ilmin GPM)	30 30	
	Observation and/or Monitoring Hole	Well production (Ilmin I GPM)	40 40	
	Alteration (Construction)	Disynfected?	50 50	
	Abandoned, Insufficient Supply	Yes No	60	
Construction Record - Screen Outside Material Depth (Abandoned, Poor	Map of V Please provide a map below following	Vell Location q instructions on the back.	
Diameter (cm/in) (Plastic, Galvanized, Steel) Stot No. From	To Abandoned, other, specify	318 324 34	3 24 51 52	
3.8 PVC 10 3.1	6.1	Busserer Besserer Besse	11.	
	Other, specify	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
Water Details	Hole Diameter		265 Daly 5	
Water found at Depth Kind of Water: Fresh Puntested 5 6 (milt) Gas Other, specify	Depth (m/ft) Diameter From To (cm/in)	259	262 Daly	
Water found at Depth Kind of Water: Fresh Untested	0 6.10 8.39	De12	7 2	
(mift) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested			hape	
(mlft) _ ;Gas _ Other, specify			U	
Well Contractor and Well Technician Business Name of Well Contractor	Information Well Contractor's Licence No.			
	Daly Avenue			
Eastern Ontaria Diamond Drilling Ltd Business Address (Street Number/Name)	Municipality	Comments:		
3790 County Rd 17 P.O. Box 3.3 Province Postal Code Business E-mail Addre	ss thankes bury		_	
ON KGAZR 4 ontariodiama	nel@ howke 145 net	Well owner's Date Package Deliver	1	
Table of veil technician (Las	st Name, First Name)	package delivered	Audit No. 7 1 7 1 0 C 0	
6 / 3 6 3 2 7 7 6 9 Stechnician and/or Cont		Yes Date Work Completed	1 - 1 - 2 - 0 - 0 - 0	
3 3 2 0 1506F (2007/12) 3 Queen's Printer for Ontario 2007	20140425	No 201212	05 MAY 2 7 2014	

Ministry's Copy

3 3 2 6 506E (2007/12) © Queen's Printer for Ontaria, 2007

Ontario Ministry of	Well Tag No. (Place Sticker a	and/or Print Below)	Well Record				
U UIILD the Environment	A130190		•	o Water Resources Act Page of			
Measurements recorded in: ✓ Metric Imperial Well Owner's Information	1170110	- 4-11-11		-5			
First Name Last Name / Organization	1.5	E-mail Address		☐ Well Constructed			
Mailing Address (Street Number/Name)	Homes Municipality	Province	Postal Code Telep	by Well Owner none No. (inc. area code)			
2000-210 Gladstone St.	OHawa	ON	KZPOY6				
Well Location Address of Well Location (Street Number/Name)	Township		Lat Cana	ession			
151 Chapel 57. County/District/Municipality	···						
County/District/Municipality	City/Town/Village OHawa		Province Ontario	Postal Code			
UTM Coordinates Zone Easting Northing	Municipal Plan and Sub	olol Number	Other	· · · · · · · · · · · · · · · · · · ·			
NAD 8 3 4 9 4 4 6 7 9 0 5 0 3 1 Overburden and Bedrock Materials/Abandonment S		ha hasir of this form!					
General Colour Most Common Material	Other Materials		ral Description	Depth (mift) From To			
Black asphalt	<u></u>	asphalt	L-	0 0.1			
Grey Crushed Stone		J.11		0.7 0.3			
Brown Dand I	tran gravel	Fill		0.3 1.01			
Brown Selly clay I	ince sund by 9.8 m	Very sliff to	stiff sitts day	1.01 11.28			
	•			: : :			
				. <u>. i</u>			
		·) :		:			
Depth Set at (m/ft) Type of Sealant Used	Volume Placed	After test of well yield,	Results of Well Yield Tes valer was: Draw Do	- , -/			
From To (Material and Type)	(m^2/ft^2)	☐ Clear and sand fr ☐ Other, specify	/ II I	r Level Time Water Level			
4.2 5.2 Bentonte		If pumping discontinue					
			1 1	1			
		Pump intake set at (n	n(ft) 2	2			
		Fumping rate (#min / c	3	3			
Method of Construction Cable Tool Diamond Public	Well Use ☐ Commercial ☐ Not used	Trumping fale (#//#//	4	4			
Rotary (Conventional)	☐ Municipal ☐ Dewatering	Duration of pumping hrs + m	nin /5	5			
Rotary (Reverse) □ Driving □ Livestock □ Boring □ Digging □ Irrigation	☐ Test Hale ☐ Monitoring ☐ Coaling & Air Conditioning	Final water level end of	""	10			
☐ Air percussion ☐ Industrial ☐ Other, specify ☐ Other, specify							
Construction Record - Casing	Status of Well	If flowing give rate (IIn	/	15			
Diameter (Galvanized Fibreolass Thickness	th (m/ft) Water Supply Replacement Well	Recommended pump	, , , , , , , , , , , , , , , , , , , ,	20			
(cmlin) Concrete, Plastic, Šteel) (cmlin) From	Test Hole	Recommended pump	rate 25	26			
S. PVC Scheros O	6, 2 Recharge Well Dewatering Well	(ilmin i GPM)	30	30			
	Observation and/or Monitoring Hole	Well production (limin	i GPM) 40	40			
	Alteration (Construction)	Disinfected?	50	50			
	Abandoned,	Yes No	60	60			
Construction Record - Screen Outside Dept		Please provide a man	Map of Well Location below following instructions or				
Diameter (cmlin) Material Slot No. From	To Abandoned other,	<u></u>	- hafel St.	Ting back.			
5.1 PVC 10 6.2	9.2		There is				
	☐ Other, specify			,			
J. FVC // 6, 6	· I		. .				
	Hole Diameter		151				
Water Details Water found at Depth Kind of Water: Fresh Untested			chapel St				
Water Details Water found at Depth Kind of Water: Fresh Untested (milt) Gas Other, specify	Depth (m/ft) Diameter From To (cm/in)			N Col			
Water Details Water found at Depth Kind of Water: Fresh Untested	Depth (m/ft) Diameter From To (em/in)		chapel St	2 Sole 1 de			
Water Details Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested	Depth (<i>m/ft</i>) Diameter From To (<i>cm/in</i>)		chapel st	20050leil de			
Water Details Water found at Depth Kind of Water: Fresh Untested (mlft) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mlft) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mlft) Gas Other, specify	Depth (<i>m/ft</i>) Diameter (<i>cm/in</i>) Diameter (<i>cm/in</i>) Diameter (<i>cm/in</i>)		chapel st	Decosole: 1 dr			
Water Details Water found at Depth Kind of Water: Fresh Untested (mlft) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mlft) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mlft) Gas Other, specify Well Contractor and Well Technicia	Depth (m/ft) Diameter (cm/in) To (cm/in) Diameter (cm/in) To (cm/in) To (cm/in) Diameter (cm/in) To (cm/in) To (cm/in) To (cm/in) Well Contractor's Licence No.	3 4	chapel st	Deen John John Z			
Water Details Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Well Contractor and Well Technicis Business Name of Well Contractor Easter Ontario Diamond Osilliose	Depth (m/ft) Diameter From To (cm/in) Diameter To (cm/in) Diameter To (cm/in) Diameter To (cm/in) To (cm/in) Diameter To (cm/in)	Ridean S	chapel st	poorsole: 1 dr			
Water Details Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Well Contractor and Well Technicia Business Name of Well Contractor Easter Ontario Diamond Drilling Business Address (Street Number/Name)	Depth (m/ft) Diameter From To (cm/in) Diameter To (cm/in) Diameter To (cm/in) Diameter To (cm/in) To (cm/in) Diameter To (cm/in) To (cm/in) Diameter To (cm/in) Diameter To (cm/in) To (cm/in) Diameter To (cm/in) To (cm/in) Diameter To (cm/in) Diameter To (cm/in) To (cm/in) Diameter To (cm/in) Diameter To (cm/in) To (cm/in) Diameter To (cm/in) To (cm/in) Diameter To (cm/in) Diameter To (cm/in) To (cm/in) Diameter To (cm/in) To (cm/in) Diameter To (cm/in) Diameter To (cm/in) To (cm/in) Diameter To (cm/in		chapel st	9000501e11 dr			
Water Details Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Well Contractor and Well Technicia Business Name of Well Contractor Eastern Contractor Eastern Contractor Eastern Contractor Fostal Code Business E-mail Add	Depth (m/ft) Diameter From To (cm/in) Diameter To	Comments:	chapelst				
Water Details Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Well Contractor and Well Technicia Business Name of Well Contractor Easter Contain Diamond Drilling Business Address (Street Number/Name) 3780 County Rol 17 P.O. Box 33 Province Postal Code Business E-mail Address CN KIG RIZ RIY Ontarioolicus	Depth (mitt) From To (cmin) 1 C 11.23 2.C Dan Information Well Contractor's Licence No. Ltd. 7 3 2 8 Municipality Hawkes bury dross mond@HawK.igs.not	Comments: Well owner's Date Painturnstion	chapelst	Ministry Use Only			
Water Details Water found at Depth Kind of Water: Fresh Untested (milti) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (milti) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (milti) Gas Other, specify Well Contractor and Well Technicia Business Name of Well Contractor Eastern Contain Diamond Drilling Business Address (Street Number/Name) 3780 County Roll + P.O. Box 33 Province Postal Code Business E-mail Address (Milting area code) Name of Well Technician (Milting area code) Business Address (Street Number Name)	Depth (m/ft) Diameter From To (cm/in) B C 11, 23 2 C Dan Information Well Contractor's Licence No. Ltd. 7 3 2 8 Municipality Hawkes bury dress mond@Hawk. Ig. 5. net (Last Name, First Name)	Comments: Well owner's Date Painturnstion package delivered Date W	chape 1 St	Ministry Use Only			
Water Details Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (mift) Gas Other, specify Well Contractor and Well Technicia Business Name of Well Contractor Easter Cotario Diamond Deiling Business Address (Street Number/Name) 3780 County Rollt P.O. Box 33 Province Postal Code Business E-mail Address (Might Postal Code Business E-ma	Depth (m/ft) Diameter From To (cm/in) B C 11, 23 2 C Dan Information Well Contractor's Licence No. Ltd. 7 3 2 8 Municipality Hawkes bury dress mond@Hawk. Ig. 5. net (Last Name, First Name)	Comments: Well owner's Date Paintormation package delivered Yes	ckage Delivered Audit Ork Completed Z	Ministry Use Only			


~					S-1	3294,			
Onta	ario Ministry	of ironment	Well Ta	ag No. (Place States	""I'I'U FIIIL DEIOW)	n 903 Ontario	Well R	lecord	
Measurements r	_/		Al3	8391	3g#: A138391 gulatio		ge		
Well Owner's	Information								
well Location					II .				
	Location (Street Numb ので好い ちて、	ber/Name)		Township	Lot	Conces	sion		
County/District/M		A		City/Town/Village	2	Province Ontario	Postal	Code	
UTM Coordinates	Zone Easting	231 Northing	54	Municipal Plan and Subl	lot Number	Other			
NAD 8 3	d Bedrock Material	s/Abandonment	Sealing Rec	ord (see instructions on the	e back of this form)				
General Colour				her Materials	General Description	1	From	oth (m/ft)	
BRN	FILL		5ANT	/GRAVEC	LOOSE SOFT.		0	2.44	
SEN	CLAY		SILT.		SOFT.		7 1 6 1		
GRY	CCAY		3761		0011.		35/	3.10.1	
***************************************		AAA				PAAR MINING MINI			
		Annular Space			Results of W	ell Yield Testi	ng		
Depth Set at (m		ype of Sealant Us Material and Type)		Volume Placed (m³/ft³)	After test of well yield, water was:	Draw Down	n Re	ecovery Water Level	
0 00	2 0	TE Frus			Other, specify	(min) (m/ft	N 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(m/ft)	
0.3 20=		115			If pumping discontinued, give reason:	Level			
2.74 6.	1 SAND		-		Pump intake set at (m/ft)	1 2	2		
	za., e Sarpan.			The second secon	Pumping rate (I/min / GPM)	3	3	- i i i	
Method o	f Construction	☐ Public	Well Us			4	4		
Rotary (Conven	tional)	Domestic Livestock	☐ Municip	al Dewatering	Duration of pumping hrs + min	5	5		
☐ Boring.	Digging	☐ Irrigation ☐ Industrial		& Air Conditioning	Final water level end of pumping (m/ft)	10	10		
Other, specify	PIRET PUSH	Other, spec	ify		If flowing give rate (I/min / GPM)	15	15		
Inside Ope	Construction Rec	ALLEGA SECTION	epth (<i>m/ft</i>)	Status of Well Water Supply	Recommended pump depth (m/ft)	20	20		
	vanized, Fibreglass, Torete, Plastic, Steel)	Thickness (cm/in) From	То	Replacement Well Test Hole		25	25		
5.20 /	LASTIC .	390 0	3.1	Recharge Well Dewatering Well	Recommended pump rate (I/min / GPM)	30	30	2000	
1				Observation and/or Monitoring Hole	Well production (I/min / GPM)	40	40		
				Alteration (Construction)	Disinfected?	50	50		
				Abandoned, Insufficient Supply	Yes No	60	60	RELETATION STATES AND ADDRESS OF THE PARTY O	
Outside Diameter	Construction Reco	T	epth (m/ft)	Abandoned, Poor Water Quality	Please provide a map below following	Il Location instructions on the	e back.		
(cm/in) (Plastic	divarilized, Steel)	From	1 0 1	Abandoned, other, specify	SEE A		IFD.		
6.03	CASTIC 1	10 3.	161/	Other, specify	SEE A	77/17 CI	701		
	Water Detail	e .		ole Diameter	/C	1AJ			
	epth Kind of Water:	Fresh Untest		h (m/ft) Diameter To (cm/in)		V			
	Gas Other, specify opth Kind of Water:			61/8.25					
	Gas Other, specify				·				
	Gas Other, specify	-	eu		,				
Business Name of	Well Contractor a	nd Well Technic		ion Il Contractor's Licence No.					
STRATA SO	or SAMILIN	6 INC	7	7241,		z.		*	
My Just	Business Address (Street Number/Name) Municipality Manicipality				Comments:				
Province	Postal Code	Business E-mail A	ddress	,	Well owner's Details and	1 00000000 2022000		The Name of the Constitution	
	(inc. area code) Name		(Last Name, I		Well owner's information package Date Package Delivered	Audit No.	istry Use (
	730 9 () cl ence No. Signature of	Technician-and/or			delivered Date Work Completed	Z	157	001	
371	6		The second secon	ODY MM310	- NO 2012/1/0	5 Received		4 20.2	
0506E (2007/12) © (Queen's Printer for Ontario,	2907		Ministry's Copy					

5-13294



75-13294 Well Record Ontario Well Tag No. (Place Sticker and/or Print Below) Ministry of the Environment egulation 903 Ontario Water Resources Act Tag#: A138489 Metric Page Well Owner's Information Well Location Township OHawa Address of Well Location (Street Number/Name) Lot Concession 470 Riceau Street City/Town/Village Province Postal Code OHave Ontario UTM Coordinates | Zone | Easting | Northing | NAD | 8 | 3 | 1 | 8 | 4 | 4 | 6 | 8 | 4 | 7 | 5 | 0 | 3 | 1 | 0 | 6 | 3 Municipal Plan and Sublot Number Other Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form) Depth (m/ft) From | To General Colour Most Common Material Other Materials General Description BRN 4.11 Sand/ Grave 0 2,44 100 50 2.44 BRN 3.1 Annular Space Results of Well Yield Testing Depth Set at (m/ft)
From | To Type of Sealant Used (Material and Type) After test of well yield, water was: Volume Placed Draw Down Recovery Time | Water Level (m^3/ft^3) Clear and sand free Time Water Level Other, specify (min) (m/ft) (min) (m/ft) 0 0,3 /flush Static If pumping discontinued, give reason: 2.74 Leve 1 1 Pump intake set at (m/ft) 2 2 3 3 Pumping rate (I/min / GPM) Method of Construction Well Use ☐ Cable Tool Diamond ☐ Public 4 4 ☐ Commercial ☐ Not used Duration of pumping Jetting Rotary (Conventional) □ Domestic Municipal Municipal ☐ Dewatering hrs + 5 5 ☐ Rotary (Reverse) min ☐ Driving Livestock Test Hole Monitoring Boring ☐ Digging Final water level end of pumping (m/ft) ☐ Irrigation ☐ Cooling & Air Conditioning 10 10 ☐ Air percussion ☐ Other, specify Direct Push ☐ Industrial Other, specify 15 15 If flowing give rate (I/min / GPM) Construction Record - Casing Status of Well 20 20 Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel) Wall Thickness Inside Depth (m/ft) ☐ Water Supply Recommended pump depth (m/ft) Replacement Well (cm/in) From 25 25 To (cm/in) ☑ Test Hole Recommended pump rate (I/min / GPM) ,390 0 5,20 3, Recharge Well 30 30 Dewatering Well 40 40 Observation and/or Well production (I/min / GPM) Monitoring Hole 50 50 Alteration Disinfected? (Construction) Yes No 60 Abandoned, Insufficient Supply Construction Record - Screen Map of Well Location Abandoned, Poor Water Quality Outside Please provide a map below following instructions on the back. Material (Plastic, Galvanized, Steel) Depth (m/ft) Diamete (cm/in) Abandoned, other, From To specify See attached 6,03 6. 3, Other, specify (MW2) **Water Details Hole Diameter** Water found at Depth Kind of Water: Fresh Untested Depth (m/ft) Diameter From (m/ft) Gas Other, specify To ථ 8,25 Water found at Depth Kind of Water: Fresh Untested 61 (m/ft) Gas Other, specify Water found at Depth Kind of Water: Fresh Untested (m/ft) Gas Other, specify Well Contractor and Well Technician Information Business Name of Well Contractor Well Contractor's Licence No. STRATA SOIL Sampling
Business Address (Street Number/Name) 12 14 Comments: Creek Richmond Hill -mail Address K141B111C16 Wrecords Strata 501 1 (cian (Last Name, First Name) Well owner's information ON Date Package Delivered Ministry Use Only Bus.Telephone No. (inc. area code) Name of Well Technicia 9057469304 Pollaschek Well Technician's Licence No. Signature of Technician and/o INITIAL MINITIAL PROPERTY IN THE PROPERTY IN T package delivered Ernie ontractor Date Submitted z157004 Date Work Completed Yes 20112 M120 □ No 20121105 selved C n & 2012 0506E (2007/12) Ministry's Copy

5-13294



APPENDIX 3

QUALIFICATIONS OF ASSESSORS

Sean Moggridge B.Eng.

patersongroup

POSITION

Junior Environmental Engineer

EDUCATION

Environmental Engineering Dalhousie University, B.Eng., 2010 Environmental Engineering

EXPERIENCE

2011 to Present:
Paterson Group Inc.
Consulting Engineers
Environmental Division
Junior Engineer

Geotechnical Engineering

SELECT LIST OF PROJECTS

Materials Testing Quality Control

Remediation Supervision of Former Alcan Plant – Kingston Remediation Supervision of Bulk Fuel Depot Site – Ottawa Remediation Supervision of Biohazard Site – Ottawa Post-construction Impact Monitoring – Ottawa, Cornwall Designated Substance and Asbestos Surveys – Various Locations, Ottawa Asbestos Air Testing – Various Locations, Ottawa Groundwater Monitoring and Sampling – Various Location, Ottawa Phase I & II ESA – Various Locations, Ontario and West Quebec

Building Sciences

Hydrogeology

Archaeological Services

Mark S. D'Arcy, P. Eng.

patersongroup

POSITION

Associate and Supervisor of the Environmental Division Senior Environmental/Geotechnical Engineer

EDUCATION

Queen's University, B.A.Sc.Eng, 1991 Geotechnical / Geological Engineering

Environmental Engineering

MEMBERSHIPS

Ottawa Geotechnical Group Professional Engineers of Ontario Consulting Engineers of Ontario

Geotechnical Engineering

EXPERIENCE

1991 to Present **Paterson Group Inc.**

Associate and Senior Environmental/Geotechnical Engineer Environmental and Geotechnical Division Supervisor of the Environmental Division

Materials Testing Quality Control

SELECT LIST OF PROJECTS

Mary River Exploration Mine Site - Northern Baffin Island

Rideau Centre Expansion project - Ottawa Agricultural Supply Facilities - Eastern Ontario Laboratory Facility – Edmonton (Alberta)

Building Science

Ottawa International Airport - Contaminant Migration Study - Ottawa Investigation and Remediation - Cotton Mill Redevelopment, Cornwall

Billings Hurdman Interconnect - Ottawa Bank Street Reconstruction - Ottawa

Environmental Review - Various Laboratories across Canada - CFIA

Dwyer Hill Training Centre - Ottawa

Hydrogeology

Nortel Networks Environmental Monitoring - Carling Campus - Ottawa

Remediation Program - Block D Lands - Kingston Investigation of former landfill sites - City of Ottawa Record of Site Condition for Railway Lands - North Bay Assessment and Remediation - North Bay Airport Commercial Properties - Guelph and Brampton Brownfed Remediation - Alcan Site - Kingston

Archaeological Services

Brownfields Remediation – Alcan Site - Kingsto PWGSC Building – 90 Elgin Street - Ottawa Remediation Program - Ottawa Train Yards

MHLH Facility – CFB Petawawa

Ottawa Congress Centre

Lansdowne Park Redevelopment - Ottawa