





NOT FOR CONSTRUCTION



LEGEND

	PROPERTY BOUNDARY
	DRAINAGE SWALE
	EXISTING DITCH
	SILT FENCE
	STRAW BALE CHECK DAM



- NOTES:**
- ALL EROSION AND SEDIMENT CONTROL MEASURES ARE TO BE INSTALLED WHERE INDICATED AND MAINTAINED DURING CONSTRUCTION UNTIL VEGETATION HAS BEEN REESTABLISHED.
 - EROSION AND SEDIMENT CONTROL MEASURES SHALL BE INSPECTED ONCE EVERY TWO WEEKS AND AFTER EACH SIGNIFICANT STORM EVENT (>25mm OF RAIN IN 24 HOUR PERIOD). CONTROLS WHICH HAVE ACCUMULATED SEDIMENT OR REQUIRE REPAIR SHALL BE ADDRESSED IMMEDIATELY IN ACCORDANCE WITH OPSS 805.
 - DURING THE COURSE OF CONSTRUCTION, IF THE ENGINEER BELIEVES THAT ADDITIONAL PREVENTION METHODS ARE REQUIRED TO CONTROL EROSION AND SEDIMENTATION, THE CONTRACTOR SHALL IMPLEMENT ADDITIONAL MEASURES, AS REQUIRED, TO THE SATISFACTION OF THE ENGINEER.
 - EROSION AND SEDIMENT CONTROL MEASURES SHALL BE INSTALLED AND MAINTAINED IN ACCORDANCE WITH OPSS 805 - CONSTRUCTION SPECIFICATION FOR TEMPORARY EROSION AND SEDIMENT CONTROL MEASURES.
 - SILT FENCE SHALL BE INSTALLED IN ACCORDANCE WITH OPSS 219.110.
 - STRAW BALE CHECK DAMS SHALL BE INSTALLED IN ACCORDANCE WITH OPSS 219.180.
 - THE CONTRACTOR SHALL IMPLEMENT BEST MANAGEMENT PRACTICES, TO PROVIDE FOR PROTECTION OF THE AREA DRAINAGE SYSTEM DURING CONSTRUCTION ACTIVITIES. THE CONTRACTOR ACKNOWLEDGES THAT FAILURE TO IMPLEMENT APPROPRIATE EROSION AND SEDIMENT CONTROL MEASURES MAY BE SUBJECT TO PENALTIES IMPOSED BY ANY APPLICABLE REGULATORY AGENCY.



NOTES

THE POSITION OF ALL POLE LINES, CONDUITS, WATERMANS, SEWERS AND OTHER UNDERGROUND AND OVERGROUND UTILITIES AND STRUCTURES IS NOT NECESSARILY SHOWN ON THE CONTRACT DRAWINGS, AND WHERE SHOWN, THE ACCURACY OF THE POSITION OF SUCH UTILITIES AND STRUCTURES IS NOT GUARANTEED. BEFORE STARTING WORK, DETERMINE THE EXACT LOCATION OF ALL SUCH UTILITIES AND STRUCTURES AND ASSUME ALL LIABILITY FOR DAMAGE TO THEM.

GEODETIC SURVEY DERIVED FROM COSINE STATION 00819678105. LOCATION DESCRIPTION: GALVANIZED PIPE WITH BRONZE CAP NBENCH MARK ON THE WEST SIDE OF BOUNDARY ROAD, 1.6 KM SOUTH OF RUSSELL ROAD. BENCHMARK IS 10.7M WEST OF CENTERLINE OF BOUNDARY ROAD AND IS MARKED BY A YELLOW AND BLACK PICKET. VERTICAL CONTROL DATA, DATUM: CGVD2013, FIRST ORDER, ELEVATION: 79.733, COORDINATE SYSTEM: MTM ZONE 9; NAD 83 DATUM (CAN83-9)

NO.	REVISION DESCRIPTION	DATE	BY
1	ISSUED FOR SITE PLAN APPLICATION	08/07/20	SMC

NO.	REVISION DESCRIPTION	DATE	BY
1	ISSUED FOR SITE PLAN APPLICATION	08/07/20	SMC



Robinson Land Development

350 Palladium Drive
Ottawa, ON K2V 1A8
(613) 592-6060 rcli.com

DESIGN	BLM
CHECKED	SMC
DRAWN	BLM
CHECKED	SMC
APPROVED	SMC

OTTAWA D-SQUARED ASPHALT LTD.
6811 HIRAM ROAD, GREELY, ON

5455 BOUNDARY ROAD
OTTAWA, ON

EROSION AND SEDIMENT CONTROL PLAN

PROJECT No.	20003
SURVEY	RLD
DATED	JULY 2020
DWG. No.	20003-ESC1