



# GEMTEC

[www.gemtec.ca](http://www.gemtec.ca)

**Phase One Environmental Site Assessment Update**  
**1055 Klondike Road**  
**Ottawa, Ontario**

experience • knowledge • integrity



expérience • connaissance • intégrité



# GEMTEC

[www.gemtec.ca](http://www.gemtec.ca)

Submitted to:

Brian Saumure, Maple Leaf Custom Homes  
C/O Novatech  
240 Michael Cowpland Drive, Suite 200  
Ottawa, Ontario  
K2M 1P6

**Phase One Environmental Site Assessment Update**  
**1055 Klondike Road**  
Ottawa, Ontario

June 10, 2021  
Project: 64153.85

GEMTEC Consulting Engineers and Scientists Limited  
32 Steacie Drive  
Ottawa, ON, Canada  
K2K 2A9

June 10, 2021

File: 64153.85 – R01

Brian Saumure, Maple Leaf Custom Homes  
C/O Novatech  
240 Michael Cowpland Drive, Suite 200  
Ottawa, Ontario  
K2M 1P6

Attention: Mr. Brian Saumure

**Re: Phase One Environmental Site Assessment Update**

---

Enclosed is our Phase One ESA Update report for the above noted property. The report presented herein is based on the scope of work summarized in the e-mail communication dated April 26, 2021. This report was prepared by Rhian Fox B.Sc, and senior review by Su-Kim Roy M.Eng., P.Eng.



Rhian Fox, BSc.  
Environmental Technologist



Su-Kim Roy, M.Eng., P.Eng.  
Senior Environmental Engineer

RF/NS/SKR/md

Enclosures

P:\0. Files\64100\64153.85\Phase One ESAUpdate\Report\64153.85\_PhaseOneESA Update\_RP01\_V01\_2021-06-10.docx

## EXECUTIVE SUMMARY

GEMTEC Consulting Engineers and Scientists Limited (GEMTEC) was retained by Mr. Brian Saumure of Maple Leaf Homes to carry out an updated Phase One Environmental Site Assessment (ESA) for the property located at 1055 Klondike Road in Ottawa, Ontario (hereafter referred to as “the subject property” or “subject site”). It is understood that a Phase One ESA is required in support of a Site Plan Control Application with the City of Ottawa.

A Phase One ESA was previously completed by GEMTEC for the subject property titled “*Phase One Environmental Site Assessment, 1055 Klondike Road, Ottawa, Ontario*”, dated October 2, 2018. However, under Section 28.1(a) of Ontario Regulation 153/04, information provided in a Phase One ESA is generally only considered valid if “*the date the last work on all of the records review, interviews and site reconnaissance required for the phase one environmental site assessment that is the subject of the report was done is no later than 18 months before.*” An updated Phase One ESA is required to support the Site Plan Control Application, as the previous Phase One ESA report for the subject property is past this validity period.

This Phase One ESA was completed in general accordance with the CSA Group standard Z768-01 (R2016), and O.Reg. 153/04 as amended. It should be noted that this Phase One ESA is not sufficient to support the submission of a Record of Site Condition (RSC) in accordance with Ontario Regulation (O.Reg.) 153/04.

The primary objective of this Phase One ESA was to identify any former or current potentially contaminating activities at the subject property and within the vicinity to develop a preliminary determination of the likelihood of contamination in soil or groundwater, and to determine the need for a Phase Two ESA. The general objectives were met through the evaluation of the information gathered from the review of records, an interview and a site reconnaissance.

Based on the Phase One ESA findings, two Areas of Potential Environmental Concern (APECs) were identified on the subject property as summarized below:

### **APEC 1: Debris from Historical Fire**

Through observations made during the site reconnaissance and an interview with the site representative, remnant burnt building material and debris was identified with the historical building footprint of a structure prior to a fire in July 2018 which destroyed the structure. The potentially associated contaminants of concern are metals and PAHs in soil and groundwater. This APEC is present towards the centre of the subject site approximately 10 meters northeast from the other historical building footprints whose structures were destroyed in a fire in June 2018.

## **APEC 2: Fill of Unknown Origin Identified During a Previous Geotechnical Investigation**

Through a review of historical reports, fill of unknown origin was identified throughout the subject site. The potentially associated contaminants of concern are metals, inorganics, PHC F1-F4, VOCs and PAHs in soil and groundwater. This APEC is present across the subject site.

Based on GEMTEC's review of available historical information pertaining to the subject site and adjacent properties, the interviews completed and site reconnaissance undertaken, two APECs were identified to be present on the subject property. As such, completion of a Phase Two ESA is recommended to investigate soil and groundwater quality within the APECs on the subject property.

Moreover, based on the results of the Phase Two ESA investigation completed by GEMTEC in 2019, it is expected that contaminated soil as defined by current MECP regulations will be encountered during the proposed construction in the area of GS-N within the former building footprint. Based on the nature of the contaminants identified (Zinc) and debris identified in the former building footprint, it is recommended that soil and debris be disposed of at an approved facility subject to a toxicity characteristic leaching procedure (TCLP) analysis and confirmatory sampling be carried out by a Qualified Person, as defined by O.Reg. 153/04.

## TABLE OF CONTENTS

EXECUTIVE SUMMARY .....	III
1.0 INTRODUCTION.....	1
1.1 Phase One ESA Property Information.....	1
2.0 SCOPE OF THE INVESTIGATION.....	1
2.1 General Objectives .....	1
2.2 Records Review .....	2
2.3 Interview/ E-mail Correspondence .....	3
2.4 Site Reconnaissance.....	3
3.0 RECORDS REVIEW .....	3
3.1 General.....	3
3.1.1 Phase One Study Area Determination .....	3
3.1.2 First Developed Use Determination .....	4
3.1.3 Fire Insurance Plans .....	4
3.1.4 Historical Reports .....	4
3.1.5 Environmental Source Records and Databases .....	7
3.1.6 Chain of Title .....	7
3.1.7 EcoLog ERIS Database Report.....	7
3.1.8 City Directories .....	9
3.2 Regulatory Information .....	9
3.2.1 MECP and the City of Ottawa – Freedom of Information Request.....	9
3.2.2 Technical Standards and Safety Authority .....	9
3.2.3 Historical Land Use Inventory .....	10
3.2.4 Mapping of Federally Contaminated Sites .....	10
3.2.5 Ontario Inventory of PCB Storage Sites.....	10
3.2.6 Landfills .....	10
3.2.7 Mapping and Assessment of Former Industrial Sites .....	10
3.3 Physical Setting Sources.....	11
3.3.1 Aerial Photographs.....	11
3.3.2 Topography, Hydrology and Geology.....	12
3.3.3 Fill Materials .....	12
3.3.4 Water Bodies and Areas of Natural Significance .....	13
3.3.5 Well Records .....	13
4.0 INTERVIEWS.....	13
4.1 Interview with Site Owner .....	14
4.2 Interview with Ottawa Fire Services .....	14
4.3 Assessment and Evaluation of Interview .....	15

5.0	SITE RECONNAISSANCE .....	15
5.1	General Requirements .....	15
5.1.1	Site Photographs .....	15
5.1.2	Observations .....	16
5.2	Specific Observations within the Study Area .....	17
5.2.1	Services .....	17
5.2.2	Water Bodies and Areas of Natural Significance .....	17
5.2.3	Surrounding Properties .....	17
5.3	Enhanced Investigation Property .....	17
5.4	Hazardous Materials .....	18
5.4.1	Lead .....	18
5.4.2	Mercury .....	18
5.4.3	Storage Tanks .....	18
5.4.4	Polychlorinated Biphenyl (PCBs) .....	18
5.4.5	Asbestos Containing Materials (ACM) .....	19
5.4.6	Urea Formaldehyde Foam Insulation (UFFI) .....	19
5.4.7	Solid Waste Disposal Practices .....	19
5.4.8	Ozone Depleting Substances .....	19
5.4.9	Radon Gas .....	20
5.5	Unidentified Substances .....	20
5.6	Odours .....	20
5.7	Water, Wastewater and Storm Water .....	20
5.8	Stained Materials and Stressed Vegetation .....	20
5.9	Watercourses, Ditches or Standing Water .....	20
6.0	REVIEW AND EVALUATION OF INFORMATION .....	20
6.1	Current and Past Uses .....	20
6.2	Potentially Contaminating Activities .....	21
6.3	Areas of Potential Environmental Concern .....	24
6.3.1	APEC 1: Debris from Historical Fire .....	24
6.3.2	APEC 2: Fill of Unknown Origin Identified During a Previous Geotechnical Investigation .....	25
6.4	Phase One Conceptual Site Model .....	25
6.4.1	Underground Utilities .....	26
6.4.2	Discussion of Uncertainty .....	26
7.0	CONCLUSIONS AND RECOMMENDATIONS .....	26
8.0	REFERENCES .....	26
9.0	LIMITATIONS OF LIABILITY .....	28
10.0	CLOSURE .....	29

## LIST OF TABLES

Table 3.1: EcoLog ERIS Report Summary .....	8
Table 3.2: Summary of Aerial Photograph Review .....	11
Table 5.1: Summary of Site Photographs .....	16
Table 6.1: Current and Past Use of Subject Property .....	21
Table 6.2: Summary of Potentially Contaminating Activities.....	22
Table 6.3: Summary of Areas of Potential Environmental Concern.....	24

## LIST OF APPENDICES

Appendix A	Figures
Appendix B	Qualification of Assessors
Appendix C	Title Abstract
Appendix D	EcoLog ERIS
Appendix E	TSSA Search
Appendix F	Aerials
Appendix G	City Directory
Appendix H	HLUI Response Letter
Appendix I	Site Photographs



## 1.0 INTRODUCTION

GEMTEC Consulting Engineers and Scientists Limited (GEMTEC) was retained by Mr. Brian Saumure of Maple Leaf Homes to carry out an updated Phase One Environmental Site Assessment (ESA) for the property located at 1055 Klondike Road in Ottawa, Ontario (hereafter referred to as “the subject property” or “subject site”). It is understood that a Phase One ESA is required in support of a Site Plan Control Application with the City of Ottawa.

The subject property consists of a land parcel with an approximate area of 11 acres. The subject site is bounded to the north by 989 Marconi Avenue, to the east by 989 Marconi Avenue and 1045 Klondike Road, to the south by Klondike Road, and to the west by 812 March Road and 830 March Road. A key plan of the subject property is shown on Figure A.1, Appendix A.

This Phase One ESA was completed in general accordance with the CSA Group standard Z768-01 (R2016), and O.Reg. 153/04 as amended. It should be noted that this Phase One ESA is not sufficient to support the submission of a Record of Site Condition (RSC) in accordance with Ontario Regulation (O.Reg.) 153/04. The Phase One ESA was conducted by GEMTEC staff members whose qualifications are provided in Appendix B.

### 1.1 Phase One ESA Property Information

The legal description for 1055 Klondike Road, Ottawa, Ontario is as follows:

- Part of Lot 11, Concession 4, being Part 3 on Plan 5R-3477, City of Ottawa; PIN 04527-0091

The subject property is presently owned by the Village at the Schoolyard Inc. The contact person for the subject property at the time of this reporting is Mr. Brian Saumure.

## 2.0 SCOPE OF THE INVESTIGATION

### 2.1 General Objectives

The Phase One ESA was conducted in general accordance with O.Reg. 153/04 as amended, and current industry standards, as outlined within CSA Group standard Z768-01. The general objectives of the Phase One ESA were:

- To update the Phase One ESA completed in 2018 by GEMTEC for the subject property;
- To develop a preliminary determination of the likelihood of contamination in soil or groundwater at the subject property; and,
- To determine the need for a Phase Two ESA.

The general objectives were met through the evaluation of the information gathered from the review of records and available documents, an interview and a site reconnaissance. Specific objectives for these components and the tasks completed to achieve these objectives are described below.

## 2.2 Records Review

In order to identify actual or potential sources of contamination within the study area, a review of information from the following sources was conducted:

- Bedrock and Overburden Geology Maps – Overburden and bedrock geology maps provided by Natural Resources Canada were reviewed in order to identify the underlying soil deposits and bedrock types.
- Title Abstract – A chain of title abstract for the subject property was provided by EcoLog ERIS and is included in Appendix C.
- EcoLog ERIS Databases – The EcoLog ERIS report searches more than 50 public and private information databases to identify potential environmental concerns. An EcoLog ERIS report was obtained for the subject site and a 250-metre-buffer surrounding the subject site. A copy of the EcoLog ERIS Report is provided in Appendix D.
- A records search was requested from the TSSA for the subject site and adjacent properties located at 788, 806, 812, 830, and 886 March Road, and 1032, 1045, 1055, 1056, 1078 and 1100 Klondike Road. The TSSA search results are provided in Appendix E.
- GeoOttawa and National Air Photo Library Aerial Photographs – Aerial photographs from the years 1934, 1952, 1965, 1976, 1991, 1999, 2002, 2005, 2007, 2008, 2009, 2011, 2014, 2015, and 2017 were reviewed for the subject site and study area. The photographs were reviewed in order to identify areas of potential environmental concern resulting from historical land uses on the subject site and surrounding areas. The 1934 and 1952 aerial photograph ordered as part of this investigation can be found in Appendix F. GeoOttawa aerials and aerials reviewed from historical reports are not included as part of this report due to copyright limitations.
- Fire Insurance Maps and Reports – Based on knowledge of the study area and property use, fire insurance plans were not requested for the subject property.
- City Directories – A City Directory Report was provided by ERIS for the subject site and surrounding properties from 1984-2006. A copy of the City Directory Report is provided in Appendix G.
- Well Records - The Ministry of Environment, Conservation and Parks (MECP) Well Records for the subject property and 250-meter-buffer surrounding the subject site was reviewed for wells.
- Historical Land Use Inventory (HLUI) Information Request- A HLUI search was requested for the subject site and a 50-metre-buffer surrounding the subject site. A copy of the HLUI response letter is provided in Appendix H.

- Freedom of Information (FOI) – FOI searches completed through the Ministry of the Environment, Conservation and Parks (MECP) consist of information obtained from documents and records from the Ottawa District Office, Investigations and Enforcement Branch, Environmental Assessment and Permissions Branch, Environmental Monitoring and Reporting Branch, Sector Compliance Branch and Safe Drinking Water Branch.
- “*Mapping of Federally owned Contaminated Sites*” prepared by Treasury Board of Canada Secretariat was reviewed.
- “*Mapping and Assessment of Former Industrial Sites, City of Ottawa*” dated July 1988 and prepared by Intera Technologies Ltd. was reviewed
- “*Ontario Inventory of PCB Storage Sites*” dated January 1992 and prepared by Ontario Ministry of the Environment (Waste Management Branch) was reviewed.
- “*Old Landfill Management Strategy – Phase One – Identification of Sites, City of Ottawa, Ontario*” dated October 2004 and prepared by Golder Associates Ltd. was reviewed.

### **2.3 Interview/ E-mail Correspondence**

The objective of the interview/ e-mail correspondence was to assist in the identification of potentially contaminating activities (PCAs) that may have led to areas of potential environmental concern (APECs) at the subject property.

### **2.4 Site Reconnaissance**

The subject property was visually assessed to document current conditions and to evaluate the potential for environmental impacts to on-site soil and groundwater. The site was also inspected to identify if any possible preferential pathways such as underground utilities exist on the subject property that may affect the fate, transport and distribution of contaminants. Adjacent properties were assessed from publicly accessible boundaries to evaluate the potential for environmental impacts to the subject property.

Photographs were taken to support observations, and are provided in Appendix I.

## **3.0 RECORDS REVIEW**

### **3.1 General**

#### **3.1.1 Phase One Study Area Determination**

The subject property has an area of approximately 11 acres and is located at 1055 Klondike Road in Ottawa, Ontario. Based on the review of selected historical aerial photographs, the subject property was developed sometime prior to 1934, with agricultural land use and structures on the subject property. Historical land use in the study area was predominantly agricultural with commercial developments concentrated to the south along March Avenue starting in 2009.

Based on this information, a study area of 250 metres surrounding the subject property is deemed sufficient for the purpose of this Phase One ESA. The location of the subject property and the extent of the Phase One ESA study area, including the 250-metre radius buffer zone, are provided on Figure A.1, Appendix A.

### 3.1.2 First Developed Use Determination

Based on the review of selected historical aerial photographs, the subject property was developed sometime prior to 1934, with agricultural land use and structures on the subject property. Aerial photographs indicate the presence of structures and the storage of materials on the subject property starting in the 1934 aerial photograph.

### 3.1.3 Fire Insurance Plans

Based on our knowledge of the study area and property use, fire insurance plans were not requested for the subject property.

### 3.1.4 Historical Reports

Four historical reports and one news article were available for review.

#### 3.1.4.1 Preliminary Geotechnical Investigation by GEMTEC (dated April 2017)

GEMTEC Consulting Engineers and Scientists Limited (GEMTEC), formerly Houle Chevrier Engineering Ltd., conducted a preliminary geotechnical investigation and slope stability assessment at this site. The report titled: "*Preliminary Geotechnical Investigation, Proposed Residential Subdivision, 1055 Klondike Road, Ottawa, Ontario*", dated April 13, 2017 was reviewed for evidence of potentially contaminating activities.

At the time four boreholes numbered 17-1 to 17-4 were advanced on-site using a track mounted drill rig. The general subsurface conditions were described as topsoil, over sand and silty clay. Fill material was not identified during the preliminary geotechnical investigation.

#### 3.1.4.2 Phase One Environmental Site Assessment, 1055 Klondike Road, Ottawa, Ontario (dated October 2018)

A Phase One ESA was completed by GEMTEC for the subject property titled "*Phase One Environmental Site Assessment, 1055 Klondike Road, Ottawa, Ontario*", dated October 2, 2018. The following APECs were identified in the Phase One ESA:

- **APEC 1- Former Aboveground Fuel Storage Tank:** Evidence from one aboveground fuel storage tank (AST) was observed during the site reconnaissance. The vent and fill pipes were observed along the eastern wall of the existing structure. The AST was identified in the basement with an approximate capacity of 900 litres and installed in 2003. The tank was likely used for heating oil storage. Due to the nature of the products

stored, the contaminants of concern for soil and groundwater are petroleum hydrocarbons (PHCs), benzene, toluene, ethylbenzene and xylene (BTEX). *PCA #28. Gasoline and Associated Products Storage in Fixed Tanks.*

- **APEC 2- Potential Impacts from Offsite Dry cleaning facility:** An offsite dry cleaning facility was identified during the site reconnaissance in the study area. Based on the proximity to the subject site, potential environmental concern to the subject site relating to the historical dry cleaning activities may be present along the northwest property boundary of the subject property. Due to the nature of the products stored, the contaminants of concern for soil and groundwater are volatile organic compounds (VOCs). *PCA #37. Operation of Dry Cleaning Equipment (where chemicals are used).*
- **APEC 3- Debris and fill of unknown origin during the fire:** On June 10, 2018, a fire occurred on the subject site following the initial Phase One ESA site visit. The fire significantly damaged two of the three historical structures on the subject site, and they were subsequently demolished. Based on a visual site inspection, the area within the historical building footprint was filled in. It was GEMTEC's understanding that the AST (identified as APEC 1 in the report) was removed prior to fire. Due to the fill material and debris within the building footprint, and to confirm no fuel was leaked prior to or during the fire, the contaminants of concern for soil and groundwater were noted as PHCs, and BTEX. Additional contaminants of concern for soil were metals and Polycyclic Aromatic Hydrocarbons (PAHs). *PCA #30. Importation of Fill Material of Unknown Quality*

A Phase Two ESA was recommended for the subject property to investigate the identified APECs.

#### 3.1.4.3 Geotechnical Investigation by GEMTEC (dated April 2018)

A geotechnical investigation was completed by GEMTEC in 2018 for the subject property. The report entitled "*Geotechnical Investigation, Proposed Residential Subdivision, 1055 Klondike Road, Ottawa, Ontario*" and dated April 4, 2018 was reviewed for evidence of potentially contaminating activities.

Five boreholes were advanced on the subject property, with three standpipe piezometers. The fill material was encountered on the granular driveway at two borehole locations. The fill material was observed to extend from a depth of approximately 0.9 to 3.3 metres below ground surface. It consisted of a dark brown to brown silty sand with organic material and grey brown silty clay with pockets of dark brown organic material. One borehole was terminated at 7.7 metres below ground surface, due to auger refusal on possible bedrock. The groundwater levels measured from the standpipe piezometers ranged from 2.0 to 6.3 metres below ground surface.

The following PCA was identified as a result of the geotechnical investigation:

- Fill of unknown origin on the subject property - *PCA #30. Importation of Fill Material of Unknown Quality*

#### **3.1.4.4 Global News Article: Fire crews battle blaze at abandoned home on Klondike Road in Kanata (June 2018)**

A Global News story identified that the Ottawa fire services were called to the subject property on June 10, 2018 due to reports of heavy black smoke and flames from an abandoned house. The fire was identified upon arrival and firefighters working on the site conducted a defensive attack on the fire due to the questionable stability of the structure. Upon extinguishment of the fire, the roof and rear addition of the structure had collapsed.

#### **3.1.4.5 Phase Two Environmental Site Assessment, 1055 Klondike Road, Ottawa, Ontario (dated May 2019)**

A Phase Two ESA was completed following recommendations provided in the 2018 Phase One ESA. The report entitled "*Phase Two Environmental Site Assessment, 1055 Klondike Road, Ottawa, Ontario*", dated May 17, 2019 was reviewed for evidence of potentially contaminating activities.

The Phase Two ESA investigated the APECs identified in the Phase One ESA and the results of the investigation for each APEC are summarized below:

**APEC 1- Aboveground Fuel Storage Tank:** Groundwater results indicated petroleum hydrocarbon fraction F3 (PHC F3) contaminated groundwater at monitoring well locations BH18-5 and BH18-3 in May 2018. To confirm the exceedance and assess the groundwater conditions following the fire, additional groundwater sampling following monitoring well development was recommended and carried out in August 2018. Monitoring well BH18-3 was re-sampled for PHCs and BTEX in August 2018. The results were non-detect for all parameters analyzed. Due to low water levels, the monitoring well at BH18-5 could not be re-sampled. To address this, an additional monitoring well BH19-2 was advanced in March 2019 between the former aboveground fuel storage tank and BH18-5. The groundwater sample from BH19-1 was submitted for PHCs and BTEX, and no exceedances were identified. No PHCs and BTEX impacted soil was identified during the investigation.

**APEC 2- Potential Impacts from Offsite Dry cleaning facility:** Soil and groundwater results from BH18-5 did not identify any VOCs contaminated soil or groundwater.

**APEC 3- Debris and fill of unknown origin during the fire:** Soil results indicated zinc contaminated soil at GS-N, a grab sample collected from within the footprint of the former historical structures. No PAHs, BTEX, or PHCs impacted soil or groundwater were identified.

Based on the results of the Phase Two ESA investigation, it is expected that contaminated soil as defined by current MECP regulations will be encountered during the proposed construction in the area of GS-N within the former building footprint. Based on the nature of the contaminants identified (Zinc) and debris identified in the former building footprint, it is recommended that soil and debris be disposed of at an approved facility subject to a toxicity characteristic leaching procedure (TCLP) analysis to confirm waste classification.

**Note:** According to Mr. Saumure, a second fire occurred approximately a month after the first fire (which occurred in June 2018) which reportedly destroyed a third on-site structure. As only the June 2018 fire was reported to GEMTEC prior to the 2019 Phase Two ESA investigation, samples were only taken from the footprint of two of the former on-site structures. No additional environmental work was completed at the site of the fire which reportedly destroyed the third structure.

### 3.1.5 Environmental Source Records and Databases

#### 3.1.5.1 Chain of Title

A chain of title search for the subject property was requested from Wentzell Titles of Kemptville, Ontario and is included in Appendix C. The legal description for 1055 Klondike Road is Part of Lot 11, Concession 4, being Part 3 on Plan 5R-3477, City of Ottawa; PIN 04527-0091. The highlights of the chain of title search are described below:

- The subject property was first purchased from the Crown by Joseph Maxwell in 1824; and,
- The property has been owned by different private owners until the land was acquired by the Village at the Schoolyard Inc. in 2017.

No PCAs were identified from the review of the title search.

#### 3.1.5.2 EcoLog ERIS Database Report

GEMTEC contacted EcoLog Environmental Risk Information Services Ltd. (EcoLog Eris) to conduct a search of over fifty public and private information databases for the subject property and the area within 250 metres of the subject property. The complete EcoLog Eris report, including a list of databases searched, is provided in Appendix D. All listings were reviewed and the following entries were identified as relevant:

**Table 3.1: EcoLog ERIS Report Summary**

PCA	Address/ Location	Distance from Subject Property	Company/ Name	Database	Description
58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	840 March Road	40 meters northwest	Sobeys Pharmacy #7263	Ontario Regulation 347 Waste Generators Summary	Listed as a waste generator for pathological and pharmaceutical wastes in 2020 to 2021
OT #1: Spill	840 March Road	40 meters northwest	Sobeys Pharmacy #7263	Ontario Spills	Minor refrigerant spill due to equipment failure in 2019
58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	832 March Road	80 meters southwest	Kanata North Medical Centre / Pharmx Rexall Drug Stores Ltd.	Ontario Regulation 347 Waste Generators Summary	Listed as a waste generator for pathological wastes and pharmaceuticals from 2011 to 2021
OT #3: TSSA Historical Incident	121 Streamside Crescent	100 metres east	-	TSSA Historical Incidents	Pipeline strike (natural gas) in 2008.
28. Gasoline and Associated Products Storage in Fixed Tanks & OT #4: TSSA Expired Facility	1111 Klondike Road	110 metres southwest	J Tierney Jims Gas Bar	Private and Retail Fuel Storage Tanks	Gas bar/private self-serve fuel outlet listed from 1990 and listed as expired as of 2009
OT #5: Record of Site Condition	1092 Klondike Road and 788 March Road	140 metres southeast	Imperial Oil Limited	Record of Site Condition	RSC filed for 1092 Klondike Road and 788 March Road
58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	1102 Klondike Road	145 metres southwest	G.G. Pharmacy Inc.	Ontario Regulation 347 Waste Generators Summary	Listed as a waste generator for pathological and pharmaceutical wastes in 2015 to 2021
40. Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications	1102 Klondike Road	145 metres southwest	G.G. Pharmacy Inc.	Pesticide Register	Listed as an active limited vendor of pesticides
58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	1032 Klondike Road	175 meters east	Ottawa-Carleton District School Board Health and Safety	Ontario Regulation 347 Waste Generators Summary	Listed as a waste generator for waste crankcase oils and lubricants in 2021
OT #3: TSSA Historical Incident	858 March Road	215 meters northwest	Construction Site (company not listed)	TSSA Historical Incident	Pipeline strike (natural gas) in 2008.
OT #1: Spill	865 March Road	220 meters west	Private Owner	Ontario Spills	Furnace oil to ground from fill pipe at private residence in 1992. Soil contamination listed as possible
58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	1108 Klondike Road	240 meters south	Activecare Klondike Medical Centre/ INVIVA McKesson Pharma	Ontario Regulation 347 Waste Generators Summary	Listed as a waste generator for pathological waste from 2010 to 2021
58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Part of lot 10, Concession 3	250 meters east	The Corporation of the Township of Rideau	Landfill inventory management Ontario	Closed in 1971



The unplotable report summary was reviewed to determine if any of the records were located on the subject property or within the study area. Many of the entries were only located geographically by road name, or company – due to the uncertainty related to the entries describing these activities, the entries could not be confirmed as being present within the study area.

### **3.1.5.3 City Directories**

A review of the city directories from 1964 to 2011 was completed for the subject property and several adjacent properties including along March Road (788, 806, 812, 830, 886) and along Klondike Road (1032, 1045, 1056, 1078 and 1100).

The city directories did not identify any PCAs within the study area. A copy of the City Directory records is provided in Appendix G.

## **3.2 Regulatory Information**

### **3.2.1 MECP and the City of Ottawa – Freedom of Information Request**

A Freedom of Information (FOI) request for records on the subject property was sent to the MECP in April of 2021. FOI responses consist of information obtained from documents and records from the Ottawa District Office, Investigations and Enforcement Branch, Environmental Assessment and Permissions Branch, Environmental Monitoring and Reporting Branch, Sector Compliance Branch and Safe Drinking Water Branch.

An FOI was also submitted for records pertaining to the fire in June and July 2018 at the subject site to the City of Ottawa. The request was to obtain any and all records within the City's possession related to this incident and loss, including but not limited to, the fire report, investigations, incident reports, photos, notes, records, diagrams, statements, digital information, and witness statements.

A response to the FOI requests have not yet been received from the MECP or the City of Ottawa. If the MECP's or the City of Ottawa's response identifies records with respect to the subject property which indicate areas of potential environmental concern which have generated areas of potential concern on the subject site, the client will be notified.

### **3.2.2 Technical Standards and Safety Authority**

The Technical Standards and Safety Authority (TSSA) was contacted on January 9, 2018, during the previous Phase One Investigation by GEMTEC, to request available records for subject site and adjacent properties including 788, 806, 812, 830 and 886 March Road, and 1032, 1045, 1055, 1056 , 1078 and 1100 Klondike Road, located in Ottawa, Ontario.

The response from the TSSA indicated that they have no available records for the above-noted properties. A copy of the search request and the response from the TSSA are provided in Appendix E.

### **3.2.3 Historical Land Use Inventory**

A Historical Land Use Inventory (HLUI) information request was made on February 23<sup>rd</sup>, 2021, during the previous Phase One Investigation by GEMTEC, for the subject site and a 50-metre-buffer surrounding the subject site. The HLUI provides information on type and location of land use which may have caused potential contamination to soil, groundwater or surface water in the area. The response letter was reviewed and the follow PCA was identified:

- Ward's Garage (also known as Burk's Garage) - 1111 Klondike Road, southwest of the subject site (1998-2001) – *10. Commercial Auto Body Shops.*

A copy of the HLUI response letter is provided in Appendix H.

### **3.2.4 Mapping of Federally Contaminated Sites**

A Government of Canada, Treasury Board of Canada Secretariat, interactive map of contaminated sites was reviewed. The database provides an inventory of over 4000 federally owned contaminated sites across the country. The database did not identify any federally owned contaminated sites within the study area.

### **3.2.5 Ontario Inventory of PCB Storage Sites**

The Waste Management Branch of the Ontario Ministry of the Environment, Conservation and Parks (MECP) published an Ontario Inventory of PCB Storage Sites in October 1991. The publication includes information of PCB storage sites collected under O.Reg 11/82 through MECP district and regional offices. The database did not identify any PCB storage sites within the study area.

### **3.2.6 Landfills**

Golder Associates Ltd. published an "*Old Landfill Management Strategy – Phase One – Identification of Sites, City of Ottawa, Ontario*" dated October 2004. The publication includes information to identify old landfill sites for potential environmental considerations within the boundary of the amalgamated City of Ottawa. No landfills were identified within the study area.

### **3.2.7 Mapping and Assessment of Former Industrial Sites**

A report entitled "*Mapping and Assessment of Former Industrial Sites, City of Ottawa*" dated July 1988 and prepared by Intera Technologies Ltd. was reviewed. The report provides an inventory and assessment of former industrial sites in the City of Ottawa from 1850 to 1984 that would have likely produced or handled hazardous waste and materials. No former industrial sites were identified on the subject property or within the study area.

### 3.3 Physical Setting Sources

#### 3.3.1 Aerial Photographs

Aerial photographs were obtained at regular intervals and were selected considering suitable scale for analysis and coverage area. The earliest photograph obtained was from 1934. Observations made with respect to the selected aerial photographs are summarized in Table 3.2.

The aerial photographs reviewed include the following years: 1934, 1952, 1965, 1976, 1991, 1999, 2002, 2005, 2007, 2008, 2009, 2011, and 2019.

**Table 3.2: Summary of Aerial Photograph Review**

Date	Photograph Number	Observations
1934	A4698-36	<ul style="list-style-type: none"> <li>The subject site appears to be developed as a residential site, with agricultural land use and structures on the subject property;</li> <li>Structures visible on the northwest portion of the study area close to the subject site;</li> <li>Other residential sites with agricultural land use and structures on the southwest portion of the study area;</li> <li>Klondike Road and March Road are both visible at this time;</li> <li>Shirley's Brook is visible on the western portion of the property, along a treeline; and,</li> <li>Some undeveloped lands are present within the study area.</li> </ul>
1952	A13380-53	<ul style="list-style-type: none"> <li>No significant changes from the 1934 Aerial Photograph.</li> </ul>
1965	GeoOttawa – Publically Available	<ul style="list-style-type: none"> <li>No significant changes from the 1952 Aerial Photograph</li> </ul>
1976	GeoOttawa – Publically Available	<ul style="list-style-type: none"> <li>Structures that were visible on the northwest portion of the study area in 1934 have been removed; and,</li> <li>A residential structure has been developed on the southeast portion of the subject site.</li> </ul>
1991	GeoOttawa – Publically Available	<ul style="list-style-type: none"> <li>Development occurred southeast of the subject site.</li> </ul>
1999	GeoOttawa – Publically Available	<ul style="list-style-type: none"> <li>Residential subdivision development occurred southeast of the subject site</li> </ul>
2002	GeoOttawa – Publically Available	<ul style="list-style-type: none"> <li>Residential subdivision development occurred southwest of the subject site</li> </ul>
2005	GeoOttawa – Publically Available	<ul style="list-style-type: none"> <li>Residential subdivision development occurred in the west and northeast of the subject site</li> </ul>
2008	GeoOttawa – Publically Available	<ul style="list-style-type: none"> <li>Residential subdivision development occurred in the surrounding area of the subject site</li> </ul>
2011	GeoOttawa – Publically Available	<ul style="list-style-type: none"> <li>Commercial development occurred west of the subject site whose structures still exist presently.</li> </ul>
2019	GeoOttawa – Publically Available	<ul style="list-style-type: none"> <li>No significant changes from the 2011 Aerial Photograph</li> </ul>

Photos from the national air photo library were ordered for 1934 (A4698-36) and 1952 (A13380-53) and can be found in Appendix F.

### **3.3.2 Topography, Hydrology and Geology**

A topographic map based on Ontario Basic Mapping is provided on the Topographic Map, shown on Figure A.2, Appendix A. The subject property has a relatively flat topography, with a slope towards Shirley's Brook along the west property line. The property has an elevation of approximately 70 metres above sea level. Surrounding topography generally slopes gradually downwards towards Shirley's Brook, which is located to the west of the subject property. The overall topography generally slopes downwards to the Ottawa River, located approximately 2.5 kilometers northeast.

Surficial and bedrock geology maps of the Ottawa area indicate that the overburden in the vicinity of the subject property generally consists of clay and silt and sand and gravel with a thickness ranging from 5 to 10 metres. The bedrock is mapped as Paleozoic sandstone and dolostone of the March Formation.

Groundwater flow often reflects topographic features and typically flows toward nearby lakes, rivers and wetland areas. Based on the topography of the area, it is expected that the local shallow groundwater flow will trend towards the northwest.

### **3.3.3 Fill Materials**

In a geotechnical investigation completed by GEMTEC dated April 2018, five boreholes were advanced on the subject property. Unknown fill material was encountered at two of the borehole locations along the existing granular driveway. The fill material extends from a depth of approximately 0.9 to 3.3 metres below ground surface (mbgs), consisting of a dark brown to brown silty sand with organic material and grey brown silty clay with pockets of dark brown organic material.

The Phase One investigation completed by GEMTEC in 2018, also identified debris and fill of unknown origin within the historical building footprint following a fire reportedly which occurred in June 2018.

Additionally, during the site reconnaissance, potential fill material pile of unknown quality was observed on the subject property. Unknown fill was observed at the end of the gravel path in close proximity to the historical residential building footprint. Upon discussing the origins of the unknown fill pile during an interview with the site representative, Brian Saumure, it was determined that this fill was recently brought in by Latimer Excavating from a sand pit on Vances Side Road in Dunrobin as part of the demolition and reinstatement work following the on-site fires. This fill was used to fill in the hole which was the crawl space of the former residential building. This fill was identified as an APEC during the Phase One investigation

completed by GEMTEC in 2018 and was sampled for metals, PAHs, BTEX and PHCs during the Phase Two investigation completed by GEMTEC in 2019. Soil results indicated zinc contaminated soil from within the footprint of the former historical structures. No PAHs, BTEX, or PHCs impacted soil or groundwater were identified. However, the fill material observed during the borehole drilling program as part of the 2018 geotechnical investigation pre-dates the fire re-instatement fill brought in from the Latimer site and thus, would still be considered fill of unknown quality.

Fill material of unknown quality is identified as a potential source of contamination, in accordance with O.Reg. 153/04. Accordingly, to support site plan control application and GEMTEC's experience with the requirements as set out by The City of Ottawa, the fill of unknown quality identified across the subject property during the geotechnical investigation as summarized above would result in a PCA:

- *PCA #30. Importation of Fill Material of Unknown Quality.*

### **3.3.4 Water Bodies and Areas of Natural Significance**

No provincially significant wetlands (PSWs) or areas of natural and scientific interest (ANSIs) were identified on the subject property or within the study area. Shirley's Brook is located on the subject property, along the western property line.

### **3.3.5 Well Records**

Well records available through the Ministry of the Environment Conservation and Parks (MECP) for a 250-metre radius from the centre of the subject property were reviewed as part of the Phase One ESA. Twenty-eight wells were identified within this search radius. The locations of the adjacent water wells, based on the UTM coordinates provided in the water well records, have been plotted on Figure A.3, Appendix A.

The average depth to the static water level, based on review of the information provided in the available well records, was approximately 3.8 mbgs.

The MECP well records indicate that the stratigraphy of the overburden in the area generally consists of a 6.2 metre layer of sand over clay or silt. Bedrock was encountered in fourteen of the wells.

## **4.0 INTERVIEWS**

Two individuals were interviewed in order to assist in the identification of potentially contaminating activities (PCAs) that may have led to areas of potential environmental concern (APECs) at the subject property. Mr. Brian Saumure was interviewed as the representative of the current site owner and Mr. Jimmy Fata was interviewed with respect to the fires which took place in June and July 2018 at the subject site.

#### 4.1 Interview with Site Owner

The first interview was carried out over the phone with Mr. Brian Saumure on May 13, 2021 and a follow-up call on May 20, 2021. Mr. Saumure was identified as an interview candidate because he is the representative for the Village at the Schoolyard Inc. The Village at the Schoolyard Inc. has been managing the property since 2017. Details of the interview are summarized as follows:

- Mr. Saumure confirmed that the subject site has been owned by the Village at the Schoolyard Inc. since 2017 and was purchased from members of the Armstrong/Maxwell family who had previously owned the property for over 100 years;
- Mr. Saumure indicated that no structures have existed on the subject site following the two fires which occurred in June 2018 and July 2018;
- Mr. Saumure confirmed that historically the subject site utilized well and septic for water and sewer services;
- Mr. Saumure confirmed that future development of the subject site will be municipally serviced with water and sewer by the City of Ottawa. Other utilities including hydro and gas will be provided by utility providers;
- Mr. Saumure confirmed that the anticipated future development will include residential development and community pathways including semi-detached houses, townhomes, a multi-unit apartment structure, proposed walkways and a cul-de-sac on the subject site;
- Mr. Saumure identified the fill of unknown origin at the end of the gravel path observed during the site reconnaissance to be fill which was brought in by Latimer Excavating from a sand pit on Vances Side Road in Dunrobin as part of the demolition. This fill was used to fill in the hole which was the crawl space of the former residential building; and;
- According to Mr. Saumure, a second fire occurred about a month after the first fire in June 2018 which destroyed a historical third structure on site, no additional environmental work was completed at the site of this fire. **Note:** this is consistent with origins of the remnant burnt building materials and debris observed northeast of the historical residential structure on the subject property during the site reconnaissance.

#### 4.2 Interview with Ottawa Fire Services

The second interview was carried out over e-mail and the phone with Mr. Jimmy Fata on June 3, 2021 and a follow-up call on June 4, 2021. Mr. Fata was identified as an interview candidate as he is an Assistant Division Chief with the Ottawa Fire Services. Details of the interview are summarized as follows:

- Based on the interview with Mr. Fata, it was unlikely that Per- and Polyfluoroalkyl substances (PFAS) were used to extinguish the fires in June and July 2018 at the subject property.

- Mr. Fata initially offered to contact the supervisor involved in extinguishing the fires to confirm no PFAS were used. Later, Mr. Fata advised that confirmation on the use of PFAS during the fires would need to be completed through the City of Ottawa Freedom of Information Services. An FOI request was submitted on June 4, 2021.

A response to the FOI request have not yet been received from the City of Ottawa. If the City of Ottawa's response identifies records with respect to the use of PFAS or any other contaminants of potential concern, the client will be notified.

### **4.3 Assessment and Evaluation of Interview**

The interviews with Mr. Brian Saumure and Mr. Jimmy Fata is consistent with historical records, and other information sources.

The following PCA was identified on the subject property during the interview:

- A fire occurred in July 2018 causing significant damage to the remaining third historical structure on site. Remnant burnt building materials and debris were observed in the historical building footprint approximately 10 meters northeast from the two other historical building footprints - *OT #2- Debris from Historical Fire*.

## **5.0 SITE RECONNAISSANCE**

### **5.1 General Requirements**

A site reconnaissance was carried out on May 12, 2021 from approximately 8:00 am to 9:00 am. The weather at the time of the site reconnaissance was partly cloudy with a temperature of approximately 10 degrees Celsius.

The site reconnaissance was completed by Ms. Rhian Fox BSc. of GEMTEC. The site reconnaissance was carried out to determine if there were visually observable environmental concerns with the subject property and/or surrounding property uses.

#### **5.1.1 Site Photographs**

Photographs of the subject property were taken during the course of the site reconnaissance to document the general condition of the subject property and any areas of potential environmental concern. The relevant photographs are presented in Appendix I. A discussion of the photographs is provided in the following table:

**Table 5.1: Summary of Site Photographs**

Plate Number	Orientation	Description
I1	Within subject site	Photograph of fill within the subject site. The fill was identified at the end of the gravel path in the centre of the subject site. The origin of the fill was determined during the interview with site representative Brian Saumure.
I2	Within subject site	Remnant burnt building materials and debris from the fire in July 2018 was observed in the historical building footprint of the third structure on the subject site approximately 10 meters northeast from the two other historical building footprints which burnt down in June 2018.
I3	Throughout the study area	Photographs of pole and pad mounted transformers identified throughout the study area.

### 5.1.2 Observations

No structures were observed on site during the site reconnaissance. Three structures existed on site prior to a fire on June 10, 2018 which burnt down the old residential farmhouse and accessory building at the end of the gravel path towards the centre of the subject property. A fire in July 2018 burnt down the remaining historical structure identified towards the centre of the subject site approximately 10 meters northeast from where the other two historical structures stood. It should be noted that only the June 2018 fire was reported to GEMTEC and therefore samples were taken from the footprint of only two of the three former structures at the time the 2019 Phase Two ESA was completed.

The following observations were made during the site reconnaissance:

- Unknown fill pile material was identified at the end of the gravel path in the centre of the subject site. Upon discussing the origins of the unknown fill pile during an interview with the site representative, Brian Saumure, it was determined that this fill was brought in by Latimer Excavating from a sand pit on Vances Side Road in Dunrobin as part of the demolition. This fill was used to fill in the hole which was the crawl space of the former residential building. The fill was identified as an APEC during the Phase One investigation completed by GEMTEC in 2018 and was sampled for metals, PAHs, BTEX and PHCs during the Phase Two investigation completed by GEMTEC in 2019. Soil results indicated zinc contaminated soil from within the footprint of the former historical structures. No PAHs, BTEX, or PHCs impacted soil or groundwater were identified.
- Remnant burnt building materials and debris was observed towards the centre of the subject site approximately 10 meters northeast from building footprint of the historical residential structure; and,
- The site has access to hydro, municipal water, natural gas, and sanitary and storm sewer.



## 5.2 Specific Observations within the Study Area

### 5.2.1 Services

Adjacent properties and structures in the study area are fully serviced with overhead hydro, municipal water, natural gas, and sanitary and storm sewers. Sewers were observed in the streets adjacent to the subject property.

### 5.2.2 Water Bodies and Areas of Natural Significance

Shirley's Brook was identified on the subject property, along the west property line. An unevaluated wetland is located north and west of the subject site.

### 5.2.3 Surrounding Properties

The following general observations were made for the properties surrounding the subject property:

- Residential homes are located in the vicinity of the subject property to the north, south, and east;
- Commercial businesses are concentrated along March Road to the west of the subject property, with some community and institutional uses observed along Klondike Road.

The following PCA was identified on the subject property during the site reconnaissance:

- Remnant burnt building materials and debris from the fire in July 2018 was observed in the historical building footprint of the third structure on the subject site approximately 10 meters northeast from the two other historical building footprints which burnt down in June 2018- *OT #2- Debris from Historical Fire.*

The following PCA was identified in the study area during the site reconnaissance:

- Dry Cleaners located at 846 March Road. *PCA #37. Operation of Dry Cleaning Equipment (where chemicals are used).*

## 5.3 Enhanced Investigation Property

The Phase One ESA property is not an enhanced investigation property, since the available information indicates that the subject property has never been used as a commercial garage, gasoline outlet, dry cleaning facility or for other industrial purposes.

## 5.4 Hazardous Materials

### 5.4.1 Lead

Under the federal Hazardous Products Act, the lead content in interior paint was limited to 0.5% by weight in 1976. After 1980, lead was not used in interior paints; however, exterior paints may have still contained lead. All consumer paints produced and imported into Canada were virtually lead-free as of 1992.

Based on the initial site development (anticipated prior to 1934) and additions since, it is possible that lead based paints have been used on the subject property in the past.

### 5.4.2 Mercury

Mercury is commonly found in thermostats and electrical switches, as well as mercury vapour-containing fluorescent light bulbs.

Based on the initial site development (anticipated prior to 1934) and additions since, it is possible that mercury containing items have been present on the subject property in the past.

### 5.4.3 Storage Tanks

Before it was destroyed in the fire in June 2018 and subsequently removed from the site, one aboveground fuel storage tank (AST) was observed in the basement of the residential structure on the subject site. The AST had an approximate capacity of 900 liters and was installed in 2003. The AST was used for storing heating oil. **Note:** Impacts to soil and groundwater from this APEC were investigated by GEMTEC in 2019 during a Phase Two ESA completed for the property. Although initial exceedances to the applicable regulatory criteria for PHC F3 were noted, follow-up supplemental sampling of groundwater from monitoring well locations located within this APEC indicated no exceedances to the applicable regulatory criteria for any of the contaminants of concern.

### 5.4.4 Polychlorinated Biphenyl (PCBs)

From the 1930s to the 1970s, PCBs were used to make coolants and lubricants for certain kinds of electrical equipment, including transformers and capacitors, and were widely used in a number of industrial materials including sealing and caulking compounds, inks, and paint additives. PCBs are an environmental concern as they do not readily degrade and have been identified to bio-accumulate. In Canada, the Federal Environmental Contaminants Act (1976) prohibited the use of PCBs in heat transfer and electrical equipment installed after September 1, 1977, and in transformers and capacitors installed after July 1, 1980. In addition, the storage and disposal of PCB waste materials is regulated.

Pole mounted and pad mounted transformers were identified in the study area the time of site reconnaissance. The transformers appeared to be in good condition with no evidence of leaking or staining.

#### **5.4.5 Asbestos Containing Materials (ACM)**

Asbestos has been used in many products in buildings and continues to be used in some building products today. Two categories of asbestos were used in building construction (i) non-friable asbestos-containing materials (ACMs), and (ii) friable ACMs. Products that contain non-friable (hard or non-crumbly) asbestos include floor tiles, cement sheeting and pipes, motor vehicle brakes, and roofing materials. The use of these products has declined significantly since the 1970s; however, these products are still legal and are still used in Canada today. Friable asbestos materials can be crumbled, pulverized, or reduced to powder by hand pressure. Due to the softer nature of these products, the fibres can more readily be released to the air where they can be inhaled. Most friable products were withdrawn from the Canadian market in the 1970s, and production of friable products ceased, and they were commercially unavailable by 1982. However, it was not until 1985 that provincial regulatory bodies enforced a complete ban on friable asbestos products. Common friable products included sprayed fireproofing, sprayed acoustic or decorative finishes, and thermal insulation on piping or mechanical systems.

Based on the initial site development (anticipated prior to 1934) and additions since, it is possible that ACM building materials have been used in construction, and may be present on the subject property.

#### **5.4.6 Urea Formaldehyde Foam Insulation (UFFI)**

UFFI became an insulation product for existing houses in Canada in the 1970s; however, it was banned in Canada in 1980 under the Hazardous Products Act. UFFI can begin to deteriorate if exposed to water and moisture, and its degradation can also result in formaldehyde gas emissions.

Based on the initial site development (anticipated prior to 1934) and additions since, it is possible that UFFIs have been present on the subject property in the past.

#### **5.4.7 Solid Waste Disposal Practices**

No waste or disposal locations were identified on the subject property at the time of site reconnaissance. Waste bins were identified northeast of the existing structure. Regular municipal waste collection is available in the study area.

#### **5.4.8 Ozone Depleting Substances**

In 1998, the Federal government filed the Ozone-Depleting Substances Regulations. The Regulations reflect Canada's commitment to meet its requirements under the Montreal Protocol on Substances that Deplete the Ozone Layer. The Montreal Protocol is an international agreement signed by over 180 countries to control the production and exchange of certain ozone-depleting substances. The Regulations are intended to further reduce emissions of ozone-depleting substances. The Regulations were amended in 2001, 2002, and 2004.

No ozone depleting substances were identified during the site reconnaissance.

#### **5.4.9 Radon Gas**

Radon is a colourless, tasteless radioactive gas with a very short half-life of 3.8 days. The health risk potential of radon is associated with its rate of accumulation within confined areas, particularly confined areas near or in the ground, such as basements, where vapours can readily transfer to indoor air from the ground through foundation cracks or other pathways. Large, adequately ventilated rooms generally present limited risk for radon exposure.

Based on GEMTECs review of the map entitled 'Radon Potential Map Ontario', the subject property is within a guarded potential radon hazard area (REMC, 2011).

Actual radon concentrations can only be determined using Long-term Measurement techniques, as described within Health Canada's 'Guide for Radon Measurements in Public Buildings' document (Health Canada, 2016).

#### **5.5 Unidentified Substances**

No unidentified substances were identified at the time of the site reconnaissance.

#### **5.6 Odours**

No odours were identified at the time of the site reconnaissance.

#### **5.7 Water, Wastewater and Storm Water**

No pits, ponds or lagoons were observed at the time of the site reconnaissance. Stormwater in the area is managed through The City of Ottawa municipal storm sewer.

#### **5.8 Stained Materials and Stressed Vegetation**

Stained vegetation was observed among the remnant burnt building materials and debris in the historical building footprint of the third structure on the subject site approximately 10 meters northeast from the two other historical building footprints which burnt down in June 2018.

#### **5.9 Watercourses, Ditches or Standing Water**

A roadside ditch was observed along Klondike Road south of the subject property. Shirley's Brook was identified on the subject property, along the west property line.

### **6.0 REVIEW AND EVALUATION OF INFORMATION**

#### **6.1 Current and Past Uses**

Current and past uses of the subject property are documented in the following table:

**Table 6.1: Current and Past Use of Subject Property**

Year	Owner	Description of Property Use	Observations
1824 to 1934	Joseph Maxwell and others	Agricultural or Other Use	No aerial photographs prior to 1934 were available for review.
1934 to 2017	The Armstrong family and others	Residential and agricultural	Aerial photographs indicate that there was a 2 and half storey structure on the subject property.
2017 to present	Village at the Schoolyard	Residential and agricultural (vacant)	According to the Chain of Title and site visit, the property was first purchased by a corporation in 2017 and is currently vacant.

## 6.2 Potentially Contaminating Activities

PCAs within the Phase One ESA study area and resulting APECs on the subject property are summarized in Table 6.1. PCA locations are shown on Figure A.1, Appendix A.

**Table 6.2: Summary of Potentially Contaminating Activities**

Type of PCA	Address/ Location	Description	Likelihood of Creating an APEC
OT #2- Debris from Historical Fire	On the subject property	A fire occurred in July 2018 causing significant damage to the remaining third historical structure on site. Remnant burnt building materials and debris were observed in the historical building footprint approximately 10 meters northeast from the two other historical building footprints.	Yes Based on a fire occurring on site and not being reported for further sampling in July 2018.
PCA #28. Gasoline and Associated Products Storage in Fixed Tanks	On the subject property	A former above-ground storage tank was identified during the site visit conducted by GEMTEC personnel in the historical Phase One ESA. Corrosion on the surface of the tank was observed. However, this tank was reportedly later removed from the site, prior to the first fire which occurred in June of 2018.	No PCA addressed during GEMTEC's Phase Two Investigation reported in 2019
PCA #30. Importation of Fill Material of Unknown Quality	On the subject property	The previous geotechnical investigation performed by GEMTEC in April 2018 identified fill of unknown origin on the subject property.	Yes Environmental quality sampling of fill materials from the boreholes advanced across the subject site was not completed, as the only fill sampled and analyzed was the imported fill brought to the site to fill in the fire damaged excavated building debris.
PCA #30. Importation of Fill Material of Unknown Quality/ OT #2- Debris from Historical Fire	On the subject property	A fire occurred on June 10, 2018 causing significant damage to two of the three structures located at the end of the gravel path towards the centre of the subject site. The structures were demolished and former footprints were filled in to reach grade. The on-site fuel storage tank had reportedly been removed from site prior to the fire.	No Contaminants (Zinc) were identified in debris and soil of the former building footprint during the 2019 Phase Two ESA, however no further sampling is recommended.
PCA #58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	840 March Road 40 meters northwest	Listed as a waste generator for pathological and pharmaceutical in 2020 to 2021	No Based on type of activity and anticipated wastes
OT #1: Spill	840 March Road 40 meters northwest	Minor refrigerant spill due to equipment failure in 2019	No Based on distance from subject site, anticipated groundwater flow and size of spill
PCA #37. Operation of Dry Cleaning Equipment (where chemicals are used).	846 March Road 45 meters northwest	A dry cleaner was identified during the site visit within the study area. From aerial photographs, the commercial land use to the west of the subject property was developed in 2011.	No This PCA was addressed during GEMTEC's 2019 Phase Two ESA. The COPCs were sampled for in groundwater and no exceedances to regulatory criteria were observed.
PCA #58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	832 March Road 80 meters southwest	Listed as a waste generator for pathological wastes and pharmaceuticals from 2011 to 2021	No Based on type of activity and anticipated wastes
OT #3: TSSA Historical Incident	121 Streamside Crescent 100 meters east	Pipeline strike (natural gas) in 2008.	No Based on distance to subject site and type of release
PCA #28. Gasoline and Associated Products Storage in Fixed Tanks & OT #4 TSSA Expired Facility	1111 Klondike Road 110 meters southwest	Gas bar/private self-serve fuel outlet listed from 1990 and listed as expired as of 2009	No Based on distance to subject site, and anticipated groundwater flow

Type of PCA	Address/ Location	Description	Likelihood of Creating an APEC
PCA #10. Commercial Auto Body Shops	1111 Klondike Road 110 meters southwest	Listed as an auto garage from 1998 to 2001	No Based on distance to subject site, and anticipated groundwater flow
OT #5: Record of Site Condition	1092 Klondike Road and 788 March Road 140 meters southeast	RSC filed for 1092 Klondike Road and 788 March Road	No Based on RSC filing record
PCA #58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	1102 Klondike Road 145 meters southwest	Listed as a waste generator for pathological and pharmaceutical in 2015 to 2017	No Based on type activity and anticipated wastes generated
PCA #40. Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications	1102 Klondike Road 145 meters southwest	Listed as an active limited vendor of pesticides (small volume retail)	No Based on type activity, distance from site and anticipated groundwater flow direction
PCA #58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	1032 Klondike Road 175 meters east	Listed as a waste generator for waste crankcase oils and lubricants in 2021	No Based on distance from subject site and anticipated groundwater flow direction
OT #3: TSSA Historical Incident	858 March Road 215 meters northwest	Pipeline strike (natural gas) in 2008.	No Based on distance from subject site, and nature of release
OT #1: Spill	865 March Road 220 meters west	Furnace oil to ground from fill pipe at private residence in 1992. Soil contamination listed as possible	No Based on distance from subject site, and anticipated groundwater flow direction
PCA #58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	1108 Klondike Road 240 meters south	Listed as a waste generator for pathological waste from 2010 to 2021	No Based on distance from subject site and nature of wastes generated
PCA #58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners	Part of lot 10, concession 3 250 meters east	The corporation of the Township of Rideau Landfill- Closed in 1971	No Based on distance from subject site and anticipated groundwater flow

### 6.3 Areas of Potential Environmental Concern

The available information was reviewed in a comprehensive manner starting with available historical information, followed by the results of the site reconnaissance and finally the results of the interviews. These three components were evaluated using professional experience, judgment and available documentation to determine PCAs. Available historical records were cross-referenced with other records to verify their accuracy. The observations from the site reconnaissance and information provided through the interview validated the available historical records for the subject property, and vice versa. The PCAs were reviewed in order to identify APECs for the subject property.

Two APECs were identified on the subject property, as summarized in Table 6.3. APEC locations are shown on Figure A.3, Appendix A.

**Table 6.3: Summary of Areas of Potential Environmental Concern**

APEC	Type of PCA	Description	Material of Concern	Contaminants of Potential Concern
1	OT #2- Debris from Historical Fire	A fire occurred in July 2018 causing significant damage to the remaining third historical structure on site. During site reconnaissance, remnant burnt building materials and debris were observed in the historical building footprint area approximately 10 meters northeast from the two other historical building footprint areas.	Soil Groundwater	PAHs Metals
2	PCA #30. Importation of Fill Material of Unknown Quality	The previous geotechnical investigation performed by GEMTEC in April 2018 identified fill of unknown origin on the subject property. However, environmental quality sampling of this fill material was not completed at the time.	Soil Groundwater	PHC F1-F4 VOCs PAHs M&I

**Notes:** PHCs F1-F4 – Petroleum Hydrocarbons Four Fraction  
 VOCs – Volatile Organic Compounds  
 PAHs – Polycyclic Aromatic Hydrocarbons  
 M&I – Metals and Organics

#### 6.3.1 APEC 1: Debris from Historical Fire

Through observations made during the site reconnaissance and an interview with the site representative, remnant burnt building material and debris was identified with the historical building footprint of a structure prior to a fire in July 2018 which destroyed the structure. The potentially associated contaminants of concern are metals and PAHs in soil and groundwater. This APEC is present towards the centre of the subject site approximately 10 meters northeast from the other historical building footprints whose structures were destroyed in a fire in June 2018.



### 6.3.2 APEC 2: Fill of Unknown Origin Identified During a Previous Geotechnical Investigation

Through a review of historical reports, fill of unknown origin was identified throughout the subject site. The potentially associated contaminants of concern are metals, inorganics, PHC F1-F4, VOCs and PAHs in soil and groundwater. This APEC is present across the subject site.

## 6.4 Phase One Conceptual Site Model

Based on the historical review, site interviews, and site reconnaissance, GEMTEC concludes that there is potential for soil and groundwater contamination at the subject property. Information presented in this report that contributes to the development of the CSM is presented as applicable in Figures A.1 through A.3 and summarized as follows:

- Based on the review of selected historical aerial photographs, the subject property was developed sometime prior to 1934, with agricultural land use and structures on the subject property. Historical land use in the study area was predominantly agricultural with commercial developments concentrated to the south along March Avenue starting in 2009;
- The surrounding properties within the study area are fully serviced by the municipality and utility providers. The subject property will be fully serviced by the municipality and utility providers following development;
- The surrounding properties are primarily residential with commercial businesses concentrated along March Road to the west of the subject property;
- The MECP Well Records search identified twenty-eight wells within the 250-metre search radius;
- No provincially significant wetlands (PSWs) or area of natural significance (ANSI) were identified on the subject property or within the study area;
- Shirley's Brook was identified on the subject property, along the west property line. An unevaluated wetland is located north and west of the subject site;
- The subject property has a relatively flat topography, with a slope towards Shirley's Brook along the west property line. The property has an elevation of approximately 70 metres above sea level. Surrounding topography generally slopes gradually downwards towards the Shirley's Brook, which is located to the west of the subject property. The overall topography generally slopes downwards to the Ottawa River, located about 2.5 kilometers northeast;
- Surficial and bedrock geology maps of the Ottawa area indicate that the overburden in the vicinity of the subject property generally consists of clay and silt and sand and gravel with a thickness ranging from 5 to 10 metres. The bedrock is mapped as Paleozoic sandstone and dolostone of the March Formation; and,
- Based on the review of records, the interview and the site reconnaissance completed as part of the Phase One ESA, GEMTEC identified nineteen PCAs for the study area. Two of the PCAs were determined to create APECs on the subject property.

Information considered for the development of this CSM was gathered from numerous sources (i.e. aerial photographs, city directories, environmental database searches, physical setting sources, interview and a site reconnaissance), which reduces the potential for not identifying a former property use or PCA.

#### **6.4.1 Underground Utilities**

There is potential for underground utilities to affect contaminant transport for the subject property, if contaminants are present.

#### **6.4.2 Discussion of Uncertainty**

There is uncertainty with the Phase One Conceptual Site Model associated with using well record data, topographic and geology maps from external sources. Information based on these sources may have changed since publishing due to construction, seasonal variations, or other factors.

### **7.0 CONCLUSIONS AND RECOMMENDATIONS**

GEMTEC Consulting Engineers and Scientists Limited (GEMTEC) was retained to carry out a Phase One Environmental Site Assessment (ESA) Update for the subject property located at 1055 Klondike Road in Ottawa, Ontario.

Based on GEMTEC's review of available historical information pertaining to the subject site and adjacent properties, the interviews completed and site reconnaissance undertaken, two APECs were identified to be present on the subject property. As such, completion of a Phase Two ESA is recommended to investigate soil and groundwater quality within the APECs on the subject property.

Moreover, based on the results of the Phase Two ESA investigation completed by GEMTEC in 2019, it is expected that contaminated soil as defined by current MECP regulations will be encountered during the proposed construction in the area of GS-N within the former building footprint. Based on the nature of the contaminants identified (Zinc) and debris identified in the former building footprint, it is recommended that soil and debris be disposed of at an approved facility subject to a toxicity characteristic leaching procedure (TCLP) analysis and confirmatory sampling be carried out by a Qualified Person, as defined by O.Reg. 153/04.

### **8.0 REFERENCES**

City of Ottawa and Golder Associates. Old Landfill Management Strategy, Phase 1 – Identification of Sites, City of Ottawa, Ontario. 2004. Accessed May 2021.

ERIS Database Report, April 30, 2021. 64153.85, 1055 Klondike Road, Kanata, ON, K2K 1X7. Quote- Custom-Build Your Own Report. Order No 21027000347.

Geography Network Canada (GNC). October 2004. Ontario Basic Mapping Accessed: May 2021.

Geotechnical Investigation, Proposed Residential Subdivision, 1055 Klondike Road, Ottawa, Ontario. Prepared by GEMTEC, dated April 4, 2018.

Global News, Fire Crews Battle Blaze at Abandoned Home in Klondike Road in Kanata. June 10, 2018. Accessed May 2021.

Google Earth 6.0. Map, Buildings data layer. Accessed: May 2021.

Intera Technologies Ltd. Mapping and Assessment of Former Industrial Sites, City of Ottawa, Volume 1. July 1988. Project Reference H87-053.

National Air Photo Library (NAPL). Digital aerial photos. Accessed May 2021.

Ontario Ministry of the Environment. Ontario Regulation 153/04, Made under the Environmental Protection Act, Part XV.1 – Records of Site Condition. January 1, 2014.

Ontario Ministry of Natural Resources. 2014. Make a natural heritage are map. Accessed: May 2021.

Ontario Ministry of the Environment, Conservation and Parks (MECP). Map: Well Records. Updated January 2020. Accessed May 2021.

Ontario Ministry of the Environment (Waste Management Branch). January 1992. Ontario Inventory of PCB Storage Sites October 1991. Accessed May 2021.

Phase One Environmental Site Assessment, 1055 Klondike Road, Ottawa, Ontario. Prepared by GEMTEC, dated October 2, 2018.

Phase Two Environmental Site Assessment, 1055 Klondike Road, Ottawa, Ontario. Prepared by GEMTEC, dated April 18, 2018.

Preliminary Geotechnical Investigation, Proposed Residential Subdivision, 1055 Klondike Road, Ottawa, Ontario. Prepared by Houle Chevrier Engineering Ltd (Presently GEMTEC Consulting Engineers and Scientists), dated April 13, 2017.

The City of Ottawa (GeoOttawa). 2000, last updated 2017. Accessed: May 2021.

Treasury Board of Canada - Secretariat. Mapping of Federally Contaminated Sites Assessed: May 2021.

## 9.0 LIMITATIONS OF LIABILITY

This Phase One ESA was carried out in general accordance with CSA Group's "Z768-01 Phase One Environmental Site Assessment" and O.Reg. 153/04 as amended. The results of this Phase One ESA should in no way be construed as a warranty that the subject property is free from any and all contaminants other than those noted in this report, nor that all compliance issues have been addressed.

This report was prepared for the exclusive use of the Brian Saumure of Maple Leaf Homes and is based on data and information collected during the Phase One ESA of the property conducted by GEMTEC Consulting Engineers and Scientists Ltd. This report may not be relied upon by any other person or entity without the express written consent of GEMTEC Consulting Engineers and Scientists Limited and Brian Saumure of Maple Leaf Homes. In evaluating this site, GEMTEC Consulting Engineers and Scientists Limited has relied in good faith on information provided by others. We accept no responsibility for any deficiencies or inaccuracies in this report as a result of omissions, misinterpretations, or fraudulent acts of others.

The assessment of environmental conditions and possible site hazards presented has been made using the available historical and technical data collected and provided by others. The conclusions provided herein represent the best judgment of GEMTEC Consulting Engineers and Scientists Ltd. based on current environmental standards. Due to the nature of the investigation and the limited data available, we cannot warrant against undiscovered environmental liabilities.

The scope of the Phase One ESA is sufficient to identify existing and/or potential environmental liabilities that are obvious from visual examination of surface features and from available sources of information. This level of work is a method of risk reduction, not risk elimination. No building materials, water, liquid, gas, products or chemical sampling and/or testing on or in the vicinity of the subject property was carried out as part of this assessment. The Phase One ESA does not include a program of intrusive observation/testing. These activities would be carried out as part of a Phase Two ESA. This environmental assessment included only a cursory overview of the neighbouring land uses from public right of ways and from the subject property and does not constitute a complete assessment of the adjacent sites.


## 10.0 CLOSURE

We trust this report provides sufficient information for your present purposes. If you have any questions concerning this report, please do not hesitate to contact our office.

Sincerely,



Rhian Fox, BSc.  
Environmental Technologist





Su-Kim Roy, M.Eng., P.Eng.  
Senior Environmental Engineer



## **APPENDIX A**

Figures



**KEY PLAN**  
1 : 75,000

**SUBJECT SITE**

**LEGEND**


- APPROXIMATE PROPERTY BOUNDARY
- STUDY AREA (XXXm RADIUS FROM THE PROPERTY BOUNDARY)

**POTENTIALLY CONTAMINATING ACTIVITIES**

10	COMMERCIAL AUTO BODY SHOP
28	GASOLINE AND ASSOCIATED PRODUCTS STORAGE IN FIXED TANKS
30	IMPORTATION OF FILL OF UNKNOWN QUALITY
37	OPERATION OF DRY CLEANING EQUIPMENT (WHERE CHEMICALS ARE USED)
40	PESTICIDES (INCLUDING HERBICIDES, FUNGICIDES AND ANTIFOULING AGENTS) MANUFACTURING, PROCESSING, BULK STORAGE AND LARGESCALE APPLICATIONS
58	WASTE DISPOSAL AND WASTE MANAGEMENT, INCLUDING THERMAL TREATMENT, LANDFILLING AND TRANSFER OF WASTE, OTHER THAN USE OF BIOSOILS AS SOIL CONDITIONERS

**OTHER**

OTH1	SPILL
OTH2	DEBRIS FROM HISTORICAL FIRE
OTH3	TSSA HISTORICAL INCIDENT
OTH4	SSA EXPIRED FACILITY
OTH5	RECORD OF SITE CONDITION




**GEMTEC**  
CONSULTING ENGINEERS AND SCIENTISTS

32 Steacie Drive  
Ottawa, ON K2K 2A9  
Tel: (613) 836-1422  
www.gemtec.ca  
ottawa@gemtec.ca

Drawing		SITE LOCATION PLAN AND POTENTIAL CONTAMINATING ACTIVITIES	
Client		NOVATECH	
Project	64153.85	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT UPDATE 1055 KLONDIKE ROAD OTTAWA, ONTARIO	
Drwn by	S.L.	Chkd by	R.F.
Date	MAY, 2021	Rev.	1
			<b>FIGURE A.1</b>

N:\PROJECTS\64100\64153.85\PHASE ONE ESA UPDATE 2021\DRAWING\1.DRAWINGS\64153.85\_PHONEESA\_R1\_2021-06-09.DWG



**LEGEND**


--- APPROXIMATE PROPERTY BOUNDARY

— STUDY AREA  
(XXXm RADIUS FROM THE PROPERTY BOUNDARY)

**AREA OF POTENTIALLY CONTAMINATING ACTIVITIES**

++++ APEC 1  
DEBRIS FROM HISTORIC FIRE

//// APEC 2  
FILL OF UNKNOWN ORIGIN IDENTIFIED DURING A  
PREVIOUS GEOTECHNICAL INVESTIGATION



**GEMTEC**  
CONSULTING ENGINEERS  
AND SCIENTISTS

32 Steacie Drive  
Ottawa, ON K2K 2A9  
Tel: (613) 836-1422  
www.gemtec.ca  
ottawa@gemtec.ca

Drawing  
**AREAS OF POTENTIAL ENVIRONMENTAL CONCERN**


Client  
**NOVATECH**

Project <b>64153.85</b>	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT UPDATE 1055 KLONDIKE ROAD OTTAWA, ONTARIO
Drwn by S.L.	

Date MAY, 2021	Rev. 1	<b>FIGURE A.2</b>
-------------------	-----------	-------------------

N:\PROJECTS\64100\64153.85\PHASE ONE ESA UPDATE 2021\DRAWING\1.DRAWINGS\64153.85\_PHONEESA\_R1\_2021-06-09.DWG





**LEGEND**

- APPROXIMATE PROPERTY BOUNDARY
- STUDY AREA  
(XXXm RADIUS FROM THE PROPERTY BOUNDARY)
- SURFACE WATER
- CONTOUR INTERVAL, IN METRES
- MECP WELL LOCATION

Scale 1:4000

**GEMTEC**  
CONSULTING ENGINEERS  
AND SCIENTISTS

32 Steacie Drive  
Ottawa, ON K2K 2A9  
Tel: (613) 836-1422  
www.gemtec.ca  
ottawa@gemtec.ca

Drawing **TOPOGRAPHIC MAP**

Client **NOVATECH**

Project <b>64153.85</b>	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT UPDATE 1055 KLONDIKE ROAD OTTAWA, ONTARIO
Drwn by <b>S.L.</b>	
Chkd by <b>R.F.</b>	

Date <b>MAY, 2021</b>	Rev. <b>1</b>	<b>FIGURE A.3</b>
--------------------------	------------------	-------------------

N:\PROJECTS\64100\64153.85\PHASE ONE ESA UPDATE 2021\DRAWING1.DRAWINGS\64153.85\_PHONEESA\_R1\_2021-06-09.DWG



## **APPENDIX B**

### Quality of Assessors

## **QUALIFICATION OF ASSESSORS**

### **Rhian Fox, B.Sc. – Environmental Technologist**

The primary assessor for this Phase One Environmental Site Assessment (ESA) was Ms. Rhian Fox an Environmental Technologist with GEMTEC. Rhian has a Bachelor of Science with a specialization in biology and a graduate certificate in environmental management and assessment. Ms. Fox's formal education and experience working in environmental consulting for over two years has provided her with knowledge and expertise to identify sources of environmental concern and evaluate their potential to cause adverse environmental impacts.

### **Su-Kim Roy, M.Eng., P.Eng. – Environmental Engineer**

The Phase One ESA was carried out under the supervision of Ms. Su-Kim Roy, M.Eng., P.Eng., a registered Professional Engineer in the Province of Ontario and Qualified Person ESA (QP<sub>ESA</sub>) under Ontario Regulation 153/04 and 4016/19. Ms. Roy has over 20 years of experience in the completion of Environmental Site Assessments to meet Phase I and II ESAs completed in accordance with the CSA Group Standards and Phase One and Two ESAs completed in accordance with O.Reg. 153/04, as well as Excess Soils Management Plans completed in accordance with O.Reg. 406/19.



## **APPENDIX C**

Title Abstract

ENVIRONMENTAL SEARCH

Re: 1055 Klondike Rd.

Attn: Katherine Knapik

PURCHASER #64153.85

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
	Patent	Jan 12 1824	Crown	Joseph Maxwell
R0114	Deed	Jan 12 1828	Joseph Maxwell	David Benedict
R0298	Deed	Mar 27 1830	David Benedict	David Benedict Jr.
R0574	Deed	Dec 15 1832	David Benedict Jr.	William Sardines
R01252	Will	Feb 7 1838	William Sardines	Elija B. Sardines
R016208	Deed	July 18 1860	Elija B. Hopper (formerly Sardines)	Levi R. Church Peter H. Church
MH641	Deed	May 14 1883	Levi R. Church Peter H. Church	William Boucher
MH1548	Deed	Feb 19 1901	Estate of William Boucher	Oliver N. Sparks

## ENVIRONMENTAL SEARCH

INSTRUMENT #	TYPE	DATE	VENDOR	PURCHASER
MH1822	Deed	Feb 17 1906	Oliver N. Sparks	John Armstrong Sr.
GR5202	Letters of Administration	May 7 1928	John Armstrong	Henry S. Armstrong
GR9413	Will	Mar 15 1949	Henry S. Armstrong	Laurena P. Armstrong
NS43286 A	Deed	Jan 26 1979	Estate of Laurena P. Armstrong	John A. Orn
NS160247	Deed	Aug 24 1982	Estate of John A. Orn	Rossie Story, Joan Orn, John A. Orn, Janet Ritchie
OC1313326	Will	Dec 6 2011	Janet Ritchie (Partial Interest)	Naida Ritchie - Prudhomme
OC1313327	Deed	Dec 6 2011	Naida Ritchie - Prudhomme (Partial Interest)	Naida Jean Ritchie Gary Ritchie
OC1941395	Deed	Oct 19 2017	Joan Orn, John Allen Orn, Gary Ritchie, Naida Jean Ritchie & Rossie Story	Village at the Schoelkopf Arc. (Current Owners)





## **APPENDIX D**

### EcoLog ERIS Report





---

# DATABASE REPORT

**Project Property:** 64153.85  
1055 Klondike Road  
Kanata ON K2K 1X7

**Project No:**

**Report Type:** Quote - Custom-Build Your Own Report

**Order No:** 21042700347

**Requested by:** GEMTEC Consulting Engineers and  
Scientists Limited (Ontario)

**Date Completed:** April 30, 2021

# Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	16
Map.....	28
Aerial.....	29
Topographic Map.....	30
Detail Report.....	31
Unplottable Summary.....	157
Unplottable Report.....	161
Appendix: Database Descriptions.....	183
Definitions.....	192

## **Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY**

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# Executive Summary

## **Property Information:**

**Project Property:** 64153.85  
1055 Klondike Road Kanata ON K2K 1X7

**Project No:**

## **Order Information:**

**Order No:** 21042700347  
**Date Requested:** April 27, 2021  
**Requested by:** GEMTEC Consulting Engineers and Scientists Limited (Ontario)  
**Report Type:** Quote - Custom-Build Your Own Report

## **Historical/Products:**

## Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.25km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking &amp; Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	8	8
CA	<i>Certificates of Approval</i>	Y	0	2	2
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	1	1
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	1	1
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	0	7	7
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	2	12	14
EIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries &amp; Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	0	0
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	38	38
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	1	1

<b>Database</b>	<b>Name</b>	<b>Searched</b>	<b>Project Property</b>	<b>Boundary to 0.25km</b>	<b>Total</b>
IAFT	<i>Indian &amp; Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	1	1
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense &amp; Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense &amp; Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence &amp; Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	0	0
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	2	2
PINC	<i>Pipeline Incidents</i>	Y	0	2	2
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	1	1
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	0	0
RSC	<i>Record of Site Condition</i>	Y	0	1	1
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	0	0
SPL	<i>Ontario Spills</i>	Y	0	2	2
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	2	28	30
<b>Total:</b>			<b>4</b>	<b>107</b>	<b>111</b>

## Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<u>1</u>	EHS		1055 & 1075 Klondike Rd Ottawa ON	E/0.0	0.00	<u>31</u>
<u>2</u>	EHS		1055 Klondike Road Ottawa ON	NE/0.0	-1.28	<u>31</u>
<u>3</u>	WWIS		1095 KLONDIKE RD lot 11 con 4 KANATA ON  <i>Well ID: 7147354</i>	SW/0.0	-7.86	<u>31</u>
<u>4</u>	WWIS		1095 KLONDIKE RD lot 11 con 4 KANATA ON  <i>Well ID: 7147352</i>	SSW/0.0	-7.95	<u>36</u>

## Executive Summary: Site Report Summary - Surrounding Properties

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">5</a>	WWIS		1095 KLONDIKE RD lot 11 con 4 KANATA ON <b>Well ID:</b> 7147353	SW/8.5	-6.80	<a href="#">41</a>
<a href="#">6</a>	WWIS		MARCH RD lot 11 con 4 KANATA ON <b>Well ID:</b> 1536815	S/10.2	-5.16	<a href="#">46</a>
<a href="#">7</a>	BORE		ON	S/10.9	-8.98	<a href="#">47</a>
<a href="#">8</a>	WWIS		lot 11 con 4 ON <b>Well ID:</b> 1510450	S/11.0	-8.98	<a href="#">49</a>
<a href="#">9</a>	EHS		806 March Road Ottawa Ontario Kanata ON K2W 0C9	S/25.7	-5.16	<a href="#">52</a>
<a href="#">10</a>	GEN	Sobeys Pharmacy #7263	840 March Rd Kanata ON K2K 1X7	WNW/41.9	-5.80	<a href="#">52</a>
<a href="#">10</a>	SPL	Sobey's Inc.	840 March Street Ottawa ON	WNW/41.9	-5.80	<a href="#">52</a>
<a href="#">10</a>	GEN	Sobeys Pharmacy #7263	840 March Rd Kanata ON K2K 1X7	WNW/41.9	-5.80	<a href="#">53</a>
<a href="#">11</a>	WWIS		lot 10 con 4 ON <b>Well ID:</b> 1519081	SE/45.7	-3.44	<a href="#">53</a>
<a href="#">12</a>	EHS		1050 Klondike Road Kanata ON K2K 1X7	E/50.4	-1.80	<a href="#">56</a>
<a href="#">12</a>	EHS		1050 Klondike Road Kanata ON K2K 1X7	E/50.4	-1.80	<a href="#">56</a>
<a href="#">13</a>	BORE		ON	SSW/50.6	-0.80	<a href="#">57</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">14</a>	WWIS		lot 11 con 4 ON <b>Well ID:</b> 1503412	SSW/50.7	-0.80	<a href="#">58</a>
<a href="#">15</a>	WWIS		lot 11 con 4 ON <b>Well ID:</b> 1518467	E/52.0	-1.26	<a href="#">61</a>
<a href="#">16</a>	EHS		Klondike Rd & March Rd Ottawa ON	SSE/55.0	-8.96	<a href="#">64</a>
<a href="#">17</a>	BORE		ON	ESE/66.7	-0.78	<a href="#">64</a>
<a href="#">18</a>	WWIS		lot 10 con 4 ON <b>Well ID:</b> 1509908	ESE/66.8	-0.78	<a href="#">65</a>
<a href="#">19</a>	ECA	Riotrin Properties (March Road) Inc.	830 March Rd 1095 Klondike Road Ottawa ON M8V 3Y3	W/69.8	-2.33	<a href="#">68</a>
<a href="#">20</a>	WWIS		821 MARCH ROAD lot 10 con 3 KANATA ON <b>Well ID:</b> 1536169	SW/80.7	-1.89	<a href="#">68</a>
<a href="#">21</a>	GEN	Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">69</a>
<a href="#">21</a>	GEN	Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">69</a>
<a href="#">21</a>	GEN	Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON	WSW/81.2	-0.78	<a href="#">69</a>
<a href="#">21</a>	GEN	Rexall Pharmacy Group Ltd.	832 March Road Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">70</a>
<a href="#">21</a>	GEN	Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">70</a>
<a href="#">21</a>	GEN	Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">70</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">21</a>	GEN	Pharmx Rexall Drug Stores Ltd.	832 March Road Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">71</a>
<a href="#">21</a>	GEN	Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">71</a>
<a href="#">21</a>	GEN	Pharmx Rexall Drug Stores Ltd.	832 March Road Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">71</a>
<a href="#">21</a>	GEN	Rexall Pharmacy Group Ltd.	832 March Road Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">71</a>
<a href="#">21</a>	GEN	Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">72</a>
<a href="#">21</a>	GEN	Rexall Pharmacy Group Ltd.	832 March Road Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">72</a>
<a href="#">21</a>	GEN	Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">72</a>
<a href="#">21</a>	GEN	Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">73</a>
<a href="#">21</a>	GEN	Rexall Pharmacy Group Ltd.	832 March Road Kanata ON K2W 0C9	WSW/81.2	-0.78	<a href="#">73</a>
<a href="#">22</a>	WWIS		788 MARCH RD lot 10 con 4 KANATA ON <b>Well ID:</b> 7314269	S/82.2	-3.40	<a href="#">73</a>
<a href="#">23</a>	CA	R.M. OF OTTAWA-CARLETON	MARCH RD./KLONDIKE RD. (SWM) KANATA CITY ON	SSW/82.5	-0.46	<a href="#">76</a>
<a href="#">24</a>	WWIS		lot 11 con 3 ON <b>Well ID:</b> 1518190	SSW/91.7	-0.53	<a href="#">76</a>
<a href="#">25</a>	CA	Riotrin Properties (March Road) Inc.	830 March Rd 1095 Klondike Road Ottawa ON	W/94.9	-0.89	<a href="#">80</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">26</a>	WWIS		lot 11 con 4 ON <b>Well ID:</b> 1511444	W/94.9	-0.80	<a href="#">80</a>
<a href="#">27</a>	EHS		Klondike Rd. and Sandhill Rd. Kanata ON	E/94.9	-3.39	<a href="#">83</a>
<a href="#">28</a>	BORE		ON	W/95.0	-0.80	<a href="#">83</a>
<a href="#">29</a>	DTNK	J TIERNEY JIMS GAS BAR	1111 KLONDIKE RD LOT 11 CON 3 KANATA ON P7B 6C2	SSW/99.0	-0.53	<a href="#">84</a>
<a href="#">30</a>	PRT	J TIERNEY JIMS GAS BAR	1111 KLONDIKE RD LOT 11 CON 3 KANATA ON	SSW/99.0	-0.53	<a href="#">84</a>
<a href="#">31</a>	EHS		788 March Road Kanata ON	S/99.2	-4.84	<a href="#">85</a>
<a href="#">32</a>	WWIS		846 MARCH ROAD lot 10 con 3 KANATA ON <b>Well ID:</b> 7105876	W/107.1	-0.89	<a href="#">85</a>
<a href="#">33</a>	WWIS		lot 10 con 4 ON <b>Well ID:</b> 1503411	S/114.2	-0.05	<a href="#">87</a>
<a href="#">34</a>	WWIS		788 MARCH ROAD Ottawa ON <b>Well ID:</b> 7128487	SSE/118.1	-7.14	<a href="#">89</a>
<a href="#">34</a>	WWIS		788 MARCH RD KANATA ON <b>Well ID:</b> 7141731	SSE/118.1	-7.14	<a href="#">94</a>
<a href="#">35</a>	HINC		121 STREAMSIDE CRESCENT KANATA ON K2W 0A9	NE/123.7	-9.80	<a href="#">97</a>
<a href="#">36</a>	WWIS		lot 11 con 3 ON <b>Well ID:</b> 1530397	WSW/127.3	0.20	<a href="#">97</a>
<a href="#">37</a>	WWIS		351 SANDHILL RD lot 10 con 4 KANATA ON	ESE/128.7	-0.77	<a href="#">101</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 1536259			
<a href="#">38</a>	WWIS		351 SAND HILL RD lot 10 con 4 KANATA ON <b>Well ID:</b> 1536260	ESE/135.4	-1.60	<a href="#">108</a>
<a href="#">39</a>	BORE		ON	S/136.0	-0.05	<a href="#">115</a>
<a href="#">40</a>	WWIS		lot 10 con 4 ON <b>Well ID:</b> 1511120	S/136.2	-0.05	<a href="#">116</a>
<a href="#">41</a>	RSC	Imperial Oil Limited	1092 Klondike Road and 788 March Road, Kanata, Ontario K2K 1X7 Kanata ON K2K 1X7	SSE/137.6	-5.13	<a href="#">120</a>
<a href="#">42</a>	PES	G.G PHARMACY INC.	1102 KLONDIKE RD KANATA ON K2K 0G1	SSW/142.0	1.20	<a href="#">120</a>
<a href="#">42</a>	PES	G.G PHARMACY INC.	1102 KLONDIKE RD KANATA ON K2K1X7	SSW/142.0	1.20	<a href="#">120</a>
<a href="#">42</a>	GEN	2325225 Ontario Inc.	1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	SSW/142.0	1.20	<a href="#">121</a>
<a href="#">42</a>	GEN	G.G. Pharmacy Inc.	1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	SSW/142.0	1.20	<a href="#">121</a>
<a href="#">42</a>	GEN	2325225 Ontario Inc.	1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	SSW/142.0	1.20	<a href="#">121</a>
<a href="#">42</a>	GEN	2325225 Ontario Inc.	1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	SSW/142.0	1.20	<a href="#">122</a>
<a href="#">42</a>	GEN	2325225 Ontario Inc.	1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	SSW/142.0	1.20	<a href="#">122</a>
<a href="#">43</a>	ECA	Kanata Muslim Association	351 Sandhill Rd Ottawa ON K2K 1X7	ESE/143.4	-0.75	<a href="#">122</a>
<a href="#">44</a>	EHS		351 Sandhill Rd Ottawa ON K2K1X7	ESE/143.4	-0.75	<a href="#">123</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">45</a>	EHS		351 Sandhill Road Kanata ON K2K 1X7	ESE/145.3	-1.80	<a href="#">123</a>
<a href="#">46</a>	EHS		788 March Road Kanata ON K2K 1X7	SSE/146.4	-6.50	<a href="#">123</a>
<a href="#">47</a>	WWIS		788 MARCH RD lot 10 con 4 KANATA ON <i>Well ID: 7314270</i>	SSE/159.9	-6.50	<a href="#">123</a>
<a href="#">48</a>	EHS		1032 Klondike Road Kanata ON K2K 0H9	E/166.2	-4.80	<a href="#">126</a>
<a href="#">49</a>	WWIS		856 MARCH RD. lot 11 con 4 KANATA ON <i>Well ID: 7112940</i>	W/167.5	-0.80	<a href="#">126</a>
<a href="#">50</a>	ECA	Klondike Developments Inc.	870 March Rd and 1001 Klondike Road Ottawa ON K2C 0P9	NW/169.9	-5.56	<a href="#">128</a>
<a href="#">50</a>	ECA	Klondike Developments Inc.	870 March Rd and 1001 Klondike Road Ottawa ON K2C 0P9	NW/169.9	-5.56	<a href="#">128</a>
<a href="#">51</a>	WWIS		lot 10 con 3 ON <i>Well ID: 1503347</i>	SSW/170.0	2.62	<a href="#">128</a>
<a href="#">52</a>	GEN	Ottawa-Carleton District School Board Health & Safety	1032 Klondike Road Kanata ON K0K 0H9	E/176.8	-3.92	<a href="#">131</a>
<a href="#">53</a>	WWIS		860 MARCH RD. lot 11 con 4 KANATA ON <i>Well ID: 7112943</i>	W/187.6	0.89	<a href="#">131</a>
<a href="#">54</a>	EHS		1102 Klondike Road Kanata ON K2K 1X7	S/189.4	2.67	<a href="#">133</a>
<a href="#">55</a>	WWIS		lot 11 con 4 ON <i>Well ID: 1503413</i>	W/194.8	0.89	<a href="#">133</a>
<a href="#">56</a>	EHS		886 March Road Ottawa ON K2K 1X7	WNW/205.7	-1.50	<a href="#">136</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">57</a>	PINC		858 March Rd,Kanata ON	WNW/213.8	0.89	<a href="#">136</a>
<a href="#">57</a>	PINC		858 MARCH ROAD, KANATA ON K2W 0C9	WNW/213.8	0.89	<a href="#">136</a>
<a href="#">58</a>	ECA	McDonald's Restaurants of Canada Limited	886 March Rd Ottawa ON H9P 2V5	WNW/215.0	-0.77	<a href="#">137</a>
<a href="#">59</a>	SPL	PRIVATE OWNER	RESIDENCE AT 865 MARCH RD. (OWNER MR. WARD, 592-4814) STORAGE TANK/BARREL OTTAWA CITY ON K2K 1X7	W/219.1	1.20	<a href="#">137</a>
<a href="#">60</a>	INC		426 BRECKENRIDGE CRESCENT, KANATA ON	WSW/219.9	4.07	<a href="#">137</a>
<a href="#">61</a>	ECA	Minto Communities Inc.	335 Sandhill Rd Ottawa ON K1P 0B6	ESE/220.2	-1.83	<a href="#">138</a>
<a href="#">62</a>	WWIS		886 MARCH ROAD lot 11 con 4 CARP ON <b>Well ID:</b> 7049297	WNW/227.5	0.89	<a href="#">138</a>
<a href="#">63</a>	WWIS		lot 11 con 3 ON <b>Well ID:</b> 1517710	SW/230.5	3.42	<a href="#">141</a>
<a href="#">64</a>	WWIS		lot 11 con 4 ON <b>Well ID:</b> 1510247	WNW/231.7	0.25	<a href="#">143</a>
<a href="#">65</a>	BORE		ON	WNW/231.7	0.25	<a href="#">145</a>
<a href="#">66</a>	BORE		ON	WNW/232.0	-1.80	<a href="#">147</a>
<a href="#">67</a>	BORE		ON	SW/234.5	3.58	<a href="#">148</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">68</a>	WWIS		lot 11 con 3 ON <b>Well ID:</b> 1503348	SW/234.6	3.58	<a href="#">149</a>
<a href="#">69</a>	GEN	Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	S/238.4	2.50	<a href="#">151</a>
<a href="#">69</a>	GEN	Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	S/238.4	2.50	<a href="#">151</a>
<a href="#">69</a>	GEN	Activecare klondike medical centre	1108 Klondike rd. ottawa ON K2K0G1	S/238.4	2.50	<a href="#">152</a>
<a href="#">69</a>	GEN	Activecare klondike medical centre	1108 klondike rd. ottawa ON	S/238.4	2.50	<a href="#">152</a>
<a href="#">69</a>	GEN	Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	S/238.4	2.50	<a href="#">152</a>
<a href="#">69</a>	GEN	INVIVA McKesson Pharma	1108 Klondike Road Unit A Kanata ON K2K 0G1	S/238.4	2.50	<a href="#">153</a>
<a href="#">69</a>	GEN	INVIVA McKesson Pharma	1108 Klondike Road Unit A Kanata ON K2K 0G1	S/238.4	2.50	<a href="#">153</a>
<a href="#">69</a>	GEN	Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	S/238.4	2.50	<a href="#">153</a>
<a href="#">69</a>	GEN	Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	S/238.4	2.50	<a href="#">154</a>
<a href="#">69</a>	GEN	INVIVA McKesson Pharma INVIVA	1108 Klondike Road Unit A Kanata ON K2K 0G1	S/238.4	2.50	<a href="#">154</a>
<a href="#">69</a>	GEN	Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	S/238.4	2.50	<a href="#">154</a>
<a href="#">69</a>	GEN	INVIVA McKesson Pharma INVIVA	1108 Klondike Road Unit A Kanata ON K2K 0G1	S/238.4	2.50	<a href="#">154</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">69</a>	GEN	Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	S/238.4	2.50	<a href="#">155</a>
<a href="#">69</a>	GEN	Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	S/238.4	2.50	<a href="#">155</a>
<a href="#">69</a>	GEN	INVIVA McKesson Pharma INVIVA	1108 Klondike Road Unit A Kanata ON K2K 0G1	S/238.4	2.50	<a href="#">155</a>
<a href="#">70</a>	EASR	MINTO COMMUNITIES INC.	762 March RD Kanata ON K2K 0A5	SSE/243.9	-4.16	<a href="#">156</a>
<a href="#">70</a>	ECA	Minto Communities Inc.	762 March Rd Ottawa ON K1P 0B6	SSE/243.9	-4.16	<a href="#">156</a>

# Executive Summary: Summary By Data Source

## **BORE - Borehole**

A search of the BORE database, dated 1875-Jul 2018 has found that there are 8 BORE site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	ON	10.9	<a href="#"><u>7</u></a>
	ON	50.6	<a href="#"><u>13</u></a>
	ON	66.7	<a href="#"><u>17</u></a>
	ON	95.0	<a href="#"><u>28</u></a>
	ON	136.0	<a href="#"><u>39</u></a>
	ON	231.7	<a href="#"><u>65</u></a>
	ON	232.0	<a href="#"><u>66</u></a>
	ON	234.5	<a href="#"><u>67</u></a>

## **CA - Certificates of Approval**

A search of the CA database, dated 1985-Oct 30, 2011\* has found that there are 2 CA site(s) within approximately 0.25 kilometers of



the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
R.M. OF OTTAWA-CARLETON	MARCH RD./KLONDIKE RD. (SWM) KANATA CITY ON	82.5	<a href="#">23</a>
Riotrin Properties (March Road) Inc.	830 March Rd 1095 Klondike Road Ottawa ON	94.9	<a href="#">25</a>

### **DTNK - Delisted Fuel Tanks**

A search of the DTNK database, dated Jul 31, 2020 has found that there are 1 DTNK site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
J TIERNEY JIMS GAS BAR	1111 KLONDIKE RD LOT 11 CON 3 KANATA ON P7B 6C2	99.0	<a href="#">29</a>

### **EASR - Environmental Activity and Sector Registry**

A search of the EASR database, dated Oct 2011-Mar 31, 2021 has found that there are 1 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MINTO COMMUNITIES INC.	762 March RD Kanata ON K2K 0A5	243.9	<a href="#">70</a>

### **ECA - Environmental Compliance Approval**

A search of the ECA database, dated Oct 2011- Mar 31, 2021 has found that there are 7 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Riotrin Properties (March Road) Inc.	830 March Rd 1095 Klondike Road Ottawa ON M8V 3Y3	69.8	<a href="#">19</a>
Kanata Muslim Association	351 Sandhill Rd Ottawa ON K2K 1X7	143.4	<a href="#">43</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Klondike Developments Inc.	870 March Rd and 1001 Klondike Road Ottawa ON K2C 0P9	169.9	<a href="#"><u>50</u></a>
Klondike Developments Inc.	870 March Rd and 1001 Klondike Road Ottawa ON K2C 0P9	169.9	<a href="#"><u>50</u></a>
McDonald's Restaurants of Canada Limited	886 March Rd Ottawa ON H9P 2V5	215.0	<a href="#"><u>58</u></a>
Minto Communities Inc.	335 Sandhill Rd Ottawa ON K1P 0B6	220.2	<a href="#"><u>61</u></a>
Minto Communities Inc.	762 March Rd Ottawa ON K1P 0B6	243.9	<a href="#"><u>70</u></a>

### **EHS - ERIS Historical Searches**

A search of the EHS database, dated 1999-Jan 31, 2021 has found that there are 14 EHS site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	1055 & 1075 Klondike Rd Ottawa ON	0.0	<a href="#"><u>1</u></a>
	1055 Klondike Road Ottawa ON	0.0	<a href="#"><u>2</u></a>
	806 March Road Ottawa Ontario Kanata ON K2W 0C9	25.7	<a href="#"><u>9</u></a>
	1050 Klondike Road Kanata ON K2K 1X7	50.4	<a href="#"><u>12</u></a>
	1050 Klondike Road Kanata ON K2K 1X7	50.4	<a href="#"><u>12</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Klondike Rd & March Rd Ottawa ON	55.0	<a href="#">16</a>
	Klondike Rd. and Sandhill Rd. Kanata ON	94.9	<a href="#">27</a>
	788 March Road Kanata ON	99.2	<a href="#">31</a>
	351 Sandhill Rd Ottawa ON K2K1X7	143.4	<a href="#">44</a>
	351 Sandhill Road Kanata ON K2K 1X7	145.3	<a href="#">45</a>
	788 March Road Kanata ON K2K 1X7	146.4	<a href="#">46</a>
	1032 Klondike Road Kanata ON K2K 0H9	166.2	<a href="#">48</a>
	1102 Klondike Road Kanata ON K2K 1X7	189.4	<a href="#">54</a>
	886 March Road Ottawa ON K2K 1X7	205.7	<a href="#">56</a>

### **GEN - Ontario Regulation 347 Waste Generators Summary**

A search of the GEN database, dated 1986-Jan 31, 2021 has found that there are 38 GEN site(s) within approximately 0.25 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Sobeys Pharmacy #7263	840 March Rd Kanata ON K2K 1X7	41.9	<a href="#"><u>10</u></a>
Sobeys Pharmacy #7263	840 March Rd Kanata ON K2K 1X7	41.9	<a href="#"><u>10</u></a>
Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>
Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>
Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON	81.2	<a href="#"><u>21</u></a>
Rexall Pharmacy Group Ltd.	832 March Road Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>
Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>
Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>
Pharmx Rexall Drug Stores Ltd.	832 March Road Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>
Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>
Pharmx Rexall Drug Stores Ltd.	832 March Road Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>
Rexall Pharmacy Group Ltd.	832 March Road Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>
Rexall Pharmacy Group Ltd.	832 March Road Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>
Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>
Kanata North Medical Centre	832 March Rd, Unit #2 Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>
Rexall Pharmacy Group Ltd.	832 March Road Kanata ON K2W 0C9	81.2	<a href="#"><u>21</u></a>
2325225 Ontario Inc.	1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	142.0	<a href="#"><u>42</u></a>
G.G. Pharmacy Inc.	1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	142.0	<a href="#"><u>42</u></a>
2325225 Ontario Inc.	1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	142.0	<a href="#"><u>42</u></a>
2325225 Ontario Inc.	1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	142.0	<a href="#"><u>42</u></a>
2325225 Ontario Inc.	1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	142.0	<a href="#"><u>42</u></a>
Ottawa-Carleton District School Board Health & Safety	1032 Klondike Road Kanata ON K0K 0H9	176.8	<a href="#"><u>52</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
INVIVA McKesson Pharma INVIVA	1108 Klondike Road Unit A Kanata ON K2K 0G1	238.4	<a href="#"><u>69</u></a>
Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	238.4	<a href="#"><u>69</u></a>
Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	238.4	<a href="#"><u>69</u></a>
INVIVA McKesson Pharma INVIVA	1108 Klondike Road Unit A Kanata ON K2K 0G1	238.4	<a href="#"><u>69</u></a>
Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	238.4	<a href="#"><u>69</u></a>
Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	238.4	<a href="#"><u>69</u></a>
Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	238.4	<a href="#"><u>69</u></a>
Activecare klondike medical centre	1108 klondike rd. ottawa ON	238.4	<a href="#"><u>69</u></a>
Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	238.4	<a href="#"><u>69</u></a>
INVIVA McKesson Pharma	1108 Klondike Road Unit A Kanata ON K2K 0G1	238.4	<a href="#"><u>69</u></a>
INVIVA McKesson Pharma	1108 Klondike Road Unit A Kanata ON K2K 0G1	238.4	<a href="#"><u>69</u></a>
Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	238.4	<a href="#"><u>69</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	238.4	<a href="#">69</a>
INVIVA McKesson Pharma INVIVA	1108 Klondike Road Unit A Kanata ON K2K 0G1	238.4	<a href="#">69</a>
Activecare klondike medical centre	1108 klondike rd. ottawa ON K2K0G1	238.4	<a href="#">69</a>

### **HINC - TSSA Historic Incidents**

A search of the HINC database, dated 2006-June 2009\* has found that there are 1 HINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	121 STREAMSIDE CRESCENT KANATA ON K2W 0A9	123.7	<a href="#">35</a>

### **INC - Fuel Oil Spills and Leaks**

A search of the INC database, dated Jul 31, 2020 has found that there are 1 INC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	426 BRECKENRIDGE CRESCENT, KANATA ON	219.9	<a href="#">60</a>

### **PES - Pesticide Register**

A search of the PES database, dated Oct 2011-Mar 31, 2021 has found that there are 2 PES site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
G.G PHARMACY INC.	1102 KLONDIKE RD KANATA ON K2K1X7	142.0	<a href="#">42</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
G.G PHARMACY INC.	1102 KLONDIKE RD KANATA ON K2K 0G1	142.0	<a href="#">42</a>

### **PINC - Pipeline Incidents**

A search of the PINC database, dated Oct 31, 2020 has found that there are 2 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	858 MARCH ROAD, KANATA ON K2W 0C9	213.8	<a href="#">57</a>
	858 March Rd,Kanata ON	213.8	<a href="#">57</a>

### **PRT - Private and Retail Fuel Storage Tanks**

A search of the PRT database, dated 1989-1996\* has found that there are 1 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
J TIERNEY JIMS GAS BAR	1111 KLONDIKE RD LOT 11 CON 3 KANATA ON	99.0	<a href="#">30</a>

### **RSC - Record of Site Condition**

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Mar 2021 has found that there are 1 RSC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Imperial Oil Limited	1092 Klondike Road and 788 March Road, Kanata, Ontario K2K 1X7 Kanata ON K2K 1X7	137.6	<a href="#">41</a>

### **SPL - Ontario Spills**



A search of the SPL database, dated 1988-Mar 2020; Jul 2020 - Aug 2020 has found that there are 2 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Sobey's Inc.	840 March Street Ottawa ON	41.9	<a href="#">10</a>
PRIVATE OWNER	RESIDENCE AT 865 MARCH RD. (OWNER MR. WARD, 592-4814) STORAGE TANK/BARREL OTTAWA CITY ON K2K 1X7	219.1	<a href="#">59</a>


### **WWIS - Water Well Information System**

A search of the WWIS database, dated Apr 30, 2020 has found that there are 30 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1095 KLONDIKE RD lot 11 con 4 KANATA ON  <i>Well ID: 7147354</i>	0.0	<a href="#">3</a>
	1095 KLONDIKE RD lot 11 con 4 KANATA ON  <i>Well ID: 7147352</i>	0.0	<a href="#">4</a>
	1095 KLONDIKE RD lot 11 con 4 KANATA ON  <i>Well ID: 7147353</i>	8.5	<a href="#">5</a>
	MARCH RD lot 11 con 4 KANATA ON  <i>Well ID: 1536815</i>	10.2	<a href="#">6</a>
	lot 11 con 4 ON  <i>Well ID: 1510450</i>	11.0	<a href="#">8</a>
	lot 10 con 4 ON  <i>Well ID: 1519081</i>	45.7	<a href="#">11</a>
	lot 11 con 4 ON  <i>Well ID: 1503412</i>	50.7	<a href="#">14</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 11 con 4 ON  <i>Well ID:</i> 1518467	52.0	<a href="#"><u>15</u></a>
	lot 10 con 4 ON  <i>Well ID:</i> 1509908	66.8	<a href="#"><u>18</u></a>
	821 MARCH ROAD lot 10 con 3 KANATA ON  <i>Well ID:</i> 1536169	80.7	<a href="#"><u>20</u></a>
	788 MARCH RD lot 10 con 4 KANATA ON  <i>Well ID:</i> 7314269	82.2	<a href="#"><u>22</u></a>
	lot 11 con 3 ON  <i>Well ID:</i> 1518190	91.7	<a href="#"><u>24</u></a>
	lot 11 con 4 ON  <i>Well ID:</i> 1511444	94.9	<a href="#"><u>26</u></a>
	846 MARCH ROAD lot 10 con 3 KANATA ON  <i>Well ID:</i> 7105876	107.1	<a href="#"><u>32</u></a>
	lot 10 con 4 ON  <i>Well ID:</i> 1503411	114.2	<a href="#"><u>33</u></a>
	788 MARCH ROAD Ottawa ON  <i>Well ID:</i> 7128487	118.1	<a href="#"><u>34</u></a>
	788 MARCH RD KANATA ON  <i>Well ID:</i> 7141731	118.1	<a href="#"><u>34</u></a>
	lot 11 con 3 ON  <i>Well ID:</i> 1530397	127.3	<a href="#"><u>36</u></a>
	351 SANDHILL RD lot 10 con 4 KANATA ON	128.7	<a href="#"><u>37</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 1536259		
	351 SAND HILL RD lot 10 con 4 KANATA ON	135.4	<a href="#"><u>38</u></a>
	<i>Well ID:</i> 1536260		
	lot 10 con 4 ON	136.2	<a href="#"><u>40</u></a>
	<i>Well ID:</i> 1511120		
	788 MARCH RD lot 10 con 4 KANATA ON	159.9	<a href="#"><u>47</u></a>
	<i>Well ID:</i> 7314270		
	856 MARCH RD. lot 11 con 4 KANATA ON	167.5	<a href="#"><u>49</u></a>
	<i>Well ID:</i> 7112940		
	lot 10 con 3 ON	170.0	<a href="#"><u>51</u></a>
	<i>Well ID:</i> 1503347		
	860 MARCH RD. lot 11 con 4 KANATA ON	187.6	<a href="#"><u>53</u></a>
	<i>Well ID:</i> 7112943		
	lot 11 con 4 ON	194.8	<a href="#"><u>55</u></a>
	<i>Well ID:</i> 1503413		
	886 MARCH ROAD lot 11 con 4 CARP ON	227.5	<a href="#"><u>62</u></a>
	<i>Well ID:</i> 7049297		
	lot 11 con 3 ON	230.5	<a href="#"><u>63</u></a>
	<i>Well ID:</i> 1517710		
	lot 11 con 4 ON	231.7	<a href="#"><u>64</u></a>
	<i>Well ID:</i> 1510247		
	lot 11 con 3 ON	234.6	<a href="#"><u>68</u></a>
	<i>Well ID:</i> 1503348		



### Map: 0.25 Kilometer Radius

Order Number: 21042700347

Address: 1055 Klondike Road, Kanata, ON



Project Property	Expressway	Industrial and Resource - Regions	National Park
Buffer Outline	Principal Highway	Main Line	Provincial or Territorial Park
Eris Sites with Higher Elevation	Secondary Highway	Sidetrack	Other Park
Eris Sites with Same Elevation	Major Road	Transit Line	Golf Course or Driving Range
Eris Sites with Lower Elevation	Local road	Abandoned Line	Park or Sports Field
Eris Sites with Unknown Elevation	Trail	Proposed Road	Other Recreation Area
	Ferry Route/Ice Road		



45°21'N

45°21'N

250 125 0 250 m

1:10000

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

**Aerial** Year: 2008

Order Number: 21042700347

**Address: 1055 Klondike Road, Kanata, ON**



Source: ESRI World Imagery

© ERIS Information Limited Partnership

75°57'W


75°55'30"W

45°22'30"N

45°22'30"N

45°21'N

45°21'N



# Topographic Map

Address: 1055 Klondike Road, ON

Source: ESRI World Topographic Map

Order Number: 21042700347



© ERIS Information Limited Partnership

# Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><u>1</u></p> <p><b>Order No:</b> 20151120038  <b>Status:</b> C  <b>Report Type:</b> Custom Report  <b>Report Date:</b> 26-NOV-15  <b>Date Received:</b> 20-NOV-15  <b>Previous Site Name:</b>  <b>Lot/Building Size:</b>  <b>Additional Info Ordered:</b> City Directory</p>	1 of 1	E/0.0	80.7 / 0.00	1055 & 1075 Klondike Rd Ottawa ON	EHS
<p><u>2</u></p> <p><b>Order No:</b> 20180212154  <b>Status:</b> C  <b>Report Type:</b> Custom Report  <b>Report Date:</b> 07-MAR-18  <b>Date Received:</b> 12-FEB-18  <b>Previous Site Name:</b>  <b>Lot/Building Size:</b>  <b>Additional Info Ordered:</b> City Directory; Aerial Photos</p>	1 of 1	NE/0.0	79.4 / -1.28	1055 Klondike Road Ottawa ON	EHS
<p><u>3</u></p> <p><b>Well ID:</b> 7147354  <b>Construction Date:</b>  <b>Primary Water Use:</b> Domestic  <b>Sec. Water Use:</b>  <b>Final Well Status:</b> Water Supply  <b>Water Type:</b>  <b>Casing Material:</b>  <b>Audit No:</b> Z108342  <b>Tag:</b> A095989  <b>Construction Method:</b>  <b>Elevation (m):</b>  <b>Elevation Reliability:</b>  <b>Depth to Bedrock:</b>  <b>Well Depth:</b>  <b>Overburden/Bedrock:</b>  <b>Pump Rate:</b>  <b>Static Water Level:</b>  <b>Flowing (Y/N):</b>  <b>Flow Rate:</b>  <b>Clear/Cloudy:</b></p>	1 of 1	SW/0.0	72.8 / -7.86	1095 KLONDIKE RD lot 11 con 4 KANATA ON	WWIS
<p><b>Data Entry Status:</b>  <b>Data Src:</b>  <b>Date Received:</b> 6/25/2010  <b>Selected Flag:</b> Yes  <b>Abandonment Rec:</b>  <b>Contractor:</b> 1119  <b>Form Version:</b> 7  <b>Owner:</b>  <b>Street Name:</b> 1095 KLONDIKE RD  <b>County:</b> OTTAWA  <b>Municipality:</b> MARCH TOWNSHIP  <b>Site Info:</b>  <b>Lot:</b> 011  <b>Concession:</b> 04  <b>Concession Name:</b> CON  <b>Easting NAD83:</b>  <b>Northing NAD83:</b>  <b>Zone:</b>  <b>UTM Reliability:</b></p>					
<p><b>PDF URL (Map):</b> <a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7147147354.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7147147354.pdf</a></p>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1003075040			<b>Elevation:</b>	72.534523
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	426929
<b>Code OB Desc:</b>				<b>North83:</b>	5022995
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	4/30/2010			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1003195081				
<b>Layer:</b>	1				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	05				
<b>Most Common Material:</b>	CLAY				
<b>Mat2:</b>	11				
<b>Mat2 Desc:</b>	GRAVEL				
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	19				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1003195082				
<b>Layer:</b>	2				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	15				
<b>Most Common Material:</b>	LIMESTONE				
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	19				
<b>Formation End Depth:</b>	29				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	1003195085				
<b>Layer:</b>	1				
<b>Plug From:</b>	22				
<b>Plug To:</b>	0				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well</u></b>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1003195106			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003195079			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003195088			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>		22			
<b>Depth To:</b>		29			
<b>Casing Diameter:</b>		5.6825			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003195087			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		2			
<b>Depth To:</b>		22			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003195089			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1003195080			
<b>Pump Set At:</b>		20			
<b>Static Level:</b>		17.667			
<b>Final Level After Pumping:</b>		21.25			
<b>Recommended Pump Depth:</b>		20			
<b>Pumping Rate:</b>		20			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		20			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Water State After Test Code:</i>	0				
<i>Water State After Test:</i>					
<i>Pumping Test Method:</i>	0				
<i>Pumping Duration HR:</i>	1				
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>					
 <b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>	1003195096				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	10				
<i>Test Level:</i>	21.083				
<i>Test Level UOM:</i>	ft				
 <b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>	1003195098				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	20				
<i>Test Level:</i>	21.083				
<i>Test Level UOM:</i>	ft				
 <b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>	1003195094				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	4				
<i>Test Level:</i>	19.667				
<i>Test Level UOM:</i>	ft				
 <b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>	1003195100				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	30				
<i>Test Level:</i>	21.167				
<i>Test Level UOM:</i>	ft				
 <b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>	1003195103				
<i>Test Type:</i>	Draw Down				
<i>Test Duration:</i>	60				
<i>Test Level:</i>	21.25				
<i>Test Level UOM:</i>	ft				
 <b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>	1003195104				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	60				
<i>Test Level:</i>	17.667				
<i>Test Level UOM:</i>	ft				
 <b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>	1003195091				
<i>Test Type:</i>	Recovery				
<i>Test Duration:</i>	1				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Level:</b>			17.667		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195093		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			3		
<b>Test Level:</b>			19.667		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195099		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			25		
<b>Test Level:</b>			21.167		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195101		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			40		
<b>Test Level:</b>			21.167		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195097		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			15		
<b>Test Level:</b>			21.083		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195090		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			1		
<b>Test Level:</b>			19.583		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195095		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			5		
<b>Test Level:</b>			19.667		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195102		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			50		
<b>Test Level:</b>			21.167		
<b>Test Level UOM:</b>			ft		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003195092			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		19.667			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003195086			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		22			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003195083			
<b>Diameter:</b>		6			
<b>Depth From:</b>		0			
<b>Depth To:</b>		22			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003195084			
<b>Diameter:</b>		0.3125			
<b>Depth From:</b>		22			
<b>Depth To:</b>		29			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#"><u>4</u></a>	1 of 1	SSW/0.0	72.7 / -7.95	1095 KLONDIKE RD lot 11 con 4 KANATA ON	WWIS
<b>Well ID:</b>	7147352			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Domestic			<b>Date Received:</b>	6/25/2010
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1119
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z108317			<b>Owner:</b>	
<b>Tag:</b>	A093683			<b>Street Name:</b>	1095 KLONDIKE RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	011
<b>Well Depth:</b>				<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7147147352.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7147147352.pdf</a>				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1003074984			<b>Elevation:</b>	72.311798
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	426979
<b>Code OB Desc:</b>				<b>North83:</b>	5022927
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	4/30/2010			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>	1003194960				
<b>Layer:</b>	1				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	05				
<b>Most Common Material:</b>	CLAY				
<b>Mat2:</b>	11				
<b>Mat2 Desc:</b>	GRAVEL				
<b>Mat3:</b>	13				
<b>Mat3 Desc:</b>	BOULDERS				
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	10				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>	1003194961				
<b>Layer:</b>	2				
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				
<b>Mat2:</b>	11				
<b>Mat2 Desc:</b>	GRAVEL				
<b>Mat3:</b>	13				
<b>Mat3 Desc:</b>	BOULDERS				
<b>Formation Top Depth:</b>	10				
<b>Formation End Depth:</b>	18				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>	1003194962				
<b>Layer:</b>	3				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	15				
<b>Most Common Material:</b>	LIMESTONE				
<b>Mat2:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		18			
<b>Formation End Depth:</b>		28			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003194965			
<b>Layer:</b>		2			
<b>Plug From:</b>		10			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003194964			
<b>Layer:</b>		1			
<b>Plug From:</b>		20			
<b>Plug To:</b>		10			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003194986			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003194958			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003194967			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		2			
<b>Depth To:</b>		20			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003194968			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>		20			
<b>Depth To:</b>		28			
<b>Casing Diameter:</b>		6			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003194969			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1003194959			
<b>Pump Set At:</b>		20			
<b>Static Level:</b>		9.417			
<b>Final Level After Pumping:</b>		15.667			
<b>Recommended Pump Depth:</b>		20			
<b>Pumping Rate:</b>		12			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		10			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		0			
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003194979			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		15.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003194982			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		15.583			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003194983			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		15.667			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003194977			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		15.167			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003194970			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		13.583			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003194984			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		9.417			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003194974			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		13.583			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003194980			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		15.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003194972			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		13.583			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003194978			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		15.5			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003194976			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		13.667			
<b>Test Level UOM:</b>		ft			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Draw Down & Recovery**

**Pump Test Detail ID:** 1003194975  
**Test Type:** Draw Down  
**Test Duration:** 5  
**Test Level:** 13.583  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 1003194971  
**Test Type:** Recovery  
**Test Duration:** 1  
**Test Level:** 9.417  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 1003194973  
**Test Type:** Draw Down  
**Test Duration:** 3  
**Test Level:** 13.583  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 1003194981  
**Test Type:** Draw Down  
**Test Duration:** 40  
**Test Level:** 15.583  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 1003194966  
**Layer:** 1  
**Kind Code:** 8  
**Kind:** Untested  
**Water Found Depth:** 23  
**Water Found Depth UOM:** ft

**Hole Diameter**

**Hole ID:** 1003194963  
**Diameter:** 6  
**Depth From:** 0  
**Depth To:** 28  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** inch

[5](#)

1 of 1

SW/8.5

73.9 / -6.80

1095 KLONDIKE RD lot 11 con 4  
KANATA ON

WWIS

**Well ID:** 7147353  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 6/25/2010  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 1119

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z108340			<b>Owner:</b>	
<b>Tag:</b>	A093682			<b>Street Name:</b>	1095 KLONDIKE RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	011
<b>Well Depth:</b>				<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/714\7147353.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7147353.pdf)

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003074986	<b>Elevation:</b>	74.549217
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	426923
<b>Code OB Desc:</b>		<b>North83:</b>	5022940
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	4/30/2010	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock Materials Interval**

<b>Formation ID:</b>	1003195009
<b>Layer:</b>	1
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	11
<b>Mat2 Desc:</b>	GRAVEL
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	16
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock Materials Interval**

<b>Formation ID:</b>	1003195010
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	15
<b>Most Common Material:</b>	LIMESTONE
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		16			
<b>Formation End Depth:</b>		23			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003195013			
<b>Layer:</b>		1			
<b>Plug From:</b>		18			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003195034			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003195007			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003195015			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		2			
<b>Depth To:</b>		18			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003195016			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>		18			
<b>Depth To:</b>		23			
<b>Casing Diameter:</b>		5.6825			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003195017			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>					
 <b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1003195008			
<b>Pump Set At:</b>		18			
<b>Static Level:</b>		13.417			
<b>Final Level After Pumping:</b>		13.667			
<b>Recommended Pump Depth:</b>		18			
<b>Pumping Rate:</b>		20			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		20			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		0			
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003195024			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		13.583			
<b>Test Level UOM:</b>		ft			
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003195022			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		13.5			
<b>Test Level UOM:</b>		ft			
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003195020			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		13.5			
<b>Test Level UOM:</b>		ft			
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003195025			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		13.667			
<b>Test Level UOM:</b>		ft			
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		1003195029			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Level:</b>			13.667		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195032		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			60		
<b>Test Level:</b>			13.417		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195021		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			3		
<b>Test Level:</b>			13.5		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195023		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			5		
<b>Test Level:</b>			13.583		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195018		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			1		
<b>Test Level:</b>			13.5		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195031		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			60		
<b>Test Level:</b>			13.667		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195019		
<b>Test Type:</b>			Recovery		
<b>Test Duration:</b>			1		
<b>Test Level:</b>			13.417		
<b>Test Level UOM:</b>			ft		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			1003195026		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			20		
<b>Test Level:</b>			13.667		
<b>Test Level UOM:</b>			ft		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Draw Down & Recovery

Pump Test Detail ID: 1003195030  
 Test Type: Draw Down  
 Test Duration: 50  
 Test Level: 13.667  
 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1003195028  
 Test Type: Draw Down  
 Test Duration: 30  
 Test Level: 13.667  
 Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 1003195027  
 Test Type: Draw Down  
 Test Duration: 25  
 Test Level: 13.667  
 Test Level UOM: ft

Water Details

Water ID: 1003195014  
 Layer: 1  
 Kind Code: 8  
 Kind: Untested  
 Water Found Depth: 21  
 Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1003195011  
 Diameter: 6  
 Depth From: 0  
 Depth To: 18  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

Hole Diameter

Hole ID: 1003195012  
 Diameter: 5.625  
 Depth From: 18  
 Depth To: 23  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

<u>6</u>	1 of 1	S/10.2	75.5 / -5.16	MARCH RD lot 11 con 4 KANATA ON	WWIS
----------	--------	--------	--------------	------------------------------------	------

Well ID:	1536815	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	11/17/2006
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	1558
Casing Material:		Form Version:	3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

<b>Audit No:</b>	Z47085	<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	MARCH RD
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	011
<b>Well Depth:</b>		<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	CON
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1536815.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536815.pdf)

**Bore Hole Information**

<b>Bore Hole ID:</b>	11691909	<b>Elevation:</b>	73.999092
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	-	<b>East83:</b>	426982
<b>Code OB Desc:</b>	No formation data	<b>North83:</b>	5022898
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	9/26/2006	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

<b>Plug ID:</b>	933286605
<b>Layer:</b>	1
<b>Plug From:</b>	11.12
<b>Plug To:</b>	0
<b>Plug Depth UOM:</b>	m

**Method of Construction & Well Use**

<b>Method Construction ID:</b>	961536815
<b>Method Construction Code:</b>	
<b>Method Construction:</b>	
<b>Other Method Construction:</b>	

**Pipe Information**

<b>Pipe ID:</b>	11696775
<b>Casing No:</b>	1
<b>Comment:</b>	
<b>Alt Name:</b>	

<a href="#">7</a>	1 of 1	S/10.9	71.7 / -8.98	ON	BORE
<b>Borehole ID:</b>	609816	<b>Inclin FLG:</b>	No		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>OGF ID:</b>	215511431			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>	AUG-1969			<b>Municipality:</b>	
<b>Static Water Level:</b>	-11.0			<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.35601
<b>Total Depth m:</b>	19.2			<b>Longitude DD:</b>	-75.931871
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	427011
<b>Drill Method:</b>				<b>Northing:</b>	5022922
<b>Orig Ground Elev m:</b>	79.2			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	71.1				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	218384162			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	9.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	15.2			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sandstone			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SANDSTONE. BROWN.				
<b>Geology Stratum ID:</b>	218384163			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	15.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	19.2			<b>Material Texture:</b>	
<b>Material Color:</b>	Black			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Limestone			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	LIMESTONE. WHITE. 00060STABLE AT 298.0 FEET.BLACK. LIMESTONE. BLUE. SANDSTONE. BLACK.				
<b>Geology Stratum ID:</b>	218384161			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	9.1			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	CLAY. BROWN.				

**Source**

<b>Source Type:</b>	Data Survey	<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada	<b>Source Ident:</b>	1
<b>Source Date:</b>	1956-1972	<b>Scale or Res:</b>	Varies
<b>Confidence:</b>		<b>Horizontal:</b>	NAD27
<b>Observatio:</b>		<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Details:</b>	File: OTTAWA1.txt RecordID: 02324 NTS_Sheet:		



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Confiden 1:</b>					
<b><u>Source List</u></b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				

<b>8</b>	<b>1 of 1</b>	<b>S/11.0</b>	<b>71.7 / -8.98</b>	<b>lot 11 con 4 ON</b>	<b>WWIS</b>
<b>Well ID:</b>	1510450			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic			<b>Date Received:</b>	1/21/1970
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	4724
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>				<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	011
<b>Well Depth:</b>				<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/151\1510450.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1510450.pdf)

**Bore Hole Information**

<b>Bore Hole ID:</b>	10032478	<b>Elevation:</b>	71.102134
<b>DP2BR:</b>	30	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	r	<b>East83:</b>	427010.6
<b>Code OB Desc:</b>	Bedrock	<b>North83:</b>	5022922
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	8/26/1969	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	p4
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	931014925
<b>Layer:</b>	3
<b>Color:</b>	1
<b>General Color:</b>	WHITE

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		15			
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		50			
<b>Formation End Depth:</b>		63			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931014924			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		18			
<b>Most Common Material:</b>		SANDSTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		30			
<b>Formation End Depth:</b>		50			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931014923			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		30			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961510450			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10581048			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930057543			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		30			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991510450			
<b>Pump Set At:</b>					
<b>Static Level:</b>		20			
<b>Final Level After Pumping:</b>		30			
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>		12			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		10			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>		2			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934640578			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		45			
<b>Test Level:</b>		30			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934097101			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		30			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934897501			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		30			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934378445			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		30			
<b>Test Level UOM:</b>		ft			

**Water Details**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water ID:</b> 933465443 <b>Layer:</b> 2 <b>Kind Code:</b> 1 <b>Kind:</b> FRESH <b>Water Found Depth:</b> 60 <b>Water Found Depth UOM:</b> ft					
<b>Water Details</b>					
<b>Water ID:</b> 933465442 <b>Layer:</b> 1 <b>Kind Code:</b> 1 <b>Kind:</b> FRESH <b>Water Found Depth:</b> 49 <b>Water Found Depth UOM:</b> ft					
<a href="#">9</a>	1 of 1	S/25.7	75.5 / -5.16	806 March Road Ottawa Ontario Kanata ON K2W 0C9	EHS
<b>Order No:</b> 20191022045 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 25-OCT-19 <b>Date Received:</b> 22-OCT-19 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.932274 <b>Y:</b> 45.355607					
<a href="#">10</a>	1 of 3	WNW/41.9	74.9 / -5.80	Sobeys Pharmacy #7263 840 March Rd Kanata ON K2K 1X7	GEN
<b>Generator No:</b> ON4379206 <b>Status:</b> Registered <b>Approval Years:</b> As of Jul 2020 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>					
<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b> 312 P <b>Waste Class Desc:</b> Pathological wastes					
<a href="#">10</a>	2 of 3	WNW/41.9	74.9 / -5.80	Sobey's Inc. 840 March Street Ottawa ON	SPL
<b>Ref No:</b> 7538-BF25WB <b>Site No:</b> NA <b>Incident Dt:</b> 8/13/2019 <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> Leak/Break <b>Contaminant Code:</b> 38 <b>Contaminant Name:</b> REFRIGERANT GAS, N.O.S. <b>Contaminant Limit 1:</b> 0 <b>Contam Limit Freq 1:</b> none <b>Contaminant UN No 1:</b> 1078					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> 2 - Minor Environment Corporation <b>Client Type:</b> Miscellaneous Industrial <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> 840 March Street <b>Site District Office:</b> Ottawa <b>Site Postal Code:</b> <b>Site Region:</b> Eastern					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> Air <b>MOE Response:</b> No <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 8/13/2019 <b>Dt Document Closed:</b> 9/11/2019  <b>Incident Reason:</b> Equipment Failure <b>Site Name:</b> grocery store Sobeyes<UNOFFICIAL> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> Parsons Refrigeration ~ 140kgs R404a added to evaporator <b>Contaminant Qty:</b> 140 kg				<b>Site Municipality:</b> Ottawa <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Pollution Incident Reports (PIRs) and "Other" calls <b>Source Type:</b> Valve/Fitting/Piping	

<a href="#">10</a>	3 of 3	WNW/41.9	74.9 / -5.80	Sobeys Pharmacy #7263 840 March Rd Kanata ON K2K 1X7	GEN
<b>Generator No:</b> ON4379206 <b>Status:</b> Registered <b>Approval Years:</b> As of Jan 2021 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>		<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			

<a href="#">11</a>	1 of 1	SE/45.7	77.2 / -3.44	lot 10 con 4 ON	WWIS
<b>Well ID:</b> 1519081 <b>Construction Date:</b> <b>Primary Water Use:</b> Domestic <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Water Supply <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>		<b>Data Entry Status:</b> <b>Data Src:</b> 1 <b>Date Received:</b> 8/7/1984 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 1558 <b>Form Version:</b> 1 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> OTTAWA <b>Municipality:</b> MARCH TOWNSHIP <b>Site Info:</b> <b>Lot:</b> 010 <b>Concession:</b> 04 <b>Concession Name:</b> CON <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>			
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1519081.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1519081.pdf</a>			

<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	10040951			<b>Elevation:</b>	76.357734

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>	31			<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>	r			<b>East83:</b>	427129.6
<b>Code OB Desc:</b>	Bedrock			<b>North83:</b>	5022921
<b>Open Hole:</b>				<b>Org CS:</b>	
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	7/10/1984			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	p4
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 931040535  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 77  
**Mat2 Desc:** LOOSE  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 0  
**Formation End Depth:** 8  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 931040537  
**Layer:** 3  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 18  
**Most Common Material:** SANDSTONE  
**Mat2:** 78  
**Mat2 Desc:** MEDIUM-GRAINED  
**Mat3:** 85  
**Mat3 Desc:** SOFT  
**Formation Top Depth:** 31  
**Formation End Depth:** 81  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 931040536  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 28  
**Mat2 Desc:** SAND  
**Mat3:** 12  
**Mat3 Desc:** STONES  
**Formation Top Depth:** 8

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		31			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961519081			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10589521			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930071494			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		81			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930071493			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		32			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991519081			
<b>Pump Set At:</b>					
<b>Static Level:</b>		17			
<b>Final Level After Pumping:</b>		30			
<b>Recommended Pump Depth:</b>		50			
<b>Pumping Rate:</b>		20			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		5			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		2			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down &amp; Recovery</u>					
<b>Pump Test Detail ID:</b>		934381642			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		30			
<b>Test Level UOM:</b>		ft			
<u>Draw Down &amp; Recovery</u>					
<b>Pump Test Detail ID:</b>		934901149			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		30			
<b>Test Level UOM:</b>		ft			
<u>Draw Down &amp; Recovery</u>					
<b>Pump Test Detail ID:</b>		934651620			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		45			
<b>Test Level:</b>		30			
<b>Test Level UOM:</b>		ft			
<u>Draw Down &amp; Recovery</u>					
<b>Pump Test Detail ID:</b>		934106901			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		30			
<b>Test Level UOM:</b>		ft			
<u>Water Details</u>					
<b>Water ID:</b>		933475962			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		77			
<b>Water Found Depth UOM:</b>		ft			

[12](#)    1 of 2    **E/50.4**    **78.9 / -1.80**    **1050 Klondike Road  
Kanata ON K2K 1X7**    **EHS**

<b>Order No:</b>	20200810230	<b>Nearest Intersection:</b>	
<b>Status:</b>	C	<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report	<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	28-AUG-20	<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	10-AUG-20	<b>X:</b>	-75.92910668
<b>Previous Site Name:</b>		<b>Y:</b>	45.35694652
<b>Lot/Building Size:</b>			
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans; Title Searches		

[12](#)    2 of 2    **E/50.4**    **78.9 / -1.80**    **1050 Klondike Road  
Kanata ON K2K 1X7**    **EHS**

<b>Order No:</b>	20200810230	<b>Nearest Intersection:</b>	
<b>Status:</b>	C	<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report	<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	28-AUG-20	<b>Search Radius (km):</b>	.25



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Received:	10-AUG-20			X:	-75.92910668
Previous Site Name:				Y:	45.35694652
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; Title Searches				

[13](#) 1 of 1 SSW/50.6 79.9 / -0.80 ON **BORE**

<b>Borehole ID:</b>	609814	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215511429	<b>SP Status:</b>	Initial Entry
<b>Status:</b>		<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>		<b>Primary Name:</b>	
<b>Completion Date:</b>	NOV-1955	<b>Municipality:</b>	
<b>Static Water Level:</b>	-12.0	<b>Lot:</b>	
<b>Primary Water Use:</b>		<b>Township:</b>	
<b>Sec. Water Use:</b>		<b>Latitude DD:</b>	45.355551
<b>Total Depth m:</b>	14.6	<b>Longitude DD:</b>	-75.932885
<b>Depth Ref:</b>	Ground Surface	<b>UTM Zone:</b>	18
<b>Depth Elev:</b>		<b>Easting:</b>	426931
<b>Drill Method:</b>		<b>Northing:</b>	5022872
<b>Orig Ground Elev m:</b>	78	<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>		<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	77.3		
<b>Concession:</b>			
<b>Location D:</b>			
<b>Survey D:</b>			
<b>Comments:</b>			

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	218384158	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.3	<b>Material Texture:</b>	
<b>Material Color:</b>		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Soil	<b>Geologic Formation:</b>	
<b>Material 2:</b>		<b>Geologic Group:</b>	
<b>Material 3:</b>		<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	SOIL.		

<b>Geology Stratum ID:</b>	218384159	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.3	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	5.5	<b>Material Texture:</b>	
<b>Material Color:</b>	Blue	<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay	<b>Geologic Formation:</b>	
<b>Material 2:</b>		<b>Geologic Group:</b>	
<b>Material 3:</b>		<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	CLAY. BLUE.		

<b>Geology Stratum ID:</b>	218384160	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	5.5	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	14.6	<b>Material Texture:</b>	
<b>Material Color:</b>	Black	<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sandstone	<b>Geologic Formation:</b>	
<b>Material 2:</b>		<b>Geologic Group:</b>	
<b>Material 3:</b>		<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	SANDSTONE. GREY. 000400067. WATER STABLE AT 298.0 FEET. BLACK. LIMESTONE. BLUE. SANDSTO		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

\*\*Note: Many records provided by the department have a truncated [Stratum Description] field.

**Source**

**Source Type:** Data Survey  
**Source Orig:** Geological Survey of Canada  
**Source Date:** 1956-1972  
**Confidence:**  
**Observatio:**  
**Source Name:** Urban Geology Automated Information System (UGAIS)  
**Source Details:** File: OTTAWA1.txt RecordID: 02322 NTS\_Sheet:  
**Confiden 1:**

**Source Appl:** Spatial/Tabular  
**Source Iden:** 1  
**Scale or Res:** Varies  
**Horizontal:** NAD27  
**Verticalda:** Mean Average Sea Level

**Source List**

**Source Identifier:** 1  
**Source Type:** Data Survey  
**Source Date:** 1956-1972  
**Scale or Resolution:** Varies  
**Source Name:** Urban Geology Automated Information System (UGAIS)  
**Source Originators:** Geological Survey of Canada

**Horizontal Datum:** NAD27  
**Vertical Datum:** Mean Average Sea Level  
**Projection Name:** Universal Transverse Mercator

<a href="#">14</a>	1 of 1	SSW/50.7	79.9 / -0.80	lot 11 con 4 ON	WWIS
--------------------	--------	----------	--------------	--------------------	------

**Well ID:** 1503412  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:** 0  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:**  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 11/24/1955  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 2415  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA  
**Municipality:** MARCH TOWNSHIP  
**Site Info:**  
**Lot:** 011  
**Concession:** 04  
**Concession Name:** CON  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/150\1503412.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1503412.pdf)

**Bore Hole Information**

**Bore Hole ID:** 10025455  
**DP2BR:** 18  
**Spatial Status:**  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Cluster Kind:**  
**Date Completed:** 11/12/1955  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**

**Elevation:** 77.329017  
**Elevrc:**  
**Zone:** 18  
**East83:** 426930.6  
**North83:** 5022872  
**Org CS:**  
**UTMRC:** 5  
**UTMRC Desc:** margin of error : 100 m - 300 m  
**Location Method:** p5

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		930996771			
<b>Layer:</b>		2			
<b>Color:</b>		3			
<b>General Color:</b>		BLUE			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		1			
<b>Formation End Depth:</b>		18			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		930996772			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		18			
<b>Most Common Material:</b>		SANDSTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		18			
<b>Formation End Depth:</b>		48			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		930996770			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		961503412			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Pipe Information**

**Pipe ID:** 10574025  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930043659  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 21  
**Casing Diameter:** 6  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Casing**

**Casing ID:** 930043660  
**Layer:** 2  
**Material:** 4  
**Open Hole or Material:** OPEN HOLE  
**Depth From:**  
**Depth To:** 48  
**Casing Diameter:** 6  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 991503412  
**Pump Set At:**  
**Static Level:** 6  
**Final Level After Pumping:** 22  
**Recommended Pump Depth:**  
**Pumping Rate:** 5  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1  
**Water State After Test:** CLEAR  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 0  
**Pumping Duration MIN:** 30  
**Flowing:** No

**Water Details**

**Water ID:** 933456317  
**Layer:** 2  
**Kind Code:** 5  
**Kind:** Not stated  
**Water Found Depth:** 40  
**Water Found Depth UOM:** ft

**Water Details**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water ID:</b>		933456316			
<b>Layer:</b>		1			
<b>Kind Code:</b>		5			
<b>Kind:</b>		Not stated			
<b>Water Found Depth:</b>		28			
<b>Water Found Depth UOM:</b>		ft			

<a href="#">15</a>	1 of 1	E/52.0	79.4 / -1.26	lot 11 con 4 ON	WWIS
--------------------	--------	--------	--------------	--------------------	------

<b>Well ID:</b>	1518467	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	9/16/1983
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	5411
<b>Casing Material:</b>		<b>Form Version:</b>	1
<b>Audit No:</b>		<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	011
<b>Well Depth:</b>		<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	CON
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/151\1518467.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1518467.pdf)

#### Bore Hole Information

<b>Bore Hole ID:</b>	10040337	<b>Elevation:</b>	74.836296
<b>DP2BR:</b>	15	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	r	<b>East83:</b>	427229.6
<b>Code OB Desc:</b>	Bedrock	<b>North83:</b>	5023021
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	8/27/1983	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	p4
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock Materials Interval

<b>Formation ID:</b>	931038530
<b>Layer:</b>	1
<b>Color:</b>	3
<b>General Color:</b>	BLUE
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		15			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>					
		931038532			
<b>Layer:</b>					
		3			
<b>Color:</b>					
		6			
<b>General Color:</b>					
		BROWN			
<b>Mat1:</b>					
		18			
<b>Most Common Material:</b>					
		SANDSTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		64			
<b>Formation End Depth:</b>		70			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>					
		931038531			
<b>Layer:</b>					
		2			
<b>Color:</b>					
		1			
<b>General Color:</b>					
		WHITE			
<b>Mat1:</b>					
		18			
<b>Most Common Material:</b>					
		SANDSTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		15			
<b>Formation End Depth:</b>		64			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>					
		961518467			
<b>Method Construction Code:</b>					
		1			
<b>Method Construction:</b>					
		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>					
		10588907			
<b>Casing No:</b>					
		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>					
		930070420			
<b>Layer:</b>					
		1			
<b>Material:</b>					
		1			
<b>Open Hole or Material:</b>					
		STEEL			
<b>Depth From:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Depth To:</b>		22			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930070421			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		70			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991518467			
<b>Pump Set At:</b>					
<b>Static Level:</b>		7			
<b>Final Level After Pumping:</b>		9			
<b>Recommended Pump Depth:</b>		65			
<b>Pumping Rate:</b>		40			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		8			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934103782			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		7			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933475187			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		33			
<b>Water Found Depth UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933475188			
<b>Layer:</b>		2			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		64			
<b>Water Found Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">16</a>	1 of 1	SSE/55.0	71.7 / -8.96	Klondike Rd & March Rd Ottawa ON	EHS
<b>Order No:</b>	20151007070			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	09-OCT-15			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	07-OCT-15			<b>X:</b>	-75.931431
<b>Previous Site Name:</b>				<b>Y:</b>	45.355755
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

<a href="#">17</a>	1 of 1	ESE/66.7	79.9 / -0.78	ON	BORE
<b>Borehole ID:</b>	609817			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215511432			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>	AUG-1968			<b>Municipality:</b>	
<b>Static Water Level:</b>	-14.0			<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.356572
<b>Total Depth m:</b>	15.2			<b>Longitude DD:</b>	-75.929136
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	427226
<b>Drill Method:</b>				<b>Northing:</b>	5022982
<b>Orig Ground Elev m:</b>	76.2			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	75.8				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	218384164			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.7			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SAND.				
<b>Geology Stratum ID:</b>	218384165			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	2.7			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	8.5			<b>Material Texture:</b>	
<b>Material Color:</b>	Blue			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	CLAY. BLUE.				
<b>Geology Stratum ID:</b>	218384166			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	8.5			<b>Material Moisture:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bottom Depth:</b>	15.2			<b>Material Texture:</b>	
<b>Material Color:</b>	Black			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sandstone			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SANDSTONE. 00047E. WHITE. 00060STABLE AT 298.0 FEET.BLACK. LIMESTONE. BLUE. SANDSTO **Note: Many records provided by the department have a truncated [Stratum Description] field.				

#### Source

<b>Source Type:</b>	Data Survey	<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada	<b>Source Ident:</b>	1
<b>Source Date:</b>	1956-1972	<b>Scale or Res:</b>	Varies
<b>Confidence:</b>		<b>Horizontal:</b>	NAD27
<b>Observatio:</b>		<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Details:</b>	File: OTTAWA1.txt RecordID: 02325 NTS_Sheet:		
<b>Confiden 1:</b>			

#### Source List

<b>Source Identifier:</b>	1	<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey	<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972	<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies		
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Originators:</b>	Geological Survey of Canada		

<a href="#">18</a>	1 of 1	ESE/66.8	79.9 / -0.78	lot 10 con 4 ON	WWIS
<b>Well ID:</b>	1509908	<b>Data Entry Status:</b>			
<b>Construction Date:</b>		<b>Data Src:</b>	1		
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	11/8/1968		
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes		
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>			
<b>Water Type:</b>		<b>Contractor:</b>	3553		
<b>Casing Material:</b>		<b>Form Version:</b>	1		
<b>Audit No:</b>		<b>Owner:</b>			
<b>Tag:</b>		<b>Street Name:</b>			
<b>Construction Method:</b>		<b>County:</b>	OTTAWA		
<b>Elevation (m):</b>		<b>Municipality:</b>	MARCH TOWNSHIP		
<b>Elevation Reliability:</b>		<b>Site Info:</b>			
<b>Depth to Bedrock:</b>		<b>Lot:</b>	010		
<b>Well Depth:</b>		<b>Concession:</b>	04		
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	CON		
<b>Pump Rate:</b>		<b>Easting NAD83:</b>			
<b>Static Water Level:</b>		<b>Northing NAD83:</b>			
<b>Flowing (Y/N):</b>		<b>Zone:</b>			
<b>Flow Rate:</b>		<b>UTM Reliability:</b>			
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1509908.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1509908.pdf</a>				

#### Bore Hole Information

<b>Bore Hole ID:</b>	10031940	<b>Elevation:</b>	75.776847
<b>DP2BR:</b>	28	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	r	<b>East83:</b>	427225.6

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Code OB Desc:</b>	Bedrock			<b>North83:</b>	5022982
<b>Open Hole:</b>				<b>Org CS:</b>	
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	8/27/1968			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	p4
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931013369  
**Layer:** 1  
**Color:**  
**General Color:**  
**Mat1:** 09  
**Most Common Material:** MEDIUM SAND  
**Mat2:**  
**Mat2 Desc:**  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 0  
**Formation End Depth:** 9  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931013370  
**Layer:** 2  
**Color:** 3  
**General Color:** BLUE  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:**  
**Mat2 Desc:**  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 9  
**Formation End Depth:** 28  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 931013371  
**Layer:** 3  
**Color:**  
**General Color:**  
**Mat1:** 18  
**Most Common Material:** SANDSTONE  
**Mat2:**  
**Mat2 Desc:**  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 28  
**Formation End Depth:** 50  
**Formation End Depth UOM:** ft

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961509908			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10580510			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930056509			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		50			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930056508			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		31			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991509908			
<b>Pump Set At:</b>					
<b>Static Level:</b>		18			
<b>Final Level After Pumping:</b>		25			
<b>Recommended Pump Depth:</b>		30			
<b>Pumping Rate:</b>		8			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		6			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933464803			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		47			
Water Found Depth UOM:		ft			

[19](#)    1 of 1    **W/69.8**    **78.3 / -2.33**    **Riotrin Properties (March Road) Inc.  
830 March Rd 1095 Klondike Road  
Ottawa ON M8V 3Y3**    **ECA**

**Approval No:** 5973-8DVJXN    **MOE District:**  
**Approval Date:** 2011-02-28    **City:**  
**Status:** Approved    **Longitude:**  
**Record Type:** ECA    **Latitude:**  
**Link Source:** IDS    **Geometry X:**  
**SWP Area Name:**    **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Riotrin Properties (March Road) Inc.  
**Address:** 830 March Rd 1095 Klondike Road  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/4571-8D9T5E-14.pdf>

[20](#)    1 of 1    **SW/80.7**    **78.8 / -1.89**    **821 MARCH ROAD lot 10 con 3  
KANATA ON**    **WWIS**

**Well ID:** 1536169    **Data Entry Status:**  
**Construction Date:**    **Data Src:**  
**Primary Water Use:**    **Date Received:** 1/13/2006  
**Sec. Water Use:**    **Selected Flag:** Yes  
**Final Well Status:**    **Abandonment Rec:** Yes  
**Water Type:**    **Contractor:** 1558  
**Casing Material:**    **Form Version:** 3  
**Audit No:** Z39220    **Owner:**  
**Tag:**    **Street Name:** 821 MARCH ROAD  
**Construction Method:**    **County:** OTTAWA  
**Elevation (m):**    **Municipality:** MARCH TOWNSHIP  
**Elevation Reliability:**    **Site Info:**  
**Depth to Bedrock:**    **Lot:** 010  
**Well Depth:**    **Concession:** 03  
**Overburden/Bedrock:**    **Concession Name:** CON  
**Pump Rate:**    **Easting NAD83:**  
**Static Water Level:**    **Northing NAD83:**  
**Flowing (Y/N):**    **Zone:**  
**Flow Rate:**    **UTM Reliability:**  
**Clear/Cloudy:**

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1536169.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536169.pdf)

**Bore Hole Information**

**Bore Hole ID:** 11550235    **Elevation:** 77.527122  
**DP2BR:**    **Elevrc:**  
**Spatial Status:**    **Zone:** 18  
**Code OB:**    **East83:** 426870  
**Code OB Desc:** No formation data    **North83:** 5022891  
**Open Hole:**    **Org CS:** UTM83  
**Cluster Kind:**    **UTMRC:** 3  
**Date Completed:** 11/29/2005    **UTMRC Desc:** margin of error : 10 - 30 m  
**Remarks:**    **Location Method:** wwr  
**Elevrc Desc:**  
**Location Source Date:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					
<u><b>Annular Space/Abandonment Sealing Record</b></u>					
<b>Plug ID:</b>		933294848			
<b>Layer:</b>		1			
<b>Plug From:</b>		10.97			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		m			
<u><b>Method of Construction &amp; Well Use</b></u>					
<b>Method Construction ID:</b>		961536169			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<u><b>Pipe Information</b></u>					
<b>Pipe ID:</b>		11559842			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<a href="#">21</a>	1 of 15	WSW/81.2	79.9 / -0.78	Kanata North Medical Centre 832 March Rd, Unit #2 Kanata ON K2W 0C9	GEN
<b>Generator No:</b>		ON7004518		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2011		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		621110			
<b>SIC Description:</b>					
<a href="#">21</a>	2 of 15	WSW/81.2	79.9 / -0.78	Kanata North Medical Centre 832 March Rd, Unit #2 Kanata ON K2W 0C9	GEN
<b>Generator No:</b>		ON7004518		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2012		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		621110			
<b>SIC Description:</b>		Offices of Physicians			
<a href="#">21</a>	3 of 15	WSW/81.2	79.9 / -0.78	Kanata North Medical Centre 832 March Rd, Unit #2 Kanata ON	GEN
<b>Generator No:</b>		ON7004518		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2013		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MHSW Facility:</b> <b>SIC Code:</b> 621110 <b>SIC Description:</b> OFFICES OF PHYSICIANS				<b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		312 PATHOLOGICAL WASTES			
<a href="#">21</a>	4 of 15	WSW/81.2	79.9 / -0.78	<b>Rexall Pharmacy Group Ltd.</b> <b>832 March Road</b> <b>Kanata ON K2W 0C9</b>	GEN
<b>Generator No:</b> ON4438177 <b>Status:</b> <b>Approval Years:</b> 2016 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 446110 <b>SIC Description:</b> 446110				<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> Erik Botines <b>Phone No Admin:</b> 9055017800 Ext.	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		312 PATHOLOGICAL WASTES			
<b>Waste Class:</b> <b>Waste Class Desc:</b>		261 PHARMACEUTICALS			
<a href="#">21</a>	5 of 15	WSW/81.2	79.9 / -0.78	<b>Kanata North Medical Centre</b> <b>832 March Rd, Unit #2</b> <b>Kanata ON K2W 0C9</b>	GEN
<b>Generator No:</b> ON7004518 <b>Status:</b> <b>Approval Years:</b> 2015 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 621110 <b>SIC Description:</b> OFFICES OF PHYSICIANS				<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		312 PATHOLOGICAL WASTES			
<a href="#">21</a>	6 of 15	WSW/81.2	79.9 / -0.78	<b>Kanata North Medical Centre</b> <b>832 March Rd, Unit #2</b> <b>Kanata ON K2W 0C9</b>	GEN
<b>Generator No:</b> ON7004518 <b>Status:</b> <b>Approval Years:</b> 2016 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 621110 <b>SIC Description:</b> OFFICES OF PHYSICIANS				<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">21</a>	7 of 15	WSW/81.2	79.9 / -0.78	Pharmx Rexall Drug Stores Ltd. 832 March Road Kanata ON K2W 0C9	GEN
<b>Generator No:</b>	ON4438177			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Jennifer Lamch
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	9055017800 Ext.6178
<b>SIC Code:</b>	446110				
<b>SIC Description:</b>	446110				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">21</a>	8 of 15	WSW/81.2	79.9 / -0.78	Kanata North Medical Centre 832 March Rd, Unit #2 Kanata ON K2W 0C9	GEN
<b>Generator No:</b>	ON7004518			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	OFFICES OF PHYSICIANS				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">21</a>	9 of 15	WSW/81.2	79.9 / -0.78	Pharmx Rexall Drug Stores Ltd. 832 March Road Kanata ON K2W 0C9	GEN
<b>Generator No:</b>	ON4438177			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Jennifer Lamch
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	9055017800 Ext.6178
<b>SIC Code:</b>	446110				
<b>SIC Description:</b>	446110				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">21</a>	10 of 15	WSW/81.2	79.9 / -0.78	Rexall Pharmacy Group Ltd. 832 March Road Kanata ON K2W 0C9	GEN
<b>Generator No:</b>	ON4438177			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Years:</b> As of Dec 2018 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 261 A					
<b>Waste Class Desc:</b> Pharmaceuticals					
<b>Waste Class:</b> 312 P					
<b>Waste Class Desc:</b> Pathological wastes					
<a href="#">21</a>	11 of 15	WSW/81.2	79.9 / -0.78	Kanata North Medical Centre 832 March Rd, Unit #2 Kanata ON K2W 0C9	GEN
<b>Generator No:</b> ON7004518 <b>Status:</b> Registered <b>Approval Years:</b> As of Dec 2018 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 312 P					
<b>Waste Class Desc:</b> Pathological wastes					
<a href="#">21</a>	12 of 15	WSW/81.2	79.9 / -0.78	Rexall Pharmacy Group Ltd. 832 March Road Kanata ON K2W 0C9	GEN
<b>Generator No:</b> ON4438177 <b>Status:</b> Registered <b>Approval Years:</b> As of Jul 2020 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 312 P					
<b>Waste Class Desc:</b> Pathological wastes					
<b>Waste Class:</b> 261 A					
<b>Waste Class Desc:</b> Pharmaceuticals					
<a href="#">21</a>	13 of 15	WSW/81.2	79.9 / -0.78	Kanata North Medical Centre 832 March Rd, Unit #2 Kanata ON K2W 0C9	GEN
<b>Generator No:</b> ON7004518 <b>Status:</b> Registered <b>Approval Years:</b> As of Jul 2020 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b>				<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			
<a href="#">21</a>	14 of 15	WSW/81.2	79.9 / -0.78	Kanata North Medical Centre 832 March Rd, Unit #2 Kanata ON K2W 0C9	GEN
<b>Generator No:</b>		ON7004518		<b>PO Box No:</b>	
<b>Status:</b>		Registered		<b>Country:</b> Canada	
<b>Approval Years:</b>		As of Jan 2021		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			
<a href="#">21</a>	15 of 15	WSW/81.2	79.9 / -0.78	Rexall Pharmacy Group Ltd. 832 March Road Kanata ON K2W 0C9	GEN
<b>Generator No:</b>		ON4438177		<b>PO Box No:</b>	
<b>Status:</b>		Registered		<b>Country:</b> Canada	
<b>Approval Years:</b>		As of Jan 2021		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		261 A			
<b>Waste Class Desc:</b>		Pharmaceuticals			
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			
<a href="#">22</a>	1 of 1	S/82.2	77.3 / -3.40	788 MARCH RD lot 10 con 4 KANATA ON	WWIS
<b>Well ID:</b>		7314269		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring		<b>Date Received:</b> 7/6/2018	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>		0		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7238	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z283634		<b>Owner:</b>	
<b>Tag:</b>		A212889		<b>Street Name:</b> 788 MARCH RD	
<b>Construction Method:</b>				<b>County:</b> OTTAWA	
<b>Elevation (m):</b>				<b>Municipality:</b> MARCH TOWNSHIP	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b> 010	
<b>Well Depth:</b>				<b>Concession:</b> 04	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Concession Name:** CON  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**PDF URL (Map):**

**Bore Hole Information**

<b>Bore Hole ID:</b>	1007145987	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	427014
<b>Code OB Desc:</b>		<b>North83:</b>	5022832
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	6/8/2018	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	1007406297
<b>Layer:</b>	1
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	04
<b>Most Common Material:</b>	PEAT
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	2
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	1007406299
<b>Layer:</b>	3
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	26
<b>Most Common Material:</b>	ROCK
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	17.5
<b>Formation End Depth:</b>	30.5
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1007406298			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		84			
<b>Mat2 Desc:</b>		SILTY			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		17.5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007406308			
<b>Layer:</b>		2			
<b>Plug From:</b>		19.5			
<b>Plug To:</b>		30.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1007406307			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		19.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1007406306			
<b>Method Construction Code:</b>		F			
<b>Method Construction:</b>		H.S.A.			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1007406296			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1007406303			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		20.5			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1007406304			
Layer:		1			
Slot:		10			
Screen Top Depth:		20.5			
Screen End Depth:		30.5			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<b><u>Water Details</u></b>					
Water ID:		1007406302			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		17			
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1007406301			
Diameter:		3.78			
Depth From:		17.5			
Depth To:		30.5			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<b><u>Hole Diameter</u></b>					
Hole ID:		1007406300			
Diameter:		8.25			
Depth From:		0			
Depth To:		17.5			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<b><u>23</u></b>	1 of 1	<b>SSW/82.5</b>	<b>80.2 / -0.46</b>	<b>R.M. OF OTTAWA-CARLETON MARCH RD./KLONDIKE RD. (SWM) KANATA CITY ON</b>	<b>CA</b>
Certificate #:		3-0836-97-			
Application Year:		97			
Issue Date:		8/11/1997			
Approval Type:		Municipal sewage			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
<b><u>24</u></b>	1 of 1	<b>SSW/91.7</b>	<b>80.1 / -0.53</b>	<b>lot 11 con 3 ON</b>	<b>WWIS</b>
Well ID:		1518190		<b>Data Entry Status:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Municipal			<b>Date Received:</b>	4/5/1983
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1504
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>				<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	011
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/151\1518190.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1518190.pdf)

#### Bore Hole Information

<b>Bore Hole ID:</b>	10040060	<b>Elevation:</b>	77.21659
<b>DP2BR:</b>	20	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	r	<b>East83:</b>	426929.6
<b>Code OB Desc:</b>	Bedrock	<b>North83:</b>	5022821
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	6/14/1982	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	p4
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	931037653
<b>Layer:</b>	1
<b>Color:</b>	5
<b>General Color:</b>	YELLOW
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	18
<b>Formation End Depth UOM:</b>	ft

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	931037655
<b>Layer:</b>	3
<b>Color:</b>	1

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>General Color:</b>		WHITE			
<b>Mat1:</b>		21			
<b>Most Common Material:</b>		GRANITE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		20			
<b>Formation End Depth:</b>		35			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931037654			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		18			
<b>Formation End Depth:</b>		20			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		961518190			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10588630			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930069953			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		24			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930069954			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Depth To:</b>		35			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991518190			
<b>Pump Set At:</b>					
<b>Static Level:</b>		11			
<b>Final Level After Pumping:</b>		30			
<b>Recommended Pump Depth:</b>		30			
<b>Pumping Rate:</b>		80			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		80			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934639319			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		45			
<b>Test Level:</b>		11			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934897363			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		11			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934378261			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		11			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934103509			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		11			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933474849			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind:		FRESH			
Water Found Depth:		35			
Water Found Depth UOM:		ft			

[25](#)    1 of 1       **W/94.9**    **79.8 / -0.89**    **Riotrin Properties (March Road) Inc.**  
**830 March Rd 1095 Klondike Road**  
**Ottawa ON**    **CA**

**Certificate #:** 5973-8DVJXN  
**Application Year:** 2011  
**Issue Date:** 2/28/2011  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

[26](#)    1 of 1       **W/94.9**    **79.9 / -0.80**    **lot 11 con 4**  
**ON**    **WWIS**

<b>Well ID:</b>	1511444	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	10/8/1971
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	3644
<b>Casing Material:</b>		<b>Form Version:</b>	1
<b>Audit No:</b>		<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	011
<b>Well Depth:</b>		<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	CON
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/151\1511444.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1511444.pdf)

**Bore Hole Information**

<b>Bore Hole ID:</b>	10033439	<b>Elevation:</b>	76.334289
<b>DP2BR:</b>	16	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	r	<b>East83:</b>	426810.6
<b>Code OB Desc:</b>	Bedrock	<b>North83:</b>	5023102
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	7/7/1971	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	p4
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>		931017729			
<i>Layer:</i>		1			
<i>Color:</i>		2			
<i>General Color:</i>		GREY			
<i>Mat1:</i>		05			
<i>Most Common Material:</i>		CLAY			
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		0			
<i>Formation End Depth:</i>		16			
<i>Formation End Depth UOM:</i>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<i>Formation ID:</i>		931017730			
<i>Layer:</i>		2			
<i>Color:</i>		1			
<i>General Color:</i>		WHITE			
<i>Mat1:</i>		18			
<i>Most Common Material:</i>		SANDSTONE			
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		16			
<i>Formation End Depth:</i>		58			
<i>Formation End Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<i>Method Construction ID:</i>		961511444			
<i>Method Construction Code:</i>		1			
<i>Method Construction:</i>		Cable Tool			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		10582009			
<i>Casing No:</i>		1			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		930059380			
<i>Layer:</i>		2			
<i>Material:</i>		4			
<i>Open Hole or Material:</i>		OPEN HOLE			
<i>Depth From:</i>					
<i>Depth To:</i>		58			
<i>Casing Diameter:</i>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930059379			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		21			
<b>Casing Diameter:</b>		5			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991511444			
<b>Pump Set At:</b>					
<b>Static Level:</b>		6			
<b>Final Level After Pumping:</b>		15			
<b>Recommended Pump Depth:</b>		20			
<b>Pumping Rate:</b>		21			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		10			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>		2			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>		No			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934382371			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		15			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934901288			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		15			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934098107			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		12			
<b>Test Level UOM:</b>		ft			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		934643950			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		45			
<b>Test Level:</b>		15			
<b>Test Level UOM:</b>		ft			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933466592			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		58			
<b>Water Found Depth UOM:</b>		ft			
<a href="#"><u>27</u></a>	1 of 1	<b>E/94.9</b>	<b>77.3 / -3.39</b>	<b>Klondike Rd. and Sandhill Rd. Kanata ON</b>	<b>EHS</b>
<b>Order No:</b>		20070307016		<b>Nearest Intersection:</b> Klondike and Sandhill NE corner	
<b>Status:</b>		C		<b>Municipality:</b>	
<b>Report Type:</b>		CAN - Complete Report		<b>Client Prov/State:</b>	
<b>Report Date:</b>		3/15/2007		<b>Search Radius (km):</b> 0.25	
<b>Date Received:</b>		3/7/2007		<b>X:</b> -75.928947	
<b>Previous Site Name:</b>				<b>Y:</b> 45.357632	
<b>Lot/Building Size:</b>		5 acres approximately			
<b>Additional Info Ordered:</b>					
<a href="#"><u>28</u></a>	1 of 1	<b>W/95.0</b>	<b>79.9 / -0.80</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>		609821		<b>Inclin FLG:</b> No	
<b>OGF ID:</b>		215511436		<b>SP Status:</b> Initial Entry	
<b>Status:</b>				<b>Surv Elev:</b> No	
<b>Type:</b>		Borehole		<b>Piezometer:</b> No	
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>		JUL-1971		<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b> 45.357609	
<b>Total Depth m:</b>		17.7		<b>Longitude DD:</b> -75.934451	
<b>Depth Ref:</b>		Ground Surface		<b>UTM Zone:</b> 18	
<b>Depth Elev:</b>				<b>Easting:</b> 426811	
<b>Drill Method:</b>				<b>Northing:</b> 5023102	
<b>Orig Ground Elev m:</b>		77.7		<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b> Not Applicable	
<b>DEM Ground Elev m:</b>		76.3			
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>		218384173		<b>Mat Consistency:</b>	
<b>Top Depth:</b>		4.9		<b>Material Moisture:</b>	
<b>Bottom Depth:</b>		17.7		<b>Material Texture:</b>	
<b>Material Color:</b>		Black		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>		Sandstone		<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		SANDSTONE. WHITE. 0005800075 SEISMIC VELOCITY = 14600. FEET.BLACK. LIMESTONE. BLUE.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Geology Stratum ID:</b>	218384172			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	4.9			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	CLAY. GREY.				

**Source**

<b>Source Type:</b>	Data Survey	<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada	<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972	<b>Scale or Res:</b>	Varies
<b>Confidence:</b>		<b>Horizontal:</b>	NAD27
<b>Observatio:</b>		<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Details:</b>	File: OTTAWA1.txt RecordID: 02329 NTS_Sheet:		
<b>Confiden 1:</b>			

**Source List**

<b>Source Identifier:</b>	1	<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey	<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972	<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies		
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)		
<b>Source Originators:</b>	Geological Survey of Canada		

<a href="#">29</a>	1 of 1	SSW/99.0	80.1 / -0.53	J TIERNEY JIMS GAS BAR 1111 KLONDIKE RD LOT 11 CON 3 KANATA ON P7B 6C2	DTNK
--------------------	--------	----------	--------------	--	------

**Delisted Expired Fuel Safety Facilities**

<b>Instance No:</b>	9818157
<b>Status:</b>	EXPIRED
<b>Instance ID:</b>	
<b>Instance Type:</b>	FS Facility
<b>Description:</b>	
<b>TSSA Program Area:</b>	
<b>Maximum Hazard Rank:</b>	
<b>Facility Type:</b>	
<b>Expired Date:</b>	12/2/2009 13:34
<b>Original Source:</b>	EXP
<b>Record Date:</b>	Up to May 2013

<a href="#">30</a>	1 of 1	SSW/99.0	80.1 / -0.53	J TIERNEY JIMS GAS BAR 1111 KLONDIKE RD LOT 11 CON 3 KANATA ON	PRT
--------------------	--------	----------	--------------	--	-----

<b>Location ID:</b>	6727
<b>Type:</b>	retail
<b>Expiry Date:</b>	1990-12-31
<b>Capacity (L):</b>	0
<b>Licence #:</b>	0055662001

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">31</a>	1 of 1	S/99.2	75.8 / -4.84	788 March Road Kanata ON	EHS
<b>Order No:</b>	20090601011			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	6/4/2009			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	6/1/2009			<b>X:</b>	-75.931602
<b>Previous Site Name:</b>				<b>Y:</b>	45.355116
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Sire Plans				

<a href="#">32</a>	1 of 1	W/107.1	79.8 / -0.89	846 MARCH ROAD lot 10 con 3 KANATA ON	WWIS
<b>Well ID:</b>	7105876			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	6/2/2008
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	1558
<b>Casing Material:</b>				<b>Form Version:</b>	4
<b>Audit No:</b>	Z77317			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	846 MARCH ROAD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	010
<b>Well Depth:</b>				<b>Concession:</b>	03
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/7107105876.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7107105876.pdf)

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001605417	<b>Elevation:</b>	76.619338
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	426796
<b>Code OB Desc:</b>		<b>North83:</b>	5023082
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	3/3/2008	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	1001701403
<b>Layer:</b>	1

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>					
			0		
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>					
		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>					
			1001701404		
<b>Layer:</b>					
			1		
<b>Plug From:</b>					
			16.76		
<b>Plug To:</b>					
			0		
<b>Plug Depth UOM:</b>					
		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>					
			1001701405		
<b>Layer:</b>					
			2		
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>					
			1001701408		
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>					
			1001701402		
<b>Casing No:</b>					
			0		
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>					
			1001701407		
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>					
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>					
			1001701406		
<b>Layer:</b>					
			1		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b> m					

<a href="#">33</a>	1 of 1	S/114.2	80.6 / -0.05	lot 10 con 4 ON	WWIS
<b>Well ID:</b>	1503411			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic			<b>Date Received:</b>	3/5/1956
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	3705
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>				<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	010
<b>Well Depth:</b>				<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/150\1503411.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1503411.pdf)

#### Bore Hole Information

<b>Bore Hole ID:</b>	10025454	<b>Elevation:</b>	76.521095
<b>DP2BR:</b>	18	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	r	<b>East83:</b>	427000.6
<b>Code OB Desc:</b>	Bedrock	<b>North83:</b>	5022792
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	9
<b>Date Completed:</b>	11/2/1955	<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>		<b>Location Method:</b>	p9
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock Materials Interval

<b>Formation ID:</b>	930996768
<b>Layer:</b>	1
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	02
<b>Mat2 Desc:</b>	TOPSOIL
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	0

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		18			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		930996769			
<b>Layer:</b>		2			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		18			
<b>Most Common Material:</b>		SANDSTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		18			
<b>Formation End Depth:</b>		80			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961503411			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10574024			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930043658			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		80			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930043657			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		35			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test ID:		991503411			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		Yes			
<b><u>Water Details</u></b>					
Water ID:		933456315			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		60			
Water Found Depth UOM:		ft			

<a href="#">34</a>	1 of 2	SSE/118.1	73.5 / -7.14	788 MARCH ROAD Ottawa ON	WWIS
--------------------	--------	-----------	--------------	-----------------------------	------

<b>Well ID:</b>	7128487	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring	<b>Date Received:</b>	8/31/2009
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	1844
<b>Casing Material:</b>		<b>Form Version:</b>	5
<b>Audit No:</b>	M04496	<b>Owner:</b>	
<b>Tag:</b>	A074647	<b>Street Name:</b>	788 MARCH ROAD
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	OTTAWA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/712\7128487.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7128487.pdf)

**Bore Hole Information**

<b>Bore Hole ID:</b>	1002817515	<b>Elevation:</b>	72.841773
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	427059
<b>Code OB Desc:</b>		<b>North83:</b>	5022822
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet	<b>UTMRC:</b>	3
<b>Date Completed:</b>	6/19/2009	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002817519			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002817518			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		HSA			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002817520			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002817522			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		2.6			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002817521			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		2.6			
<b>Screen End Depth:</b>		5.7			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002817523			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Recommended Pump Depth:**  
**Pumping Rate:**  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:**  
**Rate UOM:**  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:**  
**Pumping Duration HR:**  
**Pumping Duration MIN:**  
**Flowing:**

**Hole Diameter**

**Hole ID:** 1002817517  
**Diameter:** 20  
**Depth From:**  
**Depth To:** 5.7  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Bore Hole Information**

<b>Bore Hole ID:</b>	1002697162	<b>Elevation:</b>	75.5988
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	427003
<b>Code OB Desc:</b>		<b>North83:</b>	5022819
<b>Open Hole:</b>	No	<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	6/18/2009	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1002817526  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:** 11  
**Mat2 Desc:** GRAVEL  
**Mat3:** 61  
**Mat3 Desc:** CLAYEY  
**Formation Top Depth:** .2  
**Formation End Depth:** 1.8  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1002817525  
**Layer:** 1

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Color:</i>		6			
<i>General Color:</i>		BROWN			
<i>Mat1:</i>		02			
<i>Most Common Material:</i>		TOPSOIL			
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		0			
<i>Formation End Depth:</i>		.2			
<i>Formation End Depth UOM:</i>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<i>Formation ID:</i>		1002817527			
<i>Layer:</i>		3			
<i>Color:</i>		6			
<i>General Color:</i>		BROWN			
<i>Mat1:</i>		05			
<i>Most Common Material:</i>		CLAY			
<i>Mat2:</i>		11			
<i>Mat2 Desc:</i>		GRAVEL			
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		1.8			
<i>Formation End Depth:</i>		5.7			
<i>Formation End Depth UOM:</i>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1002817529			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		2			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1002817533			
<i>Method Construction Code:</i>		F			
<i>Method Construction:</i>		H.S.A.			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1002817524			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1002817530			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		2.7			
<i>Casing Diameter:</i>		5.1			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002817531			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		5.8			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002817528			
<b>Diameter:</b>		20			
<b>Depth From:</b>		0			
<b>Depth To:</b>		5.7			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002817506			<b>Elevation:</b>	76.392036
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	427078
<b>Code OB Desc:</b>				<b>North83:</b>	5022728
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	6/18/2009			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002817510			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002817509			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		HSA			
<b><u>Pipe Information</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID: Casing No: Comment: Alt Name:		1002817511 0			
<b><u>Construction Record - Casing</u></b>					
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:		1002817513 5 PLASTIC 2.8 m			
<b><u>Construction Record - Screen</u></b>					
Screen ID: Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UOM: Screen Diameter:		1002817512 2.8 5.8 m			
<b><u>Results of Well Yield Testing</u></b>					
Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:		1002817514			
<b><u>Hole Diameter</u></b>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		1002817508 20 5.8 m cm			

[34](#)

2 of 2

SSE/118.1

73.5 / -7.14

788 MARCH RD  
KANATA ON

WWIS

Well ID: 7141731  
Construction Date:

Data Entry Status:  
Data Src:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Primary Water Use:</b>				<b>Date Received:</b>	3/19/2010
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1844
<b>Casing Material:</b>				<b>Form Version:</b>	5
<b>Audit No:</b>	M05569			<b>Owner:</b>	
<b>Tag:</b>	A074647			<b>Street Name:</b>	788 MARCH RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7141731.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/714\7141731.pdf</a>				

### Bore Hole Information

<b>Bore Hole ID:</b>	1003285096	<b>Elevation:</b>	76.392036
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	427078
<b>Code OB Desc:</b>		<b>North83:</b>	5022728
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet	<b>UTMRC:</b>	4
<b>Date Completed:</b>	2/15/2010	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

### Annular Space/Abandonment Sealing Record

<b>Plug ID:</b>	1003285100
<b>Layer:</b>	
<b>Plug From:</b>	
<b>Plug To:</b>	
<b>Plug Depth UOM:</b>	

### Method of Construction & Well Use

<b>Method Construction ID:</b>	1003285099
<b>Method Construction Code:</b>	
<b>Method Construction:</b>	
<b>Other Method Construction:</b>	

### Hole Diameter

<b>Hole ID:</b>	1003285098
<b>Diameter:</b>	
<b>Depth From:</b>	
<b>Depth To:</b>	5.8

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1003285101			<b>Elevation:</b>	72.841773
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	427059
<b>Code OB Desc:</b>				<b>North83:</b>	5022822
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	4
<b>Date Completed:</b>	2/15/2010			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1003285104				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	1003285103				
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>	5.7				
<b>Hole Depth UOM:</b>	m				
<b>Hole Diameter UOM:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002951127			<b>Elevation:</b>	75.5988
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>				<b>East83:</b>	427003
<b>Code OB Desc:</b>				<b>North83:</b>	5022819
<b>Open Hole:</b>	No			<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	2/15/2010			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1003285106				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To: Plug Depth UOM:		5.7 m			
<b><u>Method of Construction &amp; Well Use</u></b>					
Method Construction ID: Method Construction Code: Method Construction: Other Method Construction:		1003285107			
<b><u>Hole Diameter</u></b>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		1003285105 20 0 5.7 m cm			

<a href="#">35</a>	1 of 1	NE/123.7	70.9 / -9.80	121 STREAMSIDE CRESCENT KANATA ON K2W 0A9	HINC
External File Num: Fuel Occurrence Type: Date of Occurrence: Fuel Type Involved: Status Desc: Job Type Desc: Oper. Type Involved: Service Interruptions: Property Damage: Fuel Life Cycle Stage: Root Cause:		FS INC 0808-04438 Pipeline Strike 8/5/2008 Natural Gas Completed - Causal Analysis(End) Incident/Near-Miss Occurrence (FS) Private Dwelling Yes No Utilization Root Cause: Equipment/Material/Component:No Procedures:Yes Maintenance:No Design:Yes Training: No Management:No Human Factors:No			
Reported Details: Fuel Category: Occurrence Type: Affiliation: County Name: Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: Environmental Impact:		Gaseous Fuel Incident Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) Ottawa			

<a href="#">36</a>	1 of 1	WSW/127.3	80.9 / 0.20	lot 11 con 3 ON	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock:		1530397 Domestic Water Supply		Data Entry Status: Data Src: 1 Date Received: 12/1/1998 Selected Flag: Yes Abandonment Rec: Contractor: 4875 Form Version: 1 Owner: Street Name: County: OTTAWA Municipality: MARCH TOWNSHIP Site Info: Lot: 011	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth:				Concession:	03
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1530397.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1530397.pdf)

#### Bore Hole Information

Bore Hole ID:	10051932	Elevation:	78.099708
DP2BR:	0	Elevrc:	
Spatial Status:		Zone:	18
Code OB:	r	East83:	426787.6
Code OB Desc:	Bedrock	North83:	5022927
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	10/21/1998	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	gis
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

#### Overburden and Bedrock

##### Materials Interval

Formation ID:	931075367
Layer:	2
Color:	8
General Color:	BLACK
Mat1:	21
Most Common Material:	GRANITE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	90
Formation End Depth:	160
Formation End Depth UOM:	ft

#### Overburden and Bedrock

##### Materials Interval

Formation ID:	931075366
Layer:	1
Color:	1
General Color:	WHITE
Mat1:	18
Most Common Material:	SANDSTONE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	90
Formation End Depth UOM:	ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933115542			
<b>Layer:</b>		1			
<b>Plug From:</b>		18			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961530397			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10600502			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930090549			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		18			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930090550			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		160			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991530397			
<b>Pump Set At:</b>					
<b>Static Level:</b>		12			
<b>Final Level After Pumping:</b>		50			
<b>Recommended Pump Depth:</b>		140			
<b>Pumping Rate:</b>		6			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		5			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pumping Test Method:</b>	1				
<b>Pumping Duration HR:</b>	1				
<b>Pumping Duration MIN:</b>	0				
<b>Flowing:</b>	No				
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934393372				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	30				
<b>Test Level:</b>	43				
<b>Test Level UOM:</b>	ft				
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934662522				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	45				
<b>Test Level:</b>	47				
<b>Test Level UOM:</b>	ft				
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934902109				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	60				
<b>Test Level:</b>	50				
<b>Test Level UOM:</b>	ft				
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934118384				
<b>Test Type:</b>	Draw Down				
<b>Test Duration:</b>	15				
<b>Test Level:</b>	36				
<b>Test Level UOM:</b>	ft				
<b><u>Water Details</u></b>					
<b>Water ID:</b>	933490513				
<b>Layer:</b>	3				
<b>Kind Code:</b>	5				
<b>Kind:</b>	Not stated				
<b>Water Found Depth:</b>	145				
<b>Water Found Depth UOM:</b>	ft				
<b><u>Water Details</u></b>					
<b>Water ID:</b>	933490511				
<b>Layer:</b>	1				
<b>Kind Code:</b>	5				
<b>Kind:</b>	Not stated				
<b>Water Found Depth:</b>	36				
<b>Water Found Depth UOM:</b>	ft				
<b><u>Water Details</u></b>					
<b>Water ID:</b>	933490512				
<b>Layer:</b>	2				
<b>Kind Code:</b>	5				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind:		Not stated			
Water Found Depth:		88			
Water Found Depth UOM:		ft			

<a href="#">37</a>	1 of 1	ESE/128.7	79.9 / -0.77	351 SANDHILL RD lot 10 con 4 KANATA ON	WWIS
<b>Well ID:</b>	1536259			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Domestic			<b>Date Received:</b>	3/20/2006
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	1558
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z39252			<b>Owner:</b>	
<b>Tag:</b>	A035430			<b>Street Name:</b>	351 SANDHILL RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	010
<b>Well Depth:</b>				<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1536259.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536259.pdf)

#### Bore Hole Information

<b>Bore Hole ID:</b>	11550325	<b>Elevation:</b>	75.392097
<b>DP2BR:</b>	32	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	r	<b>East83:</b>	427282
<b>Code OB Desc:</b>	Bedrock	<b>North83:</b>	5022953
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	2/1/2006	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock Materials Interval

<b>Formation ID:</b>	933044823
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	12
<b>Mat2 Desc:</b>	STONES
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	3.65
<b>Formation End Depth:</b>	9.75

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		933044822			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		3.65			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		933044824			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		18			
<b>Most Common Material:</b>		SANDSTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		9.75			
<b>Formation End Depth:</b>		38.09			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933288175			
<b>Layer:</b>		2			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933288174			
<b>Layer:</b>		1			
<b>Plug From:</b>		11.88			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961536259			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>			11559932		
<b>Casing No:</b>			1		
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>			930875664		
<b>Layer:</b>			1		
<b>Material:</b>			1		
<b>Open Hole or Material:</b>			STEEL		
<b>Depth From:</b>			-.45		
<b>Depth To:</b>			11.88		
<b>Casing Diameter:</b>			15.86		
<b>Casing Diameter UOM:</b>			cm		
<b>Casing Depth UOM:</b>			m		
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>			930875665		
<b>Layer:</b>			2		
<b>Material:</b>			4		
<b>Open Hole or Material:</b>			OPEN HOLE		
<b>Depth From:</b>			11.88		
<b>Depth To:</b>			38.09		
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>			cm		
<b>Casing Depth UOM:</b>			m		
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>			11569389		
<b>Pump Set At:</b>			22.85		
<b>Static Level:</b>			2.45		
<b>Final Level After Pumping:</b>			4.02		
<b>Recommended Pump Depth:</b>			22.85		
<b>Pumping Rate:</b>			54.6		
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>			45.5		
<b>Levels UOM:</b>			m		
<b>Rate UOM:</b>			LPM		
<b>Water State After Test Code:</b>			1		
<b>Water State After Test:</b>			CLEAR		
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>			2		
<b>Pumping Duration MIN:</b>			0		
<b>Flowing:</b>					
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			11593820		
<b>Test Type:</b>			Draw Down		
<b>Test Duration:</b>			30		
<b>Test Level:</b>			3.93		
<b>Test Level UOM:</b>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>			11593811		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		2.71			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593814			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		3.81			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593806			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		3.43			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593819			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		2.52			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593818			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		3.91			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593808			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		3.55			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593812			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		3.73			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593813			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		2.61			
<b>Test Level UOM:</b>		m			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593807			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		2.97			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593803			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		3.34			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593826			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		4.01			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593821			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		2.52			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593805			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		3.12			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593822			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		3.99			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593809			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		2.85			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pump Test Detail ID:</b>		11593810			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		3.64			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593804			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		3.38			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593815			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		15			
<b>Test Level:</b>		2.55			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593823			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		2.51			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593824			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		4.01			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593827			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		60			
<b>Test Level:</b>		2.51			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593817			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		2.83			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11593825			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		2.51			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11593816			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		20			
<i>Test Level:</i>		3.88			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11593802			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		1			
<i>Test Level:</i>		3.3			
<i>Test Level UOM:</i>		m			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		934073908			
<i>Layer:</i>		1			
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>		22.24			
<i>Water Found Depth UOM:</i>		m			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		934073909			
<i>Layer:</i>		2			
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>		27.43			
<i>Water Found Depth UOM:</i>		m			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		934073910			
<i>Layer:</i>		3			
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>		36.87			
<i>Water Found Depth UOM:</i>		m			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		11681005			
<i>Diameter:</i>		15.23			
<i>Depth From:</i>		11.88			
<i>Depth To:</i>		38.09			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		11681004			
<i>Diameter:</i>		22.75			
<i>Depth From:</i>		0			
<i>Depth To:</i>		11.88			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

[38](#)      1 of 1      **ESE/135.4**      **79.1 / -1.60**      **351 SAND HILL RD lot 10 con 4  
KANATA ON**      **WWIS**

<b>Well ID:</b>	1536260	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	3/20/2006
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	1558
<b>Casing Material:</b>		<b>Form Version:</b>	3
<b>Audit No:</b>	Z39253	<b>Owner:</b>	
<b>Tag:</b>	A035438	<b>Street Name:</b>	351 SAND HILL RD
<b>Construction Method:</b>		<b>County:</b>	OTTAWA
<b>Elevation (m):</b>		<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	010
<b>Well Depth:</b>		<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	CON
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/153\1536260.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/153\1536260.pdf)

#### Bore Hole Information

<b>Bore Hole ID:</b>	11550326	<b>Elevation:</b>	75.206916
<b>DP2BR:</b>	31	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	r	<b>East83:</b>	427298
<b>Code OB Desc:</b>	Bedrock	<b>North83:</b>	5022966
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	2/1/2006	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	933041311
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	18
<b>Most Common Material:</b>	SANDSTONE
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	9.44
<b>Formation End Depth:</b>	38.09
<b>Formation End Depth UOM:</b>	m

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		933041310			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		3.35			
<b>Formation End Depth:</b>		9.44			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		933041309			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		3.35			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933288530			
<b>Layer:</b>		2			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933288529			
<b>Layer:</b>		1			
<b>Plug From:</b>		11.88			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961536260			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11559933			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930875939			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>		11.88			
<b>Depth To:</b>		38.09			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930875938			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>		-.45			
<b>Depth To:</b>		11.88			
<b>Casing Diameter:</b>		15.86			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		11569390			
<b>Pump Set At:</b>		22.85			
<b>Static Level:</b>		2.13			
<b>Final Level After Pumping:</b>		3.56			
<b>Recommended Pump Depth:</b>		22.85			
<b>Pumping Rate:</b>		54.6			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		45.5			
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>		2			
<b>Pumping Duration MIN:</b>		0			
<b>Flowing:</b>					
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594100			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		2.58			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594165			
<b>Test Type:</b>		Recovery			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Test Duration:</i>		15			
<i>Test Level:</i>		2.11			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11594164			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		15			
<i>Test Level:</i>		3.42			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11594161			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		5			
<i>Test Level:</i>		2.3			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11594104			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		4			
<i>Test Level:</i>		2.36			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11594167			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		20			
<i>Test Level:</i>		2.15			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11594175			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		50			
<i>Test Level:</i>		2.14			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11594177			
<i>Test Type:</i>		Recovery			
<i>Test Duration:</i>		60			
<i>Test Level:</i>		2.14			
<i>Test Level UOM:</i>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>		11594101			
<i>Test Type:</i>		Draw Down			
<i>Test Duration:</i>		3			
<i>Test Level:</i>		3.17			
<i>Test Level UOM:</i>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594174			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		50			
<b>Test Level:</b>		3.53			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594099			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		2			
<b>Test Level:</b>		3.11			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594168			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		3.48			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594163			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		2.22			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594102			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		3			
<b>Test Level:</b>		2.47			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594098			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		2.69			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594162			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		10			
<b>Test Level:</b>		3.33			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594169			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		25			
<b>Test Level:</b>		2.14			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594172			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		40			
<b>Test Level:</b>		3.52			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594170			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		3.5			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594105			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		5			
<b>Test Level:</b>		3.24			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594097			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		1			
<b>Test Level:</b>		3			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594103			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		4			
<b>Test Level:</b>		3.21			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594171			
<b>Test Type:</b>		Recovery			
<b>Test Duration:</b>		30			
<b>Test Level:</b>		2.14			
<b>Test Level UOM:</b>		m			
<b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>		11594166			
<b>Test Type:</b>		Draw Down			
<b>Test Duration:</b>		20			
<b>Test Level:</b>		3.47			
<b>Test Level UOM:</b>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>			11594173		
<i>Test Type:</i>			Recovery		
<i>Test Duration:</i>			40		
<i>Test Level:</i>			2.14		
<i>Test Level UOM:</i>			m		
<b><u>Draw Down &amp; Recovery</u></b>					
<i>Pump Test Detail ID:</i>			11594176		
<i>Test Type:</i>			Draw Down		
<i>Test Duration:</i>			60		
<i>Test Level:</i>			3.53		
<i>Test Level UOM:</i>			m		
<b><u>Water Details</u></b>					
<i>Water ID:</i>			934073911		
<i>Layer:</i>			3		
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>			37.18		
<i>Water Found Depth UOM:</i>			m		
<b><u>Water Details</u></b>					
<i>Water ID:</i>			934073912		
<i>Layer:</i>			2		
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>			28.04		
<i>Water Found Depth UOM:</i>			m		
<b><u>Water Details</u></b>					
<i>Water ID:</i>			934073913		
<i>Layer:</i>			1		
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>			14.62		
<i>Water Found Depth UOM:</i>			m		
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>			11681007		
<i>Diameter:</i>			22.75		
<i>Depth From:</i>			0		
<i>Depth To:</i>			11.88		
<i>Hole Depth UOM:</i>			m		
<i>Hole Diameter UOM:</i>			cm		
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>			11681006		
<i>Diameter:</i>			15.23		
<i>Depth From:</i>			11.88		
<i>Depth To:</i>			38.09		
<i>Hole Depth UOM:</i>			m		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole Diameter UOM:</b>		cm			

<a href="#">39</a>	1 of 1	S/136.0	80.6 / -0.05	ON	BORE
<b>Borehole ID:</b>	609813			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215511428			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>	APR-1971			<b>Municipality:</b>	
<b>Static Water Level:</b>	-13.0			<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.35466
<b>Total Depth m:</b>	20.4			<b>Longitude DD:</b>	-75.931849
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	427011
<b>Drill Method:</b>				<b>Northing:</b>	5022772
<b>Orig Ground Elev m:</b>	77.7			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	76.1				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	218384155			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.9			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	6.1			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	CLAY.				
<b>Geology Stratum ID:</b>	218384156			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	6.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	6.4			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Gravel			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	GRAVEL.				
<b>Geology Stratum ID:</b>	218384154			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.9			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Soil			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SOIL.				
<b>Geology Stratum ID:</b>	218384157			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	6.4			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	20.4			<b>Material Texture:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material Color:</b>	Black			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sandstone			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SANDSTONE. WHITE. 00067. WATER STABLE AT 298.0 FEET. BLACK. LIMESTONE. BLUE. SANDSTONE.				
<b>Source</b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Ident:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>				<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: OTTAWA1.txt RecordID: 02321 NTS_Sheet:				
<b>Confiden 1:</b>					
<b>Source List</b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				
<b>40</b>	<b>1 of 1</b>	<b>S/136.2</b>	<b>80.6 / -0.05</b>	<b>lot 10 con 4 ON</b>	<b>WWIS</b>
<b>Well ID:</b>	1511120			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic			<b>Date Received:</b>	4/21/1971
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	3504
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>				<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	010
<b>Well Depth:</b>				<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1511120.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1511120.pdf</a>				
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b>	10033117			<b>Elevation:</b>	76.093482
<b>DP2BR:</b>	21			<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>	r			<b>East83:</b>	427010.6
<b>Code OB Desc:</b>	Bedrock			<b>North83:</b>	5022772
<b>Open Hole:</b>				<b>Org CS:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	4/2/1971			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	p4
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931016736			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		3			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931016738			
<b>Layer:</b>		3			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		20			
<b>Formation End Depth:</b>		21			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931016737			
<b>Layer:</b>		2			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		3			
<b>Formation End Depth:</b>		20			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		931016739			
<b>Layer:</b>		4			
<b>Color:</b>		1			
<b>General Color:</b>		WHITE			
<b>Mat1:</b>		18			
<b>Most Common Material:</b>		SANDSTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		21			
<b>Formation End Depth:</b>		67			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961511120			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10581687			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930058765			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		67			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930058764			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		24			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991511120			
<b>Pump Set At:</b>					
<b>Static Level:</b>		0			
<b>Final Level After Pumping:</b>		5			
<b>Recommended Pump Depth:</b>		30			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pumping Rate:</b>	12				
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>	10				
<b>Levels UOM:</b>	ft				
<b>Rate UOM:</b>	GPM				
<b>Water State After Test Code:</b>	2				
<b>Water State After Test:</b>	CLOUDY				
<b>Pumping Test Method:</b>	2				
<b>Pumping Duration HR:</b>	1				
<b>Pumping Duration MIN:</b>	0				
<b>Flowing:</b>	No				
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934097658				
<b>Test Type:</b>	Recovery				
<b>Test Duration:</b>	15				
<b>Test Level:</b>	0				
<b>Test Level UOM:</b>	ft				
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934899728				
<b>Test Type:</b>	Recovery				
<b>Test Duration:</b>	60				
<b>Test Level:</b>	0				
<b>Test Level UOM:</b>	ft				
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934380671				
<b>Test Type:</b>	Recovery				
<b>Test Duration:</b>	30				
<b>Test Level:</b>	0				
<b>Test Level UOM:</b>	ft				
 <b><u>Draw Down &amp; Recovery</u></b>					
<b>Pump Test Detail ID:</b>	934642804				
<b>Test Type:</b>	Recovery				
<b>Test Duration:</b>	45				
<b>Test Level:</b>	0				
<b>Test Level UOM:</b>	ft				
 <b><u>Water Details</u></b>					
<b>Water ID:</b>	933466197				
<b>Layer:</b>	2				
<b>Kind Code:</b>	1				
<b>Kind:</b>	FRESH				
<b>Water Found Depth:</b>	67				
<b>Water Found Depth UOM:</b>	ft				
 <b><u>Water Details</u></b>					
<b>Water ID:</b>	933466196				
<b>Layer:</b>	1				
<b>Kind Code:</b>	1				
<b>Kind:</b>	FRESH				
<b>Water Found Depth:</b>	62				
<b>Water Found Depth UOM:</b>	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

<a href="#">41</a>	1 of 1	SSE/137.6	75.5 / -5.13	Imperial Oil Limited 1092 Klondike Road and 788 March Road, Kanata, Ontario K2K 1X7 Kanata ON K2K 1X7	RSC
<b>RSC ID:</b> 63910 <b>RA No:</b> <b>RSC Type:</b> <b>Curr Property Use:</b> Agriculture/Other <b>Ministry District:</b> OTTAWA <b>Filing Date:</b> 29-Jan-10 <b>Date Ack:</b> <b>Date Returned:</b> <b>Restoration Type:</b> <b>Soil Type:</b> <b>Criteria:</b> <b>CPU Issued Sect 1686:</b> No <b>Asmt Roll No:</b> 06-14-300-816-22700 <b>Prop ID No (PIN):</b> 04517-0801(LT) <b>Property Municipal Address:</b> 1092 Klondike Road and 788 March Road, Kanata, Ontario K2K 1X7 <b>Mailing Address:</b> 90 WYNFORD AVE, TORONTO, ON, M3C 1K5 <b>Latitude &amp; Latitude:</b> 45.35480640N 75.93137370W (converted from UTM) <b>UTM Coordinates:</b> NAD83 18-427048-5022788 <b>Consultant:</b> <b>Legal Desc:</b> Entire Legal Description: Part of Lot 10, Concession 4, as in N6B1746, save and except Part 1, Plan 4D95; Kanata. RSC Legal Description: Part of Lot 10, Concession 4, Geographic Township of March, being Part 1, 4R-24176, Ottawa. <b>Measurement Method:</b> Digitized from a map <b>Applicable Standards:</b> Full Depth Site Conditions Standard, with Potable Ground Water, Medium/Fine Textured Soil, for Industrial/Commercial/Community property use <b>RSC PDF:</b>		<b>Cert Date:</b> 25-Jun-09 <b>Cert Prop Use No:</b> No CPU <b>Intended Prop Use:</b> Community <b>Qual Person Name:</b> Ed Charlton <b>Stratified (Y/N):</b> <b>Audit (Y/N):</b> <b>Entire Leg Prop. (Y/N):</b> No <b>Accuracy Estimate:</b> 21 to 100 meters <b>Telephone:</b> 416-4417389 <b>Fax:</b> 416-4417400 <b>Email:</b> ed.m.charlton@esso.ca			

<a href="#">42</a>	1 of 7	SSW/142.0	81.9 / 1.20	G.G PHARMACY INC. 1102 KLONDIKE RD KANATA ON K2K 0G1	PES
<b>Detail Licence No:</b> <b>Licence No:</b> <b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> <b>Licence Type:</b> Vendor <b>Licence Type Code:</b> <b>Licence Class:</b> <b>Licence Control:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b>		<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> <b>Oper Phone No:</b> <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>			

<a href="#">42</a>	2 of 7	SSW/142.0	81.9 / 1.20	G.G PHARMACY INC. 1102 KLONDIKE RD KANATA ON K2K1X7	PES
<b>Detail Licence No:</b> <b>Licence No:</b> 14783		<b>Operator Box:</b> <b>Operator Class:</b>			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Approval Date:</b> <b>Report Source:</b> Legacy Licenses (Excluding TS) <b>Licence Type:</b> Limited Vendor <b>Licence Type Code:</b> 23 <b>Licence Class:</b> 01 <b>Licence Control:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b> <b>Trade Name:</b> <b>PDF Link:</b>				<b>Operator No:</b> <b>Operator Type:</b> <b>Oper Area Code:</b> 613 <b>Oper Phone No:</b> 5926010 <b>Operator Ext:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Op Municipality:</b> <b>Post Office Box:</b> <b>MOE District:</b> <b>SWP Area Name:</b>	
<a href="#">42</a>	3 of 7	SSW/142.0	81.9 / 1.20	2325225 Ontario Inc. 1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	GEN
<b>Generator No:</b> ON8411031 <b>Status:</b> <b>Approval Years:</b> 2016 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 446110 <b>SIC Description:</b> 446110		<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> NASTRAN NAJAFI-FARD <b>Phone No Admin:</b> 4164931120 Ext.3218			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 261		<b>Waste Class Desc:</b> PHARMACEUTICALS			
<b>Waste Class:</b> 312		<b>Waste Class Desc:</b> PATHOLOGICAL WASTES			
<a href="#">42</a>	4 of 7	SSW/142.0	81.9 / 1.20	G.G. Pharmacy Inc. 1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	GEN
<b>Generator No:</b> ON8411031 <b>Status:</b> <b>Approval Years:</b> 2015 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 446110 <b>SIC Description:</b> 446110		<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> NASTRAN NAJAFI-FARD <b>Phone No Admin:</b> 4164931120 Ext.3218			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 261		<b>Waste Class Desc:</b> PHARMACEUTICALS			
<b>Waste Class:</b> 312		<b>Waste Class Desc:</b> PATHOLOGICAL WASTES			
<a href="#">42</a>	5 of 7	SSW/142.0	81.9 / 1.20	2325225 Ontario Inc. 1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>Generator No:</b> ON8411031  <b>Status:</b> Registered  <b>Approval Years:</b> As of Dec 2018  <b>Contam. Facility:</b>  <b>MHSW Facility:</b>  <b>SIC Code:</b>  <b>SIC Description:</b></p> <p><b>PO Box No:</b>  <b>Country:</b> Canada  <b>Choice of Contact:</b>  <b>Co Admin:</b>  <b>Phone No Admin:</b></p>					
<b>Detail(s)</b>					
<p><b>Waste Class:</b> 261 A  <b>Waste Class Desc:</b> Pharmaceuticals</p> <p><b>Waste Class:</b> 312 P  <b>Waste Class Desc:</b> Pathological wastes</p>					
<a href="#">42</a>	6 of 7	SSW/142.0	81.9 / 1.20	2325225 Ontario Inc. 1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	GEN
<p><b>Generator No:</b> ON8411031  <b>Status:</b> Registered  <b>Approval Years:</b> As of Jul 2020  <b>Contam. Facility:</b>  <b>MHSW Facility:</b>  <b>SIC Code:</b>  <b>SIC Description:</b></p> <p><b>PO Box No:</b>  <b>Country:</b> Canada  <b>Choice of Contact:</b>  <b>Co Admin:</b>  <b>Phone No Admin:</b></p>					
<b>Detail(s)</b>					
<p><b>Waste Class:</b> 312 P  <b>Waste Class Desc:</b> Pathological wastes</p> <p><b>Waste Class:</b> 261 A  <b>Waste Class Desc:</b> Pharmaceuticals</p>					
<a href="#">42</a>	7 of 7	SSW/142.0	81.9 / 1.20	2325225 Ontario Inc. 1102 KLONDIKE ROAD, R R #1 KANATA ON K2K 1X7	GEN
<p><b>Generator No:</b> ON8411031  <b>Status:</b> Registered  <b>Approval Years:</b> As of Jan 2021  <b>Contam. Facility:</b>  <b>MHSW Facility:</b>  <b>SIC Code:</b>  <b>SIC Description:</b></p> <p><b>PO Box No:</b>  <b>Country:</b> Canada  <b>Choice of Contact:</b>  <b>Co Admin:</b>  <b>Phone No Admin:</b></p>					
<b>Detail(s)</b>					
<p><b>Waste Class:</b> 261 A  <b>Waste Class Desc:</b> Pharmaceuticals</p> <p><b>Waste Class:</b> 312 P  <b>Waste Class Desc:</b> Pathological wastes</p>					
<a href="#">43</a>	1 of 1	ESE/143.4	79.9 / -0.75	Kanata Muslim Association 351 Sandhill Rd Ottawa ON K2K 1X7	ECA
<p><b>Approval No:</b> 2083-BDZMRC  <b>MOE District:</b></p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Date:</b> 2019-07-26 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> <b>Approval Type:</b> ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Project Type:</b> MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Business Name:</b> Kanata Muslim Association <b>Address:</b> 351 Sandhill Rd <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3220-BDGQP6-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3220-BDGQP6-14.pdf</a>					
<a href="#">44</a>	1 of 1	ESE/143.4	79.9 / -0.75	351 Sandhill Rd Ottawa ON K2K1X7	EHS
<b>Order No:</b> 20161118096 <b>Status:</b> C <b>Report Type:</b> Standard Select Report <b>Report Date:</b> 25-NOV-16 <b>Date Received:</b> 18-NOV-16 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> 2.02 acres <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans; Title Searches; Topographic Maps; City Directory <b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.928572 <b>Y:</b> 45.355996					
<a href="#">45</a>	1 of 1	ESE/145.3	78.9 / -1.80	351 Sandhill Road Kanata ON K2K 1X7	EHS
<b>Order No:</b> 20180830047 <b>Status:</b> C <b>Report Type:</b> Standard Express Report <b>Report Date:</b> 30-AUG-18 <b>Date Received:</b> 30-AUG-18 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans; Title Searches; Topographic Maps; City Directory <b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -75.928008 <b>Y:</b> 45.356536					
<a href="#">46</a>	1 of 1	SSE/146.4	74.2 / -6.50	788 March Road Kanata ON K2K 1X7	EHS
<b>Order No:</b> 20180618029 <b>Status:</b> C <b>Report Type:</b> RSC Report (Urban) <b>Report Date:</b> 22-JUN-18 <b>Date Received:</b> 18-JUN-18 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> <b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .3 <b>X:</b> -75.93096 <b>Y:</b> 45.354905					
<a href="#">47</a>	1 of 1	SSE/159.9	74.2 / -6.50	788 MARCH RD lot 10 con 4 KANATA ON	WWIS
<b>Well ID:</b> 7314270 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring <b>Sec. Water Use:</b> <b>Final Well Status:</b> Observation Wells <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z283633 <b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 7/6/2018 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 7238 <b>Form Version:</b> 7 <b>Owner:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Tag:</b>	A212888			<b>Street Name:</b>	788 MARCH RD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	010
<b>Well Depth:</b>				<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

PDF URL (Map):

**Bore Hole Information**

<b>Bore Hole ID:</b>	1007145990	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	427081
<b>Code OB Desc:</b>		<b>North83:</b>	5022785
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	6/6/2018	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1007406316
<b>Layer:</b>	1
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	04
<b>Most Common Material:</b>	PEAT
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	2
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1007406317
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	84
<b>Mat2 Desc:</b>	SILTY
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>	2				
<b>Formation End Depth:</b>	19.5				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1007406325				
<b>Layer:</b>	2				
<b>Plug From:</b>	7				
<b>Plug To:</b>	19.5				
<b>Plug Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1007406324				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	7				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1007406323				
<b>Method Construction Code:</b>	E				
<b>Method Construction:</b>	Auger				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1007406315				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1007406320				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				
<b>Depth To:</b>	9.5				
<b>Casing Diameter:</b>	2				
<b>Casing Diameter UOM:</b>	inch				
<b>Casing Depth UOM:</b>	ft				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1007406321				
<b>Layer:</b>	1				
<b>Slot:</b>	10				
<b>Screen Top Depth:</b>	9.5				
<b>Screen End Depth:</b>	19.5				
<b>Screen Material:</b>	5				
<b>Screen Depth UOM:</b>	ft				
<b>Screen Diameter UOM:</b>	inch				
<b>Screen Diameter:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Water Details**

**Water ID:** 1007406319  
**Layer:** 1  
**Kind Code:** 8  
**Kind:** Untested  
**Water Found Depth:** 15  
**Water Found Depth UOM:** ft

**Hole Diameter**

**Hole ID:** 1007406318  
**Diameter:** 6  
**Depth From:** 0  
**Depth To:** 19.5  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** inch

<a href="#">48</a>	1 of 1	E/166.2	75.9 / -4.80	1032 Klondike Road Kanata ON K2K 0H9	EHS
<b>Order No:</b>	20130910010			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	Ottawa
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	18-SEP-13			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	10-SEP-13			<b>X:</b>	-75.928121
<b>Previous Site Name:</b>				<b>Y:</b>	45.357951
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans; Title Searches				

<a href="#">49</a>	1 of 1	W/167.5	79.9 / -0.80	856 MARCH RD. lot 11 con 4 KANATA ON	WWIS
<b>Well ID:</b>	7112940			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	10/14/2008
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	1558
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z84393			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	856 MARCH RD.
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	011
<b>Well Depth:</b>				<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/711\7112940.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/711\7112940.pdf</a>				

**Bore Hole Information**

**Bore Hole ID:** 1001835759  
**DP2BR:**  
**Spatial Status:**

**Elevation:** 77.041603  
**Elevrc:**  
**Zone:** 18

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Code OB:</b>				<b>East83:</b>	426730
<b>Code OB Desc:</b>				<b>North83:</b>	5023125
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	9/5/2008			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001937804			
<b>Layer:</b>		1			
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001937808			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001937801			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001937806			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001937807			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Water Details</u></b>					
Water ID:		1001937805			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1001937803			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<a href="#">50</a>	1 of 2	NW/169.9	75.1 / -5.56	Klondike Developments Inc. 870 March Rd and 1001 Klondike Road Ottawa ON K2C 0P9	ECA
Approval No:	0215-79MK7R			MOE District:	
Approval Date:	2007-12-06			City:	
Status:	Approved			Longitude:	
Record Type:	ECA			Latitude:	
Link Source:	IDS			Geometry X:	
SWP Area Name:				Geometry Y:	
Approval Type:	ECA-Municipal Drinking Water Systems				
Project Type:	Municipal Drinking Water Systems				
Business Name:	Klondike Developments Inc.				
Address:	870 March Rd and 1001 Klondike Road				
Full Address:					
Full PDF Link:					
<a href="#">50</a>	2 of 2	NW/169.9	75.1 / -5.56	Klondike Developments Inc. 870 March Rd and 1001 Klondike Road Ottawa ON K2C 0P9	ECA
Approval No:	0048-79MQC5			MOE District:	
Approval Date:	2007-12-06			City:	
Status:	Approved			Longitude:	
Record Type:	ECA			Latitude:	
Link Source:	IDS			Geometry X:	
SWP Area Name:				Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				
Business Name:	Klondike Developments Inc.				
Address:	870 March Rd and 1001 Klondike Road				
Full Address:					
Full PDF Link:	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3771-79KQRW-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3771-79KQRW-14.pdf</a>				
<a href="#">51</a>	1 of 1	SSW/170.0	83.3 / 2.62	lot 10 con 3 ON	WWIS
Well ID:	1503347			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Commerical			Date Received:	3/28/1966
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4216



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Material:</b> <b>Audit No:</b> <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Form Version:</b> 1 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> OTTAWA <b>Municipality:</b> MARCH TOWNSHIP <b>Site Info:</b> <b>Lot:</b> 010 <b>Concession:</b> 03 <b>Concession Name:</b> CON <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/150\1503347.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1503347.pdf)

**Bore Hole Information**

<b>Bore Hole ID:</b>	10025390	<b>Elevation:</b>	78.034431
<b>DP2BR:</b>	5	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>	r	<b>East83:</b>	426915.6
<b>Code OB Desc:</b>	Bedrock	<b>North83:</b>	5022742
<b>Open Hole:</b>		<b>Org CS:</b>	
<b>Cluster Kind:</b>		<b>UTMRC:</b>	5
<b>Date Completed:</b>	2/25/1966	<b>UTMRC Desc:</b>	margin of error : 100 m - 300 m
<b>Remarks:</b>		<b>Location Method:</b>	p5
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	930996635
<b>Layer:</b>	2
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	18
<b>Most Common Material:</b>	SANDSTONE
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	5
<b>Formation End Depth:</b>	82
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	930996634
<b>Layer:</b>	1
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961503347			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10573960			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930043532			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		10			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930043533			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		82			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991503347			
<b>Pump Set At:</b>					
<b>Static Level:</b>		35			
<b>Final Level After Pumping:</b>		40			
<b>Recommended Pump Depth:</b>		75			
<b>Pumping Rate:</b>		10			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		10			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		1			
<b>Pumping Duration MIN:</b>		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing:		No			
<b><u>Water Details</u></b>					
Water ID:	933456241				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	82				
Water Found Depth UOM:	ft				

<a href="#">52</a>	1 of 1	E/176.8	76.8 / -3.92	Ottawa-Carleton District School Board Health & Safety 1032 Klondike Road Kanata ON K0K 0H9	GEN
Generator No:	ON2816884			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jan 2021			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<b><u>Detail(s)</u></b>					
Waste Class:	252 I				
Waste Class Desc:	Waste crankcase oils and lubricants				

<a href="#">53</a>	1 of 1	W/187.6	81.6 / 0.89	860 MARCH RD. lot 11 con 4 KANATA ON	WWIS
Well ID:	7112943			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	10/14/2008
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	1558
Casing Material:				Form Version:	7
Audit No:	Z84392			Owner:	
Tag:				Street Name:	860 MARCH RD.
Construction Method:				County:	OTTAWA
Elevation (m):				Municipality:	MARCH TOWNSHIP
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	011
Well Depth:				Concession:	04
Overburden/Bedrock:				Concession Name:	CON
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/711\7112943.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/711\7112943.pdf</a>				

<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1001835768			Elevation:	77.300338
DP2BR:				Elevrc:	
Spatial Status:				Zone:	18
Code OB:				East83:	426698
Code OB Desc:				North83:	5023143

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 9/5/2008 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Org CS:</b> UTM83 <b>UTMRC:</b> 3 <b>UTMRC Desc:</b> margin of error : 10 - 30 m <b>Location Method:</b> wwr	
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>		1001937898	1		m
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> <b>Method Construction Code:</b> <b>Method Construction:</b> <b>Other Method Construction:</b>		1001937902			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> <b>Casing No:</b> <b>Comment:</b> <b>Alt Name:</b>		1001937895	0		
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b> <b>Layer:</b> <b>Material:</b> <b>Open Hole or Material:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Casing Diameter:</b> <b>Casing Diameter UOM:</b> <b>Casing Depth UOM:</b>		1001937900			cm m
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> <b>Layer:</b> <b>Slot:</b> <b>Screen Top Depth:</b> <b>Screen End Depth:</b> <b>Screen Material:</b> <b>Screen Depth UOM:</b> <b>Screen Diameter UOM:</b> <b>Screen Diameter:</b>		1001937901			m cm
<b><u>Water Details</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Water ID:</b>		1001937899			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1001937897			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<hr/>					
<a href="#">54</a>	1 of 1	S/189.4	83.3 / 2.67	1102 Klondike Road Kanata ON K2K 1X7	EHS
<b>Order No:</b>	20180816118			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	22-AUG-18			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	16-AUG-18			<b>X:</b>	-75.932515
<b>Previous Site Name:</b>				<b>Y:</b>	45.354128
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans				
<hr/>					
<a href="#">55</a>	1 of 1	W/194.8	81.6 / 0.89	lot 11 con 4 ON	WWIS
<b>Well ID:</b>	1503413			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Domestic			<b>Date Received:</b>	2/20/1962
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	4825
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>				<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	011
<b>Well Depth:</b>				<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1503413.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1503413.pdf</a>				
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	10025456			<b>Elevation:</b>	77.416564
<b>DP2BR:</b>	22			<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>	r			<b>East83:</b>	426690.6
<b>Code OB Desc:</b>	Bedrock			<b>North83:</b>	5023142
<b>Open Hole:</b>				<b>Org CS:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Cluster Kind:</b>				<b>UTMRC:</b>	5
<b>Date Completed:</b>	11/12/1961			<b>UTMRC Desc:</b>	margin of error : 100 m - 300 m
<b>Remarks:</b>				<b>Location Method:</b>	p5
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		930996773			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		16			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		930996774			
<b>Layer:</b>		2			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		14			
<b>Most Common Material:</b>		HARDPAN			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		16			
<b>Formation End Depth:</b>		22			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		930996775			
<b>Layer:</b>		3			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		18			
<b>Most Common Material:</b>		SANDSTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		22			
<b>Formation End Depth:</b>		38			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		961503413			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10574026			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930043661			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		24			
<b>Casing Diameter:</b>		4			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930043662			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		38			
<b>Casing Diameter:</b>		4			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991503413			
<b>Pump Set At:</b>					
<b>Static Level:</b>		10			
<b>Final Level After Pumping:</b>		14			
<b>Recommended Pump Depth:</b>		30			
<b>Pumping Rate:</b>		6			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		5			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		2			
<b>Water State After Test:</b>		CLOUDY			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		0			
<b>Pumping Duration MIN:</b>		30			
<b>Flowing:</b>		No			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933456318			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind:		FRESH			
Water Found Depth:		37			
Water Found Depth UOM:		ft			

<a href="#">56</a>	1 of 1	WNW/205.7	79.2 / -1.50	886 March Road Ottawa ON K2K 1X7	EHS
Order No:	20120611011			Nearest Intersection:	
Status:	C			Municipality:	Kanata
Report Type:	Standard Select Report			Client Prov/State:	ON
Report Date:	12-JUN-12			Search Radius (km):	.25
Date Received:	11-JUN-12			X:	-75.936185
Previous Site Name:				Y:	45.359224
Lot/Building Size:	15,800sm				
Additional Info Ordered:					

<a href="#">57</a>	1 of 2	WNW/213.8	81.6 / 0.89	858 March Rd,Kanata ON	PINC
Incident ID:	2682198			Fuel Category:	Natural Gas
Incident No:	525800			Health Impact:	No
Incident Reported Dt:				Environment Impact:	No
Type:	FS-Pipeline Incident			Property Damage:	Yes
Status Code:	Pipeline Damage Reason Est			Service Interrupt:	Yes
Customer Acct Name:				Enforce Policy:	Yes
Incident Address:				Public Relation:	No
Tank Status:	RC Established			Pipeline System:	
Task No:	3215894			Depth:	
Spills Action Centre:				Pipe Material:	
Fuel Type:	Natural Gas			PSIG:	
Fuel Occurrence Tp:	Pipeline Strike			Attribute Category:	FS-Perform P-line Inc Invest
Date of Occurrence:	1/6/2011 0:00			Regulator Location:	
Occurrence Start Dt:	2011/02/09			Method Details:	E-mail
Operation Type:	Construction Site (including excavation)				
Pipeline Type:					
Regulator Type:					
Summary:	858 March Rd,Kanata - 1 1/4" PE Pipeline Hit				
Reported By:	Stiles, Jeff - Enbridge				
Affiliation:	Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)				
Occurrence Desc:	no locates with operator				
Damage Reason:	Excavation practices not sufficient				
Notes:					

<a href="#">57</a>	2 of 2	WNW/213.8	81.6 / 0.89	858 MARCH ROAD, KANATA ON K2W 0C9	PINC
Incident ID:	2685528			Fuel Category:	Heating Fuel
Incident No:	529122			Health Impact:	
Incident Reported Dt:				Environment Impact:	
Type:	FS-Pipeline Incident			Property Damage:	
Status Code:	Pipeline Damage Reason Est			Service Interrupt:	
Customer Acct Name:				Enforce Policy:	
Incident Address:				Public Relation:	
Tank Status:				Pipeline System:	
Task No:				Depth:	
Spills Action Centre:	N/A			Pipe Material:	
Fuel Type:				PSIG:	
Fuel Occurrence Tp:				Attribute Category:	
Date of Occurrence:				Regulator Location:	
Occurrence Start Dt:				Method Details:	
Operation Type:					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pipeline Type:</b> <b>Regulator Type:</b> <b>Summary:</b> 858 MARCH ROAD, KANATA - 1 1/4" PIPELINE HIT <b>Reported By:</b> JEFF STILES - ENBRIDGE OTTAWA <b>Affiliation:</b> Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) <b>Occurrence Desc:</b> <b>Damage Reason:</b> <b>Notes:</b>					
<a href="#">58</a>	1 of 1	WNW/215.0	79.9 / -0.77	McDonald's Restaurants of Canada Limited 886 March Rd Ottawa ON H9P 2V5	ECA
<b>Approval No:</b> 2706-9MJQ5V <b>Approval Date:</b> 2014-08-07 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> <b>Approval Type:</b> ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Project Type:</b> MUNICIPAL AND PRIVATE SEWAGE WORKS <b>Business Name:</b> McDonald's Restaurants of Canada Limited <b>Address:</b> 886 March Rd <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3363-9FZJC9-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3363-9FZJC9-14.pdf</a>					
<a href="#">59</a>	1 of 1	W/219.1	81.9 / 1.20	PRIVATE OWNER RESIDENCE AT 865 MARCH RD. (OWNER MR. WARD, 592-4814) STORAGE TANK/BARREL OTTAWA CITY ON K2K 1X7	SPL
<b>Ref No:</b> 72862 <b>Site No:</b> <b>Incident Dt:</b> 6/30/1992 <b>Year:</b> <b>Incident Cause:</b> PIPE/HOSE LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Soil Contamination <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 6/30/1992 <b>Dt Document Closed:</b> <b>Incident Reason:</b> EQUIPMENT FAILURE <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> FURNACE OIL TO GROUND FROM FILL PIPE AT PRIVATERESIDENCE. <b>Contaminant Qty:</b>					
<a href="#">60</a>	1 of 1	WSW/219.9	84.7 / 4.07	426 BRECKENRIDGE CRESCENT, KANATA ON	INC

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident No:</b>	1332386			<b>Any Health Impact:</b>	No
<b>Incident ID:</b>				<b>Any Enviro Impact:</b>	No
<b>Instance No:</b>				<b>Service Interrupted:</b>	Yes
<b>Status Code:</b>				<b>Was Prop Damaged:</b>	Yes
<b>Attribute Category:</b>	FS-Perform L1 Incident Insp			<b>Reside App. Type:</b>	
<b>Context:</b>				<b>Commer App. Type:</b>	
<b>Date of Occurrence:</b>	2014/02/04 00:00:00			<b>Indus App. Type:</b>	
<b>Time of Occurrence:</b>	NULL			<b>Institut App. Type:</b>	
<b>Incident Created On:</b>				<b>Venting Type:</b>	
<b>Instance Creation Dt:</b>				<b>Vent Conn Mater:</b>	
<b>Instance Install Dt:</b>				<b>Vent Chimney Mater:</b>	
<b>Occur Insp Start Date:</b>	2014/02/05 00:00:00			<b>Pipeline Type:</b>	
<b>Approx Quant Rel:</b>				<b>Pipeline Involved:</b>	
<b>Tank Capacity:</b>				<b>Pipe Material:</b>	
<b>Fuels Occur Type:</b>	CO Release			<b>Depth Ground Cover:</b>	
<b>Fuel Type Involved:</b>	Natural Gas			<b>Regulator Location:</b>	
<b>Enforcement Policy:</b>	NULL			<b>Regulator Type:</b>	
<b>Prc Escalation Req:</b>	NULL			<b>Operation Pressure:</b>	
<b>Tank Material Type:</b>				<b>Liquid Prop Make:</b>	
<b>Tank Storage Type:</b>				<b>Liquid Prop Model:</b>	
<b>Tank Location Type:</b>				<b>Liquid Prop Serial No:</b>	
<b>Pump Flow Rate Cap:</b>				<b>Liquid Prop Notes:</b>	
<b>Task No:</b>	4800451			<b>Equipment Type:</b>	
<b>Notes:</b>				<b>Equipment Model:</b>	
<b>Drainage System:</b>				<b>Serial No:</b>	
<b>Sub Surface Contam.:</b>				<b>Cylinder Capacity:</b>	
<b>Aff Prop Use Water:</b>				<b>Cylinder Cap Units:</b>	
<b>Contam. Migrated:</b>				<b>Cylinder Mat Type:</b>	
<b>Contact Natural Env:</b>				<b>Near Body of Water:</b>	
<b>Incident Location:</b>		426 BRECKENRIDGE CRESCENT, KANATA - CO RELEASE			
<b>Occurrence Narrative:</b>		co alarming, ppm found in home, faulty detector			
<b>Operation Type Involved:</b>		Private Dwelling			
<b>Item:</b>					
<b>Item Description:</b>					
<b>Device Installed Location:</b>					

<a href="#">61</a>	1 of 1	ESE/220.2	78.8 / -1.83	Minto Communities Inc. 335 Sandhill Rd Ottawa ON K1P 0B6	ECA
<b>Approval No:</b>	2887-BVJN74			<b>MOE District:</b>	
<b>Approval Date:</b>	2020-11-27			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Project Type:</b>	MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Business Name:</b>	Minto Communities Inc.				
<b>Address:</b>	335 Sandhill Rd				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7538-BV4R97-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7538-BV4R97-14.pdf</a>				

<a href="#">62</a>	1 of 1	WNW/227.5	81.6 / 0.89	886 MARCH ROAD lot 11 con 4 CARP ON	WWIS
<b>Well ID:</b>	7049297			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	9/17/2007
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	1119

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Material:</b>				<b>Form Version:</b>	4
<b>Audit No:</b>	Z60172			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	886 MARCH ROAD
<b>Construction Method:</b>				<b>County:</b>	OTTAWA
<b>Elevation (m):</b>				<b>Municipality:</b>	MARCH TOWNSHIP
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	011
<b>Well Depth:</b>				<b>Concession:</b>	04
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	CON
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/704\7049297.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/704\7049297.pdf</a>				

#### Bore Hole Information

<b>Bore Hole ID:</b>	23049297	<b>Elevation:</b>	77.812026
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	18
<b>Code OB:</b>		<b>East83:</b>	426646
<b>Code OB Desc:</b>		<b>North83:</b>	5023182
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	8/2/2007	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock Materials Interval

<b>Formation ID:</b>	1000025640
<b>Layer:</b>	1
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	
<b>Most Common Material:</b>	
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	
<b>Formation End Depth UOM:</b>	m

#### Annular Space/Abandonment Sealing Record

<b>Plug ID:</b>	1000025641
<b>Layer:</b>	1
<b>Plug From:</b>	24.08
<b>Plug To:</b>	0.15
<b>Plug Depth UOM:</b>	m

#### Annular Space/Abandonment

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1000025642			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.15			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1000025645			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1000025638			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1000025644			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>					
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1000025639			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>		LPM			
<b>Water State After Test Code:</b>		0			
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1000025643			
<b>Layer:</b>		1			
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB																																																																																
<a href="#">63</a>	1 of 1	SW/230.5	84.1 / 3.42	lot 11 con 3 ON	WWIS																																																																																
<table border="0"> <tr> <td><b>Well ID:</b></td> <td>1517710</td> <td><b>Data Entry Status:</b></td> <td></td> </tr> <tr> <td><b>Construction Date:</b></td> <td></td> <td><b>Data Src:</b></td> <td>1</td> </tr> <tr> <td><b>Primary Water Use:</b></td> <td>Domestic</td> <td><b>Date Received:</b></td> <td>2/11/1982</td> </tr> <tr> <td><b>Sec. Water Use:</b></td> <td>0</td> <td><b>Selected Flag:</b></td> <td>Yes</td> </tr> <tr> <td><b>Final Well Status:</b></td> <td>Water Supply</td> <td><b>Abandonment Rec:</b></td> <td></td> </tr> <tr> <td><b>Water Type:</b></td> <td></td> <td><b>Contractor:</b></td> <td>3504</td> </tr> <tr> <td><b>Casing Material:</b></td> <td></td> <td><b>Form Version:</b></td> <td>1</td> </tr> <tr> <td><b>Audit No:</b></td> <td></td> <td><b>Owner:</b></td> <td></td> </tr> <tr> <td><b>Tag:</b></td> <td></td> <td><b>Street Name:</b></td> <td></td> </tr> <tr> <td><b>Construction Method:</b></td> <td></td> <td><b>County:</b></td> <td>OTTAWA</td> </tr> <tr> <td><b>Elevation (m):</b></td> <td></td> <td><b>Municipality:</b></td> <td>MARCH TOWNSHIP</td> </tr> <tr> <td><b>Elevation Reliability:</b></td> <td></td> <td><b>Site Info:</b></td> <td></td> </tr> <tr> <td><b>Depth to Bedrock:</b></td> <td></td> <td><b>Lot:</b></td> <td>011</td> </tr> <tr> <td><b>Well Depth:</b></td> <td></td> <td><b>Concession:</b></td> <td>03</td> </tr> <tr> <td><b>Overburden/Bedrock:</b></td> <td></td> <td><b>Concession Name:</b></td> <td>CON</td> </tr> <tr> <td><b>Pump Rate:</b></td> <td></td> <td><b>Easting NAD83:</b></td> <td></td> </tr> <tr> <td><b>Static Water Level:</b></td> <td></td> <td><b>Northing NAD83:</b></td> <td></td> </tr> <tr> <td><b>Flowing (Y/N):</b></td> <td></td> <td><b>Zone:</b></td> <td></td> </tr> <tr> <td><b>Flow Rate:</b></td> <td></td> <td><b>UTM Reliability:</b></td> <td></td> </tr> <tr> <td><b>Clear/Cloudy:</b></td> <td></td> <td></td> <td></td> </tr> </table>						<b>Well ID:</b>	1517710	<b>Data Entry Status:</b>		<b>Construction Date:</b>		<b>Data Src:</b>	1	<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	2/11/1982	<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes	<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>		<b>Water Type:</b>		<b>Contractor:</b>	3504	<b>Casing Material:</b>		<b>Form Version:</b>	1	<b>Audit No:</b>		<b>Owner:</b>		<b>Tag:</b>		<b>Street Name:</b>		<b>Construction Method:</b>		<b>County:</b>	OTTAWA	<b>Elevation (m):</b>		<b>Municipality:</b>	MARCH TOWNSHIP	<b>Elevation Reliability:</b>		<b>Site Info:</b>		<b>Depth to Bedrock:</b>		<b>Lot:</b>	011	<b>Well Depth:</b>		<b>Concession:</b>	03	<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	CON	<b>Pump Rate:</b>		<b>Easting NAD83:</b>		<b>Static Water Level:</b>		<b>Northing NAD83:</b>		<b>Flowing (Y/N):</b>		<b>Zone:</b>		<b>Flow Rate:</b>		<b>UTM Reliability:</b>		<b>Clear/Cloudy:</b>			
<b>Well ID:</b>	1517710	<b>Data Entry Status:</b>																																																																																			
<b>Construction Date:</b>		<b>Data Src:</b>	1																																																																																		
<b>Primary Water Use:</b>	Domestic	<b>Date Received:</b>	2/11/1982																																																																																		
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes																																																																																		
<b>Final Well Status:</b>	Water Supply	<b>Abandonment Rec:</b>																																																																																			
<b>Water Type:</b>		<b>Contractor:</b>	3504																																																																																		
<b>Casing Material:</b>		<b>Form Version:</b>	1																																																																																		
<b>Audit No:</b>		<b>Owner:</b>																																																																																			
<b>Tag:</b>		<b>Street Name:</b>																																																																																			
<b>Construction Method:</b>		<b>County:</b>	OTTAWA																																																																																		
<b>Elevation (m):</b>		<b>Municipality:</b>	MARCH TOWNSHIP																																																																																		
<b>Elevation Reliability:</b>		<b>Site Info:</b>																																																																																			
<b>Depth to Bedrock:</b>		<b>Lot:</b>	011																																																																																		
<b>Well Depth:</b>		<b>Concession:</b>	03																																																																																		
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	CON																																																																																		
<b>Pump Rate:</b>		<b>Easting NAD83:</b>																																																																																			
<b>Static Water Level:</b>		<b>Northing NAD83:</b>																																																																																			
<b>Flowing (Y/N):</b>		<b>Zone:</b>																																																																																			
<b>Flow Rate:</b>		<b>UTM Reliability:</b>																																																																																			
<b>Clear/Cloudy:</b>																																																																																					
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1517710.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1517710.pdf</a>																																																																																			
<b><u>Bore Hole Information</u></b>																																																																																					
<table border="0"> <tr> <td><b>Bore Hole ID:</b></td> <td>10039582</td> <td><b>Elevation:</b></td> <td>80.339553</td> </tr> <tr> <td><b>DP2BR:</b></td> <td>8</td> <td><b>Elevrc:</b></td> <td></td> </tr> <tr> <td><b>Spatial Status:</b></td> <td></td> <td><b>Zone:</b></td> <td>18</td> </tr> <tr> <td><b>Code OB:</b></td> <td>r</td> <td><b>East83:</b></td> <td>426829.6</td> </tr> <tr> <td><b>Code OB Desc:</b></td> <td>Bedrock</td> <td><b>North83:</b></td> <td>5022721</td> </tr> <tr> <td><b>Open Hole:</b></td> <td></td> <td><b>Org CS:</b></td> <td></td> </tr> <tr> <td><b>Cluster Kind:</b></td> <td></td> <td><b>UTMRC:</b></td> <td>4</td> </tr> <tr> <td><b>Date Completed:</b></td> <td>9/15/1981</td> <td><b>UTMRC Desc:</b></td> <td>margin of error : 30 m - 100 m</td> </tr> <tr> <td><b>Remarks:</b></td> <td></td> <td><b>Location Method:</b></td> <td>p4</td> </tr> <tr> <td><b>Elevrc Desc:</b></td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Location Source Date:</b></td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Improvement Location Source:</b></td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Improvement Location Method:</b></td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Source Revision Comment:</b></td> <td></td> <td></td> <td></td> </tr> <tr> <td><b>Supplier Comment:</b></td> <td></td> <td></td> <td></td> </tr> </table>						<b>Bore Hole ID:</b>	10039582	<b>Elevation:</b>	80.339553	<b>DP2BR:</b>	8	<b>Elevrc:</b>		<b>Spatial Status:</b>		<b>Zone:</b>	18	<b>Code OB:</b>	r	<b>East83:</b>	426829.6	<b>Code OB Desc:</b>	Bedrock	<b>North83:</b>	5022721	<b>Open Hole:</b>		<b>Org CS:</b>		<b>Cluster Kind:</b>		<b>UTMRC:</b>	4	<b>Date Completed:</b>	9/15/1981	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m	<b>Remarks:</b>		<b>Location Method:</b>	p4	<b>Elevrc Desc:</b>				<b>Location Source Date:</b>				<b>Improvement Location Source:</b>				<b>Improvement Location Method:</b>				<b>Source Revision Comment:</b>				<b>Supplier Comment:</b>																							
<b>Bore Hole ID:</b>	10039582	<b>Elevation:</b>	80.339553																																																																																		
<b>DP2BR:</b>	8	<b>Elevrc:</b>																																																																																			
<b>Spatial Status:</b>		<b>Zone:</b>	18																																																																																		
<b>Code OB:</b>	r	<b>East83:</b>	426829.6																																																																																		
<b>Code OB Desc:</b>	Bedrock	<b>North83:</b>	5022721																																																																																		
<b>Open Hole:</b>		<b>Org CS:</b>																																																																																			
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4																																																																																		
<b>Date Completed:</b>	9/15/1981	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m																																																																																		
<b>Remarks:</b>		<b>Location Method:</b>	p4																																																																																		
<b>Elevrc Desc:</b>																																																																																					
<b>Location Source Date:</b>																																																																																					
<b>Improvement Location Source:</b>																																																																																					
<b>Improvement Location Method:</b>																																																																																					
<b>Source Revision Comment:</b>																																																																																					
<b>Supplier Comment:</b>																																																																																					
<b><u>Overburden and Bedrock</u></b>																																																																																					
<b><u>Materials Interval</u></b>																																																																																					
<table border="0"> <tr> <td><b>Formation ID:</b></td> <td>931036052</td> </tr> <tr> <td><b>Layer:</b></td> <td>1</td> </tr> <tr> <td><b>Color:</b></td> <td></td> </tr> <tr> <td><b>General Color:</b></td> <td></td> </tr> <tr> <td><b>Mat1:</b></td> <td>28</td> </tr> <tr> <td><b>Most Common Material:</b></td> <td>SAND</td> </tr> <tr> <td><b>Mat2:</b></td> <td></td> </tr> <tr> <td><b>Mat2 Desc:</b></td> <td></td> </tr> <tr> <td><b>Mat3:</b></td> <td></td> </tr> <tr> <td><b>Mat3 Desc:</b></td> <td></td> </tr> <tr> <td><b>Formation Top Depth:</b></td> <td>0</td> </tr> <tr> <td><b>Formation End Depth:</b></td> <td>8</td> </tr> <tr> <td><b>Formation End Depth UOM:</b></td> <td>ft</td> </tr> </table>						<b>Formation ID:</b>	931036052	<b>Layer:</b>	1	<b>Color:</b>		<b>General Color:</b>		<b>Mat1:</b>	28	<b>Most Common Material:</b>	SAND	<b>Mat2:</b>		<b>Mat2 Desc:</b>		<b>Mat3:</b>		<b>Mat3 Desc:</b>		<b>Formation Top Depth:</b>	0	<b>Formation End Depth:</b>	8	<b>Formation End Depth UOM:</b>	ft																																																						
<b>Formation ID:</b>	931036052																																																																																				
<b>Layer:</b>	1																																																																																				
<b>Color:</b>																																																																																					
<b>General Color:</b>																																																																																					
<b>Mat1:</b>	28																																																																																				
<b>Most Common Material:</b>	SAND																																																																																				
<b>Mat2:</b>																																																																																					
<b>Mat2 Desc:</b>																																																																																					
<b>Mat3:</b>																																																																																					
<b>Mat3 Desc:</b>																																																																																					
<b>Formation Top Depth:</b>	0																																																																																				
<b>Formation End Depth:</b>	8																																																																																				
<b>Formation End Depth UOM:</b>	ft																																																																																				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		931036053			
<b>Layer:</b>		2			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		18			
<b>Most Common Material:</b>		SANDSTONE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		8			
<b>Formation End Depth:</b>		75			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		961517710			
<b>Method Construction Code:</b>		4			
<b>Method Construction:</b>		Rotary (Air)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10588152			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930069186			
<b>Layer:</b>		1			
<b>Material:</b>		1			
<b>Open Hole or Material:</b>		STEEL			
<b>Depth From:</b>					
<b>Depth To:</b>		22			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991517710			
<b>Pump Set At:</b>					
<b>Static Level:</b>		32			
<b>Final Level After Pumping:</b>		70			
<b>Recommended Pump Depth:</b>		60			
<b>Pumping Rate:</b>		10			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>		8			
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		0			
<b>Pumping Duration MIN:</b>		30			
<b>Flowing:</b>		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Draw Down & Recovery**

**Pump Test Detail ID:** 934376125  
**Test Type:** Recovery  
**Test Duration:** 30  
**Test Level:** 32  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934895653  
**Test Type:** Recovery  
**Test Duration:** 60  
**Test Level:** 32  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934646378  
**Test Type:** Recovery  
**Test Duration:** 45  
**Test Level:** 32  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933474237  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 70  
**Water Found Depth UOM:** ft

---

<a href="#"><u>64</u></a>	1 of 1	WNW/231.7	80.9 / 0.25	lot 11 con 4 ON	WWIS
---------------------------	--------	-----------	-------------	--------------------	------

<p><b>Well ID:</b> 1510247  <b>Construction Date:</b>  <b>Primary Water Use:</b> Domestic  <b>Sec. Water Use:</b> 0  <b>Final Well Status:</b> Water Supply  <b>Water Type:</b>  <b>Casing Material:</b>  <b>Audit No:</b>  <b>Tag:</b>  <b>Construction Method:</b>  <b>Elevation (m):</b>  <b>Elevation Reliability:</b>  <b>Depth to Bedrock:</b>  <b>Well Depth:</b>  <b>Overburden/Bedrock:</b>  <b>Pump Rate:</b>  <b>Static Water Level:</b>  <b>Flowing (Y/N):</b>  <b>Flow Rate:</b>  <b>Clear/Cloudy:</b></p>	<p><b>Data Entry Status:</b>  <b>Data Src:</b> 1  <b>Date Received:</b> 10/30/1969  <b>Selected Flag:</b> Yes  <b>Abandonment Rec:</b>  <b>Contractor:</b> 1503  <b>Form Version:</b> 1  <b>Owner:</b>  <b>Street Name:</b>  <b>County:</b> OTTAWA  <b>Municipality:</b> MARCH TOWNSHIP  <b>Site Info:</b>  <b>Lot:</b> 011  <b>Concession:</b> 04  <b>Concession Name:</b> CON  <b>Easting NAD83:</b>  <b>Northing NAD83:</b>  <b>Zone:</b>  <b>UTM Reliability:</b></p>
---	---

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/151\1510247.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/151\1510247.pdf)

**Bore Hole Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bore Hole ID:</b>	10032275			<b>Elevation:</b>	77.674873
<b>DP2BR:</b>	25			<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	18
<b>Code OB:</b>	r			<b>East83:</b>	426640.6
<b>Code OB Desc:</b>	Bedrock			<b>North83:</b>	5023192
<b>Open Hole:</b>				<b>Org CS:</b>	
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	6/11/1969			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	p4
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	931014324
<b>Layer:</b>	1
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	25
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock  
Materials Interval**

<b>Formation ID:</b>	931014325
<b>Layer:</b>	2
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	18
<b>Most Common Material:</b>	SANDSTONE
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	25
<b>Formation End Depth:</b>	61
<b>Formation End Depth UOM:</b>	ft

**Method of Construction & Well  
Use**

<b>Method Construction ID:</b>	961510247
<b>Method Construction Code:</b>	1
<b>Method Construction:</b>	Cable Tool
<b>Other Method Construction:</b>	

**Pipe Information**

<b>Pipe ID:</b>	10580845
-----------------	----------



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Casing No: 1  
 Comment:  
 Alt Name:

**Construction Record - Casing**

Casing ID: 930057145  
 Layer: 1  
 Material: 1  
 Open Hole or Material: STEEL  
 Depth From:  
 Depth To: 28  
 Casing Diameter: 5  
 Casing Diameter UOM: inch  
 Casing Depth UOM: ft

**Construction Record - Casing**

Casing ID: 930057146  
 Layer: 2  
 Material: 4  
 Open Hole or Material: OPEN HOLE  
 Depth From:  
 Depth To: 61  
 Casing Diameter: 5  
 Casing Diameter UOM: inch  
 Casing Depth UOM: ft

**Results of Well Yield Testing**

Pump Test ID: 991510247  
 Pump Set At:  
 Static Level: 5  
 Final Level After Pumping: 9  
 Recommended Pump Depth: 30  
 Pumping Rate: 10  
 Flowing Rate:  
 Recommended Pump Rate: 5  
 Levels UOM: ft  
 Rate UOM: GPM  
 Water State After Test Code: 2  
 Water State After Test: CLOUDY  
 Pumping Test Method: 1  
 Pumping Duration HR: 1  
 Pumping Duration MIN: 0  
 Flowing: No

**Water Details**

Water ID: 933465213  
 Layer: 1  
 Kind Code: 1  
 Kind: FRESH  
 Water Found Depth: 60  
 Water Found Depth UOM: ft

[65](#) 1 of 1 WNW/231.7 80.9 / 0.25 ON **BORE**

Borehole ID: 609823 Incl FLG: No  
 OGF ID: 215511438 SP Status: Initial Entry  
 Status: Surv Elev: No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>	JUN-1969			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.358401
<b>Total Depth m:</b>	18.6			<b>Longitude DD:</b>	-75.936635
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	426641
<b>Drill Method:</b>				<b>Northing:</b>	5023192
<b>Orig Ground Elev m:</b>	78			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	77.7				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	218384176			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	7.6			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	CLAY.				
<b>Geology Stratum ID:</b>	218384177			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	7.6			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	18.6			<b>Material Texture:</b>	
<b>Material Color:</b>	Black			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sandstone			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SANDSTONE. 00060000870005800075 SEISMIC VELOCITY = 14600. FEET.BLACK. LIMESTONE.				
<b><u>Source</u></b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Iden:</b>	1
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>				<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: OTTAWA1.txt RecordID: 02331 NTS_Sheet:				
<b>Confiden 1:</b>					
<b><u>Source List</u></b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">66</a>	1 of 1	WNW/232.0	78.9 / -1.80	ON	<b>BORE</b>
<b>Borehole ID:</b>	609828			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215511443			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>				<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.359664
<b>Total Depth m:</b>	-999			<b>Longitude DD:</b>	-75.936272
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	426671
<b>Drill Method:</b>				<b>Northing:</b>	5023332
<b>Orig Ground Elev m:</b>	76.2			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	75.4				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	218384189			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.7			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SAND.				
<b>Geology Stratum ID:</b>	218384190			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	2.7			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	5.5			<b>Material Texture:</b>	
<b>Material Color:</b>	Blue			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	CLAY. BLUE.				
<b>Geology Stratum ID:</b>	218384191			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	5.5			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>				<b>Material Texture:</b>	
<b>Material Color:</b>	Black			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Sandstone			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	BEDROCK,SANDSTONE. 64 VELOCITY = 14600. FEET.BLACK. LIMESTONE. BLUE. SANDSTO				**Note: Many records provided by the department have a truncated [Stratum Description] field.
<b><u>Source</u></b>					
<b>Source Type:</b>	Data Survey			<b>Source Appl:</b>	Spatial/Tabular
<b>Source Orig:</b>	Geological Survey of Canada			<b>Source Iden:</b>	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Source Date:</b>	1956-1972			<b>Scale or Res:</b>	Varies
<b>Confidence:</b>	M			<b>Horizontal:</b>	NAD27
<b>Observatio:</b>				<b>Verticalda:</b>	Mean Average Sea Level
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Details:</b>	File: OTTAWA1.txt RecordID: 023360 NTS_Sheet: 31G05D				
<b>Confiden 1:</b>	Reliable information but incomplete.				
<b>Source List</b>					
<b>Source Identifier:</b>	1			<b>Horizontal Datum:</b>	NAD27
<b>Source Type:</b>	Data Survey			<b>Vertical Datum:</b>	Mean Average Sea Level
<b>Source Date:</b>	1956-1972			<b>Projection Name:</b>	Universal Transverse Mercator
<b>Scale or Resolution:</b>	Varies				
<b>Source Name:</b>	Urban Geology Automated Information System (UGAIS)				
<b>Source Originators:</b>	Geological Survey of Canada				

<u>67</u>	1 of 1	SW/234.5	84.3 / 3.58	ON	BORE
<b>Borehole ID:</b>	609810			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215511425			<b>SP Status:</b>	Initial Entry
<b>Status:</b>				<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>				<b>Primary Name:</b>	
<b>Completion Date:</b>	NOV-1953			<b>Municipality:</b>	
<b>Static Water Level:</b>	-10.0			<b>Lot:</b>	
<b>Primary Water Use:</b>				<b>Township:</b>	
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	45.354279
<b>Total Depth m:</b>	20.7			<b>Longitude DD:</b>	-75.934396
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	18
<b>Depth Elev:</b>				<b>Easting:</b>	426811
<b>Drill Method:</b>				<b>Northing:</b>	5022732
<b>Orig Ground Elev m:</b>	80.8			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Not Applicable
<b>DEM Ground Elev m:</b>	80.9				
<b>Concession:</b>					
<b>Location D:</b>					
<b>Survey D:</b>					
<b>Comments:</b>					

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	218384147			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.3			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Soil			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SOIL.				
<b>Geology Stratum ID:</b>	218384148			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	20.7			<b>Material Texture:</b>	
<b>Material Color:</b>	Black			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sandstone			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	SANDSTONE. FACE. BEDROCK,SANDSTONE. WATER STABLE AT 298.0 FEET.BLACK. LIMESTONE.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Source**

**Source Type:** Data Survey  
**Source Orig:** Geological Survey of Canada  
**Source Date:** 1956-1972  
**Confidence:**  
**Observatio:**  
**Source Name:** Urban Geology Automated Information System (UGAIS)  
**Source Details:** File: OTTAWA1.txt RecordID: 02318 NTS\_Sheet:  
**Confiden 1:**

**Source Appl:** Spatial/Tabular  
**Source Iden:** 1  
**Scale or Res:** Varies  
**Horizontal:** NAD27  
**Verticalda:** Mean Average Sea Level

**Source List**

**Source Identifier:** 1  
**Source Type:** Data Survey  
**Source Date:** 1956-1972  
**Scale or Resolution:** Varies  
**Source Name:** Urban Geology Automated Information System (UGAIS)  
**Source Originators:** Geological Survey of Canada

**Horizontal Datum:** NAD27  
**Vertical Datum:** Mean Average Sea Level  
**Projection Name:** Universal Transverse Mercator

<a href="#">68</a>	1 of 1	SW/234.6	84.3 / 3.58	lot 11 con 3 ON	WWIS
--------------------	--------	----------	-------------	--------------------	------

**Well ID:** 1503348  
**Construction Date:**  
**Primary Water Use:** Domestic  
**Sec. Water Use:** 0  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:**  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 3/1/1954  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 4825  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** OTTAWA  
**Municipality:** MARCH TOWNSHIP  
**Site Info:**  
**Lot:** 011  
**Concession:** 03  
**Concession Name:** CON  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/150\1503348.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/150\1503348.pdf)

**Bore Hole Information**

**Bore Hole ID:** 10025391  
**DP2BR:** 1  
**Spatial Status:**  
**Code OB:** r  
**Code OB Desc:** Bedrock  
**Open Hole:**  
**Cluster Kind:**  
**Date Completed:** 11/3/1953  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**

**Elevation:** 80.861373  
**Elevrc:**  
**Zone:** 18  
**East83:** 426810.6  
**North83:** 5022732  
**Org CS:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** p9

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			930996636		
<b>Layer:</b>			1		
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>			02		
<b>Most Common Material:</b>			TOPSOIL		
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			1		
<b>Formation End Depth UOM:</b>			ft		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			930996637		
<b>Layer:</b>			2		
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>			18		
<b>Most Common Material:</b>			SANDSTONE		
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>			1		
<b>Formation End Depth:</b>			68		
<b>Formation End Depth UOM:</b>			ft		
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>			961503348		
<b>Method Construction Code:</b>			1		
<b>Method Construction:</b>			Cable Tool		
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>			10573961		
<b>Casing No:</b>			1		
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>			930043534		
<b>Layer:</b>			1		
<b>Material:</b>			1		
<b>Open Hole or Material:</b>			STEEL		
<b>Depth From:</b>					
<b>Depth To:</b>			42		
<b>Casing Diameter:</b>			4		
<b>Casing Diameter UOM:</b>			inch		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930043535			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		68			
<b>Casing Diameter:</b>		4			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		991503348			
<b>Pump Set At:</b>					
<b>Static Level:</b>		35			
<b>Final Level After Pumping:</b>		60			
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>		5			
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		ft			
<b>Rate UOM:</b>		GPM			
<b>Water State After Test Code:</b>		1			
<b>Water State After Test:</b>		CLEAR			
<b>Pumping Test Method:</b>		1			
<b>Pumping Duration HR:</b>		0			
<b>Pumping Duration MIN:</b>		30			
<b>Flowing:</b>		No			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		933456242			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		55			
<b>Water Found Depth UOM:</b>		ft			
<a href="#">69</a>	1 of 15	S/238.4	83.2 / 2.50	Activecare klondike medical centre 1108 klondike rd. ottawa ON K2K0G1	GEN
<b>Generator No:</b>		ON9298734		<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2010		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>		621110			
<b>SIC Description:</b>		Offices of Physicians			
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">69</a>	2 of 15	S/238.4	83.2 / 2.50	Activecare klondike medical centre 1108 klondike rd.	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				ottawa ON K2K0G1	
<b>Generator No:</b>	ON9298734			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	Offices of Physicians				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">69</a>	3 of 15	S/238.4	83.2 / 2.50	Activecare klondike medical centre 1108 klondike rd. ottawa ON K2K0G1	GEN
<b>Generator No:</b>	ON9298734			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	Offices of Physicians				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">69</a>	4 of 15	S/238.4	83.2 / 2.50	Activecare klondike medical centre 1108 klondike rd. ottawa ON	GEN
<b>Generator No:</b>	ON9298734			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	OFFICES OF PHYSICIANS				
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">69</a>	5 of 15	S/238.4	83.2 / 2.50	Activecare klondike medical centre 1108 klondike rd. ottawa ON K2K0G1	GEN
<b>Generator No:</b>	ON9298734			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	OFFICES OF PHYSICIANS				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Detail(s)</u></b>					
		312			
		PATHOLOGICAL WASTES			
<a href="#">69</a>	6 of 15	S/238.4	83.2 / 2.50	INVIVA McKesson Pharma 1108 Klondike Road Unit A Kanata ON K2K 0G1	GEN
<b>Generator No:</b>	ON3526988			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	na na
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	na Ext.
<b>SIC Code:</b>	621390				
<b>SIC Description:</b>	OFFICES OF ALL OTHER HEALTH PRACTITIONERS				
<b><u>Detail(s)</u></b>					
		312			
		PATHOLOGICAL WASTES			
		261			
		PHARMACEUTICALS			
<a href="#">69</a>	7 of 15	S/238.4	83.2 / 2.50	INVIVA McKesson Pharma 1108 Klondike Road Unit A Kanata ON K2K 0G1	GEN
<b>Generator No:</b>	ON3526988			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	na na
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	na Ext.
<b>SIC Code:</b>	621390				
<b>SIC Description:</b>	OFFICES OF ALL OTHER HEALTH PRACTITIONERS				
<b><u>Detail(s)</u></b>					
		312			
		PATHOLOGICAL WASTES			
<a href="#">69</a>	8 of 15	S/238.4	83.2 / 2.50	Activecare klondike medical centre 1108 klondike rd. ottawa ON K2K0G1	GEN
<b>Generator No:</b>	ON9298734			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	OFFICES OF PHYSICIANS				
<b><u>Detail(s)</u></b>					
		312			
		PATHOLOGICAL WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">69</a>	9 of 15	S/238.4	83.2 / 2.50	Activecare klondike medical centre 1108 klondike rd. ottawa ON K2K0G1	GEN
<b>Generator No:</b>	ON9298734			<b>PO Box No:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No Admin:</b>	
<b>SIC Code:</b>	621110				
<b>SIC Description:</b>	OFFICES OF PHYSICIANS				
<b>Detail(s)</b>					
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<a href="#">69</a>	10 of 15	S/238.4	83.2 / 2.50	INVIVA McKesson Pharma INVIVA 1108 Klondike Road Unit A Kanata ON K2K 0G1	GEN
<b>Generator No:</b>	ON3526988			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b>	261 A				
<b>Waste Class Desc:</b>	Pharmaceuticals				
<b>Waste Class:</b>	312 P				
<b>Waste Class Desc:</b>	Pathological wastes				
<a href="#">69</a>	11 of 15	S/238.4	83.2 / 2.50	Activecare klondike medical centre 1108 klondike rd. ottawa ON K2K0G1	GEN
<b>Generator No:</b>	ON9298734			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Dec 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b>	312 P				
<b>Waste Class Desc:</b>	Pathological wastes				
<a href="#">69</a>	12 of 15	S/238.4	83.2 / 2.50	INVIVA McKesson Pharma INVIVA 1108 Klondike Road Unit A Kanata ON K2K 0G1	GEN
<b>Generator No:</b>	ON3526988			<b>PO Box No:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Years:</b> As of Jul 2020 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 261 A					
<b>Waste Class Desc:</b> Pharmaceuticals					
<b>Waste Class:</b> 312 P					
<b>Waste Class Desc:</b> Pathological wastes					
<a href="#">69</a>	13 of 15	S/238.4	83.2 / 2.50	Activecare klondike medical centre 1108 klondike rd. ottawa ON K2K0G1	GEN
<b>Generator No:</b> ON9298734 <b>Status:</b> Registered <b>Approval Years:</b> As of Jul 2020 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 312 P					
<b>Waste Class Desc:</b> Pathological wastes					
<a href="#">69</a>	14 of 15	S/238.4	83.2 / 2.50	Activecare klondike medical centre 1108 klondike rd. ottawa ON K2K0G1	GEN
<b>Generator No:</b> ON9298734 <b>Status:</b> Registered <b>Approval Years:</b> As of Jan 2021 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b> 312 P					
<b>Waste Class Desc:</b> Pathological wastes					
<a href="#">69</a>	15 of 15	S/238.4	83.2 / 2.50	INVIVA McKesson Pharma INVIVA 1108 Klondike Road Unit A Kanata ON K2K 0G1	GEN
<b>Generator No:</b> ON3526988 <b>Status:</b> Registered <b>Approval Years:</b> As of Jan 2021 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>				<b>PO Box No:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Detail(s)</b>					
<b>Waste Class:</b>		261 A			
<b>Waste Class Desc:</b>		Pharmaceuticals			
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			
<a href="#">70</a>	1 of 2	SSE/243.9	76.5 / -4.16	<b>MINTO COMMUNITIES INC.</b> 762 March RD Kanata ON K2K 0A5	EASR
<b>Approval No:</b>	R-009-8111322119			<b>SWP Area Name:</b>	Mississippi Valley
<b>Status:</b>	REGISTERED			<b>MOE District:</b>	Ottawa
<b>Date:</b>	2019-05-16			<b>Municipality:</b>	Kanata
<b>Record Type:</b>	EASR			<b>Latitude:</b>	45.35416667
<b>Link Source:</b>	MOFA			<b>Longitude:</b>	-75.93
<b>Project Type:</b>	Water Taking - Construction Dewatering			<b>Geometry X:</b>	
<b>Full Address:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	EASR-Water Taking - Construction Dewatering				
<b>Full PDF Link:</b>	<a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2152775">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2152775</a>				

<a href="#">70</a>	2 of 2	SSE/243.9	76.5 / -4.16	<b>Minto Communities Inc.</b> 762 March Rd Ottawa ON K1P 0B6	ECA
<b>Approval No:</b>	1129-BFEHBS			<b>MOE District:</b>	
<b>Approval Date:</b>	2019-08-27			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	
<b>Record Type:</b>	ECA			<b>Latitude:</b>	
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>				<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Project Type:</b>	MUNICIPAL AND PRIVATE SEWAGE WORKS				
<b>Business Name:</b>	Minto Communities Inc.				
<b>Address:</b>	762 March Rd				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/6940-BF2K9V-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/6940-BF2K9V-14.pdf</a>				

# Unplottable Summary

Total: **70** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
AAGR		Lot 11 Con 3	Kanata ON	
CA	R.M. OF OTTAWA-CARLETON	ONT.HYDRO ESMT/KLONDIKE RD.	KANATA CITY ON	
CA	Tenth Line Development Inc.	Sandhill Rd Kanata	Ottawa ON	
CA	Minto Communities Inc.	Ward 21	Ottawa ON	
CA	Klondike Developments Inc.		Ottawa ON	
CA	Minto Communities Inc.		Ottawa ON	
CA	Klondike Developments Inc.		Ottawa ON	
CA	Riotrin Properties (March Road) Inc.		Ottawa ON	
CA	Klondike Developments Inc.		Ottawa ON	
CA	Minto Communities Inc.	Part 3, RP 4R-7806, Ward (2), Orleans	Ottawa ON	
CA		Part of Lot 10, Concession 3	Kanata ON	
CA		Lot 10, Concession 3	Kanata ON	
CA	Morgan's Grant Subdivision Phase 9	Lot 10, Concession 3	Ottawa ON	
CA	Morgan's Grant Subdivision Phase 6, 7 & 8	Lot 10, Concession 3	Ottawa ON	
CA	Morgan's Grant Subdivision Phase 5B	Lot 10, Concession 3	Kanata ON	
CA	Morgan's Grant	Part of Lot 11, Concession 3	Ottawa ON	
CA		Part of Lot 10, Concession 3	Kanata ON	

CA		Lot 10, Concession 3	Kanata ON	
CA	Morgan's Grant Subdivision Phase 9	Lot 10, Concession 3	Ottawa ON	
CA	Morgan's Grant Subdivision Phase 6, 7 & 8	Lot 10, Concession 3	Ottawa ON	
CA	Morgan's Grant Subdivision Phase 5B	Lot 10, Concession 3	Kanata ON	
CA	R.M. OF OTTAWA-CARLETON	MARCH ROAD RECON., SWM FAC.	KANATA CITY ON	
CA	Minto Communities Inc.	Ward 21	Ottawa ON	
CONV	IMPERIAL OIL LIMITED		DON MILLS ON	
CONV	IMPERIAL OIL LIMITED		NORTH YORK ON	
DTNK	CITY OF KANATA	KLONDIKE RD	KANATA ON	
DTNK	CITY OF KANATA	KLONDIKE RD	KANATA ON	
DTNK	CITY OF KANATA	KLONDIKE RD	KANATA ON	
DTNK	CITY OF KANATA	KLONDIKE RD	KANATA ON	
DTNK	CITY OF KANATA	KLONDIKE RD	KANATA ON	
DTNK	CITY OF KANATA	KLONDIKE RD	KANATA ON	
DTNK	CITY OF KANATA	KLONDIKE RD	KANATA ON	
DTNK	CITY OF KANATA	KLONDIKE RD	KANATA ON	
EBR	Minto Communities		ON	
EBR	Minto Communities Inc.	Ottawa, Ontario CITY OF OTTAWA	ON	
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Kanata North Landowners Group Inc.	March Rd from Maxwell Road to Shirley's Brook Drive, Shirley's Brook Drive from March Road to Sandhill Road	Ottawa ON	K1R 7Y2
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6

ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.	(Ottawa Front)	Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.	(Ottawa Front)	Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
ECA	Minto Communities Inc.		Ottawa ON	K1P 0B6
EXP	CITY OF KANATA	KLONDIKE RD KANATA K2L 2N3 ON CA	ON	
EXP	CITY OF KANATA	KLONDIKE RD KANATA K2L 2N3 ON CA	ON	
EXP	CITY OF KANATA	KLONDIKE RD KANATA K2L 2N3 ON CA	ON	
EXP	CITY OF KANATA	KLONDIKE RD KANATA K2L 2N3 ON CA	ON	
EXP	CITY OF KANATA	KLONDIKE RD KANATA K2L 2N3 ON CA	ON	
FST	CITY OF KANATA	KLONDIKE RD KANATA K2L 2N3 ON CA	ON	
FST	CITY OF KANATA	KLONDIKE RD KANATA K2L 2N3 ON CA	ON	
FST	CITY OF KANATA	KLONDIKE RD KANATA K2L 2N3 ON CA	ON	
FST	CITY OF KANATA	KLONDIKE RD KANATA K2L 2N3 ON CA	ON	
FST	CITY OF KANATA	KLONDIKE RD KANATA K2L 2N3 ON CA	ON	

LIMO		Lot 10 Concession 3 Ottawa	ON
PRT	CITY OF KANATA	KLONDIKE RD	KANATA ON
PRT	CITY OF KANATA	KLONDIKE RD	KANATA ON
PTTW	Minto Communities Inc.		ON
PTTW	Minto Communities Inc.		ON
SPL	Esso Petroleum Canada, A Division of Imperial Oil Limited	Nepean	Ottawa ON
SPL	ONTARIO HYDRO	SOUTH MARCH TRANSFORMER STATION, MARCH ROAD TRANSFORMER	KANATA CITY ON



# Unplottable Report

---

**Site:** Lot 11 Con 3 Kanata ON

**Database:**  
AAGR

**Type:** Quarry  
**Region/County:** Ottawa-Carleton  
**Township:** Kanata  
**Concession:** 3  
**Lot:** 11  
**Size (ha):** 0.5  
**Landuse:**  
**Comments:**

---

**Site:** R.M. OF OTTAWA-CARLETON  
ONT.HYDRO ESMT/KLONDIKE RD. KANATA CITY ON

**Database:**  
CA

**Certificate #:** 3-0927-95-  
**Application Year:** 95  
**Issue Date:** 7/19/1995  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** Tenth Line Development Inc.  
Sandhill Rd Kanata Ottawa ON

**Database:**  
CA

**Certificate #:** 6996-7TWQND  
**Application Year:** 2009  
**Issue Date:** 7/14/2009  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** Minto Communities Inc.  
Ward 21 Ottawa ON

**Database:**  
CA

**Certificate #:** 3852-7XHSD6  
**Application Year:** 2009  
**Issue Date:** 11/10/2009  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**

**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Klondike Developments Inc.*  
*Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 3603-6XAVNJ  
**Application Year:** 2007  
**Issue Date:** 2/5/2007  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Minto Communities Inc.*  
*Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 3058-7JZKTF  
**Application Year:** 2008  
**Issue Date:** 10/7/2008  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Klondike Developments Inc.*  
*Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 2785-6SHLAU  
**Application Year:** 2006  
**Issue Date:** 8/11/2006  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Riotrin Properties (March Road) Inc.*  
*Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 1369-7TZJGG  
**Application Year:** 2009  
**Issue Date:** 8/5/2009  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Klondike Developments Inc.  
Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 7943-6PNT68  
**Application Year:** 2006  
**Issue Date:** 6/30/2006  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Minto Communities Inc.  
Part 3, RP 4R-7806, Ward (2), Orleans Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 9811-856NNC  
**Application Year:** 2010  
**Issue Date:** 5/7/2010  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Part of Lot 10, Concession 3 Kanata ON*

**Database:**  
*CA*

**Certificate #:** 0081-4LFQ7S  
**Application Year:** 00  
**Issue Date:** 6/21/00  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Minto Developments Inc.  
**Client Address:** 427 Laurier Ave. West  
**Client City:** Ottawa  
**Client Postal Code:** K1R 7Y2  
**Project Description:** Watermains to be constructed in Morgan's Grant Subdivision Phase 5C in the City of Kanata.  
**Contaminants:**  
**Emission Control:**

---

**Site:** Lot 10, Concession 3 Kanata ON

**Database:**  
CA

**Certificate #:** 8141-4Q2Q3S  
**Application Year:** 00  
**Issue Date:** 10/13/00  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Minto Developments Inc.  
**Client Address:** 427 Laurier Ave. West  
**Client City:** Ottawa  
**Client Postal Code:** K1R 7Y2  
**Project Description:** Construction of a watermain in Morgan's Grant Subdivision Phase 2, Block 223 in the City of Kanata, on Street No. 1.  
**Contaminants:**  
**Emission Control:**

---

**Site:** Morgan's Grant Subdivision Phase 9  
Lot 10, Concession 3 Ottawa ON

**Database:**  
CA

**Certificate #:** 1411-4UMSZM  
**Application Year:** 01  
**Issue Date:** 3/10/01  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Minto Developments Inc.  
**Client Address:** 427 Laurier Avenue West, Suite 300  
**Client City:** Ottawa  
**Client Postal Code:** K1R 7Y2  
**Project Description:** Installation of watermain on Klondike Road, Piekoff Crescent, Wallsend Avenue and Rayburn Street.  
**Contaminants:**  
**Emission Control:**

---

**Site:** Morgan's Grant Subdivision Phase 6, 7 & 8  
Lot 10, Concession 3 Ottawa ON

**Database:**  
CA

**Certificate #:** 8414-53CPMC  
**Application Year:** 01  
**Issue Date:** 10/11/01  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Minto Developments Inc.  
**Client Address:** 427 Laurier Avenue West, Suite 300  
**Client City:** Ottawa  
**Client Postal Code:** K1R 7Y2  
**Project Description:** Construction of Watermain for Residential Development in Morgan's Grant Subdivision Phase 6, 7 & 8.  
**Contaminants:**  
**Emission Control:**

---

**Site:** Morgan's Grant Subdivision Phase 5B  
Lot 10, Concession 3 Kanata ON

**Database:**  
CA

**Certificate #:** 8843-4Q7RKV  
**Application Year:** 00  
**Issue Date:** 10/25/00  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval

**Client Name:** Minto Developments Inc.  
**Client Address:** 427 Laurier Ave. West  
**Client City:** Ottawa  
**Client Postal Code:** K1R 7Y2  
**Project Description:** Watermains to be constructed in Morgan's Grant Subdivision Phase 5B in the City of Kanata.  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Morgan's Grant  
Part of Lot 11, Concession 3 Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 8692-54QSUG  
**Application Year:** 01  
**Issue Date:** 12/21/01  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Minto Developments Inc.  
**Client Address:** 427 Laurier Avenue West, Suite 300  
**Client City:** Ottawa  
**Client Postal Code:** K1R 7Y2  
**Project Description:** Stormwater management facility providing water quantity and quality control.  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Part of Lot 10, Concession 3 Kanata ON*

**Database:**  
*CA*

**Certificate #:** 7072-4LFPRF  
**Application Year:** 00  
**Issue Date:** 6/21/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Minto Developments Inc.  
**Client Address:** 427 Laurier Ave. West  
**Client City:** Ottawa  
**Client Postal Code:** K1R 7Y2  
**Project Description:** Sotrm and sanitary sewers to be constructed in Morgan's Grant Subdivision Phase 5C in the City of Kanata.  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Lot 10, Concession 3 Kanata ON*

**Database:**  
*CA*

**Certificate #:** 3520-4Q2R3G  
**Application Year:** 00  
**Issue Date:** 10/13/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Minto Developments Inc.  
**Client Address:** 427 Laurier Ave. West  
**Client City:** Ottawa  
**Client Postal Code:** K1R 7Y2  
**Project Description:** Construction of sanitary and storm sewers in Morgan's Subdivision Phase 2, Block 223, in the City of Kanata, on Goulbourn Road and Street No. 1 (Cul-de-sac).  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Morgan's Grant Subdivision Phase 9  
Lot 10, Concession 3 Ottawa ON*

**Database:**  
*CA*

**Certificate #:** 0828-4UMQX6  
**Application Year:** 01  
**Issue Date:** 3/10/01  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Minto Developments Inc.  
**Client Address:** 427 Laurier Avenue West, Suite 300  
**Client City:** Ottawa  
**Client Postal Code:** K1R 7Y2  
**Project Description:** Installation of storm and sanitary sewers in Morgan's Grant Subdivision Phase 9, on Klondike Road, Piekoff Crescent, Wallsend Avenue and Rayburn Street.  
**Contaminants:**  
**Emission Control:**

---

**Site:** **Morgan's Grant Subdivision Phase 6, 7 & 8**  
**Lot 10, Concession 3 Ottawa ON**

**Database:**  
**CA**

**Certificate #:** 8761-53CPYZ  
**Application Year:** 01  
**Issue Date:** 10/11/01  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Minto Developments Inc.  
**Client Address:** 427 Laurier Avenue West, Suite 300  
**Client City:** Ottawa  
**Client Postal Code:** K1R 7Y2  
**Project Description:** Construction of Storm and Sanitary Sewers for Residential Development Morgan's Grant Subdivision Phase 6, 7, & 8  
**Contaminants:**  
**Emission Control:**

---

**Site:** **Morgan's Grant Subdivision Phase 5B**  
**Lot 10, Concession 3 Kanata ON**

**Database:**  
**CA**

**Certificate #:** 3314-4Q7RF4  
**Application Year:** 00  
**Issue Date:** 10/25/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Minto Developments Inc.  
**Client Address:** 427 Laurier Ave. West  
**Client City:** Ottawa  
**Client Postal Code:** K1R 7Y2  
**Project Description:** Storm and sanitary sewers to be constructed in Morgan's Grant Subdivision Phase 5B in the City of Kanata.  
**Contaminants:**  
**Emission Control:**

---

**Site:** **R.M. OF OTTAWA-CARLETON**  
**MARCH ROAD RECON., SWM FAC. KANATA CITY ON**

**Database:**  
**CA**

**Certificate #:** 3-0372-96-  
**Application Year:** 96  
**Issue Date:** 6/20/1996  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**

**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** **Minto Communities Inc.**  
**Ward 21 Ottawa ON**

**Database:**  
**CA**

**Certificate #:** 6616-7XYSBE  
**Application Year:** 2009  
**Issue Date:** 12/4/2009  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** **IMPERIAL OIL LIMITED**  
**DON MILLS ON**

**Database:**  
**CONV**

**File No:**  
**Crown Brief No:**  
**Court Location:**  
**Publication City:**  
**Publication Title:**  
**Act:**  
**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**Description:** FAILED TO COMPLY WITH CONDITIONS OF C. OF A.  
**Background:**  
**URL:**

**Location:**  
**Region:** EASTERN REGION  
**Ministry District:**

**Additional Details**

**Publication Date:**  
**Count:** 1  
**Act:** OWRA  
**Regulation:**  
**Section:** 66(3)  
**Act/Regulation/Section:** OWRA- -66(3)  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** 6/4/93  
**Charge Disposition:**  
**Fine:** \$6,000  
**Synopsis:**

---

**Site:** **IMPERIAL OIL LIMITED**  
**NORTH YORK ON**

**Database:**  
**CONV**

**File No:**  
**Crown Brief No:**  
**Court Location:**  
**Publication City:**  
**Publication Title:**  
**Act:**

**Location:**  
**Region:** EASTERN REGION  
**Ministry District:**

**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**Description:** FAILED TO INSPECT OIL/WATER SEPARATOR WEEKLY & MAINTAIN LOG BOOK AT SITE  
**Background:**  
**URL:**

**Additional Details**

**Publication Date:**  
**Count:** 1  
**Act:** OWRA  
**Regulation:**  
**Section:** 66(3)  
**Act/Regulation/Section:** OWRA- -66(3)  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** 6/4/93  
**Charge Disposition:**  
**Fine:** \$4,000  
**Synopsis:**

**Additional Details**

**Publication Date:**  
**Count:** 1  
**Act:** OWRA  
**Regulation:**  
**Section:** 66(3)  
**Act/Regulation/Section:** OWRA- -66(3)  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** 6/4/93  
**Charge Disposition:**  
**Fine:** \$1,000  
**Synopsis:**

---

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA ON

**Database:**  
DTNK

**Delisted Expired Fuel Safety  
Facilities**

**Instance No:** 10797984  
**Status:** EXPIRED  
**Instance ID:** 41317  
**Instance Type:** FS Piping  
**Description:** FS Piping  
**TSSA Program Area:**  
**Maximum Hazard Rank:**  
**Facility Type:**  
**Expired Date:**  
**Original Source:** EXP  
**Record Date:** Up to Mar 2012

---

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA ON

**Database:**  
DTNK

**Delisted Expired Fuel Safety**



**Facilities**

**Instance No:** 10797969  
**Status:** EXPIRED  
**Instance ID:** 41197  
**Instance Type:** FS Piping  
**Description:** FS Piping  
**TSSA Program Area:**  
**Maximum Hazard Rank:**  
**Facility Type:**  
**Expired Date:**  
**Original Source:** EXP  
**Record Date:** Up to Mar 2012

---

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA ON

**Database:**  
DTNK

**Delisted Expired Fuel Safety**

**Facilities**

**Instance No:** 10798032  
**Status:** EXPIRED  
**Instance ID:** 39407  
**Instance Type:** FS Piping  
**Description:** FS Piping  
**TSSA Program Area:**  
**Maximum Hazard Rank:**  
**Facility Type:**  
**Expired Date:**  
**Original Source:** EXP  
**Record Date:** Up to Mar 2012

---

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA ON

**Database:**  
DTNK

**Delisted Expired Fuel Safety**

**Facilities**

**Instance No:** 9319126  
**Status:** EXPIRED  
**Instance ID:** 384893  
**Instance Type:** FS Facility  
**Description:** Fuels Safety Private Fuel Outlet - Self Serve  
**TSSA Program Area:**  
**Maximum Hazard Rank:**  
**Facility Type:**  
**Expired Date:**  
**Original Source:** EXP  
**Record Date:** Up to Mar 2012

---

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA ON

**Database:**  
DTNK

**Delisted Expired Fuel Safety**

**Facilities**

**Instance No:** 9392489  
**Status:** EXPIRED  
**Instance ID:** 380134  
**Instance Type:** FS Facility  
**Description:** Fuels Safety Private Fuel Outlet - Self Serve

**TSSA Program Area:**  
**Maximum Hazard Rank:**  
**Facility Type:**  
**Expired Date:**  
**Original Source:** EXP  
**Record Date:** Up to Mar 2012

---

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA ON

**Database:**  
**DTNK**

**Delisted Expired Fuel Safety  
Facilities**

**Instance No:** 10798017  
**Status:** EXPIRED  
**Instance ID:** 41890  
**Instance Type:** FS Piping  
**Description:** FS Piping  
**TSSA Program Area:**  
**Maximum Hazard Rank:**  
**Facility Type:**  
**Expired Date:**  
**Original Source:** EXP  
**Record Date:** Up to Mar 2012

---

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA ON

**Database:**  
**DTNK**

**Delisted Expired Fuel Safety  
Facilities**

**Instance No:** 10797999  
**Status:** EXPIRED  
**Instance ID:** 40770  
**Instance Type:** FS Piping  
**Description:** FS Piping  
**TSSA Program Area:**  
**Maximum Hazard Rank:**  
**Facility Type:**  
**Expired Date:**  
**Original Source:** EXP  
**Record Date:** Up to Mar 2012

---

**Site:** Minto Communities  
ON

**Database:**  
**EBR**

<b>EBR Registry No:</b>	019-2808	<b>Decision Posted:</b>	February 26, 2021
<b>Ministry Ref No:</b>	KV-C-001-19	<b>Exception Posted:</b>	
<b>Notice Type:</b>	Instrument	<b>Section:</b>	Section 17 (2) (c)
<b>Notice Stage:</b>	Decision	<b>Act 1:</b>	Endangered Species Act , R.S.O. 2007
<b>Notice Date:</b>		<b>Act 2:</b>	Endangered Species Act, 2007
<b>Proposal Date:</b>	December 4, 2020	<b>Site Location Map:</b>	
<b>Year:</b>	2020		
<b>Instrument Type:</b>	Permit for activities to achieve an overall benefit to a species		
<b>Off Instrument Name:</b>	Permit for activities with conditions to achieve overall benefit to the species (ESA s.17(2) (c))		
<b>Posted By:</b>	Ministry of the Environment, Conservation and Parks		
<b>Company Name:</b>			
<b>Site Address:</b>			
<b>Location Other:</b>			
<b>Proponent Name:</b>	Minto Communities		
<b>Proponent Address:</b>	Minto Communities 180 Kent Street Unit 200		

Ottawa,  
ON  
K1P 0B6  
Canada  
**Comment Period:** December 4, 2020 - January 3, 2021 (30 days) Closed  
**URL:** <https://ero.ontario.ca/notice/019-2808>

**Site Location Details:**

Part of Lot 12, Concession 4, Township of March, Ottawa

---

**Site:** **Minto Communities Inc.**  
**Ottawa, Ontario CITY OF OTTAWA ON**

**Database:**  
**EBR**

**EBR Registry No:** 013-0315  
**Ministry Ref No:** MNR INST 30/17  
**Notice Type:** Instrument Decision  
**Notice Stage:**  
**Notice Date:** September 28, 2017  
**Proposal Date:** April 10, 2017  
**Year:** 2017  
**Decision Posted:**  
**Exception Posted:**  
**Section:**  
**Act 1:**  
**Act 2:**  
**Site Location Map:**

**Instrument Type:** (ESA s.17(2) (c)) - Permit for activities with conditions to achieve overall benefit to the species  
**Off Instrument Name:**  
**Posted By:**  
**Company Name:** Minto Communities Inc.  
**Site Address:**  
**Location Other:**  
**Proponent Name:**  
**Proponent Address:** 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6, Minto Communities Inc., 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6

**Comment Period:**  
**URL:**

**Site Location Details:**

Ottawa, Ontario CITY OF OTTAWA

---

**Site:** **Minto Communities Inc.**  
**Ottawa ON K1P 0B6**

**Database:**  
**ECA**

**Approval No:** 6142-BEJHCE  
**Approval Date:** 2019-08-01  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/0892-BDSKVQ-14.pdf>

---

**Site:** **Kanata North Landowners Group Inc.**  
**March Rd from Maxwell Road to Shirley's Brook Drive, Shirley's Brook Drive from March Road to Sandhill Road**  
**Ottawa ON K1R 7Y2**

**Database:**  
**ECA**

**Approval No:** 5177-BHWJYH  
**Approval Date:** 2019-11-17  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**

**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Kanata North Landowners Group Inc.  
**Address:** March Rd from Maxwell Road to Shirley's Brook Drive, Shirley's Brook Drive from March Road to Sandhill Road  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/0381-BHLP24-14.pdf>

---

**Site:** **Minto Communities Inc.** **Database:**  
**Ottawa ON K1P 0B6** **ECA**

**Approval No:** 8605-AYUHJG **MOE District:**  
**Approval Date:** 2018-05-30 **City:**  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/7723-AYKNXD-14.pdf>

---

**Site:** **Minto Communities Inc.** **Database:**  
**Ottawa ON K1P 0B6** **ECA**

**Approval No:** 3128-AQGJ6T **MOE District:**  
**Approval Date:** 2017-08-23 **City:**  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/4569-AQCRKJ-14.pdf>

---

**Site:** **Minto Communities Inc.** **Database:**  
**Ottawa ON K1P 0B6** **ECA**

**Approval No:** 1720-AKJGKQ **MOE District:**  
**Approval Date:** 2017-03-24 **City:**  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/1769-AKEQQZ-14.pdf>

---

**Site:** **Minto Communities Inc.** **Database:**  
**Ottawa ON K1P 0B6** **ECA**

**Approval No:** 7598-94TRX3 **MOE District:**  
**Approval Date:** 2013-02-26 **City:**  
**Status:** Approved **Longitude:**

---

**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/2553-8VDQUF-14.pdf>

---

**Site:** **Minto Communities Inc.**  
**Ottawa ON K1P 0B6**

**Database:**  
**ECA**

**Approval No:** 8813-9WYQ2J **MOE District:**  
**Approval Date:** 2015-06-08 **City:**  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/4625-9WXRTA-14.pdf>

---

**Site:** **Minto Communities Inc.**  
**Ottawa ON K1P 0B6**

**Database:**  
**ECA**

**Approval No:** 2268-9WYR3F **MOE District:**  
**Approval Date:** 2015-06-08 **City:**  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/3873-9WWLDY-14.pdf>

---

**Site:** **Minto Communities Inc.**  
**Ottawa ON K1P 0B6**

**Database:**  
**ECA**

**Approval No:** 0606-AHXJCH **MOE District:**  
**Approval Date:** 2017-02-02 **City:**  
**Status:** Approved **Longitude:**  
**Record Type:** ECA **Latitude:**  
**Link Source:** IDS **Geometry X:**  
**SWP Area Name:** **Geometry Y:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/4552-AHSJ74-14.pdf>

---

**Site:** **Minto Communities Inc.**  
**Ottawa ON K1P 0B6**

**Database:**  
**ECA**

**Approval No:** 7661-ABCKQL **MOE District:**

**Approval Date:** 2016-06-30  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/5664-AB4KGV-14.pdf>

**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** **Minto Communities Inc.**  
**Ottawa ON K1P 0B6**

**Database:**  
**ECA**

**Approval No:** 8270-A3ZLU2  
**Approval Date:** 2015-11-10  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/8185-A3PRB5-14.pdf>

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** **Minto Communities Inc.**  
**(Ottawa Front) Ottawa ON K1P 0B6**

**Database:**  
**ECA**

**Approval No:** 6097-9N5HW9  
**Approval Date:** 2014-08-22  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:** (Ottawa Front)  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/9823-9MRHMN-14.pdf>

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** **Minto Communities Inc.**  
**(Ottawa Front) Ottawa ON K1P 0B6**

**Database:**  
**ECA**

**Approval No:** 1810-9L6SH8  
**Approval Date:** 2014-06-27  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:** (Ottawa Front)  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/6653-9KSHJ5-14.pdf>

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** **Minto Communities Inc.**  
**Ottawa ON K1P 0B6**

**Database:**  
**ECA**

**Approval No:** 7971-9EAST8  
**Approval Date:** 2014-01-10  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/7322-9E4LGN-14.pdf>

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** **Minto Communities Inc.**  
**Ottawa ON K1P 0B6**

**Database:**  
**ECA**

**Approval No:** 7202-97BLB4  
**Approval Date:** 2013-05-23  
**Status:** Revoked and/or Replaced  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/4553-95ZKWJ-14.pdf>

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** **Minto Communities Inc.**  
**Ottawa ON K1P 0B6**

**Database:**  
**ECA**

**Approval No:** 0195-95LSVA  
**Approval Date:** 2013-03-22  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/1964-8XNJA4-14.pdf>

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

---

**Site:** **Minto Communities Inc.**  
**Ottawa ON K1P 0B6**

**Database:**  
**ECA**

**Approval No:** 3053-8YJNWU  
**Approval Date:** 2012-10-01  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/1397-8XNJGH-14.pdf>

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

**Site:** Minto Communities Inc.  
Ottawa ON K1P 0B6

**Database:**  
ECA

**Approval No:** 1554-8Y2HZ6  
**Approval Date:** 2012-09-14  
**Status:** Revoked and/or Replaced  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/1100-8WTMSY-14.pdf>

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

**Site:** Minto Communities Inc.  
Ottawa ON K1P 0B6

**Database:**  
ECA

**Approval No:** 3002-8PBSB4  
**Approval Date:** 2012-01-31  
**Status:** Revoked and/or Replaced  
**Record Type:** ECA  
**Link Source:** IDS  
**SWP Area Name:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Business Name:** Minto Communities Inc.  
**Address:**  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/6465-8NETCD-14.pdf>

**MOE District:**  
**City:**  
**Longitude:**  
**Latitude:**  
**Geometry X:**  
**Geometry Y:**

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA K2L 2N3 ON CA ON

**Database:**  
EXP

**Instance No:** 10798008  
**Status:** EXPIRED  
**Instance ID:**  
**Instance Type:**  
**Instance Creation Dt:** 12/27/1990  
**Instance Install Dt:** 12/27/1990  
**Item:**  
**Item Description:** FS Liquid Fuel Tank  
**Facility Type:** FS LIQUID FUEL TANK  
**Overfill Prot Type:** NULL  
**Creation Date:** 7/5/2009 1:21:00 AM  
**Expired Date:**  
**Manufacturer:** NULL  
**Source:** FS Liquid Fuel Tank  
**Description:** UNDERGROUND TANK  
**Serial No:** NULL  
**Ulc Standard:** NULL  
**Facility Location:** KLONDIKE RD KANATA K2L 2N3 ON CA

**Model:** NULL  
**Quantity:** 1  
**Unit of Measure:** EA  
**Fuel Type2:** NULL  
**Fuel Type3:** NULL  
**Piping Steel:**  
**Piping Galvanized:**  
**Tank Single Wall St:**  
**Piping Underground:**  
**Tank Underground:**  
**Panam Related:** NULL  
**Panam Venue Nm:** NULL

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA K2L 2N3 ON CA ON

**Database:**  
EXP

**Instance No:** 10798026  
**Status:** EXPIRED  
**Instance ID:**  
**Instance Type:**  
**Instance Creation Dt:** 12/27/1990  
**Instance Install Dt:** 12/27/1990  
**Item:**

**Model:** NULL  
**Quantity:** 1  
**Unit of Measure:** EA  
**Fuel Type2:** NULL  
**Fuel Type3:** NULL  
**Piping Steel:**  
**Piping Galvanized:**



<b>Item Description:</b>	FS Liquid Fuel Tank	<b>Tank Single Wall St:</b>	
<b>Facility Type:</b>	FS LIQUID FUEL TANK	<b>Piping Underground:</b>	
<b>Overfill Prot Type:</b>	NULL	<b>Tank Underground:</b>	
<b>Creation Date:</b>	7/5/2009 1:21:01 AM	<b>Panam Related:</b>	NULL
<b>Expired Date:</b>		<b>Panam Venue Nm:</b>	NULL
<b>Manufacturer:</b>	NULL		
<b>Source:</b>	FS Liquid Fuel Tank		
<b>Description:</b>	UNDERGROUND TANK		
<b>Serial No:</b>	NULL		
<b>Ulc Standard:</b>	NULL		
<b>Facility Location:</b>	KLONDIKE RD KANATA K2L 2N3 ON CA		

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA K2L 2N3 ON CA ON **Database:**  
EXP

<b>Instance No:</b>	10797990	<b>Model:</b>	NULL
<b>Status:</b>	EXPIRED	<b>Quantity:</b>	1
<b>Instance ID:</b>		<b>Unit of Measure:</b>	EA
<b>Instance Type:</b>		<b>Fuel Type2:</b>	NULL
<b>Instance Creation Dt:</b>	8/28/1990	<b>Fuel Type3:</b>	NULL
<b>Instance Install Dt:</b>	8/28/1990	<b>Piping Steel:</b>	
<b>Item:</b>		<b>Piping Galvanized:</b>	
<b>Item Description:</b>	FS Liquid Fuel Tank	<b>Tank Single Wall St:</b>	
<b>Facility Type:</b>	FS LIQUID FUEL TANK	<b>Piping Underground:</b>	
<b>Overfill Prot Type:</b>	NULL	<b>Tank Underground:</b>	
<b>Creation Date:</b>	7/5/2009 1:21:04 AM	<b>Panam Related:</b>	NULL
<b>Expired Date:</b>		<b>Panam Venue Nm:</b>	NULL
<b>Manufacturer:</b>	NULL		
<b>Source:</b>	FS Liquid Fuel Tank		
<b>Description:</b>	UNDERGROUND TANK		
<b>Serial No:</b>	NULL		
<b>Ulc Standard:</b>	NULL		
<b>Facility Location:</b>	KLONDIKE RD KANATA K2L 2N3 ON CA		

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA K2L 2N3 ON CA ON **Database:**  
EXP

<b>Instance No:</b>	10797978	<b>Model:</b>	NULL
<b>Status:</b>	EXPIRED	<b>Quantity:</b>	1
<b>Instance ID:</b>		<b>Unit of Measure:</b>	EA
<b>Instance Type:</b>		<b>Fuel Type2:</b>	NULL
<b>Instance Creation Dt:</b>	8/28/1990	<b>Fuel Type3:</b>	NULL
<b>Instance Install Dt:</b>	8/28/1990	<b>Piping Steel:</b>	
<b>Item:</b>		<b>Piping Galvanized:</b>	
<b>Item Description:</b>	FS Liquid Fuel Tank	<b>Tank Single Wall St:</b>	
<b>Facility Type:</b>	FS LIQUID FUEL TANK	<b>Piping Underground:</b>	
<b>Overfill Prot Type:</b>	NULL	<b>Tank Underground:</b>	
<b>Creation Date:</b>	7/5/2009 1:21:06 AM	<b>Panam Related:</b>	NULL
<b>Expired Date:</b>		<b>Panam Venue Nm:</b>	NULL
<b>Manufacturer:</b>	NULL		
<b>Source:</b>	FS Liquid Fuel Tank		
<b>Description:</b>	UNDERGROUND TANK		
<b>Serial No:</b>	NULL		
<b>Ulc Standard:</b>	NULL		
<b>Facility Location:</b>	KLONDIKE RD KANATA K2L 2N3 ON CA		

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA K2L 2N3 ON CA ON **Database:**  
EXP

<b>Instance No:</b>	10797960	<b>Model:</b>	NULL
<b>Status:</b>	EXPIRED	<b>Quantity:</b>	1
<b>Instance ID:</b>		<b>Unit of Measure:</b>	EA
<b>Instance Type:</b>		<b>Fuel Type2:</b>	NULL
<b>Instance Creation Dt:</b>	8/28/1990	<b>Fuel Type3:</b>	NULL

**Instance Install Dt:** 8/28/1990  
**Item:**  
**Item Description:** FS Liquid Fuel Tank  
**Facility Type:** FS LIQUID FUEL TANK  
**Overfill Prot Type:** NULL  
**Creation Date:** 7/5/2009 1:20:56 AM  
**Expired Date:**  
**Manufacturer:** NULL  
**Source:** FS Liquid Fuel Tank  
**Description:** UNDERGROUND TANK  
**Serial No:** NULL  
**Ulc Standard:** NULL  
**Facility Location:** KLONDIKE RD KANATA K2L 2N3 ON CA

**Piping Steel:**  
**Piping Galvanized:**  
**Tank Single Wall St:**  
**Piping Underground:**  
**Tank Underground:**  
**Panam Related:** NULL  
**Panam Venue Nm:** NULL

---

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA K2L 2N3 ON CA ON

**Database:**  
FST

**Instance No:** 10797990  
**Status:**  
**Cont Name:**  
**Instance Type:**  
**Item:** FS LIQUID FUEL TANK  
**Item Description:** FS Liquid Fuel Tank  
**Tank Type:** Liquid Fuel Single Wall UST  
**Install Date:** 8/28/1990  
**Install Year:** 1978  
**Years in Service:**  
**Model:** NULL  
**Description:**  
**Capacity:** 9092  
**Tank Material:** Steel  
**Corrosion Protect:**  
**Overfill Protect:**  
**Facility Type:** FS Liquid Fuel Tank  
**Parent Facility Type:**  
**Facility Location:**  
**Device Installed Location:** KLONDIKE RD KANATA K2L 2N3 ON CA

**Manufacturer:**  
**Serial No:**  
**Ulc Standard:**  
**Quantity:**  
**Unit of Measure:** Gasoline  
**Fuel Type:** NULL  
**Fuel Type2:** NULL  
**Fuel Type3:** NULL  
**Piping Steel:**  
**Piping Galvanized:**  
**Tanks Single Wall St:**  
**Piping Underground:**  
**Num Underground:**  
**Panam Related:**  
**Panam Venue:**

**Fuel Storage Tank Details**

**Owner Account Name:** CITY OF KANATA

---

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA K2L 2N3 ON CA ON

**Database:**  
FST

**Instance No:** 10797960  
**Status:**  
**Cont Name:**  
**Instance Type:**  
**Item:** FS LIQUID FUEL TANK  
**Item Description:** FS Liquid Fuel Tank  
**Tank Type:** Liquid Fuel Single Wall UST  
**Install Date:** 8/28/1990  
**Install Year:** 1975  
**Years in Service:**  
**Model:** NULL  
**Description:**  
**Capacity:** 13638  
**Tank Material:** Steel  
**Corrosion Protect:**  
**Overfill Protect:**  
**Facility Type:** FS Liquid Fuel Tank  
**Parent Facility Type:**  
**Facility Location:**  
**Device Installed Location:** KLONDIKE RD KANATA K2L 2N3 ON CA

**Manufacturer:**  
**Serial No:**  
**Ulc Standard:**  
**Quantity:**  
**Unit of Measure:** Gasoline  
**Fuel Type:** NULL  
**Fuel Type2:** NULL  
**Fuel Type3:** NULL  
**Piping Steel:**  
**Piping Galvanized:**  
**Tanks Single Wall St:**  
**Piping Underground:**  
**Num Underground:**  
**Panam Related:**  
**Panam Venue:**

**Fuel Storage Tank Details**

**Owner Account Name:** CITY OF KANATA

---

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA K2L 2N3 ON CA ON

**Database:**  
FST

<b>Instance No:</b>	10797978	<b>Manufacturer:</b>	
<b>Status:</b>		<b>Serial No:</b>	
<b>Cont Name:</b>		<b>Ulc Standard:</b>	
<b>Instance Type:</b>		<b>Quantity:</b>	
<b>Item:</b>	FS LIQUID FUEL TANK	<b>Unit of Measure:</b>	
<b>Item Description:</b>	FS Liquid Fuel Tank	<b>Fuel Type:</b>	Diesel
<b>Tank Type:</b>	Liquid Fuel Single Wall UST	<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>	8/28/1990	<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	1975	<b>Piping Steel:</b>	
<b>Years in Service:</b>		<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL	<b>Tanks Single Wall St:</b>	
<b>Description:</b>		<b>Piping Underground:</b>	
<b>Capacity:</b>	13638	<b>Num Underground:</b>	
<b>Tank Material:</b>	Steel	<b>Panam Related:</b>	
<b>Corrosion Protect:</b>		<b>Panam Venue:</b>	
<b>Overfill Protect:</b>			
<b>Facility Type:</b>	FS Liquid Fuel Tank		
<b>Parent Facility Type:</b>			
<b>Facility Location:</b>			
<b>Device Installed Location:</b>	KLONDIKE RD KANATA K2L 2N3 ON CA		

**Fuel Storage Tank Details**

**Owner Account Name:** CITY OF KANATA

---

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA K2L 2N3 ON CA ON

**Database:**  
FST

<b>Instance No:</b>	10798026	<b>Manufacturer:</b>	
<b>Status:</b>		<b>Serial No:</b>	
<b>Cont Name:</b>		<b>Ulc Standard:</b>	
<b>Instance Type:</b>		<b>Quantity:</b>	
<b>Item:</b>	FS LIQUID FUEL TANK	<b>Unit of Measure:</b>	
<b>Item Description:</b>	FS Liquid Fuel Tank	<b>Fuel Type:</b>	Gasoline
<b>Tank Type:</b>	Liquid Fuel Single Wall UST	<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>	12/27/1990	<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	1991	<b>Piping Steel:</b>	
<b>Years in Service:</b>		<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL	<b>Tanks Single Wall St:</b>	
<b>Description:</b>		<b>Piping Underground:</b>	
<b>Capacity:</b>	25000	<b>Num Underground:</b>	
<b>Tank Material:</b>	Steel	<b>Panam Related:</b>	
<b>Corrosion Protect:</b>		<b>Panam Venue:</b>	
<b>Overfill Protect:</b>			
<b>Facility Type:</b>	FS Liquid Fuel Tank		
<b>Parent Facility Type:</b>			
<b>Facility Location:</b>			
<b>Device Installed Location:</b>	KLONDIKE RD KANATA K2L 2N3 ON CA		

**Fuel Storage Tank Details**

**Owner Account Name:** CITY OF KANATA

---

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA K2L 2N3 ON CA ON

**Database:**  
FST

<b>Instance No:</b>	10798008	<b>Manufacturer:</b>	
---------------------	----------	----------------------	--

<b>Status:</b>		<b>Serial No:</b>	
<b>Cont Name:</b>		<b>Ulc Standard:</b>	
<b>Instance Type:</b>		<b>Quantity:</b>	
<b>Item:</b>	FS LIQUID FUEL TANK	<b>Unit of Measure:</b>	
<b>Item Description:</b>	FS Liquid Fuel Tank	<b>Fuel Type:</b>	Diesel
<b>Tank Type:</b>	Liquid Fuel Single Wall UST	<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>	12/27/1990	<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	1991	<b>Piping Steel:</b>	
<b>Years in Service:</b>		<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL	<b>Tanks Single Wall St:</b>	
<b>Description:</b>		<b>Piping Underground:</b>	
<b>Capacity:</b>	25000	<b>Num Underground:</b>	
<b>Tank Material:</b>	Steel	<b>Panam Related:</b>	
<b>Corrosion Protect:</b>		<b>Panam Venue:</b>	
<b>Overfill Protect:</b>			
<b>Facility Type:</b>	FS Liquid Fuel Tank		
<b>Parent Facility Type:</b>			
<b>Facility Location:</b>			
<b>Device Installed Location:</b>	KLONDIKE RD KANATA K2L 2N3 ON CA		

**Fuel Storage Tank Details**

**Owner Account Name:** CITY OF KANATA

**Site:** Lot 10 Concession 3 Ottawa ON

**Database:**  
LIMO

<b>ECA/Instrument No:</b>	X9015	<b>Natural Attenuation:</b>	
<b>Oper Status 2016:</b>	Historic	<b>Liners:</b>	
<b>C of A Issue Date:</b>		<b>Cover Material:</b>	
<b>C of A Issued to:</b>		<b>Leachate Off-Site:</b>	
<b>Lndfl Gas Mgmt (P):</b>		<b>Leachate On Site:</b>	
<b>Lndfl Gas Mgmt (F):</b>		<b>Req Coll Lndfl Gas:</b>	
<b>Lndfl Gas Mgmt (E):</b>		<b>Lndfl Gas Coll:</b>	
<b>Lndfl Gas Mgmt Sys:</b>		<b>Total Waste Rec:</b>	
<b>Landfill Gas Mntr:</b>		<b>TWR Methodology:</b>	
<b>Leachate Coll Sys:</b>		<b>TWR Unit:</b>	
<b>ERC Est Vol (m3):</b>		<b>Tot Aprv Cap Unit:</b>	
<b>ERC Volume Unit:</b>		<b>Financial Assurance:</b>	
<b>ERC Dt Last Det:</b>		<b>Last Report Year:</b>	
<b>Landfill Type:</b>		<b>MOE Region:</b>	
<b>Source File Type:</b>	Historic and Closed Landfills	<b>MOE District:</b>	
<b>Fill Rate:</b>		<b>Site County:</b>	
<b>Fill Rate Unit:</b>		<b>Lot:</b>	
<b>Tot Fill Area (ha):</b>		<b>Concession:</b>	
<b>Tot Site Area (ha):</b>		<b>Latitude:</b>	
<b>Footprint:</b>		<b>Longitude:</b>	
<b>Tot Apprv Cap (m3):</b>		<b>Easting:</b>	
<b>Contam Atten Zone:</b>		<b>Northing:</b>	
<b>Grndwtr Mntr:</b>		<b>UTM Zone:</b>	
<b>Surf Wtr Mntr:</b>		<b>Data Source:</b>	
<b>Air Emis Monitor:</b>			
<b>Approved Waste Type:</b>			
<b>Client Site Name:</b>			
<b>ERC Methodology:</b>			
<b>Site Name:</b>			
<b>Site Location Details:</b>	Lot 10 Concession 3 Ottawa		
<b>Service Area:</b>			
<b>Page URL:</b>			

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA ON

**Database:**  
PRT

**Location ID:** 6728  
**Type:** retail

**Expiry Date:**  
**Capacity (L):** 22730  
**Licence #:** 0001052484

---

**Site:** CITY OF KANATA  
KLONDIKE RD KANATA ON

**Database:**  
[PRT](#)

**Location ID:** 6728  
**Type:** private  
**Expiry Date:**  
**Capacity (L):** 36368.00  
**Licence #:** 0001031141

---

**Site:** Minto Communities Inc.  
ON

**Database:**  
[PTTW](#)

**EBR Registry No:** 011-4898  
**Ministry Ref No:** 3046-8MLKW5  
**Notice Type:** Instrument Decision  
**Notice Stage:**  
**Notice Date:** December 17, 2014  
**Proposal Date:** November 04, 2011  
**Year:** 2011  
**Instrument Type:** (OWRA s. 34) - Permit to Take Water  
**Off Instrument Name:**  
**Posted By:**  
**Company Name:** Minto Communities Inc.  
**Site Address:**  
**Location Other:**  
**Proponent Name:**  
**Proponent Address:** 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6, Minto Communities Inc., 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6  
**Comment Period:**  
**URL:**

**Decision Posted:**  
**Exception Posted:**  
**Section:**  
**Act 1:**  
**Act 2:**  
**Site Location Map:**

**Site Location Details:**

Mahogany Community Development Address: Lot: Part of Lots 4 and 5, Concession: A (Broken Front), Ottawa, City District Office: Ottawa  
GeoReference: Map Datum: NAD83, Zone: 18, Accuracy Estimate: 1-10 metres eg. Good Quality GPS, UTM Easting: 446650, UTM Northing: 5007555,  
, LIO GeoReference: Zone: , UTM Easting: , UTM Northing: , Latitude: , Longitude: CITY OF OTTAWA

---

**Site:** Minto Communities Inc.  
ON

**Database:**  
[PTTW](#)

**EBR Registry No:** 012-9800  
**Ministry Ref No:** 5771-AJEJDR  
**Notice Type:** Instrument Decision  
**Notice Stage:**  
**Notice Date:** October 06, 2017  
**Proposal Date:** February 13, 2017  
**Year:** 2017  
**Instrument Type:** (OWRA s. 34) - Permit to Take Water  
**Off Instrument Name:**  
**Posted By:**  
**Company Name:** Minto Communities Inc.  
**Site Address:**  
**Location Other:**  
**Proponent Name:**  
**Proponent Address:** 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6, Minto Communities Inc., 180 Kent Street , Suite 200, Ottawa Ontario, Canada K1P 0B6  
**Comment Period:**  
**URL:**

**Decision Posted:**  
**Exception Posted:**  
**Section:**  
**Act 1:**  
**Act 2:**  
**Site Location Map:**

**Site Location Details:**

Avalon West Community Address: Lot: 3 & Part of Lot 4, Concession: 11, Geographic Township: CUMBERLAND, Ottawa, City District Office: Ottawa  
GeoReference: Zone: 18, UTM Easting: 461611, UTM Northing: 5032496, UTM Location Description: S1- Lot 3 Concession 11, Site #: 5712-AJEJLA  
CITY OF OTTAWA

**Site:** *Esso Petroleum Canada, A Division of Imperial Oil Limited  
Nepean Ottawa ON*

**Database:**  
*SPL*

<b>Ref No:</b>	0874-78WNRU	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	Oil
<b>Incident Dt:</b>		<b>Health/Env Conseq:</b>	
<b>Year:</b>		<b>Client Type:</b>	
<b>Incident Cause:</b>	Pipe Or Hose Leak	<b>Sector Type:</b>	Tank Truck
<b>Incident Event:</b>		<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	13	<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	DIESEL FUEL	<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	Confirmed	<b>Site Municipality:</b>	Ottawa
<b>Nature of Impact:</b>	soil contamiination	<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>MOE Response:</b>	No Field Response	<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	11/13/2007	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	11/16/2007	<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	Equipment Failure	<b>Source Type:</b>	
<b>Site Name:</b>	1961 Merivale Rd<UNOFFICIAL>		
<b>Site County/District:</b>			
<b>Site Geo Ref Meth:</b>			
<b>Incident Summary:</b>	Errentom Tanklines - 8L diesel to grd		
<b>Contaminant Qty:</b>	8 L		

**Site:** *ONTARIO HYDRO  
SOUTH MARCH TRANSFORMER STATION, MARCH ROAD TRANSFORMER KANATA CITY ON*

**Database:**  
*SPL*

<b>Ref No:</b>	128700	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	6/26/1996	<b>Health/Env Conseq:</b>	
<b>Year:</b>		<b>Client Type:</b>	
<b>Incident Cause:</b>	COOLING SYSTEM LEAK	<b>Sector Type:</b>	
<b>Incident Event:</b>		<b>Agency Involved:</b>	
<b>Contaminant Code:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	CONFIRMED	<b>Site Municipality:</b>	20103
<b>Nature of Impact:</b>	Soil contamination	<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>MOE Response:</b>		<b>Easting:</b>	EPS
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	7/3/1996	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>		<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	OTHER	<b>Source Type:</b>	
<b>Site Name:</b>			
<b>Site County/District:</b>			
<b>Site Geo Ref Meth:</b>			
<b>Incident Summary:</b>	ONTARIO HYDRO: 250 ML OF PCB OIL (200 PPM) TO SOILCONTAINED AND CLEANED UP.		
<b>Contaminant Qty:</b>			

# Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

## **Abandoned Aggregate Inventory:**

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

**Government Publication Date: Sept 2002\***

## **Aggregate Inventory:**

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

**Government Publication Date: Up to Sep 2020**

## **Abandoned Mine Information System:**

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

**Government Publication Date: 1800-Oct 2018**

## **Anderson's Waste Disposal Sites:**

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1860s-Present**

## **Aboveground Storage Tanks:**

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

**Government Publication Date: May 31, 2014**

## **Automobile Wrecking & Supplies:**

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

**Government Publication Date: 1999-Dec 31, 2020**

## **Borehole:**

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

**Government Publication Date: 1875-Jul 2018**

**Certificates of Approval:**

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

**Government Publication Date: 1985-Oct 30, 2011\***

**Dry Cleaning Facilities:**

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

**Government Publication Date: Jan 2004-Dec 2018**

**Commercial Fuel Oil Tanks:**

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: Jul 31, 2020**

**Chemical Manufacturers and Distributors:**

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

**Government Publication Date: 1999-Jan 31, 2020**

**Chemical Register:**

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

**Government Publication Date: 1999-Dec 31, 2020**

**Compressed Natural Gas Stations:**

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

**Government Publication Date: Dec 2012 -Dec 2020**

**Inventory of Coal Gasification Plants and Coal Tar Sites:**

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

**Government Publication Date: Apr 1987 and Nov 1988\***

**Compliance and Convictions:**

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

**Government Publication Date: 1989-Nov 2020**

**Certificates of Property Use:**

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

**Government Publication Date: 1994-Mar 31, 2021**



**Drill Hole Database:**

Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

**Government Publication Date: 1886 - Sep 2020**

**Delisted Fuel Tanks:**

Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

**Government Publication Date: Jul 31, 2020**

**Environmental Activity and Sector Registry:**

Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

**Government Publication Date: Oct 2011-Mar 31, 2021**

**Environmental Registry:**

Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

**Government Publication Date: 1994-Mar 31, 2021**

**Environmental Compliance Approval:**

Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

**Government Publication Date: Oct 2011- Mar 31, 2021**

**Environmental Effects Monitoring:**

Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

**Government Publication Date: 1992-2007\***

**ERIS Historical Searches:**

Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

**Government Publication Date: 1999-Jan 31, 2021**

**Environmental Issues Inventory System:**

Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

**Government Publication Date: 1992-2001\***

**Emergency Management Historical Event:**

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

**Government Publication Date: Dec 31, 2016**

**Environmental Penalty Annual Report:**

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

**Government Publication Date: Jan 1, 2011 - Dec 31, 2020**

**List of Expired Fuels Safety Facilities:**

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: Jul 31, 2020**

**Federal Convictions:**

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

**Government Publication Date: 1988-Jun 2007\***

**Contaminated Sites on Federal Land:**

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

**Government Publication Date: Jun 2000-Jan 2021**

**Fisheries & Oceans Fuel Tanks:**

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1964-Sep 2019**

**Federal Identification Registry for Storage Tank Systems (FIRSTS):**

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

**Government Publication Date: May 31, 2018**

**Fuel Storage Tank:**

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: Jul 31, 2020**

**Fuel Storage Tank - Historic:**

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

**Government Publication Date: Pre-Jan 2010\***

**Ontario Regulation 347 Waste Generators Summary:**

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

**Government Publication Date: 1986-Jan 31, 2021**

**Greenhouse Gas Emissions from Large Facilities:**

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO<sub>2</sub> eq).

**Government Publication Date: 2013-Dec 2018**

**TSSA Historic Incidents:**

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

**Government Publication Date: 2006-June 2009\***

**Indian & Northern Affairs Fuel Tanks:**

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1950-Aug 2003\***

**Fuel Oil Spills and Leaks:**

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

**Government Publication Date: Jul 31, 2020**

**Landfill Inventory Management Ontario:**

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

**Government Publication Date: Feb 28, 2019**

**Canadian Mine Locations:**

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

**Government Publication Date: 1998-2009\***

**Mineral Occurrences:**

Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

**Government Publication Date: 1846-Dec 2020**

**National Analysis of Trends in Emergencies System (NATES):**

Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

**Government Publication Date: 1974-1994\***

**Non-Compliance Reports:**

Provincial [NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

**Government Publication Date: Dec 31, 2018**

**National Defense & Canadian Forces Fuel Tanks:**

Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

**Government Publication Date: Up to May 2001\***

**National Defense & Canadian Forces Spills:**

Federal [NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

**Government Publication Date: Mar 1999-Apr 2018**

**National Defence & Canadian Forces Waste Disposal Sites:**

Federal [NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

**Government Publication Date: 2001-Apr 2007\***

**National Energy Board Pipeline Incidents:**

Federal [NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

**Government Publication Date: 2008-Dec 31, 2020**

**National Energy Board Wells:**

Federal [NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

**Government Publication Date: 1920-Feb 2003\***

**National Environmental Emergencies System (NEES):**

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

**Government Publication Date: 1974-2003\***

**National PCB Inventory:**

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

**Government Publication Date: 1988-2008\***

**National Pollutant Release Inventory:**

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

**Government Publication Date: 1993-May 2017**

**Oil and Gas Wells:**

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at [www.nickles.com](http://www.nickles.com).

**Government Publication Date: 1988-Feb 28, 2021**

**Ontario Oil and Gas Wells:**

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

**Government Publication Date: 1800-Jun 2020**

**Inventory of PCB Storage Sites:**

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

**Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**

**Orders:**

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

**Government Publication Date: 1994-Mar 31, 2021**

**Canadian Pulp and Paper:**

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

**Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014**

**Parks Canada Fuel Storage Tanks:**

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

**Government Publication Date: 1920-Jan 2005\***

**Pesticide Register:**

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

**Government Publication Date: Oct 2011-Mar 31, 2021**

**Pipeline Incidents:**

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

**Government Publication Date: Oct 31, 2020**

**Private and Retail Fuel Storage Tanks:**

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

**Government Publication Date: 1989-1996\***

**Permit to Take Water:**

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

**Government Publication Date: 1994-Mar 31, 2021**

**Ontario Regulation 347 Waste Receivers Summary:**

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

**Government Publication Date: 1986-2016**

**Record of Site Condition:**

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

**Government Publication Date: 1997-Sept 2001, Oct 2004-Mar 2021**

**Retail Fuel Storage Tanks:**

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

**Government Publication Date: 1999-Dec 31, 2020**

**Scott's Manufacturing Directory:**

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

**Government Publication Date: 1992-Mar 2011\***

**Ontario Spills:**

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

**Government Publication Date: 1988-Mar 2020; Jul 2020 - Aug 2020**

**Wastewater Discharger Registration Database:**

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

**Government Publication Date: 1990-Dec 31, 2017**

**Anderson's Storage Tanks:**

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1915-1953\***

**Transport Canada Fuel Storage Tanks:**

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

**Government Publication Date: 1970 - Dec 2020**

**Variations for Abandonment of Underground Storage Tanks:**

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

**Government Publication Date: Jul 31, 2020**

**Waste Disposal Sites - MOE CA Inventory:**

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

**Government Publication Date: Oct 2011-Mar 31, 2021**

**Waste Disposal Sites - MOE 1991 Historical Approval Inventory:**

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

**Government Publication Date: Up to Oct 1990\***

**Water Well Information System:**

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

**Government Publication Date: Apr 30, 2020**

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report:** This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

**Distance:** The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

**Direction:** The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

**Elevation:** The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

**Map Key:** The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

**Unplottables:** These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.





## **APPENDIX E**

### TSSA Search

## Katherine Rispoli

---

**From:** Public Information Services <publicinformationsservices@tssa.org>  
**Sent:** April-02-18 10:22 AM  
**To:** Katherine Rispoli  
**Subject:** No Record Found (Fuel Storage Tanks Only)

Hello Katherine. Thank you for your request for confirmation of public information.

We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at [https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?\\_mid\\_=392](https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392) and email the completed form to [publicinformationsservices@tssa.org](mailto:publicinformationsservices@tssa.org) or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Gaya

---

**From:** Katherine Rispoli <katherine.rispoli@gemtec.ca>  
**Sent:** February 28, 2018 12:49 PM  
**To:** Public Information Services <publicinformationsservices@tssa.org>  
**Subject:** 64153.85 - Storage tanks and/or incidents search

Good afternoon,

I'd like to request any information on storage tanks and/or incidents for the following addresses, located in Ottawa, ON.

- 788, 806, 812, 830, 886, March Road;
- 1032, 1045, 1055, 1056, 1078, 1100 Klondike Road

Thank you and have a good day,

Katherine

---



**Katherine Rispoli, M.A.Sc., P.Eng., ing.**

**Environmental Engineer**

**Ottawa, ON**

**tel: 613.836.1422 x261 / toll-free: 1.877.243.6832**

**mobile: 613.229.3175 / fax: 613.836.9731**


*This email is directed in confidence solely to the person(s) to whom it was addressed and may contain privileged, confidential or private information that is not to be disclosed. If you are not the addressee or an authorized representative thereof, please contact the sender and delete this email and any attachments. GEMTEC Consulting Engineers and Scientists Limited does not accept liability for any damage caused by any virus transmitted by this email. It is the recipients' responsibility to screen this email and its attachments for viruses prior to opening them.*

**This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.**



## **APPENDIX F**

### Aerial Photographs



**GEMTEC**

CONSULTING ENGINEERS  
AND SCIENTISTS

32 Steacie Drive, Ottawa, ON K2K 2A9  
T: (613) 836-1422 | www.gemtec.ca | ottawa@gemtec.ca

AERIAL PHOTOGRAPH - 1934


Project

PHASE ONE ESA  
1055 KLONDIKE ROAD  
OTTAWA, ONTARIO

Project No.

64153.85

**FIGURE E1**




**GEMTEC**  
 CONSULTING ENGINEERS  
 AND SCIENTISTS  
 32 Steacie Drive, Ottawa, ON K2K 2A9  
 T: (613) 836-1422 | www.gemtec.ca | ottawa@gemtec.ca

AERIAL PHOTOGRAPH - 1952			
Project	PHASE ONE ESA 1055 KLONDIKE ROAD OTTAWA, ONTARIO	Project No. 64153.85	<b>FIGURE E2</b>



## **APPENDIX G**

City Directory

<b>City Directory Information Source</b>
Vernon's Ottawa and Area, Ontario, City Directory

<b>PROJECT NUMBER:</b> 20180212154	
<b>Site Address:</b>	1055 Klondike Road, Ottawa, Ontario
<b>Year:</b> 2011	
<b>Site Listing:</b>	-Single Tenant Residential
<b>Adjacent Properties:</b>	
<b>1032 Klondike Road</b>	-Ruiter Construction Ltd -Ottawa-Carleton District School Board -Childrens Village of Ottawa Carleton
<b>1045 Klondike Road</b>	-Single Tenant Residential
<b>1056 Klondike Road</b>	-Margan's Grant Montessori -The Greenwoods Academy



<b>1078 Klondike Road</b>	-Kanata Fellowship Baptist Church
<b>1100 Klondike Road</b>	-Address Not Listed
<b>788 March Road</b>	-Address Not Listed
<b>806 March Road</b>	-Address Not Listed
<b>812 March Road</b>	-Address Not Listed
<b>830 March Road</b>	-Address Not Listed
<b>886 March Road</b>	-Single Tenant Residential

<b>PROJECT NUMBER: 20180212154</b>	
<b>Site Address:</b>	1055 Klondike Road, Ottawa, Ontario
<b>Year: 2005/06</b>	
<b>Site Listing:</b>	-Single Tenant Residential
<b>Adjacent Properties:</b>	
<b>1032 Klondike Road</b>	-Address Not Listed
<b>1045 Klondike Road</b>	-Single Tenant Residential

<b>1056 Klondike Road</b>	-Single Tenant Residential
<b>1078 Klondike Road</b>	-Kanata Fellowship Baptist Church
<b>1100 Klondike Road</b>	-Address Not Listed
<b>788 March Road</b>	-Address Not Listed
<b>806 March Road</b>	-Address Not Listed
<b>812 March Road</b>	-Address Not Listed
<b>830 March Road</b>	-Address Not Listed
<b>886 March Road</b>	-Single Tenant Residential

<b>PROJECT NUMBER:</b> 20180212154	
<b>Site Address:</b>	1055 Klondike Road, Ottawa, Ontario
<b>Year:</b> 2000/01	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>1032 Klondike Road</b>	-Address Not Listed

<b>1045 Klondike Road</b>	-Single Tenant Residential
<b>1056 Klondike Road</b>	-Single Tenant Residential
<b>1078 Klondike Road</b>	-Address Not Listed
<b>1100 Klondike Road</b>	-Address Not Listed
<b>788 March Road</b>	-Address Not Listed
<b>806 March Road</b>	-Address Not Listed
<b>812 March Road</b>	-Address Not Listed
<b>830 March Road</b>	-Address Not Listed
<b>886 March Road</b>	-Single Tenant Residential

<b>PROJECT NUMBER:</b> 20180212154	
<b>Site Address:</b>	1055 Klondike Road, Ottawa, Ontario
<b>Year:</b> 1995/96	
<b>Site Listing:</b>	-Single Tenant Residential
<b>Adjacent Properties:</b>	

<b>1032 Klondike Road</b>	-Address Not Listed
<b>1045 Klondike Road</b>	-Single Tenant Residential
<b>1056 Klondike Road</b>	-Single Tenant Residential
<b>1078 Klondike Road</b>	-Address Not Listed
<b>1100 Klondike Road</b>	-Address Not Listed
<b>788 March Road</b>	-Address Not Listed
<b>806 March Road</b>	-March House Restaurant
<b>812 March Road</b>	-Address Not Listed
<b>830 March Road</b>	-Address Not Listed
<b>886 March Road</b>	-Single Tenant Residential

<b>PROJECT NUMBER:</b> 20180212154	
<b>Site Address:</b>	1055 Klondike Road, Ottawa, Ontario
<b>Year:</b> 1992	
<b>Site Listing:</b>	-Single Tenant Residential

<b>Adjacent Properties:</b>	
<b>1032 Klondike Road</b>	-Address Not Listed
<b>1045 Klondike Road</b>	-Single Tenant Residential
<b>1056 Klondike Road</b>	-Single Tenant Residential
<b>1078 Klondike Road</b>	-Address Not Listed
<b>1100 Klondike Road</b>	-Address Not Listed
<b>788 March Road</b>	-Address Not Listed
<b>806 March Road</b>	-March House Restaurant
<b>812 March Road</b>	-Address Not Listed
<b>830 March Road</b>	-Address Not Listed
<b>886 March Road</b>	-Single Tenant Residential

<b>PROJECT NUMBER:</b> 20180212154	
<b>Site Address:</b>	1055 Klondike Road, Ottawa, Ontario
<b>Year:</b> 1984	

<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>1032 Klondike Road</b>	-Address Not Listed
<b>1045 Klondike Road</b>	-Address Not Listed
<b>1056 Klondike Road</b>	-Address Not Listed
<b>1078 Klondike Road</b>	-Address Not Listed
<b>1100 Klondike Road</b>	-Address Not Listed
<b>788 March Road</b>	-Address Not Listed
<b>806 March Road</b>	-Address Not Listed
<b>812 March Road</b>	-Address Not Listed
<b>830 March Road</b>	-Address Not Listed
<b>886 March Road</b>	-Address Not Listed

<b>PROJECT NUMBER:</b> 20180212154	
<b>Site Address:</b>	1055 Klondike Road, Ottawa, Ontario

<b>Year: 1979</b>	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>1032 Klondike Road</b>	-Address Not Listed
<b>1045 Klondike Road</b>	-Address Not Listed
<b>1056 Klondike Road</b>	-Address Not Listed
<b>1078 Klondike Road</b>	-Address Not Listed
<b>1100 Klondike Road</b>	-Address Not Listed
<b>788 March Road</b>	-Address Not Listed
<b>806 March Road</b>	-Address Not Listed
<b>812 March Road</b>	-Address Not Listed
<b>830 March Road</b>	-Address Not Listed
<b>886 March Road</b>	-Address Not Listed

<b>PROJECT NUMBER: 20180212154</b>	
------------------------------------	--

<b>Site Address:</b>	1055 Klondike Road, Ottawa, Ontario
<b>Year: 1974</b>	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>1032 Klondike Road</b>	-Address Not Listed
<b>1045 Klondike Road</b>	-Address Not Listed
<b>1056 Klondike Road</b>	-Address Not Listed
<b>1078 Klondike Road</b>	-Address Not Listed
<b>1100 Klondike Road</b>	-Address Not Listed
<b>788 March Road</b>	-Address Not Listed
<b>806 March Road</b>	-Address Not Listed
<b>812 March Road</b>	-Address Not Listed
<b>830 March Road</b>	-Address Not Listed
<b>886 March Road</b>	-Address Not Listed



<b>PROJECT NUMBER:</b> 20180212154	
<b>Site Address:</b>	1055 Klondike Road, Ottawa, Ontario
<b>Year:</b> 1969	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>1032 Klondike Road</b>	-Address Not Listed
<b>1045 Klondike Road</b>	-Address Not Listed
<b>1056 Klondike Road</b>	-Address Not Listed
<b>1078 Klondike Road</b>	-Address Not Listed
<b>1100 Klondike Road</b>	-Address Not Listed
<b>788 March Road</b>	-Address Not Listed
<b>806 March Road</b>	-Address Not Listed
<b>812 March Road</b>	-Address Not Listed
<b>830 March Road</b>	-Address Not Listed

<b>886 March Road</b>	-Address Not Listed

<b>PROJECT NUMBER: 20180212154</b>	
<b>Site Address:</b>	1055 Klondike Road, Ottawa, Ontario
<b>Year: 1964</b>	
<b>Site Listing:</b>	-Address Not Listed
<b>Adjacent Properties:</b>	
<b>1032 Klondike Road</b>	-Address Not Listed
<b>1045 Klondike Road</b>	-Address Not Listed
<b>1056 Klondike Road</b>	-Address Not Listed
<b>1078 Klondike Road</b>	-Address Not Listed
<b>1100 Klondike Road</b>	-Address Not Listed
<b>788 March Road</b>	-Address Not Listed
<b>806 March Road</b>	-Address Not Listed
<b>812 March Road</b>	-Address Not Listed

<b>830 March Road</b>	-Address Not Listed
<b>886 March Road</b>	-Address Not Listed

-All listings for businesses were listed as they are in the city directory.

-Listings that are residential are listed as "residential" with the number of tenants. The name of the residential tenant is not listed in the above city directory



## **APPENDIX H**

HLUI Response Letter



File Number: D06-03-17-0165

May 23, 2018

Katherine Rispoli  
GEMTEC  
32 Steacie Drive  
Ottawa, ON  
K2K 2A9

*Sent via email [Katherine.rispoli@gemtec.ca]*

Dear Ms. Rispoli

**Re: Information Request  
1055 Klondike Drive, Ottawa, Ontario (“Subject Property”)**

**Internal Department Circulation**

The Planning, Infrastructure and Economic Development Department has the following information in response to your request for information regarding the Subject Property:

- No information was returned on the Subject Property from Departmental circulation.

**Search of Historical Land Use Inventory**

**This acknowledges receipt of the signed Disclaimer regarding your request for information from the City’s Historical Land Use Inventory (HLUI 2005) database for the Subject Property.**

A search of the HLUI database revealed the following information:

- There are no activities associated with the Subject Property.

The HLUI database was also searched for activity associated with properties located within 50m of the Subject Property. The search revealed the following:

- There is one (1) activity associated with properties located within 50m of the Subject Property: Activity Numbers 4572.

*Shaping our future together  
Ensemble, formons notre avenir*

City of Ottawa  
Planning, Infrastructure and Economic  
Development Department

110 Laurier Avenue West, 4th Floor  
Ottawa, ON K1P 1J1  
Tel: (613) 580-2424 ext. 21690  
Fax: (613) 560-6006  
www.ottawa.ca

Ville d’Ottawa  
Services de la planification, de l’infrastructure et  
du développement économique

110, avenue Laurier Ouest, 4e étage  
Ottawa (Ontario) K1P 1J1  
Tél.: (613) 580-2424 ext. 21690  
Télééc: (613) 560-6006  
www.ottawa.ca

A site map has been included to show the location of the Subject Property as well as the location of all the activities noted above.

Additional information may be obtained by contacting:

### **Ontario's Environmental Registry**

The Environmental Registry found at <http://www.ebr.gov.on.ca/ERS-WEB-External/> contains "public notices" about environmental matters being proposed by all government ministries covered by the Environmental Bill of Rights. The public notices may contain information about proposed new laws, regulations, policies and programs or about proposals to change or eliminate existing ones. By using key words i.e. name of proponent/owner and the address one can ascertain if there is any information on the proponent and address under the following categories: Ministry, keywords, notice types, Notice Status, Acts, Instruments and published date (all years).

### **The Ontario Land Registry Office**

Registration of real property is recorded in the Ontario Land Registry Office through the Land Titles Act or the Registry Act. Documents relating to title and other agreements that may affect your property are available to the public for a fee. It is recommended that a property search at the Land Registry Office be included in any investigation as to the historic use of your property. The City of Ottawa cannot comment on any documents to which it is not a party.

Court House  
161 Elgin Street 4th Floor  
Ottawa ON K2P 2K1  
Tel: (613) 239-1230  
Fax: (613) 239-1422

**Please note, as per the HLUI Disclaimer, that the information contained in the HLUI database has been compiled from publicly available records and other sources of information. The HLUI may contain erroneous information given that the records used as sources of information may be flawed. For instance, changes in municipal addresses over time may introduce error. Accordingly, all information from the HLUI database is provided on an "as is" basis with no representation or warranty by the City with respect to the information's accuracy or exhaustiveness in responding to the request.**

**Furthermore, the HLUI database and the results of this search in no way confirm the presence or absence of contamination or pollution of any kind. This information is provided on the assumption that it will not be relied upon by any person for any purpose whatsoever. The City of Ottawa denies all liability to any persons attempting to rely on any information provided from the HLUI database.**

**Please note that in responding to your request, the City of Ottawa does not guarantee or comment on the environmental condition of the Subject Property. You may wish to contact the Ontario Ministry of Environment and Climate Change for additional information.**

If you have any further questions or comments, please contact Colette Gorni at 613-580-2424 ext. 21690 or [HLUI@ottawa.ca](mailto:HLUI@ottawa.ca)

Sincerely,

A handwritten signature in black ink, appearing to read "Colette Gorni". The signature is written in a cursive style with a horizontal line at the end.

Colette Gorni


Per:

Michael Boughton, MCIP, RPP  
Senior Planner  
Development Review East  
Planning Services  
Planning, Infrastructure and Economic Development Department

MB/ CG

Attach: 2

cc: File no. D06-03-17-0165




Scale 1: n/a

1055 Klondike Road  
Ottawa, ON  
File # D06-03-17-0165  
Colette Gorni



Overview

ID# = Activity Identification Number

 = Subject Site







## **APPENDIX I**

### Site Photographs

Photograph I1: Unknown fill within the subject site. The unknown fill was observed at the end of the gravel path in the centre of the subject site. The origin of the fill was determined during the interview with site representative Brian Saumure.




Photograph I2: Remnant burnt building materials and debris from the fire in July 2018 observed towards the centre of the subject site approximately 10 meters northeast from building footprint of the historical residential structure.



Photograph I3: Pole and pad mounted transformers identified throughout the study area.



experience • knowledge • integrity



civil  
geotechnical  
environmental  
field services  
materials testing

civil  
géotechnique  
environnementale  
surveillance de chantier  
service de laboratoire des matériaux

expérience • connaissance • intégrité

